



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman

Receiving Lab: Canada-Whitehorse

Received: September 22, 2016

Report Date: October 12, 2016

Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI16000297.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-49
P.O. Number
Number of Samples: 97

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	93	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	97	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	97	Analysis sample split/packet			VAN
Split -150	97	Analysis sample split/packet			VAN
FS631	92	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	97	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	97	Per sample shipping charges for branch shipments			VAN
SLBHP	4	Sort, label and box pulps			WHI
FA530	3	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002765	Drill Core	1.46	440	0.061	0.06	<0.17	21.39	1.2	17.0	17.3	27	0.4	5.6	6.1	453	1.65	3.0	0.8	17.5	8.2	69
2002766	Drill Core	0.62	418	0.033	0.03	<0.17	25.24	0.9	12.1	5.3	18	0.1	5.7	8.0	601	1.10	2.1	0.5	12.3	5.8	63
2002767	Drill Core	2.37	384	0.009	<0.01	<0.17	21.11	0.6	13.6	9.2	14	0.2	3.6	3.8	112	1.43	2.5	1.6	2.2	7.8	59
2002768	Drill Core	3.63	349	4.879	5.93	19.57	24.88	0.6	34.3	7.6	32	3.0	5.9	4.1	144	2.47	3.4	3.1	8443.3	7.5	61
2002769	Drill Core	0.60	459	>10	81.78	976.75	24.47	0.7	73.4	1.8	13	17.6	2.8	1.3	102	1.55	2.0	1.1	89617.1	1.1	5
2002770	Drill Core	3.18	356	5.011	10.34	80.75	25.09	0.3	39.9	9.7	32	2.6	5.9	3.6	128	2.24	2.7	2.1	7197.1	7.4	70
2002771	Drill Core	4.01	368	0.053	2.02	27.11	26.71	0.7	34.1	5.7	36	2.9	9.3	5.5	199	2.90	3.5	1.0	7129.3	6.0	60
2002772	Drill Core	0.64	386	5.995	5.59	<0.17	26.02	0.4	31.1	2.9	61	0.3	17.9	14.0	776	1.69	3.5	0.9	26.1	7.2	55
2002773	Drill Core	3.16	465	0.014	0.01	<0.17	20.13	0.8	20.8	15.8	69	0.3	5.8	3.0	254	2.12	3.9	2.6	18.9	7.3	75
2002774	Drill Core	2.15	456	0.019	0.03	0.27	25.95	3.9	21.0	163.5	137	0.5	10.2	8.5	510	2.42	3.8	2.1	8.1	6.1	65
2002775	Rock Pulp	0.12		0.008	I.S.	I.S.	I.S.	1.7	60.0	3.2	33	<0.1	4.8	7.1	336	2.38	<0.5	0.7	<0.5	2.3	56
2002776	Drill Core	1.43	471	0.213	0.24	0.66	28.81	0.9	37.1	5.9	205	0.3	32.6	54.0	3506	2.12	1.9	1.7	154.3	5.6	63
2002777	Drill Core	3.61	483	0.149	0.16	0.43	20.87	0.4	17.1	4.0	24	0.3	4.8	3.0	119	1.70	2.5	3.3	106.6	9.0	22
2002778	Drill Core	0.56	395	2.100	2.43	8.46	20.69	0.3	16.5	9.8	17	1.0	3.4	2.3	93	1.42	2.1	2.1	1811.8	5.5	7
2002779	Drill Core	2.63	393	0.546	0.74	3.57	24.94	0.5	18.3	3.9	26	0.3	5.3	3.4	100	1.93	2.2	3.3	426.4	8.2	12
2002780	Drill Core	0.33	264	6.448	10.19	39.78	29.61	0.4	8.2	1.2	7	3.0	2.4	0.8	97	1.06	1.0	0.6	7732.9	1.0	3
2002781	Drill Core	3.16	487	0.097	0.09	<0.17	26.13	0.6	16.6	4.7	50	0.3	5.2	3.8	125	1.97	2.5	2.8	76.1	8.3	15
2002782	Drill Core	3.68	378	0.151	0.16	0.28	24.73	0.9	14.7	3.7	32	0.3	5.3	2.7	175	2.10	2.5	2.9	287.6	9.1	36
2002783	Drill Core	0.83	430	0.404	0.70	5.16	26.72	0.6	25.3	26.8	45	0.9	6.7	3.5	264	2.66	2.4	2.7	481.8	7.1	43
2002784	Drill Core	1.38	422	0.180	0.24	1.24	24.97	0.4	7.8	2.2	21	0.2	3.7	0.9	116	1.69	2.4	1.1	161.0	8.1	37
2002785	Drill Core	1.66	347	0.006	0.02	0.18	22.72	0.5	17.1	9.0	49	0.2	9.1	8.3	359	1.96	2.8	2.2	0.7	7.9	66
2002786	Drill Core	2.23	489	0.008	<0.01	<0.17	28.63	1.0	20.4	4.4	134	0.3	17.0	10.6	586	2.05	4.3	1.3	2.1	7.5	50
2002787	Drill Core	1.98	427	0.038	0.07	0.69	21.81	0.5	19.7	3.9	58	0.2	11.3	7.5	931	2.09	2.9	0.4	41.3	7.3	55
2002788	Drill Core	1.00	425	0.007	<0.01	<0.17	21.24	0.9	16.7	5.2	23	0.2	5.5	3.4	232	2.91	5.9	0.5	4.5	6.9	41
2002789	Drill Core	4.75	469	1.239	1.27	1.93	21.26	0.4	28.9	3.4	33	0.8	2.4	0.7	105	1.26	1.5	2.4	877.0	8.2	34
2002790	Drill Core	1.05	431	>10	61.04	654.77	21.80	0.6	50.8	9.3	24	21.9	2.7	2.7	135	1.88	4.0	1.3	67223.4	3.0	28
2002791	Drill Core	2.54	385	0.619	0.79	3.39	23.62	0.3	18.5	3.0	88	0.7	6.6	7.0	406	1.43	2.2	2.4	781.8	7.8	23
2002792	Drill Core	1.92	377	3.483	6.31	57.92	19.58	0.7	27.8	10.3	128	2.2	11.3	46.2	1948	1.56	4.7	3.1	6957.4	6.9	29
2002793	Drill Core	3.50	363	0.384	0.41	0.71	25.43	0.8	28.5	18.8	116	0.5	10.1	8.1	455	1.60	3.6	2.2	586.7	8.2	16
2002794	Drill Core	0.93	371	0.025	0.02	<0.17	23.44	1.1	23.9	15.6	25	0.9	3.4	2.0	159	2.20	4.4	1.4	20.7	5.3	75



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2002765	Drill Core				0.2	0.3	0.2	6	0.09	0.046	14	9	0.17	1365	0.007	<1	0.56	0.042	0.33	0.8	<0.01	1.7	<0.1	0.08
2002766	Drill Core				0.3	0.3	<0.1	4	0.09	0.035	10	6	0.15	1126	0.006	<1	0.33	0.023	0.19	0.1	<0.01	1.3	<0.1	<0.05
2002767	Drill Core				<0.1	0.3	<0.1	5	0.06	0.046	12	6	0.12	685	0.010	<1	0.42	0.033	0.30	0.1	<0.01	1.4	<0.1	0.13
2002768	Drill Core				<0.1	0.7	<0.1	8	0.07	0.060	14	10	0.21	524	0.016	<1	0.52	0.064	0.34	0.3	0.02	2.4	0.1	0.30
2002769	Drill Core				0.1	3.7	<0.1	<2	0.01	0.021	3	6	0.04	130	<0.001	<1	0.11	0.016	0.05	<0.1	0.03	0.6	<0.1	<0.05
2002770	Drill Core				0.1	0.7	<0.1	9	0.10	0.067	12	11	0.21	443	0.023	<1	0.49	0.047	0.31	0.3	0.01	2.5	<0.1	0.33
2002771	Drill Core				<0.1	0.5	<0.1	9	0.71	0.061	9	11	0.27	85	0.025	<1	0.52	0.041	0.33	0.5	0.01	2.7	<0.1	1.37
2002772	Drill Core				1.1	0.6	<0.1	6	0.44	0.071	11	10	0.52	480	0.020	<1	0.67	0.018	0.31	0.4	<0.01	1.7	0.1	0.22
2002773	Drill Core				0.4	0.8	<0.1	8	0.17	0.056	11	18	0.42	454	0.022	<1	0.72	0.035	0.32	0.4	<0.01	1.8	<0.1	0.23
2002774	Drill Core				0.3	1.4	0.4	22	0.26	0.059	9	118	1.70	170	0.050	<1	1.62	0.020	0.23	0.4	0.02	3.6	0.1	0.09
2002775	Rock Pulp				<0.1	<0.1	<0.1	83	0.68	0.059	6	10	0.65	104	0.076	<1	1.22	0.124	0.18	1.8	<0.01	2.0	<0.1	<0.05
2002776	Drill Core				3.9	1.9	<0.1	21	0.29	0.050	11	135	1.69	149	0.056	<1	1.64	0.020	0.23	0.4	<0.01	5.1	0.3	<0.05
2002777	Drill Core				<0.1	1.4	<0.1	8	0.09	0.049	24	13	0.23	189	0.013	<1	0.51	0.047	0.23	0.2	<0.01	2.2	<0.1	0.09
2002778	Drill Core				<0.1	2.2	<0.1	6	0.03	0.035	22	9	0.10	180	0.003	<1	0.31	0.023	0.19	0.1	0.01	1.5	<0.1	<0.05
2002779	Drill Core				0.2	1.5	0.1	8	0.05	0.045	26	13	0.15	227	0.003	<1	0.50	0.044	0.25	0.2	<0.01	2.1	<0.1	<0.05
2002780	Drill Core				0.1	0.5	<0.1	<2	0.01	0.008	3	6	0.03	50	<0.001	<1	0.09	0.010	0.04	0.2	0.01	0.5	<0.1	<0.05
2002781	Drill Core				0.2	2.5	0.1	11	0.10	0.044	18	16	0.19	280	0.007	<1	0.55	0.038	0.22	0.3	<0.01	2.4	0.1	<0.05
2002782	Drill Core				0.2	1.5	<0.1	12	0.15	0.049	14	17	0.27	398	0.027	<1	0.55	0.048	0.26	0.7	<0.01	3.2	<0.1	0.21
2002783	Drill Core				0.5	1.5	0.2	9	0.21	0.086	11	21	0.36	417	0.050	<1	0.49	0.089	0.21	0.7	<0.01	4.0	<0.1	0.27
2002784	Drill Core				0.3	1.3	<0.1	10	0.13	0.045	13	14	0.23	482	0.038	<1	0.43	0.043	0.31	0.7	<0.01	2.5	<0.1	0.33
2002785	Drill Core				0.4	1.6	<0.1	10	0.20	0.060	12	14	0.35	306	0.037	<1	0.73	0.040	0.45	0.6	<0.01	2.3	0.1	0.26
2002786	Drill Core				1.3	2.3	<0.1	14	0.23	0.067	11	12	0.59	360	0.048	<1	0.90	0.021	0.31	0.4	<0.01	1.9	0.1	0.07
2002787	Drill Core				0.9	1.5	<0.1	10	1.31	0.061	11	11	0.62	578	0.027	<1	0.74	0.023	0.34	0.4	<0.01	2.3	0.1	0.12
2002788	Drill Core				0.1	2.0	0.1	15	0.19	0.058	11	11	0.26	313	0.037	<1	0.54	0.032	0.39	0.4	<0.01	2.2	0.1	0.27
2002789	Drill Core				0.2	2.4	<0.1	5	0.09	0.050	12	7	0.21	534	0.017	<1	0.48	0.031	0.27	0.3	<0.01	1.5	<0.1	0.19
2002790	Drill Core				0.2	8.3	0.1	2	0.03	0.025	6	6	0.07	546	0.006	<1	0.19	0.028	0.13	0.2	0.24	1.1	<0.1	0.23
2002791	Drill Core				0.5	2.1	<0.1	5	0.12	0.046	12	7	0.32	409	0.016	<1	0.61	0.032	0.24	0.3	0.02	1.4	0.1	0.10
2002792	Drill Core				1.4	3.0	<0.1	5	0.20	0.042	14	9	0.39	196	0.020	<1	0.89	0.016	0.21	0.3	0.01	1.3	0.1	<0.05
2002793	Drill Core				0.9	2.9	<0.1	5	0.16	0.060	13	9	0.38	477	0.015	<1	0.76	0.015	0.27	0.3	<0.01	1.5	0.1	<0.05
2002794	Drill Core				0.2	6.2	<0.1	5	0.01	0.045	9	15	0.08	836	0.009	<1	0.39	0.022	0.24	0.2	0.08	1.4	<0.1	0.14



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002765	Drill Core	2	<0.5	<0.2
2002766	Drill Core	1	<0.5	<0.2
2002767	Drill Core	1	<0.5	<0.2
2002768	Drill Core	2	1.0	0.7
2002769	Drill Core	<1	<0.5	4.8 31.4
2002770	Drill Core	2	0.8	0.5
2002771	Drill Core	2	0.7	0.7
2002772	Drill Core	2	<0.5	<0.2
2002773	Drill Core	2	<0.5	<0.2
2002774	Drill Core	5	<0.5	<0.2
2002775	Rock Pulp	3	<0.5	<0.2
2002776	Drill Core	5	<0.5	<0.2
2002777	Drill Core	2	<0.5	<0.2
2002778	Drill Core	2	<0.5	<0.2
2002779	Drill Core	3	<0.5	<0.2
2002780	Drill Core	<1	<0.5	0.9
2002781	Drill Core	3	<0.5	<0.2
2002782	Drill Core	3	<0.5	<0.2
2002783	Drill Core	2	<0.5	<0.2
2002784	Drill Core	2	0.6	<0.2
2002785	Drill Core	2	<0.5	<0.2
2002786	Drill Core	2	<0.5	<0.2
2002787	Drill Core	2	<0.5	<0.2
2002788	Drill Core	2	0.8	<0.2
2002789	Drill Core	1	<0.5	<0.2
2002790	Drill Core	<1	<0.5	9.0 29.4
2002791	Drill Core	2	<0.5	<0.2
2002792	Drill Core	2	<0.5	0.7
2002793	Drill Core	2	<0.5	<0.2
2002794	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

October 12, 2016

Page:

3 of 5

Part:

1 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002795	Drill Core	3.88	402	0.046	0.04	<0.17	21.85	2.1	23.5	22.5	36	0.5	9.5	8.0	484	2.35	2.9	1.3	16.7	7.8	51
2002796	Drill Core	3.90	374	0.044	0.04	<0.17	28.46	2.2	30.1	26.6	62	0.8	9.3	10.2	653	2.50	3.2	2.6	11.6	7.2	47
2002797	Drill Core	2.20	455	0.190	0.19	<0.17	29.84	0.5	16.8	16.5	96	0.4	7.9	10.7	525	1.16	6.4	3.0	481.5	7.5	27
2002798	Drill Core	3.27	484	0.077	0.09	0.25	23.73	1.2	9.2	13.5	14	0.2	1.9	0.8	82	0.99	3.1	3.2	71.5	9.2	32
2002799	Drill Core	1.48	514	3.398	4.92	34.09	25.55	0.4	18.3	24.0	29	2.0	2.2	1.1	105	1.57	3.5	3.7	3844.6	7.8	36
2002800	Rock Pulp	0.12		6.796	I.S.	I.S.	I.S.	13.5	74.6	22.5	58	0.8	19.7	9.5	473	4.22	12.6	0.4	7680.6	1.2	59
2002801	Drill Core	4.72	503	0.096	0.10	0.18	27.13	0.3	11.5	10.7	24	0.2	3.0	0.8	82	0.92	2.7	2.2	128.7	7.8	29
2002802	Drill Core	2.16	453	0.670	0.81	3.05	27.51	0.7	20.4	9.9	44	0.5	4.2	1.8	135	1.78	5.8	3.7	596.3	7.4	46
2002803	Drill Core	3.12	412	0.507	0.60	2.42	18.98	0.6	24.3	9.7	85	0.5	11.1	6.2	212	1.79	2.5	2.8	517.0	7.0	53
2002804	Drill Core	4.74	512	0.007	0.01	<0.17	30.76	0.6	10.6	17.0	23	0.3	2.5	1.2	93	1.39	1.5	2.6	4.1	9.9	53
2002805	Drill Core	3.57	484	0.023	0.05	0.60	23.21	2.2	8.4	41.9	16	1.1	1.5	0.5	63	1.71	4.2	1.4	15.4	7.3	47
2002806	Drill Core	0.74	496	0.075	0.08	<0.17	23.31	4.1	21.9	99.6	51	0.9	5.0	2.7	91	5.11	5.2	1.4	72.9	8.2	53
2002807	Drill Core	4.61	472	0.009	<0.01	<0.17	29.48	2.4	12.6	16.9	14	0.4	1.7	0.8	56	2.85	2.6	1.9	7.6	10.8	36
2002808	Drill Core	4.25	516	0.007	<0.01	<0.17	24.42	1.1	2.6	13.8	3	0.3	1.2	0.6	53	1.49	0.7	0.6	6.9	6.1	19
2002809	Drill Core	4.60	490	0.081	0.24	2.83	28.24	1.3	5.0	13.3	4	0.6	5.4	3.3	52	2.08	0.9	0.9	77.1	4.8	24
2002810	Drill Core	1.60	555	0.045	0.05	<0.17	29.40	1.3	12.8	19.5	8	0.4	3.6	2.1	56	1.48	1.4	1.6	3.6	7.6	23
2002811	Drill Core	4.39	454	0.007	<0.01	<0.17	26.46	1.5	14.9	15.7	18	0.3	6.3	4.0	83	2.14	2.2	2.7	5.1	10.1	28
2002812	Drill Core	3.83	472	0.056	0.06	0.19	25.79	1.0	11.7	18.7	37	0.2	2.3	1.2	139	0.91	0.8	2.7	44.5	11.2	24
2002813	Drill Core	0.73	456	0.455	0.59	2.86	25.84	4.0	18.5	519.8	39	2.7	0.9	0.8	112	0.97	0.9	1.3	521.0	7.0	42
2002814	Drill Core	2.95	411	0.006	<0.01	<0.17	18.56	0.6	7.8	15.9	19	0.1	1.0	1.1	101	0.60	0.7	1.6	4.2	11.4	10
2002815	Drill Core	0.62	527	0.006	<0.01	<0.17	24.61	0.9	9.0	42.5	20	<0.1	0.8	0.8	55	0.47	1.5	3.5	4.4	19.4	10
2002816	Drill Core	2.63	502	<0.005	<0.01	<0.17	22.91	0.6	5.4	15.7	13	0.1	0.6	0.3	36	0.39	0.7	2.0	2.9	14.6	42
2002817	Drill Core	3.23	463	<0.005	<0.01	<0.17	28.64	0.7	7.8	34.5	50	0.2	3.8	4.0	276	0.43	<0.5	3.4	1.5	14.4	39
2002818	Drill Core	1.71	414	1.351	1.73	8.03	23.42	0.8	20.3	17.3	49	0.6	7.7	4.5	290	1.77	4.2	1.3	1713.2	6.6	25
2002819	Drill Core	1.74	351	0.007	<0.01	<0.17	26.27	1.4	33.9	22.5	66	0.5	7.4	5.6	259	1.99	1.8	1.0	3.1	7.9	30
2002820	Drill Core	4.33	463	0.007	<0.01	<0.17	28.23	1.2	23.4	18.8	148	0.2	24.6	19.4	1275	2.27	3.9	1.8	9.2	8.9	45
2002821	Drill Core	4.68	497	0.079	0.08	<0.17	22.46	0.9	14.6	18.0	33	0.2	3.5	2.7	108	1.72	1.0	1.2	89.6	8.9	40
2002822	Drill Core	1.49	497	<0.005	<0.01	<0.17	28.92	0.9	15.2	10.4	34	0.2	5.0	4.7	212	1.99	0.9	1.5	3.1	8.7	46
2002823	Drill Core	3.20	586	<0.005	<0.01	<0.17	28.85	0.6	16.6	11.8	58	0.2	11.6	10.0	848	1.59	0.8	0.4	11.1	9.0	26
2002824	Drill Core	0.99	399	0.012	0.01	<0.17	21.38	0.6	15.7	9.5	51	0.1	10.4	9.5	1277	1.63	1.0	0.6	11.9	8.0	41



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002795	Drill Core				0.7	2.9	0.1	5	0.04	0.060	12	5	0.17	866	0.007	<1	0.48	0.025	0.27	0.2	0.01	1.5	<0.1	0.18
2002796	Drill Core				0.6	2.7	0.1	7	0.07	0.058	12	15	0.32	1161	0.012	<1	0.70	0.021	0.31	0.3	<0.01	1.8	0.1	0.14
2002797	Drill Core				0.6	1.3	0.1	4	0.20	0.044	15	8	0.36	477	0.018	<1	0.69	0.018	0.24	0.4	0.02	1.2	0.1	<0.05
2002798	Drill Core				0.2	1.5	0.2	4	0.09	0.037	17	6	0.07	396	0.014	1	0.52	0.050	0.33	0.2	0.01	1.1	<0.1	0.11
2002799	Drill Core				0.4	1.5	0.1	6	0.15	0.050	14	11	0.11	291	0.031	1	0.48	0.043	0.18	0.3	0.02	1.8	<0.1	0.12
2002800	Rock Pulp				0.1	5.9	0.5	95	1.06	0.050	5	30	0.62	94	0.097	4	1.91	0.168	0.14	1.6	0.30	4.6	<0.1	<0.05
2002801	Drill Core				0.2	0.9	<0.1	4	0.13	0.037	16	7	0.13	340	0.019	<1	0.47	0.046	0.25	0.3	0.02	1.1	<0.1	0.10
2002802	Drill Core				0.3	2.0	<0.1	8	0.18	0.050	17	11	0.17	324	0.036	<1	0.72	0.036	0.31	0.5	0.01	1.9	0.1	0.13
2002803	Drill Core				0.3	2.3	<0.1	8	0.17	0.053	15	17	0.43	216	0.030	1	0.87	0.027	0.28	0.6	0.02	2.0	<0.1	0.11
2002804	Drill Core				<0.1	3.7	0.2	3	0.07	0.032	16	8	0.12	495	0.008	1	0.47	0.031	0.32	0.3	0.02	0.8	<0.1	0.30
2002805	Drill Core				<0.1	2.7	<0.1	2	0.06	0.025	15	9	0.04	274	0.005	1	0.33	0.053	0.31	<0.1	0.04	0.7	<0.1	0.38
2002806	Drill Core				0.1	1.9	0.2	10	<0.01	0.093	11	55	0.15	195	0.009	<1	0.24	0.117	0.28	0.2	0.02	1.1	<0.1	0.68
2002807	Drill Core				<0.1	2.6	<0.1	5	0.02	0.053	16	12	0.02	222	0.011	<1	0.34	0.078	0.33	<0.1	0.02	0.8	<0.1	0.48
2002808	Drill Core				<0.1	0.4	<0.1	3	<0.01	0.015	14	8	0.01	162	0.009	<1	0.23	0.088	0.28	<0.1	0.01	0.7	<0.1	0.56
2002809	Drill Core				<0.1	0.8	<0.1	3	0.02	0.010	14	8	0.02	38	0.005	2	0.28	0.057	0.22	0.1	0.02	0.9	<0.1	1.78
2002810	Drill Core				<0.1	1.4	<0.1	<2	0.12	0.037	13	9	0.01	151	0.009	1	0.24	0.080	0.20	0.1	0.01	0.6	<0.1	0.74
2002811	Drill Core				0.1	2.0	<0.1	3	0.26	0.051	11	8	0.02	56	0.010	1	0.32	0.061	0.24	0.2	0.01	0.8	<0.1	1.35
2002812	Drill Core				<0.1	0.8	<0.1	<2	0.04	0.015	16	8	0.40	768	0.008	<1	0.68	0.017	0.36	0.2	<0.01	1.0	0.1	0.08
2002813	Drill Core				0.3	2.6	0.7	<2	0.04	0.007	11	6	0.14	1528	0.004	<1	0.31	0.032	0.11	0.2	0.03	0.8	<0.1	0.07
2002814	Drill Core				<0.1	0.5	<0.1	<2	0.01	0.004	13	5	0.14	506	0.002	<1	0.45	0.016	0.28	0.3	<0.01	0.5	<0.1	<0.05
2002815	Drill Core				<0.1	0.4	0.1	<2	0.01	0.007	39	4	0.13	507	0.002	<1	0.44	0.015	0.22	0.2	<0.01	0.5	<0.1	<0.05
2002816	Drill Core				<0.1	0.4	<0.1	<2	<0.01	0.002	14	4	0.06	1836	0.002	<1	0.32	0.022	0.23	0.2	<0.01	0.5	<0.1	0.07
2002817	Drill Core				1.1	0.3	<0.1	<2	0.48	0.001	45	3	0.08	845	0.002	2	0.41	0.031	0.27	0.3	0.01	0.4	<0.1	0.08
2002818	Drill Core				0.3	0.6	<0.1	11	0.16	0.049	16	13	0.29	598	0.017	1	0.65	0.033	0.21	0.3	0.01	1.4	<0.1	0.09
2002819	Drill Core				0.3	0.2	<0.1	6	0.11	0.059	18	13	0.34	399	0.004	1	0.68	0.034	0.28	0.4	0.02	1.6	<0.1	0.10
2002820	Drill Core				2.1	0.4	0.2	10	0.47	0.070	17	16	0.53	224	0.025	1	1.05	0.021	0.28	0.2	0.02	2.2	0.2	0.21
2002821	Drill Core				0.1	0.4	<0.1	5	0.05	0.052	19	10	0.21	596	0.006	<1	0.53	0.046	0.28	<0.1	0.01	1.4	<0.1	0.20
2002822	Drill Core				0.2	0.3	<0.1	4	0.04	0.042	16	10	0.16	495	0.004	<1	0.47	0.048	0.26	<0.1	0.01	1.3	<0.1	0.26
2002823	Drill Core				0.9	0.2	<0.1	6	0.50	0.058	16	10	0.31	427	0.005	<1	0.68	0.035	0.29	<0.1	<0.01	1.6	<0.1	0.25
2002824	Drill Core				1.1	0.2	<0.1	5	0.81	0.050	15	9	0.20	406	0.005	1	0.58	0.034	0.29	<0.1	<0.01	1.2	<0.1	0.18



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002795	Drill Core	1	<0.5	<0.2
2002796	Drill Core	2	0.7	<0.2
2002797	Drill Core	2	<0.5	<0.2
2002798	Drill Core	2	<0.5	<0.2
2002799	Drill Core	2	<0.5	0.7
2002800	Rock Pulp	5	<0.5	0.3
2002801	Drill Core	1	<0.5	<0.2
2002802	Drill Core	2	0.6	<0.2
2002803	Drill Core	2	<0.5	<0.2
2002804	Drill Core	2	<0.5	<0.2
2002805	Drill Core	1	<0.5	<0.2
2002806	Drill Core	2	<0.5	0.6
2002807	Drill Core	2	<0.5	<0.2
2002808	Drill Core	1	0.5	<0.2
2002809	Drill Core	1	<0.5	<0.2
2002810	Drill Core	1	<0.5	<0.2
2002811	Drill Core	1	<0.5	<0.2
2002812	Drill Core	2	<0.5	<0.2
2002813	Drill Core	<1	1.1	0.8
2002814	Drill Core	1	<0.5	<0.2
2002815	Drill Core	1	<0.5	<0.2
2002816	Drill Core	<1	<0.5	<0.2
2002817	Drill Core	<1	<0.5	<0.2
2002818	Drill Core	2	<0.5	<0.2
2002819	Drill Core	2	<0.5	<0.2
2002820	Drill Core	3	<0.5	<0.2
2002821	Drill Core	2	<0.5	<0.2
2002822	Drill Core	2	<0.5	<0.2
2002823	Drill Core	2	0.6	<0.2
2002824	Drill Core	2	0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002825	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.8	64.4	3.6	35	<0.1	5.1	8.0	368	2.56	<0.5	0.8	3.6	2.5	68
2002826	Drill Core	1.60	434	0.009	<0.01	<0.17	28.61	2.1	21.3	14.0	38	0.2	5.9	5.0	156	2.26	1.4	1.1	6.4	9.0	35
2002827	Drill Core	3.53	337	0.024	0.02	<0.17	27.77	0.6	17.2	7.0	43	0.1	8.7	8.2	500	1.60	1.9	0.6	20.3	9.4	43
2002828	Drill Core	1.54	429	0.045	0.04	<0.17	18.60	1.3	17.8	7.4	54	0.2	8.5	8.0	721	2.05	3.6	0.7	55.9	7.7	60
2002829	Drill Core	3.73	347	0.009	<0.01	<0.17	21.66	2.1	17.2	14.3	68	0.2	13.3	9.9	818	1.95	2.0	0.4	3.3	7.7	44
2002830	Drill Core	4.21	430	0.164	0.17	0.30	30.11	0.4	16.1	16.3	64	0.2	10.6	11.2	867	1.41	8.1	1.2	206.4	8.9	48
2002831	Drill Core	2.53	375	0.753	0.99	4.06	26.85	0.4	12.0	11.1	25	0.4	4.6	4.1	100	1.19	1.7	0.8	1843.6	8.2	61
2002832	Drill Core	1.14	466	1.190	1.43	6.54	21.25	0.2	9.9	4.5	21	0.9	2.0	1.3	60	1.39	2.4	2.4	1267.0	9.0	66
2002833	Drill Core	1.35	475	1.327	2.97	34.16	23.74	0.4	13.6	7.2	27	0.9	2.2	1.6	64	1.55	1.6	2.6	1480.8	8.4	64
2002834	Drill Core	0.79	405	1.364	2.53	22.55	22.39	0.3	4.4	4.9	12	0.6	1.2	0.8	51	1.48	1.4	1.4	1057.2	6.5	36
2002835	Drill Core	2.42	422	1.968	2.30	8.27	22.14	0.4	17.6	9.1	44	1.1	3.4	2.1	99	1.70	2.3	4.3	3014.0	9.1	46
2002836	Drill Core	0.98	396	4.524	9.78	77.82	28.40	0.2	33.2	17.0	52	2.7	5.9	5.0	113	1.67	2.0	2.1	10021.4	10.3	29
2002837	Drill Core	3.46	337	0.508	0.89	5.29	27.01	0.2	22.1	7.5	49	0.5	4.8	3.8	111	1.56	3.1	1.5	921.5	10.5	50
2002838	Drill Core	1.42	402	5.299	8.94	65.39	24.33	0.3	26.0	6.0	55	3.2	5.1	3.9	115	1.75	1.9	1.6	13342.1	8.9	51
2002891	Drill Core	2.78	468	0.083	0.10	0.46	25.82	0.2	16.9	10.2	53	0.3	5.3	3.8	88	1.29	2.1	2.7	302.6	9.9	58
2002839	Drill Core	0.37	307	0.561	0.56	0.61	24.71	0.5	40.5	27.2	66	0.5	4.8	6.6	220	2.00	8.1	5.9	685.0	10.0	25
2002840	Drill Core	2.70	361	0.681	0.73	1.30	30.04	0.2	16.7	10.3	45	0.6	3.4	2.2	106	1.35	2.7	2.2	823.6	11.3	37
2002841	Drill Core	0.95	383	2.098	5.15	49.43	24.72	0.5	28.7	31.7	85	0.9	4.1	7.3	282	1.68	11.2	4.3	2646.9	10.3	17
2002842	Drill Core	2.59	350	0.041	0.04	<0.17	11.19	0.5	15.5	16.8	49	0.2	2.6	2.5	118	1.28	10.0	3.2	41.5	10.2	13
2002843	Drill Core	3.12	468	0.043	0.04	<0.17	16.81	0.5	7.5	9.1	27	0.2	1.4	0.9	68	1.04	6.5	1.8	34.5	9.7	21
2002844	Drill Core	3.08	460	0.091	0.09	<0.17	17.07	0.9	9.3	13.1	28	0.3	1.3	1.0	83	1.23	8.3	2.1	72.5	10.2	23
2002845	Drill Core	1.41	495	0.393	0.41	0.73	24.65	0.5	9.4	17.5	24	0.3	1.2	1.0	79	1.15	10.0	2.2	373.2	9.4	28
2002846	Drill Core	2.73	367	0.167	0.16	<0.17	10.81	3.5	22.7	15.2	84	0.3	5.1	5.6	252	2.11	15.5	3.5	76.8	9.4	34
2002847	Drill Core	5.68	399	0.047	0.04	<0.17	14.65	1.5	20.8	10.6	131	0.3	13.4	11.5	737	2.78	1.5	0.6	102.8	7.9	46
2002848	Drill Core	1.13	401	2.284	2.81	35.52	6.39	0.9	30.5	7.8	60	1.4	6.4	4.1	91	3.19	1.4	0.9	2403.9	7.9	51
2002849	Drill Core	0.89	359	>10	I.S.	I.S.	I.S.	0.3	35.7	2.4	14	7.3	1.5	0.9	89	1.01	1.5	0.4	46886.7	0.7	13
2002850	Rock Pulp	0.12		6.889	I.S.	I.S.	I.S.	14.8	75.9	24.8	61	0.9	20.1	10.0	480	4.30	14.2	0.4	6378.0	1.3	56
2002851	Drill Core	0.73	437	2.230	2.33	7.52	8.25	0.9	83.4	6.4	155	3.4	8.9	6.3	137	2.74	13.5	2.3	3110.2	8.4	22
2002852	Drill Core	4.28	349	0.667	0.76	3.30	12.43	0.2	23.0	6.5	100	0.5	6.6	3.3	108	2.01	3.6	1.8	407.6	9.2	25
2002853	Drill Core	1.43	461	0.029	0.03	<0.17	8.62	0.4	23.5	12.7	125	0.2	4.3	2.0	118	1.65	3.6	2.5	14.2	9.0	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002825	Rock Pulp	<0.1	<0.1	<0.1	88	0.80	0.056	7	11	0.71	111	0.096	2	1.48	0.148	0.19	2.0	<0.01	2.0	<0.1	<0.05			
2002826	Drill Core	0.3	0.4	<0.1	5	0.07	0.066	15	10	0.12	417	0.005	<1	0.48	0.083	0.31	<0.1	<0.01	1.5	<0.1	0.35			
2002827	Drill Core	0.4	0.4	<0.1	7	0.87	0.059	14	12	0.34	315	0.012	1	0.69	0.036	0.32	0.2	<0.01	1.6	<0.1	0.44			
2002828	Drill Core	0.5	0.3	<0.1	8	1.01	0.064	11	13	0.37	386	0.021	1	0.61	0.030	0.32	0.4	0.02	2.1	<0.1	0.40			
2002829	Drill Core	0.8	0.4	0.1	7	0.96	0.059	11	20	0.48	259	0.013	<1	0.71	0.034	0.30	0.2	<0.01	1.4	<0.1	0.51			
2002830	Drill Core	1.0	0.8	<0.1	5	0.22	0.048	15	9	0.20	698	0.007	<1	0.52	0.046	0.23	0.2	0.01	1.6	<0.1	0.19			
2002831	Drill Core	<0.1	0.8	<0.1	3	0.05	0.051	15	6	0.05	1101	0.002	<1	0.33	0.040	0.25	<0.1	<0.01	1.0	<0.1	0.08			
2002832	Drill Core	<0.1	2.7	<0.1	2	0.04	0.061	16	8	0.07	600	0.002	<1	0.33	0.085	0.24	0.1	0.03	1.4	<0.1	0.24			
2002833	Drill Core	0.1	1.9	<0.1	3	0.02	0.039	14	9	0.07	244	0.003	2	0.30	0.085	0.25	0.1	0.02	1.7	<0.1	0.31			
2002834	Drill Core	<0.1	1.1	<0.1	3	0.01	0.048	13	9	0.02	224	0.002	1	0.23	0.094	0.23	<0.1	0.02	1.0	<0.1	0.32			
2002835	Drill Core	0.2	0.9	<0.1	6	0.04	0.057	16	12	0.13	510	0.003	1	0.46	0.053	0.27	0.1	0.01	1.8	<0.1	0.21			
2002836	Drill Core	0.1	2.1	<0.1	6	0.06	0.054	15	12	0.17	867	0.003	<1	0.44	0.038	0.26	0.1	0.02	1.7	<0.1	0.12			
2002837	Drill Core	0.1	1.1	<0.1	6	0.08	0.053	19	13	0.15	1045	0.003	<1	0.48	0.049	0.28	0.1	0.01	2.0	<0.1	0.12			
2002838	Drill Core	0.2	1.0	<0.1	6	0.05	0.057	17	12	0.16	735	0.003	<1	0.38	0.049	0.23	<0.1	0.01	2.2	<0.1	0.14			
2002891	Drill Core	0.2	0.9	<0.1	5	0.06	0.048	19	10	0.13	952	0.005	<1	0.49	0.054	0.29	0.1	<0.01	1.7	<0.1	0.14			
2002839	Drill Core	0.7	0.6	<0.1	4	0.02	0.053	23	14	0.05	452	0.002	<1	0.47	0.053	0.18	<0.1	<0.01	1.5	<0.1	<0.05			
2002840	Drill Core	0.2	0.7	<0.1	6	0.04	0.033	21	14	0.12	886	0.004	<1	0.48	0.050	0.28	0.1	<0.01	1.7	0.1	0.15			
2002841	Drill Core	0.7	0.5	<0.1	4	0.04	0.042	21	11	0.08	814	0.001	<1	0.54	0.025	0.27	0.2	<0.01	1.4	<0.1	<0.05			
2002842	Drill Core	0.4	0.3	<0.1	4	0.03	0.036	21	10	0.08	609	0.002	<1	0.42	0.032	0.28	<0.1	<0.01	1.4	<0.1	<0.05			
2002843	Drill Core	0.3	0.2	0.2	4	0.02	0.028	19	9	0.07	675	0.002	<1	0.35	0.042	0.29	<0.1	<0.01	1.4	<0.1	0.14			
2002844	Drill Core	0.2	0.3	0.2	5	0.03	0.040	18	10	0.08	759	0.002	<1	0.37	0.043	0.26	<0.1	<0.01	1.4	<0.1	0.14			
2002845	Drill Core	0.2	0.3	0.1	4	0.03	0.039	20	8	0.06	689	0.002	<1	0.37	0.033	0.30	0.1	<0.01	1.2	0.1	0.10			
2002846	Drill Core	0.7	0.7	0.1	7	0.10	0.060	19	12	0.20	528	0.004	<1	0.65	0.036	0.27	0.2	0.01	1.5	<0.1	0.11			
2002847	Drill Core	1.9	0.8	<0.1	13	1.30	0.070	11	20	0.69	51	0.007	1	0.95	0.026	0.28	0.2	0.15	2.8	0.1	1.33			
2002848	Drill Core	0.2	0.7	<0.1	6	0.04	0.050	16	14	0.10	182	0.006	<1	0.33	0.107	0.24	<0.1	0.05	1.8	<0.1	0.53			
2002849	Drill Core	<0.1	1.9	<0.1	<2	0.03	0.014	1	9	0.01	309	<0.001	<1	0.07	0.013	0.03	0.1	0.02	0.6	<0.1	0.09			
2002850	Rock Pulp	0.2	5.5	0.5	95	1.07	0.051	6	29	0.62	98	0.112	4	1.88	0.170	0.15	1.6	0.29	5.0	<0.1	<0.05			
2002851	Drill Core	0.5	0.4	<0.1	6	0.14	0.060	16	11	0.09	282	0.001	<1	0.51	0.041	0.21	0.2	0.05	2.5	0.1	0.24			
2002852	Drill Core	0.5	0.4	<0.1	7	0.08	0.050	16	13	0.18	400	0.003	<1	0.58	0.037	0.31	0.1	0.02	1.9	0.1	0.31			
2002853	Drill Core	0.4	0.5	<0.1	9	0.08	0.047	19	16	0.21	331	0.002	<1	0.59	0.033	0.24	<0.1	0.02	1.6	<0.1	0.08			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002825	Rock Pulp	4	<0.5	<0.2
2002826	Drill Core	2	0.6	<0.2
2002827	Drill Core	2	<0.5	<0.2
2002828	Drill Core	2	0.6	<0.2
2002829	Drill Core	2	<0.5	<0.2
2002830	Drill Core	1	<0.5	<0.2
2002831	Drill Core	1	<0.5	<0.2
2002832	Drill Core	1	<0.5	0.2
2002833	Drill Core	1	<0.5	<0.2
2002834	Drill Core	1	<0.5	<0.2
2002835	Drill Core	2	<0.5	<0.2
2002836	Drill Core	2	<0.5	0.3
2002837	Drill Core	2	<0.5	<0.2
2002838	Drill Core	2	<0.5	0.2
2002891	Drill Core	2	<0.5	<0.2
2002839	Drill Core	2	0.5	<0.2
2002840	Drill Core	2	<0.5	<0.2
2002841	Drill Core	2	<0.5	<0.2
2002842	Drill Core	2	<0.5	<0.2
2002843	Drill Core	2	<0.5	<0.2
2002844	Drill Core	2	<0.5	<0.2
2002845	Drill Core	2	<0.5	<0.2
2002846	Drill Core	2	<0.5	<0.2
2002847	Drill Core	3	<0.5	<0.2
2002848	Drill Core	2	0.7	0.3
2002849	Drill Core	<1	<0.5	<0.2
2002850	Rock Pulp	5	<0.5	0.3
2002851	Drill Core	2	<0.5	0.7
2002852	Drill Core	2	<0.5	<0.2
2002853	Drill Core	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1
2002854	Drill Core	2.07	397	0.253	0.25	<0.17	9.10	0.3	23.7	13.2	111	0.6	4.0	1.7	119	1.70	4.7	2.1	618.2	10.2	15
2002855	Drill Core	1.91	364	0.068	0.07	<0.17	9.75	0.5	32.0	44.8	95	0.8	3.3	9.7	238	2.32	11.4	3.0	82.5	8.2	37
2002856	Drill Core	2.04	385	0.027	0.03	<0.17	9.34	0.3	18.6	7.3	65	0.2	4.2	1.8	114	1.15	11.9	1.5	38.2	9.5	29
2002857	Drill Core	0.60	402	0.975	1.02	3.13	8.96	0.3	50.1	17.3	162	0.7	5.9	3.0	269	2.79	48.0	3.4	745.2	9.1	30
2002858	Drill Core	1.06	444	1.991	2.16	10.15	9.26	0.3	38.0	91.0	98	1.7	3.7	2.4	170	1.65	18.8	2.1	1859.2	10.0	30
2002859	Drill Core	0.55	445	0.425	0.42	<0.17	7.68	0.4	28.5	111.4	54	0.7	1.9	1.9	103	1.62	6.8	2.2	268.5	7.3	28
2002860	Drill Core	5.74	434	0.175	0.17	<0.17	9.19	3.5	22.7	25.4	71	0.4	4.0	2.2	94	1.32	20.3	1.8	136.2	10.3	27



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002854	Drill Core	0.5	0.3	<0.1	9	0.07	0.051	20	14	0.23	224	0.002	<1	0.62	0.040	0.27	<0.1	0.01	1.5	<0.1	0.12
2002855	Drill Core	0.9	0.5	1.3	7	0.04	0.060	18	13	0.11	279	0.003	<1	0.48	0.036	0.27	0.1	0.02	1.5	<0.1	0.16
2002856	Drill Core	0.3	0.7	<0.1	4	0.06	0.027	18	9	0.16	457	0.002	<1	0.57	0.028	0.28	0.1	<0.01	1.1	0.1	0.11
2002857	Drill Core	0.5	0.7	<0.1	8	0.11	0.100	17	14	0.50	472	0.001	<1	0.92	0.026	0.26	0.1	0.01	4.1	<0.1	0.11
2002858	Drill Core	0.4	0.7	<0.1	6	0.07	0.044	20	14	0.25	253	0.002	<1	0.67	0.047	0.22	<0.1	0.02	2.1	<0.1	0.17
2002859	Drill Core	0.3	0.3	<0.1	4	0.02	0.046	17	14	0.12	228	0.001	<1	0.36	0.036	0.16	<0.1	0.01	1.2	<0.1	0.09
2002860	Drill Core	0.3	0.8	0.1	5	0.04	0.041	21	10	0.17	645	0.002	1	0.56	0.040	0.29	0.1	0.02	1.4	0.1	0.13



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000297.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
2002854	Drill Core	3	<0.5	<0.2	
2002855	Drill Core	2	<0.5	<0.2	
2002856	Drill Core	2	<0.5	<0.2	
2002857	Drill Core	3	<0.5	<0.2	
2002858	Drill Core	3	<0.5	0.4	
2002859	Drill Core	1	<0.5	0.3	
2002860	Drill Core	2	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 12, 2016

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000297.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2002776	Drill Core	1.43	471	0.213	0.24	0.66	28.81	0.9	37.1	5.9	205	0.3	32.6	54.0	3506	2.12	1.9	1.7	154.3	5.6	63
REP 2002776	QC							0.9	37.9	6.2	220	0.2	34.0	55.5	3618	2.21	2.1	1.7	46.4	5.6	66
2002794	Drill Core	0.93	371	0.025	0.02	<0.17	23.44	1.1	23.9	15.6	25	0.9	3.4	2.0	159	2.20	4.4	1.4	20.7	5.3	75
REP 2002794	QC	0.027																			
2002809	Drill Core	4.60	490	0.081	0.24	2.83	28.24	1.3	5.0	13.3	4	0.6	5.4	3.3	52	2.08	0.9	0.9	77.1	4.8	24
REP 2002809	QC							1.1	4.9	12.1	4	0.6	5.4	3.2	47	2.07	1.0	0.9	325.8	4.4	22
REP 2002841	QC							0.3	29.1	32.1	84	0.5	4.4	7.9	277	1.62	10.9	4.4	1135.7	10.0	16
Core Reject Duplicates																					
2002774	Drill Core	2.15	456	0.019	0.03	0.27	25.95	3.9	21.0	163.5	137	0.5	10.2	8.5	510	2.42	3.8	2.1	8.1	6.1	65
DUP 2002774	QC	467		0.028	0.03	<0.17	25.20	4.0	23.1	166.2	146	0.6	9.8	8.9	532	2.58	3.6	2.2	6.8	6.2	68
2002808	Drill Core	4.25	516	0.007	<0.01	<0.17	24.42	1.1	2.6	13.8	3	0.3	1.2	0.6	53	1.49	0.7	0.6	6.9	6.1	19
DUP 2002808	QC	531		0.007	<0.01	<0.17	23.13	1.2	2.6	13.1	3	0.2	1.2	0.6	54	1.49	0.6	0.6	1.5	6.0	20
2002841	Drill Core	0.95	383	2.098	5.15	49.43	24.72	0.5	28.7	31.7	85	0.9	4.1	7.3	282	1.68	11.2	4.3	2646.9	10.3	17
DUP 2002841	QC	424		1.055	1.71	13.77	21.79	0.3	27.3	31.2	81	0.4	4.0	7.2	276	1.63	10.7	4.4	800.3	10.2	15
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard							15.6	151.3	151.4	366	1.7	72.4	12.4	914	2.81	45.1	2.7	88.0	7.6	73
STD DS10	Standard							13.2	137.8	134.0	360	1.9	70.3	11.3	861	2.76	47.7	2.4	110.2	6.8	73
STD DS10	Standard							15.5	156.0	152.1	368	2.0	74.9	13.0	883	2.84	48.9	2.9	82.1	8.4	71
STD OXC129	Standard							1.3	26.8	6.1	38	<0.1	77.0	19.9	437	3.08	<0.5	0.7	206.7	1.9	200
STD OXC129	Standard							1.4	26.4	6.2	38	<0.1	74.3	19.7	420	3.13	<0.5	0.7	190.3	1.7	190
STD OXC129	Standard							1.4	27.4	6.9	39	<0.1	77.5	21.4	422	3.05	0.6	0.8	195.8	2.1	197
STD OXD108	Standard	0.417																			
STD OXD108	Standard	0.405																			
STD OXD108	Standard	0.405																			
STD OXD108	Standard	0.405																			
STD OXI121	Standard	1.767																			
STD OXI121	Standard	1.809																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

October 12, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000297.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2002776	Drill Core	3.9	1.9	<0.1	21	0.29	0.050	11	135	1.69	149	0.056	<1	1.64	0.020	0.23	0.4	<0.01	5.1	0.3	<0.05
REP 2002776	QC	4.5	2.1	<0.1	21	0.30	0.051	11	139	1.74	154	0.058	<1	1.67	0.020	0.23	0.4	0.01	5.2	0.3	<0.05
2002794	Drill Core	0.2	6.2	<0.1	5	0.01	0.045	9	15	0.08	836	0.009	<1	0.39	0.022	0.24	0.2	0.08	1.4	<0.1	0.14
REP 2002794	QC																				
2002809	Drill Core	<0.1	0.8	<0.1	3	0.02	0.010	14	8	0.02	38	0.005	2	0.28	0.057	0.22	0.1	0.02	0.9	<0.1	1.78
REP 2002809	QC	<0.1	0.8	<0.1	2	0.02	0.011	13	8	0.01	35	0.005	<1	0.27	0.056	0.22	0.2	0.02	0.8	<0.1	1.81
REP 2002841	QC	0.7	0.5	<0.1	4	0.04	0.041	20	10	0.07	793	0.001	<1	0.52	0.024	0.26	0.2	<0.01	1.4	<0.1	<0.05
Core Reject Duplicates																					
2002774	Drill Core	0.3	1.4	0.4	22	0.26	0.059	9	118	1.70	170	0.050	<1	1.62	0.020	0.23	0.4	0.02	3.6	0.1	0.09
DUP 2002774	QC	0.5	1.5	0.4	23	0.27	0.061	10	118	1.71	191	0.050	<1	1.68	0.026	0.26	0.3	<0.01	3.8	0.1	0.09
2002808	Drill Core	<0.1	0.4	<0.1	3	<0.01	0.015	14	8	0.01	162	0.009	<1	0.23	0.088	0.28	<0.1	0.01	0.7	<0.1	0.56
DUP 2002808	QC	<0.1	0.5	<0.1	2	<0.01	0.015	14	9	0.01	177	0.009	2	0.23	0.086	0.27	<0.1	<0.01	0.6	<0.1	0.55
2002841	Drill Core	0.7	0.5	<0.1	4	0.04	0.042	21	11	0.08	814	0.001	<1	0.54	0.025	0.27	0.2	<0.01	1.4	<0.1	<0.05
DUP 2002841	QC	0.7	0.5	<0.1	4	0.04	0.040	20	10	0.07	753	0.001	<1	0.53	0.023	0.27	0.2	0.01	1.3	<0.1	<0.05
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard	2.4	9.4	12.5	43	1.10	0.081	20	57	0.81	361	0.084	8	1.14	0.073	0.34	3.0	0.31	3.0	5.0	0.28
STD DS10	Standard	2.9	10.1	13.0	43	1.06	0.079	17	49	0.76	373	0.071	5	1.04	0.068	0.32	3.3	0.26	3.1	5.4	0.28
STD DS10	Standard	2.9	8.4	12.8	43	1.10	0.075	20	57	0.78	352	0.085	7	1.08	0.072	0.34	3.2	0.29	3.3	5.3	0.29
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.71	0.105	13	53	1.58	53	0.394	<1	1.67	0.620	0.38	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.62	0.105	12	50	1.51	48	0.384	<1	1.53	0.593	0.36	<0.1	0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.68	0.101	14	54	1.53	54	0.411	1	1.59	0.600	0.37	<0.1	<0.01	0.9	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

October 12, 2016

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000297.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
Pulp Duplicates					
2002776	Drill Core	5	<0.5	<0.2	
REP 2002776	QC	5	<0.5	<0.2	
2002794	Drill Core	1	<0.5	<0.2	
REP 2002794	QC				
2002809	Drill Core	1	<0.5	<0.2	
REP 2002809	QC	1	<0.5	<0.2	
REP 2002841	QC	2	<0.5	<0.2	
Core Reject Duplicates					
2002774	Drill Core	5	<0.5	<0.2	
DUP 2002774	QC	5	<0.5	<0.2	
2002808	Drill Core	1	0.5	<0.2	
DUP 2002808	QC	1	<0.5	<0.2	
2002841	Drill Core	2	<0.5	<0.2	
DUP 2002841	QC	2	<0.5	<0.2	
Reference Materials					
STD AGPROOF	Standard				<0.9
STD DS10	Standard	5	2.4	5.4	
STD DS10	Standard	5	2.8	5.1	
STD DS10	Standard	5	2.1	4.9	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000297.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXI121	Standard			1.804																	
STD OXI121	Standard			1.818																	
STD OXN117	Standard			7.436																	
STD OXN117	Standard			7.640																	
STD OXN117	Standard			7.438																	
STD OXN117	Standard			7.277																	
STD OXP91	Standard					14.91	29.92														
STD OXP91	Standard					14.85	29.84														
STD OXP91	Standard					15.00	30.06														
STD OXP91	Standard					14.86	30.02														
STD OXP91	Standard					14.15	30.04														
STD OXP91	Standard					14.85	30.04														
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000297.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

October 12, 2016

Page:

2 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000297.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.4
STD SQ70	Standard				40.0
STD OXP91 Expected					
STD DS10 Expected		4.5	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000297.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank																				
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		437	0.008	<0.01	<0.17	28.50	0.6	4.6	1.6	34	<0.1	0.9	3.5	476	2.29	1.1	0.4	<0.5	2.2	28
ROCK-WHI	Prep Blank		433	0.006	<0.01	<0.17	26.95	0.7	4.9	1.4	29	<0.1	1.6	3.6	427	1.94	1.3	0.4	<0.5	2.1	25



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000297.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.62	0.042	5	3	0.39	70	0.073	1	0.99	0.123	0.11	0.1	<0.01	2.8	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.53	0.042	4	3	0.38	61	0.065	<1	0.82	0.081	0.08	<0.1	<0.01	2.3	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 12, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000297.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				<0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	