



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 04, 2016
Report Date: October 19, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000339.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-54
P.O. Number
Number of Samples: 80

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-----------------|-------------------|--|--------------|---------------|-----|
| PRP70-500 | 77 | Crush, split and pulverize 500g rock to 200 mesh | | | WHI |
| FS631 | 80 | Metallic Sieve 500g to 150 mesh | | | VAN |
| Split +150 mesh | 80 | Analysis sample split/packet | | | VAN |
| Split -150 | 80 | Analysis sample split/packet | | | VAN |
| FS631 | 77 | Metallics Fire Assay for Au | 30 | Completed | VAN |
| AQ201 | 80 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 15 | Completed | VAN |
| SHP01 | 80 | Per sample shipping charges for branch shipments | | | VAN |
| SLBHP | 3 | Sort, label and box pulps | | | WHI |

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method Analyte Unit MDL | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 |
| 2003092 | Drill Core | 2.70 | 529 | 0.192 | 0.31 | 2.40 | 27.03 | 0.4 | 10.3 | 11.2 | 20 | 0.6 | 1.8 | 1.1 | 50 | 1.84 | 15.8 | 1.3 | 782.1 | 7.7 | 48 |
| 2003093 | Drill Core | 1.94 | 490 | 0.248 | 0.24 | <0.17 | 19.10 | 0.3 | 15.3 | 99.8 | 101 | 0.9 | 5.3 | 3.4 | 104 | 2.17 | 31.6 | 3.2 | 323.4 | 11.0 | 45 |
| 2003094 | Drill Core | 2.98 | 475 | 1.242 | 1.43 | 4.52 | 27.19 | 0.3 | 7.6 | 16.5 | 31 | 0.8 | 2.8 | 2.0 | 56 | 1.57 | 14.2 | 1.1 | 665.5 | 8.4 | 30 |
| 2003095 | Drill Core | 3.41 | 505 | 0.247 | 0.32 | 1.41 | 29.83 | 1.3 | 19.8 | 15.7 | 75 | 0.4 | 9.7 | 6.9 | 170 | 1.87 | 6.3 | 1.6 | 318.7 | 8.9 | 13 |
| 2003096 | Drill Core | 3.57 | 624 | 0.251 | 0.26 | 0.46 | 23.66 | 0.8 | 15.3 | 10.3 | 82 | 0.3 | 10.1 | 8.1 | 461 | 1.36 | 4.3 | 1.2 | 159.6 | 8.4 | 63 |
| 2003097 | Drill Core | 3.00 | 492 | 0.045 | 0.04 | <0.17 | 29.22 | 0.3 | 20.8 | 153.3 | 223 | 0.5 | 8.3 | 7.9 | 584 | 2.23 | 35.1 | 2.2 | 40.5 | 9.5 | 36 |
| 2003098 | Drill Core | 3.20 | 466 | 0.073 | 0.07 | <0.17 | 26.24 | 1.8 | 25.6 | 103.8 | 168 | 0.6 | 19.2 | 11.0 | 453 | 2.77 | 37.8 | 1.9 | 69.5 | 8.0 | 8 |
| 2003099 | Drill Core | 3.44 | 482 | 0.013 | 0.01 | <0.17 | 30.60 | 1.1 | 18.6 | 43.3 | 126 | 0.3 | 12.9 | 8.0 | 573 | 3.03 | 14.8 | 1.5 | 16.4 | 8.1 | 31 |
| 2003100 | Rock Pulp | 0.12 | | 7.008 | I.S. | I.S. | I.S. | 13.6 | 79.9 | 24.4 | 59 | 0.8 | 20.6 | 9.3 | 478 | 4.49 | 12.1 | 0.4 | 6650.7 | 1.3 | 54 |
| 2003101 | Drill Core | 3.40 | 550 | <0.005 | <0.01 | <0.17 | 28.35 | 0.5 | 14.5 | 8.9 | 82 | 0.2 | 10.8 | 6.1 | 503 | 2.17 | <0.5 | 1.7 | 1.9 | 9.9 | 67 |
| 2003102 | Drill Core | 3.71 | 521 | <0.005 | <0.01 | <0.17 | 28.30 | 1.6 | 16.8 | 18.9 | 82 | 0.2 | 15.4 | 8.4 | 490 | 2.48 | 0.7 | 1.4 | 0.9 | 9.6 | 61 |
| 2003103 | Drill Core | 2.74 | 591 | 0.006 | <0.01 | <0.17 | 17.56 | 2.3 | 20.5 | 18.2 | 70 | 0.2 | 16.4 | 9.1 | 828 | 2.58 | 0.8 | 0.6 | 4.7 | 7.0 | 106 |
| 2003104 | Drill Core | 3.34 | 528 | 0.008 | <0.01 | <0.17 | 20.09 | 1.6 | 16.5 | 9.0 | 88 | 0.2 | 18.7 | 10.6 | 825 | 2.82 | 1.3 | 0.5 | 6.5 | 8.5 | 107 |
| 2003105 | Drill Core | 3.02 | 533 | 0.011 | 0.01 | <0.17 | 27.62 | 2.6 | 21.9 | 6.3 | 149 | 0.3 | 28.8 | 17.6 | 847 | 3.44 | 6.5 | 0.8 | 8.0 | 6.6 | 63 |
| 2003106 | Drill Core | 3.15 | 510 | 0.108 | 0.21 | 2.58 | 20.58 | 3.7 | 28.4 | 6.8 | 143 | 0.3 | 29.7 | 16.7 | 726 | 3.06 | 5.4 | 1.1 | 131.3 | 6.9 | 54 |
| 2003107 | Drill Core | 2.50 | 445 | 0.178 | 0.17 | <0.17 | 23.58 | 2.2 | 25.0 | 20.4 | 120 | 0.9 | 5.1 | 2.7 | 98 | 1.98 | 40.8 | 2.8 | 125.0 | 7.6 | 36 |
| 2003108 | Drill Core | 1.73 | 446 | 0.218 | 0.21 | <0.17 | 25.08 | 1.5 | 17.2 | 33.9 | 71 | 1.3 | 2.4 | 0.9 | 62 | 1.00 | 16.4 | 1.2 | 238.5 | 5.4 | 39 |
| 2003109 | Drill Core | 2.00 | 463 | 0.333 | 0.33 | 0.22 | 18.45 | 3.6 | 25.7 | 121.9 | 62 | 1.8 | 3.3 | 1.6 | 101 | 1.83 | 23.3 | 1.8 | 276.7 | 6.6 | 31 |
| 2003110 | Drill Core | 1.80 | 397 | 0.149 | 0.15 | 0.21 | 19.37 | 2.8 | 28.3 | 333.9 | 77 | 1.9 | 3.3 | 1.5 | 115 | 2.01 | 28.0 | 1.9 | 139.2 | 7.1 | 45 |
| 2003111 | Drill Core | 3.18 | 592 | 0.011 | 0.01 | <0.17 | 21.75 | 1.3 | 20.0 | 19.5 | 73 | 0.4 | 11.1 | 8.0 | 466 | 2.18 | 13.9 | 0.8 | 10.3 | 9.1 | 10 |
| 2003112 | Drill Core | 3.44 | 500 | <0.005 | <0.01 | <0.17 | 25.29 | 0.8 | 15.7 | 51.8 | 119 | 0.4 | 11.5 | 8.9 | 539 | 2.23 | 5.1 | 0.9 | 5.2 | 9.3 | 27 |
| 2003113 | Drill Core | 2.65 | 594 | 0.012 | 0.01 | <0.17 | 19.87 | 1.0 | 36.1 | 156.9 | 114 | 0.6 | 8.7 | 7.5 | 332 | 1.57 | 26.7 | 1.4 | 18.1 | 9.7 | 5 |
| 2003114 | Drill Core | 3.15 | 470 | 0.008 | <0.01 | <0.17 | 23.30 | 2.0 | 25.1 | 76.8 | 134 | 0.5 | 9.3 | 7.4 | 587 | 2.00 | 22.1 | 1.3 | 7.5 | 9.1 | 16 |
| 2003115 | Drill Core | 3.36 | 512 | <0.005 | <0.01 | <0.17 | 28.89 | 1.7 | 19.8 | 27.7 | 57 | 0.4 | 10.9 | 8.3 | 522 | 1.95 | 1.8 | 1.6 | 1.9 | 9.5 | 44 |
| 2003116 | Drill Core | 1.78 | 570 | <0.005 | <0.01 | <0.17 | 27.92 | 0.7 | 17.4 | 4.1 | 82 | 0.3 | 14.5 | 8.1 | 514 | 2.19 | 2.9 | 1.0 | 2.7 | 8.7 | 45 |
| 2003117 | Drill Core | 3.26 | 515 | 0.008 | <0.01 | <0.17 | 29.25 | 3.7 | 15.2 | 12.8 | 72 | 0.3 | 14.2 | 9.4 | 782 | 2.49 | 2.1 | 1.0 | 12.2 | 7.5 | 83 |
| 2003118 | Drill Core | 2.47 | 470 | 0.327 | 0.64 | 5.43 | 28.34 | 0.8 | 18.1 | 5.8 | 31 | 0.4 | 7.1 | 4.7 | 517 | 1.59 | 8.9 | 2.4 | 183.3 | 9.9 | 41 |
| 2003119 | Drill Core | 3.17 | 593 | 0.387 | 0.65 | 6.24 | 26.29 | 0.3 | 12.7 | 22.1 | 21 | 0.6 | 2.0 | 2.3 | 266 | 0.82 | 2.4 | 4.6 | 1417.3 | 13.9 | 27 |
| 2003120 | Drill Core | 3.38 | 613 | 0.042 | 0.04 | <0.17 | 26.07 | 0.7 | 9.3 | 9.2 | 47 | 0.2 | 10.4 | 7.3 | 423 | 1.72 | 9.2 | 2.2 | 31.4 | 8.5 | 65 |
| 2003121 | Drill Core | 3.24 | 458 | 0.626 | 0.62 | 0.56 | 23.03 | 0.6 | 14.3 | 15.3 | 68 | 0.6 | 9.9 | 8.1 | 448 | 1.95 | 25.6 | 2.5 | 301.1 | 8.2 | 38 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method | Analyte | Unit | MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | | | |
|---------|------------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|------|
| | | | | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S |
| | | | | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % |
| | | | | | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 |
| 2003092 | Drill Core | <0.1 | 0.4 | <0.1 | 4 | 0.03 | 0.032 | 18 | 10 | 0.04 | 334 | 0.002 | <1 | 0.26 | 0.048 | 0.31 | 0.2 | <0.01 | 1.2 | 0.1 | 0.47 | | | |
| 2003093 | Drill Core | 0.1 | 0.5 | <0.1 | 5 | 0.06 | 0.083 | 22 | 13 | 0.17 | 90 | <0.001 | 1 | 0.50 | 0.056 | 0.24 | 0.1 | 0.03 | 1.7 | 0.1 | 0.38 | | | |
| 2003094 | Drill Core | 0.1 | 0.3 | <0.1 | 3 | 0.03 | 0.042 | 17 | 8 | 0.07 | 401 | 0.001 | <1 | 0.30 | 0.039 | 0.25 | 0.2 | <0.01 | 1.1 | <0.1 | 0.35 | | | |
| 2003095 | Drill Core | 0.8 | 0.4 | <0.1 | 6 | 0.24 | 0.064 | 11 | 11 | 0.32 | 132 | 0.002 | <1 | 0.61 | 0.026 | 0.21 | 0.1 | 0.01 | 1.7 | <0.1 | 0.98 | | | |
| 2003096 | Drill Core | 0.6 | 0.4 | <0.1 | 6 | 1.18 | 0.043 | 15 | 12 | 0.47 | 274 | 0.004 | <1 | 0.79 | 0.035 | 0.29 | 0.1 | 0.01 | 1.6 | <0.1 | 0.57 | | | |
| 2003097 | Drill Core | 2.2 | 0.9 | 0.1 | 8 | 0.88 | 0.063 | 16 | 12 | 0.38 | 58 | 0.003 | 1 | 0.67 | 0.026 | 0.28 | 0.2 | 0.02 | 1.8 | 0.1 | 1.61 | | | |
| 2003098 | Drill Core | 2.1 | 1.1 | 0.2 | 10 | 0.17 | 0.054 | 9 | 50 | 0.50 | 56 | 0.003 | <1 | 0.96 | 0.032 | 0.33 | 0.2 | 0.04 | 2.1 | 0.1 | 1.78 | | | |
| 2003099 | Drill Core | 1.4 | 0.8 | <0.1 | 13 | 0.95 | 0.065 | 14 | 24 | 0.96 | 72 | 0.002 | <1 | 1.25 | 0.028 | 0.25 | <0.1 | 0.05 | 2.5 | 0.1 | 1.60 | | | |
| 2003100 | Rock Pulp | 0.2 | 5.6 | 0.5 | 98 | 1.02 | 0.047 | 5 | 30 | 0.62 | 89 | 0.102 | 2 | 1.82 | 0.179 | 0.15 | 1.6 | 0.32 | 5.1 | <0.1 | <0.05 | | | |
| 2003101 | Drill Core | 0.6 | 0.2 | <0.1 | 8 | 1.76 | 0.052 | 14 | 13 | 0.88 | 193 | 0.003 | <1 | 1.19 | 0.028 | 0.25 | <0.1 | 0.05 | 2.1 | <0.1 | 0.81 | | | |
| 2003102 | Drill Core | 0.4 | 0.4 | 0.1 | 10 | 1.78 | 0.049 | 15 | 17 | 0.95 | 125 | 0.002 | <1 | 1.07 | 0.026 | 0.21 | <0.1 | 0.04 | 2.1 | <0.1 | 1.38 | | | |
| 2003103 | Drill Core | 0.5 | 0.2 | <0.1 | 8 | 3.93 | 0.052 | 6 | 20 | 0.97 | 61 | 0.002 | 1 | 0.92 | 0.012 | 0.21 | 0.1 | 0.03 | 2.1 | <0.1 | 1.68 | | | |
| 2003104 | Drill Core | 0.5 | 0.2 | <0.1 | 9 | 3.41 | 0.053 | 7 | 59 | 1.09 | 83 | 0.002 | 1 | 1.10 | 0.014 | 0.21 | <0.1 | 0.07 | 2.5 | <0.1 | 1.55 | | | |
| 2003105 | Drill Core | 2.0 | 0.3 | <0.1 | 9 | 2.30 | 0.046 | 8 | 71 | 0.85 | 54 | <0.001 | 1 | 0.81 | 0.012 | 0.19 | 0.1 | 0.03 | 2.6 | <0.1 | 2.33 | | | |
| 2003106 | Drill Core | 3.4 | 0.3 | <0.1 | 8 | 1.68 | 0.063 | 10 | 34 | 0.77 | 78 | 0.001 | 1 | 0.68 | 0.009 | 0.20 | 0.2 | 0.03 | 2.2 | <0.1 | 2.04 | | | |
| 2003107 | Drill Core | 0.4 | 1.1 | <0.1 | 6 | 0.08 | 0.030 | 19 | 20 | 0.15 | 585 | <0.001 | <1 | 0.70 | 0.007 | 0.30 | 0.2 | 0.04 | 1.5 | 0.2 | 0.22 | | | |
| 2003108 | Drill Core | 0.2 | 1.6 | <0.1 | 5 | 0.06 | 0.018 | 22 | 21 | 0.09 | 335 | <0.001 | <1 | 0.64 | 0.006 | 0.29 | 0.1 | 0.04 | 1.2 | 0.1 | 0.09 | | | |
| 2003109 | Drill Core | 0.3 | 1.3 | <0.1 | 7 | 0.06 | 0.027 | 14 | 18 | 0.15 | 213 | <0.001 | <1 | 0.55 | 0.015 | 0.30 | 0.5 | 0.03 | 1.2 | 0.2 | 0.52 | | | |
| 2003110 | Drill Core | 0.3 | 1.6 | <0.1 | 7 | 0.07 | 0.040 | 19 | 16 | 0.13 | 233 | 0.001 | <1 | 0.54 | 0.023 | 0.30 | 0.4 | 0.04 | 1.5 | 0.2 | 0.48 | | | |
| 2003111 | Drill Core | 0.9 | 1.0 | <0.1 | 11 | 0.19 | 0.056 | 14 | 14 | 0.43 | 118 | 0.003 | <1 | 0.88 | 0.028 | 0.33 | 0.3 | 0.02 | 1.6 | 0.2 | 1.00 | | | |
| 2003112 | Drill Core | 1.6 | 0.6 | <0.1 | 8 | 0.58 | 0.047 | 12 | 15 | 0.38 | 98 | 0.003 | <1 | 0.74 | 0.027 | 0.31 | 0.2 | 0.02 | 1.5 | 0.2 | 1.30 | | | |
| 2003113 | Drill Core | 1.9 | 0.8 | 0.1 | 5 | 0.12 | 0.043 | 10 | 11 | 0.34 | 130 | 0.002 | <1 | 0.70 | 0.023 | 0.26 | <0.1 | 0.02 | 1.1 | 0.1 | 0.92 | | | |
| 2003114 | Drill Core | 1.1 | 0.8 | 0.2 | 7 | 0.31 | 0.044 | 14 | 19 | 0.54 | 199 | 0.002 | <1 | 0.91 | 0.036 | 0.26 | 0.2 | 0.02 | 1.6 | 0.1 | 0.72 | | | |
| 2003115 | Drill Core | 0.3 | 0.4 | 0.2 | 7 | 1.05 | 0.048 | 9 | 18 | 0.62 | 152 | 0.003 | <1 | 0.88 | 0.031 | 0.28 | 0.1 | <0.01 | 1.5 | 0.1 | 0.87 | | | |
| 2003116 | Drill Core | 0.2 | 0.3 | <0.1 | 10 | 0.91 | 0.045 | 9 | 20 | 1.00 | 228 | 0.003 | <1 | 1.15 | 0.020 | 0.27 | 0.1 | <0.01 | 1.6 | 0.1 | 0.45 | | | |
| 2003117 | Drill Core | 0.4 | 0.4 | <0.1 | 10 | 2.49 | 0.047 | 7 | 34 | 1.10 | 120 | 0.002 | <1 | 0.98 | 0.015 | 0.24 | 0.2 | 0.02 | 2.2 | <0.1 | 1.21 | | | |
| 2003118 | Drill Core | 0.3 | 0.8 | <0.1 | 3 | 1.31 | 0.030 | 8 | 9 | 0.49 | 146 | <0.001 | <1 | 0.44 | 0.016 | 0.26 | 0.1 | 0.02 | 1.0 | <0.1 | 0.82 | | | |
| 2003119 | Drill Core | 0.2 | 0.4 | 0.1 | <2 | 0.62 | 0.008 | 12 | 5 | 0.26 | 237 | 0.001 | <1 | 0.50 | 0.029 | 0.28 | 0.1 | 0.01 | 0.7 | 0.1 | 0.31 | | | |
| 2003120 | Drill Core | 0.3 | 0.5 | <0.1 | 8 | 0.90 | 0.038 | 12 | 16 | 0.74 | 211 | 0.002 | <1 | 0.87 | 0.029 | 0.28 | 0.1 | <0.01 | 1.8 | 0.1 | 0.59 | | | |
| 2003121 | Drill Core | 0.3 | 0.8 | 0.1 | 6 | 0.88 | 0.038 | 9 | 17 | 0.61 | 148 | 0.001 | <1 | 0.77 | 0.025 | 0.24 | 0.1 | 0.02 | 1.2 | 0.1 | 0.74 | | | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method Analyte | Unit | AQ201 | AQ201 | AQ201 |
|---------|-------------------|------|-------|-------|-------|
| | | | Ga | Se | Te |
| | | | ppm | ppm | ppm |
| | | | 1 | 0.5 | 0.2 |
| 2003092 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003093 | Drill Core | | 2 | <0.5 | 0.3 |
| 2003094 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003095 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003096 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003097 | Drill Core | | 3 | <0.5 | <0.2 |
| 2003098 | Drill Core | | 3 | 0.6 | <0.2 |
| 2003099 | Drill Core | | 4 | <0.5 | <0.2 |
| 2003100 | Rock Pulp | | 5 | 0.6 | 0.3 |
| 2003101 | Drill Core | | 3 | <0.5 | <0.2 |
| 2003102 | Drill Core | | 4 | <0.5 | <0.2 |
| 2003103 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003104 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003105 | Drill Core | | 2 | 0.5 | <0.2 |
| 2003106 | Drill Core | | 2 | 0.9 | <0.2 |
| 2003107 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003108 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003109 | Drill Core | | 2 | 0.8 | <0.2 |
| 2003110 | Drill Core | | 2 | 0.5 | <0.2 |
| 2003111 | Drill Core | | 3 | <0.5 | <0.2 |
| 2003112 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003113 | Drill Core | | 2 | 0.6 | <0.2 |
| 2003114 | Drill Core | | 3 | 0.6 | <0.2 |
| 2003115 | Drill Core | | 3 | <0.5 | <0.2 |
| 2003116 | Drill Core | | 4 | 0.8 | <0.2 |
| 2003117 | Drill Core | | 3 | 0.7 | <0.2 |
| 2003118 | Drill Core | | 1 | 0.5 | <0.2 |
| 2003119 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003120 | Drill Core | | 3 | <0.5 | <0.2 |
| 2003121 | Drill Core | | 3 | <0.5 | <0.2 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method | Analyte | Unit | MDL | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | | | |
|---------|------------|---------|------|-----|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|------|-----|
| | | | | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | | | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | | | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 |
| 2003122 | Drill Core | | | | 2.87 | 519 | 0.133 | 0.13 | <0.17 | 23.51 | 1.9 | 22.6 | 10.8 | 88 | 0.6 | 14.5 | 12.0 | 845 | 2.43 | 34.8 | 1.2 | 89.9 | 6.1 | 62 |
| 2003123 | Drill Core | | | | 2.67 | 507 | <0.005 | <0.01 | <0.17 | 23.82 | 2.0 | 20.3 | 5.4 | 57 | 0.2 | 10.3 | 7.7 | 573 | 1.73 | 2.1 | 1.8 | <0.5 | 8.6 | 53 |
| 2003124 | Drill Core | | | | 3.59 | 517 | 0.052 | 0.05 | <0.17 | 26.59 | 0.7 | 8.0 | 36.0 | 23 | 0.2 | 1.2 | 1.1 | 104 | 0.51 | 5.9 | 4.3 | 19.3 | 15.3 | 16 |
| 2003125 | Rock Pulp | | | | 0.12 | | <0.005 | I.S. | I.S. | I.S. | 1.9 | 66.1 | 3.6 | 35 | <0.1 | 5.0 | 8.0 | 356 | 2.48 | <0.5 | 0.8 | 1.3 | 2.4 | 54 |
| 2003126 | Drill Core | | | | 3.47 | 609 | 0.006 | <0.01 | <0.17 | 19.55 | 0.4 | 13.6 | 41.3 | 71 | 0.4 | 9.2 | 8.6 | 442 | 1.52 | 12.4 | 2.5 | 6.0 | 9.1 | 22 |
| 2003127 | Drill Core | | | | 3.56 | 561 | 0.131 | 0.13 | <0.17 | 21.29 | 0.7 | 11.8 | 10.7 | 61 | 0.4 | 8.9 | 7.1 | 382 | 1.69 | 21.3 | 2.1 | 118.7 | 7.9 | 35 |
| 2003128 | Drill Core | | | | 2.79 | 571 | <0.005 | <0.01 | <0.17 | 28.70 | 2.7 | 64.7 | 36.2 | 28 | 1.5 | 11.6 | 8.4 | 261 | 2.19 | 2.8 | 2.7 | 5.2 | 7.6 | 23 |
| 2003129 | Drill Core | | | | 3.55 | 564 | <0.005 | <0.01 | <0.17 | 29.78 | 1.0 | 16.5 | 51.1 | 44 | 0.6 | 9.0 | 7.7 | 401 | 1.71 | 9.3 | 3.0 | 3.8 | 9.3 | 26 |
| 2003130 | Drill Core | | | | 3.61 | 629 | <0.005 | <0.01 | <0.17 | 20.39 | 0.6 | 12.0 | 10.3 | 56 | 0.3 | 8.5 | 7.5 | 182 | 1.71 | 10.8 | 2.8 | 5.0 | 7.7 | 11 |
| 2003131 | Drill Core | | | | 3.42 | 460 | 0.042 | 0.06 | 0.55 | 19.95 | 3.7 | 8.5 | 48.1 | 71 | 0.4 | 5.3 | 4.9 | 370 | 1.34 | 13.0 | 2.9 | 31.6 | 11.4 | 28 |
| 2003132 | Drill Core | | | | 1.39 | 558 | 0.030 | 0.03 | <0.17 | 21.25 | 0.5 | 3.9 | 14.1 | 82 | 0.4 | 1.6 | 2.6 | 143 | 0.89 | 17.7 | 1.9 | 25.5 | 13.8 | 13 |
| 2003133 | Drill Core | | | | 2.33 | 408 | 0.009 | <0.01 | <0.17 | 20.37 | 0.6 | 3.7 | 46.4 | 39 | 0.2 | 1.3 | 1.8 | 98 | 0.70 | 7.5 | 2.0 | 11.8 | 11.1 | 15 |
| 2003134 | Drill Core | | | | 0.71 | 428 | 0.011 | 0.01 | <0.17 | 21.41 | 1.8 | 7.5 | 175.2 | 72 | 0.5 | 1.3 | 2.5 | 269 | 0.78 | 9.8 | 3.6 | 8.7 | 9.8 | 20 |
| 2003135 | Drill Core | | | | 3.36 | 486 | 0.007 | <0.01 | <0.17 | 26.90 | 0.9 | 2.1 | 46.3 | 41 | <0.1 | 0.5 | 2.6 | 59 | 0.40 | 5.7 | 2.2 | 8.6 | 12.6 | 10 |
| 2003136 | Drill Core | | | | 3.44 | 447 | 0.006 | <0.01 | <0.17 | 29.54 | 0.6 | 3.8 | 62.1 | 38 | 0.1 | 0.4 | 0.9 | 40 | 0.40 | 4.3 | 2.1 | 6.1 | 13.5 | 4 |
| 2003137 | Drill Core | | | | 2.96 | 445 | 0.006 | <0.01 | <0.17 | 27.29 | 1.9 | 5.1 | 38.9 | 24 | 0.2 | 0.3 | 0.6 | 37 | 0.44 | 6.0 | 1.8 | 7.5 | 13.4 | 18 |
| 2003138 | Drill Core | | | | 0.85 | 481 | 0.033 | 0.03 | <0.17 | 28.16 | 1.9 | 10.5 | 100.9 | 51 | 0.5 | 0.4 | 0.7 | 35 | 0.57 | 10.8 | 2.9 | 38.4 | 12.4 | 8 |
| 2003139 | Drill Core | | | | 5.18 | 461 | 0.008 | <0.01 | <0.17 | 30.78 | 1.3 | 33.4 | 77.7 | 70 | 0.8 | 0.5 | 0.6 | 39 | 0.50 | 10.8 | 3.3 | 11.2 | 15.4 | 3 |
| 2003140 | Drill Core | | | | 2.51 | 483 | 0.009 | <0.01 | <0.17 | 31.60 | 2.4 | 24.9 | 94.4 | 64 | 1.1 | 0.6 | 0.8 | 51 | 0.68 | 8.8 | 3.5 | 11.1 | 17.2 | 5 |
| 2003141 | Drill Core | | | | 0.94 | 461 | 0.062 | 0.06 | <0.17 | 26.22 | 2.4 | 49.4 | 362.8 | 201 | 3.0 | 0.8 | 0.7 | 69 | 1.09 | 6.6 | 3.2 | 70.1 | 8.0 | 28 |
| 2003142 | Drill Core | | | | 2.59 | 535 | <0.005 | <0.01 | <0.17 | 27.32 | 4.4 | 7.8 | 49.0 | 27 | 0.2 | 0.3 | 0.5 | 30 | 0.62 | 2.6 | 2.6 | 5.0 | 12.1 | 11 |
| 2003143 | Drill Core | | | | 2.83 | 565 | 0.014 | 0.01 | <0.17 | 30.43 | 5.1 | 15.4 | 84.6 | 45 | 0.4 | 0.4 | 0.6 | 28 | 0.80 | 5.2 | 2.6 | 9.1 | 12.2 | 10 |
| 2003144 | Drill Core | | | | 1.34 | 454 | 0.022 | 0.02 | <0.17 | 21.23 | 6.7 | 24.1 | 161.2 | 104 | 0.4 | 0.9 | 1.0 | 65 | 0.87 | 15.7 | 7.4 | 24.3 | 16.7 | 3 |
| 2003145 | Drill Core | | | | 3.09 | 499 | 0.006 | <0.01 | <0.17 | 25.60 | 0.8 | 7.7 | 50.0 | 34 | 0.2 | 0.5 | 0.4 | 40 | 0.40 | 3.8 | 3.2 | 7.6 | 15.7 | 2 |
| 2003146 | Drill Core | | | | 2.70 | 554 | <0.005 | <0.01 | <0.17 | 28.44 | 1.2 | 12.5 | 78.6 | 34 | 0.2 | 0.5 | 0.5 | 43 | 0.74 | 3.3 | 3.3 | 2.5 | 13.5 | 3 |
| 2003147 | Drill Core | | | | 3.79 | 539 | <0.005 | <0.01 | <0.17 | 26.73 | 0.6 | 5.6 | 118.2 | 74 | 0.2 | 0.5 | 0.5 | 98 | 0.49 | 1.5 | 4.1 | 2.3 | 17.7 | 17 |
| 2003148 | Drill Core | | | | 3.38 | 428 | <0.005 | <0.01 | <0.17 | 21.54 | 0.9 | 5.9 | 81.8 | 96 | 0.1 | 0.6 | 3.3 | 107 | 0.53 | 0.9 | 2.9 | 2.8 | 14.6 | 12 |
| 2003149 | Drill Core | | | | 0.98 | 396 | <0.005 | <0.01 | <0.17 | 27.45 | 0.5 | 7.7 | 36.2 | 42 | <0.1 | 0.8 | 2.1 | 98 | 0.76 | 1.5 | 2.2 | 2.4 | 12.7 | 11 |
| 2003150 | Rock Pulp | | | | 0.16 | | 6.599 | I.S. | I.S. | I.S. | 14.2 | 75.7 | 24.5 | 63 | 0.9 | 21.1 | 10.6 | 473 | 4.43 | 13.0 | 0.4 | 7400.0 | 1.2 | 53 |
| 2003151 | Drill Core | | | | 2.40 | 535 | <0.005 | <0.01 | <0.17 | 29.52 | 1.0 | 10.0 | 108.4 | 151 | 0.2 | 0.4 | 1.4 | 176 | 0.45 | 1.3 | 3.0 | 2.2 | 14.9 | 9 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method | Analyte | Unit | MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | | | |
|---------|------------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|------|
| | | | | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S |
| | | | | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % |
| | | | | | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 |
| 2003122 | Drill Core | 0.7 | 0.8 | <0.1 | 8 | 2.39 | 0.048 | 7 | 27 | 0.63 | 56 | <0.001 | <1 | 0.65 | 0.008 | 0.26 | 0.1 | 0.03 | 1.9 | 0.1 | 1.52 | | | |
| 2003123 | Drill Core | 0.5 | 0.3 | <0.1 | 5 | 1.79 | 0.047 | 11 | 9 | 0.53 | 116 | 0.002 | <1 | 0.73 | 0.012 | 0.30 | 0.1 | 0.01 | 1.4 | 0.1 | 0.99 | | | |
| 2003124 | Drill Core | 0.4 | 0.3 | <0.1 | <2 | 0.20 | 0.006 | 17 | 5 | 0.08 | 546 | <0.001 | <1 | 0.32 | 0.025 | 0.26 | <0.1 | <0.01 | 0.3 | <0.1 | 0.13 | | | |
| 2003125 | Rock Pulp | <0.1 | <0.1 | <0.1 | 85 | 0.75 | 0.044 | 6 | 11 | 0.67 | 91 | 0.086 | 2 | 1.30 | 0.142 | 0.19 | 1.7 | <0.01 | 1.9 | <0.1 | <0.05 | | | |
| 2003126 | Drill Core | 0.5 | 0.5 | 0.3 | 5 | 0.66 | 0.042 | 10 | 10 | 0.49 | 170 | 0.002 | <1 | 0.71 | 0.027 | 0.31 | 0.1 | <0.01 | 1.4 | 0.2 | 0.80 | | | |
| 2003127 | Drill Core | 0.5 | 0.8 | 0.2 | 6 | 0.76 | 0.042 | 11 | 12 | 0.42 | 101 | 0.002 | <1 | 0.71 | 0.041 | 0.41 | 0.2 | <0.01 | 1.8 | 0.2 | 1.05 | | | |
| 2003128 | Drill Core | 0.7 | 1.1 | 0.3 | 3 | 0.61 | 0.033 | 6 | 7 | 0.13 | 32 | 0.002 | <1 | 0.35 | 0.023 | 0.26 | <0.1 | <0.01 | 1.0 | <0.1 | 2.09 | | | |
| 2003129 | Drill Core | 0.6 | 0.3 | 0.6 | 4 | 0.81 | 0.050 | 13 | 9 | 0.17 | 82 | 0.002 | <1 | 0.42 | 0.033 | 0.29 | 0.1 | 0.01 | 1.2 | 0.1 | 1.44 | | | |
| 2003130 | Drill Core | 2.3 | 0.4 | 0.1 | 3 | 0.24 | 0.039 | 14 | 7 | 0.07 | 60 | 0.002 | <1 | 0.42 | 0.029 | 0.28 | 0.1 | <0.01 | 1.1 | 0.1 | 1.57 | | | |
| 2003131 | Drill Core | 1.5 | 0.5 | 0.3 | <2 | 0.72 | 0.018 | 15 | 7 | 0.25 | 137 | <0.001 | <1 | 0.34 | 0.011 | 0.26 | 0.1 | 0.03 | 0.7 | 0.1 | 0.89 | | | |
| 2003132 | Drill Core | 0.4 | 0.5 | <0.1 | <2 | 0.03 | 0.005 | 30 | 5 | 0.05 | 857 | <0.001 | <1 | 0.32 | 0.034 | 0.20 | 0.1 | <0.01 | 1.0 | <0.1 | 0.09 | | | |
| 2003133 | Drill Core | 0.2 | 0.2 | <0.1 | <2 | 0.04 | 0.003 | 19 | 6 | 0.05 | 1092 | <0.001 | <1 | 0.31 | 0.007 | 0.24 | <0.1 | <0.01 | 0.3 | <0.1 | 0.13 | | | |
| 2003134 | Drill Core | 0.3 | 0.4 | <0.1 | <2 | 0.05 | 0.003 | 22 | 6 | 0.05 | 1723 | <0.001 | <1 | 0.32 | 0.003 | 0.23 | 1.2 | <0.01 | 0.4 | <0.1 | 0.05 | | | |
| 2003135 | Drill Core | <0.1 | 0.2 | <0.1 | <2 | 0.05 | 0.003 | 29 | 4 | 0.06 | 1648 | <0.001 | <1 | 0.32 | 0.005 | 0.22 | 0.1 | <0.01 | 0.3 | <0.1 | <0.05 | | | |
| 2003136 | Drill Core | <0.1 | 0.2 | <0.1 | <2 | 0.05 | 0.002 | 36 | 4 | 0.04 | 347 | <0.001 | <1 | 0.31 | 0.009 | 0.22 | <0.1 | <0.01 | 0.4 | <0.1 | <0.05 | | | |
| 2003137 | Drill Core | <0.1 | 0.3 | <0.1 | <2 | 0.02 | 0.002 | 27 | 4 | 0.06 | 1466 | <0.001 | <1 | 0.33 | 0.008 | 0.27 | 0.1 | <0.01 | 0.4 | <0.1 | 0.09 | | | |
| 2003138 | Drill Core | 0.1 | 0.8 | 0.6 | <2 | 0.04 | 0.002 | 18 | 4 | 0.04 | 1417 | <0.001 | <1 | 0.30 | 0.008 | 0.20 | <0.1 | 0.01 | 0.3 | <0.1 | <0.05 | | | |
| 2003139 | Drill Core | 0.4 | 0.5 | 0.2 | <2 | 0.02 | 0.003 | 23 | 4 | 0.06 | 297 | <0.001 | 1 | 0.35 | 0.008 | 0.27 | 0.1 | 0.02 | 0.4 | 0.1 | <0.05 | | | |
| 2003140 | Drill Core | 0.2 | 1.1 | 0.2 | <2 | 0.02 | 0.003 | 20 | 5 | 0.06 | 543 | <0.001 | <1 | 0.37 | 0.013 | 0.27 | 0.1 | 0.01 | 0.3 | 0.1 | 0.18 | | | |
| 2003141 | Drill Core | 4.8 | 1.6 | 0.8 | <2 | 0.02 | 0.002 | 12 | 6 | 0.04 | 393 | <0.001 | 1 | 0.28 | 0.006 | 0.20 | 0.1 | 0.21 | 1.2 | <0.1 | 0.31 | | | |
| 2003142 | Drill Core | 0.2 | 0.2 | <0.1 | <2 | 0.01 | 0.002 | 16 | 4 | 0.05 | 449 | <0.001 | 1 | 0.37 | 0.018 | 0.28 | 0.1 | <0.01 | 0.4 | <0.1 | 0.27 | | | |
| 2003143 | Drill Core | 0.2 | 0.4 | <0.1 | <2 | 0.02 | 0.002 | 14 | 3 | 0.04 | 249 | <0.001 | <1 | 0.34 | 0.016 | 0.25 | <0.1 | 0.01 | 0.3 | <0.1 | 0.44 | | | |
| 2003144 | Drill Core | 0.3 | 0.9 | <0.1 | <2 | 0.05 | 0.006 | 49 | 5 | 0.05 | 171 | <0.001 | 2 | 0.40 | 0.003 | 0.26 | 0.2 | 0.01 | 0.5 | <0.1 | <0.05 | | | |
| 2003145 | Drill Core | 0.1 | 0.3 | <0.1 | <2 | 0.02 | 0.003 | 23 | 5 | 0.04 | 340 | <0.001 | 1 | 0.32 | 0.003 | 0.27 | 0.1 | <0.01 | 0.5 | <0.1 | <0.05 | | | |
| 2003146 | Drill Core | <0.1 | 0.3 | <0.1 | <2 | 0.01 | 0.002 | 14 | 5 | 0.05 | 267 | <0.001 | <1 | 0.34 | 0.008 | 0.29 | 0.1 | <0.01 | 0.4 | <0.1 | 0.16 | | | |
| 2003147 | Drill Core | 0.7 | 0.2 | 0.2 | <2 | 0.01 | 0.001 | 46 | 5 | 0.07 | 698 | <0.001 | <1 | 0.32 | 0.012 | 0.29 | 0.3 | <0.01 | 0.5 | <0.1 | <0.05 | | | |
| 2003148 | Drill Core | <0.1 | 0.2 | <0.1 | <2 | 0.01 | 0.002 | 31 | 7 | 0.08 | 995 | <0.001 | <1 | 0.34 | 0.002 | 0.30 | 0.3 | <0.01 | 0.6 | <0.1 | <0.05 | | | |
| 2003149 | Drill Core | <0.1 | 0.4 | <0.1 | <2 | 0.01 | 0.002 | 31 | 9 | 0.09 | 659 | <0.001 | <1 | 0.39 | 0.002 | 0.32 | 0.2 | <0.01 | 0.8 | <0.1 | <0.05 | | | |
| 2003150 | Rock Pulp | 0.2 | 6.2 | 0.5 | 97 | 1.08 | 0.048 | 5 | 34 | 0.61 | 88 | 0.118 | 4 | 1.85 | 0.168 | 0.15 | 1.7 | 0.29 | 4.7 | <0.1 | <0.05 | | | |
| 2003151 | Drill Core | 0.1 | 0.2 | <0.1 | <2 | 0.02 | 0.002 | 36 | 6 | 0.08 | 851 | <0.001 | <1 | 0.35 | 0.007 | 0.29 | 0.3 | <0.01 | 0.6 | <0.1 | <0.05 | | | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method Analyte | Unit | AQ201 | AQ201 | AQ201 |
|---------|-------------------|------|-------|-------|-------|
| | | | Ga | Se | Te |
| | | | ppm | ppm | ppm |
| | | | 1 | 0.5 | 0.2 |
| 2003122 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003123 | Drill Core | | 2 | 0.8 | <0.2 |
| 2003124 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003125 | Rock Pulp | | 4 | <0.5 | <0.2 |
| 2003126 | Drill Core | | 2 | <0.5 | <0.2 |
| 2003127 | Drill Core | | 2 | 1.1 | <0.2 |
| 2003128 | Drill Core | | <1 | 0.7 | <0.2 |
| 2003129 | Drill Core | | 1 | 0.8 | <0.2 |
| 2003130 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003131 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003132 | Drill Core | | <1 | 0.5 | <0.2 |
| 2003133 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003134 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003135 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003136 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003137 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003138 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003139 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003140 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003141 | Drill Core | | <1 | 1.9 | 0.5 |
| 2003142 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003143 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003144 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003145 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003146 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003147 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003148 | Drill Core | | <1 | <0.5 | <0.2 |
| 2003149 | Drill Core | | 1 | <0.5 | <0.2 |
| 2003150 | Rock Pulp | | 5 | <0.5 | <0.2 |
| 2003151 | Drill Core | | <1 | <0.5 | <0.2 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method Analyte Unit MDL | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 |
| 2003152 | Drill Core | 4.37 | 440 | <0.005 | <0.01 | <0.17 | 23.45 | 1.2 | 13.8 | 106.6 | 134 | 0.3 | 0.6 | 1.3 | 93 | 0.58 | 2.7 | 2.8 | 5.1 | 16.4 | 10 |
| 2003153 | Drill Core | 3.12 | 560 | 0.011 | 0.01 | <0.17 | 31.09 | 3.2 | 14.9 | 211.6 | 139 | 1.0 | 0.5 | 1.6 | 156 | 0.49 | 2.4 | 3.1 | 15.1 | 13.6 | 32 |
| 2003154 | Drill Core | 1.52 | 528 | <0.005 | <0.01 | <0.17 | 27.60 | 0.4 | 7.6 | 77.1 | 32 | 0.2 | 0.4 | 0.3 | 43 | 0.41 | 1.8 | 2.6 | 5.4 | 15.9 | 7 |
| 2003155 | Drill Core | 1.79 | 516 | 0.023 | 0.02 | <0.17 | 26.11 | 1.1 | 13.8 | 105.7 | 64 | 0.2 | 0.6 | 2.2 | 60 | 0.52 | 9.5 | 3.2 | 22.3 | 13.2 | 7 |
| 2003156 | Drill Core | 1.79 | 575 | 0.006 | <0.01 | <0.17 | 25.25 | 1.3 | 10.2 | 92.5 | 39 | 0.5 | 0.5 | 0.4 | 50 | 0.47 | 4.1 | 3.2 | 5.7 | 14.4 | 4 |
| 2003157 | Drill Core | 4.26 | 493 | <0.005 | <0.01 | <0.17 | 27.23 | 0.9 | 7.3 | 66.7 | 35 | 0.2 | 0.5 | 1.1 | 43 | 0.42 | 2.3 | 2.3 | 4.7 | 14.1 | 2 |
| 2003158 | Drill Core | 2.67 | 466 | <0.005 | <0.01 | <0.17 | 25.01 | 0.6 | 7.0 | 142.0 | 46 | 0.2 | 0.4 | 1.7 | 50 | 0.58 | 2.8 | 4.0 | 3.9 | 14.6 | 3 |
| 2003231 | Drill Core | 1.70 | 554 | 0.008 | <0.01 | <0.17 | 26.68 | 0.8 | 13.0 | 11.4 | 27 | 0.2 | 6.5 | 10.7 | 478 | 1.34 | 1.7 | 0.5 | 12.4 | 8.7 | 24 |
| 2003232 | Drill Core | 2.94 | 467 | 0.006 | <0.01 | <0.17 | 17.78 | 1.0 | 12.3 | 19.5 | 18 | 0.2 | 4.6 | 6.9 | 290 | 1.28 | 2.5 | 2.0 | 2.4 | 10.5 | 25 |
| 2003233 | Drill Core | 3.15 | 527 | <0.005 | <0.01 | <0.17 | 28.49 | 2.7 | 12.0 | 11.3 | 17 | 0.1 | 5.7 | 8.8 | 363 | 1.38 | 2.2 | 1.0 | 2.5 | 8.0 | 62 |
| 2003234 | Drill Core | 3.45 | 562 | 5.228 | 7.34 | 47.62 | 27.97 | 0.5 | 25.3 | 5.1 | 75 | 2.1 | 13.1 | 9.1 | 601 | 2.20 | 3.0 | 0.7 | 7744.4 | 7.5 | 44 |
| 2003235 | Drill Core | 1.99 | 387 | 0.120 | 0.11 | <0.17 | 19.64 | 0.5 | 19.7 | 6.0 | 67 | 0.3 | 10.8 | 8.9 | 484 | 1.64 | 3.0 | 0.6 | 104.4 | 7.3 | 53 |
| 2003236 | Drill Core | 2.54 | 410 | 0.038 | 0.04 | <0.17 | 22.26 | 0.4 | 18.6 | 6.7 | 60 | 0.2 | 10.8 | 9.4 | 546 | 1.63 | 3.3 | 0.5 | 40.2 | 7.9 | 55 |
| 2003243 | Drill Core | 2.80 | 503 | 0.007 | <0.01 | <0.17 | 24.27 | 1.0 | 11.6 | 14.1 | 87 | 0.2 | 13.3 | 13.0 | 704 | 1.53 | 1.7 | 1.1 | 8.0 | 8.5 | 21 |
| 2003244 | Drill Core | 1.97 | 427 | 0.008 | <0.01 | <0.17 | 21.43 | 0.7 | 16.6 | 4.7 | 116 | 0.2 | 9.4 | 9.5 | 401 | 1.43 | 2.3 | 3.7 | 8.9 | 10.9 | 12 |
| 2003245 | Drill Core | 4.01 | 414 | 0.352 | 0.46 | 1.93 | 27.95 | 0.8 | 21.3 | 7.0 | 29 | 0.5 | 10.3 | 8.1 | 256 | 1.53 | 1.3 | 2.2 | 767.0 | 8.2 | 22 |
| 2003246 | Drill Core | 3.64 | 521 | 0.011 | 0.01 | <0.17 | 25.75 | 2.0 | 21.6 | 45.0 | 24 | 0.4 | 8.3 | 5.7 | 178 | 1.43 | 1.4 | 2.2 | 4.2 | 8.2 | 19 |
| 2003247 | Drill Core | 3.38 | 477 | <0.005 | <0.01 | <0.17 | 21.98 | 1.2 | 17.9 | 23.6 | 33 | 0.2 | 5.1 | 3.2 | 122 | 1.31 | 1.4 | 3.5 | 2.3 | 10.8 | 16 |
| 2003248 | Drill Core | 4.63 | 477 | 0.024 | 0.02 | <0.17 | 29.29 | 0.6 | 3.8 | 16.8 | 11 | 0.1 | 0.5 | 1.1 | 60 | 0.49 | 0.7 | 1.9 | 12.6 | 15.1 | 10 |
| 2003249 | Drill Core | 2.33 | 450 | 1.283 | 1.63 | 7.78 | 24.04 | 0.3 | 21.3 | 6.7 | 19 | 0.7 | 7.9 | 8.2 | 374 | 1.69 | 3.5 | 1.7 | 1660.7 | 9.8 | 51 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method Analyte Unit MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S |
| | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 |
| 2003152 | Drill Core | 0.1 | 0.5 | <0.1 | <2 | 0.02 | 0.002 | 32 | 6 | 0.09 | 1055 | 0.001 | <1 | 0.46 | 0.007 | 0.35 | 0.2 | 0.01 | 0.6 | <0.1 | <0.05 |
| 2003153 | Drill Core | 0.2 | 0.5 | 0.9 | <2 | 0.02 | 0.003 | 33 | 5 | 0.07 | 1718 | <0.001 | <1 | 0.33 | 0.010 | 0.27 | 0.1 | <0.01 | 0.6 | <0.1 | <0.05 |
| 2003154 | Drill Core | <0.1 | 0.2 | <0.1 | <2 | <0.01 | 0.001 | 21 | 5 | 0.07 | 457 | 0.001 | <1 | 0.36 | 0.023 | 0.29 | 0.2 | <0.01 | 0.5 | <0.1 | <0.05 |
| 2003155 | Drill Core | 0.1 | 0.3 | 0.1 | <2 | 0.03 | 0.003 | 25 | 6 | 0.05 | 810 | <0.001 | <1 | 0.31 | 0.004 | 0.24 | 0.5 | <0.01 | 0.4 | <0.1 | <0.05 |
| 2003156 | Drill Core | <0.1 | 0.4 | <0.1 | <2 | 0.01 | 0.002 | 35 | 5 | 0.08 | 353 | <0.001 | <1 | 0.39 | 0.017 | 0.29 | 0.4 | 0.01 | 0.6 | <0.1 | <0.05 |
| 2003157 | Drill Core | 0.5 | 0.2 | 0.2 | <2 | <0.01 | 0.002 | 21 | 5 | 0.04 | 183 | <0.001 | <1 | 0.25 | 0.021 | 0.23 | <0.1 | <0.01 | 0.3 | <0.1 | 0.10 |
| 2003158 | Drill Core | 0.2 | 0.3 | 0.2 | <2 | 0.02 | 0.003 | 37 | 6 | 0.06 | 162 | <0.001 | 1 | 0.30 | 0.017 | 0.25 | <0.1 | <0.01 | 0.4 | <0.1 | <0.05 |
| 2003231 | Drill Core | 0.4 | 0.2 | 0.1 | 5 | 0.13 | 0.044 | 15 | 11 | 0.21 | 457 | 0.011 | 1 | 0.45 | 0.032 | 0.29 | 0.3 | <0.01 | 1.6 | <0.1 | 0.08 |
| 2003232 | Drill Core | 0.2 | 0.2 | <0.1 | 5 | 0.16 | 0.047 | 16 | 9 | 0.18 | 640 | 0.010 | 1 | 0.46 | 0.043 | 0.33 | 0.2 | <0.01 | 1.5 | <0.1 | 0.12 |
| 2003233 | Drill Core | 0.3 | 0.2 | <0.1 | 6 | 0.20 | 0.044 | 15 | 12 | 0.18 | 821 | 0.008 | 1 | 0.47 | 0.048 | 0.32 | 0.1 | <0.01 | 2.1 | <0.1 | 0.12 |
| 2003234 | Drill Core | 0.6 | 0.4 | <0.1 | 10 | 0.80 | 0.063 | 10 | 19 | 0.71 | 180 | 0.029 | 1 | 0.77 | 0.033 | 0.37 | 0.6 | 0.01 | 2.2 | 0.1 | 0.80 |
| 2003235 | Drill Core | 0.4 | 0.3 | <0.1 | 8 | 0.87 | 0.058 | 12 | 17 | 0.72 | 272 | 0.029 | <1 | 0.78 | 0.036 | 0.41 | 0.4 | <0.01 | 1.7 | 0.1 | 0.22 |
| 2003236 | Drill Core | 0.6 | 0.3 | <0.1 | 9 | 0.78 | 0.069 | 14 | 18 | 0.74 | 350 | 0.034 | <1 | 0.84 | 0.040 | 0.45 | 0.5 | <0.01 | 2.0 | 0.2 | 0.23 |
| 2003243 | Drill Core | 1.3 | 2.2 | <0.1 | 10 | 0.37 | 0.054 | 15 | 18 | 0.43 | 219 | 0.039 | <1 | 0.77 | 0.026 | 0.32 | 0.7 | <0.01 | 1.7 | 0.2 | <0.05 |
| 2003244 | Drill Core | 1.1 | 1.5 | <0.1 | 6 | 0.24 | 0.053 | 21 | 14 | 0.38 | 223 | 0.027 | 1 | 0.74 | 0.041 | 0.31 | 0.5 | <0.01 | 1.5 | 0.1 | <0.05 |
| 2003245 | Drill Core | 0.4 | 1.1 | 0.1 | 4 | 0.40 | 0.039 | 8 | 13 | 0.18 | 161 | 0.007 | <1 | 0.45 | 0.040 | 0.26 | 0.3 | 0.01 | 1.2 | <0.1 | 0.97 |
| 2003246 | Drill Core | 0.2 | 1.8 | 0.1 | 4 | 0.28 | 0.041 | 7 | 12 | 0.21 | 76 | 0.010 | <1 | 0.47 | 0.038 | 0.23 | 0.3 | 0.01 | 0.9 | <0.1 | 1.04 |
| 2003247 | Drill Core | 0.2 | 1.4 | 0.1 | 2 | 0.15 | 0.028 | 8 | 9 | 0.31 | 287 | 0.006 | <1 | 0.55 | 0.015 | 0.31 | 0.2 | 0.01 | 0.6 | <0.1 | 0.56 |
| 2003248 | Drill Core | <0.1 | 0.5 | <0.1 | <2 | 0.02 | 0.003 | 21 | 4 | 0.11 | 615 | 0.002 | <1 | 0.42 | 0.035 | 0.30 | 0.2 | <0.01 | 0.8 | <0.1 | <0.05 |
| 2003249 | Drill Core | 0.3 | 0.4 | <0.1 | 6 | 0.10 | 0.051 | 15 | 13 | 0.19 | 864 | 0.011 | <1 | 0.47 | 0.051 | 0.32 | 0.2 | <0.01 | 1.7 | <0.1 | 0.14 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000339.1

| | Method Analyte Unit MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
| | | Ga | Se | Te |
| | | ppm | ppm | ppm |
| | | 1 | 0.5 | 0.2 |
| 2003152 | Drill Core | 1 | <0.5 | <0.2 |
| 2003153 | Drill Core | <1 | <0.5 | 0.3 |
| 2003154 | Drill Core | 1 | <0.5 | <0.2 |
| 2003155 | Drill Core | <1 | <0.5 | <0.2 |
| 2003156 | Drill Core | 1 | <0.5 | <0.2 |
| 2003157 | Drill Core | <1 | <0.5 | <0.2 |
| 2003158 | Drill Core | <1 | <0.5 | <0.2 |
| 2003231 | Drill Core | 1 | <0.5 | <0.2 |
| 2003232 | Drill Core | 2 | <0.5 | <0.2 |
| 2003233 | Drill Core | 2 | <0.5 | <0.2 |
| 2003234 | Drill Core | 3 | 0.6 | 0.4 |
| 2003235 | Drill Core | 2 | <0.5 | <0.2 |
| 2003236 | Drill Core | 3 | 0.6 | <0.2 |
| 2003243 | Drill Core | 2 | <0.5 | <0.2 |
| 2003244 | Drill Core | 2 | <0.5 | <0.2 |
| 2003245 | Drill Core | 1 | <0.5 | <0.2 |
| 2003246 | Drill Core | 1 | <0.5 | <0.2 |
| 2003247 | Drill Core | 1 | <0.5 | <0.2 |
| 2003248 | Drill Core | 1 | <0.5 | <0.2 |
| 2003249 | Drill Core | 2 | <0.5 | <0.2 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

October 19, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000339.1

| | Method | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|------------------------|------------|--------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Analyte | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | Unit | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | MDL | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2003106 | Drill Core | 3.15 | 510 | 0.108 | 0.21 | 2.58 | 20.58 | 3.7 | 28.4 | 6.8 | 143 | 0.3 | 29.7 | 16.7 | 726 | 3.06 | 5.4 | 1.1 | 131.3 | 6.9 | 54 |
| REP 2003106 | QC | 0.145 | | | | | | | | | | | | | | | | | | | |
| 2003115 | Drill Core | 3.36 | 512 | <0.005 | <0.01 | <0.17 | 28.89 | 1.7 | 19.8 | 27.7 | 57 | 0.4 | 10.9 | 8.3 | 522 | 1.95 | 1.8 | 1.6 | 1.9 | 9.5 | 44 |
| REP 2003115 | QC | <0.005 | | | | | | | | | | | | | | | | | | | |
| 2003121 | Drill Core | 3.24 | 458 | 0.626 | 0.62 | 0.56 | 23.03 | 0.6 | 14.3 | 15.3 | 68 | 0.6 | 9.9 | 8.1 | 448 | 1.95 | 25.6 | 2.5 | 301.1 | 8.2 | 38 |
| REP 2003121 | QC | 0.7 | | | | | | | | | | | | | | | | | | | |
| 2003155 | Drill Core | 1.79 | 516 | 0.023 | 0.02 | <0.17 | 26.11 | 1.1 | 13.8 | 105.7 | 64 | 0.2 | 0.6 | 2.2 | 60 | 0.52 | 9.5 | 3.2 | 22.3 | 13.2 | 7 |
| REP 2003155 | QC | 1.0 | | | | | | | | | | | | | | | | | | | |
| 2003248 | Drill Core | 4.63 | 477 | 0.024 | 0.02 | <0.17 | 29.29 | 0.6 | 3.8 | 16.8 | 11 | 0.1 | 0.5 | 1.1 | 60 | 0.49 | 0.7 | 1.9 | 12.6 | 15.1 | 10 |
| REP 2003248 | QC | 0.5 | | | | | | | | | | | | | | | | | | | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2003105 | Drill Core | 3.02 | 533 | 0.011 | 0.01 | <0.17 | 27.62 | 2.6 | 21.9 | 6.3 | 149 | 0.3 | 28.8 | 17.6 | 847 | 3.44 | 6.5 | 0.8 | 8.0 | 6.6 | 63 |
| DUP 2003105 | QC | 509 | | | | | | | | | | | | | | | | | | | |
| 2003139 | Drill Core | 5.18 | 461 | 0.008 | <0.01 | <0.17 | 30.78 | 1.3 | 33.4 | 77.7 | 70 | 0.8 | 0.5 | 0.6 | 39 | 0.50 | 10.8 | 3.3 | 11.2 | 15.4 | 3 |
| DUP 2003139 | QC | 499 | | | | | | | | | | | | | | | | | | | |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS10 | Standard | 14.8 | | | | | | | | | | | | | | | | | | | |
| STD DS10 | Standard | 15.6 | | | | | | | | | | | | | | | | | | | |
| STD DS10 | Standard | 15.0 | | | | | | | | | | | | | | | | | | | |
| STD OXC129 | Standard | 1.2 | | | | | | | | | | | | | | | | | | | |
| STD OXC129 | Standard | 1.3 | | | | | | | | | | | | | | | | | | | |
| STD OXC129 | Standard | 1.2 | | | | | | | | | | | | | | | | | | | |
| STD OXD108 | Standard | 0.425 | | | | | | | | | | | | | | | | | | | |
| STD OXD108 | Standard | 0.412 | | | | | | | | | | | | | | | | | | | |
| STD OXI121 | Standard | 1.783 | | | | | | | | | | | | | | | | | | | |
| STD OXI121 | Standard | 1.838 | | | | | | | | | | | | | | | | | | | |
| STD OXN117 | Standard | 7.423 | | | | | | | | | | | | | | | | | | | |
| STD OXN117 | Standard | 7.718 | | | | | | | | | | | | | | | | | | | |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000339.1

| | Method Analyte Unit MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S |
| | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2003106 | Drill Core | 3.4 | 0.3 | <0.1 | 8 | 1.68 | 0.063 | 10 | 34 | 0.77 | 78 | 0.001 | 1 | 0.68 | 0.009 | 0.20 | 0.2 | 0.03 | 2.2 | <0.1 | 2.04 |
| REP 2003106 | QC | | | | | | | | | | | | | | | | | | | | |
| 2003115 | Drill Core | 0.3 | 0.4 | 0.2 | 7 | 1.05 | 0.048 | 9 | 18 | 0.62 | 152 | 0.003 | <1 | 0.88 | 0.031 | 0.28 | 0.1 | <0.01 | 1.5 | 0.1 | 0.87 |
| REP 2003115 | QC | | | | | | | | | | | | | | | | | | | | |
| 2003121 | Drill Core | 0.3 | 0.8 | 0.1 | 6 | 0.88 | 0.038 | 9 | 17 | 0.61 | 148 | 0.001 | <1 | 0.77 | 0.025 | 0.24 | 0.1 | 0.02 | 1.2 | 0.1 | 0.74 |
| REP 2003121 | QC | 0.3 | 0.7 | 0.1 | 6 | 0.90 | 0.042 | 9 | 17 | 0.60 | 134 | 0.001 | <1 | 0.79 | 0.026 | 0.25 | 0.1 | 0.02 | 1.5 | 0.1 | 0.77 |
| 2003155 | Drill Core | 0.1 | 0.3 | 0.1 | <2 | 0.03 | 0.003 | 25 | 6 | 0.05 | 810 | <0.001 | <1 | 0.31 | 0.004 | 0.24 | 0.5 | <0.01 | 0.4 | <0.1 | <0.05 |
| REP 2003155 | QC | <0.1 | 0.2 | 0.1 | <2 | 0.03 | 0.002 | 23 | 5 | 0.05 | 701 | <0.001 | 1 | 0.31 | 0.004 | 0.24 | 0.4 | <0.01 | 0.4 | <0.1 | <0.05 |
| 2003248 | Drill Core | <0.1 | 0.5 | <0.1 | <2 | 0.02 | 0.003 | 21 | 4 | 0.11 | 615 | 0.002 | <1 | 0.42 | 0.035 | 0.30 | 0.2 | <0.01 | 0.8 | <0.1 | <0.05 |
| REP 2003248 | QC | <0.1 | 0.5 | <0.1 | <2 | 0.02 | 0.003 | 24 | 4 | 0.12 | 669 | 0.002 | <1 | 0.42 | 0.035 | 0.30 | 0.2 | 0.01 | 0.8 | <0.1 | <0.05 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2003105 | Drill Core | 2.0 | 0.3 | <0.1 | 9 | 2.30 | 0.046 | 8 | 71 | 0.85 | 54 | <0.001 | 1 | 0.81 | 0.012 | 0.19 | 0.1 | 0.03 | 2.6 | <0.1 | 2.33 |
| DUP 2003105 | QC | 2.1 | 0.2 | <0.1 | 8 | 2.37 | 0.051 | 10 | 63 | 0.85 | 69 | <0.001 | <1 | 0.78 | 0.011 | 0.18 | 0.1 | 0.04 | 2.7 | <0.1 | 2.32 |
| 2003139 | Drill Core | 0.4 | 0.5 | 0.2 | <2 | 0.02 | 0.003 | 23 | 4 | 0.06 | 297 | <0.001 | 1 | 0.35 | 0.008 | 0.27 | 0.1 | 0.02 | 0.4 | 0.1 | <0.05 |
| DUP 2003139 | QC | 0.3 | 0.5 | 0.2 | <2 | 0.02 | 0.002 | 20 | 4 | 0.05 | 278 | <0.001 | <1 | 0.35 | 0.008 | 0.27 | 0.1 | 0.01 | 0.5 | 0.1 | <0.05 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS10 | Standard | 2.9 | 9.5 | 12.7 | 44 | 1.07 | 0.069 | 17 | 62 | 0.78 | 348 | 0.083 | 7 | 1.05 | 0.070 | 0.33 | 3.4 | 0.31 | 3.1 | 5.5 | 0.28 |
| STD DS10 | Standard | 3.0 | 10.3 | 13.1 | 45 | 1.09 | 0.081 | 20 | 57 | 0.80 | 385 | 0.085 | 9 | 1.09 | 0.073 | 0.34 | 3.6 | 0.31 | 3.2 | 5.4 | 0.29 |
| STD DS10 | Standard | 3.0 | 9.5 | 13.2 | 44 | 1.11 | 0.067 | 19 | 61 | 0.79 | 350 | 0.089 | 7 | 1.11 | 0.075 | 0.34 | 3.2 | 0.27 | 2.9 | 5.4 | 0.30 |
| STD OXC129 | Standard | <0.1 | <0.1 | <0.1 | 52 | 0.65 | 0.098 | 13 | 55 | 1.54 | 54 | 0.396 | 3 | 1.50 | 0.575 | 0.35 | 0.1 | <0.01 | 0.6 | <0.1 | <0.05 |
| STD OXC129 | Standard | <0.1 | <0.1 | <0.1 | 52 | 0.66 | 0.100 | 13 | 52 | 1.50 | 50 | 0.369 | 1 | 1.51 | 0.580 | 0.36 | <0.1 | <0.01 | 0.5 | <0.1 | <0.05 |
| STD OXC129 | Standard | <0.1 | <0.1 | <0.1 | 52 | 0.70 | 0.092 | 13 | 53 | 1.48 | 50 | 0.377 | 1 | 1.56 | 0.588 | 0.36 | <0.1 | <0.01 | 0.7 | <0.1 | <0.05 |
| STD OXD108 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXD108 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXI121 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXI121 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXN117 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXN117 | Standard | | | | | | | | | | | | | | | | | | | | |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000339.1

| | Method Analyte Unit MDL | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|
| | | Ga | Se | Te |
| | | ppm | ppm | ppm |
| | | 1 | 0.5 | 0.2 |
| Pulp Duplicates | | | | |
| 2003106 | Drill Core | 2 | 0.9 | <0.2 |
| REP 2003106 | QC | | | |
| 2003115 | Drill Core | 3 | <0.5 | <0.2 |
| REP 2003115 | QC | | | |
| 2003121 | Drill Core | 3 | <0.5 | <0.2 |
| REP 2003121 | QC | 3 | 0.6 | <0.2 |
| 2003155 | Drill Core | <1 | <0.5 | <0.2 |
| REP 2003155 | QC | <1 | <0.5 | <0.2 |
| 2003248 | Drill Core | 1 | <0.5 | <0.2 |
| REP 2003248 | QC | 1 | <0.5 | <0.2 |
| Core Reject Duplicates | | | | |
| 2003105 | Drill Core | 2 | 0.5 | <0.2 |
| DUP 2003105 | QC | 2 | <0.5 | <0.2 |
| 2003139 | Drill Core | 1 | <0.5 | <0.2 |
| DUP 2003139 | QC | 1 | <0.5 | <0.2 |
| Reference Materials | | | | |
| STD DS10 | Standard | 4 | 2.0 | 4.7 |
| STD DS10 | Standard | 5 | 2.9 | 5.3 |
| STD DS10 | Standard | 5 | 2.6 | 4.9 |
| STD OXC129 | Standard | 5 | <0.5 | <0.2 |
| STD OXC129 | Standard | 5 | <0.5 | <0.2 |
| STD OXC129 | Standard | 6 | <0.5 | <0.2 |
| STD OXD108 | Standard | | | |
| STD OXD108 | Standard | | | |
| STD OXI121 | Standard | | | |
| STD OXI121 | Standard | | | |
| STD OXN117 | Standard | | | |
| STD OXN117 | Standard | | | |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000339.1

| | | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|------|-------|--------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 |
| STD OXP91 | Standard | | | | | 15.04 | 29.98 | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | 15.02 | 29.49 | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | 15.25 | 29.04 | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | 15.00 | 30.07 | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | 14.51 | 30.04 | | | | | | | | | | | | | | |
| STD DS10 Expected | | | | | | | | 15.1 | 154.61 | 150.55 | 370 | 2.02 | 74.6 | 12.9 | 875 | 2.7188 | 46.2 | 2.59 | 91.9 | 7.5 | 67.1 |
| STD OXC129 Expected | | | | | | | | 1.3 | 28 | 6.3 | 42.9 | | 79.5 | 20.3 | 421 | 3.065 | 0.6 | 0.72 | 195 | 1.9 | |
| STD OXP91 Expected | | | | | | 14.82 | | | | | | | | | | | | | | | |
| BLK | Blank | | | <0.005 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | <0.005 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | <0.005 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | <0.005 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 |
| BLK | Blank | | | | | | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 |
| BLK | Blank | | | | | | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | | 438 | <0.005 | <0.01 | <0.17 | 22.80 | 0.8 | 4.9 | 2.3 | 30 | <0.1 | 0.8 | 3.5 | 460 | 1.98 | 2.0 | 0.4 | <0.5 | 2.3 | 29 |
| ROCK-WHI | Prep Blank | | 414 | <0.005 | <0.01 | <0.17 | 28.47 | 0.7 | 3.6 | 1.4 | 33 | <0.1 | 0.9 | 3.5 | 455 | 1.97 | 1.4 | 0.4 | 1.0 | 2.5 | 30 |



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: October 19, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000339.1

| | | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|--------|-------|--------|--------|-------|-------|-------|-------|-------|-------|
| | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S |
| | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 |
| STD OXP91 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD OXP91 | Standard | | | | | | | | | | | | | | | | | | | | |
| STD DS10 Expected | | 2.62 | 9 | 11.65 | 43 | 1.0625 | 0.0765 | 17.5 | 54.6 | 0.775 | 359 | 0.0817 | | 1.0755 | 0.067 | 0.338 | 3.32 | 0.3 | 3 | 5.1 | 0.29 |
| STD OXC129 Expected | | | | | 51 | 0.665 | 0.102 | 13 | 52 | 1.545 | 50 | 0.4 | 1 | 1.58 | 0.6 | 0.37 | | | 1.1 | | |
| STD OXP91 Expected | | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | <0.1 | <0.1 | <0.1 | 23 | 0.67 | 0.041 | 5 | 6 | 0.39 | 71 | 0.081 | 1 | 1.00 | 0.117 | 0.11 | 0.1 | <0.01 | 2.8 | <0.1 | <0.05 |
| ROCK-WHI | Prep Blank | <0.1 | <0.1 | <0.1 | 23 | 0.67 | 0.036 | 5 | 6 | 0.39 | 80 | 0.075 | 2 | 0.97 | 0.109 | 0.10 | 0.1 | 0.01 | 2.5 | <0.1 | <0.05 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

October 19, 2016

Page:

2 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000339.1

| | | AQ201 Ga ppm 1 | AQ201 Se ppm 0.5 | AQ201 Te ppm 0.2 |
|---------------------|------------|-------------------------|---------------------------|---------------------------|
| STD OXP91 | Standard | | | |
| STD OXP91 | Standard | | | |
| STD OXP91 | Standard | | | |
| STD OXP91 | Standard | | | |
| STD OXP91 | Standard | | | |
| STD DS10 Expected | | 4.5 | 2.3 | 5.01 |
| STD OXC129 Expected | | 5.6 | | |
| STD OXP91 Expected | | | | |
| BLK | Blank | | | |
| BLK | Blank | | | |
| BLK | Blank | | | |
| BLK | Blank | | | |
| BLK | Blank | | | |
| BLK | Blank | | | |
| BLK | Blank | | | |
| BLK | Blank | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <0.5 | <0.2 |
| BLK | Blank | | | |
| BLK | Blank | | | |
| Prep Wash | | | | |
| ROCK-WHI | Prep Blank | 4 | <0.5 | <0.2 |
| ROCK-WHI | Prep Blank | 4 | <0.5 | <0.2 |