



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 04, 2016
Report Date: November 01, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000340.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-55
P.O. Number
Number of Samples: 87

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	83	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	87	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	87	Analysis sample split/packet			VAN
Split -150	87	Analysis sample split/packet			VAN
FS631	83	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	87	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	87	Per sample shipping charges for branch shipments			VAN
SLBHP	4	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003159	Drill Core				1.17	481	0.656	1.10	9.23	24.70	3.1	18.8	16.4	24	3.5	3.1	2.2	98	1.29	1.0	0.5	437.5	5.7	18
2003160	Drill Core				6.35	491	0.648	1.14	9.68	26.66	0.9	7.1	26.6	10	1.0	1.4	1.0	42	1.01	5.4	0.5	612.8	7.5	27
2003161	Drill Core				3.11	466	1.280	1.95	13.75	25.10	0.8	17.7	27.1	31	0.6	4.2	4.2	129	1.60	1.8	0.4	828.4	7.8	18
2003162	Drill Core				2.62	531	0.014	0.01	<0.17	27.48	1.4	20.2	7.6	60	0.1	11.5	12.4	731	1.42	1.8	0.6	13.8	7.5	59
2003163	Drill Core				2.20	495	0.510	0.56	1.36	26.54	0.5	25.6	3.7	65	0.3	11.2	11.9	624	1.47	1.8	0.7	345.4	7.8	26
2003164	Drill Core				3.08	464	0.890	1.12	5.21	24.93	0.3	19.1	8.4	56	0.5	9.4	13.3	638	1.36	1.2	1.1	1482.4	8.8	17
2003165	Drill Core				3.06	484	0.054	0.20	2.88	24.62	0.6	13.6	18.4	40	0.2	5.9	4.7	75	1.15	2.2	2.2	76.3	8.7	18
2003166	Drill Core				3.80	342	0.109	0.10	<0.17	18.27	0.5	30.4	8.6	66	0.2	9.3	5.5	135	1.57	3.6	1.4	76.3	7.7	10
2003167	Drill Core				1.10	470	0.096	0.09	<0.17	24.91	1.8	23.5	8.9	111	0.2	20.9	20.2	1995	2.38	2.7	1.2	30.8	6.7	26
2003168	Drill Core				3.65	370	1.133	1.19	2.05	21.51	0.6	21.4	8.0	59	0.7	6.3	5.3	151	1.95	7.2	1.4	1053.0	8.4	34
2003169	Drill Core				2.98	504	0.139	0.13	<0.17	26.32	0.8	23.9	5.9	67	0.2	9.0	7.4	170	2.06	5.6	0.9	49.6	7.7	20
2003170	Drill Core				2.82	481	0.042	0.04	<0.17	29.33	0.6	30.1	4.9	92	0.2	14.4	11.9	531	2.02	7.8	1.5	36.5	7.9	19
2003171	Drill Core				3.12	490	0.370	0.35	<0.17	24.87	0.6	21.0	6.1	40	0.2	4.3	2.4	70	1.36	22.8	1.2	126.1	9.2	29
2003172	Drill Core				3.06	524	0.337	0.40	1.91	22.49	0.3	27.8	13.3	34	0.4	3.5	1.6	79	1.38	11.5	1.6	286.0	9.2	27
2003173	Drill Core				3.10	466	2.454	3.66	21.33	29.82	0.3	23.9	7.0	33	1.2	4.7	2.5	75	1.55	10.3	2.0	2876.3	9.1	25
2003174	Drill Core				2.39	486	0.007	<0.01	<0.17	21.51	0.7	28.5	5.4	46	0.1	7.4	3.4	84	1.22	22.5	1.8	2.6	8.7	14
2003175	Rock Pulp				0.13		<0.005				1.8	66.5	3.6	36	<0.1	5.6	8.0	354	2.45	<0.5	0.8	0.7	2.4	58
2003176	Drill Core				0.87	414	0.271	0.26	<0.17	22.59	1.4	6.6	7.0	9	0.5	1.8	1.3	46	1.05	29.6	1.4	135.8	7.3	28
2003177	Drill Core				2.92	427	0.171	0.16	<0.17	23.71	1.0	5.5	7.0	7	0.3	1.4	1.4	43	0.96	9.7	0.9	102.4	7.3	23
2003178	Drill Core				3.41	495	0.106	0.10	<0.17	25.97	0.2	19.2	4.6	24	0.4	7.5	6.5	185	1.52	16.6	2.5	88.1	8.4	19
2003179	Drill Core				3.22	539	0.915	1.96	24.23	24.14	0.2	17.2	4.2	11	0.9	4.1	2.9	72	1.15	9.7	2.9	790.4	7.8	11
2003180	Drill Core				3.32	487	0.935	1.44	9.41	29.01	0.3	13.3	6.0	28	0.6	4.4	5.8	244	1.28	8.8	2.4	902.3	7.3	29
2003181	Drill Core				1.26	472	0.142	0.13	<0.17	28.32	1.1	11.7	11.8	79	0.2	11.7	12.1	853	1.86	48.7	1.4	138.2	8.1	60
2003182	Drill Core				1.27	527	0.188	0.18	<0.17	28.99	1.4	21.6	14.7	117	0.3	15.4	13.1	635	1.97	29.2	2.1	191.8	9.1	16
2003183	Drill Core				3.98	511	0.240	0.23	<0.17	24.02	2.0	17.7	11.0	92	0.3	12.9	10.5	597	1.58	33.3	2.2	204.1	8.0	20
2003184	Drill Core				3.13	401	0.063	0.06	<0.17	19.71	0.4	17.5	24.1	31	0.2	7.9	5.8	145	1.78	16.0	1.7	48.1	7.7	19
2003185	Drill Core				3.11	477	0.261	0.29	0.70	27.24	0.3	23.9	30.3	19	0.4	3.2	2.2	65	1.28	16.1	1.9	131.3	8.6	41
2003186	Drill Core				2.03	379	0.119	0.11	<0.17	27.16	0.7	18.6	134.9	20	0.9	1.2	2.8	81	1.96	19.2	2.4	108.4	10.3	108
2003187	Drill Core				2.54	511	0.062	0.06	<0.17	27.07	0.5	19.3	27.3	14	0.4	1.3	1.4	63	1.03	8.7	1.3	72.4	8.1	38
2003188	Drill Core				4.16	391	0.117	0.11	<0.17	20.72	0.3	18.5	72.2	17	0.5	1.6	1.4	129	1.16	7.2	2.2	182.6	7.9	57



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2003159	Drill Core	<0.1	0.5	0.1	3	0.04	0.044	10	9	0.13	429	0.003	1	0.31	0.020	0.19	4.4	0.02	0.8	<0.1	0.05			
2003160	Drill Core	<0.1	0.3	<0.1	2	0.02	0.051	12	6	0.03	519	0.002	2	0.25	0.048	0.23	0.4	<0.01	1.0	<0.1	0.18			
2003161	Drill Core	<0.1	0.3	0.1	4	0.02	0.045	13	7	0.07	340	0.003	<1	0.33	0.044	0.21	<0.1	<0.01	1.2	0.1	0.15			
2003162	Drill Core	0.7	0.4	<0.1	5	1.30	0.057	11	8	0.43	283	0.004	1	0.72	0.028	0.28	0.1	<0.01	2.0	<0.1	0.27			
2003163	Drill Core	0.5	0.7	<0.1	5	0.51	0.062	13	8	0.40	349	0.003	<1	0.77	0.026	0.27	0.1	0.01	1.8	<0.1	0.16			
2003164	Drill Core	1.4	0.6	<0.1	3	0.17	0.047	14	7	0.16	444	0.003	<1	0.47	0.035	0.24	0.1	<0.01	1.3	<0.1	0.33			
2003165	Drill Core	<0.1	0.5	<0.1	2	0.05	0.043	11	6	0.07	511	0.002	<1	0.40	0.041	0.24	<0.1	<0.01	1.3	<0.1	0.22			
2003166	Drill Core	0.2	0.4	<0.1	5	0.08	0.051	14	9	0.22	297	0.003	1	0.70	0.033	0.28	0.2	<0.01	1.7	<0.1	0.07			
2003167	Drill Core	1.6	0.4	<0.1	5	0.63	0.063	10	11	0.45	145	0.003	<1	0.79	0.019	0.27	0.2	0.01	2.1	<0.1	0.86			
2003168	Drill Core	0.2	0.3	<0.1	4	0.06	0.061	16	9	0.07	625	0.002	<1	0.45	0.037	0.26	0.2	0.01	1.8	<0.1	0.17			
2003169	Drill Core	<0.1	0.3	0.1	6	0.06	0.059	14	10	0.11	460	0.003	<1	0.43	0.035	0.25	0.2	0.01	1.7	<0.1	0.18			
2003170	Drill Core	1.6	0.4	<0.1	6	0.09	0.066	12	8	0.18	496	0.002	1	0.59	0.016	0.21	0.2	0.01	2.0	<0.1	0.26			
2003171	Drill Core	0.1	0.6	0.1	5	0.05	0.050	16	11	0.12	966	0.003	<1	0.39	0.050	0.18	0.3	<0.01	1.4	<0.1	0.14			
2003172	Drill Core	0.2	0.7	0.2	6	0.04	0.044	14	12	0.14	677	0.002	<1	0.50	0.037	0.26	0.2	<0.01	1.6	0.1	0.18			
2003173	Drill Core	<0.1	0.3	<0.1	5	0.04	0.051	13	10	0.11	594	0.002	<1	0.48	0.043	0.29	0.1	<0.01	1.6	<0.1	0.22			
2003174	Drill Core	<0.1	0.3	0.1	6	0.05	0.048	14	10	0.11	523	0.002	<1	0.55	0.033	0.26	0.1	<0.01	1.7	0.1	0.15			
2003175	Rock Pulp	<0.1	<0.1	<0.1	85	0.76	0.052	6	12	0.68	96	0.095	2	1.36	0.139	0.18	1.8	<0.01	2.1	<0.1	<0.05			
2003176	Drill Core	<0.1	0.8	<0.1	3	0.02	0.040	16	8	0.03	314	0.001	<1	0.33	0.034	0.22	0.1	0.01	1.0	<0.1	0.10			
2003177	Drill Core	<0.1	0.2	<0.1	3	0.03	0.029	13	8	0.03	477	0.002	<1	0.28	0.039	0.29	0.1	<0.01	1.2	<0.1	0.26			
2003178	Drill Core	0.4	0.5	<0.1	3	0.18	0.053	11	8	0.10	140	0.002	1	0.43	0.040	0.25	0.2	<0.01	1.9	<0.1	0.74			
2003179	Drill Core	0.2	0.3	<0.1	3	0.06	0.040	10	8	0.13	155	0.001	1	0.40	0.039	0.24	0.3	<0.01	1.3	<0.1	0.52			
2003180	Drill Core	0.5	0.7	<0.1	2	0.21	0.042	9	7	0.07	114	0.001	1	0.30	0.042	0.22	0.2	0.02	1.4	<0.1	0.81			
2003181	Drill Core	0.9	0.4	0.2	8	1.26	0.044	8	13	0.39	112	0.003	1	0.58	0.048	0.19	0.2	<0.01	1.9	<0.1	0.87			
2003182	Drill Core	0.8	0.4	0.1	10	0.29	0.054	12	15	0.33	158	0.004	1	0.72	0.058	0.24	0.2	<0.01	2.9	<0.1	0.85			
2003183	Drill Core	1.8	0.4	0.1	4	0.35	0.042	11	9	0.15	134	0.002	<1	0.52	0.036	0.21	0.2	<0.01	1.9	<0.1	0.74			
2003184	Drill Core	0.3	0.2	0.1	5	0.10	0.046	10	11	0.15	101	0.002	<1	0.49	0.047	0.23	0.2	<0.01	2.3	<0.1	0.87			
2003185	Drill Core	0.2	0.4	0.1	4	0.03	0.036	15	10	0.10	321	0.001	<1	0.46	0.040	0.28	0.1	<0.01	1.6	<0.1	0.40			
2003186	Drill Core	0.1	1.0	<0.1	4	0.02	0.052	17	12	0.07	387	0.002	<1	0.42	0.048	0.33	0.2	0.03	1.7	0.1	0.40			
2003187	Drill Core	<0.1	0.8	<0.1	2	0.01	0.023	19	9	0.05	648	<0.001	<1	0.35	0.022	0.28	0.1	0.01	0.8	0.1	0.20			
2003188	Drill Core	0.1	0.4	<0.1	4	0.02	0.035	19	11	0.14	422	0.001	<1	0.50	0.028	0.31	0.2	0.03	1.6	0.2	0.25			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003159	Drill Core	<1	0.7	<0.2
2003160	Drill Core	1	<0.5	<0.2
2003161	Drill Core	1	<0.5	<0.2
2003162	Drill Core	2	<0.5	<0.2
2003163	Drill Core	2	<0.5	<0.2
2003164	Drill Core	1	0.5	<0.2
2003165	Drill Core	<1	<0.5	<0.2
2003166	Drill Core	2	<0.5	<0.2
2003167	Drill Core	2	0.6	<0.2
2003168	Drill Core	1	<0.5	<0.2
2003169	Drill Core	1	0.6	<0.2
2003170	Drill Core	1	0.6	<0.2
2003171	Drill Core	2	<0.5	<0.2
2003172	Drill Core	2	<0.5	<0.2
2003173	Drill Core	2	<0.5	0.3
2003174	Drill Core	2	<0.5	<0.2
2003175	Rock Pulp	4	<0.5	<0.2
2003176	Drill Core	<1	<0.5	<0.2
2003177	Drill Core	<1	<0.5	<0.2
2003178	Drill Core	1	<0.5	<0.2
2003179	Drill Core	1	<0.5	<0.2
2003180	Drill Core	<1	<0.5	<0.2
2003181	Drill Core	2	1.2	<0.2
2003182	Drill Core	3	0.6	<0.2
2003183	Drill Core	1	<0.5	<0.2
2003184	Drill Core	1	<0.5	<0.2
2003185	Drill Core	1	<0.5	<0.2
2003186	Drill Core	2	0.8	<0.2
2003187	Drill Core	<1	<0.5	<0.2
2003188	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003189	Drill Core	1.67	486	0.255	0.27	0.55	27.28	3.0	28.5	7.0	36	2.9	4.1	1.8	152	1.40	23.6	2.3	473.1	7.3	54
2003190	Drill Core	5.11	502	0.722	1.08	8.06	24.58	0.6	37.0	15.8	41	1.0	5.1	3.9	123	1.51	11.6	2.8	552.9	6.2	27
2003191	Drill Core	4.91	438	0.216	0.21	<0.17	19.11	0.6	47.6	15.5	48	0.6	5.9	4.1	109	1.58	27.2	3.6	370.4	7.4	69
2003192	Drill Core	3.90	392	0.666	0.68	0.91	25.33	0.7	38.6	13.3	92	0.7	21.4	11.3	217	1.90	16.7	3.2	753.5	7.2	11
2003193	Drill Core	2.68	493	2.633	2.94	8.57	25.91	0.7	18.2	8.1	103	1.2	21.4	15.6	304	2.65	12.1	1.9	2613.9	8.1	20
2003194	Drill Core	0.54	441	3.694	4.48	17.66	24.86	0.2	7.2	16.9	36	1.7	6.2	6.4	135	1.70	3.2	0.7	4617.5	2.6	6
2003195	Drill Core	2.50	506	3.312	3.70	9.97	29.50	0.4	17.9	7.1	72	1.5	13.4	12.7	583	2.96	12.6	1.8	3030.8	5.6	71
2003196	Drill Core	2.50	485	0.302	0.49	3.87	25.06	0.6	38.4	81.1	228	0.8	23.1	14.7	615	2.59	14.9	1.4	363.0	6.9	30
2003197	Drill Core	4.87	472	0.033	0.03	<0.17	29.84	1.0	15.7	26.5	60	0.3	10.0	8.8	500	2.01	13.4	3.1	29.9	7.7	43
2003198	Drill Core	2.00	405	0.107	0.10	<0.17	21.21	2.0	111.0	726.7	315	3.0	14.0	10.0	612	2.35	105.2	0.9	127.6	7.9	33
2003199	Drill Core	2.85	402	<0.005	<0.01	<0.17	23.28	0.4	20.2	17.9	72	0.4	13.4	9.1	679	2.26	9.6	3.5	2.8	9.8	43
2003200	Rock Pulp	0.12		6.451				14.0	76.6	24.0	59	0.8	18.2	9.3	477	4.32	13.0	0.4	7199.3	1.3	57
2003201	Drill Core	0.51	410	0.007	<0.01	<0.17	24.33	0.5	37.5	27.3	89	0.4	10.7	7.5	567	1.92	8.4	0.9	4.7	6.2	24
2003202	Drill Core	4.10	418	0.034	0.03	<0.17	26.78	1.5	33.1	58.1	260	0.9	16.1	10.9	900	2.61	46.3	1.0	34.3	9.2	37
2003203	Drill Core	3.05	402	0.029	0.03	<0.17	21.90	0.8	40.6	26.2	280	0.6	16.4	12.4	754	2.99	30.3	0.9	27.1	8.4	26
2003204	Drill Core	4.00	430	0.604	0.64	1.40	20.74	0.4	15.8	4.9	119	0.4	12.5	10.7	455	1.88	6.6	0.9	542.4	7.3	32
2003205	Drill Core	2.56	460	0.226	0.23	0.30	23.34	0.5	21.4	7.0	120	0.4	8.2	7.7	145	1.43	21.3	1.1	203.5	7.9	7
2003206	Drill Core	0.75	457	0.021	0.02	<0.17	23.19	1.4	13.6	17.9	88	0.4	7.6	6.4	227	1.54	17.6	0.9	14.3	7.9	8
2003207	Drill Core	4.82	501	0.057	0.06	<0.17	16.24	0.6	17.8	33.6	379	0.5	14.0	10.5	517	1.99	49.2	1.8	51.6	7.3	15
2003208	Drill Core	1.64	387	0.008	<0.01	<0.17	28.51	2.1	22.2	18.1	145	0.3	12.4	8.9	249	1.95	7.8	1.3	5.6	8.2	9
2003209	Drill Core	1.97	528	0.026	0.02	<0.17	22.02	0.6	24.2	95.3	186	0.5	12.6	8.9	337	2.00	18.7	1.4	18.2	8.5	8
2003210	Drill Core	1.43	473	2.176	3.29	24.35	23.82	0.9	129.9	1810.3	429	5.9	10.1	6.6	345	2.47	48.9	1.9	13928.7	8.7	26
2003211	Drill Core	1.78	476	0.111	0.11	<0.17	24.31	0.5	130.8	427.4	545	1.3	11.8	7.1	430	1.73	24.1	1.6	101.6	6.5	18
2003212	Drill Core	3.14	469	0.153	0.19	0.92	20.61	1.0	30.4	23.7	1352	0.4	16.7	12.6	987	1.78	18.8	2.7	121.1	9.5	47
2003213	Drill Core	0.79	469	0.749	0.87	3.14	23.88	0.9	12.7	130.8	140	0.6	4.5	4.2	67	1.20	19.2	1.3	215.3	6.0	14
2003214	Drill Core	0.83	409	0.055	0.05	<0.17	19.03	0.5	32.0	130.5	1491	0.4	16.1	9.6	596	1.69	31.1	1.4	42.1	7.3	16
2003215	Drill Core	0.64	534	0.065	0.06	<0.17	29.49	0.5	193.1	739.6	422	2.3	6.0	5.0	100	1.20	34.6	1.7	62.7	11.0	4
2003216	Drill Core	4.33	443	1.618	1.59	1.11	26.93	0.4	27.2	50.3	451	1.3	9.6	7.9	348	1.63	32.5	2.3	1622.1	9.2	13
2003217	Drill Core	1.76	490	0.987	1.08	2.67	27.30	0.3	19.1	21.5	125	1.0	7.4	5.8	74	1.71	12.1	2.7	1179.0	9.3	18
2003218	Drill Core	2.00	413	0.008	<0.01	<0.17	21.69	0.7	32.7	298.4	37	0.8	5.7	4.7	42	1.25	5.3	1.3	6.8	8.0	11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003189	Drill Core	0.1	0.7	<0.1	4	0.03	0.030	17	11	0.18	206	<0.001	<1	0.65	0.016	0.30	2.6	0.02	1.7	0.1	0.21			
2003190	Drill Core	0.1	0.7	<0.1	5	0.05	0.025	15	12	0.20	158	<0.001	<1	0.61	0.018	0.26	0.2	0.02	1.6	0.1	0.49			
2003191	Drill Core	0.3	1.1	<0.1	2	0.07	0.030	15	10	0.14	370	<0.001	<1	0.54	0.012	0.26	0.1	0.03	1.2	0.2	0.37			
2003192	Drill Core	0.2	0.6	<0.1	6	0.17	0.061	14	12	0.41	151	0.001	1	1.01	0.027	0.26	0.3	0.02	2.1	0.1	0.98			
2003193	Drill Core	0.7	0.5	<0.1	8	0.29	0.071	13	20	0.64	97	0.002	<1	1.08	0.023	0.23	0.2	0.03	2.4	0.1	1.66			
2003194	Drill Core	0.9	0.3	<0.1	4	0.10	0.035	6	10	0.25	85	0.001	<1	0.41	0.022	0.12	0.2	0.01	1.1	<0.1	1.19			
2003195	Drill Core	0.8	0.5	<0.1	9	1.50	0.070	9	14	0.71	58	0.002	2	0.91	0.021	0.25	0.3	0.04	3.1	0.1	2.19			
2003196	Drill Core	1.9	0.7	<0.1	9	0.56	0.059	13	20	0.87	93	0.003	<1	1.19	0.016	0.31	0.3	0.03	2.5	0.1	1.62			
2003197	Drill Core	0.5	0.6	0.1	5	0.85	0.058	11	8	0.38	71	0.002	1	0.67	0.012	0.30	0.3	0.01	1.3	0.1	1.52			
2003198	Drill Core	1.6	3.1	<0.1	6	1.04	0.052	11	14	0.58	110	0.001	1	0.91	0.007	0.24	0.3	0.06	1.9	0.1	1.26			
2003199	Drill Core	0.6	0.4	<0.1	8	0.93	0.063	10	14	0.46	105	0.002	1	0.85	0.021	0.28	0.2	0.02	2.2	0.2	1.35			
2003200	Rock Pulp	0.2	6.3	0.6	96	1.09	0.054	6	28	0.62	99	0.109	4	1.93	0.192	0.16	1.8	0.32	5.5	<0.1	<0.05			
2003201	Drill Core	1.6	0.4	<0.1	6	0.47	0.059	9	14	0.34	160	0.002	1	0.66	0.016	0.22	0.2	0.02	1.6	0.1	0.84			
2003202	Drill Core	1.2	1.5	<0.1	11	0.90	0.060	11	15	0.51	111	0.003	<1	1.00	0.015	0.31	0.2	0.02	2.3	0.2	0.98			
2003203	Drill Core	1.4	0.6	<0.1	10	0.69	0.072	10	17	0.43	54	0.002	<1	0.87	0.023	0.26	0.2	0.01	2.1	0.1	1.93			
2003204	Drill Core	0.4	0.3	<0.1	7	0.98	0.050	10	12	0.31	129	0.002	<1	0.64	0.034	0.24	0.2	<0.01	1.9	<0.1	1.03			
2003205	Drill Core	0.9	0.8	<0.1	5	0.16	0.043	10	9	0.30	235	0.001	<1	0.65	0.021	0.24	0.1	0.02	1.3	<0.1	0.57			
2003206	Drill Core	0.2	0.8	0.2	5	0.14	0.044	10	14	0.48	363	0.002	<1	0.76	0.019	0.21	0.1	<0.01	1.3	<0.1	0.32			
2003207	Drill Core	1.9	1.1	<0.1	7	0.32	0.049	10	14	0.62	158	0.001	<1	0.91	0.010	0.25	0.1	0.03	1.7	0.1	0.78			
2003208	Drill Core	0.4	0.3	<0.1	7	0.17	0.061	12	14	0.67	150	0.002	<1	0.87	0.021	0.23	0.2	0.02	1.6	<0.1	0.87			
2003209	Drill Core	0.3	0.6	<0.1	8	0.17	0.062	11	31	0.59	186	0.002	1	0.92	0.020	0.25	0.2	0.02	1.9	0.1	0.80			
2003210	Drill Core	1.5	3.0	0.1	8	0.21	0.070	14	16	0.56	169	0.001	<1	0.87	0.012	0.25	0.4	0.11	2.2	0.1	0.83			
2003211	Drill Core	6.6	1.4	<0.1	5	0.35	0.044	13	16	0.57	175	0.001	<1	0.80	0.017	0.23	0.2	0.05	1.6	0.1	0.73			
2003212	Drill Core	13.8	0.9	<0.1	4	1.02	0.040	15	13	0.65	138	0.001	<1	0.77	0.017	0.23	0.2	0.04	1.5	0.1	1.03			
2003213	Drill Core	2.6	1.4	<0.1	2	0.14	0.033	10	7	0.08	184	<0.001	<1	0.37	0.015	0.24	0.1	0.05	0.9	<0.1	0.48			
2003214	Drill Core	9.0	0.6	<0.1	3	0.35	0.050	14	9	0.21	126	0.001	<1	0.56	0.016	0.29	0.2	0.02	1.5	0.1	1.04			
2003215	Drill Core	7.9	2.1	<0.1	<2	0.09	0.028	10	5	0.15	83	<0.001	<1	0.37	0.024	0.20	0.1	0.06	0.9	<0.1	0.89			
2003216	Drill Core	4.8	0.8	<0.1	4	0.21	0.043	15	9	0.36	121	0.001	<1	0.66	0.024	0.25	0.2	0.03	1.7	0.1	0.84			
2003217	Drill Core	2.3	0.5	<0.1	2	0.14	0.043	13	9	0.13	130	0.001	<1	0.44	0.024	0.27	0.1	0.01	1.4	0.1	0.98			
2003218	Drill Core	0.7	0.6	0.2	<2	0.07	0.025	11	7	0.04	121	<0.001	<1	0.29	0.016	0.25	0.1	0.02	0.7	0.1	0.85			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003189	Drill Core	2	<0.5	<0.2
2003190	Drill Core	2	<0.5	0.2
2003191	Drill Core	1	<0.5	<0.2
2003192	Drill Core	2	<0.5	<0.2
2003193	Drill Core	2	1.0	<0.2
2003194	Drill Core	1	<0.5	0.3
2003195	Drill Core	2	<0.5	0.3
2003196	Drill Core	2	<0.5	<0.2
2003197	Drill Core	1	<0.5	<0.2
2003198	Drill Core	3	0.7	<0.2
2003199	Drill Core	2	<0.5	<0.2
2003200	Rock Pulp	4	<0.5	0.3
2003201	Drill Core	2	0.5	<0.2
2003202	Drill Core	3	<0.5	<0.2
2003203	Drill Core	3	<0.5	<0.2
2003204	Drill Core	2	<0.5	<0.2
2003205	Drill Core	2	<0.5	<0.2
2003206	Drill Core	2	<0.5	<0.2
2003207	Drill Core	2	0.7	<0.2
2003208	Drill Core	2	0.6	<0.2
2003209	Drill Core	3	<0.5	<0.2
2003210	Drill Core	3	0.7	0.3
2003211	Drill Core	2	<0.5	<0.2
2003212	Drill Core	2	<0.5	<0.2
2003213	Drill Core	<1	<0.5	<0.2
2003214	Drill Core	1	0.6	<0.2
2003215	Drill Core	<1	<0.5	<0.2
2003216	Drill Core	2	<0.5	<0.2
2003217	Drill Core	1	0.5	<0.2
2003218	Drill Core	<1	0.7	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003219	Drill Core	3.32	539	0.008	<0.01	<0.17	27.12	2.0	80.7	462.3	43	1.6	7.4	4.9	32	1.67	5.3	1.7	14.2	8.8	10
2003220	Drill Core	3.21	532	0.006	<0.01	<0.17	29.93	1.3	58.3	250.1	31	0.7	7.4	5.9	41	1.83	5.5	1.9	5.1	7.3	4
2003221	Drill Core	2.45	472	<0.005	<0.01	<0.17	25.34	2.1	194.8	2329.1	47	2.8	3.4	3.2	42	1.24	5.9	1.3	3.6	7.0	14
2003222	Drill Core	1.64	487	0.008	<0.01	<0.17	20.84	2.9	84.2	2157.0	49	5.4	1.5	0.8	40	1.14	8.2	2.2	7.5	6.8	37
2003223	Drill Core	2.14	448	<0.005	<0.01	<0.17	22.05	2.3	46.0	813.6	38	0.7	2.8	1.9	48	1.41	11.0	1.9	2.8	7.5	17
2003439	Drill Core	3.41	504	0.231	0.23	<0.17	21.74	0.3	49.0	181.3	320	0.6	9.7	7.2	423	1.61	23.1	1.7	190.8	8.8	9
2003224	Drill Core	3.27	524	<0.005	<0.01	<0.17	27.39	1.3	20.7	928.5	21	1.3	2.2	1.7	36	1.32	3.6	1.2	4.8	7.6	24
2003225	Rock Pulp	0.12		<0.005				1.8	68.3	3.8	34	<0.1	4.9	8.3	336	2.34	0.5	0.7	0.5	2.5	55
2003226	Drill Core	3.13	450	<0.005	<0.01	<0.17	21.22	2.3	89.0	1919.2	102	1.5	1.3	1.4	38	1.91	11.6	3.5	6.6	11.5	7
2003227	Drill Core	1.28	512	0.006	<0.01	<0.17	24.56	2.5	81.4	543.3	126	1.0	2.2	1.4	96	1.58	16.8	5.4	5.6	14.6	6
2003228	Drill Core	0.61	468	<0.005	<0.01	<0.17	24.43	0.4	16.1	68.6	38	0.3	0.5	2.0	46	0.51	3.7	1.0	0.6	10.3	3
2003229	Drill Core	3.07	491	<0.005	<0.01	<0.17	25.62	1.2	29.8	128.9	71	0.7	0.8	0.6	66	0.82	5.8	1.7	3.9	13.3	6
2003230	Drill Core	3.05	337	<0.005	<0.01	<0.17	25.55	0.9	10.2	77.1	37	0.3	0.6	1.0	41	0.54	3.7	1.9	1.5	13.2	14
2003250	Rock Pulp	0.12		7.027				14.9	67.8	22.5	53	0.7	18.2	9.2	462	4.06	11.8	0.4	6903.1	1.3	51
2003251	Drill Core	0.97	508	0.131	0.13	<0.17	22.00	2.6	6.4	31.5	12	0.6	1.6	0.8	86	0.99	4.8	0.9	22.7	6.5	19
2003252	Drill Core	2.22	425	0.409	0.43	0.68	24.87	0.3	3.1	6.8	4	0.7	0.9	0.8	47	1.01	2.6	0.4	288.2	7.4	22
2003253	Drill Core	2.20	385	0.356	0.39	0.97	21.56	0.7	2.9	34.3	4	1.5	1.0	0.7	54	1.18	2.2	0.5	266.6	4.6	15
2003254	Drill Core	2.05	551	0.451	0.43	<0.17	28.76	0.4	16.0	5.6	26	0.7	4.4	4.0	127	1.80	2.0	0.9	490.4	7.2	13
2003255	Drill Core	0.87	442	0.010	<0.01	<0.17	22.33	0.3	18.5	4.5	35	0.3	8.0	8.2	328	2.35	1.8	0.4	5.4	7.3	6
2003256	Drill Core	0.78	319	0.023	0.02	<0.17	22.61	0.3	63.3	11.4	116	0.5	22.2	31.7	1329	3.01	1.2	2.5	19.5	9.2	9
2003257	Drill Core	3.67	501	0.006	<0.01	<0.17	20.68	1.5	23.3	13.0	61	0.3	11.2	11.2	894	1.68	1.8	1.0	6.0	7.7	49
2003258	Drill Core	3.01	437	0.008	<0.01	<0.17	26.89	1.1	26.1	7.5	56	0.4	8.8	8.1	846	2.01	1.5	1.0	25.2	6.3	66
2003259	Drill Core	1.90	486	0.031	0.03	<0.17	26.31	2.6	44.4	57.5	156	0.8	15.0	13.5	989	2.15	1.3	1.6	37.4	7.6	12
2003260	Drill Core	0.97	446	0.023	0.02	<0.17	22.01	0.4	42.9	94.8	39	0.8	4.6	4.8	241	0.99	8.2	2.1	19.3	4.1	5
2003261	Drill Core	2.96	402	0.027	0.03	<0.17	20.09	0.5	30.6	8.9	95	0.4	13.1	11.6	640	2.19	4.4	1.5	17.8	9.4	13
2003262	Drill Core	3.57	475	0.006	<0.01	<0.17	25.00	1.8	19.9	19.2	73	0.3	13.4	11.1	705	1.87	2.2	1.2	9.8	7.4	52
2003263	Drill Core	3.34	448	0.016	0.02	<0.17	30.49	5.8	11.9	63.3	61	0.4	12.6	7.5	287	1.69	0.8	0.9	5.6	6.5	39



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2003219	Drill Core	0.8	0.9	<0.1	<2	0.09	0.031	9	6	0.05	70	0.001	<1	0.33	0.022	0.27	0.1	0.03	0.9	0.1	1.55
2003220	Drill Core	0.6	0.4	<0.1	<2	0.06	0.023	8	6	0.04	63	0.001	<1	0.31	0.022	0.25	<0.1	0.02	0.7	<0.1	1.72
2003221	Drill Core	0.8	1.5	0.1	<2	0.04	0.032	11	7	0.04	141	0.001	<1	0.30	0.018	0.29	0.2	0.04	0.7	0.1	0.68
2003222	Drill Core	0.3	2.7	0.3	<2	0.07	0.044	14	6	0.04	333	<0.001	<1	0.34	0.016	0.27	0.1	0.04	0.6	0.1	0.33
2003223	Drill Core	0.2	2.2	<0.1	<2	0.03	0.034	12	7	0.03	243	0.001	<1	0.27	0.026	0.26	0.2	0.01	0.6	<0.1	0.50
2003439	Drill Core	1.8	0.8	<0.1	6	0.16	0.046	16	13	0.61	173	0.002	<1	0.87	0.027	0.25	0.2	0.04	1.9	0.1	0.53
2003224	Drill Core	0.2	0.8	<0.1	<2	0.02	0.030	13	6	0.03	205	0.002	<1	0.27	0.041	0.25	0.1	0.02	0.6	<0.1	0.59
2003225	Rock Pulp	<0.1	<0.1	<0.1	80	0.72	0.048	6	11	0.65	94	0.084	<1	1.27	0.128	0.18	1.7	<0.01	2.0	<0.1	<0.05
2003226	Drill Core	0.2	0.9	0.4	<2	0.02	0.041	15	5	0.03	668	<0.001	<1	0.27	0.017	0.20	0.2	<0.01	0.4	<0.1	0.16
2003227	Drill Core	0.2	1.7	0.4	<2	0.05	0.022	31	14	0.19	989	<0.001	<1	0.47	0.002	0.21	0.2	0.01	0.6	<0.1	<0.05
2003228	Drill Core	<0.1	0.4	<0.1	<2	0.02	0.005	23	4	0.08	343	<0.001	<1	0.28	0.007	0.18	0.2	<0.01	0.4	<0.1	<0.05
2003229	Drill Core	<0.1	0.6	0.2	<2	0.03	0.004	28	4	0.14	885	<0.001	<1	0.35	0.006	0.19	0.4	<0.01	0.4	<0.1	<0.05
2003230	Drill Core	<0.1	0.3	0.1	<2	0.01	0.003	23	4	0.04	957	<0.001	<1	0.28	0.012	0.22	0.2	0.01	0.3	<0.1	<0.05
2003250	Rock Pulp	0.2	5.4	0.5	94	0.98	0.045	5	29	0.60	80	0.101	3	1.73	0.155	0.14	1.6	0.29	4.7	<0.1	<0.05
2003251	Drill Core	<0.1	0.2	<0.1	3	0.02	0.043	12	8	0.12	225	0.004	<1	0.25	0.034	0.18	0.4	<0.01	1.3	<0.1	0.15
2003252	Drill Core	<0.1	0.1	<0.1	2	0.01	0.037	13	8	0.02	300	0.002	<1	0.22	0.038	0.26	0.1	<0.01	0.9	<0.1	0.18
2003253	Drill Core	<0.1	0.1	0.1	<2	<0.01	0.042	9	9	0.01	443	0.002	<1	0.15	0.058	0.18	<0.1	<0.01	0.8	<0.1	0.26
2003254	Drill Core	0.1	0.1	<0.1	5	0.03	0.057	13	9	0.13	235	0.003	<1	0.44	0.041	0.25	0.2	<0.01	1.4	<0.1	0.16
2003255	Drill Core	0.2	0.2	<0.1	9	0.08	0.062	12	11	0.31	236	0.005	<1	0.65	0.016	0.26	0.2	<0.01	1.7	0.1	0.40
2003256	Drill Core	1.3	0.2	<0.1	7	0.14	0.073	17	10	0.41	222	0.004	<1	1.04	0.018	0.27	0.1	<0.01	2.2	0.1	0.05
2003257	Drill Core	1.0	0.2	<0.1	6	1.47	0.054	10	11	0.51	204	0.004	<1	0.69	0.017	0.25	<0.1	<0.01	1.6	<0.1	0.56
2003258	Drill Core	0.5	0.2	<0.1	7	2.05	0.061	6	10	0.77	114	0.002	<1	0.74	0.010	0.23	0.2	<0.01	1.6	<0.1	1.04
2003259	Drill Core	1.2	0.3	0.2	7	0.28	0.066	12	10	0.71	207	0.002	<1	0.93	0.010	0.26	0.2	0.03	1.8	<0.1	0.33
2003260	Drill Core	0.2	1.1	<0.1	2	0.04	0.026	11	9	0.12	115	0.001	<1	0.39	0.007	0.15	0.2	0.02	0.8	<0.1	<0.05
2003261	Drill Core	1.0	0.3	<0.1	6	0.15	0.062	14	11	0.48	274	0.003	<1	0.78	0.017	0.29	0.2	<0.01	1.7	0.1	0.34
2003262	Drill Core	0.5	0.4	<0.1	5	1.03	0.052	11	11	0.55	86	0.003	<1	0.70	0.013	0.25	0.1	0.03	1.3	<0.1	1.06
2003263	Drill Core	0.3	0.3	0.2	5	0.51	0.050	7	13	0.60	116	0.003	<1	0.66	0.014	0.20	<0.1	<0.01	1.0	<0.1	0.97



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 01, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000340.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003219	Drill Core	<1	<0.5	<0.2
2003220	Drill Core	<1	<0.5	<0.2
2003221	Drill Core	<1	1.2	<0.2
2003222	Drill Core	<1	2.2	<0.2
2003223	Drill Core	<1	1.0	<0.2
2003439	Drill Core	3	<0.5	<0.2
2003224	Drill Core	<1	1.0	<0.2
2003225	Rock Pulp	4	<0.5	<0.2
2003226	Drill Core	<1	0.7	<0.2
2003227	Drill Core	1	<0.5	<0.2
2003228	Drill Core	<1	<0.5	<0.2
2003229	Drill Core	<1	<0.5	<0.2
2003230	Drill Core	<1	<0.5	<0.2
2003250	Rock Pulp	4	<0.5	<0.2
2003251	Drill Core	<1	<0.5	<0.2
2003252	Drill Core	<1	<0.5	0.2
2003253	Drill Core	<1	<0.5	0.6
2003254	Drill Core	2	<0.5	0.2
2003255	Drill Core	2	<0.5	<0.2
2003256	Drill Core	2	0.8	<0.2
2003257	Drill Core	2	<0.5	<0.2
2003258	Drill Core	2	<0.5	<0.2
2003259	Drill Core	2	<0.5	<0.2
2003260	Drill Core	<1	<0.5	<0.2
2003261	Drill Core	2	<0.5	<0.2
2003262	Drill Core	2	<0.5	<0.2
2003263	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 01, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000340.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2003180	Drill Core	3.32	487	0.935	1.44	9.41	29.01	0.3	13.3	6.0	28	0.6	4.4	5.8	244	1.28	8.8	2.4	902.3	7.3	29
REP 2003180	QC							0.3	13.5	6.1	27	0.6	4.8	5.8	244	1.28	8.5	2.5	833.3	7.9	29
2003203	Drill Core	3.05	402	0.029	0.03	<0.17	21.90	0.8	40.6	26.2	280	0.6	16.4	12.4	754	2.99	30.3	0.9	27.1	8.4	26
REP 2003203	QC			0.029																	
REP 2003204	QC			0.622																	
2003214	Drill Core	0.83	409	0.055	0.05	<0.17	19.03	0.5	32.0	130.5	1491	0.4	16.1	9.6	596	1.69	31.1	1.4	42.1	7.3	16
REP 2003214	QC							0.5	34.0	140.5	1508	0.4	16.2	10.7	609	1.72	34.0	1.5	106.0	7.7	18
2003257	Drill Core	3.67	501	0.006	<0.01	<0.17	20.68	1.5	23.3	13.0	61	0.3	11.2	11.2	894	1.68	1.8	1.0	6.0	7.7	49
REP 2003257	QC							1.5	22.7	13.0	59	0.2	10.8	10.4	898	1.71	1.6	1.0	5.1	7.3	54
Core Reject Duplicates																					
2003170	Drill Core	2.82	481	0.042	0.04	<0.17	29.33	0.6	30.1	4.9	92	0.2	14.4	11.9	531	2.02	7.8	1.5	36.5	7.9	19
DUP 2003170	QC		430	0.043	0.04	<0.17	16.57	0.6	32.4	5.1	94	0.2	15.3	11.3	552	2.10	9.2	1.7	47.0	8.8	19
2003204	Drill Core	4.00	430	0.604	0.64	1.40	20.74	0.4	15.8	4.9	119	0.4	12.5	10.7	455	1.88	6.6	0.9	542.4	7.3	32
DUP 2003204	QC		490	0.619	0.84	5.32	22.94	0.4	16.8	5.0	117	0.5	12.3	10.9	433	1.86	7.2	0.9	595.2	7.8	36
2003256	Drill Core	0.78	319	0.023	0.02	<0.17	22.61	0.3	63.3	11.4	116	0.5	22.2	31.7	1329	3.01	1.2	2.5	19.5	9.2	9
DUP 2003256	QC		270	0.020	0.02	<0.17	22.33	0.3	65.4	11.6	121	0.5	22.2	31.7	1299	3.10	1.4	2.5	20.4	9.0	8
Reference Materials																					
STD DS10	Standard							15.6	148.7	143.1	348	1.8	72.0	13.3	881	2.75	41.0	2.7	73.1	7.9	71
STD DS10	Standard							14.5	164.4	162.3	374	1.9	76.9	13.0	888	2.74	43.2	2.9	87.3	8.1	68
STD DS10	Standard							15.4	153.0	158.8	364	2.0	76.0	13.8	864	2.74	41.9	2.6	175.0	7.9	59
STD OXC129	Standard							1.4	29.1	6.3	43	<0.1	76.4	20.9	411	3.04	0.8	0.7	198.7	1.9	186
STD OXC129	Standard							1.3	31.6	7.0	51	<0.1	86.4	22.1	443	3.17	0.6	0.7	188.9	2.1	192
STD OXC129	Standard							1.4	27.4	6.4	42	<0.1	72.3	20.6	418	2.99	0.7	0.7	190.5	1.8	186
STD OXD108	Standard			0.416																	
STD OXD108	Standard			0.443																	
STD OXD108	Standard			0.417																	
STD OXI121	Standard			1.780																	
STD OXI121	Standard			1.863																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 01, 2016

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000340.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2003180	Drill Core	0.5	0.7	<0.1	2	0.21	0.042	9	7	0.07	114	0.001	1	0.30	0.042	0.22	0.2	0.02	1.4	<0.1	0.81
REP 2003180	QC	0.5	0.7	<0.1	2	0.21	0.043	10	7	0.06	111	0.002	1	0.30	0.042	0.22	0.2	0.02	1.4	<0.1	0.83
2003203	Drill Core	1.4	0.6	<0.1	10	0.69	0.072	10	17	0.43	54	0.002	<1	0.87	0.023	0.26	0.2	0.01	2.1	0.1	1.93
REP 2003203	QC																				
REP 2003204	QC																				
2003214	Drill Core	9.0	0.6	<0.1	3	0.35	0.050	14	9	0.21	126	0.001	<1	0.56	0.016	0.29	0.2	0.02	1.5	0.1	1.04
REP 2003214	QC	9.2	0.6	<0.1	3	0.36	0.055	16	9	0.22	141	0.001	<1	0.57	0.016	0.29	0.2	0.02	1.6	0.1	1.02
2003257	Drill Core	1.0	0.2	<0.1	6	1.47	0.054	10	11	0.51	204	0.004	<1	0.69	0.017	0.25	<0.1	<0.01	1.6	<0.1	0.56
REP 2003257	QC	0.7	0.2	<0.1	6	1.46	0.056	10	11	0.51	207	0.004	<1	0.69	0.016	0.25	0.1	<0.01	1.7	<0.1	0.56
Core Reject Duplicates																					
2003170	Drill Core	1.6	0.4	<0.1	6	0.09	0.066	12	8	0.18	496	0.002	1	0.59	0.016	0.21	0.2	0.01	2.0	<0.1	0.26
DUP 2003170	QC	1.6	0.4	<0.1	7	0.09	0.074	16	13	0.18	555	0.003	<1	0.68	0.019	0.26	0.3	0.01	2.4	<0.1	0.25
2003204	Drill Core	0.4	0.3	<0.1	7	0.98	0.050	10	12	0.31	129	0.002	<1	0.64	0.034	0.24	0.2	<0.01	1.9	<0.1	1.03
DUP 2003204	QC	0.5	0.3	<0.1	7	0.96	0.055	11	11	0.31	137	0.003	<1	0.64	0.030	0.24	0.2	<0.01	1.8	<0.1	1.02
2003256	Drill Core	1.3	0.2	<0.1	7	0.14	0.073	17	10	0.41	222	0.004	<1	1.04	0.018	0.27	0.1	<0.01	2.2	0.1	0.05
DUP 2003256	QC	1.0	0.2	<0.1	7	0.14	0.067	16	11	0.41	204	0.004	<1	1.04	0.021	0.27	0.1	0.01	2.0	0.1	0.05
Reference Materials																					
STD DS10	Standard	2.6	8.8	12.4	41	1.07	0.067	17	54	0.77	341	0.086	7	1.08	0.072	0.34	3.3	0.27	3.1	5.0	0.27
STD DS10	Standard	2.5	9.6	12.4	42	1.08	0.067	18	56	0.78	349	0.077	7	1.08	0.071	0.34	2.9	0.30	2.9	5.1	0.27
STD DS10	Standard	2.8	9.5	13.0	43	1.06	0.064	16	58	0.77	307	0.079	6	1.04	0.068	0.33	3.1	0.27	2.8	5.4	0.29
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.68	0.087	13	51	1.52	47	0.405	1	1.61	0.604	0.38	<0.1	<0.01	1.2	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.74	0.095	12	62	1.63	49	0.435	1	1.71	0.639	0.39	<0.1	<0.01	1.4	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.64	0.100	13	52	1.50	49	0.397	1	1.50	0.583	0.36	0.1	<0.01	1.0	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 01, 2016

Page:

1 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000340.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2003180	Drill Core	<1	<0.5	<0.2
REP 2003180	QC	1	<0.5	<0.2
2003203	Drill Core	3	<0.5	<0.2
REP 2003203	QC			
REP 2003204	QC			
2003214	Drill Core	1	0.6	<0.2
REP 2003214	QC	1	<0.5	<0.2
2003257	Drill Core	2	<0.5	<0.2
REP 2003257	QC	2	<0.5	<0.2
Core Reject Duplicates				
2003170	Drill Core	1	0.6	<0.2
DUP 2003170	QC	2	<0.5	<0.2
2003204	Drill Core	2	<0.5	<0.2
DUP 2003204	QC	2	0.6	<0.2
2003256	Drill Core	2	0.8	<0.2
DUP 2003256	QC	2	0.9	<0.2
Reference Materials				
STD DS10	Standard	4	2.4	4.3
STD DS10	Standard	5	2.8	4.9
STD DS10	Standard	4	1.1	4.5
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 01, 2016

Page:

2 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000340.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXI121	Standard			1.819																	
STD OXN117	Standard			7.429																	
STD OXN117	Standard			7.550																	
STD OXN117	Standard			7.800																	
STD OXP91	Standard					15.00	30.47														
STD OXP91	Standard					14.25	29.90														
STD OXP91	Standard					15.16	30.08														
STD OXP91	Standard					15.04	29.99														
STD OXP91	Standard					15.03	30.33														
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
STD OXP91 Expected						14.82															
BLK	Blank							<0.1	<0.1	0.3	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		411	<0.005	<0.01	<0.17	24.77	0.7	3.5	1.3	29	<0.1	0.6	3.5	431	1.63	0.7	0.4	<0.5	2.2	27
ROCK-WHI	Prep Blank		416	<0.005	<0.01	<0.17	28.98	0.5	3.9	1.5	33	<0.1	0.8	3.7	414	1.77	1.0	0.4	<0.5	2.5	29



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 01, 2016

Page:

2 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000340.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
STD OXP91 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.74	0.033	5	3	0.37	69	0.078	1	1.03	0.130	0.12	0.1	<0.01	3.5	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.64	0.036	5	3	0.40	71	0.079	2	0.99	0.115	0.10	0.1	<0.01	3.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 01, 2016

Page:

2 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000340.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
STD OXP91 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2