



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 14, 2016
Report Date: November 11, 2016
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI16000367.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-58
P.O. Number
Number of Samples: 119

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	115	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	119	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	119	Analysis sample split/packet			VAN
Split -150	119	Analysis sample split/packet			VAN
FS631	115	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	119	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	119	Per sample shipping charges for branch shipments			VAN
SLBHP	4	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 2 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003536	Drill Core	1.08	444	0.087	0.08	<0.17	30.00	0.6	57.4	234.7	177	0.8	4.6	3.3	527	1.37	53.4	1.1	90.4	7.8	8
2003537	Drill Core	0.66	399	0.442	0.42	<0.17	24.75	1.2	19.8	473.4	223	1.7	3.0	1.9	690	1.73	55.3	2.3	161.1	3.8	11
2003538	Drill Core	1.19	422	0.099	0.09	<0.17	29.15	0.4	74.1	187.9	256	1.2	12.2	7.0	496	1.84	61.4	1.9	98.8	8.6	7
2003539	Drill Core	3.34	400	0.028	0.03	<0.17	26.99	0.7	20.2	29.0	136	0.4	10.9	8.3	941	1.52	29.1	1.2	25.8	8.7	26
2003540	Drill Core	3.10	444	0.034	0.03	<0.17	21.69	0.4	25.2	39.6	73	0.4	6.2	4.5	379	1.43	23.1	1.3	35.6	7.9	25
2003541	Drill Core	2.40	439	0.088	0.08	<0.17	24.23	0.3	22.3	9.1	97	0.5	14.6	13.6	931	2.03	31.6	1.9	61.2	7.2	45
2003542	Drill Core	3.42	465	0.025	0.02	<0.17	26.29	1.1	17.6	13.4	90	0.4	11.7	10.9	609	2.25	37.9	1.3	25.1	7.6	38
2003543	Drill Core	3.34	503	0.008	<0.01	<0.17	25.55	1.1	16.1	7.3	81	0.3	9.3	8.8	681	2.11	7.9	1.6	6.8	7.9	71
2003544	Drill Core	3.31	488	0.101	0.31	4.62	22.95	0.9	31.6	34.4	86	0.6	9.4	9.1	685	2.65	9.4	2.1	243.7	6.8	61
2003545	Drill Core	0.79	512	0.141	0.17	0.62	27.62	0.2	9.7	10.9	19	0.3	0.9	0.6	58	0.69	2.6	0.4	210.3	0.7	8
2003546	Drill Core	3.55	514	0.522	0.54	0.81	27.27	1.6	23.1	4.4	77	0.6	10.7	9.4	637	2.73	3.0	1.4	294.5	6.1	83
2003547	Drill Core	3.59	455	0.031	0.03	<0.17	22.91	0.8	14.4	4.2	62	0.3	10.8	8.7	512	2.54	2.6	1.7	18.5	6.7	64
2003364	Drill Core	0.75	482	0.557	1.42	15.80	27.21	1.0	17.5	27.2	19	1.1	3.4	2.9	185	1.10	7.9	0.5	331.9	3.9	15
2003365	Drill Core	3.49	460	0.027	0.03	<0.17	21.07	2.5	15.1	46.3	33	0.9	2.8	0.7	148	1.86	59.7	1.2	16.3	7.8	17
2003366	Drill Core	3.05	425	0.023	0.02	<0.17	20.38	1.1	22.0	31.7	43	0.7	2.6	0.5	221	1.66	37.2	1.1	19.5	7.9	22
2003367	Drill Core	0.89	483	0.018	0.02	<0.17	21.41	1.7	20.6	66.6	32	0.7	2.9	0.8	212	1.45	21.0	1.0	20.9	6.7	94
2003368	Drill Core	2.55	520	0.022	0.02	<0.17	26.35	1.0	26.8	44.9	48	1.0	4.6	1.1	245	1.69	47.0	1.1	22.3	5.8	44
2003369	Drill Core	0.69	482	0.014	0.01	<0.17	28.27	0.8	41.5	20.1	97	1.2	11.4	3.4	272	2.22	59.0	2.0	10.2	6.8	27
2003370	Drill Core	3.23	428	0.030	0.03	<0.17	20.50	0.4	29.6	8.1	72	0.7	3.8	2.7	278	2.15	42.4	1.8	14.5	7.7	20
2003371	Drill Core	0.59	421	0.049	0.05	<0.17	26.88	1.1	75.9	30.4	145	3.7	13.0	2.5	693	3.40	112.7	3.5	39.7	6.6	54
2003372	Drill Core	0.81	477	0.109	0.10	<0.17	24.94	1.6	36.9	36.5	59	1.8	5.2	4.5	173	1.67	23.4	2.3	118.8	5.2	58
2003373	Drill Core	0.83	471	0.033	0.03	<0.17	24.15	0.9	36.5	28.6	50	1.8	4.0	2.1	292	1.54	27.5	1.5	28.2	8.2	81
2003374	Drill Core	0.91	466	0.040	0.24	4.04	23.02	0.5	17.1	15.7	24	0.7	1.7	0.9	91	1.23	7.5	0.9	224.3	6.3	56
2003375	Rock Pulp	0.13		0.008				1.9	61.8	3.1	31	<0.1	4.5	7.0	291	2.11	0.6	0.7	<0.5	2.2	49
2003376	Drill Core	1.51	471	0.011	0.01	<0.17	23.83	0.5	35.0	51.1	37	1.2	2.4	0.5	207	1.91	18.9	1.0	11.3	5.2	49
2003377	Drill Core	3.50	448	0.065	0.06	<0.17	19.33	2.5	37.5	56.4	50	0.9	4.0	1.8	296	1.98	19.1	2.3	46.5	8.2	139
2003378	Drill Core	0.48	408	0.016	0.02	<0.17	23.77	0.5	12.2	11.2	12	0.2	1.8	1.7	83	0.88	5.2	1.2	15.5	3.2	68
2003379	Drill Core	1.75	421	0.409	0.42	0.58	30.84	0.4	54.0	8.6	105	0.4	15.7	8.0	165	1.96	6.5	1.7	679.5	6.8	43
2003380	Drill Core	1.32	480	0.756	0.72	0.19	26.77	0.7	65.6	5.6	72	0.9	13.4	5.1	142	1.90	20.2	2.8	515.8	5.9	15
2003381	Drill Core	1.65	472	0.165	0.16	<0.17	27.52	0.3	45.6	5.6	123	0.3	20.2	18.1	1138	2.33	17.3	1.5	130.6	7.2	23



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 2 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003536	Drill Core	0.9	2.8	<0.1	6	0.14	0.049	8	10	0.30	126	0.001	1	0.65	0.022	0.27	0.1	0.05	1.5	0.1	0.55			
2003537	Drill Core	0.4	2.7	<0.1	6	0.10	0.029	6	10	0.21	196	<0.001	1	0.45	0.005	0.13	0.3	0.07	0.9	<0.1	0.07			
2003538	Drill Core	8.7	3.1	0.1	5	0.13	0.047	9	10	0.27	93	0.002	<1	0.55	0.040	0.19	0.1	0.03	1.4	<0.1	1.69			
2003539	Drill Core	2.1	0.9	0.1	7	0.41	0.048	12	11	0.30	127	0.002	<1	0.55	0.033	0.26	0.2	0.01	1.4	0.1	1.02			
2003540	Drill Core	0.7	1.3	<0.1	5	0.13	0.051	16	7	0.17	242	0.002	3	0.50	0.038	0.34	0.1	<0.01	1.5	0.2	0.57			
2003541	Drill Core	0.8	0.5	<0.1	8	0.45	0.071	12	17	0.38	104	0.002	<1	0.64	0.026	0.27	0.2	0.01	1.9	0.1	1.00			
2003542	Drill Core	0.7	0.4	<0.1	8	1.06	0.069	9	13	0.47	65	0.002	<1	0.72	0.018	0.26	0.1	0.03	1.6	0.1	1.71			
2003543	Drill Core	0.5	0.3	<0.1	11	1.95	0.061	8	17	0.59	74	0.002	<1	0.81	0.018	0.26	0.2	0.02	2.0	0.2	1.30			
2003544	Drill Core	0.7	0.4	<0.1	13	1.36	0.074	10	20	0.64	52	0.002	<1	0.83	0.022	0.24	0.2	0.03	2.3	0.1	1.80			
2003545	Drill Core	0.2	0.2	<0.1	<2	0.05	0.018	2	8	0.03	39	<0.001	<1	0.07	0.008	0.03	<0.1	<0.01	0.4	<0.1	0.06			
2003546	Drill Core	0.6	0.6	<0.1	7	1.95	0.066	9	12	0.70	88	0.002	<1	0.71	0.018	0.20	0.2	0.03	1.8	<0.1	2.25			
2003547	Drill Core	0.4	0.5	<0.1	7	1.88	0.064	7	11	0.65	71	0.006	<1	0.71	0.024	0.20	0.2	0.03	2.1	<0.1	1.99			
2003364	Drill Core	<0.1	1.2	0.1	3	0.05	0.029	9	14	0.25	537	0.002	<1	0.36	0.011	0.13	1.1	0.02	0.6	<0.1	<0.05			
2003365	Drill Core	<0.1	0.6	0.2	7	0.01	0.045	11	25	0.58	206	0.002	<1	0.66	0.019	0.23	0.1	<0.01	1.0	<0.1	0.19			
2003366	Drill Core	<0.1	0.6	0.3	7	0.01	0.042	14	32	0.78	182	0.003	1	0.97	0.024	0.24	0.1	<0.01	1.3	0.2	0.12			
2003367	Drill Core	<0.1	0.4	0.2	8	0.01	0.038	14	44	0.61	257	0.001	<1	0.71	0.017	0.24	<0.1	<0.01	1.0	<0.1	0.23			
2003368	Drill Core	<0.1	0.5	0.1	9	0.02	0.048	9	59	0.91	133	0.002	<1	0.95	0.012	0.19	<0.1	<0.01	1.1	<0.1	0.12			
2003369	Drill Core	0.2	0.3	0.2	12	0.02	0.049	15	61	1.32	114	0.002	<1	1.45	0.014	0.18	<0.1	0.03	1.4	<0.1	0.06			
2003370	Drill Core	<0.1	0.2	<0.1	9	0.01	0.054	15	32	0.94	164	0.002	<1	1.17	0.015	0.22	<0.1	<0.01	1.1	<0.1	0.05			
2003371	Drill Core	0.3	0.5	<0.1	27	0.03	0.073	13	187	2.56	212	0.002	<1	2.43	0.010	0.20	<0.1	0.02	2.5	<0.1	0.08			
2003372	Drill Core	0.1	0.6	0.1	6	0.01	0.039	15	24	0.34	673	0.001	<1	0.65	0.017	0.17	<0.1	0.01	1.1	<0.1	0.08			
2003373	Drill Core	<0.1	0.4	0.1	6	<0.01	0.039	18	16	0.56	350	0.002	<1	0.73	0.023	0.25	<0.1	0.02	1.2	<0.1	0.17			
2003374	Drill Core	<0.1	0.4	<0.1	3	<0.01	0.035	11	7	0.20	252	0.002	<1	0.37	0.018	0.25	<0.1	<0.01	0.7	0.1	0.22			
2003375	Rock Pulp	<0.1	<0.1	<0.1	71	0.59	0.052	6	10	0.59	90	0.074	<1	1.05	0.109	0.17	1.7	<0.01	1.5	<0.1	<0.05			
2003376	Drill Core	<0.1	1.1	0.1	5	<0.01	0.048	12	11	0.43	213	0.002	2	0.62	0.013	0.26	<0.1	0.03	1.1	0.1	0.18			
2003377	Drill Core	0.1	0.5	0.1	6	0.01	0.055	15	16	0.63	264	0.002	<1	0.85	0.022	0.27	<0.1	<0.01	1.2	0.1	0.28			
2003378	Drill Core	<0.1	0.6	<0.1	<2	<0.01	0.020	8	10	0.12	129	0.001	<1	0.24	0.013	0.13	<0.1	<0.01	0.4	<0.1	0.10			
2003379	Drill Core	0.1	0.3	<0.1	5	0.05	0.067	14	9	0.46	171	0.002	<1	0.88	0.017	0.26	<0.1	0.01	1.5	<0.1	0.10			
2003380	Drill Core	0.1	0.6	<0.1	4	0.05	0.075	16	6	0.31	133	0.002	2	0.90	0.009	0.24	0.1	<0.01	1.4	<0.1	<0.05			
2003381	Drill Core	1.3	0.6	<0.1	14	0.35	0.066	12	10	0.32	174	0.004	<1	0.78	0.017	0.23	0.2	0.01	2.0	<0.1	0.47			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003536	Drill Core	2	0.6	<0.2
2003537	Drill Core	2	<0.5	<0.2
2003538	Drill Core	2	<0.5	<0.2
2003539	Drill Core	2	<0.5	<0.2
2003540	Drill Core	2	0.6	<0.2
2003541	Drill Core	2	<0.5	<0.2
2003542	Drill Core	2	<0.5	<0.2
2003543	Drill Core	3	<0.5	<0.2
2003544	Drill Core	3	<0.5	<0.2
2003545	Drill Core	<1	<0.5	<0.2
2003546	Drill Core	2	<0.5	<0.2
2003547	Drill Core	2	<0.5	<0.2
2003364	Drill Core	1	<0.5	<0.2
2003365	Drill Core	2	<0.5	<0.2
2003366	Drill Core	3	0.9	<0.2
2003367	Drill Core	2	<0.5	<0.2
2003368	Drill Core	3	<0.5	<0.2
2003369	Drill Core	4	<0.5	<0.2
2003370	Drill Core	3	<0.5	<0.2
2003371	Drill Core	7	0.7	<0.2
2003372	Drill Core	2	<0.5	<0.2
2003373	Drill Core	2	<0.5	<0.2
2003374	Drill Core	1	<0.5	<0.2
2003375	Rock Pulp	3	<0.5	<0.2
2003376	Drill Core	2	<0.5	<0.2
2003377	Drill Core	2	<0.5	<0.2
2003378	Drill Core	<1	<0.5	<0.2
2003379	Drill Core	2	<0.5	<0.2
2003380	Drill Core	2	<0.5	<0.2
2003381	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 3 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003382	Drill Core	1.50	499	2.495	2.70	6.69	24.36	0.4	39.2	19.5	41	2.0	7.3	4.7	199	1.83	10.3	0.6	1910.1	6.5	47
2003383	Drill Core	4.00	478	0.755	0.93	3.50	30.04	0.5	19.9	7.0	28	0.7	4.7	3.7	239	1.76	19.7	0.5	603.6	7.6	31
2003384	Drill Core	0.66	490	0.290	0.34	1.23	26.82	0.3	9.8	15.8	11	0.5	1.3	1.3	30	1.46	5.0	0.3	446.6	4.8	31
2003385	Drill Core	2.28	485	0.093	0.13	0.81	24.75	0.9	3.4	7.5	4	0.4	0.5	1.0	26	0.57	1.9	0.4	52.2	4.2	30
2003386	Drill Core	0.57	494	0.005	<0.01	<0.17	25.95	1.7	7.7	25.3	5	0.4	0.6	0.6	28	0.76	1.8	0.4	2.2	3.6	17
2003387	Drill Core	0.79	463	0.010	<0.01	<0.17	28.72	0.5	18.5	7.4	42	0.2	15.6	11.1	511	1.26	2.5	1.6	5.1	6.1	27
2003388	Drill Core	1.63	448	<0.005	<0.01	<0.17	28.62	0.9	20.3	6.4	24	0.2	10.7	9.7	421	1.72	2.1	0.8	2.5	5.8	26
2003389	Drill Core	1.48	501	0.026	0.02	<0.17	29.72	1.9	23.0	82.9	80	0.4	14.2	13.6	1661	2.70	5.1	0.7	20.9	6.4	58
2003390	Drill Core	1.28	474	3.157	3.57	11.03	24.58	0.5	26.8	7.7	49	1.2	10.7	9.4	477	2.17	0.8	0.6	3875.7	6.7	44
2003391	Drill Core	3.16	451	0.187	0.18	<0.17	24.06	0.8	14.6	6.9	43	0.2	9.3	8.9	587	1.61	1.2	0.5	158.4	7.0	55
2003392	Drill Core	3.38	394	0.386	0.56	2.80	28.58	1.2	21.1	13.8	97	0.3	16.0	11.0	756	1.65	3.9	1.6	159.5	7.8	98
2003393	Drill Core	3.35	456	0.338	0.37	0.95	25.39	0.8	16.0	4.9	58	0.3	10.2	8.8	577	1.35	4.1	0.9	222.3	8.5	83
2003394	Drill Core	2.15	522	0.036	0.03	<0.17	27.52	2.7	37.8	38.4	86	0.6	12.3	11.2	842	1.97	58.5	2.5	31.6	8.9	36
2003395	Drill Core	0.51	420	0.031	0.03	<0.17	27.34	0.4	49.0	127.4	60	0.7	4.8	6.3	396	1.44	41.7	2.3	21.4	9.2	37
2003396	Drill Core	2.19	464	0.012	0.01	<0.17	30.13	0.2	13.1	7.2	47	0.2	9.2	11.9	520	1.26	2.5	1.2	4.3	8.4	35
2003397	Drill Core	1.08	473	0.439	0.41	<0.17	25.82	0.2	24.3	4.1	60	0.5	13.2	10.7	625	1.72	1.5	2.0	411.8	7.7	64
2003398	Drill Core	4.91	449	0.005	<0.01	<0.17	26.91	1.2	23.7	23.3	58	0.3	11.1	8.7	523	1.37	1.1	1.4	2.9	7.5	55
2003399	Drill Core	0.69	498	0.012	0.01	<0.17	29.41	1.2	31.4	15.4	64	0.5	10.4	7.1	428	2.26	21.0	1.7	9.6	6.8	19
2003400	Rock Pulp	0.12		6.948				13.2	67.3	22.2	55	0.8	18.7	9.3	458	4.16	12.5	0.4	7291.1	1.2	45
2003401	Drill Core	3.73	497	0.005	<0.01	<0.17	27.84	0.4	14.3	10.3	28	0.3	7.2	7.3	416	1.48	2.5	0.9	6.6	8.7	32
2003402	Drill Core	0.68	452	0.008	<0.01	<0.17	30.29	1.6	9.9	23.2	28	0.3	6.7	6.0	514	1.17	14.4	1.0	8.4	7.8	43
2003403	Drill Core	2.88	498	0.010	<0.01	<0.17	28.66	1.5	32.6	36.6	56	0.5	6.4	9.1	801	1.11	13.8	1.4	8.3	9.0	23
2003404	Drill Core	3.74	490	0.021	0.02	<0.17	27.57	0.5	33.8	93.5	62	0.7	4.9	4.5	201	1.32	17.6	1.4	15.8	8.5	11
2003405	Drill Core	3.42	467	0.010	<0.01	<0.17	29.46	0.7	16.0	45.8	50	0.3	5.1	6.9	433	1.05	6.9	1.2	9.0	9.8	27
2003406	Drill Core	4.29	487	0.018	0.02	<0.17	27.90	1.2	12.4	16.7	34	0.3	7.0	7.9	409	1.40	6.1	1.2	8.0	9.8	35
2003407	Drill Core	2.32	457	0.007	<0.01	<0.17	24.43	0.3	11.4	8.0	16	0.2	3.5	4.9	286	0.72	6.0	1.5	5.6	8.1	35
2003408	Drill Core	3.49	525	0.020	0.02	<0.17	26.42	0.5	13.7	10.2	19	0.3	4.3	6.7	357	0.76	4.6	1.0	28.5	7.9	38
2003409	Drill Core	3.46	420	<0.005	<0.01	<0.17	22.29	0.8	10.0	12.2	20	0.2	4.1	5.9	332	0.86	1.1	1.0	1.8	7.6	33
2003410	Drill Core	3.36	515	0.007	<0.01	<0.17	25.44	1.2	13.9	11.6	24	0.3	4.6	6.8	355	0.87	2.3	1.8	344.9	8.4	35
2003411	Drill Core	3.56	507	<0.005	<0.01	<0.17	30.07	0.3	17.1	15.5	35	0.3	4.4	5.6	367	0.73	3.3	1.4	4.5	8.4	34



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2003382	Drill Core				0.2	0.5	<0.1	7	0.19	0.062	12	12	0.22	352	0.002	<1	0.48	0.022	0.24	0.1	<0.01	2.0	<0.1	0.41
2003383	Drill Core				0.1	0.4	<0.1	5	0.20	0.082	12	7	0.12	330	0.003	<1	0.41	0.047	0.32	0.1	<0.01	1.7	0.1	0.58
2003384	Drill Core				<0.1	0.1	0.1	3	<0.01	0.052	9	5	0.02	228	0.002	1	0.19	0.082	0.23	<0.1	<0.01	0.5	<0.1	0.35
2003385	Drill Core				<0.1	<0.1	<0.1	2	<0.01	0.020	11	5	<0.01	692	0.002	1	0.18	0.056	0.16	<0.1	<0.01	0.8	<0.1	0.13
2003386	Drill Core				<0.1	0.3	0.5	2	<0.01	0.034	8	6	<0.01	213	0.002	<1	0.17	0.050	0.16	<0.1	<0.01	0.6	<0.1	0.14
2003387	Drill Core				1.2	<0.1	0.1	3	0.84	0.054	6	5	0.02	39	0.002	<1	0.28	0.029	0.19	<0.1	<0.01	0.8	<0.1	1.16
2003388	Drill Core				0.6	<0.1	0.1	3	0.81	0.056	5	5	0.01	47	0.002	<1	0.30	0.025	0.22	<0.1	<0.01	0.9	<0.1	1.59
2003389	Drill Core				1.7	0.4	0.4	8	1.81	0.058	5	8	0.19	66	0.009	<1	0.53	0.016	0.24	0.1	<0.01	2.1	0.1	1.19
2003390	Drill Core				0.6	0.2	<0.1	8	1.00	0.059	8	9	0.38	99	0.012	<1	0.59	0.023	0.22	0.1	<0.01	1.3	0.1	1.10
2003391	Drill Core				0.3	0.3	<0.1	8	1.39	0.052	9	9	0.44	179	0.021	<1	0.63	0.024	0.26	0.2	<0.01	1.6	0.1	0.50
2003392	Drill Core				0.4	0.3	<0.1	5	1.26	0.066	11	12	0.78	297	0.010	<1	0.92	0.021	0.21	0.1	<0.01	1.4	<0.1	0.34
2003393	Drill Core				0.2	0.3	<0.1	4	1.51	0.057	9	10	0.66	237	0.003	<1	0.81	0.018	0.24	<0.1	<0.01	1.0	<0.1	0.45
2003394	Drill Core				1.1	1.0	<0.1	6	0.91	0.058	11	11	0.61	87	0.002	<1	0.80	0.013	0.24	<0.1	<0.01	1.1	0.1	1.16
2003395	Drill Core				0.8	0.4	0.1	4	0.24	0.058	14	8	0.15	237	0.001	<1	0.53	0.015	0.26	0.1	0.01	0.9	0.1	0.25
2003396	Drill Core				0.6	0.1	0.1	3	1.03	0.039	9	6	0.23	79	0.003	1	0.46	0.024	0.24	<0.1	<0.01	0.8	<0.1	0.96
2003397	Drill Core				0.6	0.2	<0.1	4	1.26	0.074	8	9	0.49	66	0.003	<1	0.60	0.026	0.19	<0.1	<0.01	1.3	<0.1	1.11
2003398	Drill Core				0.5	0.2	0.1	5	1.39	0.061	7	9	0.46	105	0.003	<1	0.66	0.021	0.24	<0.1	<0.01	1.2	<0.1	0.78
2003399	Drill Core				0.3	0.5	<0.1	5	0.40	0.058	7	9	0.49	149	0.002	<1	0.74	0.015	0.22	<0.1	0.01	1.3	<0.1	0.65
2003400	Rock Pulp				0.2	5.4	0.4	91	0.98	0.052	5	28	0.60	86	0.089	2	1.75	0.141	0.12	1.6	0.29	3.6	<0.1	<0.05
2003401	Drill Core				0.4	0.6	<0.1	5	1.03	0.048	15	9	0.20	78	0.003	<1	0.51	0.021	0.27	<0.1	<0.01	1.4	<0.1	0.98
2003402	Drill Core				0.6	0.5	<0.1	4	1.20	0.073	23	8	0.16	90	0.002	<1	0.41	0.020	0.26	0.1	<0.01	1.1	<0.1	0.86
2003403	Drill Core				0.9	0.4	<0.1	4	0.57	0.051	23	7	0.13	138	0.003	<1	0.39	0.022	0.27	0.1	<0.01	1.0	<0.1	0.80
2003404	Drill Core				0.4	0.9	<0.1	4	0.12	0.056	17	7	0.14	190	0.002	<1	0.45	0.020	0.28	0.1	0.01	1.2	<0.1	0.52
2003405	Drill Core				0.8	0.5	<0.1	4	0.89	0.051	12	6	0.10	114	0.003	<1	0.37	0.029	0.28	<0.1	<0.01	1.2	<0.1	0.83
2003406	Drill Core				0.4	0.5	0.1	5	0.82	0.050	9	9	0.20	85	0.002	<1	0.46	0.026	0.25	0.1	<0.01	1.4	<0.1	0.91
2003407	Drill Core				0.3	0.4	<0.1	3	0.92	0.047	11	5	0.13	222	0.002	<1	0.35	0.030	0.24	<0.1	<0.01	1.1	<0.1	0.45
2003408	Drill Core				0.4	0.3	0.1	4	1.08	0.051	13	6	0.16	311	0.002	<1	0.38	0.026	0.24	<0.1	<0.01	0.9	<0.1	0.42
2003409	Drill Core				0.3	0.2	<0.1	4	0.97	0.043	10	7	0.16	180	0.002	<1	0.41	0.030	0.26	<0.1	<0.01	0.9	<0.1	0.52
2003410	Drill Core				0.3	0.2	<0.1	3	1.06	0.043	8	6	0.17	116	0.002	<1	0.39	0.032	0.23	0.1	<0.01	0.9	<0.1	0.61
2003411	Drill Core				0.3	0.2	<0.1	3	0.90	0.042	9	7	0.19	237	0.002	<1	0.42	0.025	0.25	0.1	<0.01	0.9	<0.1	0.40



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003382	Drill Core	2	0.6	0.6
2003383	Drill Core	1	<0.5	<0.2
2003384	Drill Core	<1	<0.5	<0.2
2003385	Drill Core	<1	<0.5	<0.2
2003386	Drill Core	<1	<0.5	<0.2
2003387	Drill Core	<1	<0.5	<0.2
2003388	Drill Core	<1	<0.5	<0.2
2003389	Drill Core	1	0.6	<0.2
2003390	Drill Core	2	<0.5	0.3
2003391	Drill Core	2	<0.5	<0.2
2003392	Drill Core	3	<0.5	<0.2
2003393	Drill Core	2	<0.5	<0.2
2003394	Drill Core	2	<0.5	<0.2
2003395	Drill Core	2	<0.5	<0.2
2003396	Drill Core	1	<0.5	<0.2
2003397	Drill Core	2	<0.5	<0.2
2003398	Drill Core	2	<0.5	<0.2
2003399	Drill Core	2	<0.5	<0.2
2003400	Rock Pulp	5	<0.5	0.2
2003401	Drill Core	1	<0.5	<0.2
2003402	Drill Core	1	<0.5	<0.2
2003403	Drill Core	1	<0.5	<0.2
2003404	Drill Core	1	<0.5	<0.2
2003405	Drill Core	1	<0.5	<0.2
2003406	Drill Core	1	<0.5	<0.2
2003407	Drill Core	1	<0.5	<0.2
2003408	Drill Core	1	<0.5	<0.2
2003409	Drill Core	1	<0.5	<0.2
2003410	Drill Core	1	<0.5	<0.2
2003411	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 4 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003412	Drill Core	1.87	484	0.005	<0.01	<0.17	29.66	1.8	10.7	36.8	14	0.2	3.8	5.9	258	0.84	2.4	3.2	2.5	7.0	25
2003413	Drill Core	1.43	491	<0.005	<0.01	<0.17	27.51	1.0	18.2	95.5	34	0.4	3.5	1.8	113	0.98	9.8	1.9	5.4	10.7	20
2003414	Drill Core	3.08	475	<0.005	<0.01	<0.17	29.12	0.5	16.7	14.3	17	0.2	5.5	6.5	206	1.07	2.6	1.9	2.0	6.7	10
2003415	Drill Core	3.45	398	<0.005	<0.01	<0.17	27.67	1.7	9.3	26.8	12	0.2	4.1	6.4	334	0.84	1.5	2.8	1.3	7.4	22
2003416	Drill Core	3.40	443	0.018	0.02	<0.17	29.75	0.4	10.0	9.4	15	0.2	4.1	6.2	429	0.93	2.6	1.3	11.8	6.9	48
2003417	Drill Core	3.39	451	0.011	0.01	<0.17	24.73	1.1	10.4	11.5	21	0.2	4.9	5.8	340	1.06	1.2	1.3	5.2	7.0	46
2003418	Drill Core	3.35	470	0.524	0.51	0.32	24.75	0.9	15.6	7.9	24	0.4	5.6	6.3	354	1.41	9.9	1.9	540.3	8.3	51
2003419	Drill Core	3.27	510	0.059	0.06	<0.17	24.12	3.2	13.1	8.6	46	0.4	7.0	6.4	477	1.38	24.6	1.3	54.8	9.8	71
2003420	Drill Core	3.45	530	0.667	0.66	0.45	28.67	0.5	20.1	13.9	46	0.7	6.6	5.8	481	1.48	15.4	1.0	812.4	8.5	77
2003421	Drill Core	2.88	480	0.082	0.08	<0.17	30.48	1.1	11.5	9.9	56	0.3	8.4	6.7	470	1.66	10.3	1.0	51.8	9.3	76
2003422	Drill Core	0.64	480	2.205	2.70	10.25	29.77	0.2	18.1	21.1	60	1.0	5.8	6.0	415	1.17	0.7	0.6	1724.4	8.7	87
2003423	Drill Core	1.37	494	0.041	0.04	<0.17	23.90	1.7	16.1	14.3	49	0.3	9.3	6.5	419	1.47	32.0	1.6	34.8	9.7	48
2003424	Drill Core	0.58	508	0.112	0.11	<0.17	26.68	0.2	5.8	7.2	44	0.3	3.5	2.3	319	1.01	48.7	0.4	101.7	4.9	36
2003425	Rock Pulp	0.12		0.018				1.9	66.1	3.5	32	<0.1	5.0	8.5	332	2.36	0.6	0.8	1.9	2.5	47
2003426	Drill Core	0.92	448	0.030	0.03	<0.17	25.26	0.3	12.6	4.5	57	0.3	8.1	6.0	375	1.53	19.7	1.0	27.1	10.1	40
2003427	Drill Core	3.29	462	0.069	0.07	<0.17	18.54	0.6	15.0	28.7	40	0.4	7.5	6.5	519	1.74	74.2	3.1	66.1	9.8	66
2003428	Drill Core	3.23	483	0.078	0.07	<0.17	29.62	1.0	14.1	25.4	48	0.5	8.3	7.1	459	1.65	61.3	2.1	72.1	10.0	48
2003429	Drill Core	3.02	461	0.489	0.59	2.17	26.73	0.6	11.5	4.9	41	0.6	8.0	7.3	425	1.49	64.4	1.3	604.3	10.5	51
2003430	Drill Core	3.17	506	0.608	0.64	1.45	22.10	0.8	14.7	10.3	51	0.8	7.3	6.2	431	1.56	71.4	1.5	519.6	9.6	50
2003431	Drill Core	3.19	529	0.056	0.05	<0.17	29.67	0.8	10.7	13.2	47	0.4	6.6	6.4	365	1.39	30.0	1.3	47.1	9.6	49
2003432	Drill Core	2.85	426	0.021	0.02	<0.17	22.61	1.0	13.7	20.2	34	0.4	7.7	7.5	291	1.62	23.6	1.4	25.7	10.6	32
2003433	Drill Core	1.04	465	0.011	0.01	<0.17	27.49	1.1	12.0	17.2	17	0.3	11.4	7.8	197	3.00	8.2	2.3	12.2	9.2	24
2003434	Drill Core	2.83	509	0.011	0.01	<0.17	25.56	3.3	14.9	17.3	50	0.3	7.2	7.5	372	1.57	5.7	1.3	11.0	9.9	40
2003435	Drill Core	4.14	461	0.038	0.04	<0.17	26.25	1.6	11.6	11.3	46	0.2	8.3	6.8	373	1.34	16.8	1.4	38.1	10.3	42
2003436	Drill Core	2.79	463	0.051	0.05	<0.17	19.25	0.5	11.6	10.8	62	0.3	10.0	8.1	358	1.20	28.8	2.9	43.4	9.8	27
2003437	Drill Core	3.03	474	0.095	0.09	<0.17	24.38	0.6	21.6	76.6	125	0.3	9.2	5.0	264	2.11	41.4	5.5	85.7	10.4	72
2003438	Drill Core	3.54	276	0.034	0.03	<0.17	20.35	1.3	22.4	11.6	155	0.4	18.4	10.9	642	2.34	19.9	2.4	58.0	8.6	37
2003440	Drill Core	4.12	410	0.009	<0.01	<0.17	22.31	0.2	13.0	8.8	104	0.3	9.2	8.3	657	2.53	4.2	1.5	8.3	6.6	50
2003441	Drill Core	0.66	576	0.009	<0.01	<0.17	20.29	3.4	23.1	36.9	99	0.6	14.9	11.9	521	2.80	2.5	1.4	6.9	5.7	35
2003442	Drill Core	3.73	563	0.005	<0.01	<0.17	27.20	1.2	14.6	8.8	99	0.3	14.8	11.4	532	3.27	2.6	1.9	3.7	7.6	46



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 4 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003412	Drill Core	0.5	0.2	0.1	2	0.71	0.050	9	4	0.10	107	0.002	<1	0.34	0.022	0.27	0.1	<0.01	0.9	0.1	0.69			
2003413	Drill Core	0.2	0.4	<0.1	3	0.08	0.048	18	6	0.11	260	0.002	<1	0.37	0.020	0.25	0.3	<0.01	1.1	<0.1	0.06			
2003414	Drill Core	0.3	0.2	<0.1	2	0.13	0.047	9	4	0.05	87	0.002	<1	0.32	0.027	0.26	0.1	<0.01	0.6	<0.1	0.75			
2003415	Drill Core	0.3	0.2	<0.1	2	0.68	0.038	8	4	0.06	125	0.002	<1	0.33	0.026	0.28	<0.1	<0.01	0.6	<0.1	0.64			
2003416	Drill Core	0.3	0.3	<0.1	4	1.08	0.046	9	7	0.15	154	0.003	<1	0.38	0.026	0.27	0.1	<0.01	1.1	<0.1	0.61			
2003417	Drill Core	0.2	0.3	0.1	4	0.85	0.046	8	7	0.18	83	0.002	<1	0.43	0.032	0.26	<0.1	<0.01	1.0	<0.1	0.68			
2003418	Drill Core	0.3	0.6	0.2	5	0.69	0.051	10	9	0.20	68	0.003	<1	0.41	0.030	0.23	0.1	<0.01	1.6	<0.1	0.98			
2003419	Drill Core	0.2	0.6	0.3	7	1.00	0.049	12	13	0.45	164	0.004	1	0.60	0.032	0.22	0.1	<0.01	1.7	<0.1	0.64			
2003420	Drill Core	0.3	0.7	0.2	10	1.30	0.044	12	16	0.42	125	0.005	<1	0.53	0.036	0.16	0.1	0.01	2.2	<0.1	0.75			
2003421	Drill Core	0.3	0.6	0.2	11	1.24	0.053	13	13	0.43	149	0.009	<1	0.49	0.050	0.12	0.2	<0.01	2.8	<0.1	0.78			
2003422	Drill Core	1.0	0.3	<0.1	4	1.08	0.052	12	7	0.30	225	0.012	<1	0.44	0.036	0.19	0.3	0.03	1.8	<0.1	0.52			
2003423	Drill Core	0.3	0.7	0.1	7	0.95	0.076	17	13	0.42	140	0.005	<1	0.53	0.039	0.16	0.1	0.02	1.8	<0.1	0.89			
2003424	Drill Core	0.4	0.7	<0.1	4	0.69	0.046	10	11	0.26	221	0.003	<1	0.31	0.030	0.08	<0.1	<0.01	1.1	<0.1	0.54			
2003425	Rock Pulp	<0.1	<0.1	<0.1	79	0.66	0.058	6	10	0.65	100	0.081	1	1.20	0.118	0.18	2.0	<0.01	1.8	<0.1	<0.05			
2003426	Drill Core	0.2	0.7	<0.1	8	0.67	0.048	17	16	0.61	195	0.006	<1	0.73	0.038	0.19	0.2	<0.01	2.1	0.1	0.66			
2003427	Drill Core	0.2	0.9	<0.1	7	1.11	0.046	17	14	0.51	58	0.003	<1	0.60	0.035	0.19	0.2	0.02	1.9	<0.1	1.13			
2003428	Drill Core	0.4	0.9	0.2	7	0.96	0.050	15	12	0.45	83	0.004	<1	0.53	0.042	0.16	0.2	0.01	1.9	<0.1	1.17			
2003429	Drill Core	0.4	0.6	<0.1	6	0.89	0.048	15	12	0.42	140	0.003	<1	0.57	0.038	0.20	0.2	0.01	2.1	<0.1	0.88			
2003430	Drill Core	0.5	1.1	0.1	7	0.82	0.052	17	12	0.37	147	0.002	<1	0.50	0.039	0.16	0.2	0.01	2.3	<0.1	0.88			
2003431	Drill Core	0.3	0.8	<0.1	7	0.86	0.049	18	11	0.36	136	0.003	<1	0.53	0.039	0.21	0.1	0.01	2.0	<0.1	0.85			
2003432	Drill Core	0.3	0.8	0.2	6	0.70	0.049	16	12	0.24	91	0.006	<1	0.47	0.046	0.24	0.2	<0.01	2.0	<0.1	1.25			
2003433	Drill Core	0.2	0.5	<0.1	6	0.45	0.048	13	9	0.13	39	0.012	<1	0.44	0.032	0.28	0.2	0.01	2.9	<0.1	3.00			
2003434	Drill Core	0.3	0.6	0.1	9	0.94	0.052	12	12	0.40	151	0.026	1	0.60	0.033	0.20	0.3	<0.01	2.8	<0.1	0.87			
2003435	Drill Core	0.3	0.5	<0.1	7	1.01	0.050	16	12	0.37	193	0.020	<1	0.58	0.034	0.21	0.3	0.01	2.4	<0.1	0.72			
2003436	Drill Core	0.4	0.7	<0.1	5	0.69	0.046	18	11	0.34	173	0.010	<1	0.59	0.039	0.20	0.3	0.01	1.7	<0.1	0.65			
2003437	Drill Core	0.2	1.1	<0.1	9	0.21	0.060	25	15	0.38	260	0.010	1	0.85	0.027	0.24	0.3	0.01	2.5	0.1	0.31			
2003438	Drill Core	0.7	1.1	0.1	12	0.60	0.065	19	64	0.72	151	0.006	1	1.00	0.018	0.21	0.1	0.03	2.7	0.1	1.00			
2003440	Drill Core	0.5	0.9	<0.1	16	1.65	0.072	17	24	0.82	124	0.004	1	1.13	0.038	0.19	0.1	0.02	3.3	<0.1	1.27			
2003441	Drill Core	0.4	1.4	0.5	14	1.11	0.061	8	64	1.03	110	0.003	<1	1.25	0.013	0.12	<0.1	0.06	2.7	<0.1	1.02			
2003442	Drill Core	0.4	0.6	<0.1	14	1.44	0.076	10	41	1.07	105	0.018	1	1.26	0.022	0.13	0.1	0.06	3.1	<0.1	1.87			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003412	Drill Core	<1	<0.5	<0.2
2003413	Drill Core	1	<0.5	<0.2
2003414	Drill Core	<1	<0.5	<0.2
2003415	Drill Core	<1	<0.5	<0.2
2003416	Drill Core	1	<0.5	<0.2
2003417	Drill Core	1	<0.5	<0.2
2003418	Drill Core	2	<0.5	<0.2
2003419	Drill Core	3	<0.5	<0.2
2003420	Drill Core	3	<0.5	<0.2
2003421	Drill Core	3	1.0	<0.2
2003422	Drill Core	1	<0.5	0.3
2003423	Drill Core	2	<0.5	<0.2
2003424	Drill Core	2	<0.5	<0.2
2003425	Rock Pulp	4	<0.5	<0.2
2003426	Drill Core	3	<0.5	<0.2
2003427	Drill Core	3	<0.5	<0.2
2003428	Drill Core	2	<0.5	<0.2
2003429	Drill Core	2	<0.5	<0.2
2003430	Drill Core	2	<0.5	<0.2
2003431	Drill Core	3	<0.5	<0.2
2003432	Drill Core	2	<0.5	<0.2
2003433	Drill Core	2	<0.5	<0.2
2003434	Drill Core	3	<0.5	<0.2
2003435	Drill Core	2	<0.5	<0.2
2003436	Drill Core	2	<0.5	<0.2
2003437	Drill Core	3	0.6	<0.2
2003438	Drill Core	4	0.5	<0.2
2003440	Drill Core	4	<0.5	<0.2
2003441	Drill Core	4	<0.5	<0.2
2003442	Drill Core	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003443	Drill Core	1.89	549	0.006	<0.01	<0.17	18.68	2.5	19.7	20.0	149	0.4	27.8	19.5	741	3.36	2.8	2.1	2.9	7.6	38
2003444	Drill Core	0.61	549	0.007	<0.01	<0.17	20.27	4.6	22.4	18.0	94	0.4	32.9	26.3	660	3.33	3.9	2.5	2.6	4.8	39
2003445	Drill Core	1.27	562	0.038	0.04	<0.17	21.66	1.2	18.6	12.2	121	0.3	14.3	11.1	537	2.56	7.8	1.8	32.0	8.1	21
2003446	Drill Core	4.65	500	0.079	0.08	<0.17	14.66	1.0	14.8	4.3	84	0.2	10.3	7.4	358	2.17	13.8	2.6	127.5	9.7	26
2003447	Drill Core	1.32	583	0.018	0.02	<0.17	18.47	1.6	16.9	6.1	62	0.2	14.2	8.7	330	2.38	10.0	1.8	14.7	9.3	29
2003448	Drill Core	0.71	625	0.029	0.03	<0.17	18.71	3.0	20.0	8.3	85	0.3	33.7	21.6	440	3.20	31.1	1.5	26.2	7.3	35
2003449	Drill Core	3.02	519	0.028	0.03	<0.17	20.77	0.9	14.5	8.2	88	0.2	13.8	8.2	565	2.31	19.7	1.6	26.6	8.0	37
2003450	Rock Pulp	0.12		7.029				14.0	74.2	24.6	63	0.9	18.6	9.7	456	4.11	12.8	0.4	7914.8	1.4	51
2003451	Drill Core	0.98	427	0.014	0.01	<0.17	21.07	4.0	15.5	11.3	195	0.2	23.2	15.8	1319	2.82	31.7	1.1	10.9	5.8	35
2003452	Drill Core	2.70	430	0.007	<0.01	<0.17	27.94	2.1	14.2	10.2	116	0.2	15.7	10.5	351	2.26	9.9	1.4	5.5	7.2	19
2003453	Drill Core	1.05	434	<0.005	<0.01	<0.17	16.52	2.5	14.4	9.4	87	0.3	18.2	12.6	648	2.70	2.3	1.3	3.1	6.4	50
2003454	Drill Core	3.87	374	0.006	<0.01	<0.17	11.73	3.2	22.7	11.8	84	0.3	20.3	14.2	751	3.12	2.0	0.8	4.0	6.1	66
2003455	Drill Core	2.28	491	0.214	0.47	6.38	20.69	2.3	21.7	5.8	73	0.4	17.1	10.1	600	2.57	1.4	1.1	686.2	6.4	73
2003456	Drill Core	2.82	458	0.014	0.01	<0.17	24.91	2.1	22.9	11.8	69	0.3	19.8	13.1	791	2.61	4.3	1.0	9.1	7.6	104
2003457	Drill Core	1.16	398	<0.005	<0.01	<0.17	25.88	4.3	18.6	46.1	61	0.3	15.8	9.4	733	2.44	5.0	1.0	2.0	8.7	76
2003458	Drill Core	3.82	391	0.015	0.01	<0.17	25.42	1.3	21.5	7.8	91	0.3	27.0	20.8	962	3.39	33.6	2.1	35.7	5.6	112
2003459	Drill Core	0.96	378	0.046	0.04	<0.17	24.78	0.5	13.0	20.1	141	0.4	40.9	28.1	1520	3.50	92.7	1.3	47.8	4.3	85
2003460	Drill Core	3.73	430	0.032	0.03	<0.17	26.98	0.3	17.7	14.4	87	0.3	25.7	16.1	650	2.70	17.2	1.4	22.9	7.7	71
2003461	Drill Core	0.79	472	0.021	0.02	<0.17	26.38	2.2	30.2	17.6	72	0.4	17.5	10.3	353	2.16	7.8	1.2	25.7	9.4	33
2003462	Drill Core	3.06	379	0.013	0.01	<0.17	23.82	0.8	27.1	18.2	101	0.5	21.3	11.9	523	2.35	4.5	0.8	9.6	8.2	35
2003463	Drill Core	2.24	435	0.010	<0.01	<0.17	24.42	0.9	22.7	15.2	161	0.4	21.0	11.5	362	2.05	7.9	1.0	9.9	9.1	20
2003464	Drill Core	3.98	407	0.007	<0.01	<0.17	21.75	1.4	25.8	9.9	119	0.3	19.5	14.0	668	2.69	4.8	1.5	6.0	7.5	55
2003465	Drill Core	2.98	371	0.290	0.45	3.06	21.89	1.7	24.3	12.2	110	0.3	18.7	14.7	679	2.37	4.9	2.5	211.7	7.9	87
2003466	Drill Core	2.50	414	0.033	0.04	<0.17	24.04	2.2	26.7	9.3	41	0.3	16.2	11.8	801	2.34	3.9	1.0	26.4	7.4	89
2003467	Drill Core	4.36	420	0.010	<0.01	<0.17	28.86	2.4	17.5	5.2	65	0.3	16.9	10.0	563	2.21	7.1	0.8	3.6	8.2	46
2003468	Drill Core	2.95	415	0.006	<0.01	<0.17	19.09	1.7	27.7	5.6	71	0.4	15.9	9.2	465	1.97	5.1	1.2	4.1	9.2	49
2003469	Drill Core	2.21	414	<0.005	<0.01	<0.17	21.01	3.1	18.5	10.9	60	0.3	16.8	12.0	671	2.29	2.9	1.0	3.3	8.2	59
2003470	Drill Core	2.27	366	0.006	<0.01	<0.17	20.21	0.8	19.8	11.1	69	0.3	17.5	10.9	770	2.11	8.3	1.3	4.1	6.9	57
2003471	Drill Core	2.23	368	0.016	0.02	<0.17	18.86	1.4	16.3	15.5	107	0.5	19.7	11.6	623	2.29	21.7	1.1	12.1	9.8	36



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003443	Drill Core	1.1	0.6	<0.1	16	1.47	0.067	8	116	1.38	107	0.029	1	1.50	0.017	0.14	0.3	0.16	3.6	<0.1	1.73
2003444	Drill Core	0.4	0.3	0.1	12	1.93	0.050	5	171	1.10	86	0.028	<1	1.06	0.009	0.13	0.4	0.23	3.0	<0.1	2.39
2003445	Drill Core	1.4	0.5	<0.1	6	0.86	0.053	9	22	0.82	113	0.020	<1	0.96	0.017	0.13	0.3	0.08	2.2	<0.1	1.38
2003446	Drill Core	0.4	0.8	<0.1	5	0.97	0.055	10	10	0.55	95	0.018	1	0.71	0.018	0.18	0.3	0.09	1.8	<0.1	1.59
2003447	Drill Core	0.3	0.4	<0.1	5	1.22	0.062	8	11	0.56	86	0.018	2	0.67	0.017	0.18	0.2	0.05	1.7	<0.1	2.00
2003448	Drill Core	0.3	0.5	<0.1	9	1.36	0.059	6	126	0.78	68	0.023	1	0.84	0.012	0.16	0.2	0.08	2.2	<0.1	2.84
2003449	Drill Core	0.9	0.6	<0.1	8	1.28	0.051	12	16	0.92	103	0.024	1	0.95	0.013	0.16	0.2	0.04	2.0	<0.1	1.58
2003450	Rock Pulp	0.1	6.1	0.5	89	0.96	0.054	5	29	0.59	90	0.096	4	1.79	0.156	0.13	1.7	0.32	5.0	<0.1	<0.05
2003451	Drill Core	2.7	0.7	<0.1	17	1.37	0.056	25	89	1.59	83	0.009	1	1.49	0.011	0.18	0.2	0.01	3.2	<0.1	1.82
2003452	Drill Core	0.6	0.7	<0.1	12	0.37	0.067	8	41	1.01	130	0.029	1	1.18	0.009	0.19	0.4	0.02	2.5	<0.1	1.01
2003453	Drill Core	0.4	0.5	<0.1	10	2.26	0.058	8	48	1.28	46	0.017	1	1.19	0.008	0.15	0.2	0.02	2.5	<0.1	1.93
2003454	Drill Core	0.5	0.8	<0.1	11	2.90	0.066	7	67	1.47	73	0.016	2	1.22	0.008	0.16	0.2	0.02	2.5	<0.1	2.42
2003455	Drill Core	0.7	0.3	<0.1	6	2.44	0.055	10	28	1.14	60	0.013	2	0.88	0.008	0.12	0.2	0.01	2.0	<0.1	1.97
2003456	Drill Core	0.6	0.3	<0.1	7	3.55	0.053	9	31	1.06	67	0.007	<1	0.83	0.007	0.16	0.2	0.01	2.2	<0.1	2.18
2003457	Drill Core	0.6	1.4	<0.1	6	2.62	0.064	10	13	1.11	68	0.002	1	0.84	0.012	0.16	0.1	<0.01	1.8	<0.1	2.02
2003458	Drill Core	0.7	0.4	<0.1	20	3.38	0.057	11	152	1.55	36	0.002	1	1.28	0.013	0.16	0.2	0.02	3.8	<0.1	2.51
2003459	Drill Core	1.2	0.5	0.1	36	2.20	0.059	17	428	2.10	43	0.001	1	1.86	0.009	0.14	0.1	0.08	4.1	<0.1	1.50
2003460	Drill Core	1.2	0.4	<0.1	20	1.38	0.079	22	132	1.19	66	0.002	1	1.29	0.034	0.16	0.1	0.03	3.0	0.1	1.39
2003461	Drill Core	0.6	0.7	<0.1	10	0.74	0.054	24	18	0.74	100	0.002	<1	0.94	0.017	0.19	0.1	0.02	2.1	<0.1	1.09
2003462	Drill Core	1.0	0.8	<0.1	15	0.94	0.057	23	75	0.93	124	0.002	<1	1.23	0.031	0.21	0.1	0.03	2.3	<0.1	0.89
2003463	Drill Core	0.2	0.8	<0.1	12	0.43	0.060	16	20	0.87	197	0.003	<1	1.21	0.026	0.17	0.1	0.02	2.4	<0.1	0.55
2003464	Drill Core	1.0	0.4	<0.1	13	1.98	0.070	18	80	1.27	53	0.003	1	1.28	0.018	0.17	0.1	0.02	2.6	<0.1	1.22
2003465	Drill Core	1.3	2.4	<0.1	8	2.75	0.055	18	36	0.90	100	0.002	2	0.95	0.013	0.20	0.2	0.02	2.3	<0.1	1.42
2003466	Drill Core	0.8	1.6	<0.1	7	3.31	0.053	17	27	0.79	55	0.002	<1	0.79	0.014	0.21	0.2	0.01	2.2	<0.1	1.74
2003467	Drill Core	0.5	0.3	<0.1	10	1.69	0.054	20	15	0.93	106	0.002	<1	1.05	0.024	0.20	0.1	0.02	2.1	<0.1	1.19
2003468	Drill Core	0.4	0.7	<0.1	10	1.38	0.049	20	16	0.87	132	0.004	<1	1.09	0.026	0.20	0.2	0.01	2.0	<0.1	0.85
2003469	Drill Core	0.4	0.5	<0.1	10	1.98	0.055	17	49	0.96	65	0.004	<1	1.08	0.020	0.22	0.1	0.01	2.1	<0.1	1.35
2003470	Drill Core	0.4	0.8	<0.1	13	2.14	0.052	14	61	1.01	101	0.003	<1	1.13	0.026	0.23	0.1	0.01	2.1	<0.1	1.00
2003471	Drill Core	0.9	1.3	<0.1	13	1.09	0.063	29	76	0.88	62	0.003	1	1.11	0.030	0.25	0.2	0.02	2.4	<0.1	1.25



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000367.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003443	Drill Core	4	<0.5	<0.2
2003444	Drill Core	3	<0.5	<0.2
2003445	Drill Core	2	<0.5	<0.2
2003446	Drill Core	2	<0.5	<0.2
2003447	Drill Core	2	<0.5	<0.2
2003448	Drill Core	2	0.5	<0.2
2003449	Drill Core	3	<0.5	<0.2
2003450	Rock Pulp	5	<0.5	0.2
2003451	Drill Core	4	0.6	<0.2
2003452	Drill Core	3	<0.5	<0.2
2003453	Drill Core	3	<0.5	<0.2
2003454	Drill Core	3	0.7	<0.2
2003455	Drill Core	2	<0.5	<0.2
2003456	Drill Core	2	<0.5	<0.2
2003457	Drill Core	2	0.6	<0.2
2003458	Drill Core	4	<0.5	<0.2
2003459	Drill Core	6	<0.5	<0.2
2003460	Drill Core	5	0.6	<0.2
2003461	Drill Core	3	<0.5	<0.2
2003462	Drill Core	4	<0.5	<0.2
2003463	Drill Core	4	0.6	<0.2
2003464	Drill Core	4	<0.5	<0.2
2003465	Drill Core	2	<0.5	<0.2
2003466	Drill Core	2	<0.5	<0.2
2003467	Drill Core	3	<0.5	<0.2
2003468	Drill Core	3	<0.5	<0.2
2003469	Drill Core	3	<0.5	<0.2
2003470	Drill Core	3	<0.5	<0.2
2003471	Drill Core	4	<0.5	<0.2



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 11, 2016

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																						
2003540	Drill Core	3.10	444	0.034	0.03	<0.17	21.69	0.4	25.2	39.6	73	0.4	6.2	4.5	379	1.43	23.1	1.3	35.6	7.9	25	
REP 2003540	QC							0.4	25.7	39.2	75	0.4	6.1	4.7	384	1.43	22.0	1.2	27.6	8.2	25	
2003371	Drill Core	0.59	421	0.049	0.05	<0.17	26.88	1.1	75.9	30.4	145	3.7	13.0	2.5	693	3.40	112.7	3.5	39.7	6.6	54	
REP 2003371	QC							0.043														
2003379	Drill Core	1.75	421	0.409	0.42	0.58	30.84	0.4	54.0	8.6	105	0.4	15.7	8.0	165	1.96	6.5	1.7	679.5	6.8	43	
REP 2003379	QC							0.478														
2003403	Drill Core	2.88	498	0.010	<0.01	<0.17	28.66	1.5	32.6	36.6	56	0.5	6.4	9.1	801	1.11	13.8	1.4	8.3	9.0	23	
REP 2003403	QC							0.008														
2003407	Drill Core	2.32	457	0.007	<0.01	<0.17	24.43	0.3	11.4	8.0	16	0.2	3.5	4.9	286	0.72	6.0	1.5	5.6	8.1	35	
REP 2003407	QC							0.4	11.1	7.9	17	0.2	3.5	5.0	285	0.72	6.2	1.5	4.9	8.0	31	
2003438	Drill Core	3.54	276	0.034	0.03	<0.17	20.35	1.3	22.4	11.6	155	0.4	18.4	10.9	642	2.34	19.9	2.4	58.0	8.6	37	
REP 2003438	QC							0.033														
2003443	Drill Core	1.89	549	0.006	<0.01	<0.17	18.68	2.5	19.7	20.0	149	0.4	27.8	19.5	741	3.36	2.8	2.1	2.9	7.6	38	
REP 2003443	QC							2.2	18.4	18.5	137	0.3	25.0	18.8	730	3.29	2.6	1.9	3.1	7.2	35	
2003455	Drill Core	2.28	491	0.214	0.47	6.38	20.69	2.3	21.7	5.8	73	0.4	17.1	10.1	600	2.57	1.4	1.1	686.2	6.4	73	
REP 2003455	QC							2.2	21.6	5.7	76	0.3	19.0	10.7	597	2.55	1.4	1.1	211.6	6.2	69	
2003465	Drill Core	2.98	371	0.290	0.45	3.06	21.89	1.7	24.3	12.2	110	0.3	18.7	14.7	679	2.37	4.9	2.5	211.7	7.9	87	
REP 2003465	QC							0.265														
Core Reject Duplicates																						
2003380	Drill Core	1.32	480	0.756	0.72	0.19	26.77	0.7	65.6	5.6	72	0.9	13.4	5.1	142	1.90	20.2	2.8	515.8	5.9	15	
DUP 2003380	QC		483	4.162	11.17	143.67	24.25	0.7	67.1	5.6	74	1.3	12.7	5.1	141	1.88	21.5	2.7	3756.4	5.7	16	
2003414	Drill Core	3.08	475	<0.005	<0.01	<0.17	29.12	0.5	16.7	14.3	17	0.2	5.5	6.5	206	1.07	2.6	1.9	2.0	6.7	10	
DUP 2003414	QC		484	<0.005	<0.01	<0.17	32.99	0.6	17.6	15.3	18	0.2	5.9	6.4	199	1.06	3.6	2.0	1.4	7.1	11	
2003449	Drill Core	3.02	519	0.028	0.03	<0.17	20.77	0.9	14.5	8.2	88	0.2	13.8	8.2	565	2.31	19.7	1.6	26.6	8.0	37	
DUP 2003449	QC		536	0.028	0.03	<0.17	13.53	0.9	12.9	7.3	89	0.2	13.5	7.9	512	2.23	18.6	1.6	25.3	7.8	34	
Reference Materials																						
STD DS10	Standard							15.4	159.1	150.5	372	1.8	75.3	12.9	883	2.75	45.9	2.8	94.7	7.8	69	
STD DS10	Standard							14.5	152.6	154.2	359	1.9	72.3	13.6	864	2.70	44.4	2.8	80.5	7.9	61	



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 11, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000367.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2003540	Drill Core	0.7	1.3	<0.1	5	0.13	0.051	16	7	0.17	242	0.002	3	0.50	0.038	0.34	0.1	<0.01	1.5	0.2	0.57
REP 2003540	QC	0.7	1.1	<0.1	5	0.13	0.052	16	8	0.16	233	0.002	2	0.51	0.036	0.34	0.1	0.02	1.5	0.1	0.58
2003371	Drill Core	0.3	0.5	<0.1	27	0.03	0.073	13	187	2.56	212	0.002	<1	2.43	0.010	0.20	<0.1	0.02	2.5	<0.1	0.08
REP 2003371	QC																				
2003379	Drill Core	0.1	0.3	<0.1	5	0.05	0.067	14	9	0.46	171	0.002	<1	0.88	0.017	0.26	<0.1	0.01	1.5	<0.1	0.10
REP 2003379	QC																				
2003403	Drill Core	0.9	0.4	<0.1	4	0.57	0.051	23	7	0.13	138	0.003	<1	0.39	0.022	0.27	0.1	<0.01	1.0	<0.1	0.80
REP 2003403	QC																				
2003407	Drill Core	0.3	0.4	<0.1	3	0.92	0.047	11	5	0.13	222	0.002	<1	0.35	0.030	0.24	<0.1	<0.01	1.1	<0.1	0.45
REP 2003407	QC	0.3	0.4	<0.1	3	0.93	0.050	12	6	0.13	271	0.002	<1	0.35	0.031	0.24	<0.1	<0.01	0.9	<0.1	0.45
2003438	Drill Core	0.7	1.1	0.1	12	0.60	0.065	19	64	0.72	151	0.006	1	1.00	0.018	0.21	0.1	0.03	2.7	0.1	1.00
REP 2003438	QC																				
2003443	Drill Core	1.1	0.6	<0.1	16	1.47	0.067	8	116	1.38	107	0.029	1	1.50	0.017	0.14	0.3	0.16	3.6	<0.1	1.73
REP 2003443	QC	1.0	0.5	<0.1	15	1.45	0.069	8	109	1.35	106	0.028	1	1.46	0.016	0.14	0.3	0.16	3.2	<0.1	1.71
2003455	Drill Core	0.7	0.3	<0.1	6	2.44	0.055	10	28	1.14	60	0.013	2	0.88	0.008	0.12	0.2	0.01	2.0	<0.1	1.97
REP 2003455	QC	0.6	0.2	<0.1	6	2.44	0.053	9	29	1.14	57	0.012	2	0.88	0.007	0.12	0.2	0.01	1.6	<0.1	1.94
2003465	Drill Core	1.3	2.4	<0.1	8	2.75	0.055	18	36	0.90	100	0.002	2	0.95	0.013	0.20	0.2	0.02	2.3	<0.1	1.42
REP 2003465	QC																				
Core Reject Duplicates																					
2003380	Drill Core	0.1	0.6	<0.1	4	0.05	0.075	16	6	0.31	133	0.002	2	0.90	0.009	0.24	0.1	<0.01	1.4	<0.1	<0.05
DUP 2003380	QC	0.1	0.4	<0.1	4	0.05	0.070	15	5	0.31	134	0.002	<1	0.90	0.011	0.24	0.1	<0.01	1.3	<0.1	<0.05
2003414	Drill Core	0.3	0.2	<0.1	2	0.13	0.047	9	4	0.05	87	0.002	<1	0.32	0.027	0.26	0.1	<0.01	0.6	<0.1	0.75
DUP 2003414	QC	0.3	0.2	<0.1	2	0.12	0.042	9	5	0.04	89	0.002	<1	0.32	0.027	0.26	0.1	<0.01	0.7	<0.1	0.74
2003449	Drill Core	0.9	0.6	<0.1	8	1.28	0.051	12	16	0.92	103	0.024	1	0.95	0.013	0.16	0.2	0.04	2.0	<0.1	1.58
DUP 2003449	QC	0.9	0.5	<0.1	8	1.18	0.052	12	14	0.94	100	0.024	1	1.01	0.015	0.17	0.2	0.03	2.2	<0.1	1.60
Reference Materials																					
STD DS10	Standard	2.6	10.5	13.2	43	1.09	0.075	19	56	0.80	360	0.081	6	1.04	0.070	0.34	3.3	0.28	3.0	5.4	0.28
STD DS10	Standard	2.7	8.9	12.3	41	1.03	0.078	18	56	0.77	327	0.077	6	1.03	0.069	0.33	3.3	0.30	3.0	5.1	0.26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000367.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2003540	Drill Core	2	0.6	<0.2
REP 2003540	QC	2	<0.5	<0.2
2003371	Drill Core	7	0.7	<0.2
REP 2003371	QC			
2003379	Drill Core	2	<0.5	<0.2
REP 2003379	QC			
2003403	Drill Core	1	<0.5	<0.2
REP 2003403	QC			
2003407	Drill Core	1	<0.5	<0.2
REP 2003407	QC	1	<0.5	<0.2
2003438	Drill Core	4	0.5	<0.2
REP 2003438	QC			
2003443	Drill Core	4	<0.5	<0.2
REP 2003443	QC	4	<0.5	<0.2
2003455	Drill Core	2	<0.5	<0.2
REP 2003455	QC	2	<0.5	<0.2
2003465	Drill Core	2	<0.5	<0.2
REP 2003465	QC			
Core Reject Duplicates				
2003380	Drill Core	2	<0.5	<0.2
DUP 2003380	QC	1	<0.5	<0.2
2003414	Drill Core	<1	<0.5	<0.2
DUP 2003414	QC	<1	<0.5	<0.2
2003449	Drill Core	3	<0.5	<0.2
DUP 2003449	QC	3	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.5	5.2
STD DS10	Standard	5	2.0	4.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 11, 2016

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000367.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD DS10	Standard							14.9	157.7	145.0	346	1.9	75.6	13.8	876	2.81	46.4	2.9	73.3	7.7	63
STD DS10	Standard							16.5	141.3	134.0	315	1.7	66.5	11.4	886	2.78	45.9	2.4	70.6	6.5	61
STD DS10	Standard							14.5	153.5	154.3	345	1.8	75.6	12.8	868	2.74	45.1	2.7	81.0	8.0	56
STD DS10	Standard							13.7	152.6	148.5	363	1.8	72.5	12.8	879	2.78	45.4	2.6	80.1	7.2	72
STD OXC129	Standard							1.3	26.8	6.3	39	<0.1	77.2	20.2	404	2.95	0.6	0.7	205.2	1.8	177
STD OXC129	Standard							1.3	27.5	6.7	38	<0.1	75.7	20.9	413	2.95	0.6	0.7	204.2	1.9	166
STD OXC129	Standard							1.3	30.6	7.0	44	<0.1	82.1	22.6	423	3.09	0.8	0.7	197.0	2.0	194
STD OXC129	Standard							1.3	25.3	5.9	38	<0.1	71.8	19.4	417	3.01	<0.5	0.6	184.7	1.7	154
STD OXC129	Standard							1.2	27.5	5.8	38	<0.1	78.2	23.4	414	2.98	<0.5	0.6	181.2	1.6	160
STD OXC129	Standard							1.2	27.4	6.2	42	<0.1	74.8	19.7	413	2.99	<0.5	0.7	189.6	1.8	196
STD OXD108	Standard			0.422																	
STD OXD108	Standard			0.420																	
STD OXD108	Standard			0.428																	
STD OXI121	Standard			1.805																	
STD OXI121	Standard			1.804																	
STD OXI121	Standard			1.784																	
STD OXN117	Standard			7.836																	
STD OXN117	Standard			7.808																	
STD OXN117	Standard			7.684																	
STD OXP91	Standard					15.01	29.98														
STD OXP91	Standard					15.09	30.08														
STD OXP91	Standard					14.90	30.00														
STD OXP91	Standard					14.98	29.64														
STD OXP91	Standard					15.04	29.86														
STD OXP91	Standard					15.00	29.94														
STD OXP91	Standard					14.84	29.98														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: November 11, 2016

Part: 2 of 3

WHI16000367.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000367.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD DS10	Standard	4	2.0	4.7
STD DS10	Standard	4	2.3	4.5
STD DS10	Standard	4	1.7	5.2
STD DS10	Standard	4	2.6	4.8
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 11, 2016

Page:

3 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000367.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank																				
BLK	Blank			0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		461	<0.005	<0.01	<0.17	28.33	0.9	10.7	70.7	153	0.7	0.8	3.2	376	1.65	2.0	0.4	<0.5	2.3	30
ROCK-WHI	Prep Blank		472	<0.005	<0.01	<0.17	24.57	0.8	4.9	5.6	35	0.1	0.8	3.4	391	1.63	0.7	0.4	<0.5	2.3	23



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 11, 2016

Page:

3 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000367.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	0.8	1.4	<0.1	20	0.54	0.040	5	4	0.38	81	0.063	<1	0.78	0.073	0.07	<0.1	0.08	2.2	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	0.1	<0.1	21	0.57	0.040	5	5	0.38	61	0.064	1	0.80	0.080	0.08	0.1	<0.01	2.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 11, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000367.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	0.8	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2