



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 14, 2016
Report Date: November 10, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000368.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-59
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	86	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	90	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	90	Analysis sample split/packet			VAN
Split -150	90	Analysis sample split/packet			VAN
FS631	86	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	90	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	90	Per sample shipping charges for branch shipments			VAN
SLBHP	4	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003472	Drill Core	3.50	451	0.014	0.01	<0.17	25.13	1.1	24.6	53.5	117	0.5	12.2	8.9	527	2.11	15.9	1.6	8.4	9.5	41
2003473	Drill Core	3.23	455	0.530	0.77	4.54	26.88	1.0	20.9	13.7	72	0.7	10.1	8.5	462	1.73	27.5	1.2	425.5	9.5	45
2003474	Drill Core	8.18	427	1.231	1.64	7.20	29.16	1.0	22.1	29.3	97	1.1	13.4	11.3	324	2.40	67.3	2.4	1267.1	8.2	39
2003475	Rock Pulp	0.12		0.005				2.1	67.3	3.7	36	<0.1	5.1	9.4	358	2.52	0.9	0.8	1.3	2.5	57
2003476	Drill Core	2.42	364	0.293	0.28	<0.17	25.22	0.4	26.2	33.5	64	0.6	12.8	10.8	325	2.56	31.9	1.5	220.5	7.7	29
2003477	Drill Core	3.43	448	0.990	1.29	6.02	26.74	0.6	34.2	31.1	96	1.5	13.9	11.0	644	2.60	9.4	3.3	4338.6	6.9	61
2003478	Drill Core	3.18	519	1.490	3.15	37.91	23.61	0.6	57.6	67.1	96	2.3	16.9	13.7	1006	2.53	1.6	1.9	9658.5	7.2	117
2003479	Drill Core	3.35	440	1.103	2.31	24.82	22.40	0.7	20.1	19.7	55	0.6	12.7	9.2	572	1.93	3.3	1.3	748.7	8.4	57
2003480	Drill Core	3.08	512	0.009	<0.01	<0.17	28.47	0.5	10.6	58.5	31	0.2	0.4	0.6	99	0.40	1.8	2.9	3.6	19.0	14
2003481	Drill Core	1.17	478	0.015	0.01	<0.17	28.47	1.1	29.9	42.9	43	0.4	3.2	3.1	137	0.74	13.3	2.1	9.9	14.0	10
2003482	Drill Core	2.68	362	0.051	0.05	<0.17	20.85	0.7	16.3	55.5	212	0.7	8.6	11.1	781	1.83	50.7	0.8	46.9	9.9	31
2003483	Drill Core	4.03	392	0.043	0.04	<0.17	18.81	0.7	31.2	67.0	166	0.8	11.9	9.1	620	2.07	78.2	1.4	41.0	10.1	29
2003484	Drill Core	0.66	397	0.024	0.02	<0.17	22.23	1.6	31.4	90.0	140	0.7	7.0	6.3	526	1.81	19.9	1.2	19.9	7.3	32
2003485	Drill Core	3.44	453	0.025	0.02	<0.17	27.44	0.5	27.9	35.8	100	0.6	10.1	8.8	629	1.92	23.8	1.7	20.7	9.0	42
2003486	Drill Core	4.34	391	0.012	0.01	<0.17	25.35	0.4	19.2	17.6	79	0.4	9.5	10.2	439	1.46	26.0	1.5	10.1	9.6	21
2003487	Drill Core	1.64	488	0.030	0.03	<0.17	29.91	1.8	40.3	48.5	103	1.0	9.3	8.4	358	1.82	40.4	3.2	25.3	9.0	35
2003488	Drill Core	3.23	522	0.007	<0.01	<0.17	30.41	2.1	17.5	33.0	38	0.5	7.7	7.7	425	1.60	27.7	2.5	6.9	9.2	51
2003489	Drill Core	1.80	439	0.011	0.01	<0.17	26.99	0.4	20.5	135.0	155	0.4	6.4	6.3	242	1.15	25.5	1.5	9.4	9.0	23
2003490	Drill Core	3.62	494	0.012	0.01	<0.17	22.21	1.8	5.3	175.4	277	0.4	1.4	1.7	106	0.67	19.6	10.3	11.0	14.7	11
2003491	Drill Core	2.45	502	0.007	<0.01	<0.17	28.51	0.4	3.6	30.6	34	0.2	0.4	0.7	46	0.53	12.1	2.9	5.2	17.1	6
2003492	Drill Core	1.88	556	0.101	0.10	<0.17	23.76	0.6	18.0	52.1	188	0.8	7.8	6.9	330	1.68	57.8	1.1	93.0	10.7	27
2003548	Drill Core	1.89	393	<0.005	<0.01	<0.17	23.56	0.4	16.8	33.9	33	1.1	3.2	1.7	128	1.15	5.6	2.6	5.1	9.5	15
2003549	Drill Core	3.24	584	0.009	<0.01	<0.17	20.01	1.8	13.9	48.9	33	0.6	2.6	0.9	123	1.27	24.6	1.5	7.4	10.7	4
2003550	Rock Pulp	0.12		7.215				15.1	80.6	25.0	68	0.9	20.2	11.0	456	4.15	12.8	0.4	6977.8	1.3	55
2003551	Drill Core	2.77	434	0.012	0.01	<0.17	21.39	0.4	21.7	12.6	40	0.5	3.0	0.9	154	1.69	35.0	1.4	13.3	11.0	4
2003552	Drill Core	2.14	427	0.024	0.02	<0.17	18.80	0.6	20.4	30.4	72	0.5	4.6	1.0	249	2.15	64.5	1.6	20.5	9.1	5
2003553	Drill Core	1.94	405	0.008	<0.01	<0.17	22.30	1.6	7.9	52.7	20	0.6	2.3	0.7	211	1.62	32.1	1.7	163.8	6.8	5
2003554	Drill Core	2.50	466	0.280	0.29	0.53	22.46	1.5	19.6	60.9	53	0.6	3.8	1.1	336	2.43	58.2	1.7	148.0	8.3	5
2003555	Drill Core	3.28	467	0.006	<0.01	<0.17	21.15	0.9	23.1	83.9	59	0.5	3.6	1.4	327	1.70	9.1	1.8	5.7	8.1	8
2003556	Drill Core	2.99	524	<0.005	<0.01	<0.17	20.61	1.0	37.9	130.2	68	0.7	4.7	1.5	449	1.98	6.9	1.7	4.1	7.7	8



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003472	Drill Core	1.5	1.1	<0.1	11	1.19	0.059	28	16	0.63	59	0.003	<1	0.91	0.034	0.26	0.2	0.02	1.9	0.1	1.20			
2003473	Drill Core	0.5	1.6	<0.1	8	1.12	0.063	28	12	0.31	109	0.005	<1	0.67	0.037	0.27	0.2	0.01	1.7	0.1	0.84			
2003474	Drill Core	1.3	1.1	<0.1	6	0.38	0.039	17	16	0.26	38	0.002	1	0.65	0.028	0.27	0.3	0.02	1.4	0.1	1.47			
2003475	Rock Pulp	<0.1	<0.1	<0.1	90	0.72	0.064	7	11	0.69	114	0.095	1	1.32	0.132	0.18	1.9	<0.01	1.9	<0.1	<0.05			
2003476	Drill Core	0.9	0.6	<0.1	7	0.69	0.058	13	18	0.33	48	0.003	<1	0.64	0.048	0.26	0.2	0.01	1.5	0.1	1.93			
2003477	Drill Core	1.1	1.0	<0.1	10	1.66	0.066	10	36	0.67	49	0.003	<1	0.83	0.037	0.24	0.3	0.02	1.9	0.1	1.69			
2003478	Drill Core	1.4	1.0	<0.1	12	3.28	0.065	9	36	1.14	69	0.002	<1	1.01	0.019	0.21	0.2	0.02	2.8	<0.1	1.37			
2003479	Drill Core	0.9	1.3	<0.1	6	1.70	0.055	10	12	0.77	131	0.002	<1	0.85	0.019	0.25	0.1	0.01	1.5	<0.1	1.12			
2003480	Drill Core	0.5	0.5	<0.1	<2	0.17	0.005	31	4	0.07	515	<0.001	<1	0.35	0.033	0.27	0.1	<0.01	0.3	<0.1	0.07			
2003481	Drill Core	0.4	1.0	<0.1	2	0.09	0.024	22	7	0.16	319	0.001	<1	0.47	0.037	0.27	<0.1	<0.01	0.8	<0.1	0.28			
2003482	Drill Core	2.2	1.4	0.2	10	0.21	0.047	23	18	0.49	174	0.002	<1	0.69	0.056	0.20	0.2	0.02	2.1	0.1	0.66			
2003483	Drill Core	1.4	1.4	0.1	11	0.53	0.049	20	19	0.59	92	0.002	<1	0.85	0.061	0.20	0.2	0.02	2.4	<0.1	1.08			
2003484	Drill Core	2.0	0.5	0.4	7	0.54	0.043	12	15	0.48	131	0.003	<1	0.62	0.047	0.19	0.2	0.01	1.8	<0.1	0.94			
2003485	Drill Core	0.9	0.6	0.2	10	0.68	0.049	15	16	0.64	100	0.002	<1	0.86	0.041	0.23	0.2	0.02	2.2	<0.1	0.79			
2003486	Drill Core	1.1	0.5	0.1	5	0.40	0.047	15	11	0.49	183	0.002	<1	0.81	0.023	0.30	0.2	0.02	1.6	0.1	0.54			
2003487	Drill Core	0.8	0.9	0.3	<2	0.87	0.042	11	7	0.09	34	<0.001	<1	0.51	0.006	0.29	0.5	0.02	0.9	0.1	1.66			
2003488	Drill Core	0.4	0.5	0.2	2	1.37	0.049	11	7	0.05	44	<0.001	<1	0.36	0.025	0.23	0.3	0.01	0.7	<0.1	1.44			
2003489	Drill Core	1.4	0.5	<0.1	2	0.52	0.042	13	8	0.09	132	<0.001	<1	0.44	0.016	0.28	0.1	0.01	0.7	0.1	0.80			
2003490	Drill Core	2.4	0.6	0.2	<2	0.09	0.006	33	4	0.10	179	<0.001	<1	0.42	0.004	0.23	0.1	<0.01	0.5	<0.1	0.45			
2003491	Drill Core	0.1	0.3	0.2	<2	0.03	0.002	33	5	0.04	378	<0.001	<1	0.31	0.019	0.21	<0.1	<0.01	0.5	<0.1	0.22			
2003492	Drill Core	1.2	1.5	0.1	11	0.16	0.051	22	16	0.50	230	0.002	<1	0.74	0.039	0.23	0.2	0.01	2.5	0.1	0.45			
2003548	Drill Core	<0.1	0.2	<0.1	3	0.03	0.029	19	9	0.34	616	0.001	<1	0.62	0.016	0.24	1.4	<0.01	0.7	<0.1	<0.05			
2003549	Drill Core	<0.1	0.3	0.3	4	0.01	0.028	22	13	0.31	177	0.001	<1	0.53	0.026	0.24	0.2	<0.01	0.8	<0.1	<0.05			
2003550	Rock Pulp	0.2	5.3	0.6	95	0.98	0.043	5	31	0.62	84	0.101	4	1.89	0.182	0.15	2.0	0.32	4.6	<0.1	<0.05			
2003551	Drill Core	<0.1	0.3	0.1	5	<0.01	0.033	20	11	0.32	164	0.001	<1	0.48	0.021	0.19	0.2	0.01	0.7	<0.1	0.06			
2003552	Drill Core	<0.1	0.4	<0.1	7	0.02	0.033	17	18	0.74	179	0.001	<1	0.90	0.019	0.24	0.2	0.02	0.9	<0.1	0.19			
2003553	Drill Core	<0.1	0.5	0.1	4	0.01	0.032	15	21	0.40	136	0.001	<1	0.54	0.017	0.25	0.1	0.01	0.7	0.1	0.28			
2003554	Drill Core	0.1	0.4	<0.1	8	0.01	0.051	15	49	0.68	242	0.001	<1	0.79	0.015	0.24	0.1	0.02	1.1	<0.1	0.17			
2003555	Drill Core	<0.1	0.2	0.1	5	0.03	0.035	14	21	0.68	265	0.001	<1	0.80	0.015	0.24	0.1	0.02	1.0	<0.1	0.15			
2003556	Drill Core	<0.1	0.3	0.1	8	0.05	0.045	13	40	0.88	507	0.002	<1	0.94	0.018	0.24	<0.1	0.02	1.4	<0.1	0.21			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003472	Drill Core	4	<0.5	<0.2
2003473	Drill Core	3	0.7	<0.2
2003474	Drill Core	2	<0.5	<0.2
2003475	Rock Pulp	4	<0.5	<0.2
2003476	Drill Core	2	<0.5	<0.2
2003477	Drill Core	3	<0.5	<0.2
2003478	Drill Core	3	<0.5	<0.2
2003479	Drill Core	2	0.6	<0.2
2003480	Drill Core	1	<0.5	<0.2
2003481	Drill Core	1	<0.5	<0.2
2003482	Drill Core	3	<0.5	<0.2
2003483	Drill Core	4	0.6	<0.2
2003484	Drill Core	3	<0.5	<0.2
2003485	Drill Core	3	<0.5	<0.2
2003486	Drill Core	2	<0.5	<0.2
2003487	Drill Core	1	<0.5	<0.2
2003488	Drill Core	<1	<0.5	<0.2
2003489	Drill Core	1	<0.5	<0.2
2003490	Drill Core	1	<0.5	<0.2
2003491	Drill Core	<1	<0.5	<0.2
2003492	Drill Core	4	<0.5	<0.2
2003548	Drill Core	1	<0.5	<0.2
2003549	Drill Core	2	<0.5	<0.2
2003550	Rock Pulp	6	<0.5	0.2
2003551	Drill Core	2	<0.5	<0.2
2003552	Drill Core	3	<0.5	<0.2
2003553	Drill Core	2	<0.5	<0.2
2003554	Drill Core	2	<0.5	<0.2
2003555	Drill Core	2	<0.5	<0.2
2003556	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: November 10, 2016

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003557	Drill Core	3.07	466	<0.005	<0.01	<0.17	19.67	2.4	27.5	68.8	40	0.4	4.3	1.5	321	1.91	11.0	1.6	4.3	8.5	13
2003558	Drill Core	1.96	446	0.005	<0.01	<0.17	20.64	2.3	24.3	30.2	43	0.7	4.4	1.4	270	2.39	12.5	0.9	5.3	6.4	14
2003559	Drill Core	2.40	529	0.006	<0.01	<0.17	20.52	2.1	10.5	57.0	23	0.4	2.4	0.8	164	1.48	9.7	0.7	4.8	7.2	13
2003560	Drill Core	2.16	390	<0.005	<0.01	<0.17	21.76	2.4	8.9	88.9	17	0.3	1.1	0.5	53	1.29	3.5	0.5	4.4	8.0	34
2003561	Drill Core	2.95	394	<0.005	<0.01	<0.17	19.06	3.5	5.1	55.5	7	0.4	1.5	1.0	51	1.18	2.3	0.8	3.6	7.8	6
2003562	Drill Core	3.23	447	0.007	<0.01	<0.17	25.15	0.7	30.7	64.9	39	0.5	3.1	2.0	107	2.20	4.4	1.7	5.5	9.2	27
2003563	Drill Core	3.33	326	0.005	<0.01	<0.17	22.54	1.2	25.7	24.2	111	0.5	7.9	6.7	506	1.76	4.4	3.3	4.3	7.9	15
2003564	Drill Core	3.08	394	0.009	<0.01	<0.17	21.84	2.5	42.1	68.2	47	0.7	4.6	2.4	246	1.92	8.0	2.5	6.2	8.9	19
2003565	Drill Core	3.40	454	0.007	<0.01	<0.17	21.77	1.1	26.7	30.8	53	0.3	5.5	2.7	241	1.70	7.7	2.6	4.4	9.2	14
2003566	Drill Core	3.42	416	0.008	<0.01	<0.17	20.09	0.4	19.1	4.8	90	0.3	10.1	5.2	231	1.68	7.0	3.1	3.4	9.7	8
2003567	Drill Core	1.93	391	<0.005	<0.01	<0.17	21.20	0.6	51.0	36.7	73	0.6	8.9	5.0	350	2.16	8.9	2.4	1.9	8.7	11
2003568	Drill Core	3.46	473	0.025	0.02	<0.17	20.69	0.5	50.1	21.6	77	0.6	6.0	3.5	522	2.14	46.2	2.0	19.6	8.5	16
2003569	Drill Core	3.22	390	0.042	0.04	<0.17	21.16	0.6	41.8	29.9	53	0.5	4.5	3.1	415	2.11	64.6	1.7	438.2	8.2	18
2003570	Drill Core	3.45	331	0.006	<0.01	<0.17	21.90	1.1	46.4	22.4	65	0.5	6.5	3.8	318	2.03	30.2	2.0	6.1	7.4	11
2003571	Drill Core	3.06	374	0.011	0.01	<0.17	22.91	0.8	56.4	37.3	61	0.5	7.4	2.7	304	2.20	12.1	2.4	7.3	6.9	32
2003572	Drill Core	3.74	363	0.020	0.02	<0.17	24.56	0.5	56.8	72.4	67	1.1	3.0	1.3	421	2.13	29.9	1.7	15.5	8.0	129
2003573	Drill Core	3.17	445	0.061	0.06	<0.17	24.58	2.2	57.1	48.0	66	0.9	8.4	5.4	282	2.07	24.5	1.4	59.5	6.2	26
2003574	Drill Core	2.96	456	0.865	0.94	2.27	22.89	2.2	66.5	51.5	80	1.5	17.6	7.9	267	2.06	23.6	1.4	1149.1	6.9	31
2003575	Rock Pulp	0.13		0.008				1.9	58.0	2.9	29	<0.1	4.8	8.4	355	2.53	<0.5	0.6	1.6	1.9	47
2003576	Drill Core	3.24	382	0.008	<0.01	<0.17	28.45	0.5	12.1	9.4	33	0.2	8.0	5.8	61	1.69	3.1	0.9	2.5	6.1	30
2003577	Drill Core	3.26	396	0.014	0.01	<0.17	25.14	3.2	138.0	38.5	125	1.2	17.6	10.8	402	2.54	2.7	1.2	15.8	7.3	23
2003578	Drill Core	3.20	577	0.055	0.05	<0.17	22.08	0.3	38.9	4.8	85	0.3	13.8	12.3	906	2.11	1.1	0.7	19.5	5.6	94
2003579	Drill Core	3.52	444	0.011	0.01	<0.17	24.25	1.2	36.3	36.2	99	0.4	13.2	10.5	522	2.24	1.0	0.7	6.4	6.9	59
2003580	Drill Core	1.90	537	0.220	0.22	0.27	25.96	0.3	25.6	3.9	112	0.3	12.2	11.3	1124	2.21	0.6	0.6	160.6	5.8	158
2003581	Drill Core	1.01	412	0.782	0.78	0.83	20.52	0.8	68.4	161.3	114	1.2	11.1	6.3	271	2.17	14.0	2.4	702.1	6.1	48
2003582	Drill Core	2.40	504	0.008	<0.01	<0.17	22.87	3.1	47.5	45.4	63	0.5	10.2	5.8	239	1.94	3.8	1.2	5.4	5.7	17
2003583	Drill Core	0.96	549	0.014	0.01	<0.17	22.65	0.7	26.3	16.6	42	0.3	9.3	6.4	153	1.47	1.3	0.7	11.0	7.5	29
2003584	Drill Core	2.28	435	<0.005	<0.01	<0.17	24.49	0.9	20.1	5.4	27	0.3	7.2	5.0	99	1.82	1.5	1.3	2.4	8.1	31
2003585	Drill Core	0.75	538	0.005	<0.01	<0.17	21.88	1.4	27.9	6.3	53	0.3	8.7	3.4	176	1.59	1.2	1.5	3.9	8.7	29
2003586	Drill Core	2.46	450	<0.005	<0.01	<0.17	21.45	1.8	31.6	9.8	47	0.4	13.6	7.4	190	1.65	2.6	1.1	2.0	7.8	13



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003557	Drill Core	<0.1	0.3	0.1	7	0.06	0.057	11	30	0.64	205	0.002	<1	0.71	0.019	0.21	0.1	0.02	1.1	<0.1	0.30			
2003558	Drill Core	0.1	0.6	<0.1	7	0.05	0.062	12	15	0.56	273	0.001	<1	0.69	0.010	0.26	<0.1	0.03	0.9	<0.1	0.32			
2003559	Drill Core	<0.1	0.3	<0.1	4	0.02	0.035	13	19	0.30	119	0.001	<1	0.52	0.013	0.29	<0.1	0.01	0.7	0.1	0.28			
2003560	Drill Core	<0.1	0.2	0.1	<2	<0.01	0.025	15	7	0.05	519	<0.001	<1	0.33	0.009	0.27	0.3	<0.01	0.3	0.1	0.18			
2003561	Drill Core	<0.1	0.2	0.1	<2	<0.01	0.017	14	8	0.04	110	<0.001	<1	0.26	0.021	0.23	<0.1	0.01	0.4	<0.1	0.45			
2003562	Drill Core	0.4	0.3	0.3	3	0.03	0.038	12	8	0.13	185	0.001	<1	0.42	0.016	0.29	<0.1	0.01	0.6	0.1	0.60			
2003563	Drill Core	1.8	0.3	0.2	3	0.18	0.036	9	12	0.54	144	0.002	<1	0.67	0.021	0.21	0.1	0.02	0.9	<0.1	0.92			
2003564	Drill Core	0.1	0.3	0.4	5	0.04	0.035	12	12	0.51	178	0.002	<1	0.63	0.028	0.21	<0.1	0.02	1.0	<0.1	0.72			
2003565	Drill Core	0.2	0.2	<0.1	4	0.07	0.038	15	10	0.58	156	0.001	<1	0.71	0.020	0.22	<0.1	0.03	0.7	<0.1	0.51			
2003566	Drill Core	0.2	0.1	<0.1	5	0.08	0.032	12	11	0.71	159	0.002	<1	0.82	0.038	0.22	<0.1	0.03	1.0	<0.1	0.75			
2003567	Drill Core	0.2	0.4	0.1	10	0.07	0.044	14	34	1.19	146	0.002	<1	1.20	0.041	0.19	0.1	0.01	1.5	<0.1	0.65			
2003568	Drill Core	0.5	0.8	<0.1	11	0.04	0.045	17	41	1.06	143	0.002	<1	1.15	0.025	0.24	0.1	0.03	1.5	<0.1	0.58			
2003569	Drill Core	0.7	0.4	<0.1	8	0.03	0.037	13	26	0.69	124	0.002	<1	0.79	0.027	0.24	0.1	0.03	1.0	0.1	0.74			
2003570	Drill Core	0.9	0.3	<0.1	6	0.06	0.048	12	22	0.79	130	0.002	<1	0.93	0.026	0.21	0.2	0.04	1.1	<0.1	0.79			
2003571	Drill Core	0.3	0.3	0.2	7	0.04	0.042	13	16	0.69	132	0.002	<1	0.93	0.023	0.22	<0.1	0.09	1.0	<0.1	0.65			
2003572	Drill Core	0.3	0.5	<0.1	6	0.03	0.038	17	16	0.67	180	0.001	<1	0.97	0.025	0.27	<0.1	0.09	0.9	0.1	0.23			
2003573	Drill Core	2.3	0.4	<0.1	7	0.07	0.036	9	27	0.61	97	0.001	<1	0.78	0.024	0.23	<0.1	0.02	1.0	<0.1	1.13			
2003574	Drill Core	4.1	1.1	<0.1	5	0.11	0.048	10	18	0.61	51	0.001	<1	0.80	0.018	0.24	0.1	0.03	1.1	<0.1	1.26			
2003575	Rock Pulp	<0.1	<0.1	<0.1	89	0.72	0.047	6	11	0.70	95	0.082	1	1.37	0.136	0.19	1.8	<0.01	1.4	<0.1	<0.05			
2003576	Drill Core	0.1	0.5	<0.1	3	0.08	0.050	11	9	0.05	56	0.002	<1	0.35	0.008	0.26	0.1	<0.01	0.5	<0.1	1.13			
2003577	Drill Core	0.7	0.5	<0.1	6	0.24	0.059	8	31	1.04	54	0.002	<1	1.00	0.018	0.22	<0.1	0.03	1.2	<0.1	1.50			
2003578	Drill Core	0.7	0.1	<0.1	6	1.61	0.058	7	16	0.88	59	0.002	1	0.86	0.010	0.26	0.1	<0.01	1.2	<0.1	1.13			
2003579	Drill Core	0.6	0.2	<0.1	6	0.96	0.056	8	14	0.87	47	0.002	1	0.88	0.010	0.25	0.1	<0.01	1.0	<0.1	1.31			
2003580	Drill Core	1.1	<0.1	<0.1	6	2.78	0.072	9	13	0.91	97	0.002	<1	0.84	0.006	0.26	0.1	<0.01	1.8	<0.1	1.05			
2003581	Drill Core	1.5	0.5	0.3	6	0.14	0.044	12	14	0.71	121	0.002	1	0.99	0.015	0.23	0.2	0.02	1.1	0.1	0.96			
2003582	Drill Core	0.6	0.4	0.1	6	0.13	0.054	9	17	0.93	111	0.002	<1	0.99	0.015	0.22	0.1	<0.01	1.0	<0.1	0.93			
2003583	Drill Core	0.3	0.6	<0.1	4	0.12	0.058	13	13	0.42	140	0.002	<1	0.63	0.020	0.23	0.1	<0.01	1.2	<0.1	0.70			
2003584	Drill Core	0.3	0.4	<0.1	3	0.10	0.044	13	11	0.18	131	0.002	1	0.41	0.020	0.25	0.1	0.01	0.7	0.1	1.02			
2003585	Drill Core	0.6	0.4	<0.1	4	0.16	0.068	14	15	0.41	216	0.002	1	0.68	0.025	0.23	<0.1	0.01	0.8	0.1	0.56			
2003586	Drill Core	0.4	0.4	<0.1	5	0.14	0.061	10	13	0.33	130	0.002	1	0.62	0.027	0.25	<0.1	0.01	0.8	<0.1	1.01			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003557	Drill Core	2	0.6	<0.2
2003558	Drill Core	2	<0.5	<0.2
2003559	Drill Core	2	<0.5	<0.2
2003560	Drill Core	1	<0.5	<0.2
2003561	Drill Core	<1	<0.5	<0.2
2003562	Drill Core	2	<0.5	<0.2
2003563	Drill Core	2	<0.5	<0.2
2003564	Drill Core	2	<0.5	<0.2
2003565	Drill Core	2	<0.5	<0.2
2003566	Drill Core	2	<0.5	<0.2
2003567	Drill Core	4	0.7	<0.2
2003568	Drill Core	4	0.5	<0.2
2003569	Drill Core	3	<0.5	<0.2
2003570	Drill Core	2	<0.5	<0.2
2003571	Drill Core	3	0.9	<0.2
2003572	Drill Core	3	<0.5	<0.2
2003573	Drill Core	2	<0.5	<0.2
2003574	Drill Core	2	0.6	0.2
2003575	Rock Pulp	4	<0.5	<0.2
2003576	Drill Core	<1	0.5	<0.2
2003577	Drill Core	3	0.7	<0.2
2003578	Drill Core	2	<0.5	<0.2
2003579	Drill Core	2	<0.5	<0.2
2003580	Drill Core	2	<0.5	<0.2
2003581	Drill Core	2	0.8	<0.2
2003582	Drill Core	2	<0.5	<0.2
2003583	Drill Core	2	<0.5	<0.2
2003584	Drill Core	1	<0.5	<0.2
2003585	Drill Core	2	<0.5	<0.2
2003586	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003587	Drill Core	0.82	524	0.011	0.01	<0.17	23.64	0.6	30.6	17.2	116	0.5	8.9	4.1	341	2.07	5.1	2.4	7.4	8.8	66
2003588	Drill Core	1.84	510	0.012	0.01	<0.17	20.96	0.9	23.0	15.0	91	0.5	9.2	4.9	137	1.82	4.0	2.8	9.8	7.5	50
2003589	Drill Core	3.76	523	0.008	<0.01	<0.17	24.71	1.7	49.7	25.8	133	0.7	13.0	9.3	670	1.97	6.0	2.0	4.5	9.4	51
2003590	Drill Core	3.15	426	0.010	<0.01	<0.17	28.96	0.7	43.2	11.2	61	0.5	14.2	9.2	554	2.42	15.0	6.3	5.6	9.4	36
2003591	Drill Core	3.56	480	0.013	0.01	<0.17	26.23	3.6	34.0	37.9	49	0.5	19.6	10.9	458	3.20	10.5	3.2	9.3	9.0	37
2003592	Drill Core	3.65	367	0.008	<0.01	<0.17	23.64	1.4	30.7	22.5	53	0.5	14.9	9.6	614	2.20	11.3	1.8	5.3	9.4	51
2003593	Drill Core	3.57	537	<0.005	<0.01	<0.17	24.10	1.2	18.6	13.3	47	0.3	14.5	9.6	397	1.82	6.1	2.8	3.0	10.0	37
2003594	Drill Core	1.51	637	0.030	0.03	<0.17	22.54	1.8	273.7	275.8	632	3.8	15.6	9.1	389	1.96	27.3	2.0	25.1	8.8	15
2003595	Drill Core	3.68	470	0.010	<0.01	<0.17	26.42	1.4	54.2	58.2	128	0.9	15.1	10.4	634	2.24	5.2	1.3	5.9	9.1	62
2003596	Drill Core	3.58	402	0.034	0.03	<0.17	19.41	1.6	20.7	13.4	49	0.4	11.1	10.0	598	1.96	1.3	1.8	76.1	9.3	83
2003597	Drill Core	0.60	433	0.079	0.08	<0.17	19.21	0.5	11.1	7.1	18	0.3	4.6	3.1	475	1.22	1.0	0.8	131.1	3.3	61
2003598	Drill Core	3.75	484	1.179	1.40	4.95	28.29	0.6	21.5	10.3	22	0.7	10.7	8.9	435	1.75	2.4	2.4	1106.7	7.2	52
2003599	Drill Core	3.46	487	0.711	0.94	4.67	28.72	0.7	17.5	4.8	22	0.3	7.9	7.9	270	1.66	1.4	1.9	570.8	8.4	31
2003600	Rock Pulp	0.12		7.107				13.9	82.5	25.4	68	0.8	22.9	10.5	453	4.23	12.7	0.4	7988.6	1.3	53
2003601	Drill Core	2.98	457	0.589	0.72	2.71	27.28	0.2	12.5	6.4	21	0.3	7.0	7.3	353	1.67	3.9	3.1	527.3	8.1	33
2003602	Drill Core	3.69	371	0.070	0.07	<0.17	22.14	0.7	11.0	7.3	28	0.2	7.4	6.6	328	1.74	17.0	1.6	72.1	9.2	33
2003603	Drill Core	2.54	381	0.031	0.03	<0.17	24.76	0.8	13.0	11.2	31	0.2	7.9	7.7	365	1.83	14.7	1.3	25.5	10.8	42
2003604	Drill Core	3.41	457	<0.005	<0.01	<0.17	29.27	0.4	17.1	14.2	28	0.3	6.8	7.0	535	1.56	2.3	1.5	3.3	10.1	48
2003605	Drill Core	3.45	325	<0.005	<0.01	<0.17	25.57	0.7	13.9	12.9	61	0.3	9.3	7.8	386	1.68	1.8	1.9	2.9	9.9	27
2003606	Drill Core	3.71	410	<0.005	<0.01	<0.17	28.43	1.4	22.4	13.7	61	0.4	12.7	9.1	447	1.83	3.2	1.7	3.6	9.8	34
2003607	Drill Core	3.34	389	0.007	<0.01	<0.17	21.65	1.4	21.2	17.9	82	0.5	14.2	9.8	758	2.19	1.5	1.7	<0.5	7.3	123
2003608	Drill Core	3.70	513	0.006	<0.01	<0.17	29.88	2.9	32.4	22.1	92	0.7	15.7	10.1	484	2.38	2.7	1.3	8.3	9.3	29
2003609	Drill Core	3.24	456	0.014	0.01	<0.17	18.44	1.3	40.2	15.6	131	1.0	12.8	10.0	327	2.01	5.7	1.8	11.5	8.4	22
2003610	Drill Core	2.94	432	0.025	0.02	<0.17	19.17	1.4	20.4	41.9	141	0.6	11.5	6.5	260	2.21	39.5	2.1	20.4	7.8	59
2003611	Drill Core	3.39	366	0.046	0.04	<0.17	21.00	0.6	16.4	38.1	108	0.4	16.2	9.6	326	2.30	26.4	2.5	27.9	7.7	29
2003612	Drill Core	3.94	373	0.014	0.01	<0.17	25.55	0.5	21.2	19.0	73	0.6	15.7	10.9	255	2.49	7.2	1.5	11.9	8.4	19
2003613	Drill Core	2.07	441	0.006	<0.01	<0.17	25.49	0.5	12.3	19.2	71	0.4	11.1	8.6	253	2.09	3.4	0.9	5.7	7.5	18
2003614	Drill Core	3.54	376	<0.005	<0.01	<0.17	27.41	2.2	16.1	18.8	79	0.4	11.3	9.0	302	2.14	1.9	1.6	3.1	8.6	19
2003615	Drill Core	3.67	494	0.018	0.02	<0.17	28.84	1.0	21.4	14.1	46	0.3	13.5	11.5	245	2.17	1.4	2.3	21.2	9.3	22
2003616	Drill Core	3.70	359	<0.005	<0.01	<0.17	28.87	1.5	22.6	6.3	76	0.4	13.7	11.4	375	1.81	1.9	1.6	1.3	8.1	25



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003587	Drill Core				1.6	0.7	<0.1	12	0.25	0.074	21	18	0.82	149	0.003	<1	1.18	0.010	0.32	0.2	0.02	2.3	0.2	0.47
2003588	Drill Core				3.0	0.7	<0.1	5	0.12	0.050	26	10	0.26	121	0.002	<1	0.57	0.014	0.24	0.1	0.02	1.1	0.1	1.13
2003589	Drill Core				1.4	0.8	<0.1	7	1.28	0.059	18	11	0.79	101	0.005	<1	0.96	0.013	0.24	0.2	0.02	1.5	0.1	0.97
2003590	Drill Core				0.8	0.7	<0.1	8	0.75	0.065	20	13	0.48	65	0.005	<1	0.72	0.029	0.25	0.1	0.02	1.3	<0.1	1.88
2003591	Drill Core				0.7	0.6	0.1	7	1.08	0.075	13	12	0.28	47	0.003	<1	0.60	0.040	0.24	0.2	0.02	1.7	<0.1	2.98
2003592	Drill Core				0.8	0.6	<0.1	8	1.55	0.066	21	12	0.28	90	0.003	1	0.72	0.032	0.33	0.1	<0.01	1.8	0.1	1.69
2003593	Drill Core				0.5	0.7	<0.1	7	1.02	0.064	24	10	0.23	104	0.003	<1	0.68	0.039	0.31	0.2	0.01	1.7	0.1	1.43
2003594	Drill Core				5.6	1.5	<0.1	9	0.24	0.063	9	14	0.38	122	0.002	<1	0.82	0.018	0.32	0.1	0.06	1.8	0.1	1.31
2003595	Drill Core				0.7	0.6	<0.1	12	1.58	0.064	17	18	0.51	138	0.005	1	0.98	0.031	0.32	0.2	<0.01	2.2	0.1	1.22
2003596	Drill Core				0.2	0.3	<0.1	7	2.04	0.068	12	12	0.39	167	0.013	<1	0.72	0.027	0.32	0.3	<0.01	1.9	<0.1	1.17
2003597	Drill Core				0.2	0.6	<0.1	3	1.64	0.025	6	10	0.18	103	0.006	<1	0.30	0.017	0.15	0.2	0.01	1.1	<0.1	0.45
2003598	Drill Core				0.3	0.3	<0.1	5	1.47	0.070	8	10	0.16	89	0.007	1	0.47	0.047	0.29	0.2	0.01	1.4	<0.1	1.45
2003599	Drill Core				0.2	0.3	<0.1	6	0.73	0.054	11	10	0.18	110	0.014	1	0.53	0.050	0.30	0.3	0.01	1.4	<0.1	1.19
2003600	Rock Pulp				0.2	5.0	0.5	95	1.01	0.057	5	30	0.62	96	0.095	3	1.85	0.173	0.15	1.7	0.32	3.9	<0.1	<0.05
2003601	Drill Core				0.2	0.2	<0.1	5	0.80	0.044	9	10	0.25	93	0.013	2	0.55	0.038	0.30	0.4	<0.01	1.3	<0.1	1.22
2003602	Drill Core				0.2	0.3	<0.1	7	0.67	0.047	12	14	0.27	91	0.026	1	0.52	0.046	0.25	0.4	<0.01	1.5	<0.1	1.24
2003603	Drill Core				0.3	0.3	<0.1	7	0.89	0.047	16	15	0.18	78	0.023	<1	0.50	0.058	0.25	0.3	<0.01	1.5	<0.1	1.35
2003604	Drill Core				0.4	0.3	<0.1	7	1.50	0.041	17	11	0.16	107	0.014	<1	0.52	0.053	0.27	0.2	0.01	1.8	<0.1	1.03
2003605	Drill Core				0.3	0.4	<0.1	9	0.78	0.049	18	15	0.30	169	0.020	<1	0.74	0.065	0.27	0.2	0.01	1.6	<0.1	0.77
2003606	Drill Core				0.4	0.3	0.1	10	1.12	0.061	16	16	0.27	175	0.027	<1	0.76	0.051	0.28	0.4	0.01	2.1	<0.1	0.76
2003607	Drill Core				0.7	0.5	<0.1	11	4.04	0.060	17	22	0.53	143	0.008	<1	0.95	0.037	0.26	0.2	0.03	2.0	<0.1	1.07
2003608	Drill Core				0.6	0.5	0.1	13	0.78	0.074	20	17	0.49	124	0.010	<1	0.95	0.035	0.27	0.2	0.02	1.7	<0.1	1.24
2003609	Drill Core				2.1	0.8	<0.1	12	0.38	0.075	23	16	0.31	145	0.008	<1	0.81	0.031	0.27	0.2	0.02	1.8	0.1	0.92
2003610	Drill Core				2.7	1.3	<0.1	15	0.38	0.067	22	21	0.27	272	0.020	<1	0.76	0.017	0.29	0.5	0.02	2.5	0.2	0.47
2003611	Drill Core				1.0	1.3	0.1	14	0.51	0.071	21	28	0.43	133	0.030	1	0.94	0.024	0.23	0.5	0.02	2.7	<0.1	0.82
2003612	Drill Core				0.5	0.8	0.1	11	0.58	0.079	18	18	0.26	69	0.046	1	0.74	0.051	0.29	0.8	0.02	2.3	<0.1	1.83
2003613	Drill Core				0.4	0.7	0.1	12	0.50	0.066	17	18	0.34	108	0.051	1	0.75	0.044	0.25	0.8	0.03	2.0	<0.1	1.30
2003614	Drill Core				0.5	0.6	0.2	10	0.72	0.068	14	17	0.35	88	0.041	1	0.75	0.040	0.26	0.5	0.02	1.8	<0.1	1.43
2003615	Drill Core				0.4	1.3	0.1	7	0.86	0.070	13	12	0.19	60	0.025	<1	0.53	0.048	0.24	0.5	0.01	1.6	<0.1	1.87
2003616	Drill Core				0.5	1.4	<0.1	10	0.73	0.065	13	19	0.38	173	0.040	<1	0.87	0.045	0.25	0.6	0.01	2.0	0.1	0.72



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000368.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003587	Drill Core	4	<0.5	<0.2
2003588	Drill Core	2	0.6	<0.2
2003589	Drill Core	3	0.5	<0.2
2003590	Drill Core	2	<0.5	<0.2
2003591	Drill Core	2	0.6	<0.2
2003592	Drill Core	2	0.7	<0.2
2003593	Drill Core	2	<0.5	<0.2
2003594	Drill Core	2	0.9	<0.2
2003595	Drill Core	3	<0.5	<0.2
2003596	Drill Core	2	0.6	<0.2
2003597	Drill Core	<1	<0.5	<0.2
2003598	Drill Core	1	<0.5	<0.2
2003599	Drill Core	1	<0.5	<0.2
2003600	Rock Pulp	5	<0.5	0.2
2003601	Drill Core	2	<0.5	<0.2
2003602	Drill Core	2	<0.5	<0.2
2003603	Drill Core	2	<0.5	<0.2
2003604	Drill Core	2	<0.5	<0.2
2003605	Drill Core	3	<0.5	<0.2
2003606	Drill Core	2	<0.5	<0.2
2003607	Drill Core	2	<0.5	<0.2
2003608	Drill Core	3	<0.5	<0.2
2003609	Drill Core	3	<0.5	<0.2
2003610	Drill Core	3	0.7	<0.2
2003611	Drill Core	3	0.8	<0.2
2003612	Drill Core	2	<0.5	<0.2
2003613	Drill Core	3	<0.5	<0.2
2003614	Drill Core	2	<0.5	<0.2
2003615	Drill Core	2	0.6	<0.2
2003616	Drill Core	3	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 10, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000368.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2003481	Drill Core	1.17	478	0.015	0.01	<0.17	28.47	1.1	29.9	42.9	43	0.4	3.2	3.1	137	0.74	13.3	2.1	9.9	14.0	10
REP 2003481	QC	0.012																			
2003486	Drill Core	4.34	391	0.012	0.01	<0.17	25.35	0.4	19.2	17.6	79	0.4	9.5	10.2	439	1.46	26.0	1.5	10.1	9.6	21
REP 2003486	QC	0.4 18.5 17.6 77 0.4 9.0 9.8 448 1.49 24.2 1.5 8.2 9.3 21																			
2003576	Drill Core	3.24	382	0.008	<0.01	<0.17	28.45	0.5	12.1	9.4	33	0.2	8.0	5.8	61	1.69	3.1	0.9	2.5	6.1	30
REP 2003576	QC	0.6 11.7 9.1 36 0.2 7.8 6.1 61 1.70 3.0 0.9 3.9 5.9 31																			
2003591	Drill Core	3.56	480	0.013	0.01	<0.17	26.23	3.6	34.0	37.9	49	0.5	19.6	10.9	458	3.20	10.5	3.2	9.3	9.0	37
REP 2003591	QC	0.016																			
2003609	Drill Core	3.24	456	0.014	0.01	<0.17	18.44	1.3	40.2	15.6	131	1.0	12.8	10.0	327	2.01	5.7	1.8	11.5	8.4	22
REP 2003609	QC	1.4 39.0 15.6 125 1.0 13.3 10.5 322 1.98 6.1 2.0 13.3 8.3 22																			
Core Reject Duplicates																					
2003491	Drill Core	2.45	502	0.007	<0.01	<0.17	28.51	0.4	3.6	30.6	34	0.2	0.4	0.7	46	0.53	12.1	2.9	5.2	17.1	6
DUP 2003491	QC	554 0.008 <0.01 <0.17 24.27 0.4 4.2 35.5 38 0.3 0.4 0.6 46 0.49 13.4 3.0 6.6 18.5 6																			
2003580	Drill Core	1.90	537	0.220	0.22	0.27	25.96	0.3	25.6	3.9	112	0.3	12.2	11.3	1124	2.21	0.6	0.6	160.6	5.8	158
DUP 2003580	QC	541 0.505 0.63 3.30 23.65 0.2 22.1 3.4 103 0.3 11.2 11.6 1118 2.13 <0.5 0.6 537.4 5.1 150																			
2003614	Drill Core	3.54	376	<0.005	<0.01	<0.17	27.41	2.2	16.1	18.8	79	0.4	11.3	9.0	302	2.14	1.9	1.6	3.1	8.6	19
DUP 2003614	QC	361 <0.005 <0.01 <0.17 24.48 2.1 17.3 18.5 77 0.4 11.7 9.9 300 2.17 1.8 1.5 2.9 8.3 19																			
Reference Materials																					
STD DS10	Standard	14.9 157.7 145.0 346 1.9 75.6 13.8 876 2.81 46.4 2.9 73.3 7.7 63																			
STD DS10	Standard	14.0 147.9 145.9 342 1.8 71.2 13.7 878 2.76 43.0 2.6 84.1 6.9 62																			
STD DS10	Standard	14.6 155.8 148.8 364 1.9 81.9 14.3 881 2.80 46.0 2.5 99.3 7.0 62																			
STD OXC129	Standard	1.3 30.6 7.0 44 <0.1 82.1 22.6 423 3.09 0.8 0.7 197.0 2.0 194																			
STD OXC129	Standard	1.2 25.7 5.7 40 <0.1 79.1 20.2 406 2.99 <0.5 0.6 176.6 1.7 166																			
STD OXC129	Standard	1.3 26.4 5.8 38 <0.1 79.2 20.6 412 3.07 <0.5 0.6 178.7 1.6 170																			
STD OXD108	Standard	0.411																			
STD OXD108	Standard	0.412																			
STD OXD108	Standard	0.448																			
STD OXI121	Standard	1.822																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 10, 2016

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000368.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2003481	Drill Core	0.4	1.0	<0.1	2	0.09	0.024	22	7	0.16	319	0.001	<1	0.47	0.037	0.27	<0.1	<0.01	0.8	<0.1	0.28
REP 2003481	QC																				
2003486	Drill Core	1.1	0.5	0.1	5	0.40	0.047	15	11	0.49	183	0.002	<1	0.81	0.023	0.30	0.2	0.02	1.6	0.1	0.54
REP 2003486	QC	1.0	0.5	0.1	5	0.40	0.045	15	10	0.50	181	0.002	<1	0.82	0.023	0.31	0.2	0.01	1.5	0.1	0.54
2003576	Drill Core	0.1	0.5	<0.1	3	0.08	0.050	11	9	0.05	56	0.002	<1	0.35	0.008	0.26	0.1	<0.01	0.5	<0.1	1.13
REP 2003576	QC	0.1	0.5	<0.1	3	0.08	0.047	10	10	0.04	57	0.002	<1	0.33	0.007	0.26	0.1	<0.01	0.5	<0.1	1.15
2003591	Drill Core	0.7	0.6	0.1	7	1.08	0.075	13	12	0.28	47	0.003	<1	0.60	0.040	0.24	0.2	0.02	1.7	<0.1	2.98
REP 2003591	QC																				
2003609	Drill Core	2.1	0.8	<0.1	12	0.38	0.075	23	16	0.31	145	0.008	<1	0.81	0.031	0.27	0.2	0.02	1.8	0.1	0.92
REP 2003609	QC	1.9	0.7	<0.1	12	0.38	0.068	22	17	0.30	154	0.008	2	0.82	0.030	0.27	0.2	0.02	2.0	0.1	0.91
Core Reject Duplicates																					
2003491	Drill Core	0.1	0.3	0.2	<2	0.03	0.002	33	5	0.04	378	<0.001	<1	0.31	0.019	0.21	<0.1	<0.01	0.5	<0.1	0.22
DUP 2003491	QC	0.2	0.3	0.3	<2	0.03	0.002	36	4	0.05	403	<0.001	<1	0.29	0.018	0.21	<0.1	<0.01	0.5	<0.1	0.22
2003580	Drill Core	1.1	<0.1	<0.1	6	2.78	0.072	9	13	0.91	97	0.002	<1	0.84	0.006	0.26	0.1	<0.01	1.8	<0.1	1.05
DUP 2003580	QC	1.1	0.1	<0.1	6	2.73	0.063	8	13	0.89	108	0.002	<1	0.83	0.006	0.26	0.1	<0.01	1.5	<0.1	1.01
2003614	Drill Core	0.5	0.6	0.2	10	0.72	0.068	14	17	0.35	88	0.041	1	0.75	0.040	0.26	0.5	0.02	1.8	<0.1	1.43
DUP 2003614	QC	0.5	0.6	0.2	10	0.72	0.066	13	17	0.34	79	0.042	<1	0.75	0.040	0.26	0.6	0.02	1.9	<0.1	1.46
Reference Materials																					
STD DS10	Standard	2.7	8.8	12.5	45	1.09	0.074	18	56	0.77	336	0.081	7	1.05	0.072	0.33	3.2	0.28	2.9	4.9	0.28
STD DS10	Standard	2.8	7.5	12.9	44	1.06	0.088	18	58	0.78	334	0.076	6	1.05	0.072	0.33	3.0	0.27	2.3	5.0	0.28
STD DS10	Standard	2.7	8.3	11.8	44	1.07	0.089	17	58	0.78	348	0.084	6	1.04	0.071	0.33	3.2	0.29	2.3	5.0	0.29
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.70	0.116	13	57	1.54	53	0.414	1	1.58	0.595	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.63	0.090	12	50	1.54	46	0.364	<1	1.58	0.611	0.37	<0.1	<0.01	0.5	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.097	12	56	1.53	48	0.425	<1	1.55	0.596	0.37	<0.1	<0.01	0.6	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000368.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2003481	Drill Core	1	<0.5	<0.2
REP 2003481	QC			
2003486	Drill Core	2	<0.5	<0.2
REP 2003486	QC	2	<0.5	<0.2
2003576	Drill Core	<1	0.5	<0.2
REP 2003576	QC	<1	0.6	<0.2
2003591	Drill Core	2	0.6	<0.2
REP 2003591	QC			
2003609	Drill Core	3	<0.5	<0.2
REP 2003609	QC	2	<0.5	<0.2
Core Reject Duplicates				
2003491	Drill Core	<1	<0.5	<0.2
DUP 2003491	QC	<1	<0.5	<0.2
2003580	Drill Core	2	<0.5	<0.2
DUP 2003580	QC	2	<0.5	<0.2
2003614	Drill Core	2	<0.5	<0.2
DUP 2003614	QC	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.0	4.7
STD DS10	Standard	4	2.6	5.0
STD DS10	Standard	4	1.8	4.8
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 10, 2016

Page:

2 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000368.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXI121	Standard			1.752																	
STD OXI121	Standard			1.930																	
STD OXN117	Standard			7.688																	
STD OXN117	Standard			7.710																	
STD OXN117	Standard			7.944																	
STD OXP91	Standard					15.12	30.16														
STD OXP91	Standard					14.91	30.25														
STD OXP91	Standard					15.14	29.85														
STD OXP91	Standard					15.07	30.19														
STD OXP91	Standard					15.05	30.17														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005				<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.1		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		421	<0.005	<0.01	<0.17	19.62	0.9	3.5	1.6	30	<0.1	1.1	4.6	457	1.94	1.2	0.5	1.0	2.5	28
ROCK-WHI	Prep Blank		401	<0.005	<0.01	<0.17	18.91	1.0	4.8	1.5	28	<0.1	1.1	4.1	469	2.01	1.0	0.4	<0.5	2.3	28



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 10, 2016

Page:

2 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000368.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.68	0.040	6	6	0.39	70	0.090	<1	1.06	0.138	0.12	0.1	<0.01	2.5	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.67	0.038	6	7	0.39	69	0.085	1	1.00	0.126	0.12	0.2	<0.01	2.8	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000368.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2