



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 17, 2016
Report Date: November 10, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000369.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-60
P.O. Number
Number of Samples: 71

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	68	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	71	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	71	Analysis sample split/packet			VAN
Split -150	71	Analysis sample split/packet			WHI
FS631	68	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	71	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	71	Per sample shipping charges for branch shipments			VAN
SLBHP	3	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003617	Drill Core	3.75	345	<0.005	<0.01	<0.17	25.54	1.1	26.1	9.8	86	0.6	13.8	9.8	368	1.95	2.8	1.8	2.1	8.1	26
2003618	Drill Core	2.82	413	0.005	<0.01	<0.17	27.84	1.8	20.6	9.2	97	0.4	15.3	10.8	438	2.13	1.4	1.4	<0.5	8.1	35
2003619	Drill Core	3.34	463	<0.005	<0.01	<0.17	23.82	1.3	11.8	8.9	64	0.3	10.9	9.5	342	2.28	1.6	1.2	<0.5	6.2	24
2003620	Drill Core	2.13	428	0.007	<0.01	<0.17	25.80	1.7	20.8	10.9	91	0.3	19.9	12.5	588	2.89	2.8	1.4	<0.5	5.3	55
2003621	Drill Core	3.40	339	<0.005	<0.01	<0.17	21.07	2.4	17.0	29.7	68	0.3	19.0	12.8	607	2.44	1.3	1.1	<0.5	7.4	58
2003622	Drill Core	3.10	342	0.006	<0.01	<0.17	27.53	2.9	22.1	16.8	74	0.3	24.2	14.4	460	2.45	1.6	0.8	0.8	7.2	53
2003623	Drill Core	0.62	391	<0.005	<0.01	<0.17	25.50	1.1	19.1	10.3	41	0.3	11.2	5.9	566	1.51	1.8	0.7	2.1	4.1	82
2003624	Drill Core	3.55	361	0.006	<0.01	<0.17	23.58	2.2	19.0	10.5	82	0.3	17.1	9.4	479	2.46	2.1	1.4	2.0	8.8	61
2003625	Rock Pulp	0.12		0.007				2.1	71.2	3.7	40	<0.1	5.8	9.3	368	2.53	<0.5	0.9	<0.5	2.7	63
2003626	Drill Core	3.82	359	0.015	0.01	<0.17	26.48	2.2	25.3	8.3	97	0.3	21.7	11.7	541	2.30	2.2	1.1	10.5	9.1	76
2003627	Drill Core	3.74	359	0.010	<0.01	<0.17	26.16	1.7	26.7	16.0	89	0.3	19.3	12.4	555	2.52	2.7	1.1	6.4	8.4	75
2003628	Drill Core	3.07	417	0.009	<0.01	<0.17	27.74	2.3	19.8	13.2	61	0.2	15.8	9.1	580	2.16	3.1	1.1	3.1	8.1	73
2003629	Drill Core	1.11	440	0.044	0.04	<0.17	27.07	1.1	14.2	12.9	100	0.2	20.4	12.0	534	2.54	5.9	2.0	41.2	7.5	98
2003630	Drill Core	2.38	454	0.040	0.04	<0.17	26.98	0.2	7.0	9.6	73	0.1	13.4	6.2	451	1.74	3.0	2.1	17.0	5.9	112
2003631	Drill Core	3.18	403	0.942	1.15	4.02	26.60	0.3	11.3	5.3	120	0.4	16.3	12.7	476	2.69	18.3	3.0	965.2	7.3	74
2003632	Drill Core	3.50	447	0.264	0.26	<0.17	22.43	1.1	19.1	9.7	67	0.3	16.4	12.9	554	2.40	70.4	1.2	186.2	6.6	72
2003633	Drill Core	3.62	351	0.011	0.01	<0.17	28.14	2.6	18.3	20.8	68	0.2	18.3	16.8	945	3.01	3.7	1.0	15.5	6.0	126
2003634	Drill Core	3.50	369	0.021	0.02	<0.17	27.91	1.1	17.4	4.6	52	0.1	16.7	13.9	654	2.57	2.6	1.1	25.0	6.4	115
2003635	Drill Core	3.79	420	0.626	0.70	1.70	28.81	0.9	19.8	4.7	37	0.4	23.5	16.8	648	2.66	3.6	1.2	566.5	6.1	127
2003636	Drill Core	3.80	448	0.108	0.10	<0.17	23.14	1.1	17.8	6.3	75	0.1	17.4	11.6	458	2.18	2.7	1.3	63.7	8.3	79
2003637	Drill Core	3.71	436	0.025	0.02	<0.17	26.13	1.8	20.6	10.0	65	0.2	17.7	8.9	426	2.28	4.7	1.3	20.0	8.2	72
2003638	Drill Core	3.72	357	0.007	<0.01	<0.17	18.25	2.2	21.2	12.5	68	0.3	17.7	13.6	703	2.45	2.2	1.1	6.3	6.9	125
2003639	Drill Core	3.52	412	0.007	<0.01	<0.17	19.73	2.2	15.9	22.9	72	0.3	15.9	11.1	949	2.60	2.1	1.6	2.9	6.6	89
2003640	Drill Core	3.70	329	0.010	<0.01	<0.17	22.73	3.0	22.4	5.5	76	0.4	19.5	12.8	494	2.51	6.8	1.3	3.5	7.7	34
2003641	Drill Core	3.55	331	0.017	0.02	<0.17	23.15	0.8	24.1	15.0	102	0.4	19.4	10.5	609	2.01	22.5	1.2	11.7	8.9	52
2003642	Drill Core	2.59	372	0.010	<0.01	<0.17	19.17	1.3	28.7	59.5	151	0.4	19.7	9.8	866	1.92	5.0	0.9	3.8	9.0	53
2003643	Drill Core	3.08	348	0.008	<0.01	<0.17	26.88	2.5	31.1	10.5	85	0.5	27.6	12.3	599	2.33	2.9	0.9	0.8	8.3	54
2003644	Drill Core	3.65	326	1.849	2.15	6.43	21.63	2.0	35.4	9.4	92	0.7	26.7	13.5	634	2.45	8.8	1.0	913.9	7.0	74
2003645	Drill Core	3.50	327	0.274	0.42	2.25	24.01	1.2	18.9	6.2	61	0.5	11.6	7.4	490	2.09	18.1	1.5	639.8	8.6	67
2003646	Drill Core	3.72	344	0.018	0.02	<0.17	27.35	0.3	16.6	9.5	56	0.1	10.0	7.0	519	1.68	2.4	1.7	18.9	9.2	77



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 4 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003617	Drill Core				0.5	1.2	<0.1	11	0.62	0.061	12	18	0.47	157	0.029	3	1.00	0.036	0.26	0.4	0.03	2.4	<0.1	0.87
2003618	Drill Core				0.5	1.2	<0.1	13	0.85	0.075	11	28	0.81	121	0.043	1	1.02	0.023	0.15	0.5	0.03	3.0	<0.1	0.92
2003619	Drill Core				0.3	0.7	<0.1	10	0.89	0.069	8	33	0.69	97	0.029	1	0.85	0.016	0.15	0.3	0.11	1.9	<0.1	1.43
2003620	Drill Core				0.3	1.6	<0.1	20	2.01	0.050	8	100	1.48	89	0.093	<1	1.44	0.006	0.16	0.9	0.03	3.5	<0.1	1.47
2003621	Drill Core				0.3	0.9	<0.1	11	2.41	0.054	7	74	1.26	88	0.042	1	1.16	0.008	0.15	0.4	0.02	1.9	<0.1	1.31
2003622	Drill Core				0.2	1.0	<0.1	11	1.93	0.049	5	60	1.25	94	0.044	2	1.20	0.007	0.17	0.4	0.03	1.8	0.1	1.37
2003623	Drill Core				0.2	3.2	<0.1	6	3.60	0.028	3	18	0.90	53	0.020	<1	0.72	0.004	0.10	0.3	0.11	1.6	<0.1	0.59
2003624	Drill Core				0.3	1.3	<0.1	9	2.22	0.045	9	18	1.35	87	0.040	1	1.22	0.009	0.19	0.5	0.03	1.8	<0.1	1.31
2003625	Rock Pulp				<0.1	0.1	<0.1	90	0.80	0.059	7	12	0.69	107	0.108	1	1.41	0.150	0.19	2.3	<0.01	1.9	<0.1	<0.05
2003626	Drill Core				0.4	1.7	<0.1	8	2.28	0.058	9	66	1.07	82	0.030	1	1.04	0.008	0.20	0.4	0.03	2.0	<0.1	1.24
2003627	Drill Core				0.5	1.9	0.1	8	2.28	0.051	10	67	1.16	91	0.013	2	1.13	0.009	0.22	0.2	0.02	1.9	<0.1	1.34
2003628	Drill Core				0.3	1.9	<0.1	6	2.36	0.042	11	31	1.05	74	0.012	2	0.96	0.006	0.19	0.2	0.02	1.7	<0.1	1.21
2003629	Drill Core				0.8	1.7	<0.1	13	2.54	0.046	14	44	1.39	93	0.024	2	1.29	0.005	0.21	0.4	0.02	2.6	0.1	1.09
2003630	Drill Core				0.4	1.0	<0.1	6	2.46	0.037	9	11	0.75	90	0.006	<1	0.72	0.007	0.14	0.3	0.01	1.3	<0.1	0.72
2003631	Drill Core				0.8	1.2	<0.1	11	1.48	0.100	11	65	1.03	111	0.010	1	1.11	0.018	0.19	0.4	0.01	2.1	<0.1	1.40
2003632	Drill Core				0.4	1.5	<0.1	7	2.35	0.048	5	39	0.95	94	0.008	1	0.76	0.004	0.26	0.2	0.02	1.7	0.1	1.71
2003633	Drill Core				0.3	0.7	<0.1	13	3.59	0.060	5	99	1.34	87	0.014	1	1.03	0.004	0.23	0.2	<0.01	3.0	<0.1	1.98
2003634	Drill Core				0.2	0.8	<0.1	10	2.76	0.055	5	55	0.91	98	0.015	<1	0.70	0.008	0.20	0.3	0.02	2.2	<0.1	1.84
2003635	Drill Core				0.5	0.9	<0.1	9	2.77	0.055	5	50	0.73	93	0.018	<1	0.58	0.009	0.24	0.4	0.03	1.8	<0.1	2.10
2003636	Drill Core				0.4	0.8	<0.1	7	1.47	0.048	8	26	0.73	119	0.010	1	0.83	0.017	0.17	0.3	0.02	1.5	<0.1	1.27
2003637	Drill Core				0.2	0.5	<0.1	8	1.47	0.057	10	18	0.78	104	0.024	<1	0.85	0.027	0.16	0.3	0.03	1.6	<0.1	1.67
2003638	Drill Core				0.3	0.6	<0.1	12	2.90	0.053	8	89	1.10	103	0.028	<1	1.04	0.007	0.13	0.2	0.04	2.2	<0.1	1.56
2003639	Drill Core				0.6	0.9	0.1	12	3.49	0.045	11	61	1.26	89	0.016	1	1.14	0.016	0.13	0.2	0.02	2.7	<0.1	1.56
2003640	Drill Core				0.3	1.0	<0.1	12	0.91	0.052	19	76	0.99	85	0.008	<1	1.18	0.010	0.17	0.1	0.02	1.7	<0.1	1.38
2003641	Drill Core				0.8	1.5	<0.1	12	1.40	0.061	28	33	0.93	173	0.003	<1	1.17	0.023	0.17	<0.1	0.02	2.2	<0.1	0.85
2003642	Drill Core				1.4	1.5	<0.1	13	1.46	0.053	26	23	0.85	152	0.003	<1	1.06	0.022	0.14	<0.1	0.01	2.0	<0.1	0.77
2003643	Drill Core				0.5	0.8	<0.1	18	1.95	0.073	24	35	0.95	163	0.006	<1	1.23	0.030	0.17	0.1	0.02	2.4	<0.1	0.90
2003644	Drill Core				0.6	0.9	<0.1	16	2.30	0.060	20	26	0.95	140	0.008	<1	1.07	0.009	0.17	0.2	0.01	2.2	<0.1	1.08
2003645	Drill Core				0.4	0.6	<0.1	10	1.66	0.059	23	16	0.69	149	0.003	<1	0.89	0.024	0.21	0.2	0.02	2.3	<0.1	0.99
2003646	Drill Core				0.4	0.6	<0.1	6	2.31	0.052	22	11	0.52	215	0.002	<1	0.74	0.022	0.18	0.1	0.01	2.0	<0.1	0.51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003617	Drill Core	3	<0.5	<0.2
2003618	Drill Core	4	<0.5	<0.2
2003619	Drill Core	2	<0.5	<0.2
2003620	Drill Core	5	<0.5	<0.2
2003621	Drill Core	3	0.5	<0.2
2003622	Drill Core	2	<0.5	<0.2
2003623	Drill Core	2	<0.5	<0.2
2003624	Drill Core	3	0.5	<0.2
2003625	Rock Pulp	5	<0.5	<0.2
2003626	Drill Core	2	<0.5	<0.2
2003627	Drill Core	3	0.6	<0.2
2003628	Drill Core	2	<0.5	<0.2
2003629	Drill Core	3	<0.5	<0.2
2003630	Drill Core	2	<0.5	<0.2
2003631	Drill Core	3	0.6	<0.2
2003632	Drill Core	2	<0.5	<0.2
2003633	Drill Core	2	<0.5	<0.2
2003634	Drill Core	2	<0.5	<0.2
2003635	Drill Core	2	<0.5	<0.2
2003636	Drill Core	2	0.5	<0.2
2003637	Drill Core	2	0.7	<0.2
2003638	Drill Core	3	<0.5	<0.2
2003639	Drill Core	3	<0.5	<0.2
2003640	Drill Core	3	<0.5	<0.2
2003641	Drill Core	4	<0.5	<0.2
2003642	Drill Core	4	<0.5	<0.2
2003643	Drill Core	4	0.7	<0.2
2003644	Drill Core	3	0.8	<0.2
2003645	Drill Core	3	<0.5	<0.2
2003646	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 3 of 4 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003647	Drill Core	1.86	373	4.768	8.22	52.91	26.76	3.0	84.5	27.8	80	1.9	23.5	14.5	594	2.28	2.2	1.4	17243.0	6.5	94
2003648	Drill Core	3.72	334	0.553	0.58	1.00	17.01	0.4	18.3	6.8	55	0.3	9.7	8.1	468	1.88	1.4	0.9	584.0	8.7	75
2003649	Drill Core	3.59	481	0.032	0.03	<0.17	28.64	1.3	17.6	11.6	55	0.1	10.6	8.0	561	1.97	1.6	1.6	8.6	8.9	77
2003650	Rock Pulp	0.12		7.074				15.0	78.7	26.3	63	0.8	22.2	10.1	482	4.48	13.0	0.4	7402.1	1.3	62
2003651	Drill Core	3.76	451	0.013	0.01	<0.17	27.37	1.3	19.4	8.4	82	0.2	16.1	12.5	800	2.57	1.2	1.2	6.7	7.6	84
2003652	Drill Core	2.18	441	0.005	<0.01	<0.17	26.00	1.8	15.2	17.9	108	0.2	16.6	8.2	518	2.16	0.9	1.3	2.7	8.4	37
2003653	Drill Core	1.36	465	0.025	0.02	<0.17	27.23	2.3	29.8	220.1	410	0.9	16.2	5.4	782	2.55	47.3	2.3	66.3	7.8	16
2003654	Drill Core	3.14	438	0.260	0.28	0.59	28.72	2.1	37.2	56.6	91	0.7	15.4	9.0	646	1.97	27.9	2.5	113.5	7.1	60
2003655	Drill Core	2.36	468	0.013	0.01	<0.17	21.90	1.6	21.8	15.3	100	0.3	11.6	7.3	346	1.68	5.3	2.1	18.1	8.7	37
2003656	Drill Core	2.90	389	0.005	<0.01	<0.17	28.99	0.3	12.7	24.7	36	0.2	1.2	0.5	91	0.38	1.0	2.4	4.3	15.4	18
2003657	Drill Core	3.19	450	0.042	0.04	<0.17	25.00	0.5	4.7	69.4	21	0.4	0.3	0.4	87	0.27	<0.5	3.2	46.6	16.2	47
2003658	Drill Core	2.27	364	<0.005	<0.01	<0.17	27.48	0.9	5.6	34.4	35	0.2	1.1	1.5	136	0.37	0.6	2.6	1.6	16.4	35
2003659	Drill Core	3.30	442	<0.005	<0.01	<0.17	26.69	0.5	12.2	14.4	48	0.3	7.1	6.5	505	1.13	1.0	1.4	1.6	10.0	86
2003660	Drill Core	3.62	369	0.006	<0.01	<0.17	23.03	1.0	10.3	9.6	57	0.2	9.9	6.6	376	1.82	2.0	1.4	5.1	10.3	72
2003661	Drill Core	2.92	376	0.041	0.04	<0.17	20.56	1.1	13.6	9.5	55	0.2	8.5	6.4	458	1.66	4.6	2.1	23.0	10.2	78
2003804	Drill Core	3.33	345	0.010	<0.01	<0.17	19.92	0.6	58.0	81.0	60	1.0	3.0	1.2	225	1.64	16.5	2.0	10.0	8.8	10
2003805	Drill Core	4.15	388	0.029	0.03	<0.17	22.25	1.0	20.8	38.7	52	0.8	4.4	1.7	301	1.38	22.5	2.8	10.4	8.2	5
2003806	Drill Core	0.77	505	0.007	<0.01	<0.17	21.89	0.3	22.2	47.2	42	0.3	2.5	1.1	195	1.19	14.1	1.7	4.4	10.3	3
2003807	Drill Core	2.52	455	0.012	0.01	<0.17	19.94	0.3	54.0	154.5	53	0.7	1.3	1.1	233	0.77	23.2	1.5	11.7	11.2	2
2003808	Drill Core	0.81	463	0.006	<0.01	<0.17	19.54	0.3	23.5	78.5	30	0.4	0.9	0.9	232	0.54	4.1	0.8	5.0	11.4	1
2003809	Drill Core	3.77	344	0.014	0.01	<0.17	22.48	1.0	32.1	60.6	45	0.4	2.3	1.1	223	1.09	22.9	1.9	18.7	11.0	6
2003810	Drill Core	2.03	367	0.014	0.01	<0.17	22.84	2.0	19.3	91.0	32	0.7	2.6	0.5	263	1.90	45.0	0.8	9.0	6.0	10
2003811	Drill Core	3.49	332	0.006	<0.01	<0.17	21.62	2.9	26.7	146.1	31	0.8	5.7	4.0	185	1.81	11.7	1.2	6.2	6.6	8
2003812	Drill Core	1.88	457	0.009	<0.01	<0.17	19.88	0.8	10.0	51.3	20	0.6	2.1	0.8	209	1.37	31.2	0.9	6.4	5.8	5
2003813	Drill Core	3.92	452	0.012	0.01	<0.17	21.84	0.8	21.2	71.0	29	0.6	5.7	5.1	184	1.29	25.5	1.2	8.4	6.9	7
2003814	Drill Core	3.18	325	<0.005	<0.01	<0.17	19.98	0.8	25.4	28.9	49	0.5	6.7	4.6	271	1.57	14.7	1.3	3.2	6.8	7
2003815	Drill Core	3.33	438	0.013	0.01	<0.17	17.45	1.9	53.6	41.9	86	0.7	12.6	8.5	393	1.80	14.9	1.6	16.7	6.6	9
2003816	Drill Core	3.14	524	0.006	<0.01	<0.17	21.16	1.3	52.7	25.5	96	0.6	15.5	10.2	506	1.84	5.3	2.1	4.0	7.3	10
2003817	Drill Core	3.37	361	0.023	0.02	<0.17	26.25	2.1	16.7	19.4	66	0.4	14.7	7.3	495	1.44	49.0	1.7	11.7	9.3	16
2003818	Drill Core	3.29	330	0.020	0.02	<0.17	19.36	2.3	20.2	23.1	42	0.4	11.7	5.4	333	1.20	46.0	2.0	18.9	8.9	12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003647	Drill Core	0.8	4.1	0.1	11	2.19	0.056	11	87	0.77	120	0.003	<1	0.80	0.028	0.16	0.2	0.03	2.4	<0.1	1.05			
2003648	Drill Core	0.4	1.4	<0.1	6	1.85	0.052	16	13	0.43	168	0.004	<1	0.59	0.027	0.19	0.1	0.02	1.9	<0.1	1.00			
2003649	Drill Core	0.4	1.3	<0.1	5	2.29	0.058	18	12	0.42	180	0.002	<1	0.66	0.026	0.19	<0.1	0.01	1.9	<0.1	1.13			
2003650	Rock Pulp	0.2	7.9	0.5	102	1.11	0.049	6	32	0.62	97	0.121	2	1.85	0.185	0.16	2.0	0.31	4.4	<0.1	<0.05			
2003651	Drill Core	0.4	0.6	<0.1	12	2.96	0.051	17	63	1.07	148	0.003	<1	1.10	0.009	0.17	<0.1	0.03	2.5	<0.1	1.16			
2003652	Drill Core	0.9	0.9	<0.1	11	0.92	0.055	14	37	1.17	181	0.002	<1	1.23	0.015	0.21	0.1	0.02	1.6	0.1	0.60			
2003653	Drill Core	0.7	1.7	0.3	9	0.20	0.057	16	19	1.35	467	0.001	1	1.39	0.008	0.21	0.5	0.03	1.6	0.1	0.23			
2003654	Drill Core	1.7	2.2	<0.1	5	1.76	0.044	10	9	0.74	95	0.002	<1	0.73	0.014	0.21	0.2	0.03	1.0	<0.1	1.51			
2003655	Drill Core	0.9	0.9	0.1	4	0.86	0.040	9	10	0.66	184	0.001	1	0.74	0.008	0.24	0.2	0.02	0.9	0.1	0.86			
2003656	Drill Core	<0.1	0.4	<0.1	<2	0.42	0.004	25	3	0.05	754	<0.001	1	0.30	0.021	0.23	<0.1	<0.01	0.2	<0.1	0.05			
2003657	Drill Core	0.5	0.3	0.1	<2	0.25	0.002	20	3	0.04	1189	<0.001	<1	0.25	0.039	0.23	<0.1	0.01	0.2	<0.1	0.06			
2003658	Drill Core	0.3	0.2	<0.1	<2	0.12	0.014	28	4	0.07	1164	0.001	<1	0.33	0.026	0.29	<0.1	<0.01	0.4	<0.1	0.06			
2003659	Drill Core	0.5	0.6	0.1	6	1.25	0.041	27	11	0.37	768	0.004	<1	0.59	0.030	0.28	<0.1	<0.01	1.9	<0.1	0.23			
2003660	Drill Core	0.2	0.8	0.1	11	0.60	0.043	28	14	0.59	500	0.006	<1	0.75	0.052	0.20	0.1	<0.01	2.6	0.1	0.34			
2003661	Drill Core	0.2	0.9	0.1	9	0.78	0.050	27	16	0.73	507	0.006	<1	0.80	0.032	0.19	0.1	0.01	2.2	<0.1	0.31			
2003804	Drill Core	<0.1	0.4	<0.1	4	0.02	0.029	17	12	0.50	428	0.001	<1	0.66	0.017	0.17	0.2	0.01	0.7	<0.1	<0.05			
2003805	Drill Core	<0.1	0.5	<0.1	6	0.03	0.043	16	34	0.76	262	0.001	<1	0.87	0.014	0.19	0.1	<0.01	0.8	<0.1	0.10			
2003806	Drill Core	<0.1	0.2	<0.1	2	0.03	0.037	18	10	0.51	125	0.001	<1	0.64	0.009	0.21	<0.1	<0.01	0.7	<0.1	<0.05			
2003807	Drill Core	<0.1	0.7	0.3	<2	0.01	0.018	23	7	0.36	124	<0.001	<1	0.50	0.015	0.19	<0.1	0.01	0.6	<0.1	<0.05			
2003808	Drill Core	<0.1	0.6	<0.1	<2	<0.01	0.004	22	5	0.27	123	<0.001	<1	0.39	0.005	0.19	<0.1	<0.01	0.4	<0.1	<0.05			
2003809	Drill Core	<0.1	0.7	<0.1	2	<0.01	0.016	21	15	0.37	142	<0.001	<1	0.52	0.013	0.17	0.1	0.01	0.7	<0.1	<0.05			
2003810	Drill Core	<0.1	0.8	0.1	7	0.01	0.045	12	38	0.52	270	0.001	<1	0.63	0.014	0.20	0.3	0.02	0.8	<0.1	0.19			
2003811	Drill Core	0.1	0.6	0.3	5	0.05	0.048	7	30	0.60	121	0.001	<1	0.68	0.014	0.19	<0.1	0.02	0.9	<0.1	0.77			
2003812	Drill Core	<0.1	0.6	0.1	4	0.02	0.034	10	18	0.44	110	<0.001	<1	0.53	0.012	0.19	<0.1	0.02	0.6	<0.1	0.15			
2003813	Drill Core	0.1	0.7	<0.1	3	0.05	0.044	7	12	0.42	100	0.001	<1	0.48	0.009	0.17	<0.1	0.02	0.8	<0.1	0.73			
2003814	Drill Core	0.2	0.4	<0.1	5	0.05	0.040	9	18	0.69	132	0.001	<1	0.72	0.014	0.21	<0.1	0.02	1.0	<0.1	0.72			
2003815	Drill Core	0.4	0.4	0.2	5	0.08	0.046	7	31	0.85	107	0.001	<1	0.89	0.008	0.16	<0.1	0.02	0.9	<0.1	0.76			
2003816	Drill Core	1.3	0.4	0.2	7	0.12	0.055	8	40	1.11	107	0.001	<1	1.06	0.009	0.19	<0.1	0.02	1.0	<0.1	0.96			
2003817	Drill Core	3.6	0.4	0.1	4	0.18	0.039	11	10	0.76	104	<0.001	<1	0.64	0.010	0.18	0.1	0.02	0.6	<0.1	0.98			
2003818	Drill Core	0.3	0.4	0.2	3	0.07	0.030	11	10	0.59	114	0.001	<1	0.62	0.013	0.18	<0.1	0.02	0.6	<0.1	0.76			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003647	Drill Core	3	<0.5	0.2
2003648	Drill Core	2	<0.5	<0.2
2003649	Drill Core	2	<0.5	<0.2
2003650	Rock Pulp	6	<0.5	0.3
2003651	Drill Core	3	<0.5	<0.2
2003652	Drill Core	3	<0.5	<0.2
2003653	Drill Core	5	0.8	<0.2
2003654	Drill Core	2	0.9	<0.2
2003655	Drill Core	2	<0.5	<0.2
2003656	Drill Core	<1	<0.5	<0.2
2003657	Drill Core	<1	<0.5	<0.2
2003658	Drill Core	<1	<0.5	<0.2
2003659	Drill Core	3	<0.5	<0.2
2003660	Drill Core	4	<0.5	<0.2
2003661	Drill Core	3	<0.5	<0.2
2003804	Drill Core	2	<0.5	<0.2
2003805	Drill Core	2	<0.5	<0.2
2003806	Drill Core	2	<0.5	<0.2
2003807	Drill Core	1	<0.5	<0.2
2003808	Drill Core	1	<0.5	<0.2
2003809	Drill Core	2	<0.5	<0.2
2003810	Drill Core	2	<0.5	<0.2
2003811	Drill Core	2	0.9	<0.2
2003812	Drill Core	1	<0.5	<0.2
2003813	Drill Core	1	0.6	<0.2
2003814	Drill Core	2	<0.5	<0.2
2003815	Drill Core	2	<0.5	<0.2
2003816	Drill Core	2	<0.5	<0.2
2003817	Drill Core	2	0.6	<0.2
2003818	Drill Core	1	0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003819	Drill Core	3.64	406	0.052	0.05	<0.17	19.20	0.7	27.3	21.1	69	0.4	9.5	6.2	421	1.13	14.2	3.4	3.8	8.0	15
2003820	Drill Core	3.86	355	0.012	0.01	<0.17	18.98	3.0	27.9	51.5	56	0.5	7.3	4.4	282	1.00	22.7	3.7	8.1	13.8	8
2003821	Drill Core	2.64	429	0.012	0.01	<0.17	25.71	0.8	24.6	17.6	56	0.3	7.7	6.9	304	1.23	21.5	3.0	8.4	8.6	9
2003822	Drill Core	3.88	404	0.015	0.01	<0.17	21.68	1.4	27.2	45.1	112	0.5	9.5	8.0	579	1.79	53.0	1.8	13.1	7.9	11
2003823	Drill Core	1.88	497	0.009	<0.01	<0.17	29.79	1.0	30.1	131.9	54	0.7	8.5	5.9	191	1.81	16.8	2.5	7.7	6.8	23
2003824	Drill Core	4.91	501	0.008	<0.01	<0.17	27.41	0.8	48.5	42.2	140	0.6	13.6	11.1	455	2.10	6.0	1.3	7.0	6.1	12
2003825	Rock Pulp	0.12		<0.005				1.9	71.2	3.7	39	<0.1	6.0	9.0	367	2.45	<0.5	0.8	6.8	2.5	60
2003826	Drill Core	3.36	382	0.010	<0.01	<0.17	26.15	1.0	29.9	32.6	83	0.3	9.6	7.2	295	1.55	12.2	1.0	17.9	8.2	11
2003827	Drill Core	2.68	423	0.038	0.04	<0.17	25.38	1.3	32.9	35.5	64	1.5	7.2	4.4	324	1.57	21.8	1.7	25.8	9.0	21
2003828	Drill Core	4.02	368	0.010	<0.01	<0.17	23.64	1.4	91.7	135.2	55	0.9	4.9	3.0	247	1.42	18.8	2.9	9.8	10.1	49
2003829	Drill Core	5.67	421	0.008	<0.01	<0.17	28.11	1.7	15.0	12.4	61	0.3	7.6	5.2	312	1.26	15.3	3.3	4.3	10.4	19



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003819	Drill Core	1.0	0.4	<0.1	3	0.19	0.032	8	10	0.65	126	<0.001	<1	0.57	0.009	0.17	<0.1	0.01	0.6	<0.1	0.62
2003820	Drill Core	0.5	0.6	0.3	2	0.09	0.035	12	9	0.47	135	<0.001	<1	0.51	0.009	0.18	<0.1	0.02	0.5	<0.1	0.38
2003821	Drill Core	0.6	0.4	<0.1	3	0.11	0.052	9	17	0.66	95	<0.001	<1	0.66	0.008	0.18	<0.1	0.01	0.6	<0.1	0.70
2003822	Drill Core	1.6	0.7	0.1	6	0.10	0.051	7	35	1.11	105	0.001	<1	0.95	0.014	0.17	0.2	0.02	1.2	<0.1	0.98
2003823	Drill Core	0.2	0.8	0.2	3	0.10	0.061	10	13	0.29	163	0.001	<1	0.46	0.008	0.18	0.4	0.02	0.7	<0.1	0.87
2003824	Drill Core	3.5	0.7	<0.1	5	0.14	0.055	6	18	0.74	89	<0.001	<1	0.75	0.006	0.21	0.1	0.02	0.9	<0.1	1.63
2003825	Rock Pulp	<0.1	0.5	<0.1	90	0.86	0.056	7	10	0.70	118	0.099	1	1.50	0.161	0.18	1.9	<0.01	2.1	<0.1	<0.05
2003826	Drill Core	0.4	0.4	<0.1	3	0.08	0.036	8	23	0.54	136	<0.001	<1	0.64	0.009	0.18	0.1	<0.01	0.6	<0.1	0.89
2003827	Drill Core	0.2	0.6	<0.1	3	0.05	0.020	13	12	0.47	204	<0.001	<1	0.66	0.017	0.19	4.0	<0.01	0.7	<0.1	0.74
2003828	Drill Core	0.7	0.8	0.1	5	0.03	0.026	16	9	0.41	116	0.001	<1	0.67	0.021	0.22	0.4	0.01	0.5	<0.1	0.66
2003829	Drill Core	1.3	0.4	<0.1	5	0.11	0.034	12	7	0.58	166	0.002	<1	0.72	0.020	0.26	0.1	0.01	0.7	<0.1	0.78



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000369.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003819	Drill Core	1	<0.5	<0.2
2003820	Drill Core	1	<0.5	<0.2
2003821	Drill Core	2	<0.5	<0.2
2003822	Drill Core	3	<0.5	<0.2
2003823	Drill Core	1	0.9	<0.2
2003824	Drill Core	2	0.8	<0.2
2003825	Rock Pulp	4	<0.5	<0.2
2003826	Drill Core	2	<0.5	<0.2
2003827	Drill Core	2	<0.5	<0.2
2003828	Drill Core	2	<0.5	<0.2
2003829	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 10, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000369.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2003621	Drill Core	3.40	339	<0.005	<0.01	<0.17	21.07	2.4	17.0	29.7	68	0.3	19.0	12.8	607	2.44	1.3	1.1	<0.5	7.4	58
REP 2003621	QC	<0.005																			
2003637	Drill Core	3.71	436	0.025	0.02	<0.17	26.13	1.8	20.6	10.0	65	0.2	17.7	8.9	426	2.28	4.7	1.3	20.0	8.2	72
REP 2003637	QC	0.024																			
2003642	Drill Core	2.59	372	0.010	<0.01	<0.17	19.17	1.3	28.7	59.5	151	0.4	19.7	9.8	866	1.92	5.0	0.9	3.8	9.0	53
REP 2003642	QC	1.4 25.9 57.0 139 0.4 19.9 9.5 883 1.96 4.5 0.9 1.3 8.6 54																			
2003819	Drill Core	3.64	406	0.052	0.05	<0.17	19.20	0.7	27.3	21.1	69	0.4	9.5	6.2	421	1.13	14.2	3.4	3.8	8.0	15
REP 2003819	QC	0.8 28.1 22.4 77 0.4 9.8 6.5 417 1.11 16.0 3.9 4.3 9.1 17																			
Core Reject Duplicates																					
2003617	Drill Core	3.75	345	<0.005	<0.01	<0.17	25.54	1.1	26.1	9.8	86	0.6	13.8	9.8	368	1.95	2.8	1.8	2.1	8.1	26
DUP 2003617	QC	450 0.006 <0.01 <0.17 28.69 1.2 25.9 10.4 103 0.6 15.6 9.8 365 1.92 2.7 1.6 2.0 8.3 26																			
2003651	Drill Core	3.76	451	0.013	0.01	<0.17	27.37	1.3	19.4	8.4	82	0.2	16.1	12.5	800	2.57	1.2	1.2	6.7	7.6	84
DUP 2003651	QC	394 0.007 <0.01 <0.17 24.18 1.1 20.4 8.6 78 0.2 18.6 13.2 794 2.62 0.9 1.4 6.8 7.5 84																			
2003827	Drill Core	2.68	423	0.038	0.04	<0.17	25.38	1.3	32.9	35.5	64	1.5	7.2	4.4	324	1.57	21.8	1.7	25.8	9.0	21
DUP 2003827	QC	401 0.030 0.03 <0.17 27.38 1.2 30.3 33.9 62 1.5 7.4 4.4 317 1.51 21.2 1.7 31.0 8.2 21																			
Reference Materials																					
STD DS10	Standard	16.4 155.1 154.1 350 1.8 77.8 13.4 898 2.73 42.9 2.7 74.3 7.9 66																			
STD DS10	Standard	15.1 153.9 153.4 372 1.8 76.6 14.5 875 2.73 43.9 2.6 89.5 7.3 62																			
STD DS10	Standard	14.6 155.8 148.8 364 1.9 81.9 14.3 881 2.80 46.0 2.5 99.3 7.0 62																			
STD DS10	Standard	15.7 163.8 158.6 361 1.9 79.4 14.3 878 2.75 46.2 2.8 87.1 7.9 61																			
STD OXC129	Standard	1.3 27.6 6.3 40 <0.1 81.4 20.6 417 3.01 0.6 0.7 184.7 1.9 186																			
STD OXC129	Standard	1.5 30.9 6.9 50 <0.1 86.4 20.6 413 2.99 <0.5 0.7 192.4 1.7 196																			
STD OXC129	Standard	1.3 26.4 5.8 38 <0.1 79.2 20.6 412 3.07 <0.5 0.6 178.7 1.6 170																			
STD OXC129	Standard	1.3 32.1 6.3 43 <0.1 89.8 23.5 422 3.01 <0.5 0.6 173.8 1.6 183																			
STD OXD108	Standard	0.435																			
STD OXI121	Standard	1.850																			
STD OXN117	Standard	7.674																			
STD OXP91	Standard	14.97 29.86																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 10, 2016

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000369.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2003621	Drill Core	0.3	0.9	<0.1	11	2.41	0.054	7	74	1.26	88	0.042	1	1.16	0.008	0.15	0.4	0.02	1.9	<0.1	1.31
REP 2003621	QC																				
2003637	Drill Core	0.2	0.5	<0.1	8	1.47	0.057	10	18	0.78	104	0.024	<1	0.85	0.027	0.16	0.3	0.03	1.6	<0.1	1.67
REP 2003637	QC																				
2003642	Drill Core	1.4	1.5	<0.1	13	1.46	0.053	26	23	0.85	152	0.003	<1	1.06	0.022	0.14	<0.1	0.01	2.0	<0.1	0.77
REP 2003642	QC	1.2	1.4	<0.1	14	1.47	0.058	28	24	0.88	162	0.003	<1	1.10	0.023	0.15	<0.1	0.01	2.4	<0.1	0.76
2003819	Drill Core	1.0	0.4	<0.1	3	0.19	0.032	8	10	0.65	126	<0.001	<1	0.57	0.009	0.17	<0.1	0.01	0.6	<0.1	0.62
REP 2003819	QC	1.1	0.5	<0.1	3	0.19	0.032	8	11	0.63	136	<0.001	<1	0.54	0.008	0.16	<0.1	0.01	0.6	<0.1	0.61
Core Reject Duplicates																					
2003617	Drill Core	0.5	1.2	<0.1	11	0.62	0.061	12	18	0.47	157	0.029	3	1.00	0.036	0.26	0.4	0.03	2.4	<0.1	0.87
DUP 2003617	QC	0.5	1.2	<0.1	10	0.58	0.065	12	18	0.46	129	0.030	<1	0.87	0.025	0.20	0.5	0.02	2.2	<0.1	0.85
2003651	Drill Core	0.4	0.6	<0.1	12	2.96	0.051	17	63	1.07	148	0.003	<1	1.10	0.009	0.17	<0.1	0.03	2.5	<0.1	1.16
DUP 2003651	QC	0.4	0.4	<0.1	12	3.05	0.055	15	56	1.08	133	0.003	1	1.06	0.015	0.16	0.1	0.02	2.3	<0.1	1.20
2003827	Drill Core	0.2	0.6	<0.1	3	0.05	0.020	13	12	0.47	204	<0.001	<1	0.66	0.017	0.19	4.0	<0.01	0.7	<0.1	0.74
DUP 2003827	QC	0.2	0.6	<0.1	3	0.05	0.019	12	14	0.46	206	<0.001	<1	0.62	0.016	0.18	3.9	0.01	0.6	<0.1	0.71
Reference Materials																					
STD DS10	Standard	2.4	9.2	11.5	47	1.08	0.075	19	62	0.79	341	0.088	7	1.13	0.073	0.35	3.1	0.27	3.2	5.0	0.28
STD DS10	Standard	2.6	9.9	11.8	42	1.04	0.083	18	56	0.75	357	0.081	8	1.05	0.070	0.32	3.2	0.29	2.5	5.3	0.26
STD DS10	Standard	2.7	8.3	11.8	44	1.07	0.089	17	58	0.78	348	0.084	6	1.04	0.071	0.33	3.2	0.29	2.3	5.0	0.29
STD DS10	Standard	2.5	9.5	11.7	41	1.07	0.071	18	55	0.77	398	0.080	9	1.06	0.071	0.34	3.3	0.28	3.0	5.3	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.74	0.098	13	56	1.55	49	0.424	<1	1.66	0.584	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.64	0.096	12	60	1.50	48	0.414	<1	1.52	0.575	0.36	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.097	12	56	1.53	48	0.425	<1	1.55	0.596	0.37	<0.1	<0.01	0.6	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.69	0.096	12	51	1.53	50	0.399	<1	1.59	0.596	0.36	<0.1	<0.01	0.7	<0.1	<0.05
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000369.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2003621	Drill Core	3	0.5	<0.2
REP 2003621	QC			
2003637	Drill Core	2	0.7	<0.2
REP 2003637	QC			
2003642	Drill Core	4	<0.5	<0.2
REP 2003642	QC	3	<0.5	<0.2
2003819	Drill Core	1	<0.5	<0.2
REP 2003819	QC	1	<0.5	<0.2
Core Reject Duplicates				
2003617	Drill Core	3	<0.5	<0.2
DUP 2003617	QC	3	<0.5	<0.2
2003651	Drill Core	3	<0.5	<0.2
DUP 2003651	QC	3	<0.5	<0.2
2003827	Drill Core	2	<0.5	<0.2
DUP 2003827	QC	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.1	4.8
STD DS10	Standard	4	2.4	5.1
STD DS10	Standard	4	1.8	4.8
STD DS10	Standard	4	2.1	5.0
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXP91	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000369.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91	Standard					15.07	29.87														
STD OXP91	Standard					15.01	29.91														
STD OXP91	Standard					15.00	30.00														
STD OXP91	Standard					14.96	30.21														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		421	<0.005	<0.01	<0.17	28.37	1.1	3.1	1.2	29	<0.1	0.6	3.8	411	1.73	0.8	0.4	<0.5	2.3	26
ROCK-WHI	Prep Blank		419	<0.005	<0.01	<0.17	26.69	0.8	2.5	1.2	29	<0.1	0.7	3.7	414	1.77	0.5	0.4	<0.5	2.1	19



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000369.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.60	0.045	5	4	0.40	74	0.092	<1	0.97	0.127	0.11	<0.1	<0.01	2.3	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.59	0.041	5	3	0.40	61	0.076	<1	0.90	0.110	0.10	<0.1	<0.01	1.8	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 10, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000369.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2