



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 24, 2016
Report Date: November 22, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-64
P.O. Number
Number of Samples: 51

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	48	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	51	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	51	Analysis sample split/packet			VAN
Split -150	51	Analysis sample split/packet			WHI
FS631	48	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	51	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	51	Per sample shipping charges for branch shipments			VAN
SLBHP	3	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003787	Drill Core	4.03	386	0.030	0.03	<0.17	23.33	9.1	43.7	110.2	61	4.1	9.3	6.5	153	2.05	3.7	2.5	21.4	9.2	34
2003788	Drill Core	4.57	424	0.143	0.18	0.69	28.91	0.7	35.0	85.9	56	0.9	7.9	6.8	161	1.44	3.3	1.8	348.0	8.2	18
2003789	Drill Core	0.64	395	0.106	0.11	<0.17	26.52	0.4	17.7	15.1	153	0.5	9.8	6.8	55	2.11	15.0	3.0	348.2	7.4	8
2003790	Drill Core	2.80	373	0.894	1.00	2.30	26.97	2.3	16.2	9.9	43	0.6	11.1	6.9	55	2.15	5.5	1.6	944.3	7.6	12
2003791	Drill Core	1.67	384	0.929	1.09	4.26	18.09	4.9	24.6	57.2	831	0.6	10.8	3.0	395	4.10	23.2	28.4	846.8	8.3	13
2003792	Drill Core	5.38	395	0.229	0.26	0.66	27.19	3.2	28.3	74.2	163	0.6	7.7	6.2	227	1.65	4.3	4.3	172.3	9.4	17
2003793	Drill Core	1.52	474	0.014	0.01	<0.17	25.64	2.6	15.3	58.4	31	0.3	12.5	8.2	43	2.32	3.5	3.1	8.8	7.8	20
2003794	Drill Core	4.23	399	0.054	0.05	<0.17	25.22	2.0	10.9	104.4	42	1.3	1.5	1.3	51	1.04	3.3	2.7	47.8	9.4	13
2003795	Drill Core	1.74	417	0.029	0.03	<0.17	27.67	3.2	13.5	163.6	77	0.8	1.0	0.6	44	0.77	7.7	3.7	22.0	15.6	3
2003796	Drill Core	1.28	420	0.012	0.01	<0.17	28.29	2.8	7.4	76.5	55	0.4	0.6	0.8	28	0.57	4.6	2.1	9.1	14.2	3
2003797	Drill Core	2.07	403	0.013	0.01	<0.17	26.60	1.0	6.0	86.0	37	0.3	0.5	0.3	42	0.51	2.6	1.9	6.4	14.6	7
2003798	Drill Core	3.45	411	<0.005	<0.01	<0.17	25.87	0.7	7.2	60.3	54	0.2	0.4	0.9	60	0.41	1.8	2.3	2.4	14.6	13
2003799	Drill Core	2.34	390	<0.005	<0.01	<0.17	25.73	0.7	6.0	60.1	54	0.2	0.6	0.4	75	0.42	1.4	2.2	0.7	16.0	9
2003800	Rock Pulp	0.12		7.091				13.5	70.7	22.6	55	0.8	19.5	9.2	467	4.44	11.8	0.4	7078.0	1.2	56
2003801	Drill Core	4.15	403	<0.005	<0.01	<0.17	26.94	0.4	8.5	54.6	39	0.3	0.5	0.6	59	0.48	1.5	3.1	0.9	16.9	14
2003802	Drill Core	3.64	483	<0.005	<0.01	<0.17	30.17	0.4	10.4	40.0	36	0.2	0.5	0.2	76	0.41	2.2	3.9	<0.5	16.2	22
2003803	Drill Core	4.04	530	<0.005	<0.01	<0.17	28.42	0.8	5.1	59.1	61	0.2	0.4	0.2	69	0.34	1.3	3.3	<0.5	16.4	29
2003917	Drill Core	3.19	512	0.009	<0.01	<0.17	27.95	1.8	10.7	28.6	31	0.3	2.1	0.9	106	1.30	3.5	1.4	10.0	8.2	17
2003918	Drill Core	1.86	505	<0.005	<0.01	<0.17	25.06	1.5	10.2	7.6	31	0.3	2.6	1.3	110	1.33	3.6	1.8	1.3	10.4	5
2003919	Drill Core	1.12	430	0.013	0.01	<0.17	23.47	0.9	11.4	5.4	31	0.2	3.0	1.4	117	1.35	3.8	2.3	21.4	11.3	5
2003920	Drill Core	2.15	479	0.294	0.34	1.35	21.44	0.7	14.2	10.7	28	0.4	2.1	0.7	98	1.45	8.3	2.6	174.6	10.2	6
2003921	Drill Core	5.21	521	0.074	0.08	0.18	28.56	0.9	22.9	22.1	44	0.8	3.9	1.2	99	1.42	6.1	2.4	58.6	8.9	5
2003922	Drill Core	2.08	398	0.020	0.02	<0.17	25.33	1.3	28.3	37.5	57	0.8	5.1	2.2	169	1.94	5.0	3.4	56.9	10.1	8
2003923	Drill Core	2.05	399	2.537	2.99	11.72	19.80	0.9	15.0	33.7	23	2.1	1.7	0.5	62	1.58	5.7	1.6	1764.0	6.5	13
2003924	Drill Core	0.52	431	2.068	2.73	11.30	30.88	0.4	7.1	40.3	11	1.4	1.4	0.5	68	0.74	1.1	0.3	1447.4	1.5	2
2003925	Rock Pulp	0.13		<0.005				2.0	66.6	3.8	36	<0.1	5.5	8.4	365	2.53	0.5	0.8	2.6	2.6	58
2003926	Drill Core	5.61	402	0.270	0.29	0.59	20.41	0.5	20.5	6.8	60	0.5	5.9	3.1	178	1.97	6.5	1.9	378.2	7.6	12
2003927	Drill Core	2.88	438	0.177	0.18	0.31	19.49	1.1	27.9	39.4	122	0.5	6.7	2.9	197	2.40	2.5	1.7	159.7	6.7	13
2003928	Drill Core	0.97	356	2.786	3.95	25.88	17.93	1.0	39.5	316.6	47	2.2	3.2	0.9	83	2.01	2.5	1.4	1924.2	6.5	49
2003929	Drill Core	1.23	394	2.004	2.21	5.61	22.11	0.3	103.4	119.2	248	2.3	15.8	12.9	1125	2.45	1.1	0.8	1973.5	6.1	40



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 2 of 3 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003787	Drill Core	1.9	8.5	0.2	4	0.49	0.044	8	6	0.11	39	0.004	2	0.58	0.037	0.38	0.2	0.06	0.9	<0.1	2.06			
2003788	Drill Core	1.2	0.7	0.2	5	0.30	0.047	9	7	0.16	65	0.003	<1	0.49	0.069	0.28	0.2	0.02	1.3	0.1	1.29			
2003789	Drill Core	1.8	0.3	0.3	3	0.15	0.049	10	4	0.10	44	0.001	<1	0.42	0.031	0.21	0.1	<0.01	1.1	<0.1	1.61			
2003790	Drill Core	3.2	0.2	<0.1	3	0.12	0.048	8	9	0.08	36	0.002	<1	0.36	0.050	0.20	0.1	<0.01	1.2	<0.1	1.98			
2003791	Drill Core	1.7	2.9	<0.1	2	0.13	0.084	19	4	0.09	647	0.001	<1	0.48	0.023	0.21	0.7	0.01	1.2	<0.1	0.20			
2003792	Drill Core	5.1	0.4	0.5	2	0.23	0.032	9	7	0.19	67	0.001	<1	0.39	0.009	0.23	<0.1	<0.01	1.0	<0.1	1.22			
2003793	Drill Core	0.2	0.4	0.2	4	0.08	0.039	10	8	0.06	33	0.002	1	0.36	0.030	0.25	<0.1	<0.01	1.0	<0.1	2.17			
2003794	Drill Core	0.1	0.8	0.9	<2	0.04	0.014	13	6	0.05	306	<0.001	<1	0.28	0.007	0.20	<0.1	0.03	0.5	<0.1	0.38			
2003795	Drill Core	0.2	0.6	0.2	<2	0.03	0.005	23	1	0.06	212	<0.001	1	0.34	0.003	0.23	0.5	0.01	0.4	<0.1	0.05			
2003796	Drill Core	0.1	0.4	0.2	<2	0.02	0.003	23	3	0.04	300	<0.001	2	0.27	0.024	0.17	0.2	0.01	0.3	<0.1	<0.05			
2003797	Drill Core	<0.1	0.4	0.1	<2	0.01	0.002	25	1	0.05	845	<0.001	1	0.29	0.019	0.23	<0.1	0.01	0.4	<0.1	<0.05			
2003798	Drill Core	<0.1	0.3	<0.1	<2	0.01	0.002	29	1	0.09	941	<0.001	<1	0.31	0.010	0.24	0.3	<0.01	0.4	<0.1	<0.05			
2003799	Drill Core	<0.1	0.3	0.1	<2	0.01	0.002	26	5	0.10	582	<0.001	<1	0.33	0.004	0.26	0.3	0.01	0.4	<0.1	<0.05			
2003800	Rock Pulp	0.2	5.0	0.5	96	1.03	0.051	5	30	0.63	92	0.107	3	1.88	0.190	0.16	1.6	0.32	4.6	<0.1	<0.05			
2003801	Drill Core	0.7	0.4	0.2	<2	0.06	0.001	31	1	0.11	624	<0.001	2	0.31	0.008	0.25	0.2	<0.01	0.5	<0.1	<0.05			
2003802	Drill Core	0.6	0.8	0.2	<2	0.21	0.002	33	4	0.12	291	<0.001	2	0.28	0.007	0.24	0.2	<0.01	0.5	<0.1	0.06			
2003803	Drill Core	1.8	0.2	0.2	<2	0.24	0.002	38	<1	0.08	553	<0.001	1	0.29	0.014	0.25	0.2	<0.01	0.5	<0.1	0.06			
2003917	Drill Core	<0.1	0.5	0.2	3	0.02	0.033	15	7	0.40	440	0.004	<1	0.55	0.017	0.23	0.2	0.02	0.8	<0.1	<0.05			
2003918	Drill Core	<0.1	0.4	0.1	4	0.02	0.031	14	5	0.42	182	0.004	<1	0.62	0.023	0.23	0.1	<0.01	1.0	<0.1	<0.05			
2003919	Drill Core	<0.1	0.4	<0.1	3	0.02	0.033	15	8	0.42	165	0.004	1	0.62	0.024	0.23	0.1	<0.01	0.8	<0.1	<0.05			
2003920	Drill Core	<0.1	0.7	<0.1	4	0.01	0.031	20	5	0.29	359	0.004	<1	0.57	0.025	0.24	<0.1	0.02	0.9	<0.1	<0.05			
2003921	Drill Core	<0.1	0.8	0.2	4	0.01	0.034	18	11	0.32	284	0.003	<1	0.66	0.018	0.21	<0.1	0.02	1.1	<0.1	<0.05			
2003922	Drill Core	<0.1	2.2	0.2	5	0.01	0.046	18	8	0.43	234	0.003	<1	0.72	0.016	0.20	<0.1	0.04	1.2	<0.1	0.05			
2003923	Drill Core	<0.1	0.5	0.2	5	<0.01	0.032	17	12	0.24	265	0.004	<1	0.48	0.035	0.25	<0.1	0.02	1.1	<0.1	0.15			
2003924	Drill Core	<0.1	0.8	<0.1	<2	<0.01	0.004	3	3	0.03	124	<0.001	<1	0.09	0.015	0.03	<0.1	0.02	0.3	<0.1	<0.05			
2003925	Rock Pulp	<0.1	<0.1	<0.1	91	0.70	0.055	6	12	0.69	106	0.098	1	1.32	0.128	0.19	1.8	<0.01	1.9	<0.1	<0.05			
2003926	Drill Core	0.1	0.3	<0.1	6	0.06	0.048	12	18	0.69	138	0.003	<1	0.82	0.026	0.22	<0.1	0.03	1.2	<0.1	0.47			
2003927	Drill Core	<0.1	0.3	<0.1	10	0.05	0.049	10	62	1.05	147	0.002	<1	1.08	0.024	0.19	<0.1	0.02	1.6	<0.1	0.27			
2003928	Drill Core	<0.1	1.0	0.3	6	0.01	0.043	17	25	0.27	225	0.001	<1	0.54	0.016	0.24	0.1	0.05	1.1	<0.1	0.17			
2003929	Drill Core	7.9	1.0	0.1	7	0.94	0.041	11	6	0.88	95	0.001	<1	0.62	0.017	0.26	0.1	0.06	1.3	<0.1	1.44			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 2 of 3 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
MDL					
2003787	Drill Core		1	<0.5	<0.2
2003788	Drill Core		1	<0.5	0.2
2003789	Drill Core		<1	<0.5	<0.2
2003790	Drill Core		1	0.6	0.2
2003791	Drill Core		1	<0.5	0.2
2003792	Drill Core		<1	<0.5	0.2
2003793	Drill Core		<1	<0.5	<0.2
2003794	Drill Core		<1	<0.5	0.4
2003795	Drill Core		<1	<0.5	<0.2
2003796	Drill Core		<1	<0.5	<0.2
2003797	Drill Core		<1	<0.5	<0.2
2003798	Drill Core		<1	<0.5	<0.2
2003799	Drill Core		<1	<0.5	<0.2
2003800	Rock Pulp		5	<0.5	0.2
2003801	Drill Core		<1	<0.5	<0.2
2003802	Drill Core		<1	<0.5	<0.2
2003803	Drill Core		<1	<0.5	<0.2
2003917	Drill Core		2	<0.5	<0.2
2003918	Drill Core		2	<0.5	<0.2
2003919	Drill Core		2	<0.5	<0.2
2003920	Drill Core		2	<0.5	<0.2
2003921	Drill Core		2	<0.5	<0.2
2003922	Drill Core		2	<0.5	<0.2
2003923	Drill Core		2	0.6	0.6
2003924	Drill Core		<1	<0.5	0.9
2003925	Rock Pulp		4	<0.5	<0.2
2003926	Drill Core		3	<0.5	<0.2
2003927	Drill Core		4	<0.5	<0.2
2003928	Drill Core		2	<0.5	<0.2
2003929	Drill Core		2	<0.5	0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2003930	Drill Core	0.54	427	4.184	7.51	69.65	21.71	0.4	21.3	187.6	36	2.4	2.2	1.0	74	1.30	1.1	0.4	8273.0	2.0	27
2003931	Drill Core	3.98	481	2.008	2.57	16.01	19.43	0.6	63.9	23.7	122	1.7	17.6	11.6	748	2.31	0.9	1.2	2291.6	6.7	35
2003932	Drill Core	3.47	460	1.248	2.74	25.37	28.38	3.1	33.9	42.5	93	0.8	14.5	8.6	544	2.27	4.6	1.2	1061.0	8.2	34
2003933	Drill Core	1.42	431	0.010	<0.01	<0.17	25.77	0.4	30.9	4.0	32	0.3	15.8	9.8	99	2.69	2.7	1.2	6.3	6.7	11
2003934	Drill Core	0.54	435	0.008	<0.01	<0.17	28.08	0.4	25.7	0.8	33	0.8	3.1	1.6	309	0.74	2.7	0.2	6.7	0.5	7
2003935	Drill Core	1.66	428	0.010	<0.01	<0.17	21.52	0.5	28.8	2.1	7	0.3	5.7	3.6	54	1.61	1.1	0.9	5.7	6.8	19
2003936	Drill Core	2.95	378	0.257	0.25	0.17	23.15	0.5	62.9	6.2	52	0.6	15.6	8.7	295	4.18	3.7	1.7	449.1	7.8	13
2003937	Drill Core	0.50	389	0.452	0.76	4.73	27.68	0.4	68.5	2152.3	32	8.1	2.2	1.0	108	1.71	2.6	0.3	495.6	2.5	11
2003938	Drill Core	4.12	491	0.021	0.02	<0.17	21.92	2.1	32.6	37.1	78	0.5	17.6	9.3	588	2.82	3.0	1.1	30.3	7.5	18
2003939	Drill Core	2.31	436	0.027	0.03	<0.17	21.38	0.9	118.5	67.3	121	1.5	18.9	11.8	995	2.93	1.5	1.1	28.0	7.5	24
2003940	Drill Core	4.79	380	0.017	0.02	<0.17	20.30	2.5	50.1	64.2	57	0.9	10.0	4.5	207	2.01	1.5	1.2	13.7	7.4	11
2003941	Drill Core	3.04	400	<0.005	<0.01	<0.17	22.63	0.6	18.7	5.6	44	0.4	5.9	2.3	191	1.93	1.9	1.4	2.2	7.7	10
2003942	Drill Core	5.95	448	0.087	0.08	<0.17	25.00	3.4	25.6	68.7	62	0.6	10.6	5.2	180	1.87	1.8	1.6	10.5	7.4	14
2003943	Drill Core	1.22	468	0.008	<0.01	<0.17	26.26	0.3	34.3	17.5	100	0.3	14.9	6.9	725	1.94	2.2	2.2	5.0	7.6	26
2003944	Drill Core	4.91	425	0.014	0.01	<0.17	23.56	0.7	42.9	23.7	119	0.4	12.4	4.9	382	2.59	6.1	1.7	21.4	8.3	23
2003945	Drill Core	5.45	463	0.011	0.01	<0.17	32.83	1.6	30.5	19.4	77	0.6	11.7	5.7	658	2.10	6.6	1.9	7.5	7.3	80
2003946	Drill Core	3.62	403	0.012	0.01	<0.17	31.24	2.3	25.2	19.0	43	0.5	12.4	6.8	792	2.22	5.0	1.5	9.3	8.3	73
2003947	Drill Core	1.80	458	0.013	0.01	<0.17	28.99	1.6	24.6	8.0	80	0.5	16.1	8.0	649	2.38	6.6	0.9	8.0	9.1	19
2003948	Drill Core	4.19	361	0.032	0.03	<0.17	27.66	2.5	29.7	11.3	63	0.7	14.1	8.0	672	2.48	6.0	1.5	72.5	9.4	39
2003949	Drill Core	0.82	412	0.339	0.65	4.41	31.28	1.1	44.6	41.2	91	0.8	10.9	4.5	4120	2.17	6.8	1.2	366.5	4.5	235
2003950	Rock Pulp	0.12		7.030				13.7	77.4	25.6	62	0.8	20.6	10.3	476	4.45	13.6	0.4	7526.4	1.5	61



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2003930	Drill Core	<0.1	0.6	0.2	2	<0.01	0.015	5	12	0.05	1036	<0.001	<1	0.18	0.010	0.10	<0.1	0.01	0.8	<0.1	0.07
2003931	Drill Core	1.6	0.5	<0.1	7	0.66	0.046	11	8	0.88	94	0.002	<1	0.76	0.016	0.24	<0.1	0.02	1.4	<0.1	1.34
2003932	Drill Core	0.5	0.3	<0.1	6	0.56	0.065	8	12	0.83	91	0.002	<1	0.66	0.015	0.20	<0.1	0.01	1.2	<0.1	1.55
2003933	Drill Core	0.8	0.3	<0.1	6	0.12	0.056	8	5	0.18	38	0.003	<1	0.63	0.010	0.34	0.1	<0.01	1.3	<0.1	2.39
2003934	Drill Core	0.2	3.1	<0.1	<2	0.06	0.007	1	10	0.16	126	<0.001	<1	0.17	0.003	0.04	<0.1	0.06	0.3	<0.1	0.08
2003935	Drill Core	0.4	0.3	<0.1	4	0.06	0.055	14	5	0.06	108	0.002	<1	0.38	0.021	0.30	0.1	0.02	0.7	<0.1	1.00
2003936	Drill Core	0.5	0.2	<0.1	9	0.14	0.066	11	11	0.41	27	0.004	<1	0.79	0.008	0.36	0.2	0.01	1.5	<0.1	3.73
2003937	Drill Core	0.3	7.2	1.4	4	<0.01	0.024	4	6	0.13	171	0.001	<1	0.20	0.006	0.11	<0.1	0.14	0.4	<0.1	0.37
2003938	Drill Core	0.4	0.3	<0.1	9	0.34	0.062	9	12	1.02	36	0.003	<1	0.91	0.022	0.22	<0.1	0.01	1.4	<0.1	2.33
2003939	Drill Core	0.9	0.8	<0.1	9	0.45	0.061	10	10	0.78	39	0.003	<1	0.88	0.046	0.24	0.1	0.02	1.8	<0.1	2.18
2003940	Drill Core	0.2	0.7	0.1	7	0.11	0.057	13	15	0.68	138	0.003	<1	0.81	0.032	0.21	<0.1	0.02	1.1	<0.1	0.93
2003941	Drill Core	0.3	1.0	<0.1	5	0.07	0.063	13	10	0.54	147	0.003	1	0.68	0.024	0.22	<0.1	<0.01	0.9	<0.1	0.38
2003942	Drill Core	0.3	0.8	<0.1	6	0.12	0.062	10	13	0.83	139	0.018	<1	0.80	0.028	0.18	0.2	<0.01	1.2	<0.1	0.90
2003943	Drill Core	1.2	0.7	<0.1	5	0.34	0.063	14	7	0.64	134	0.037	<1	0.76	0.030	0.21	0.5	<0.01	1.3	<0.1	0.90
2003944	Drill Core	0.3	0.6	0.1	9	0.20	0.068	12	15	0.89	130	0.020	<1	1.09	0.021	0.20	0.3	0.02	1.9	<0.1	0.70
2003945	Drill Core	0.8	0.6	<0.1	7	1.31	0.046	8	11	0.98	137	0.013	1	1.01	0.013	0.19	0.2	0.01	1.6	<0.1	1.02
2003946	Drill Core	0.2	0.5	<0.1	7	2.09	0.051	7	8	1.02	103	0.024	<1	1.01	0.025	0.19	0.2	<0.01	1.7	<0.1	1.36
2003947	Drill Core	0.7	0.5	<0.1	8	0.48	0.056	11	12	1.04	112	0.024	1	1.12	0.023	0.21	0.3	<0.01	1.9	<0.1	1.06
2003948	Drill Core	0.4	0.7	<0.1	10	1.13	0.055	8	11	0.95	99	0.029	1	1.13	0.037	0.22	0.3	<0.01	1.9	<0.1	1.42
2003949	Drill Core	0.5	0.8	<0.1	12	13.33	0.031	8	14	2.06	39	0.031	<1	1.45	0.004	0.06	0.6	0.02	9.5	<0.1	0.48
2003950	Rock Pulp	0.2	7.7	0.7	100	1.03	0.058	6	31	0.61	99	0.129	<1	1.76	0.149	0.14	2.2	0.33	4.6	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000397.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2003930	Drill Core	<1	<0.5	0.7
2003931	Drill Core	2	<0.5	0.2
2003932	Drill Core	2	<0.5	<0.2
2003933	Drill Core	1	<0.5	<0.2
2003934	Drill Core	<1	<0.5	<0.2
2003935	Drill Core	1	<0.5	<0.2
2003936	Drill Core	2	<0.5	<0.2
2003937	Drill Core	1	3.7	2.4
2003938	Drill Core	2	<0.5	<0.2
2003939	Drill Core	2	<0.5	<0.2
2003940	Drill Core	2	<0.5	<0.2
2003941	Drill Core	2	<0.5	<0.2
2003942	Drill Core	2	<0.5	<0.2
2003943	Drill Core	2	<0.5	<0.2
2003944	Drill Core	3	<0.5	<0.2
2003945	Drill Core	2	<0.5	<0.2
2003946	Drill Core	2	<0.5	<0.2
2003947	Drill Core	3	<0.5	<0.2
2003948	Drill Core	3	<0.5	<0.2
2003949	Drill Core	4	<0.5	<0.2
2003950	Rock Pulp	5	<0.5	0.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 22, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000397.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2003787	Drill Core	4.03	386	0.030	0.03	<0.17	23.33	9.1	43.7	110.2	61	4.1	9.3	6.5	153	2.05	3.7	2.5	21.4	9.2	34
REP 2003787	QC							8.3	41.8	102.3	60	4.0	8.8	6.4	150	2.00	3.3	2.4	20.7	8.6	31
2003789	Drill Core	0.64	395	0.106	0.11	<0.17	26.52	0.4	17.7	15.1	153	0.5	9.8	6.8	55	2.11	15.0	3.0	348.2	7.4	8
REP 2003789	QC			0.101																	
2003934	Drill Core	0.54	435	0.008	<0.01	<0.17	28.08	0.4	25.7	0.8	33	0.8	3.1	1.6	309	0.74	2.7	0.2	6.7	0.5	7
REP 2003934	QC							0.3	25.1	0.8	33	0.8	3.0	1.6	309	0.74	2.7	0.2	9.1	0.5	7
2003947	Drill Core	1.80	458	0.013	0.01	<0.17	28.99	1.6	24.6	8.0	80	0.5	16.1	8.0	649	2.38	6.6	0.9	8.0	9.1	19
REP 2003947	QC			0.011																	
2003950	Rock Pulp	0.12		7.030				13.7	77.4	25.6	62	0.8	20.6	10.3	476	4.45	13.6	0.4	7526.4	1.5	61
REP 2003950	QC							14.7	74.9	25.7	64	0.8	20.2	10.7	478	4.46	13.0	0.4	7505.7	1.4	58
Core Reject Duplicates																					
2003797	Drill Core	2.07	403	0.013	0.01	<0.17	26.60	1.0	6.0	86.0	37	0.3	0.5	0.3	42	0.51	2.6	1.9	6.4	14.6	7
DUP 2003797	QC		382	0.015	0.01	<0.17	29.99	1.0	6.3	87.2	39	0.3	0.5	0.3	42	0.50	2.5	2.0	7.6	13.9	7
2003944	Drill Core	4.91	425	0.014	0.01	<0.17	23.56	0.7	42.9	23.7	119	0.4	12.4	4.9	382	2.59	6.1	1.7	21.4	8.3	23
DUP 2003944	QC		411	0.034	0.03	<0.17	27.24	0.6	44.1	25.5	123	0.4	12.7	5.0	371	2.58	6.5	1.7	8.1	8.8	23
Reference Materials																					
STD DS10	Standard							14.8	156.8	154.5	359	2.0	73.7	13.2	892	2.77	45.4	3.0	205.3	8.3	71
STD DS10	Standard							14.7	154.5	141.2	358	1.9	73.0	12.1	898	2.79	47.8	2.4	111.5	7.4	68
STD DS10	Standard							15.8	164.9	163.5	394	1.9	78.3	13.6	908	2.96	47.7	3.2	75.5	8.3	71
STD OXC129	Standard							1.2	27.7	7.0	43	<0.1	80.0	21.7	417	2.99	<0.5	0.8	204.8	2.0	183
STD OXC129	Standard							1.2	27.6	6.1	40	<0.1	77.8	19.5	426	3.03	0.5	0.6	194.9	1.8	188
STD OXC129	Standard							1.3	28.0	6.4	40	<0.1	80.4	20.8	420	3.15	0.7	0.7	197.3	1.9	176
STD OXC145	Standard			0.209																	
STD OXC145	Standard			0.211																	
STD OXH122	Standard			1.214																	
STD OXH122	Standard			1.239																	
STD OXN117	Standard			7.842																	
STD OXN117	Standard			7.640																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 22, 2016

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000397.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2003787	Drill Core	1.9	8.5	0.2	4	0.49	0.044	8	6	0.11	39	0.004	2	0.58	0.037	0.38	0.2	0.06	0.9	<0.1	2.06
REP 2003787	QC	1.7	7.9	0.2	4	0.49	0.043	7	6	0.10	36	0.003	1	0.56	0.037	0.37	0.1	0.05	0.9	<0.1	2.02
2003789	Drill Core	1.8	0.3	0.3	3	0.15	0.049	10	4	0.10	44	0.001	<1	0.42	0.031	0.21	0.1	<0.01	1.1	<0.1	1.61
REP 2003789	QC																				
2003934	Drill Core	0.2	3.1	<0.1	<2	0.06	0.007	1	10	0.16	126	<0.001	<1	0.17	0.003	0.04	<0.1	0.06	0.3	<0.1	0.08
REP 2003934	QC	0.2	3.1	<0.1	<2	0.07	0.007	1	10	0.17	124	<0.001	<1	0.17	0.003	0.04	<0.1	0.07	0.2	<0.1	0.08
2003947	Drill Core	0.7	0.5	<0.1	8	0.48	0.056	11	12	1.04	112	0.024	1	1.12	0.023	0.21	0.3	<0.01	1.9	<0.1	1.06
REP 2003947	QC																				
2003950	Rock Pulp	0.2	7.7	0.7	100	1.03	0.058	6	31	0.61	99	0.129	<1	1.76	0.149	0.14	2.2	0.33	4.6	<0.1	<0.05
REP 2003950	QC	0.2	7.4	0.6	99	1.02	0.059	6	29	0.61	97	0.127	<1	1.77	0.152	0.14	2.4	0.31	4.7	<0.1	<0.05
Core Reject Duplicates																					
2003797	Drill Core	<0.1	0.4	0.1	<2	0.01	0.002	25	1	0.05	845	<0.001	1	0.29	0.019	0.23	<0.1	0.01	0.4	<0.1	<0.05
DUP 2003797	QC	<0.1	0.4	0.1	<2	0.01	0.003	26	4	0.05	793	<0.001	1	0.29	0.020	0.23	0.1	<0.01	0.4	<0.1	<0.05
2003944	Drill Core	0.3	0.6	0.1	9	0.20	0.068	12	15	0.89	130	0.020	<1	1.09	0.021	0.20	0.3	0.02	1.9	<0.1	0.70
DUP 2003944	QC	0.4	0.6	<0.1	9	0.20	0.066	13	13	0.89	140	0.020	1	1.11	0.022	0.21	0.3	0.02	2.0	<0.1	0.71
Reference Materials																					
STD DS10	Standard	2.8	10.2	13.5	45	1.07	0.079	19	54	0.77	376	0.083	7	1.04	0.069	0.33	3.3	0.31	3.1	5.4	0.28
STD DS10	Standard	2.9	9.3	13.2	45	1.08	0.076	18	54	0.78	377	0.082	7	1.05	0.072	0.34	3.3	0.30	2.7	4.6	0.28
STD DS10	Standard	2.7	9.3	12.8	47	1.12	0.075	17	62	0.83	374	0.090	7	1.09	0.074	0.35	3.5	0.30	3.1	5.9	0.29
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.62	0.108	14	51	1.50	53	0.405	<1	1.51	0.571	0.37	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.66	0.104	13	51	1.54	51	0.394	1	1.57	0.587	0.37	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.096	13	54	1.55	52	0.408	1	1.58	0.611	0.38	<0.1	<0.01	0.6	<0.1	<0.05
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 22, 2016

Page:

1 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000397.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2003787	Drill Core	1	<0.5	<0.2
REP 2003787	QC	1	<0.5	<0.2
2003789	Drill Core	<1	<0.5	<0.2
REP 2003789	QC			
2003934	Drill Core	<1	<0.5	<0.2
REP 2003934	QC	<1	<0.5	<0.2
2003947	Drill Core	3	<0.5	<0.2
REP 2003947	QC			
2003950	Rock Pulp	5	<0.5	0.3
REP 2003950	QC	5	<0.5	0.2
Core Reject Duplicates				
2003797	Drill Core	<1	<0.5	<0.2
DUP 2003797	QC	<1	<0.5	<0.2
2003944	Drill Core	3	<0.5	<0.2
DUP 2003944	QC	3	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.3	5.0
STD DS10	Standard	5	2.1	5.1
STD DS10	Standard	5	1.9	5.7
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC145	Standard			
STD OXC145	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXN117	Standard			
STD OXN117	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000397.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91	Standard					14.94	30.18														
STD OXP91	Standard					15.03	29.80														
STD OXP91	Standard					15.11	29.45														
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
STD OXP91 Expected						14.82															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		418	<0.005	<0.01	<0.17	27.35	0.8	3.1	1.4	33	<0.1	0.7	3.6	430	1.79	0.7	0.4	<0.5	2.0	26
ROCK-WHI	Prep Blank		416	<0.005	<0.01	<0.17	25.50	0.8	2.5	1.4	32	<0.1	0.7	3.6	437	1.81	0.9	0.4	<0.5	2.4	26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000397.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
STD OXP91 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.63	0.041	5	2	0.41	67	0.089	<1	0.99	0.141	0.12	0.1	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.63	0.040	5	4	0.41	69	0.090	<1	1.01	0.147	0.13	<0.1	<0.01	2.8	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 22, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000397.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
STD OXP91 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2