



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: October 31, 2016
Report Date: November 24, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-67
P.O. Number
Number of Samples: 47

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	45	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	47	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	47	Analysis sample split/packet			VAN
Split -150	47	Analysis sample split/packet			VAN
FS631	45	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	47	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	47	Per sample shipping charges for branch shipments			VAN
SLBHP	2	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 2 of 3 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004090	Drill Core	4.63	446	0.792	0.76	0.19	20.90	0.5	22.2	19.6	53	2.5	14.1	7.0	480	1.87	176.3	3.4	761.5	10.1	134
2004091	Drill Core	0.63	523	0.242	0.24	<0.17	28.19	0.2	15.0	392.2	33	3.2	4.6	3.4	207	1.19	23.2	2.1	158.4	8.5	36
2004092	Drill Core	1.51	417	0.147	0.14	<0.17	21.57	0.2	11.6	6.8	36	0.6	15.4	6.1	377	1.51	48.3	2.9	160.1	12.3	133
2004093	Drill Core	2.42	424	0.466	0.61	3.15	22.20	0.3	12.7	7.9	33	0.7	6.4	4.2	421	1.48	31.7	2.7	458.2	11.2	90
2004094	Drill Core	3.34	453	0.137	0.13	<0.17	24.30	0.2	16.5	7.0	19	0.3	1.1	2.5	453	1.29	38.9	1.4	116.6	11.0	67
2004095	Drill Core	1.81	390	0.209	0.21	0.32	21.86	0.2	15.4	2.6	23	0.3	1.3	2.9	395	1.26	15.7	2.0	240.3	12.0	62
2004096	Drill Core	0.86	364	2.270	2.52	5.97	24.12	0.3	20.5	8.0	45	3.2	3.6	5.0	335	1.79	4.9	5.0	1600.1	9.5	60
2004097	Drill Core	0.78	395	1.356	1.41	2.10	27.08	0.2	24.0	19.7	24	1.5	2.8	4.2	389	1.68	4.4	4.6	1300.5	13.0	70
2004098	Drill Core	5.32	433	0.085	0.09	<0.17	25.41	0.4	10.5	24.3	16	0.6	2.0	3.1	413	1.23	22.2	1.9	71.5	11.6	76
2004099	Drill Core	1.67	387	0.540	0.54	0.51	23.53	2.8	26.6	240.2	66	5.1	4.2	4.0	420	2.13	30.5	3.2	494.8	10.5	122
2004100	Rock Pulp	0.12		7.321				14.1	70.8	22.6	58	0.8	19.6	8.9	444	4.15	11.7	0.4	7545.2	1.2	56
2004101	Drill Core	2.92	436	0.269	0.29	0.74	23.02	0.3	13.5	5.7	18	0.3	1.8	3.1	543	1.46	23.5	3.7	222.0	13.4	90
2004102	Drill Core	2.71	455	0.159	0.16	<0.17	24.99	0.3	3.4	4.4	37	0.3	2.4	3.7	377	1.41	57.5	1.5	117.2	11.9	73
2004103	Drill Core	3.19	514	0.125	0.12	<0.17	20.33	0.2	6.6	18.6	55	0.4	4.9	4.8	487	2.14	73.8	1.5	127.8	13.3	171
2004104	Drill Core	1.78	352	0.084	0.08	<0.17	19.55	0.2	3.5	10.0	59	0.5	3.3	4.1	377	2.18	28.0	1.1	88.3	10.0	135
2004105	Drill Core	1.43	383	0.242	0.24	<0.17	24.61	0.3	5.7	8.4	33	0.2	2.3	3.7	305	1.67	26.0	3.0	299.2	12.6	78
2004106	Drill Core	1.30	445	0.295	0.29	0.27	21.90	0.2	6.6	7.2	40	0.3	2.4	5.1	518	1.88	53.6	2.5	405.7	14.0	144
2004107	Drill Core	4.88	526	0.183	0.18	0.21	19.32	0.2	7.0	7.4	63	0.3	5.1	4.0	407	2.10	85.4	1.9	156.5	14.7	134
2004108	Drill Core	3.76	339	0.077	0.07	<0.17	21.57	0.4	9.9	12.9	46	0.3	6.5	4.9	474	1.59	57.7	3.7	80.0	11.1	125
2004109	Drill Core	5.24	409	0.009	<0.01	<0.17	22.27	0.2	2.8	24.2	11	0.2	1.0	0.5	111	0.60	3.1	1.9	12.3	14.3	29
2004110	Drill Core	0.64	443	0.107	0.26	3.11	23.17	0.2	23.0	6.5	18	0.3	3.0	1.1	99	0.70	3.3	1.1	93.9	8.2	18
2004111	Drill Core	2.66	443	0.006	<0.01	<0.17	27.53	0.2	7.7	7.7	32	<0.1	5.3	2.4	167	0.83	4.9	4.2	4.2	15.7	63
2004112	Drill Core	3.10	482	0.010	<0.01	<0.17	21.45	<0.1	23.6	13.0	39	0.2	3.0	3.6	228	1.06	9.6	3.4	7.4	14.3	82
2004113	Drill Core	0.61	475	0.045	0.04	<0.17	25.25	0.9	11.3	11.7	40	3.0	4.2	3.0	195	1.13	7.3	1.2	38.2	8.4	14
2004114	Drill Core	2.21	423	0.050	0.05	<0.17	25.66	1.8	15.9	22.0	74	1.3	4.7	4.3	221	1.42	5.5	2.5	75.6	8.5	13
2004115	Drill Core	0.91	354	0.105	0.10	<0.17	22.43	1.1	14.5	4.8	54	0.3	2.8	2.8	135	1.34	5.6	3.1	78.2	9.3	8
2004116	Drill Core	2.33	449	0.536	0.53	0.43	21.07	0.9	49.1	8.1	147	0.9	6.5	6.1	258	1.51	3.5	4.0	533.4	10.3	25
2004117	Drill Core	1.51	439	0.044	0.04	<0.17	22.89	0.5	60.6	15.9	155	0.4	7.7	7.4	806	1.36	2.5	2.3	32.3	9.4	64
2004171	Drill Core	3.83	368	0.602	0.59	0.28	17.56	0.4	21.1	5.9	105	0.7	8.4	6.2	417	1.48	2.7	2.3	921.9	8.8	37
2004118	Drill Core	1.51	441	0.760	0.89	3.14	24.83	0.6	90.6	15.9	107	3.3	13.4	9.7	345	1.47	3.9	6.3	719.6	9.1	17



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004090	Drill Core	0.2	1.7	<0.1	7	1.51	0.040	14	19	0.88	143	0.002	2	0.89	0.010	0.27	<0.1	0.01	2.0	0.1	0.82			
2004091	Drill Core	0.2	0.7	1.9	3	0.35	0.052	15	4	0.31	152	0.002	<1	0.41	0.063	0.15	<0.1	<0.01	0.9	<0.1	0.49			
2004092	Drill Core	<0.1	0.5	<0.1	10	1.18	0.047	21	30	0.79	220	0.002	2	0.91	0.028	0.29	0.1	<0.01	2.1	<0.1	0.31			
2004093	Drill Core	0.1	0.4	0.1	6	0.98	0.039	20	9	0.57	177	0.002	<1	0.77	0.023	0.29	0.1	<0.01	1.5	<0.1	0.53			
2004094	Drill Core	<0.1	0.3	<0.1	3	1.07	0.038	20	5	0.38	168	0.002	2	0.54	0.032	0.24	<0.1	<0.01	1.2	<0.1	0.54			
2004095	Drill Core	0.1	0.3	<0.1	3	0.91	0.042	21	2	0.33	190	0.002	<1	0.58	0.023	0.30	0.1	<0.01	1.2	<0.1	0.40			
2004096	Drill Core	0.3	0.2	<0.1	3	0.86	0.057	14	7	0.46	110	0.002	<1	0.50	0.040	0.18	0.1	<0.01	1.8	<0.1	1.02			
2004097	Drill Core	0.3	0.2	<0.1	3	1.16	0.044	18	3	0.44	117	0.002	1	0.52	0.035	0.20	0.1	<0.01	1.4	<0.1	0.94			
2004098	Drill Core	0.2	0.4	0.5	3	1.25	0.037	21	6	0.34	255	0.002	1	0.53	0.020	0.28	0.1	<0.01	1.1	<0.1	0.41			
2004099	Drill Core	0.5	0.7	0.3	3	1.61	0.049	15	3	0.30	76	0.001	2	0.48	0.023	0.23	0.2	<0.01	1.3	<0.1	1.24			
2004100	Rock Pulp	0.2	6.2	0.5	92	1.02	0.051	5	27	0.60	84	0.095	4	1.73	0.158	0.14	1.5	0.30	4.5	<0.1	<0.05			
2004101	Drill Core	<0.1	0.2	<0.1	3	1.34	0.068	24	6	0.49	165	0.002	1	0.63	0.020	0.28	0.1	<0.01	1.4	<0.1	0.68			
2004102	Drill Core	0.1	0.4	<0.1	3	1.02	0.052	22	3	0.38	193	0.001	2	0.50	0.015	0.24	0.1	<0.01	1.1	<0.1	0.73			
2004103	Drill Core	0.3	0.9	<0.1	11	2.01	0.051	22	12	1.05	84	0.002	<1	0.95	0.031	0.14	0.1	<0.01	3.9	<0.1	0.85			
2004104	Drill Core	0.4	0.8	<0.1	15	1.61	0.087	20	11	0.84	31	0.004	<1	0.81	0.072	0.03	0.6	0.01	4.5	<0.1	0.60			
2004105	Drill Core	0.2	0.5	<0.1	6	1.09	0.049	24	8	0.55	110	0.002	1	0.71	0.032	0.22	0.1	<0.01	2.2	<0.1	0.55			
2004106	Drill Core	0.2	0.6	<0.1	7	1.92	0.052	23	5	0.77	142	0.002	1	0.83	0.025	0.21	0.2	0.01	3.0	<0.1	0.71			
2004107	Drill Core	0.4	1.8	<0.1	15	1.55	0.065	23	18	0.85	81	0.003	<1	0.80	0.095	0.02	<0.1	0.01	5.3	<0.1	1.00			
2004108	Drill Core	0.2	0.8	<0.1	7	1.47	0.040	21	7	0.83	88	0.001	1	0.90	0.010	0.23	0.3	<0.01	2.4	<0.1	0.44			
2004109	Drill Core	<0.1	0.2	0.2	<2	0.29	0.003	21	6	0.17	293	<0.001	<1	0.34	0.007	0.26	<0.1	<0.01	0.6	<0.1	0.09			
2004110	Drill Core	0.1	0.7	<0.1	<2	0.21	0.002	13	3	0.30	128	<0.001	<1	0.33	0.026	0.13	<0.1	<0.01	0.9	<0.1	0.09			
2004111	Drill Core	0.1	0.2	<0.1	<2	0.60	0.005	18	7	0.72	118	0.001	<1	0.62	0.017	0.22	<0.1	<0.01	1.1	<0.1	0.09			
2004112	Drill Core	0.2	0.3	<0.1	<2	0.79	0.034	20	2	0.84	168	0.001	1	0.70	0.008	0.24	<0.1	<0.01	0.9	<0.1	0.29			
2004113	Drill Core	0.3	0.2	<0.1	5	0.12	0.023	21	8	0.30	305	0.005	1	0.60	0.016	0.19	5.4	0.01	1.2	<0.1	<0.05			
2004114	Drill Core	0.3	0.4	0.1	4	0.10	0.033	16	7	0.63	251	0.002	<1	0.62	0.009	0.18	3.4	<0.01	1.0	<0.1	0.11			
2004115	Drill Core	0.2	0.1	<0.1	3	0.08	0.032	14	7	0.58	136	0.002	<1	0.60	0.014	0.19	0.7	<0.01	0.7	<0.1	0.16			
2004116	Drill Core	0.5	0.4	<0.1	3	0.11	0.032	20	5	0.85	633	0.002	1	0.87	0.014	0.21	1.2	<0.01	1.2	<0.1	<0.05			
2004117	Drill Core	1.5	0.5	0.1	3	0.12	0.035	17	10	0.78	1666	0.002	<1	0.73	0.021	0.18	0.3	<0.01	2.8	<0.1	0.06			
2004171	Drill Core	1.0	0.4	<0.1	4	0.28	0.034	10	7	0.81	183	0.002	<1	0.73	0.008	0.27	0.3	<0.01	0.8	<0.1	0.58			
2004118	Drill Core	1.2	0.4	<0.1	4	0.10	0.023	12	4	0.51	246	0.002	<1	0.69	0.017	0.22	2.0	<0.01	1.3	<0.1	0.43			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 2 of 3 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004090	Drill Core	3	<0.5	1.0
2004091	Drill Core	1	<0.5	1.0
2004092	Drill Core	3	<0.5	<0.2
2004093	Drill Core	2	<0.5	<0.2
2004094	Drill Core	2	<0.5	<0.2
2004095	Drill Core	2	<0.5	<0.2
2004096	Drill Core	2	<0.5	1.6
2004097	Drill Core	2	<0.5	0.7
2004098	Drill Core	2	<0.5	<0.2
2004099	Drill Core	2	0.6	2.4
2004100	Rock Pulp	5	<0.5	0.2
2004101	Drill Core	2	<0.5	<0.2
2004102	Drill Core	2	<0.5	<0.2
2004103	Drill Core	3	<0.5	<0.2
2004104	Drill Core	3	<0.5	<0.2
2004105	Drill Core	3	<0.5	<0.2
2004106	Drill Core	3	<0.5	<0.2
2004107	Drill Core	3	<0.5	<0.2
2004108	Drill Core	2	<0.5	<0.2
2004109	Drill Core	<1	<0.5	<0.2
2004110	Drill Core	<1	<0.5	<0.2
2004111	Drill Core	1	<0.5	<0.2
2004112	Drill Core	2	<0.5	<0.2
2004113	Drill Core	2	<0.5	<0.2
2004114	Drill Core	2	<0.5	<0.2
2004115	Drill Core	2	<0.5	<0.2
2004116	Drill Core	2	<0.5	<0.2
2004117	Drill Core	1	<0.5	<0.2
2004171	Drill Core	2	<0.5	<0.2
2004118	Drill Core	1	<0.5	1.4



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004119	Drill Core	1.40	427	0.014	0.01	<0.17	25.22	0.2	16.7	2.2	80	0.2	4.0	3.7	220	1.10	2.8	2.9	11.8	9.5	10
2004120	Drill Core	2.59	471	<0.005	<0.01	<0.17	22.67	0.4	9.4	4.5	49	0.1	4.4	4.9	233	1.20	2.9	3.0	4.3	8.9	38
2004121	Drill Core	3.78	346	0.007	<0.01	<0.17	19.39	1.1	30.3	16.1	72	0.2	4.7	4.8	272	1.16	4.2	2.9	5.9	8.6	35
2004122	Drill Core	3.50	403	0.006	<0.01	<0.17	23.19	0.7	16.5	4.8	33	<0.1	4.7	5.1	368	1.20	1.4	2.8	7.9	8.3	81
2004123	Drill Core	2.53	428	0.013	0.01	<0.17	18.32	0.4	15.9	5.2	55	<0.1	6.2	5.7	379	1.57	1.5	2.9	4.0	8.8	69
2004124	Drill Core	1.27	476	0.011	0.01	<0.17	26.02	0.4	13.0	10.2	22	<0.1	3.9	4.9	91	1.13	2.8	2.6	7.6	8.6	29
2004125	Rock Pulp	0.12		0.007				1.8	68.9	3.5	37	<0.1	4.9	8.4	341	2.38	<0.5	0.8	2.4	2.3	59
2004126	Drill Core	2.95	390	0.012	0.01	<0.17	24.59	0.9	120.1	309.1	45	0.9	4.0	4.6	229	0.91	1.6	2.9	18.6	8.8	44
2004127	Drill Core	3.39	482	0.008	<0.01	<0.17	27.09	1.2	38.3	72.1	42	0.4	1.6	1.3	97	0.66	1.0	2.6	10.2	10.8	30
2004128	Drill Core	2.04	383	<0.005	<0.01	<0.17	19.38	0.5	14.8	136.2	15	0.6	0.7	1.0	50	0.62	1.5	1.3	3.1	8.3	17
2004129	Drill Core	1.77	476	0.019	0.02	<0.17	28.14	0.6	16.9	157.1	12	1.1	0.6	0.8	54	0.63	3.1	1.0	16.2	5.8	8
2004130	Drill Core	2.29	393	0.011	0.01	<0.17	22.74	0.3	19.5	54.9	8	1.4	0.5	0.6	51	0.56	1.6	0.6	8.9	8.0	6
2004131	Drill Core	1.97	385	0.042	0.04	<0.17	26.45	0.4	16.8	41.2	30	0.2	1.3	0.5	69	0.54	4.0	2.0	6.0	13.3	7
2004132	Drill Core	3.09	436	0.025	0.02	<0.17	27.36	1.0	20.6	324.5	9	1.3	0.5	0.5	55	0.63	7.5	0.7	21.8	8.7	6
2004133	Drill Core	0.62	478	0.035	0.03	<0.17	26.93	0.9	30.2	102.6	57	0.4	3.6	1.1	92	0.76	9.5	2.3	25.7	16.7	4
2004134	Drill Core	1.82	354	<0.005	<0.01	<0.17	26.52	0.5	5.1	10.4	31	<0.1	2.7	1.3	111	0.47	1.1	2.6	4.3	13.3	7
2004135	Drill Core	5.29	427	0.032	0.03	<0.17	28.30	0.2	22.7	101.2	60	0.6	6.6	2.3	189	0.71	11.8	3.8	28.2	11.5	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004119	Drill Core	0.3	0.2	<0.1	4	0.10	0.030	17	4	0.81	163	0.002	<1	0.73	0.015	0.21	0.2	<0.01	1.1	<0.1	0.09
2004120	Drill Core	0.4	0.1	<0.1	3	0.29	0.028	9	7	0.70	180	0.002	<1	0.61	0.016	0.24	0.1	<0.01	0.9	<0.1	0.55
2004121	Drill Core	1.1	0.2	<0.1	2	0.31	0.029	8	3	0.74	145	0.002	<1	0.59	0.009	0.21	<0.1	<0.01	1.0	<0.1	0.46
2004122	Drill Core	0.1	0.1	<0.1	2	0.56	0.032	7	8	0.65	161	0.002	<1	0.48	0.019	0.21	<0.1	<0.01	1.0	<0.1	0.63
2004123	Drill Core	0.3	0.2	<0.1	3	0.48	0.034	7	4	0.76	137	0.002	<1	0.59	0.017	0.22	<0.1	<0.01	1.5	<0.1	0.94
2004124	Drill Core	0.2	0.1	<0.1	<2	0.17	0.032	8	5	0.19	79	0.002	<1	0.35	0.026	0.25	<0.1	<0.01	0.6	<0.1	0.94
2004125	Rock Pulp	<0.1	<0.1	<0.1	82	0.72	0.056	6	10	0.66	106	0.086	2	1.26	0.132	0.18	1.8	0.01	1.7	<0.1	<0.05
2004126	Drill Core	0.7	0.4	0.4	<2	0.27	0.019	7	2	0.21	112	0.001	<1	0.30	0.016	0.20	<0.1	<0.01	0.8	<0.1	0.61
2004127	Drill Core	0.6	0.6	0.3	<2	0.05	0.003	14	4	0.10	217	<0.001	<1	0.28	0.037	0.18	<0.1	<0.01	0.7	<0.1	0.35
2004128	Drill Core	0.1	1.0	0.4	<2	<0.01	0.004	17	1	0.05	506	<0.001	<1	0.22	0.035	0.17	<0.1	<0.01	0.5	<0.1	0.21
2004129	Drill Core	<0.1	1.7	0.8	<2	<0.01	0.003	11	1	0.05	488	<0.001	<1	0.18	0.028	0.12	<0.1	<0.01	0.6	<0.1	0.16
2004130	Drill Core	0.1	2.1	0.2	<2	<0.01	0.002	15	5	0.04	174	<0.001	<1	0.23	0.020	0.20	<0.1	<0.01	0.4	<0.1	0.13
2004131	Drill Core	<0.1	0.4	0.1	<2	0.02	0.002	16	1	0.16	409	<0.001	<1	0.33	0.010	0.18	<0.1	<0.01	0.5	<0.1	<0.05
2004132	Drill Core	<0.1	1.0	0.8	<2	0.01	0.003	17	5	0.07	253	<0.001	<1	0.23	0.020	0.18	<0.1	<0.01	0.4	<0.1	0.10
2004133	Drill Core	0.3	0.4	0.5	<2	0.03	0.003	22	4	0.28	106	<0.001	<1	0.41	0.007	0.20	0.1	<0.01	0.9	<0.1	<0.05
2004134	Drill Core	0.3	<0.1	<0.1	<2	0.05	0.004	23	5	0.12	131	<0.001	<1	0.35	0.010	0.25	<0.1	<0.01	0.6	<0.1	<0.05
2004135	Drill Core	0.5	0.4	0.6	<2	0.06	0.002	16	5	0.33	161	<0.001	<1	0.43	0.015	0.18	0.1	<0.01	0.9	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000415.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004119	Drill Core	2	<0.5	<0.2
2004120	Drill Core	2	<0.5	<0.2
2004121	Drill Core	1	<0.5	<0.2
2004122	Drill Core	1	<0.5	<0.2
2004123	Drill Core	1	<0.5	<0.2
2004124	Drill Core	<1	<0.5	<0.2
2004125	Rock Pulp	4	<0.5	<0.2
2004126	Drill Core	<1	<0.5	<0.2
2004127	Drill Core	<1	<0.5	<0.2
2004128	Drill Core	<1	<0.5	<0.2
2004129	Drill Core	<1	<0.5	<0.2
2004130	Drill Core	<1	<0.5	<0.2
2004131	Drill Core	<1	<0.5	<0.2
2004132	Drill Core	<1	<0.5	<0.2
2004133	Drill Core	1	<0.5	<0.2
2004134	Drill Core	<1	<0.5	<0.2
2004135	Drill Core	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

November 24, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000415.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2004095	Drill Core	1.81	390	0.209	0.21	0.32	21.86	0.2	15.4	2.6	23	0.3	1.3	2.9	395	1.26	15.7	2.0	240.3	12.0	62
REP 2004095	QC							0.2	14.8	2.5	21	0.4	1.3	3.0	387	1.22	15.2	1.9	289.3	11.5	60
2004111	Drill Core	2.66	443	0.006	<0.01	<0.17	27.53	0.2	7.7	7.7	32	<0.1	5.3	2.4	167	0.83	4.9	4.2	4.2	15.7	63
REP 2004111	QC			0.007																	
2004115	Drill Core	0.91	354	0.105	0.10	<0.17	22.43	1.1	14.5	4.8	54	0.3	2.8	2.8	135	1.34	5.6	3.1	78.2	9.3	8
REP 2004115	QC			0.079																	
2004124	Drill Core	1.27	476	0.011	0.01	<0.17	26.02	0.4	13.0	10.2	22	<0.1	3.9	4.9	91	1.13	2.8	2.6	7.6	8.6	29
REP 2004124	QC							0.5	13.3	10.2	23	<0.1	4.1	4.9	92	1.14	3.2	2.7	7.8	8.8	31
Core Reject Duplicates																					
2004094	Drill Core	3.34	453	0.137	0.13	<0.17	24.30	0.2	16.5	7.0	19	0.3	1.1	2.5	453	1.29	38.9	1.4	116.6	11.0	67
DUP 2004094	QC		494	0.165	0.16	<0.17	25.92	0.2	16.2	6.2	20	0.3	1.4	2.6	451	1.26	38.4	1.4	105.1	11.2	68
2004128	Drill Core	2.04	383	<0.005	<0.01	<0.17	19.38	0.5	14.8	136.2	15	0.6	0.7	1.0	50	0.62	1.5	1.3	3.1	8.3	17
DUP 2004128	QC		439	<0.005	<0.01	<0.17	27.25	0.6	14.3	130.3	15	0.5	0.7	0.8	52	0.62	1.1	1.3	3.0	8.1	17
Reference Materials																					
STD DS10	Standard							15.0	156.3	149.8	363	1.8	76.6	12.7	902	2.80	44.7	2.7	85.1	7.4	71
STD DS10	Standard							15.1	154.5	147.6	346	1.8	76.6	12.1	857	2.71	41.6	2.7	85.9	7.5	71
STD OXC129	Standard							1.2	26.9	6.2	39	<0.1	75.4	19.8	408	2.97	0.5	0.7	168.6	1.9	187
STD OXC129	Standard							1.3	27.1	6.2	39	<0.1	79.6	19.7	400	2.97	<0.5	0.7	171.5	1.8	198
STD OXC145	Standard			0.222																	
STD OXH122	Standard			1.234																	
STD OXN117	Standard			7.931																	
STD OXP91	Standard					14.99	29.95														
STD OXP91	Standard					14.94	30.05														
STD OXP91	Standard					14.93	29.93														
STD OXP91	Standard					15.07	30.12														
STD OXP91	Standard					14.96	29.94														
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000415.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2004095	Drill Core	0.1	0.3	<0.1	3	0.91	0.042	21	2	0.33	190	0.002	<1	0.58	0.023	0.30	0.1	<0.01	1.2	<0.1	0.40
REP 2004095	QC	0.1	0.2	<0.1	3	0.89	0.036	20	2	0.32	176	0.002	1	0.55	0.020	0.29	0.1	<0.01	1.1	<0.1	0.39
2004111	Drill Core	0.1	0.2	<0.1	<2	0.60	0.005	18	7	0.72	118	0.001	<1	0.62	0.017	0.22	<0.1	<0.01	1.1	<0.1	0.09
REP 2004111	QC																				
2004115	Drill Core	0.2	0.1	<0.1	3	0.08	0.032	14	7	0.58	136	0.002	<1	0.60	0.014	0.19	0.7	<0.01	0.7	<0.1	0.16
REP 2004115	QC																				
2004124	Drill Core	0.2	0.1	<0.1	<2	0.17	0.032	8	5	0.19	79	0.002	<1	0.35	0.026	0.25	<0.1	<0.01	0.6	<0.1	0.94
REP 2004124	QC	0.3	0.1	<0.1	<2	0.17	0.029	8	5	0.18	82	0.002	<1	0.36	0.026	0.26	<0.1	<0.01	0.8	<0.1	0.95
Core Reject Duplicates																					
2004094	Drill Core	<0.1	0.3	<0.1	3	1.07	0.038	20	5	0.38	168	0.002	2	0.54	0.032	0.24	<0.1	<0.01	1.2	<0.1	0.54
DUP 2004094	QC	<0.1	0.3	0.1	3	1.08	0.039	20	5	0.38	174	0.002	1	0.55	0.028	0.26	0.1	<0.01	1.0	<0.1	0.56
2004128	Drill Core	0.1	1.0	0.4	<2	<0.01	0.004	17	1	0.05	506	<0.001	<1	0.22	0.035	0.17	<0.1	<0.01	0.5	<0.1	0.21
DUP 2004128	QC	<0.1	0.9	0.4	<2	<0.01	0.004	17	5	0.06	534	<0.001	<1	0.25	0.038	0.19	<0.1	<0.01	0.6	<0.1	0.20
Reference Materials																					
STD DS10	Standard	2.7	9.9	12.1	43	1.10	0.069	18	56	0.78	349	0.084	7	1.07	0.071	0.34	3.6	0.29	2.9	5.0	0.28
STD DS10	Standard	2.5	9.0	12.5	43	1.08	0.066	18	52	0.79	348	0.079	7	1.06	0.074	0.35	3.1	0.28	2.9	4.9	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.67	0.090	12	51	1.51	46	0.389	1	1.57	0.585	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.69	0.092	12	50	1.51	48	0.383	2	1.56	0.601	0.35	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000415.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2004095	Drill Core	2	<0.5	<0.2
REP 2004095	QC	2	<0.5	<0.2
2004111	Drill Core	1	<0.5	<0.2
REP 2004111	QC			
2004115	Drill Core	2	<0.5	<0.2
REP 2004115	QC			
2004124	Drill Core	<1	<0.5	<0.2
REP 2004124	QC	<1	<0.5	<0.2
Core Reject Duplicates				
2004094	Drill Core	2	<0.5	<0.2
DUP 2004094	QC	2	<0.5	<0.2
2004128	Drill Core	<1	<0.5	<0.2
DUP 2004128	QC	<1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	1.5	4.9
STD DS10	Standard	4	1.5	4.7
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC145	Standard			
STD OXH122	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000415.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91 Expected		14.82																			
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		446	<0.005	<0.01	<0.17	30.32	0.7	3.2	1.3	28	<0.1	0.6	3.4	408	1.74	0.5	0.4	1.0	2.3	31
ROCK-WHI	Prep Blank		418	<0.005	<0.01	<0.17	26.61	0.8	2.8	1.3	29	<0.1	0.7	3.1	402	1.74	0.6	0.4	1.0	2.3	28



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000415.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXP91 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.67	0.038	6	3	0.39	64	0.085	1	0.96	0.109	0.11	<0.1	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	21	0.63	0.038	5	2	0.39	60	0.077	2	0.84	0.073	0.08	<0.1	<0.01	2.4	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: November 24, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000415.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXP91 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2