



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman

Receiving Lab: Canada-Whitehorse

Received: November 04, 2016

Report Date: December 06, 2016

Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI16000430.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-70
P.O. Number
Number of Samples: 94

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	90	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	94	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	94	Analysis sample split/packet			VAN
Split -150	94	Analysis sample split/packet			VAN
FS631	90	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	94	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	94	Per sample shipping charges for branch shipments			VAN
SLBHP	4	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004341	Drill Core				6.14	446	<0.005	<0.01	<0.17	29.41	0.5	12.3	22.1	34	0.2	3.5	3.4	241	0.86	3.0	1.5	0.9	10.3	30
2004342	Drill Core				2.38	413	0.010	<0.01	<0.17	27.08	0.4	17.7	17.9	39	0.2	3.8	3.6	208	1.17	9.7	1.2	7.3	11.2	18
2004343	Drill Core				6.13	405	0.065	0.06	<0.17	21.98	0.7	12.9	16.0	54	0.3	5.1	3.9	207	1.66	49.4	2.9	58.7	13.1	26
2004344	Drill Core				3.80	329	<0.005	<0.01	<0.17	20.05	0.6	16.0	17.5	70	0.2	7.6	6.0	274	1.86	4.8	1.6	7.2	8.2	35
2004345	Drill Core				6.21	418	0.074	0.07	<0.17	26.79	1.1	17.4	21.0	56	0.3	6.5	6.2	322	1.79	23.0	1.7	60.3	8.2	27
2004346	Drill Core				3.03	491	0.126	0.12	<0.17	25.15	1.3	16.6	21.4	56	0.3	5.5	5.3	385	1.76	7.5	1.6	140.2	8.4	53
2004347	Drill Core				3.16	506	0.035	0.03	<0.17	29.19	0.9	17.7	53.0	44	0.5	4.9	5.6	419	1.44	6.4	1.0	18.6	6.5	112
2004348	Drill Core				3.79	332	0.021	0.02	<0.17	29.57	1.1	16.2	10.4	50	0.2	6.8	6.8	377	1.92	7.1	1.2	4.7	8.3	115
2004349	Drill Core				2.11	403	<0.005	<0.01	<0.17	22.69	1.5	14.2	13.9	55	0.3	5.2	5.5	485	1.52	4.4	1.3	3.1	7.1	141
2004350	Rock Pulp				0.12		6.864				14.1	77.2	24.1	59	0.8	19.0	9.7	467	4.14	12.8	0.4	7838.0	1.3	56
2004351	Drill Core				2.01	380	0.007	<0.01	<0.17	26.69	1.4	16.4	11.3	42	0.3	5.9	5.5	428	1.63	6.1	0.7	9.5	6.3	80
2004352	Drill Core				2.36	450	<0.005	<0.01	<0.17	28.35	1.9	12.5	21.4	58	0.2	5.8	5.6	240	1.66	4.0	0.8	3.9	5.5	37
2004353	Drill Core				3.41	424	0.024	0.02	<0.17	28.89	1.5	11.9	27.6	117	0.2	7.7	6.8	300	2.17	2.4	1.6	26.9	5.9	46
2004354	Drill Core				4.60	379	<0.005	<0.01	<0.17	20.08	0.4	14.6	14.7	64	0.2	4.8	5.7	257	1.51	4.0	1.0	28.7	6.7	33
2004355	Drill Core				1.57	460	0.678	0.69	0.86	28.03	0.3	29.6	7.6	76	0.9	6.1	5.6	295	1.85	7.1	4.0	581.7	8.1	31
2004356	Drill Core				4.23	370	0.075	0.07	<0.17	24.89	0.6	20.0	50.4	61	0.3	4.5	4.5	415	1.72	8.8	3.0	54.6	8.3	54
2004357	Drill Core				0.75	399	<0.005	<0.01	<0.17	25.83	1.3	5.9	49.0	13	0.2	0.7	0.7	135	1.35	5.5	2.9	1.3	10.6	15
2004358	Drill Core				2.09	376	0.006	<0.01	<0.17	28.50	1.3	24.4	33.2	116	0.4	5.8	6.0	578	1.79	11.9	4.2	4.0	7.4	61
2004359	Drill Core				0.64	390	<0.005	<0.01	<0.17	26.91	0.8	7.1	115.7	16	0.4	0.3	0.4	262	0.89	3.8	1.1	<0.5	11.1	38
2004361	Drill Core				2.23	428	0.005	<0.01	<0.17	22.62	1.2	20.6	118.0	304	0.4	2.4	1.9	352	1.33	8.3	2.3	3.5	10.6	80
2004360	Drill Core				1.49	489	0.009	<0.01	<0.17	23.44	2.7	114.8	397.1	382	1.1	3.6	4.4	336	1.10	4.9	3.6	4.7	9.6	57
2004362	Drill Core				1.71	401	<0.005	<0.01	<0.17	27.04	0.7	37.2	89.0	41	0.4	0.9	0.7	186	0.79	3.3	2.0	<0.5	12.3	23
2004363	Drill Core				1.36	394	<0.005	<0.01	<0.17	29.05	0.9	18.3	26.0	61	0.1	2.8	4.2	349	0.87	4.0	5.0	2.4	11.1	43
2004364	Drill Core				7.23	404	<0.005	<0.01	<0.17	28.27	1.0	4.9	183.3	171	0.3	0.3	0.5	91	0.59	2.4	1.5	2.3	15.5	16
2004365	Drill Core				5.90	418	<0.005	<0.01	<0.17	22.31	1.3	35.8	94.9	80	0.3	2.2	2.0	264	1.09	2.5	3.8	3.3	9.9	29
2004366	Drill Core				1.15	424	<0.005	<0.01	<0.17	27.74	0.3	15.0	66.5	107	0.5	1.1	1.0	100	0.79	5.7	0.5	3.6	3.1	4
2004367	Drill Core				1.86	347	<0.005	<0.01	<0.17	21.00	1.4	13.7	77.3	70	0.2	2.0	1.8	148	0.96	7.1	1.8	0.8	10.6	17
2004368	Drill Core				0.67	383	<0.005	<0.01	<0.17	22.64	0.5	5.1	28.3	10	<0.1	1.8	1.5	115	0.69	3.3	1.1	<0.5	5.9	19
2004369	Drill Core				5.32	406	<0.005	<0.01	<0.17	27.87	1.0	14.5	89.2	55	0.2	2.4	1.9	137	0.91	3.1	2.2	1.4	11.6	28
2004370	Drill Core				6.55	417	<0.005	<0.01	<0.17	31.23	2.7	86.5	273.4	1660	1.0	5.8	3.1	34	1.24	1.0	2.5	1.9	11.6	23



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004341	Drill Core	0.2	0.1	<0.1	3	0.18	0.033	16	3	0.31	271	0.003	<1	0.51	0.016	0.17	<0.1	<0.01	0.7	<0.1	<0.05			
2004342	Drill Core	<0.1	0.1	0.1	4	0.13	0.034	19	4	0.38	344	0.003	<1	0.63	0.025	0.14	<0.1	<0.01	1.0	<0.1	<0.05			
2004343	Drill Core	0.2	0.4	0.1	5	0.16	0.036	23	5	0.46	638	0.003	<1	0.85	0.042	0.24	<0.1	<0.01	1.3	<0.1	<0.05			
2004344	Drill Core	0.3	0.2	<0.1	8	0.25	0.054	14	9	0.73	265	0.007	<1	1.05	0.022	0.23	<0.1	<0.01	1.9	<0.1	<0.05			
2004345	Drill Core	0.3	0.3	<0.1	6	0.19	0.057	15	7	0.52	489	0.005	<1	0.86	0.024	0.26	<0.1	<0.01	1.6	<0.1	<0.05			
2004346	Drill Core	0.3	0.4	<0.1	5	0.44	0.053	11	6	0.47	343	0.005	<1	0.82	0.020	0.28	<0.1	<0.01	1.9	<0.1	0.09			
2004347	Drill Core	0.3	0.3	0.5	3	1.27	0.046	7	7	0.40	241	0.003	<1	0.64	0.009	0.22	<0.1	<0.01	1.5	<0.1	0.14			
2004348	Drill Core	0.2	0.3	<0.1	5	1.25	0.056	9	8	0.41	309	0.005	<1	0.82	0.021	0.37	0.1	<0.01	1.6	0.1	0.31			
2004349	Drill Core	0.3	0.2	0.3	3	1.55	0.047	7	7	0.50	202	0.003	<1	0.68	0.008	0.23	<0.1	<0.01	1.6	<0.1	0.17			
2004350	Rock Pulp	0.2	6.1	0.5	91	0.98	0.057	5	29	0.60	91	0.102	3	1.75	0.146	0.13	1.8	0.28	4.4	<0.1	<0.05			
2004351	Drill Core	0.3	0.2	0.1	4	1.07	0.054	8	6	0.39	288	0.004	<1	0.74	0.019	0.32	0.1	<0.01	1.5	<0.1	0.28			
2004352	Drill Core	0.4	0.2	0.2	3	0.48	0.058	8	5	0.69	252	0.003	<1	0.93	0.007	0.25	<0.1	<0.01	0.9	<0.1	0.18			
2004353	Drill Core	0.7	0.2	0.2	5	0.47	0.048	9	7	0.85	182	0.004	1	1.13	0.018	0.30	<0.1	<0.01	1.3	0.1	0.19			
2004354	Drill Core	0.4	0.2	0.1	3	0.33	0.044	6	5	0.67	173	0.002	<1	0.82	0.008	0.23	<0.1	<0.01	0.9	<0.1	0.37			
2004355	Drill Core	0.3	0.2	<0.1	3	0.29	0.038	8	5	0.69	189	0.004	<1	0.83	0.033	0.26	<0.1	<0.01	1.2	<0.1	0.61			
2004356	Drill Core	0.7	0.2	0.3	3	0.44	0.036	8	5	0.45	173	0.005	<1	0.65	0.030	0.32	0.1	<0.01	1.1	0.1	0.87			
2004357	Drill Core	0.1	<0.1	0.3	<2	0.10	0.005	7	4	0.14	109	0.001	<1	0.24	0.015	0.17	<0.1	<0.01	0.5	<0.1	1.20			
2004358	Drill Core	0.3	0.3	0.4	4	0.51	0.035	7	6	0.83	157	0.005	<1	0.84	0.030	0.29	<0.1	<0.01	1.6	0.1	0.81			
2004359	Drill Core	0.4	0.2	0.7	<2	0.25	0.002	9	3	0.18	110	<0.001	<1	0.22	0.017	0.15	<0.1	<0.01	0.3	<0.1	0.66			
2004361	Drill Core	6.2	0.3	0.3	<2	0.37	0.012	13	3	0.35	188	0.002	<1	0.39	0.023	0.22	0.2	0.02	0.7	<0.1	0.76			
2004360	Drill Core	9.4	0.4	0.5	<2	0.33	0.024	5	5	0.25	123	0.002	<1	0.25	0.004	0.18	<0.1	0.08	0.5	<0.1	0.83			
2004362	Drill Core	0.8	0.2	0.3	<2	0.16	0.004	13	2	0.13	156	0.002	<1	0.25	0.028	0.20	0.1	<0.01	0.4	<0.1	0.57			
2004363	Drill Core	0.2	0.2	<0.1	<2	0.38	0.031	7	4	0.38	165	0.003	<1	0.42	0.005	0.22	<0.1	<0.01	0.6	<0.1	0.38			
2004364	Drill Core	2.8	0.3	<0.1	<2	0.05	0.002	20	3	0.09	385	0.001	<1	0.22	0.021	0.20	<0.1	0.06	0.4	<0.1	0.39			
2004365	Drill Core	1.2	0.2	0.2	<2	0.20	0.011	10	4	0.25	315	0.003	<1	0.39	0.014	0.27	<0.1	<0.01	0.6	<0.1	0.38			
2004366	Drill Core	1.5	0.7	0.4	<2	<0.01	0.003	6	6	0.03	307	<0.001	<1	0.10	0.016	0.08	0.1	0.06	0.3	<0.1	0.39			
2004367	Drill Core	1.5	0.2	<0.1	<2	0.14	0.007	12	2	0.11	224	0.004	<1	0.40	0.042	0.36	<0.1	<0.01	0.7	<0.1	0.65			
2004368	Drill Core	0.1	0.2	<0.1	<2	0.10	0.005	5	5	0.07	349	0.001	<1	0.16	0.003	0.17	<0.1	<0.01	0.3	0.1	0.36			
2004369	Drill Core	0.8	0.1	0.2	<2	0.14	0.012	12	3	0.12	218	0.004	<1	0.36	0.027	0.31	<0.1	<0.01	0.7	<0.1	0.60			
2004370	Drill Core	19.7	0.3	1.2	<2	0.03	0.014	7	3	0.04	48	0.003	<1	0.23	0.016	0.20	<0.1	0.80	0.4	<0.1	1.42			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 5 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004341	Drill Core	2	<0.5	<0.2
2004342	Drill Core	3	<0.5	<0.2
2004343	Drill Core	3	<0.5	<0.2
2004344	Drill Core	3	<0.5	<0.2
2004345	Drill Core	3	<0.5	<0.2
2004346	Drill Core	2	<0.5	<0.2
2004347	Drill Core	2	<0.5	<0.2
2004348	Drill Core	2	<0.5	<0.2
2004349	Drill Core	2	<0.5	<0.2
2004350	Rock Pulp	5	<0.5	0.2
2004351	Drill Core	2	<0.5	<0.2
2004352	Drill Core	2	<0.5	<0.2
2004353	Drill Core	3	<0.5	<0.2
2004354	Drill Core	2	<0.5	<0.2
2004355	Drill Core	2	<0.5	0.4
2004356	Drill Core	2	0.6	<0.2
2004357	Drill Core	<1	0.7	<0.2
2004358	Drill Core	2	<0.5	<0.2
2004359	Drill Core	<1	<0.5	<0.2
2004361	Drill Core	1	<0.5	<0.2
2004360	Drill Core	<1	<0.5	<0.2
2004362	Drill Core	<1	<0.5	<0.2
2004363	Drill Core	<1	<0.5	<0.2
2004364	Drill Core	<1	<0.5	<0.2
2004365	Drill Core	1	<0.5	<0.2
2004366	Drill Core	<1	<0.5	<0.2
2004367	Drill Core	1	<0.5	<0.2
2004368	Drill Core	<1	<0.5	<0.2
2004369	Drill Core	1	<0.5	<0.2
2004370	Drill Core	<1	0.7	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004371	Drill Core	7.12	509	<0.005	<0.01	<0.17	23.88	1.5	20.3	120.9	823	0.4	2.9	2.1	136	1.16	2.2	3.1	1.6	10.6	32			
2004372	Drill Core	6.87	427	<0.005	<0.01	<0.17	28.90	1.0	11.3	57.5	89	0.2	0.8	1.3	151	0.78	3.1	3.6	1.2	10.6	21			
2004373	Drill Core	3.29	463	<0.005	<0.01	<0.17	27.59	1.1	12.8	23.4	39	0.2	2.8	2.4	145	1.02	7.1	3.8	1.3	9.7	13			
2004374	Drill Core	3.84	469	<0.005	<0.01	<0.17	27.01	2.2	15.4	13.0	49	0.2	2.1	2.6	157	1.07	2.8	2.5	2.2	6.7	17			
2004375	Rock Pulp	0.13		<0.005				1.8	66.9	3.3	35	<0.1	4.8	7.5	320	2.23	<0.5	0.7	0.6	2.3	48			
2004376	Drill Core	3.41	446	<0.005	<0.01	<0.17	28.54	2.0	19.3	55.7	109	0.3	3.0	2.6	212	1.49	4.0	3.5	1.1	7.8	30			
2004377	Drill Core	3.50	395	<0.005	<0.01	<0.17	27.33	0.6	10.9	18.9	46	0.2	2.8	3.4	334	1.03	3.9	3.4	3.9	8.4	31			
2004378	Drill Core	3.08	475	<0.005	<0.01	<0.17	25.41	1.1	30.9	42.7	72	0.5	4.0	4.7	304	1.42	7.1	2.3	45.3	9.5	24			
2004379	Drill Core	3.25	475	0.570	1.09	10.48	25.10	0.6	20.4	99.7	127	0.7	4.7	5.6	292	1.47	4.2	2.6	948.5	8.9	31			
2004380	Drill Core	3.46	454	2.065	3.63	28.70	26.76	0.5	26.6	36.2	63	1.2	3.1	3.7	270	1.13	4.2	3.0	2732.3	8.5	43			
2004381	Drill Core	3.64	467	0.105	0.10	<0.17	27.62	0.7	10.2	60.4	72	0.2	3.8	3.9	310	1.38	4.1	3.4	114.0	8.3	57			
2004382	Drill Core	3.70	469	0.692	1.18	8.75	28.33	0.8	21.3	65.8	67	0.5	3.2	4.0	361	1.04	3.6	3.3	622.0	7.7	72			
2004383	Drill Core	3.79	505	<0.005	<0.01	<0.17	28.98	0.8	12.5	57.4	64	0.2	1.7	1.5	241	0.86	1.4	3.2	1.5	7.2	53			
2004384	Drill Core	2.66	393	<0.005	<0.01	<0.17	26.45	0.5	6.2	9.3	45	<0.1	1.0	1.7	232	0.87	0.7	3.6	1.6	9.2	76			
2004385	Drill Core	4.34	439	<0.005	<0.01	<0.17	28.39	1.3	3.7	24.8	10	0.1	1.5	0.9	123	0.76	0.8	2.9	0.9	8.9	33			
2004386	Drill Core	3.56	455	0.007	<0.01	<0.17	27.39	0.4	3.9	18.9	9	0.1	0.4	0.6	102	0.47	<0.5	2.7	7.9	9.9	51			
2004387	Drill Core	3.60	406	<0.005	<0.01	<0.17	25.27	0.8	5.9	22.7	15	0.1	1.2	1.4	117	0.67	2.0	2.6	2.2	10.5	59			
2004388	Drill Core	3.59	443	<0.005	<0.01	<0.17	29.56	0.3	2.3	18.4	7	<0.1	0.6	0.4	77	0.33	1.4	2.0	3.0	9.6	35			
2004389	Drill Core	4.67	420	<0.005	<0.01	<0.17	28.08	1.7	6.2	19.3	13	<0.1	0.7	1.0	90	0.53	0.6	2.3	0.9	8.9	77			
2004390	Drill Core	0.97	452	0.015	0.01	<0.17	26.69	0.2	3.6	20.7	17	0.1	1.5	0.7	117	0.80	5.5	2.7	11.7	9.1	31			
2004391	Drill Core	1.67	470	0.008	<0.01	<0.17	28.32	0.1	15.6	12.5	19	0.2	0.9	1.2	144	0.72	2.6	3.5	5.0	13.0	93			
2004392	Drill Core	3.57	460	0.012	0.01	<0.17	27.39	0.3	26.2	17.1	13	0.2	0.9	1.6	155	0.61	0.7	3.2	6.1	12.2	117			
2004393	Drill Core	3.24	451	<0.005	<0.01	<0.17	24.55	0.4	12.7	15.5	23	<0.1	1.9	1.7	210	1.06	<0.5	3.5	0.8	14.2	118			
2004394	Drill Core	3.80	448	<0.005	<0.01	<0.17	28.38	0.6	6.4	16.6	24	<0.1	1.0	1.8	226	0.85	0.6	3.5	<0.5	12.0	137			
2004395	Drill Core	3.72	470	0.160	0.15	<0.17	25.11	0.3	5.0	19.6	21	0.2	0.8	1.4	180	0.67	1.9	2.9	50.2	10.9	66			
2004396	Drill Core	3.49	441	0.008	<0.01	<0.17	23.27	0.2	8.4	11.8	21	0.1	2.0	1.7	154	0.82	2.2	1.6	1.8	11.7	57			
2004397	Drill Core	3.53	452	<0.005	<0.01	<0.17	26.76	0.2	8.6	15.2	28	0.1	2.3	2.8	207	0.91	0.6	1.9	<0.5	12.6	82			
2004398	Drill Core	3.51	448	<0.005	<0.01	<0.17	24.48	0.9	7.7	26.0	57	0.1	5.0	3.7	290	1.72	<0.5	3.3	<0.5	11.6	86			
2004399	Drill Core	3.57	387	0.047	0.04	<0.17	28.43	0.6	4.4	18.5	42	<0.1	2.5	3.8	176	1.10	0.7	2.3	39.4	10.8	55			
2004400	Rock Pulp	0.12		7.126				12.3	71.7	22.4	61	0.7	18.8	9.7	454	4.18	11.8	0.3	6938.5	1.2	52			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004371	Drill Core	11.3	0.2	0.4	<2	0.13	0.013	9	3	0.14	105	0.004	<1	0.34	0.026	0.29	0.1	0.48	0.6	<0.1	0.84
2004372	Drill Core	0.8	<0.1	0.1	<2	0.13	0.008	10	4	0.19	187	0.002	<1	0.27	0.015	0.20	<0.1	0.01	0.5	<0.1	0.47
2004373	Drill Core	0.3	0.2	0.1	<2	0.07	0.014	10	3	0.17	218	0.003	<1	0.33	0.015	0.26	<0.1	<0.01	0.5	<0.1	0.53
2004374	Drill Core	0.2	0.1	0.1	<2	0.09	0.015	6	5	0.23	111	0.002	<1	0.27	0.006	0.16	<0.1	<0.01	0.5	<0.1	0.76
2004375	Rock Pulp	<0.1	<0.1	<0.1	76	0.64	0.057	6	9	0.63	103	0.078	1	1.16	0.113	0.17	1.8	<0.01	1.6	<0.1	<0.05
2004376	Drill Core	1.0	0.2	0.2	<2	0.13	0.018	12	4	0.24	230	0.004	2	0.53	0.025	0.35	0.1	0.02	1.3	<0.1	0.86
2004377	Drill Core	<0.1	0.1	0.2	2	0.18	0.035	13	5	0.47	184	0.004	<1	0.56	0.013	0.22	<0.1	<0.01	0.8	<0.1	0.22
2004378	Drill Core	0.4	0.2	0.5	2	0.12	0.032	13	5	0.47	295	0.004	<1	0.65	0.019	0.29	<0.1	<0.01	0.7	<0.1	0.42
2004379	Drill Core	1.2	0.2	0.2	3	0.16	0.032	12	5	0.52	213	0.004	<1	0.68	0.025	0.31	<0.1	<0.01	1.1	0.1	0.52
2004380	Drill Core	0.2	0.1	<0.1	2	0.25	0.031	9	5	0.38	261	0.004	<1	0.47	0.018	0.23	<0.1	<0.01	0.8	<0.1	0.46
2004381	Drill Core	0.2	0.2	0.1	<2	0.27	0.026	10	5	0.42	293	0.005	1	0.56	0.028	0.27	<0.1	<0.01	1.0	<0.1	0.42
2004382	Drill Core	0.3	0.2	0.1	<2	0.37	0.030	7	5	0.40	198	0.006	<1	0.43	0.016	0.23	<0.1	<0.01	0.8	<0.1	0.41
2004383	Drill Core	1.1	0.2	0.1	<2	0.29	0.015	9	3	0.36	195	0.004	<1	0.41	0.014	0.27	<0.1	<0.01	0.6	<0.1	0.22
2004384	Drill Core	0.2	0.2	<0.1	<2	0.37	0.013	10	4	0.63	179	0.004	<1	0.51	0.008	0.20	<0.1	<0.01	0.9	<0.1	0.12
2004385	Drill Core	0.1	0.1	0.2	<2	0.21	0.006	14	3	0.15	321	0.002	<1	0.40	0.029	0.30	<0.1	<0.01	0.6	<0.1	0.16
2004386	Drill Core	0.3	0.1	0.1	<2	0.43	0.009	13	3	0.10	282	0.001	<1	0.26	0.020	0.22	<0.1	<0.01	0.6	<0.1	0.24
2004387	Drill Core	0.3	<0.1	0.1	<2	0.42	0.019	19	3	0.23	334	0.003	<1	0.57	0.027	0.45	0.1	<0.01	1.2	<0.1	0.12
2004388	Drill Core	0.1	0.1	<0.1	<2	0.21	0.013	16	4	0.09	371	0.001	<1	0.24	0.008	0.25	<0.1	<0.01	0.5	<0.1	0.08
2004389	Drill Core	0.3	0.1	<0.1	<2	0.64	0.021	13	4	0.28	249	0.001	<1	0.35	0.007	0.23	<0.1	<0.01	1.0	<0.1	<0.05
2004390	Drill Core	0.2	0.2	0.1	<2	0.37	0.012	16	4	0.24	263	0.002	<1	0.44	0.016	0.30	<0.1	<0.01	0.9	<0.1	0.10
2004391	Drill Core	0.1	0.2	<0.1	<2	0.84	0.026	19	4	0.36	184	0.002	<1	0.48	0.008	0.26	<0.1	<0.01	1.5	<0.1	0.10
2004392	Drill Core	0.1	0.1	0.1	<2	1.00	0.034	19	4	0.22	219	0.003	<1	0.38	0.020	0.26	<0.1	<0.01	1.3	<0.1	0.10
2004393	Drill Core	<0.1	0.2	<0.1	3	0.99	0.033	27	5	0.37	436	0.006	<1	0.83	0.047	0.52	0.1	<0.01	2.3	0.1	<0.05
2004394	Drill Core	0.1	0.1	0.1	<2	1.19	0.033	20	5	0.45	235	0.003	<1	0.53	0.007	0.27	<0.1	<0.01	1.6	<0.1	<0.05
2004395	Drill Core	0.1	0.2	0.1	<2	0.65	0.031	16	4	0.25	171	0.002	<1	0.40	0.019	0.25	<0.1	<0.01	1.1	<0.1	0.17
2004396	Drill Core	<0.1	<0.1	<0.1	3	0.49	0.030	20	4	0.24	185	0.003	<1	0.45	0.035	0.28	<0.1	<0.01	1.4	<0.1	0.07
2004397	Drill Core	0.2	<0.1	0.1	3	0.86	0.039	21	6	0.34	200	0.004	<1	0.49	0.019	0.25	<0.1	<0.01	2.0	0.1	0.13
2004398	Drill Core	0.2	0.1	0.2	6	0.75	0.038	23	7	0.71	253	0.011	<1	0.97	0.065	0.41	<0.1	<0.01	3.0	0.1	<0.05
2004399	Drill Core	0.2	0.1	0.1	3	0.47	0.035	13	6	0.49	135	0.006	<1	0.58	0.023	0.21	<0.1	<0.01	2.1	<0.1	0.10
2004400	Rock Pulp	0.2	5.7	0.5	91	0.99	0.048	5	28	0.60	84	0.101	2	1.76	0.140	0.12	1.5	0.28	4.1	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004371	Drill Core	1	<0.5	<0.2
2004372	Drill Core	<1	<0.5	<0.2
2004373	Drill Core	<1	<0.5	<0.2
2004374	Drill Core	<1	<0.5	<0.2
2004375	Rock Pulp	3	<0.5	<0.2
2004376	Drill Core	2	<0.5	<0.2
2004377	Drill Core	2	<0.5	<0.2
2004378	Drill Core	2	<0.5	<0.2
2004379	Drill Core	2	<0.5	<0.2
2004380	Drill Core	1	<0.5	<0.2
2004381	Drill Core	2	<0.5	<0.2
2004382	Drill Core	1	<0.5	<0.2
2004383	Drill Core	1	<0.5	<0.2
2004384	Drill Core	1	<0.5	<0.2
2004385	Drill Core	1	<0.5	<0.2
2004386	Drill Core	<1	<0.5	<0.2
2004387	Drill Core	1	<0.5	<0.2
2004388	Drill Core	<1	<0.5	<0.2
2004389	Drill Core	<1	<0.5	<0.2
2004390	Drill Core	1	<0.5	<0.2
2004391	Drill Core	1	<0.5	<0.2
2004392	Drill Core	1	<0.5	<0.2
2004393	Drill Core	2	<0.5	<0.2
2004394	Drill Core	1	<0.5	<0.2
2004395	Drill Core	1	<0.5	<0.2
2004396	Drill Core	2	<0.5	<0.2
2004397	Drill Core	2	<0.5	<0.2
2004398	Drill Core	3	<0.5	<0.2
2004399	Drill Core	2	<0.5	<0.2
2004400	Rock Pulp	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004401	Drill Core				3.14	512	0.045	0.04	<0.17	30.73	0.5	9.1	25.3	30	<0.1	2.7	2.5	111	1.09	2.2	1.5	22.9	10.6	20
2004402	Drill Core				3.69	448	0.039	0.04	<0.17	29.16	0.3	9.4	19.4	30	0.1	2.4	2.8	202	0.84	2.0	2.6	47.9	9.4	64
2004403	Drill Core				4.06	461	0.047	0.04	<0.17	22.60	0.2	6.0	16.6	20	<0.1	1.1	2.4	259	0.78	2.0	3.4	42.7	9.8	80
2004404	Drill Core				3.43	443	<0.005	<0.01	<0.17	20.61	0.4	5.0	19.7	38	<0.1	3.7	3.1	414	1.56	1.8	1.9	0.8	10.8	139
2004405	Drill Core				3.52	466	<0.005	<0.01	<0.17	28.32	0.2	7.1	3.4	35	<0.1	2.4	3.4	314	1.15	<0.5	1.5	<0.5	8.0	103
2004406	Drill Core				3.36	474	0.057	0.05	<0.17	29.23	0.1	10.0	10.4	31	0.1	3.2	3.5	217	1.14	0.5	2.4	12.5	9.6	60
2004407	Drill Core				0.79	459	<0.005	<0.01	<0.17	24.36	0.5	4.6	27.6	20	0.3	0.8	0.9	129	0.56	<0.5	2.3	3.3	8.2	49
2004459	Drill Core				2.07	433	0.017	0.02	<0.17	27.08	1.2	5.8	37.8	25	0.2	2.7	0.6	161	1.02	<0.5	3.4	11.8	15.1	40
2004408	Drill Core				0.75	466	<0.005	<0.01	<0.17	21.36	0.3	5.2	22.4	27	0.1	0.5	0.2	95	0.51	<0.5	3.8	25.3	16.9	40
2004409	Drill Core				3.73	335	<0.005	<0.01	<0.17	20.82	1.8	9.8	38.1	33	0.3	6.8	1.6	142	1.65	<0.5	3.8	5.5	13.4	17
2004410	Drill Core				3.33	439	0.005	<0.01	<0.17	22.22	1.9	9.0	25.9	21	0.2	1.5	1.4	108	1.06	<0.5	4.0	3.8	11.3	30
2004411	Drill Core				3.21	432	<0.005	<0.01	<0.17	26.02	1.0	9.8	20.8	18	0.2	1.7	1.1	106	0.96	0.8	4.7	1.2	12.9	23
2004412	Drill Core				0.59	362	<0.005	<0.01	<0.17	25.32	2.1	11.2	42.8	11	0.3	1.1	1.1	72	0.80	0.7	4.6	1.2	12.8	9
2004413	Drill Core				2.42	445	<0.005	<0.01	<0.17	29.70	1.8	10.2	69.9	28	0.3	2.5	1.5	164	1.32	1.0	3.9	4.5	12.0	22
2004414	Drill Core				1.11	422	<0.005	<0.01	<0.17	27.80	0.9	23.5	28.6	73	0.2	6.2	5.6	270	1.35	2.8	2.5	2.2	8.7	39
2004415	Drill Core				3.44	423	0.016	0.02	<0.17	22.53	0.7	64.9	89.1	278	0.5	17.3	14.7	987	2.96	9.6	0.7	13.3	4.4	84
2004416	Drill Core				3.58	490	0.014	0.01	<0.17	25.44	0.9	89.4	201.0	481	0.7	22.3	18.6	1005	3.28	9.8	0.5	11.7	3.0	96
2004417	Drill Core				3.64	472	0.009	<0.01	<0.17	28.29	0.4	157.3	864.5	1335	1.6	23.3	22.4	1135	4.14	10.7	0.3	6.9	3.3	73
2004418	Drill Core				5.38	372	0.011	0.01	<0.17	28.82	0.4	121.4	831.6	1472	1.6	17.1	18.8	1040	3.38	16.6	<0.1	12.1	1.7	75
2004419	Drill Core				4.83	381	0.006	<0.01	<0.17	22.66	1.6	48.0	138.8	371	0.5	2.9	5.0	631	2.36	13.2	<0.1	2.1	2.5	47
2004420	Drill Core				4.19	369	0.007	<0.01	<0.17	26.97	1.0	79.0	157.9	399	0.8	2.1	8.1	521	2.39	19.6	<0.1	8.0	1.7	52
2004421	Drill Core				1.94	361	0.543	0.58	1.14	21.11	0.2	113.1	57.6	234	1.0	26.5	27.5	1347	3.90	10.8	<0.1	620.8	0.2	154
2004422	Drill Core				0.71	415	0.031	0.03	<0.17	23.85	<0.1	104.3	8.8	198	0.4	29.5	26.4	1510	3.42	13.8	<0.1	26.7	0.1	175
2004423	Drill Core				1.06	410	0.020	0.02	<0.17	28.29	0.2	110.2	25.8	158	0.4	55.7	28.6	1901	3.40	17.1	<0.1	5.9	0.1	185
2004424	Drill Core				2.00	364	0.019	0.03	<0.17	27.65	0.2	157.3	20.4	208	0.4	85.2	31.4	1983	4.16	12.4	<0.1	13.6	0.1	204
2004425	Rock Pulp				0.12		<0.005				2.0	72.3	3.8	35	<0.1	5.0	8.0	323	2.25	<0.5	0.8	1.1	2.6	54
2004426	Drill Core				1.21	450	0.014	0.01	<0.17	30.03	0.5	98.9	9.1	264	0.3	93.2	34.0	2427	4.26	3.2	<0.1	3.0	<0.1	337
2004427	Drill Core				2.84	400	0.008	<0.01	<0.17	24.96	0.1	94.8	16.3	312	0.3	67.1	38.0	2167	4.70	6.4	<0.1	6.3	0.1	232
2004428	Drill Core				4.89	436	0.186	0.18	<0.17	28.32	0.2	189.9	10.6	251	0.5	93.2	37.4	2094	4.06	6.3	<0.1	100.8	0.2	235
2004429	Drill Core				1.47	442	0.378	0.37	<0.17	24.04	0.5	97.7	56.0	130	0.5	40.2	21.2	921	3.46	20.5	<0.1	216.7	0.8	109



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 4 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2004401	Drill Core				0.2	0.1	0.1	4	0.14	0.035	20	5	0.32	251	0.005	<1	0.61	0.045	0.35	<0.1	<0.01	1.5	<0.1	0.08
2004402	Drill Core				0.2	0.1	<0.1	2	0.62	0.036	14	6	0.34	188	0.004	<1	0.46	0.022	0.24	<0.1	<0.01	1.1	<0.1	0.12
2004403	Drill Core				0.1	0.1	<0.1	<2	0.80	0.046	10	5	0.34	219	0.003	<1	0.43	0.017	0.25	<0.1	<0.01	0.8	<0.1	0.15
2004404	Drill Core				0.2	0.2	0.1	4	1.14	0.042	19	7	0.72	345	0.008	<1	0.89	0.022	0.50	0.1	<0.01	1.8	0.1	<0.05
2004405	Drill Core				0.2	0.1	<0.1	3	0.89	0.045	12	6	0.67	254	0.007	<1	0.60	0.006	0.27	<0.1	<0.01	1.5	<0.1	<0.05
2004406	Drill Core				0.2	0.2	0.2	3	0.46	0.037	12	5	0.52	254	0.006	<1	0.59	0.023	0.32	<0.1	<0.01	1.4	<0.1	0.14
2004407	Drill Core				0.1	0.5	0.5	<2	0.28	0.010	13	6	0.26	519	0.001	<1	0.30	0.007	0.18	<0.1	<0.01	0.4	<0.1	<0.05
2004459	Drill Core				0.2	0.6	0.4	<2	0.22	0.003	14	4	0.24	431	0.002	<1	0.51	0.026	0.34	<0.1	<0.01	0.8	<0.1	0.26
2004408	Drill Core				0.2	1.0	0.2	<2	0.15	0.002	13	5	0.19	526	<0.001	<1	0.25	0.009	0.16	<0.1	<0.01	0.4	<0.1	0.13
2004409	Drill Core				0.2	1.3	0.2	<2	0.09	0.003	13	4	0.25	179	0.003	<1	0.65	0.047	0.41	0.1	<0.01	1.0	<0.1	0.93
2004410	Drill Core				0.1	1.9	0.2	<2	0.15	0.002	7	4	0.20	187	0.001	<1	0.26	0.006	0.17	<0.1	<0.01	0.4	<0.1	0.82
2004411	Drill Core				<0.1	2.4	0.2	<2	0.08	0.002	11	2	0.20	281	0.002	<1	0.37	0.009	0.26	<0.1	<0.01	0.5	<0.1	0.55
2004412	Drill Core				<0.1	3.5	0.3	<2	0.03	0.003	8	5	0.15	159	0.001	1	0.24	0.005	0.18	<0.1	<0.01	0.4	<0.1	0.49
2004413	Drill Core				0.1	2.6	0.3	<2	0.09	0.005	14	4	0.30	339	0.003	1	0.56	0.017	0.37	0.1	0.01	0.7	<0.1	0.52
2004414	Drill Core				0.2	2.0	0.2	<2	0.36	0.035	5	6	0.28	152	0.002	<1	0.26	0.009	0.18	<0.1	0.02	0.7	<0.1	1.12
2004415	Drill Core				0.8	1.8	0.3	10	1.25	0.061	3	11	1.05	74	0.004	<1	0.70	0.018	0.35	0.1	0.05	2.0	0.1	2.04
2004416	Drill Core				3.0	1.6	0.4	12	1.32	0.067	2	14	1.37	49	0.004	<1	0.83	0.005	0.22	<0.1	0.12	2.3	<0.1	2.56
2004417	Drill Core				15.4	2.4	1.3	28	0.95	0.036	2	26	2.28	43	0.005	<1	1.62	0.030	0.25	<0.1	0.51	5.1	<0.1	2.84
2004418	Drill Core				15.1	3.2	1.5	15	0.81	0.032	1	20	1.78	50	0.005	<1	1.10	0.007	0.22	<0.1	0.65	3.5	<0.1	2.47
2004419	Drill Core				1.8	3.1	0.6	4	0.43	0.046	4	5	0.93	107	0.006	<1	0.76	0.031	0.29	0.1	0.13	1.4	<0.1	1.43
2004420	Drill Core				4.6	1.8	1.0	4	0.51	0.039	2	4	0.91	80	0.004	<1	0.62	0.019	0.19	<0.1	0.14	1.1	<0.1	1.83
2004421	Drill Core				1.0	1.0	0.3	31	1.53	0.015	<1	20	2.52	74	0.015	4	1.65	0.012	0.85	0.1	0.04	5.6	0.4	1.71
2004422	Drill Core				2.8	0.3	<0.1	21	1.84	0.013	<1	23	2.57	84	0.022	<1	1.37	0.005	0.68	<0.1	0.02	4.3	0.3	1.02
2004423	Drill Core				1.6	0.4	0.1	24	2.71	0.010	<1	73	2.43	110	0.010	<1	1.63	0.004	0.33	<0.1	<0.01	5.2	0.1	1.00
2004424	Drill Core				0.8	0.3	<0.1	48	3.29	0.012	<1	178	3.41	179	0.010	<1	2.42	0.019	0.37	<0.1	<0.01	9.7	0.1	1.17
2004425	Rock Pulp				<0.1	0.1	<0.1	79	0.63	0.056	6	10	0.61	115	0.086	2	1.12	0.115	0.18	1.9	<0.01	1.8	<0.1	<0.05
2004426	Drill Core				0.5	0.1	<0.1	59	4.35	0.012	<1	203	4.48	144	0.007	<1	2.99	0.005	0.20	<0.1	<0.01	11.1	<0.1	0.92
2004427	Drill Core				1.1	0.2	<0.1	44	3.45	0.014	<1	102	3.96	121	0.015	1	2.65	0.041	0.36	<0.1	<0.01	11.9	0.2	1.95
2004428	Drill Core				1.0	0.1	<0.1	46	3.88	0.014	<1	206	3.67	117	0.008	<1	2.45	0.005	0.23	<0.1	<0.01	10.7	<0.1	1.23
2004429	Drill Core				0.4	0.5	0.3	30	1.71	0.013	<1	73	2.45	94	0.003	1	1.82	0.013	0.23	0.1	<0.01	6.3	<0.1	1.41



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004401	Drill Core	2	<0.5	<0.2
2004402	Drill Core	1	<0.5	<0.2
2004403	Drill Core	1	<0.5	<0.2
2004404	Drill Core	2	<0.5	<0.2
2004405	Drill Core	2	<0.5	<0.2
2004406	Drill Core	2	<0.5	<0.2
2004407	Drill Core	<1	<0.5	<0.2
2004459	Drill Core	2	<0.5	<0.2
2004408	Drill Core	<1	<0.5	<0.2
2004409	Drill Core	2	<0.5	<0.2
2004410	Drill Core	<1	<0.5	<0.2
2004411	Drill Core	1	<0.5	<0.2
2004412	Drill Core	<1	<0.5	<0.2
2004413	Drill Core	1	<0.5	<0.2
2004414	Drill Core	<1	<0.5	<0.2
2004415	Drill Core	2	<0.5	<0.2
2004416	Drill Core	2	1.0	<0.2
2004417	Drill Core	4	1.6	<0.2
2004418	Drill Core	3	1.7	<0.2
2004419	Drill Core	2	<0.5	<0.2
2004420	Drill Core	2	0.8	<0.2
2004421	Drill Core	3	<0.5	<0.2
2004422	Drill Core	2	<0.5	<0.2
2004423	Drill Core	3	<0.5	<0.2
2004424	Drill Core	4	<0.5	<0.2
2004425	Rock Pulp	4	<0.5	<0.2
2004426	Drill Core	6	<0.5	<0.2
2004427	Drill Core	5	<0.5	<0.2
2004428	Drill Core	5	<0.5	<0.2
2004429	Drill Core	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004430	Drill Core	4.12	344	0.066	0.10	0.55	25.29	0.2	108.0	18.5	132	0.4	62.9	30.0	1607	3.98	6.6	<0.1	100.0	0.1	184
2004431	Drill Core	1.90	317	0.021	0.02	<0.17	26.03	0.3	28.7	118.1	124	0.5	23.4	15.5	1030	3.36	11.1	<0.1	8.4	0.7	95
2004432	Drill Core	1.48	420	0.171	0.16	<0.17	22.86	1.2	15.8	68.9	74	0.3	5.6	8.5	432	2.38	17.6	<0.1	80.5	2.1	60
2004433	Drill Core	3.89	343	0.007	<0.01	<0.17	24.74	1.6	11.3	15.9	67	0.1	1.8	8.1	437	2.80	20.3	<0.1	3.5	2.2	20



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004430	Drill Core	0.4	0.2	0.1	46	3.57	0.012	<1	123	3.31	86	0.007	<1	2.39	0.007	0.26	<0.1	<0.01	9.8	<0.1	0.95
2004431	Drill Core	0.3	0.2	0.8	39	1.80	0.017	1	36	2.83	106	0.005	<1	2.14	0.029	0.22	<0.1	<0.01	8.6	<0.1	0.88
2004432	Drill Core	0.2	1.0	0.4	10	0.81	0.024	2	10	1.27	103	0.002	<1	0.98	0.023	0.22	<0.1	<0.01	2.0	<0.1	1.55
2004433	Drill Core	<0.1	1.2	0.3	11	0.32	0.035	3	3	1.46	100	0.004	<1	1.28	0.049	0.26	0.1	<0.01	2.2	<0.1	1.66



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000430.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004430	Drill Core	4	<0.5	<0.2
2004431	Drill Core	4	<0.5	<0.2
2004432	Drill Core	2	<0.5	<0.2
2004433	Drill Core	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 06, 2016

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000430.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2004349	Drill Core	2.11	403	<0.005	<0.01	<0.17	22.69	1.5	14.2	13.9	55	0.3	5.2	5.5	485	1.52	4.4	1.3	3.1	7.1	141
REP 2004349	QC							1.4	13.5	13.3	53	0.3	4.9	5.7	490	1.56	4.4	1.2	3.6	7.1	138
REP 2004378	QC							1.0	29.1	39.5	73	0.4	3.5	4.5	280	1.12	7.2	2.3	4.1	8.8	25
2004380	Drill Core	3.46	454	2.065	3.63	28.70	26.76	0.5	26.6	36.2	63	1.2	3.1	3.7	270	1.13	4.2	3.0	2732.3	8.5	43
REP 2004380	QC	2.182																			
2004383	Drill Core	3.79	505	<0.005	<0.01	<0.17	28.98	0.8	12.5	57.4	64	0.2	1.7	1.5	241	0.86	1.4	3.2	1.5	7.2	53
REP 2004383	QC							0.9	11.7	55.0	66	0.2	1.7	1.5	242	0.88	1.2	3.2	<0.5	7.3	50
2004407	Drill Core	0.79	459	<0.005	<0.01	<0.17	24.36	0.5	4.6	27.6	20	0.3	0.8	0.9	129	0.56	<0.5	2.3	3.3	8.2	49
REP 2004407	QC	0.011																			
2004415	Drill Core	3.44	423	0.016	0.02	<0.17	22.53	0.7	64.9	89.1	278	0.5	17.3	14.7	987	2.96	9.6	0.7	13.3	4.4	84
REP 2004415	QC							0.6	66.0	88.5	264	0.5	17.5	14.4	964	2.94	9.7	0.7	16.1	4.2	84
Core Reject Duplicates																					
2004344	Drill Core	3.80	329	<0.005	<0.01	<0.17	20.05	0.6	16.0	17.5	70	0.2	7.6	6.0	274	1.86	4.8	1.6	7.2	8.2	35
DUP 2004344	QC	410		0.006	<0.01	<0.17	29.85	0.5	16.1	17.9	68	0.2	7.4	6.0	280	1.86	4.8	1.6	11.6	7.7	35
2004378	Drill Core	3.08	475	<0.005	<0.01	<0.17	25.41	1.1	30.9	42.7	72	0.5	4.0	4.7	304	1.42	7.1	2.3	45.3	9.5	24
DUP 2004378	QC	428		<0.005	<0.01	<0.17	26.28	1.0	26.5	39.1	70	0.4	3.2	4.3	274	1.12	7.1	2.1	8.6	8.2	24
2004411	Drill Core	3.21	432	<0.005	<0.01	<0.17	26.02	1.0	9.8	20.8	18	0.2	1.7	1.1	106	0.96	0.8	4.7	1.2	12.9	23
DUP 2004411	QC	409		0.009	<0.01	<0.17	25.28	1.2	9.9	20.8	19	0.2	1.9	1.2	117	1.05	0.7	5.2	0.8	14.0	22
Reference Materials																					
STD DS10	Standard							15.6	171.4	158.7	379	2.0	72.8	13.2	888	2.85	49.1	2.9	90.0	9.0	71
STD DS10	Standard							15.4	160.1	144.1	373	1.9	71.8	13.3	882	2.69	47.7	2.6	71.5	7.9	73
STD DS10	Standard							14.4	160.9	147.7	376	1.8	70.6	14.0	878	2.70	46.9	2.8	76.1	7.8	68
STD DS10	Standard							15.0	150.9	143.4	363	1.8	73.3	12.6	906	2.81	45.4	2.7	81.5	7.3	71
STD OXC129	Standard							1.3	30.1	7.1	45	<0.1	81.1	21.4	414	3.04	0.6	0.8	205.3	2.0	188
STD OXC129	Standard							1.3	30.0	6.8	41	<0.1	81.9	21.0	417	3.04	0.6	0.8	208.6	2.0	192
STD OXC129	Standard							1.2	28.7	6.7	42	<0.1	78.8	20.3	417	2.94	<0.5	0.7	193.8	1.8	173
STD OXC129	Standard							1.2	27.0	6.2	43	<0.1	75.7	20.2	424	3.03	<0.5	0.7	184.1	1.8	195
STD OXC145	Standard	0.220																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 06, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000430.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2004349	Drill Core	0.3	0.2	0.3	3	1.55	0.047	7	7	0.50	202	0.003	<1	0.68	0.008	0.23	<0.1	<0.01	1.6	<0.1	0.17
REP 2004349	QC	0.3	0.2	0.3	3	1.59	0.047	7	6	0.50	210	0.003	<1	0.70	0.009	0.23	<0.1	<0.01	1.6	<0.1	0.18
REP 2004378	QC	0.4	0.1	0.4	3	0.12	0.031	13	4	0.48	287	0.003	1	0.61	0.009	0.26	<0.1	<0.01	1.0	0.1	0.44
2004380	Drill Core	0.2	0.1	<0.1	2	0.25	0.031	9	5	0.38	261	0.004	<1	0.47	0.018	0.23	<0.1	<0.01	0.8	<0.1	0.46
REP 2004380	QC																				
2004383	Drill Core	1.1	0.2	0.1	<2	0.29	0.015	9	3	0.36	195	0.004	<1	0.41	0.014	0.27	<0.1	<0.01	0.6	<0.1	0.22
REP 2004383	QC	1.1	0.2	0.1	<2	0.29	0.014	9	3	0.36	190	0.004	<1	0.42	0.015	0.27	<0.1	<0.01	0.6	<0.1	0.22
2004407	Drill Core	0.1	0.5	0.5	<2	0.28	0.010	13	6	0.26	519	0.001	<1	0.30	0.007	0.18	<0.1	<0.01	0.4	<0.1	<0.05
REP 2004407	QC																				
2004415	Drill Core	0.8	1.8	0.3	10	1.25	0.061	3	11	1.05	74	0.004	<1	0.70	0.018	0.35	0.1	0.05	2.0	0.1	2.04
REP 2004415	QC	0.8	1.9	0.3	10	1.27	0.065	3	12	1.03	79	0.004	1	0.67	0.017	0.34	0.1	0.06	2.1	0.1	2.09
Core Reject Duplicates																					
2004344	Drill Core	0.3	0.2	<0.1	8	0.25	0.054	14	9	0.73	265	0.007	<1	1.05	0.022	0.23	<0.1	<0.01	1.9	<0.1	<0.05
DUP 2004344	QC	0.2	0.2	<0.1	8	0.25	0.056	13	9	0.72	265	0.007	<1	1.03	0.020	0.23	<0.1	<0.01	1.8	<0.1	<0.05
2004378	Drill Core	0.4	0.2	0.5	2	0.12	0.032	13	5	0.47	295	0.004	<1	0.65	0.019	0.29	<0.1	<0.01	0.7	<0.1	0.42
DUP 2004378	QC	0.2	0.1	0.4	3	0.12	0.031	12	4	0.47	266	0.003	<1	0.59	0.014	0.26	<0.1	<0.01	0.8	0.2	0.45
2004411	Drill Core	<0.1	2.4	0.2	<2	0.08	0.002	11	2	0.20	281	0.002	<1	0.37	0.009	0.26	<0.1	<0.01	0.5	<0.1	0.55
DUP 2004411	QC	0.1	2.8	0.2	<2	0.08	0.003	14	3	0.23	302	0.003	<1	0.48	0.011	0.34	0.1	<0.01	0.8	0.1	0.55
Reference Materials																					
STD DS10	Standard	3.1	10.5	14.8	44	1.08	0.077	18	56	0.77	380	0.085	8	1.05	0.068	0.33	3.5	0.30	3.0	5.4	0.29
STD DS10	Standard	3.0	10.0	13.0	42	1.06	0.079	18	60	0.76	372	0.085	7	1.05	0.070	0.33	3.4	0.29	3.1	5.2	0.27
STD DS10	Standard	2.9	9.9	13.4	41	1.05	0.078	18	55	0.76	347	0.085	7	1.03	0.068	0.33	3.1	0.31	3.0	4.8	0.27
STD DS10	Standard	2.5	9.6	12.0	46	1.10	0.072	18	55	0.78	362	0.083	7	1.09	0.072	0.34	3.3	0.29	3.4	4.7	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.63	0.115	14	53	1.50	54	0.417	<1	1.47	0.562	0.35	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.65	0.106	13	54	1.54	54	0.410	1	1.54	0.594	0.37	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	48	0.62	0.107	13	51	1.52	49	0.394	1	1.49	0.581	0.35	<0.1	<0.01	0.6	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.70	0.106	12	52	1.54	48	0.393	1	1.62	0.598	0.39	<0.1	<0.01	1.2	<0.1	<0.05
STD OXC145	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000430.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2004349	Drill Core	2	<0.5	<0.2
REP 2004349	QC	2	<0.5	<0.2
REP 2004378	QC	2	<0.5	<0.2
2004380	Drill Core	1	<0.5	<0.2
REP 2004380	QC			
2004383	Drill Core	1	<0.5	<0.2
REP 2004383	QC	1	<0.5	<0.2
2004407	Drill Core	<1	<0.5	<0.2
REP 2004407	QC			
2004415	Drill Core	2	<0.5	<0.2
REP 2004415	QC	2	0.7	<0.2
Core Reject Duplicates				
2004344	Drill Core	3	<0.5	<0.2
DUP 2004344	QC	3	<0.5	<0.2
2004378	Drill Core	2	<0.5	<0.2
DUP 2004378	QC	2	<0.5	<0.2
2004411	Drill Core	1	<0.5	<0.2
DUP 2004411	QC	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	2.2	5.1
STD DS10	Standard	5	2.3	5.0
STD DS10	Standard	4	2.0	4.9
STD DS10	Standard	5	1.2	5.0
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC145	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 06, 2016

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000430.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.215																	
STD OXH122	Standard			1.246																	
STD OXH122	Standard			1.229																	
STD OXH122	Standard			1.208																	
STD OXN117	Standard			7.782																	
STD OXN117	Standard			7.755																	
STD OXN117	Standard			7.495																	
STD OXP91	Standard					15.24	30.45														
STD OXP91	Standard					15.08	29.65														
STD OXP91	Standard					15.02	29.83														
STD OXP91	Standard					15.05	29.51														
STD OXP91	Standard					15.05	30.29														
STD OXP91	Standard					14.92	29.95														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000430.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000430.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXC145	Standard			
STD OXC145	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000430.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		440	<0.005	<0.01	<0.17	28.62	0.8	4.6	1.4	31	<0.1	1.0	3.6	402	1.76	0.9	0.5	2.3	2.4	26
ROCK-WHI	Prep Blank		397	<0.005	<0.01	<0.17	28.90	0.7	4.6	1.2	29	<0.1	1.0	3.6	408	1.74	0.7	0.4	<0.5	2.4	27



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000430.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	20	0.56	0.042	5	3	0.37	62	0.069	<1	0.84	0.082	0.07	0.1	<0.01	2.2	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	21	0.57	0.039	5	2	0.37	70	0.070	1	0.86	0.090	0.09	0.1	<0.01	2.2	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000430.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2