



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: November 04, 2016
Report Date: December 01, 2016
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI16000431.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-68
P.O. Number
Number of Samples: 121

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	116	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	121	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	121	Analysis sample split/packet			VAN
Split -150	121	Analysis sample split/packet			VAN
FS631	116	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	121	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	121	Per sample shipping charges for branch shipments			VAN
SLBHP	5	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004136	Drill Core	4.28	451	<0.005	<0.01	<0.17	27.46	0.2	9.9	26.7	58	0.2	4.7	3.5	280	0.48	2.2	2.8	3.3	16.2	20
2004137	Drill Core	2.69	426	0.031	0.03	<0.17	26.08	0.3	20.9	19.5	142	0.2	13.4	4.2	197	1.26	17.2	5.1	10.1	13.4	18
2004138	Drill Core	2.17	417	0.007	<0.01	<0.17	21.74	0.2	20.6	3.5	148	0.2	14.4	10.5	702	1.84	15.6	1.3	4.6	9.4	83
2004139	Drill Core	2.86	400	0.010	<0.01	<0.17	20.87	0.4	25.9	4.8	122	0.4	9.1	9.2	352	1.65	18.1	1.8	8.4	9.9	42
2004140	Drill Core	4.65	419	0.071	0.07	<0.17	21.98	0.7	11.0	9.5	65	0.2	8.8	7.4	488	1.73	82.4	0.6	66.3	8.1	67
2004141	Drill Core	0.92	469	0.113	0.11	<0.17	26.77	0.9	65.4	9.4	580	1.2	67.2	57.3	2346	5.52	247.6	7.6	99.9	6.2	135
2004142	Drill Core	1.01	400	0.016	0.01	<0.17	30.23	0.4	14.6	14.3	46	0.2	4.1	3.1	423	0.92	14.3	1.2	18.4	2.8	21
2004143	Drill Core	0.51	409	0.012	0.01	<0.17	25.15	0.7	25.2	39.3	48	0.2	2.4	1.5	234	0.73	13.9	2.3	13.0	17.4	8
2004144	Drill Core	0.83	483	0.033	0.03	<0.17	22.14	0.8	26.6	185.7	37	0.5	2.1	1.3	126	0.84	29.2	1.6	27.9	11.2	7
2004145	Drill Core	2.45	421	0.010	<0.01	<0.17	26.58	1.1	58.0	8.7	387	0.2	78.3	37.0	1125	5.36	93.3	5.6	10.5	3.4	153
2004146	Drill Core	3.58	417	0.018	0.02	<0.17	21.98	1.8	19.5	54.9	44	0.3	2.9	1.2	97	0.73	8.3	2.8	10.5	12.5	16
2004147	Drill Core	1.21	456	0.016	0.02	<0.17	23.13	1.1	15.5	210.3	68	1.1	4.2	2.1	125	1.03	8.7	1.7	12.5	10.3	82
2004148	Drill Core	3.22	484	0.034	0.03	<0.17	23.69	0.4	13.0	7.8	81	0.2	4.3	3.3	170	1.07	4.1	1.3	21.1	12.3	19
2004149	Drill Core	4.21	458	0.111	0.11	<0.17	21.65	0.3	17.4	13.7	88	0.1	8.0	8.1	273	1.37	6.9	1.4	64.2	10.3	31
2004150	Rock Pulp	0.12		7.034				13.2	72.5	23.5	60	0.8	18.9	9.3	478	4.32	12.4	0.4	7333.8	1.2	58
2004151	Drill Core	1.19	395	0.046	0.22	3.39	20.03	0.3	10.8	8.6	43	0.2	2.5	2.1	321	0.63	2.5	1.0	37.6	5.7	19
2004152	Drill Core	2.77	449	0.016	0.02	<0.17	24.51	0.3	9.4	3.2	49	<0.1	3.6	2.0	128	0.52	3.1	2.8	11.7	11.9	16
2004153	Drill Core	0.73	405	0.046	0.13	1.50	22.66	0.3	13.2	4.9	52	<0.1	3.1	1.8	293	0.53	1.6	2.1	49.3	9.8	27
2004154	Drill Core	1.13	436	0.204	0.20	0.18	21.83	0.2	13.1	7.7	38	0.1	1.4	1.1	93	0.54	2.4	1.4	110.3	11.7	13
2004155	Drill Core	0.93	351	2.487	3.08	12.30	21.05	0.4	51.8	15.5	95	2.3	2.0	0.8	123	1.25	4.8	2.1	7153.2	9.9	31
2004156	Drill Core	3.36	484	0.040	0.04	<0.17	20.73	0.3	12.4	9.8	40	0.1	3.7	4.2	189	1.21	1.1	1.4	36.9	8.0	37
2004157	Drill Core	0.76	492	0.196	0.19	0.17	29.25	0.3	4.5	120.1	6	0.9	0.7	0.5	54	0.59	0.5	0.2	292.2	2.5	19
2004158	Drill Core	0.88	322	0.037	0.03	<0.17	30.00	0.2	9.9	12.4	11	0.2	1.2	1.2	66	1.01	0.8	0.7	22.6	6.7	46
2004159	Drill Core	1.25	459	0.052	0.05	<0.17	24.86	0.4	31.9	15.2	58	0.4	1.9	1.1	99	1.28	4.5	1.1	39.1	9.0	68
2004160	Drill Core	3.72	368	0.435	0.43	0.33	20.95	0.4	84.6	9.5	116	1.1	7.1	6.6	601	1.36	4.0	3.8	282.0	7.4	41
2004161	Drill Core	3.86	318	0.067	0.06	<0.17	19.54	0.3	30.9	10.5	68	0.4	7.8	6.8	412	1.88	4.4	1.7	55.1	8.7	74
2004162	Drill Core	3.42	449	0.008	<0.01	<0.17	23.32	0.2	8.0	20.5	72	0.2	5.9	6.3	327	1.69	7.8	1.7	6.6	8.6	36
2004163	Drill Core	3.50	409	<0.005	<0.01	<0.17	18.61	0.2	8.6	18.7	74	0.2	5.9	5.4	331	1.78	5.4	0.9	2.5	9.7	47
2004164	Drill Core	2.80	380	0.009	<0.01	<0.17	24.10	0.2	28.3	35.6	91	0.3	5.7	5.4	360	1.81	3.6	1.3	4.6	9.1	66
2004165	Drill Core	0.46	366	<0.005	<0.01	<0.17	22.12	0.2	11.9	4.7	81	0.1	5.5	4.7	242	1.53	4.6	3.4	5.0	8.1	28



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004136	Drill Core	1.0	0.1	0.2	<2	0.21	0.003	33	7	0.22	137	<0.001	<1	0.36	0.015	0.22	<0.1	<0.01	0.7	<0.1	<0.05			
2004137	Drill Core	1.1	0.4	0.2	4	0.12	0.030	24	13	0.71	209	0.002	2	0.85	0.009	0.25	<0.1	<0.01	1.7	<0.1	0.09			
2004138	Drill Core	1.5	0.3	<0.1	7	1.07	0.061	17	10	1.14	624	0.003	<1	1.08	0.005	0.27	<0.1	<0.01	2.0	<0.1	0.21			
2004139	Drill Core	0.8	0.4	<0.1	5	0.46	0.063	16	4	0.92	124	0.005	<1	1.00	0.005	0.25	<0.1	<0.01	1.7	<0.1	0.15			
2004140	Drill Core	0.4	0.8	<0.1	6	1.01	0.059	14	10	1.13	127	0.003	<1	1.07	0.004	0.26	<0.1	<0.01	1.3	<0.1	0.21			
2004141	Drill Core	6.8	2.9	<0.1	68	1.50	0.133	26	63	1.95	1085	0.001	<1	2.66	0.007	0.26	0.1	0.03	10.2	0.3	0.15			
2004142	Drill Core	0.7	0.4	<0.1	2	0.18	0.028	7	10	0.19	259	0.002	<1	0.23	0.013	0.06	<0.1	<0.01	0.7	<0.1	<0.05			
2004143	Drill Core	0.3	0.6	0.1	<2	0.04	0.010	40	3	0.22	226	0.001	<1	0.46	0.013	0.23	<0.1	<0.01	0.8	<0.1	<0.05			
2004144	Drill Core	0.5	0.5	0.6	<2	0.03	0.007	24	6	0.17	368	0.001	<1	0.31	0.024	0.17	<0.1	<0.01	0.7	<0.1	0.13			
2004145	Drill Core	4.4	2.4	<0.1	100	1.93	0.147	24	98	2.41	286	0.116	<1	2.73	0.241	0.12	<0.1	0.01	13.2	0.6	0.08			
2004146	Drill Core	0.4	0.4	0.4	<2	0.04	0.007	18	6	0.18	683	0.001	<1	0.37	0.013	0.20	<0.1	<0.01	0.6	<0.1	<0.05			
2004147	Drill Core	0.3	0.8	1.4	<2	0.06	0.021	14	4	0.41	1962	0.002	<1	0.50	0.008	0.20	0.9	0.01	0.7	<0.1	0.08			
2004148	Drill Core	0.6	0.2	<0.1	<2	0.18	0.038	20	7	0.54	196	0.002	<1	0.66	0.014	0.25	0.4	<0.01	1.0	<0.1	0.08			
2004149	Drill Core	0.5	0.3	<0.1	4	0.27	0.051	15	6	0.55	492	0.003	<1	0.74	0.008	0.31	<0.1	<0.01	1.6	<0.1	0.26			
2004150	Rock Pulp	0.2	6.4	0.5	100	1.05	0.053	6	29	0.60	89	0.110	3	1.77	0.160	0.14	1.5	0.27	4.1	<0.1	<0.05			
2004151	Drill Core	0.5	0.7	<0.1	<2	0.24	0.003	13	8	0.12	359	<0.001	<1	0.20	0.013	0.11	<0.1	<0.01	0.5	<0.1	0.07			
2004152	Drill Core	0.6	0.2	<0.1	<2	0.06	0.005	20	1	0.12	555	<0.001	<1	0.35	0.015	0.20	<0.1	<0.01	0.6	<0.1	0.13			
2004153	Drill Core	1.1	0.2	<0.1	<2	0.14	0.003	12	5	0.14	493	<0.001	<1	0.27	0.015	0.17	<0.1	<0.01	0.5	<0.1	0.12			
2004154	Drill Core	0.4	0.2	<0.1	<2	0.03	0.006	14	1	0.13	363	<0.001	<1	0.31	0.015	0.21	<0.1	<0.01	0.7	<0.1	0.09			
2004155	Drill Core	0.9	1.3	<0.1	<2	0.02	0.009	15	6	0.14	1153	<0.001	<1	0.27	0.023	0.15	0.3	<0.01	1.1	<0.1	0.07			
2004156	Drill Core	0.4	0.3	<0.1	3	0.15	0.028	13	3	0.23	158	0.002	<1	0.44	0.041	0.29	<0.1	<0.01	1.0	<0.1	0.74			
2004157	Drill Core	<0.1	0.6	0.3	<2	<0.01	0.005	5	7	0.03	389	0.001	<1	0.14	0.014	0.15	<0.1	<0.01	0.4	<0.1	0.08			
2004158	Drill Core	<0.1	0.2	<0.1	2	0.03	0.013	14	3	0.10	421	0.002	<1	0.35	0.039	0.31	<0.1	<0.01	0.7	<0.1	0.28			
2004159	Drill Core	0.4	1.1	<0.1	2	0.07	0.028	13	7	0.37	665	0.002	1	0.44	0.018	0.24	<0.1	<0.01	0.8	<0.1	0.15			
2004160	Drill Core	1.1	0.5	<0.1	3	0.19	0.026	12	3	0.49	278	0.002	<1	0.60	0.014	0.27	0.2	<0.01	1.0	<0.1	0.41			
2004161	Drill Core	0.2	0.5	<0.1	6	0.60	0.037	11	16	1.23	180	0.008	2	0.99	0.027	0.35	<0.1	<0.01	1.9	0.2	0.78			
2004162	Drill Core	<0.1	0.3	<0.1	7	0.29	0.033	11	8	1.13	238	0.004	<1	0.90	0.020	0.23	<0.1	<0.01	1.4	<0.1	0.61			
2004163	Drill Core	<0.1	0.3	<0.1	10	0.33	0.036	14	13	1.24	247	0.015	<1	0.94	0.026	0.30	<0.1	<0.01	1.8	0.2	0.55			
2004164	Drill Core	0.1	0.2	0.2	12	0.42	0.035	15	21	1.26	160	0.049	<1	0.90	0.060	0.45	<0.1	<0.01	3.1	0.3	0.52			
2004165	Drill Core	0.2	0.2	<0.1	10	0.15	0.030	14	21	0.95	303	0.033	<1	0.71	0.045	0.32	<0.1	<0.01	2.1	0.2	0.28			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 2 of 6 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004136	Drill Core	1	<0.5	<0.2
2004137	Drill Core	2	<0.5	<0.2
2004138	Drill Core	2	<0.5	<0.2
2004139	Drill Core	2	<0.5	<0.2
2004140	Drill Core	2	<0.5	<0.2
2004141	Drill Core	6	<0.5	<0.2
2004142	Drill Core	<1	<0.5	<0.2
2004143	Drill Core	1	<0.5	<0.2
2004144	Drill Core	1	<0.5	<0.2
2004145	Drill Core	7	<0.5	<0.2
2004146	Drill Core	1	<0.5	<0.2
2004147	Drill Core	1	<0.5	<0.2
2004148	Drill Core	2	<0.5	<0.2
2004149	Drill Core	2	<0.5	<0.2
2004150	Rock Pulp	5	<0.5	0.2
2004151	Drill Core	<1	<0.5	<0.2
2004152	Drill Core	<1	<0.5	<0.2
2004153	Drill Core	<1	<0.5	<0.2
2004154	Drill Core	<1	<0.5	<0.2
2004155	Drill Core	<1	<0.5	0.4
2004156	Drill Core	1	<0.5	<0.2
2004157	Drill Core	<1	<0.5	0.3
2004158	Drill Core	<1	<0.5	<0.2
2004159	Drill Core	1	<0.5	<0.2
2004160	Drill Core	2	<0.5	0.4
2004161	Drill Core	3	<0.5	<0.2
2004162	Drill Core	3	<0.5	<0.2
2004163	Drill Core	4	<0.5	<0.2
2004164	Drill Core	4	<0.5	<0.2
2004165	Drill Core	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 01, 2016

Page:

3 of 6

Part:

1 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004166	Drill Core	3.74	348	0.009	<0.01	<0.17	19.47	0.2	12.3	33.3	71	0.2	6.5	5.6	299	1.68	8.7	2.1	8.6	9.6	46
2004167	Drill Core	3.42	320	0.021	0.02	<0.17	24.84	0.1	19.2	39.0	111	0.4	6.4	5.1	379	1.84	21.4	1.7	20.0	9.7	53
2004168	Drill Core	2.66	440	1.034	1.79	13.22	27.46	0.2	104.0	27.8	231	1.7	8.3	7.8	658	1.94	30.7	5.3	1030.5	10.4	92
2004169	Drill Core	1.28	498	0.195	0.23	0.76	27.46	0.3	28.7	13.6	165	0.4	7.8	4.9	363	1.81	5.5	5.9	262.7	8.9	75
2004170	Drill Core	3.73	365	0.065	0.06	<0.17	18.43	0.3	18.1	31.3	107	0.2	7.8	7.4	338	1.86	5.9	3.3	94.9	9.5	59
2004172	Drill Core	0.84	405	0.033	0.03	<0.17	25.10	3.8	35.8	157.6	87	6.2	2.3	0.6	125	1.58	17.5	0.3	111.5	2.6	16
2004173	Drill Core	4.21	391	0.027	0.03	<0.17	28.00	1.1	44.6	452.6	160	2.2	1.1	1.1	187	2.00	33.7	0.2	14.3	2.6	23
2004174	Drill Core	2.95	361	0.032	0.03	<0.17	17.84	1.4	24.7	263.9	257	1.2	1.3	1.0	297	2.11	11.6	0.1	10.5	2.3	21
2004175	Rock Pulp	0.15		0.010				1.9	71.0	3.8	37	<0.1	5.6	8.6	356	2.48	0.8	0.8	0.9	2.7	61
2004176	Drill Core	3.55	328	0.009	<0.01	<0.17	22.90	1.0	55.1	437.0	227	1.1	0.7	0.8	258	2.39	16.3	<0.1	7.2	2.6	27
2004177	Drill Core	3.06	468	0.010	<0.01	<0.17	24.24	1.1	115.6	326.8	311	1.4	0.8	0.9	287	3.43	16.8	0.2	6.9	2.5	21
2004178	Drill Core	3.09	437	0.005	<0.01	<0.17	25.92	0.6	66.0	239.7	234	0.6	0.7	0.8	243	2.04	9.0	<0.1	3.7	2.5	19
2004179	Drill Core	3.40	390	0.010	<0.01	<0.17	20.72	0.5	53.8	93.9	188	0.2	1.1	1.3	230	2.57	9.0	0.3	0.6	2.5	21
2004180	Drill Core	2.79	386	0.036	0.04	<0.17	24.42	0.6	99.1	259.9	190	1.2	1.0	1.2	131	2.46	15.6	0.2	27.0	2.6	20
2004181	Drill Core	1.14	445	0.007	<0.01	<0.17	24.02	0.4	26.5	79.3	34	0.5	0.9	0.4	60	0.83	1.9	<0.1	7.2	0.5	2
2004182	Drill Core	2.70	382	0.014	0.01	<0.17	21.97	1.4	119.4	298.1	193	1.4	1.1	1.3	138	2.65	16.1	0.3	8.6	3.0	12
2004183	Drill Core	3.64	359	0.008	<0.01	<0.17	22.31	1.6	57.7	259.9	164	0.8	0.9	1.0	156	2.44	14.5	0.1	7.7	2.3	18
2004184	Drill Core	0.72	387	0.063	0.06	<0.17	21.10	1.4	111.6	550.7	274	1.8	1.4	1.7	167	2.83	25.4	0.7	8.1	2.5	28
2004185	Drill Core	3.27	448	0.027	0.03	<0.17	22.22	0.8	277.3	812.4	342	6.9	1.2	1.7	217	3.37	19.2	0.3	18.0	2.3	27
2004186	Drill Core	5.20	414	0.349	0.34	0.17	17.35	0.7	150.7	618.4	255	2.3	1.9	1.6	125	2.70	15.7	0.7	170.1	3.2	15
2004187	Drill Core	2.76	395	0.030	0.03	<0.17	21.16	0.4	67.6	204.3	152	0.7	1.1	1.5	93	2.25	8.8	0.2	41.4	2.8	11
2004188	Drill Core	2.87	421	0.006	<0.01	<0.17	20.87	0.7	79.8	384.3	201	0.8	2.6	1.7	106	2.47	8.3	0.2	4.2	1.6	9
2004189	Drill Core	2.90	360	0.008	<0.01	<0.17	20.20	1.0	135.3	975.8	346	2.0	4.6	1.8	179	3.60	12.1	0.1	5.5	1.4	13
2004190	Drill Core	0.87	320	0.137	0.19	0.92	21.70	1.0	100.2	860.0	204	2.2	1.1	1.0	127	2.62	9.9	0.2	117.9	2.1	18
2004191	Drill Core	2.54	398	0.095	0.10	<0.17	20.55	1.6	107.0	535.8	240	1.6	2.3	1.1	135	3.17	9.9	0.4	84.3	4.3	17
2004192	Drill Core	2.99	336	0.008	<0.01	<0.17	19.95	1.3	65.5	330.5	172	1.1	2.3	0.9	125	2.12	12.1	0.4	5.8	4.7	23
2004193	Drill Core	3.39	410	0.017	0.02	<0.17	20.18	1.8	24.7	89.7	76	0.4	2.1	0.9	103	1.79	12.3	0.5	2.7	5.8	17
2004194	Drill Core	3.27	399	0.018	0.02	<0.17	19.89	2.7	14.2	96.7	57	0.5	2.8	0.7	72	1.63	47.0	0.4	15.6	5.0	23
2004195	Drill Core	5.13	372	0.008	<0.01	<0.17	17.87	2.0	16.7	54.5	60	0.3	0.9	0.6	101	1.98	16.6	0.5	7.1	5.8	20
2004196	Drill Core	0.90	331	0.007	<0.01	<0.17	17.97	2.2	70.2	85.8	177	0.5	1.4	1.5	127	3.46	9.0	0.9	4.8	7.8	18



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2004166	Drill Core	<0.1	0.4	0.1	8	0.31	0.034	11	10	1.16	193	0.012	<1	0.89	0.022	0.31	<0.1	<0.01	1.7	0.2	0.54			
2004167	Drill Core	0.1	0.3	0.2	13	0.36	0.036	16	18	1.56	325	0.044	<1	1.06	0.045	0.53	<0.1	<0.01	2.9	0.4	0.41			
2004168	Drill Core	1.1	0.5	0.1	10	0.69	0.028	19	24	1.61	168	0.015	<1	1.00	0.053	0.23	<0.1	<0.01	2.5	0.1	0.74			
2004169	Drill Core	0.9	0.7	<0.1	8	0.36	0.036	17	21	1.28	407	0.024	<1	0.91	0.058	0.30	0.1	<0.01	3.8	0.2	0.25			
2004170	Drill Core	0.2	0.5	0.1	6	0.37	0.042	12	18	1.20	177	0.012	<1	0.92	0.022	0.32	<0.1	<0.01	2.2	0.2	0.67			
2004172	Drill Core	0.1	0.7	0.8	<2	0.02	0.017	6	8	0.41	220	0.002	<1	0.47	0.016	0.18	16.3	0.05	0.5	<0.1	0.10			
2004173	Drill Core	0.3	0.7	2.9	2	0.05	0.041	5	2	0.76	243	0.004	<1	0.72	0.013	0.19	0.7	0.84	0.6	<0.1	0.11			
2004174	Drill Core	0.1	0.6	1.0	3	0.05	0.035	6	7	1.51	124	0.004	<1	1.23	0.008	0.19	0.2	0.48	0.8	<0.1	0.09			
2004175	Rock Pulp	<0.1	0.1	<0.1	86	0.75	0.063	7	12	0.67	117	0.098	2	1.32	0.133	0.18	1.8	<0.01	2.2	<0.1	<0.05			
2004176	Drill Core	<0.1	0.5	1.3	3	0.04	0.046	6	2	1.28	116	0.005	<1	1.10	0.039	0.20	0.1	0.58	0.8	<0.1	0.18			
2004177	Drill Core	0.2	0.4	2.0	5	0.06	0.048	6	5	1.58	108	0.004	<1	1.36	0.013	0.22	0.1	1.27	1.2	<0.1	0.11			
2004178	Drill Core	<0.1	0.3	0.5	4	0.05	0.040	6	2	1.27	91	0.003	<1	1.08	0.030	0.18	<0.1	0.17	1.0	<0.1	0.09			
2004179	Drill Core	0.2	0.4	0.2	5	0.06	0.056	8	5	1.09	88	0.004	<1	1.01	0.037	0.16	<0.1	0.03	1.5	<0.1	0.06			
2004180	Drill Core	0.2	0.7	1.0	3	0.07	0.043	8	2	0.62	94	0.003	<1	0.66	0.020	0.20	0.1	0.30	1.0	<0.1	0.06			
2004181	Drill Core	0.1	5.5	<0.1	<2	<0.01	0.005	2	8	0.02	34	<0.001	<1	0.08	0.004	0.05	<0.1	0.12	0.3	<0.1	<0.05			
2004182	Drill Core	0.3	1.1	0.9	4	0.06	0.039	10	1	0.62	100	0.003	<1	0.77	0.018	0.22	0.2	0.25	1.2	<0.1	<0.05			
2004183	Drill Core	<0.1	0.4	0.9	3	0.03	0.044	6	5	0.82	91	0.002	<1	0.82	0.008	0.21	0.1	0.24	0.7	<0.1	0.14			
2004184	Drill Core	0.3	1.0	2.0	3	0.05	0.056	7	2	0.78	132	0.002	<1	0.88	0.014	0.17	0.2	0.14	1.1	<0.1	0.09			
2004185	Drill Core	1.0	1.1	6.0	6	0.06	0.051	6	4	1.25	102	0.005	<1	1.15	0.025	0.18	<0.1	0.65	1.4	<0.1	0.25			
2004186	Drill Core	0.3	1.1	2.9	3	0.04	0.048	11	2	0.55	140	0.003	<1	0.82	0.017	0.15	0.1	0.26	1.1	<0.1	0.06			
2004187	Drill Core	<0.1	0.4	0.4	3	0.01	0.047	8	4	0.47	92	0.004	<1	0.61	0.031	0.17	<0.1	0.06	0.8	<0.1	0.14			
2004188	Drill Core	<0.1	0.6	0.5	7	0.01	0.037	5	3	0.64	97	0.003	<1	0.74	0.017	0.17	0.1	0.10	1.4	<0.1	0.12			
2004189	Drill Core	0.2	0.6	1.1	18	0.01	0.032	4	10	1.45	115	0.005	<1	1.28	0.018	0.18	<0.1	0.47	2.4	<0.1	0.21			
2004190	Drill Core	0.2	0.5	1.2	9	<0.01	0.048	6	2	1.01	105	0.004	<1	0.90	0.032	0.18	<0.1	0.44	1.6	<0.1	0.18			
2004191	Drill Core	0.1	0.5	1.3	8	<0.01	0.050	7	10	0.96	114	0.003	<1	0.89	0.034	0.17	<0.1	0.22	1.4	<0.1	0.17			
2004192	Drill Core	<0.1	0.4	0.5	4	<0.01	0.036	9	7	0.63	115	0.003	<1	0.64	0.042	0.16	<0.1	0.12	1.1	<0.1	0.15			
2004193	Drill Core	<0.1	0.2	0.1	3	<0.01	0.035	11	10	0.48	133	0.003	<1	0.58	0.040	0.19	0.1	0.01	0.9	<0.1	0.20			
2004194	Drill Core	0.1	0.4	0.1	4	<0.01	0.045	12	9	0.20	155	0.003	<1	0.35	0.061	0.21	<0.1	0.02	0.8	<0.1	0.29			
2004195	Drill Core	<0.1	0.3	0.1	3	<0.01	0.032	12	8	0.46	128	0.002	<1	0.54	0.042	0.19	<0.1	0.01	0.8	<0.1	0.22			
2004196	Drill Core	0.2	0.7	0.1	2	<0.01	0.059	9	3	0.69	124	0.002	<1	0.82	0.017	0.19	0.6	0.03	1.3	0.1	0.12			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004166	Drill Core	3	<0.5	<0.2
2004167	Drill Core	4	<0.5	<0.2
2004168	Drill Core	3	<0.5	<0.2
2004169	Drill Core	3	<0.5	<0.2
2004170	Drill Core	3	<0.5	<0.2
2004172	Drill Core	2	0.7	<0.2
2004173	Drill Core	2	1.0	<0.2
2004174	Drill Core	3	0.7	<0.2
2004175	Rock Pulp	4	<0.5	<0.2
2004176	Drill Core	3	1.4	<0.2
2004177	Drill Core	4	2.7	<0.2
2004178	Drill Core	3	1.0	<0.2
2004179	Drill Core	3	<0.5	<0.2
2004180	Drill Core	2	1.1	<0.2
2004181	Drill Core	<1	<0.5	<0.2
2004182	Drill Core	2	1.1	<0.2
2004183	Drill Core	2	1.1	<0.2
2004184	Drill Core	2	1.4	<0.2
2004185	Drill Core	4	4.3	<0.2
2004186	Drill Core	2	1.5	<0.2
2004187	Drill Core	2	<0.5	<0.2
2004188	Drill Core	2	0.7	<0.2
2004189	Drill Core	4	2.3	<0.2
2004190	Drill Core	3	2.4	<0.2
2004191	Drill Core	3	1.2	<0.2
2004192	Drill Core	2	1.2	<0.2
2004193	Drill Core	2	<0.5	<0.2
2004194	Drill Core	2	0.9	<0.2
2004195	Drill Core	2	0.6	<0.2
2004196	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 4 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004197	Drill Core	2.13	374	<0.005	<0.01	<0.17	20.94	1.9	27.1	31.7	148	0.1	0.9	1.2	225	2.50	6.6	0.7	1.1	6.4	14
2004198	Drill Core	0.57	347	0.020	0.02	<0.17	22.58	1.0	18.7	78.8	180	0.3	1.1	2.0	245	2.11	4.2	0.5	17.9	5.0	13
2004199	Drill Core	4.17	357	0.249	0.25	0.20	24.99	2.0	49.9	97.1	186	2.0	1.5	1.3	140	2.80	13.5	0.6	232.9	6.4	10
2004200	Rock Pulp	0.12		6.923				13.6	70.5	23.1	60	0.8	18.8	9.1	452	4.11	12.5	0.4	7525.6	1.2	55
2004201	Drill Core	2.88	367	0.160	0.16	<0.17	17.87	2.2	65.6	95.7	115	1.0	1.6	1.2	95	3.10	9.5	0.5	140.6	6.7	8
2004202	Drill Core	3.61	315	0.022	0.02	<0.17	20.50	1.5	50.1	152.9	111	0.6	5.6	4.6	122	2.27	8.4	0.8	21.5	6.1	8
2004203	Drill Core	4.10	361	0.108	0.11	<0.17	21.94	1.6	46.9	165.9	90	1.1	5.6	4.7	81	2.62	17.0	0.7	145.4	5.8	15
2004204	Drill Core	0.83	405	2.110	2.95	19.12	20.08	0.8	125.1	122.8	211	3.1	7.1	3.2	166	3.43	10.9	0.7	1726.6	9.8	21
2004205	Drill Core	4.09	378	0.098	0.13	0.61	22.86	1.2	37.9	100.3	242	0.6	3.7	5.2	570	3.04	21.5	1.0	48.7	5.9	33
2004206	Drill Core	3.28	342	0.024	0.03	<0.17	20.73	0.6	48.5	47.8	242	0.3	1.6	4.3	527	2.19	22.4	0.7	162.2	6.9	39
2004207	Drill Core	1.01	364	0.016	0.02	<0.17	21.51	0.3	335.5	423.3	730	1.5	1.4	3.7	171	2.31	38.7	0.6	17.3	6.9	17
2004208	Drill Core	2.90	424	0.046	0.04	<0.17	18.27	0.4	46.5	42.1	92	0.2	1.0	1.5	99	2.25	12.3	0.6	40.0	7.8	17
2004209	Drill Core	1.29	377	0.016	0.01	<0.17	19.59	0.7	75.8	94.8	171	0.3	2.5	2.0	93	3.41	13.1	1.0	14.2	10.2	12
2004210	Drill Core	2.41	392	0.007	<0.01	<0.17	19.66	2.1	59.6	699.3	587	1.0	1.3	1.4	48	1.52	14.1	0.4	4.9	5.4	19
2004211	Drill Core	5.46	352	0.015	0.01	<0.17	24.46	1.9	118.2	662.4	208	1.2	3.5	3.4	80	1.90	17.7	1.0	7.6	6.2	23
2004212	Drill Core	3.01	431	0.010	<0.01	<0.17	24.00	1.3	85.6	146.8	226	0.8	9.0	4.6	190	4.24	40.6	2.6	9.1	7.3	56
2004213	Drill Core	2.83	459	0.036	0.04	<0.17	22.78	0.8	106.8	283.8	927	1.5	22.9	20.4	1151	2.97	31.3	2.5	38.4	3.3	95
2004214	Drill Core	1.05	398	0.120	0.12	0.21	19.26	0.6	68.5	183.6	382	0.9	12.8	11.1	2096	2.12	24.2	0.6	200.7	1.5	176
2004215	Drill Core	4.09	390	0.172	0.19	0.47	23.56	0.8	90.3	166.5	556	1.3	23.0	19.0	565	3.29	35.7	1.5	226.9	2.9	46
2004216	Drill Core	1.81	421	0.855	0.86	0.94	28.87	1.1	156.7	287.1	596	1.8	18.0	13.3	751	5.72	50.3	4.9	801.5	6.3	64
2004217	Drill Core	4.78	382	0.617	1.15	9.43	23.01	1.3	50.6	306.3	538	1.2	13.4	11.7	677	2.46	31.5	1.6	623.5	4.3	75
2004218	Drill Core	4.20	375	0.074	0.07	<0.17	20.88	2.3	69.8	502.5	749	1.9	13.7	11.2	250	2.52	26.4	4.0	53.8	7.5	19
2004219	Drill Core	1.93	351	0.044	0.05	<0.17	25.72	1.4	53.4	405.4	514	1.6	11.2	7.7	286	2.16	15.8	4.4	33.0	8.0	19
2004220	Drill Core	4.13	364	0.061	0.06	<0.17	17.02	1.2	85.4	144.2	310	0.5	4.3	3.5	132	2.35	13.6	2.4	30.9	6.1	14
2004221	Drill Core	3.04	422	0.014	0.01	<0.17	24.87	0.9	48.9	116.9	259	0.3	4.2	2.8	151	1.75	10.7	1.9	14.9	7.4	18
2004222	Drill Core	3.12	400	0.034	0.03	<0.17	25.70	1.0	106.2	114.0	481	0.7	20.4	16.9	995	2.69	48.0	2.7	181.8	4.5	107
2004223	Drill Core	3.10	365	0.052	0.05	<0.17	21.79	1.2	34.9	171.2	254	0.6	6.4	4.3	293	1.20	12.8	4.4	42.8	13.4	30
2004224	Drill Core	4.16	397	0.008	<0.01	<0.17	24.89	1.5	38.2	260.3	486	0.8	8.5	6.3	493	1.94	17.6	3.5	6.7	11.1	51
2004225	Rock Pulp	0.12		<0.005				2.0	73.5	3.7	37	<0.1	5.1	8.6	328	2.31	0.6	0.8	5.1	2.7	60
2004226	Drill Core	3.44	322	0.026	0.03	<0.17	25.54	0.9	67.6	183.7	361	0.7	5.6	5.0	298	2.01	11.3	2.3	24.7	6.4	22



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004197	Drill Core	<0.1	0.3	0.1	3	<0.01	0.031	9	5	1.69	114	0.002	<1	1.30	0.019	0.18	<0.1	<0.01	1.4	<0.1	0.20			
2004198	Drill Core	<0.1	0.6	0.3	4	0.01	0.023	6	2	2.19	153	0.005	<1	1.42	0.007	0.20	<0.1	<0.01	1.2	0.1	0.06			
2004199	Drill Core	0.1	0.7	0.4	5	<0.01	0.022	7	5	1.54	239	0.008	<1	1.15	0.013	0.41	<0.1	0.02	1.4	0.2	0.25			
2004200	Rock Pulp	0.2	6.0	0.5	88	0.99	0.051	5	28	0.59	81	0.096	2	1.72	0.147	0.13	1.4	0.27	4.3	<0.1	<0.05			
2004201	Drill Core	<0.1	0.7	0.1	3	<0.01	0.018	7	3	0.70	128	0.005	<1	0.70	0.022	0.28	<0.1	0.02	1.3	0.1	0.21			
2004202	Drill Core	0.1	0.5	0.3	4	0.05	0.030	6	5	0.79	121	0.003	<1	0.75	0.023	0.22	<0.1	0.02	1.0	<0.1	1.15			
2004203	Drill Core	0.2	0.6	0.4	4	0.10	0.034	5	9	0.35	105	0.003	<1	0.43	0.022	0.18	<0.1	0.06	1.2	<0.1	1.25			
2004204	Drill Core	0.2	0.6	0.4	3	0.02	0.005	4	5	1.02	690	0.002	<1	1.53	0.021	0.11	0.2	0.11	2.3	<0.1	0.15			
2004205	Drill Core	1.6	0.5	0.3	4	0.41	0.026	5	8	0.55	55	0.003	2	0.54	0.023	0.17	0.1	0.03	1.3	<0.1	2.25			
2004206	Drill Core	1.6	0.5	0.1	<2	0.61	0.030	7	1	0.48	69	0.003	<1	0.60	0.010	0.30	0.1	0.02	1.0	<0.1	1.77			
2004207	Drill Core	8.4	0.8	0.6	<2	0.25	0.024	8	6	0.22	107	0.002	<1	0.45	0.015	0.25	<0.1	0.46	0.7	<0.1	1.74			
2004208	Drill Core	0.8	0.3	<0.1	<2	0.11	0.027	9	5	0.26	132	0.002	<1	0.46	0.017	0.25	<0.1	0.01	0.9	<0.1	0.51			
2004209	Drill Core	0.2	0.8	<0.1	<2	0.02	0.052	11	2	0.21	146	0.002	<1	0.49	0.015	0.25	0.1	<0.01	1.0	<0.1	0.13			
2004210	Drill Core	5.8	1.3	0.4	<2	0.11	0.011	5	6	0.03	115	0.001	<1	0.21	0.006	0.19	<0.1	0.44	0.3	<0.1	0.97			
2004211	Drill Core	1.9	1.7	0.7	3	0.23	0.027	5	3	0.22	121	0.003	1	0.32	0.009	0.20	<0.1	0.24	0.8	<0.1	1.12			
2004212	Drill Core	0.5	1.4	0.8	17	0.10	0.074	7	15	0.88	151	0.012	<1	0.83	0.008	0.27	0.2	0.11	2.7	0.1	0.66			
2004213	Drill Core	10.5	1.3	2.2	11	1.29	0.068	4	10	1.23	105	0.017	<1	0.86	0.006	0.22	0.2	0.19	2.2	0.1	2.48			
2004214	Drill Core	3.0	1.0	1.1	6	2.64	0.056	3	9	0.69	99	0.006	<1	0.41	0.007	0.15	0.1	0.08	2.2	<0.1	1.71			
2004215	Drill Core	5.7	1.6	1.7	10	0.43	0.067	3	8	0.78	93	0.007	<1	0.67	0.008	0.25	<0.1	0.23	2.1	0.1	2.45			
2004216	Drill Core	5.0	2.6	0.4	8	0.46	0.065	4	11	0.40	85	0.004	<1	0.57	0.008	0.20	0.1	0.21	2.2	0.1	1.53			
2004217	Drill Core	5.3	2.2	0.8	5	0.87	0.040	3	5	0.55	66	0.004	<1	0.45	0.005	0.22	<0.1	0.15	1.3	0.1	2.12			
2004218	Drill Core	9.9	2.5	1.5	7	0.18	0.045	6	10	0.73	116	0.006	<1	0.61	0.004	0.26	<0.1	0.21	1.2	0.1	1.86			
2004219	Drill Core	6.0	1.2	0.9	4	0.15	0.025	6	5	0.82	116	0.003	<1	0.68	0.003	0.22	<0.1	0.17	1.2	<0.1	1.48			
2004220	Drill Core	3.7	1.4	0.1	3	0.08	0.019	7	6	0.44	166	0.002	<1	0.55	0.008	0.20	0.1	0.02	1.2	<0.1	0.83			
2004221	Drill Core	2.3	0.7	0.3	<2	0.07	0.018	10	2	0.49	147	0.002	<1	0.56	0.009	0.21	<0.1	0.02	1.0	<0.1	0.91			
2004222	Drill Core	3.9	1.4	0.6	10	1.26	0.063	5	11	1.05	105	0.006	<1	0.78	0.005	0.25	0.1	0.07	2.4	0.2	1.93			
2004223	Drill Core	3.0	1.0	0.4	3	0.28	0.019	9	3	0.49	121	0.002	<1	0.52	0.004	0.20	<0.1	0.04	0.7	<0.1	0.68			
2004224	Drill Core	6.0	1.0	0.8	4	0.53	0.023	9	7	0.79	122	0.002	<1	0.66	0.007	0.21	<0.1	0.04	1.0	<0.1	1.21			
2004225	Rock Pulp	<0.1	0.1	<0.1	80	0.68	0.059	7	10	0.65	113	0.089	1	1.19	0.129	0.18	1.8	<0.01	1.8	<0.1	<0.05			
2004226	Drill Core	3.7	1.4	0.2	3	0.21	0.024	7	3	0.68	101	0.002	<1	0.62	0.008	0.21	<0.1	0.03	1.0	<0.1	1.54			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 4 of 6 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004197	Drill Core	4	<0.5	<0.2
2004198	Drill Core	4	<0.5	<0.2
2004199	Drill Core	4	<0.5	0.8
2004200	Rock Pulp	5	<0.5	0.3
2004201	Drill Core	2	<0.5	0.5
2004202	Drill Core	2	<0.5	<0.2
2004203	Drill Core	1	1.3	0.2
2004204	Drill Core	1	0.8	1.0
2004205	Drill Core	1	0.9	<0.2
2004206	Drill Core	1	<0.5	<0.2
2004207	Drill Core	1	1.1	<0.2
2004208	Drill Core	2	<0.5	<0.2
2004209	Drill Core	2	<0.5	<0.2
2004210	Drill Core	<1	1.9	<0.2
2004211	Drill Core	1	2.2	<0.2
2004212	Drill Core	2	1.1	<0.2
2004213	Drill Core	2	1.6	<0.2
2004214	Drill Core	<1	1.0	<0.2
2004215	Drill Core	1	1.3	<0.2
2004216	Drill Core	1	1.4	0.5
2004217	Drill Core	1	1.1	<0.2
2004218	Drill Core	1	1.5	0.2
2004219	Drill Core	2	0.8	0.4
2004220	Drill Core	1	<0.5	<0.2
2004221	Drill Core	1	<0.5	<0.2
2004222	Drill Core	1	1.0	<0.2
2004223	Drill Core	1	<0.5	<0.2
2004224	Drill Core	2	<0.5	<0.2
2004225	Rock Pulp	4	<0.5	<0.2
2004226	Drill Core	1	0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 5 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004227	Drill Core	2.12	388	0.073	0.11	0.78	17.84	1.2	26.8	151.4	51	1.4	2.3	2.4	143	1.81	11.4	1.5	183.9	8.7	135			
2004228	Drill Core	2.87	340	0.032	0.03	<0.17	28.61	2.1	24.4	53.6	61	0.6	4.0	3.2	186	2.13	10.1	1.6	26.9	7.6	107			
2004229	Drill Core	4.56	383	0.015	0.01	<0.17	27.95	1.1	39.7	13.4	650	0.3	106.3	61.0	1056	5.84	24.3	1.8	40.3	1.7	135			
2004230	Drill Core	1.25	350	0.077	0.08	<0.17	26.72	1.6	80.1	223.5	870	0.7	60.3	43.0	819	3.77	52.9	4.5	63.6	3.7	81			
2004231	Drill Core	3.27	373	0.067	0.07	<0.17	26.62	1.0	86.6	45.0	356	0.3	3.7	5.1	476	2.37	17.5	1.7	66.2	5.7	29			
2004232	Drill Core	1.08	383	0.036	0.04	<0.17	24.28	0.4	88.7	173.8	112	0.6	2.5	3.8	334	2.44	30.9	1.7	38.0	6.9	25			
2004233	Drill Core	5.56	367	0.097	0.09	<0.17	27.54	1.3	57.9	287.7	444	1.0	8.6	6.2	455	2.39	44.2	2.2	87.3	10.1	46			
2004234	Drill Core	2.87	428	0.014	0.01	<0.17	22.71	1.4	39.5	214.8	100	0.7	12.4	9.4	331	1.93	33.2	2.3	13.6	10.9	31			
2004235	Drill Core	3.26	448	<0.005	<0.01	<0.17	22.61	1.2	5.6	22.2	9	0.3	1.7	1.3	39	0.70	10.5	0.8	2.0	6.9	8			
2004236	Drill Core	0.78	388	0.019	0.02	<0.17	25.06	2.6	73.8	242.1	806	4.5	11.7	7.4	202	5.20	115.6	5.9	14.9	23.2	14			
2004237	Drill Core	3.76	335	0.008	<0.01	<0.17	27.49	1.4	14.9	90.6	47	0.4	2.9	2.3	111	0.95	20.1	1.8	2.4	13.3	15			
2004238	Drill Core	0.93	348	0.065	0.06	<0.17	24.29	0.4	62.7	742.3	849	1.5	40.5	24.0	1493	3.42	47.6	2.6	63.3	2.9	86			
2004239	Drill Core	1.74	430	0.023	0.02	<0.17	29.76	0.5	105.6	383.0	650	1.0	28.6	18.7	1526	2.95	45.7	1.9	29.6	2.1	150			
2004240	Drill Core	4.66	360	<0.005	<0.01	<0.17	26.76	1.6	37.1	446.0	453	0.9	3.2	2.9	279	1.42	8.2	4.8	2.6	15.6	19			
2004241	Drill Core	2.98	345	0.087	0.09	<0.17	25.52	0.4	80.1	69.4	133	0.4	14.5	13.8	1060	2.26	21.1	1.0	42.2	3.5	98			
2004242	Drill Core	3.51	309	0.906	0.95	1.52	20.34	0.4	55.6	8.5	56	0.6	12.4	14.3	1051	2.72	21.1	0.7	1132.2	4.0	118			
2004243	Drill Core	3.23	461	0.764	0.77	0.88	22.64	0.5	41.8	40.8	94	1.2	12.3	13.5	741	2.86	41.2	1.4	714.7	4.7	98			
2004244	Drill Core	1.28	418	0.191	0.18	<0.17	29.16	1.3	27.0	49.6	76	0.9	10.0	7.4	213	1.65	32.4	3.6	188.6	12.6	28			
2004245	Drill Core	4.34	375	0.431	0.44	0.53	20.88	0.4	39.6	27.6	105	0.5	15.9	15.0	888	3.04	34.4	1.7	562.8	4.9	111			
2004246	Drill Core	0.98	384	0.190	0.19	0.21	28.22	0.3	28.8	7.5	50	0.6	12.7	13.0	1161	2.66	21.5	1.0	181.9	3.4	171			
2004247	Drill Core	3.32	395	0.194	0.19	<0.17	26.25	0.9	79.3	61.4	139	0.6	19.5	16.1	1077	3.01	34.4	1.5	197.2	3.3	103			
2004248	Drill Core	3.71	314	0.095	0.09	<0.17	28.37	2.3	192.8	27.5	140	2.1	36.7	21.0	1242	3.60	136.0	1.5	107.2	4.5	103			
2004249	Drill Core	2.65	359	0.047	0.04	<0.17	19.06	1.2	268.2	114.5	256	2.3	16.2	9.5	410	2.49	59.6	12.7	44.0	5.2	82			
2004250	Rock Pulp	0.12		6.991				13.6	71.0	23.9	56	0.8	18.8	9.2	457	4.14	11.8	0.4	7539.4	1.3	56			
2004251	Drill Core	3.16	442	0.030	0.03	<0.17	27.21	1.5	311.0	257.3	392	2.5	33.1	17.0	1099	2.34	44.6	0.8	24.5	4.4	85			
2004252	Drill Core	3.56	429	0.036	0.18	2.27	26.87	2.2	275.5	487.0	721	1.6	48.7	22.6	954	3.20	62.2	0.8	18.2	2.7	67			
2004253	Drill Core	3.77	327	0.034	0.03	<0.17	25.04	2.2	204.0	852.9	1133	1.6	46.1	20.5	1161	3.19	41.4	0.8	53.7	2.3	88			
2004254	Drill Core	4.46	397	0.126	0.12	<0.17	24.27	0.9	120.8	113.3	246	0.7	37.6	21.2	1031	3.35	27.7	0.8	149.3	2.7	106			
2004255	Drill Core	0.71	401	0.209	0.21	0.20	24.44	0.6	128.4	353.1	140	2.3	19.9	11.6	542	1.94	12.3	0.4	309.0	1.3	82			
2004256	Drill Core	5.01	393	0.386	0.41	0.73	26.06	2.2	220.2	696.5	963	2.3	40.9	22.8	815	3.41	23.8	1.1	192.1	2.9	105			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 5 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004227	Drill Core	0.3	2.3	0.2	8	0.10	0.030	19	9	0.55	234	0.001	1	0.68	0.014	0.38	<0.1	0.04	1.7	0.2	0.71			
2004228	Drill Core	0.3	1.5	0.1	7	0.09	0.027	17	9	0.70	179	0.002	1	0.67	0.019	0.25	<0.1	0.02	1.4	0.2	1.01			
2004229	Drill Core	4.2	4.9	<0.1	124	2.03	0.186	20	108	3.54	239	0.117	<1	3.00	0.293	0.14	<0.1	0.02	15.8	1.8	0.52			
2004230	Drill Core	9.7	2.9	0.4	37	0.52	0.054	10	30	1.74	156	0.052	<1	1.72	0.070	0.33	<0.1	0.02	5.1	0.3	1.06			
2004231	Drill Core	3.3	0.5	<0.1	<2	0.09	0.029	9	5	0.93	112	0.002	<1	0.91	0.007	0.24	0.1	<0.01	1.0	<0.1	1.41			
2004232	Drill Core	0.8	0.5	0.2	<2	0.10	0.030	10	2	0.97	117	0.002	<1	0.96	0.005	0.25	0.1	0.03	1.1	<0.1	1.34			
2004233	Drill Core	4.3	1.1	0.3	7	0.11	0.041	11	10	0.76	151	0.002	<1	0.72	0.011	0.23	0.1	0.03	1.4	<0.1	0.97			
2004234	Drill Core	1.0	0.9	0.1	4	0.27	0.034	8	4	0.22	114	0.002	<1	0.36	0.018	0.21	<0.1	<0.01	0.9	<0.1	1.54			
2004235	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.011	12	5	0.02	99	0.001	<1	0.16	0.052	0.11	<0.1	<0.01	0.3	<0.1	0.38			
2004236	Drill Core	0.9	3.6	0.2	3	0.05	0.043	11	8	0.14	103	<0.001	<1	0.29	0.025	0.09	<0.1	<0.01	1.4	<0.1	0.20			
2004237	Drill Core	0.5	0.3	0.2	<2	0.04	0.011	13	2	0.09	151	0.001	<1	0.25	0.042	0.16	<0.1	0.01	0.3	<0.1	0.52			
2004238	Drill Core	9.6	1.4	1.2	12	1.43	0.068	6	13	0.98	71	0.003	<1	0.65	0.002	0.23	<0.1	0.04	2.5	<0.1	2.82			
2004239	Drill Core	5.8	1.0	0.6	11	2.33	0.058	4	8	1.04	49	0.002	<1	0.59	0.002	0.20	<0.1	0.05	2.6	<0.1	2.48			
2004240	Drill Core	4.9	1.9	<0.1	<2	0.45	0.016	8	6	0.17	125	0.002	1	0.30	0.017	0.19	<0.1	0.05	0.6	<0.1	1.24			
2004241	Drill Core	1.3	0.3	0.2	10	1.87	0.063	4	7	0.70	119	0.003	<1	0.58	0.003	0.24	0.1	0.03	2.3	<0.1	1.50			
2004242	Drill Core	0.4	0.4	0.1	10	2.17	0.077	5	13	0.69	80	0.004	<1	0.62	0.004	0.29	0.2	0.01	2.3	<0.1	1.78			
2004243	Drill Core	1.9	0.4	0.1	9	1.52	0.076	4	7	0.49	63	0.004	<1	0.52	0.004	0.31	0.2	0.01	2.2	<0.1	2.23			
2004244	Drill Core	1.9	0.3	<0.1	3	0.18	0.033	7	8	0.14	125	0.002	<1	0.34	0.016	0.24	0.1	<0.01	1.1	<0.1	1.32			
2004245	Drill Core	1.3	0.4	0.1	11	1.90	0.065	5	9	0.80	116	0.003	<1	0.78	0.006	0.30	0.1	0.02	2.4	<0.1	2.00			
2004246	Drill Core	0.5	0.2	<0.1	9	2.61	0.064	5	10	0.81	120	0.003	<1	0.70	0.006	0.29	0.1	0.02	2.3	<0.1	1.52			
2004247	Drill Core	1.0	0.3	0.3	10	2.05	0.059	5	8	0.75	42	0.003	<1	0.69	0.005	0.29	0.1	<0.01	2.4	<0.1	1.81			
2004248	Drill Core	0.9	0.7	0.1	13	1.70	0.067	6	14	0.96	56	0.003	<1	0.83	0.006	0.29	0.1	<0.01	2.3	0.1	2.58			
2004249	Drill Core	2.4	1.6	0.2	11	0.24	0.066	11	12	0.65	139	0.002	<1	0.82	0.010	0.27	<0.1	0.01	1.6	0.1	0.89			
2004250	Rock Pulp	0.2	5.8	0.5	89	0.97	0.050	5	29	0.59	85	0.105	3	1.76	0.141	0.12	1.7	0.29	4.5	0.2	<0.05			
2004251	Drill Core	3.2	1.1	<0.1	8	1.43	0.058	6	10	0.64	95	0.002	<1	0.58	0.007	0.24	0.1	0.05	1.3	<0.1	1.85			
2004252	Drill Core	6.4	1.0	0.1	10	1.44	0.064	3	7	0.59	43	0.003	<1	0.62	0.005	0.29	0.1	0.11	2.0	<0.1	3.06			
2004253	Drill Core	11.7	0.9	0.3	10	1.47	0.066	3	12	0.85	62	0.003	<1	0.73	0.005	0.25	0.1	0.29	2.1	<0.1	2.60			
2004254	Drill Core	1.8	0.6	0.2	12	1.81	0.070	3	10	1.05	78	0.005	<1	0.88	0.005	0.33	0.2	0.05	2.6	0.1	2.25			
2004255	Drill Core	2.3	0.9	0.4	6	1.12	0.034	3	9	0.36	109	0.002	<1	0.32	0.003	0.21	0.1	0.06	1.4	<0.1	1.47			
2004256	Drill Core	11.7	4.0	0.2	11	1.49	0.068	3	8	0.75	49	0.004	<1	0.60	0.004	0.32	0.1	0.44	2.6	0.1	3.18			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 5 of 6 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004227	Drill Core	3	<0.5	0.3
2004228	Drill Core	3	<0.5	<0.2
2004229	Drill Core	8	<0.5	<0.2
2004230	Drill Core	5	0.6	<0.2
2004231	Drill Core	2	<0.5	<0.2
2004232	Drill Core	2	<0.5	<0.2
2004233	Drill Core	2	1.2	<0.2
2004234	Drill Core	<1	0.7	<0.2
2004235	Drill Core	<1	<0.5	<0.2
2004236	Drill Core	<1	<0.5	<0.2
2004237	Drill Core	<1	<0.5	<0.2
2004238	Drill Core	2	2.3	<0.2
2004239	Drill Core	2	1.6	<0.2
2004240	Drill Core	<1	0.8	<0.2
2004241	Drill Core	1	0.9	<0.2
2004242	Drill Core	1	0.5	<0.2
2004243	Drill Core	1	0.7	0.7
2004244	Drill Core	<1	<0.5	0.5
2004245	Drill Core	2	0.6	<0.2
2004246	Drill Core	1	0.7	0.2
2004247	Drill Core	2	2.1	<0.2
2004248	Drill Core	2	3.1	<0.2
2004249	Drill Core	3	1.3	<0.2
2004250	Rock Pulp	5	<0.5	<0.2
2004251	Drill Core	1	1.4	<0.2
2004252	Drill Core	1	1.2	<0.2
2004253	Drill Core	2	2.2	<0.2
2004254	Drill Core	2	1.0	<0.2
2004255	Drill Core	<1	1.2	1.2
2004256	Drill Core	1	1.7	0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 6 of 6 Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method																				
	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
2004257	Drill Core	0.72	440	0.217	0.22	0.21	28.07	3.2	104.5	447.8	876	1.7	32.4	18.0	1062	3.23	15.6	0.8	241.1	2.4	139



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004257	Drill Core	7.8	34.3	0.1	9	1.97	0.048	2	10	0.79	41	0.003	<1	0.47	0.004	0.26	0.1	0.34	2.0	<0.1	3.03



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 6 of 6 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000431.1

	Method	AQ201		
		Ga	Se	Te
	Analyte			
	Unit	ppm	ppm	ppm
MDL		1	0.5	0.2
2004257	Drill Core	1	1.4	0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 01, 2016

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000431.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2004152	Drill Core	2.77	449	0.016	0.02	<0.17	24.51	0.3	9.4	3.2	49	<0.1	3.6	2.0	128	0.52	3.1	2.8	11.7	11.9	16
REP 2004152	QC							0.2	9.2	3.1	49	<0.1	3.9	2.0	128	0.53	3.2	3.0	21.9	13.0	17
2004187	Drill Core	2.76	395	0.030	0.03	<0.17	21.16	0.4	67.6	204.3	152	0.7	1.1	1.5	93	2.25	8.8	0.2	41.4	2.8	11
REP 2004187	QC							0.5	67.6	198.9	147	0.7	1.0	1.4	94	2.24	8.8	0.2	35.0	2.7	11
2004192	Drill Core	2.99	336	0.008	<0.01	<0.17	19.95	1.3	65.5	330.5	172	1.1	2.3	0.9	125	2.12	12.1	0.4	5.8	4.7	23
REP 2004192	QC			0.009																	
2004198	Drill Core	0.57	347	0.020	0.02	<0.17	22.58	1.0	18.7	78.8	180	0.3	1.1	2.0	245	2.11	4.2	0.5	17.9	5.0	13
REP 2004198	QC			0.021																	
2004222	Drill Core	3.12	400	0.034	0.03	<0.17	25.70	1.0	106.2	114.0	481	0.7	20.4	16.9	995	2.69	48.0	2.7	181.8	4.5	107
REP 2004222	QC							1.0	102.4	112.6	481	0.7	20.0	16.2	979	2.67	47.1	2.7	95.6	4.2	107
2004233	Drill Core	5.56	367	0.097	0.09	<0.17	27.54	1.3	57.9	287.7	444	1.0	8.6	6.2	455	2.39	44.2	2.2	87.3	10.1	46
REP 2004233	QC			0.090																	
2004248	Drill Core	3.71	314	0.095	0.09	<0.17	28.37	2.3	192.8	27.5	140	2.1	36.7	21.0	1242	3.60	136.0	1.5	107.2	4.5	103
REP 2004248	QC							2.3	191.7	28.0	145	2.1	36.6	20.8	1228	3.56	140.6	1.5	103.0	4.7	105
Core Reject Duplicates																					
2004166	Drill Core	3.74	348	0.009	<0.01	<0.17	19.47	0.2	12.3	33.3	71	0.2	6.5	5.6	299	1.68	8.7	2.1	8.6	9.6	46
DUP 2004166	QC		449	0.010	<0.01	<0.17	19.04	0.2	13.8	31.5	71	0.2	6.5	5.4	307	1.73	8.9	2.0	7.8	9.9	47
2004201	Drill Core	2.88	367	0.160	0.16	<0.17	17.87	2.2	65.6	95.7	115	1.0	1.6	1.2	95	3.10	9.5	0.5	140.6	6.7	8
DUP 2004201	QC		384	0.170	0.16	<0.17	24.70	2.0	65.0	97.3	119	1.0	1.6	1.2	95	3.08	9.5	0.5	131.1	6.8	8
2004235	Drill Core	3.26	448	<0.005	<0.01	<0.17	22.61	1.2	5.6	22.2	9	0.3	1.7	1.3	39	0.70	10.5	0.8	2.0	6.9	8
DUP 2004235	QC		440	<0.005	<0.01	<0.17	30.42	1.2	5.5	21.0	9	0.3	1.7	1.4	42	0.73	11.4	0.8	1.8	6.9	8
Reference Materials																					
STD DS10	Standard							14.4	155.0	151.9	363	1.8	72.3	12.5	874	2.66	44.5	2.8	106.4	8.0	70
STD DS10	Standard							15.3	158.2	148.6	375	1.8	74.8	13.5	869	2.75	46.9	2.7	74.8	7.6	70
STD DS10	Standard							15.2	171.1	148.0	365	1.8	74.8	12.5	869	2.77	46.2	2.8	89.0	8.4	68
STD DS10	Standard							15.4	166.1	155.4	381	2.0	80.0	14.3	909	2.81	47.2	2.8	96.8	8.2	69
STD OXC129	Standard							1.2	27.9	6.7	41	<0.1	77.8	20.6	413	2.97	0.6	0.7	198.0	2.0	180
STD OXC129	Standard							1.3	28.5	6.9	42	<0.1	76.6	21.1	417	3.01	0.5	0.7	189.5	2.0	190



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 01, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2004152	Drill Core	0.6	0.2	<0.1	<2	0.06	0.005	20	1	0.12	555	<0.001	<1	0.35	0.015	0.20	<0.1	<0.01	0.6	<0.1	0.13
REP 2004152	QC	0.6	0.2	<0.1	<2	0.06	0.005	21	1	0.12	550	<0.001	<1	0.36	0.015	0.20	<0.1	<0.01	0.6	<0.1	0.13
2004187	Drill Core	<0.1	0.4	0.4	3	0.01	0.047	8	4	0.47	92	0.004	<1	0.61	0.031	0.17	<0.1	0.06	0.8	<0.1	0.14
REP 2004187	QC	<0.1	0.4	0.4	3	0.01	0.047	8	4	0.48	93	0.004	<1	0.62	0.033	0.17	<0.1	0.06	0.8	<0.1	0.14
2004192	Drill Core	<0.1	0.4	0.5	4	<0.01	0.036	9	7	0.63	115	0.003	<1	0.64	0.042	0.16	<0.1	0.12	1.1	<0.1	0.15
REP 2004192	QC																				
2004198	Drill Core	<0.1	0.6	0.3	4	0.01	0.023	6	2	2.19	153	0.005	<1	1.42	0.007	0.20	<0.1	<0.01	1.2	0.1	0.06
REP 2004198	QC																				
2004222	Drill Core	3.9	1.4	0.6	10	1.26	0.063	5	11	1.05	105	0.006	<1	0.78	0.005	0.25	0.1	0.07	2.4	0.2	1.93
REP 2004222	QC	4.0	1.5	0.5	10	1.25	0.062	5	10	1.04	100	0.006	<1	0.75	0.006	0.24	0.1	0.07	2.2	0.1	1.92
2004233	Drill Core	4.3	1.1	0.3	7	0.11	0.041	11	10	0.76	151	0.002	<1	0.72	0.011	0.23	0.1	0.03	1.4	<0.1	0.97
REP 2004233	QC																				
2004248	Drill Core	0.9	0.7	0.1	13	1.70	0.067	6	14	0.96	56	0.003	<1	0.83	0.006	0.29	0.1	<0.01	2.3	0.1	2.58
REP 2004248	QC	0.9	0.7	0.2	13	1.69	0.065	6	13	0.95	66	0.003	<1	0.81	0.006	0.29	0.1	<0.01	2.2	0.1	2.57
Core Reject Duplicates																					
2004166	Drill Core	<0.1	0.4	0.1	8	0.31	0.034	11	10	1.16	193	0.012	<1	0.89	0.022	0.31	<0.1	<0.01	1.7	0.2	0.54
DUP 2004166	QC	0.1	0.4	0.1	9	0.31	0.034	11	14	1.18	245	0.012	<1	0.93	0.025	0.33	<0.1	<0.01	1.7	0.2	0.55
2004201	Drill Core	<0.1	0.7	0.1	3	<0.01	0.018	7	3	0.70	128	0.005	<1	0.70	0.022	0.28	<0.1	0.02	1.3	0.1	0.21
DUP 2004201	QC	<0.1	0.6	<0.1	3	<0.01	0.020	8	6	0.71	129	0.005	<1	0.72	0.023	0.29	<0.1	0.03	1.2	0.1	0.19
2004235	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.011	12	5	0.02	99	0.001	<1	0.16	0.052	0.11	<0.1	<0.01	0.3	<0.1	0.38
DUP 2004235	QC	<0.1	0.3	<0.1	<2	0.01	0.010	12	2	0.02	101	0.001	<1	0.15	0.053	0.11	<0.1	<0.01	0.3	<0.1	0.39
Reference Materials																					
STD DS10	Standard	2.9	10.0	12.8	41	1.04	0.071	18	54	0.76	340	0.082	6	1.02	0.068	0.32	3.3	0.28	3.1	5.3	0.26
STD DS10	Standard	3.3	10.1	13.1	44	1.09	0.076	18	57	0.77	351	0.089	7	1.07	0.069	0.34	3.2	0.27	2.9	5.1	0.29
STD DS10	Standard	3.0	10.1	13.0	45	1.07	0.075	20	55	0.79	365	0.091	8	1.09	0.071	0.34	3.0	0.27	3.0	5.2	0.27
STD DS10	Standard	2.8	11.0	13.3	44	1.09	0.082	19	60	0.79	354	0.086	8	1.07	0.069	0.34	3.5	0.31	3.0	5.2	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.63	0.102	14	52	1.52	49	0.395	<1	1.50	0.578	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.70	0.098	14	53	1.52	52	0.401	<1	1.56	0.583	0.36	<0.1	<0.01	0.7	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000431.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2004152	Drill Core	<1	<0.5	<0.2
REP 2004152	QC	<1	<0.5	<0.2
2004187	Drill Core	2	<0.5	<0.2
REP 2004187	QC	2	<0.5	<0.2
2004192	Drill Core	2	1.2	<0.2
REP 2004192	QC			
2004198	Drill Core	4	<0.5	<0.2
REP 2004198	QC			
2004222	Drill Core	1	1.0	<0.2
REP 2004222	QC	2	1.0	<0.2
2004233	Drill Core	2	1.2	<0.2
REP 2004233	QC			
2004248	Drill Core	2	3.1	<0.2
REP 2004248	QC	2	2.3	<0.2
Core Reject Duplicates				
2004166	Drill Core	3	<0.5	<0.2
DUP 2004166	QC	3	<0.5	<0.2
2004201	Drill Core	2	<0.5	0.5
DUP 2004201	QC	2	<0.5	0.5
2004235	Drill Core	<1	<0.5	<0.2
DUP 2004235	QC	<1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.0	4.9
STD DS10	Standard	5	1.5	4.9
STD DS10	Standard	5	2.4	4.9
STD DS10	Standard	5	2.7	5.1
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 01, 2016

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000431.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXC129	Standard							1.4	30.7	6.8	42	<0.1	79.9	21.2	411	3.01	<0.5	0.7	197.4	2.2	186
STD OXC129	Standard							1.3	28.7	6.6	42	<0.1	78.5	19.9	421	3.09	0.6	0.7	199.1	2.0	189
STD OXC145	Standard			0.214																	
STD OXC145	Standard			0.219																	
STD OXC145	Standard			0.218																	
STD OXC145	Standard			0.211																	
STD OXH122	Standard			1.203																	
STD OXH122	Standard			1.242																	
STD OXH122	Standard			1.262																	
STD OXH122	Standard			1.229																	
STD OXN117	Standard			7.468																	
STD OXN117	Standard			7.760																	
STD OXN117	Standard			7.551																	
STD OXN117	Standard			7.755																	
STD OXP91	Standard					15.14	31.37														
STD OXP91	Standard					15.30	30.06														
STD OXP91	Standard					15.15	30.03														
STD OXP91	Standard					15.10	29.21														
STD OXP91	Standard					15.23	29.41														
STD OXP91	Standard					15.26	28.77														
STD OXP91	Standard					14.95	29.89														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000431.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.69	0.105	13	55	1.50	52	0.417	1	1.56	0.590	0.35	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.70	0.102	13	53	1.55	52	0.387	<1	1.61	0.599	0.37	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000431.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC145	Standard			
STD OXC145	Standard			
STD OXC145	Standard			
STD OXC145	Standard			
STD OXC145	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXH122	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000431.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		461	<0.005	<0.01	<0.17	25.70	0.7	4.2	1.5	31	<0.1	0.8	3.8	429	1.73	0.6	0.4	1.0	2.3	28
ROCK-WHI	Prep Blank		442	<0.005	<0.01	<0.17	28.42	0.9	3.3	1.4	32	<0.1	0.7	4.2	427	1.75	0.8	0.4	<0.5	2.4	27



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 01, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000431.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.81	0.039	6	5	0.38	71	0.080	2	0.90	0.094	0.10	0.1	<0.01	2.5	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.58	0.039	6	3	0.38	65	0.080	1	0.88	0.096	0.09	0.1	<0.01	2.3	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 01, 2016

Page:

3 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000431.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2