



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman

Receiving Lab: Canada-Whitehorse

Received: November 04, 2016

Report Date: December 06, 2016

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-69
P.O. Number
Number of Samples: 51

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	49	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	51	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	51	Analysis sample split/packet			VAN
Split -150	51	Analysis sample split/packet			VAN
FS631	49	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	51	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	51	Per sample shipping charges for branch shipments			VAN
SLBHP	2	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 06, 2016

Page:

2 of 3

Part:

1 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004258	Drill Core	3.52	339	0.400	0.54	2.52	23.04	1.9	209.2	645.3	1099	2.9	38.1	20.3	848	3.79	30.0	0.5	281.8	1.9	118
2004259	Drill Core	5.14	420	0.277	0.29	0.59	23.85	0.8	43.7	54.8	152	0.8	14.6	9.3	935	2.94	33.3	0.7	337.3	4.2	111
2004260	Drill Core	1.37	454	0.034	0.03	<0.17	23.54	0.4	110.3	574.7	511	2.0	13.1	11.9	515	3.01	38.6	2.1	32.6	3.9	62
2004261	Drill Core	5.22	477	0.007	<0.01	<0.17	30.93	4.5	4.2	103.2	42	0.2	3.0	1.8	91	1.59	20.2	1.9	3.2	10.1	14
2004262	Drill Core	4.83	410	0.037	0.03	<0.17	25.54	2.7	26.5	104.0	323	0.6	15.4	9.6	313	2.77	20.7	2.3	30.6	7.8	59
2004263	Drill Core	3.34	270	0.009	<0.01	<0.17	24.32	1.6	57.9	159.2	354	0.8	16.4	10.1	286	2.17	32.1	1.5	5.6	7.1	42
2004264	Drill Core	3.15	408	0.012	0.01	<0.17	24.53	2.7	61.7	138.7	268	0.7	23.6	11.2	805	2.94	40.7	1.0	8.7	3.7	90
2004265	Drill Core	3.04	431	0.009	<0.01	<0.17	30.47	2.2	76.6	128.1	327	0.7	15.0	9.5	591	2.49	31.7	1.0	6.7	3.0	77
2004266	Drill Core	3.50	412	0.036	0.03	<0.17	27.01	2.2	69.9	161.6	269	1.0	16.0	10.3	442	3.12	27.0	2.3	26.9	4.4	64
2004267	Drill Core	3.48	428	0.013	0.01	<0.17	30.13	10.4	20.1	149.7	390	0.8	5.1	4.5	338	1.80	3.7	3.8	9.4	9.6	89
2004268	Drill Core	3.43	488	0.008	<0.01	<0.17	25.50	6.1	4.4	60.1	272	0.3	2.8	1.4	155	1.57	1.6	4.6	3.2	13.9	19
2004269	Drill Core	2.55	654	0.006	<0.01	<0.17	26.70	4.8	7.4	108.7	108	0.4	1.5	1.2	78	1.19	1.2	5.2	2.5	16.5	16
2004270	Drill Core	1.32	534	0.006	<0.01	<0.17	30.12	3.9	5.2	56.5	44	0.2	2.7	1.2	93	1.37	3.2	2.1	0.7	12.9	7
2004271	Drill Core	1.93	481	<0.005	<0.01	<0.17	28.86	6.7	15.1	59.0	184	0.3	0.9	1.0	31	1.03	1.5	2.0	1.0	14.7	6
2004272	Drill Core	0.93	554	0.007	<0.01	<0.17	31.93	5.0	289.6	680.2	4029	4.7	0.9	1.0	26	1.12	1.3	1.2	3.7	10.3	7
2004273	Drill Core	5.36	503	0.008	<0.01	<0.17	29.33	1.7	3.3	51.9	40	0.2	1.5	0.9	68	0.94	2.0	2.1	<0.5	14.3	7
2004274	Drill Core	0.54	409	<0.005	<0.01	<0.17	29.76	0.8	2.1	20.2	7	0.1	0.8	0.8	37	0.71	0.8	2.4	<0.5	10.9	6
2004275	Rock Pulp	0.12		0.006				1.8	65.4	3.5	35	<0.1	4.7	7.7	341	2.38	<0.5	0.8	<0.5	2.5	57
2004276	Drill Core	3.26	415	0.006	<0.01	<0.17	27.31	1.1	9.2	144.2	39	0.3	1.5	2.0	65	1.22	5.2	2.3	0.8	12.5	15
2004277	Drill Core	0.89	438	0.010	<0.01	<0.17	29.96	0.5	9.6	87.4	42	0.2	1.6	1.1	96	0.97	9.2	13.5	6.5	14.8	60
2004278	Drill Core	1.77	477	0.007	<0.01	<0.17	28.13	1.3	5.2	32.4	10	0.1	0.8	1.5	36	0.86	1.9	6.2	1.5	14.1	14
2004279	Drill Core	4.14	493	0.005	<0.01	<0.17	30.83	19.7	9.6	142.5	94	0.3	0.9	2.4	32	0.77	2.4	4.0	0.9	13.4	20
2004280	Drill Core	0.94	387	0.024	0.02	<0.17	21.45	4.7	68.1	176.5	149	1.0	37.6	19.6	448	3.47	45.7	11.7	11.7	6.2	69
2004281	Drill Core	2.78	531	<0.005	<0.01	<0.17	32.24	0.8	5.8	29.9	22	0.2	1.3	1.2	65	0.64	3.7	4.7	<0.5	13.6	12
2004282	Drill Core	0.42	402	<0.005	<0.01	<0.17	30.16	1.2	23.7	75.3	78	0.5	0.7	0.7	50	0.81	1.6	2.8	<0.5	15.0	5
2004283	Drill Core	3.60	335	<0.005	<0.01	<0.17	26.06	0.9	24.3	76.7	78	0.5	0.7	0.9	50	0.81	1.6	2.8	<0.5	15.1	5
2004284	Drill Core	1.85	365	0.011	<0.01	<0.17	26.99	2.9	85.4	896.6	926	3.0	2.1	0.9	99	1.26	3.5	2.5	1.2	14.0	10
2004285	Drill Core	3.46	454	0.074	0.07	<0.17	27.78	2.1	153.0	278.5	379	2.1	30.7	18.7	702	3.39	120.2	1.8	47.5	3.8	79
2004286	Drill Core	3.48	415	0.038	0.04	<0.17	26.35	7.6	186.4	461.3	718	1.4	90.5	32.0	930	4.50	154.7	0.5	26.3	2.3	102
2004319	Drill Core	2.29	420	<0.005	<0.01	<0.17	19.11	1.0	11.7	28.5	22	3.4	1.6	1.2	195	0.64	8.2	0.7	0.6	9.5	46



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 3 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004258	Drill Core	8.7	25.0	0.2	9	1.61	0.052	2	9	0.88	26	0.002	1	0.46	0.003	0.24	0.1	0.40	1.9	<0.1	3.62			
2004259	Drill Core	1.5	0.8	0.1	7	1.52	0.053	4	5	0.67	43	0.003	<1	0.46	0.005	0.31	0.2	0.05	1.6	<0.1	2.58			
2004260	Drill Core	7.7	1.2	0.1	6	0.80	0.063	4	8	0.51	57	0.002	1	0.39	0.003	0.22	<0.1	0.05	1.2	<0.1	2.73			
2004261	Drill Core	0.6	0.4	<0.1	<2	0.07	0.017	10	3	0.08	66	0.002	<1	0.33	0.052	0.22	<0.1	0.02	0.7	<0.1	1.11			
2004262	Drill Core	3.5	0.7	0.2	6	0.66	0.046	6	11	0.44	50	0.005	1	0.52	0.023	0.34	0.1	0.03	1.5	<0.1	2.37			
2004263	Drill Core	3.1	0.8	0.3	3	0.45	0.053	7	8	0.22	38	0.002	1	0.30	0.017	0.23	0.1	0.03	0.6	<0.1	2.13			
2004264	Drill Core	1.8	0.8	0.1	6	1.22	0.059	6	9	0.60	45	0.005	1	0.54	0.004	0.38	0.2	0.02	1.7	<0.1	2.28			
2004265	Drill Core	1.7	0.7	<0.1	3	1.00	0.064	3	7	0.40	42	0.002	1	0.23	0.002	0.18	0.1	0.03	1.1	<0.1	2.40			
2004266	Drill Core	2.2	0.9	0.1	7	0.66	0.061	6	15	0.39	40	0.006	<1	0.61	0.003	0.46	0.1	0.04	1.9	<0.1	2.65			
2004267	Drill Core	4.7	1.0	0.2	<2	0.95	0.010	5	10	0.46	59	0.001	1	0.20	0.010	0.16	<0.1	0.05	0.9	<0.1	1.64			
2004268	Drill Core	4.1	0.5	<0.1	3	0.20	0.010	13	4	0.18	99	0.003	2	0.54	0.076	0.35	0.1	0.12	1.3	<0.1	1.18			
2004269	Drill Core	1.9	0.9	0.3	<2	0.11	0.009	10	3	0.10	77	0.002	<1	0.29	0.031	0.21	<0.1	0.02	0.6	<0.1	1.20			
2004270	Drill Core	0.5	0.4	<0.1	<2	0.02	0.006	10	4	0.04	191	0.002	1	0.31	0.059	0.20	<0.1	<0.01	0.5	<0.1	0.74			
2004271	Drill Core	1.5	0.6	<0.1	<2	0.01	0.003	10	3	0.02	92	<0.001	1	0.19	0.033	0.14	<0.1	0.02	0.3	<0.1	0.96			
2004272	Drill Core	32.4	3.8	1.6	<2	0.01	0.004	7	2	0.02	53	<0.001	1	0.15	0.020	0.12	<0.1	0.47	0.3	<0.1	1.31			
2004273	Drill Core	0.4	0.2	0.2	<2	0.03	0.004	15	2	0.08	204	0.002	2	0.52	0.025	0.37	0.1	0.01	0.7	<0.1	0.62			
2004274	Drill Core	<0.1	0.2	<0.1	<2	0.02	0.004	10	4	0.02	314	0.001	<1	0.18	0.007	0.18	0.1	<0.01	0.3	<0.1	0.52			
2004275	Rock Pulp	<0.1	<0.1	<0.1	84	0.69	0.056	6	10	0.65	107	0.079	2	1.23	0.128	0.18	1.9	<0.01	1.9	<0.1	<0.05			
2004276	Drill Core	0.4	0.3	0.2	<2	0.10	0.009	10	4	0.05	84	0.001	<1	0.25	0.005	0.21	<0.1	<0.01	0.4	<0.1	1.13			
2004277	Drill Core	0.4	0.2	0.2	<2	0.12	0.008	15	3	0.07	273	<0.001	1	0.36	0.013	0.26	<0.1	<0.01	0.5	<0.1	0.41			
2004278	Drill Core	<0.1	<0.1	<0.1	<2	0.02	0.005	10	4	0.04	143	<0.001	<1	0.26	0.007	0.20	<0.1	<0.01	0.3	<0.1	0.73			
2004279	Drill Core	1.1	0.2	0.1	<2	0.02	0.006	10	3	0.03	201	<0.001	1	0.24	0.006	0.18	<0.1	0.02	0.3	<0.1	0.64			
2004280	Drill Core	1.9	0.8	0.3	7	0.60	0.058	7	20	0.36	30	0.004	1	0.64	0.003	0.44	0.2	0.01	1.5	0.1	2.95			
2004281	Drill Core	0.2	0.3	<0.1	<2	0.07	0.006	12	2	0.09	146	<0.001	1	0.22	0.017	0.16	<0.1	<0.01	0.5	<0.1	0.55			
2004282	Drill Core	0.7	0.9	0.1	<2	0.03	0.002	14	3	0.06	163	0.001	1	0.25	0.031	0.17	<0.1	0.01	0.5	<0.1	0.69			
2004283	Drill Core	0.7	0.9	0.1	<2	0.03	0.003	14	3	0.07	174	0.001	<1	0.24	0.030	0.17	<0.1	0.01	0.5	<0.1	0.70			
2004284	Drill Core	7.7	2.9	0.2	<2	0.02	0.004	15	4	0.08	224	0.001	1	0.57	0.030	0.36	0.1	0.09	0.7	<0.1	0.64			
2004285	Drill Core	3.6	2.5	0.2	9	0.82	0.078	5	36	0.88	33	0.002	<1	0.56	0.002	0.22	<0.1	0.04	1.6	<0.1	2.98			
2004286	Drill Core	6.2	1.7	0.2	14	0.97	0.065	5	15	1.44	30	0.005	1	1.11	0.003	0.37	0.2	0.07	2.4	<0.1	3.27			
2004319	Drill Core	0.3	0.2	0.3	<2	0.04	0.012	14	5	0.06	1613	<0.001	<1	0.23	0.009	0.19	14.5	<0.01	0.5	<0.1	0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
MDL					
2004258	Drill Core		1	1.3	0.3
2004259	Drill Core		1	<0.5	<0.2
2004260	Drill Core		1	1.0	0.6
2004261	Drill Core		<1	<0.5	<0.2
2004262	Drill Core		1	<0.5	<0.2
2004263	Drill Core		<1	<0.5	<0.2
2004264	Drill Core		1	<0.5	<0.2
2004265	Drill Core		<1	<0.5	<0.2
2004266	Drill Core		2	<0.5	0.2
2004267	Drill Core		<1	<0.5	<0.2
2004268	Drill Core		1	<0.5	<0.2
2004269	Drill Core		<1	<0.5	<0.2
2004270	Drill Core		<1	<0.5	<0.2
2004271	Drill Core		<1	<0.5	<0.2
2004272	Drill Core		<1	1.3	<0.2
2004273	Drill Core		1	<0.5	<0.2
2004274	Drill Core		<1	<0.5	<0.2
2004275	Rock Pulp		4	<0.5	<0.2
2004276	Drill Core		<1	<0.5	<0.2
2004277	Drill Core		<1	<0.5	<0.2
2004278	Drill Core		<1	<0.5	<0.2
2004279	Drill Core		<1	<0.5	<0.2
2004280	Drill Core		2	0.5	<0.2
2004281	Drill Core		<1	<0.5	<0.2
2004282	Drill Core		<1	<0.5	<0.2
2004283	Drill Core		<1	<0.5	<0.2
2004284	Drill Core		1	0.6	<0.2
2004285	Drill Core		1	1.1	<0.2
2004286	Drill Core		3	3.4	<0.2
2004319	Drill Core		<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004320	Drill Core	2.03	542	0.006	<0.01	<0.17	25.11	0.5	4.1	13.8	22	0.2	1.8	1.2	160	0.96	7.1	0.8	2.4	12.2	43
2004321	Drill Core	0.70	417	0.008	<0.01	<0.17	24.57	2.0	7.3	32.2	41	0.7	1.2	1.6	792	0.69	11.3	1.7	4.8	12.7	17
2004322	Drill Core	1.79	411	<0.005	<0.01	<0.17	26.07	0.9	3.0	11.0	16	0.2	0.5	1.0	134	0.57	5.1	0.7	<0.5	11.6	24
2004323	Drill Core	0.56	414	<0.005	<0.01	<0.17	22.18	0.6	2.4	9.1	20	0.1	0.6	1.3	189	0.61	5.3	0.7	6.5	10.0	22
2004324	Drill Core	5.84	388	0.011	<0.01	<0.17	31.33	0.3	7.1	44.9	29	0.2	1.8	0.9	168	1.06	4.2	0.9	19.5	12.0	11
2004325	Rock Pulp	0.12		<0.005				1.8	63.1	3.3	35	<0.1	4.7	7.3	336	2.36	<0.5	0.7	3.6	2.3	52
2004326	Drill Core	0.82	426	0.016	0.02	<0.17	29.39	0.9	7.6	221.1	56	0.6	0.9	1.1	245	0.67	10.6	1.0	19.9	9.2	10
2004327	Drill Core	3.64	334	0.018	0.02	<0.17	27.55	0.5	5.1	22.6	32	0.3	4.4	4.3	422	1.09	22.5	0.9	15.9	11.6	17
2004328	Drill Core	3.27	400	0.031	0.03	<0.17	29.83	1.0	7.7	16.1	52	0.4	7.2	4.8	263	1.51	40.9	1.3	33.1	8.6	15
2004329	Drill Core	3.22	417	0.007	<0.01	<0.17	25.50	0.4	8.4	16.2	35	0.3	4.2	4.1	244	1.07	11.2	1.1	6.2	12.4	18
2004330	Drill Core	3.36	481	0.007	<0.01	<0.17	26.24	0.5	7.4	14.0	29	0.2	3.5	3.6	298	1.20	9.3	1.1	7.6	13.3	17
2004331	Drill Core	3.35	372	0.010	<0.01	<0.17	27.27	0.8	6.8	35.2	22	0.4	1.8	3.2	388	0.84	13.5	1.5	7.7	13.4	20
2004332	Drill Core	3.03	410	<0.005	<0.01	<0.17	27.50	0.6	6.4	27.6	18	0.2	2.5	2.6	380	1.01	5.5	0.9	6.1	13.6	14
2004333	Drill Core	3.07	369	0.009	<0.01	<0.17	23.04	0.2	10.1	24.4	16	0.2	1.3	2.3	86	0.63	5.7	0.9	13.8	11.4	12
2004334	Drill Core	1.51	459	0.014	0.01	<0.17	28.43	0.4	7.3	22.0	12	<0.1	2.1	2.3	167	0.82	3.7	0.8	12.2	13.2	13
2004335	Drill Core	0.76	449	0.045	0.04	<0.17	26.37	0.4	4.9	22.4	20	0.2	0.9	1.5	122	0.69	11.4	1.2	41.8	11.0	11
2004336	Drill Core	0.82	426	0.010	<0.01	<0.17	29.44	0.3	6.6	26.6	13	0.1	1.1	2.2	99	0.51	2.7	0.8	6.7	13.0	12
2004337	Drill Core	5.33	411	<0.005	<0.01	<0.17	29.05	1.0	5.7	28.3	13	0.1	1.5	1.3	109	0.84	4.0	1.2	6.2	12.4	7
2004338	Drill Core	5.76	360	0.005	<0.01	<0.17	24.96	0.6	8.9	21.6	28	0.2	3.0	3.1	213	1.01	4.2	2.6	5.1	11.2	24
2004339	Drill Core	2.95	359	0.048	0.05	<0.17	18.31	0.4	5.9	21.5	36	0.2	4.5	3.3	239	1.47	23.8	2.1	53.3	12.4	29
2004340	Drill Core	3.89	383	<0.005	<0.01	<0.17	23.88	0.4	8.2	23.6	34	0.2	3.7	2.9	203	1.09	4.5	1.4	2.9	11.0	21



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004320	Drill Core	0.3	0.1	0.2	<2	0.04	0.010	25	3	0.11	1551	0.002	<1	0.51	0.036	0.36	0.4	<0.01	1.3	0.2	<0.05
2004321	Drill Core	0.6	0.4	0.1	<2	0.09	0.015	30	5	0.12	1014	<0.001	<1	0.42	0.013	0.21	1.3	<0.01	1.0	<0.1	<0.05
2004322	Drill Core	0.2	0.1	<0.1	<2	0.03	0.007	20	4	0.06	1277	<0.001	<1	0.26	0.014	0.21	0.2	<0.01	0.5	<0.1	<0.05
2004323	Drill Core	0.3	0.1	<0.1	<2	0.03	0.006	22	3	0.08	687	<0.001	<1	0.28	0.017	0.21	0.1	<0.01	0.6	<0.1	<0.05
2004324	Drill Core	0.3	0.2	0.1	<2	0.04	0.008	26	4	0.11	879	0.002	<1	0.49	0.047	0.33	0.2	<0.01	1.2	<0.1	<0.05
2004325	Rock Pulp	<0.1	<0.1	0.1	85	0.65	0.058	6	10	0.64	102	0.075	2	1.17	0.113	0.18	1.7	<0.01	1.8	0.1	<0.05
2004326	Drill Core	0.2	0.3	0.4	<2	0.08	0.022	21	5	0.09	399	<0.001	<1	0.32	0.018	0.19	0.3	0.02	0.5	<0.1	<0.05
2004327	Drill Core	0.6	0.1	0.3	3	0.11	0.041	24	5	0.13	899	0.002	1	0.50	0.031	0.35	0.1	<0.01	1.1	0.1	<0.05
2004328	Drill Core	0.4	0.3	0.3	4	0.15	0.058	20	4	0.19	475	0.002	<1	0.46	0.027	0.24	<0.1	0.01	1.6	<0.1	<0.05
2004329	Drill Core	0.2	0.2	0.2	3	0.23	0.046	21	5	0.19	284	0.002	<1	0.44	0.027	0.26	<0.1	<0.01	1.5	<0.1	0.12
2004330	Drill Core	0.3	0.2	0.2	3	0.12	0.041	23	5	0.17	518	0.003	<1	0.59	0.054	0.39	<0.1	<0.01	1.4	0.1	0.06
2004331	Drill Core	0.5	0.2	0.4	<2	0.18	0.036	20	5	0.10	283	0.002	<1	0.34	0.023	0.28	<0.1	<0.01	0.8	<0.1	0.13
2004332	Drill Core	0.3	<0.1	0.2	3	0.09	0.035	28	5	0.12	647	0.003	<1	0.53	0.047	0.40	<0.1	<0.01	1.1	0.1	<0.05
2004333	Drill Core	0.1	0.1	0.2	<2	0.08	0.033	15	3	0.10	170	0.001	<1	0.26	0.015	0.22	<0.1	<0.01	0.6	<0.1	0.10
2004334	Drill Core	0.2	0.2	<0.1	2	0.08	0.031	23	4	0.13	370	0.003	<1	0.50	0.041	0.41	<0.1	<0.01	0.9	0.1	0.06
2004335	Drill Core	0.1	0.3	<0.1	<2	0.06	0.022	24	5	0.11	251	0.001	<1	0.30	0.019	0.24	<0.1	<0.01	0.6	<0.1	<0.05
2004336	Drill Core	0.2	0.1	<0.1	<2	0.08	0.035	23	4	0.07	235	0.002	<1	0.29	0.026	0.29	<0.1	<0.01	0.7	<0.1	<0.05
2004337	Drill Core	0.1	<0.1	0.1	<2	0.03	0.015	27	3	0.07	369	0.003	<1	0.42	0.046	0.38	<0.1	<0.01	0.8	<0.1	0.06
2004338	Drill Core	0.2	0.1	<0.1	3	0.14	0.034	17	5	0.29	247	0.003	<1	0.49	0.026	0.26	<0.1	<0.01	0.8	<0.1	0.14
2004339	Drill Core	0.2	0.2	<0.1	4	0.15	0.035	23	6	0.34	309	0.006	<1	0.70	0.065	0.35	<0.1	<0.01	1.2	<0.1	0.08
2004340	Drill Core	<0.1	<0.1	<0.1	3	0.11	0.033	18	5	0.36	476	0.003	<1	0.60	0.030	0.25	<0.1	<0.01	0.9	<0.1	0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000432.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004320	Drill Core	2	<0.5	<0.2
2004321	Drill Core	1	<0.5	<0.2
2004322	Drill Core	<1	<0.5	<0.2
2004323	Drill Core	<1	<0.5	<0.2
2004324	Drill Core	1	<0.5	<0.2
2004325	Rock Pulp	4	<0.5	<0.2
2004326	Drill Core	<1	<0.5	<0.2
2004327	Drill Core	2	<0.5	<0.2
2004328	Drill Core	2	<0.5	<0.2
2004329	Drill Core	2	<0.5	<0.2
2004330	Drill Core	2	<0.5	<0.2
2004331	Drill Core	1	<0.5	<0.2
2004332	Drill Core	2	<0.5	<0.2
2004333	Drill Core	<1	<0.5	<0.2
2004334	Drill Core	2	<0.5	<0.2
2004335	Drill Core	<1	<0.5	<0.2
2004336	Drill Core	<1	<0.5	<0.2
2004337	Drill Core	1	<0.5	<0.2
2004338	Drill Core	2	<0.5	<0.2
2004339	Drill Core	3	<0.5	<0.2
2004340	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 06, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000432.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																						
2004320	Drill Core	2.03	542	0.006	<0.01	<0.17	25.11	0.5	4.1	13.8	22	0.2	1.8	1.2	160	0.96	7.1	0.8	2.4	12.2	43	
REP 2004320	QC	0.006						0.5	4.4	13.7	22	0.2	1.8	1.1	159	0.96	6.9	0.9	8.9	11.9	42	
REP 2004327	QC							0.5	4.8	24.8	31	0.3	3.1	4.2	395	0.84	22.6	0.9	18.4	11.2	17	
Core Reject Duplicates																						
2004261	Drill Core	5.22	477	0.007	<0.01	<0.17	30.93	4.5	4.2	103.2	42	0.2	3.0	1.8	91	1.59	20.2	1.9	3.2	10.1	14	
DUP 2004261	QC	506		0.007	<0.01	<0.17	29.09	4.6	3.9	112.5	47	0.2	2.7	2.1	61	1.33	20.6	1.9	6.0	9.9	14	
2004327	Drill Core	3.64	334	0.018	0.02	<0.17	27.55	0.5	5.1	22.6	32	0.3	4.4	4.3	422	1.09	22.5	0.9	15.9	11.6	17	
DUP 2004327	QC	373		0.021	0.02	<0.17	27.57	0.4	4.6	23.2	31	0.3	3.0	4.3	389	0.82	22.7	0.8	21.0	10.8	16	
Reference Materials																						
STD DS10	Standard							14.7	149.8	150.7	360	1.9	71.5	12.3	881	2.77	45.5	2.7	86.9	7.6	69	
STD DS10	Standard							14.2	151.2	147.8	369	1.9	71.0	12.0	897	2.78	45.3	2.7	92.7	7.5	68	
STD OXC129	Standard							1.2	27.9	6.8	42	<0.1	77.4	20.1	424	3.02	1.0	0.7	192.9	2.0	190	
STD OXC129	Standard							1.2	26.8	6.5	42	<0.1	75.7	19.4	419	3.04	<0.5	0.7	205.7	1.9	190	
STD OXC145	Standard	0.209																				
STD OXH122	Standard	1.229																				
STD OXN117	Standard	7.759																				
STD OXP91	Standard						15.04	30.05														
STD OXP91	Standard						15.19	30.02														
STD OXP91	Standard						15.05	49.98														
STD OXP91 Expected							14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9		
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 06, 2016

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000432.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2004320	Drill Core	0.3	0.1	0.2	<2	0.04	0.010	25	3	0.11	1551	0.002	<1	0.51	0.036	0.36	0.4	<0.01	1.3	0.2	<0.05
REP 2004320	QC	0.3	0.1	0.2	<2	0.04	0.011	25	3	0.11	1518	0.002	<1	0.50	0.036	0.36	0.4	<0.01	1.2	0.1	<0.05
REP 2004327	QC	0.7	0.2	0.3	<2	0.11	0.042	22	4	0.11	921	0.001	<1	0.34	0.015	0.24	<0.1	<0.01	0.9	<0.1	<0.05
Core Reject Duplicates																					
2004261	Drill Core	0.6	0.4	<0.1	<2	0.07	0.017	10	3	0.08	66	0.002	<1	0.33	0.052	0.22	<0.1	0.02	0.7	<0.1	1.11
DUP 2004261	QC	0.7	0.5	0.1	<2	0.07	0.019	9	4	0.07	60	0.001	1	0.21	0.030	0.15	<0.1	0.01	0.5	<0.1	1.19
2004327	Drill Core	0.6	0.1	0.3	3	0.11	0.041	24	5	0.13	899	0.002	1	0.50	0.031	0.35	0.1	<0.01	1.1	0.1	<0.05
DUP 2004327	QC	0.7	0.2	0.3	2	0.11	0.039	21	4	0.11	884	0.001	<1	0.33	0.015	0.23	<0.1	<0.01	0.7	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.8	9.1	12.5	44	1.07	0.078	18	54	0.78	345	0.074	7	1.04	0.071	0.34	3.2	0.29	2.9	5.1	0.28
STD DS10	Standard	2.6	8.7	12.1	45	1.05	0.077	17	53	0.77	343	0.074	7	1.03	0.067	0.34	3.1	0.29	2.9	4.9	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.64	0.099	13	52	1.53	51	0.383	<1	1.51	0.576	0.37	<0.1	<0.01	1.2	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.105	13	50	1.54	52	0.380	2	1.50	0.581	0.37	<0.1	<0.01	1.1	<0.1	<0.05
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000432.1

Method	AQ201	AQ201	AQ201
Analyte	Ga	Se	Te
Unit	ppm	ppm	ppm
MDL	1	0.5	0.2
Pulp Duplicates			
2004320 Drill Core	2	<0.5	<0.2
REP 2004320 QC	2	<0.5	<0.2
REP 2004327 QC	1	<0.5	<0.2
Core Reject Duplicates			
2004261 Drill Core	<1	<0.5	<0.2
DUP 2004261 QC	<1	<0.5	<0.2
2004327 Drill Core	2	<0.5	<0.2
DUP 2004327 QC	1	<0.5	<0.2
Reference Materials			
STD DS10 Standard	4	2.1	5.2
STD DS10 Standard	4	2.1	5.3
STD OXC129 Standard	5	<0.5	<0.2
STD OXC129 Standard	5	<0.5	<0.2
STD OXC145 Standard			
STD OXH122 Standard			
STD OXN117 Standard			
STD OXP91 Standard			
STD OXP91 Standard			
STD OXP91 Standard			
STD OXP91 Expected			
STD DS10 Expected	4.5	2.3	5.01
STD OXC129 Expected	5.6		
BLK Blank			
BLK Blank			
BLK Blank			
BLK Blank			
BLK Blank			
BLK Blank	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000432.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		396	<0.005	<0.01	<0.17	27.52	0.9	3.3	1.5	31	<0.1	0.8	3.5	425	1.76	0.7	0.4	1.9	2.2	24
ROCK-WHI	Prep Blank		405	<0.005	<0.01	<0.17	20.02	0.8	3.0	1.3	28	<0.1	1.4	3.5	429	1.90	1.1	0.4	2.6	2.3	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000432.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.57	0.041	5	3	0.38	64	0.071	1	0.86	0.085	0.09	<0.1	<0.01	2.5	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.56	0.040	5	3	0.36	69	0.071	2	0.84	0.103	0.10	<0.1	<0.01	2.5	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 06, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000432.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2