



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: November 07, 2016
Report Date: December 07, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000433.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-71
P.O. Number
Number of Samples: 82

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	79	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	82	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	82	Analysis sample split/packet			VAN
Split -150	82	Analysis sample split/packet			VAN
FS631	79	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	82	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	82	Per sample shipping charges for branch shipments			VAN
SLBHP	3	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004287	Drill Core	2.19	406	<0.005	<0.01	<0.17	21.19	0.2	21.3	33.8	50	0.3	5.4	5.6	266	1.47	<0.5	2.7	0.8	12.3	18
2004288	Drill Core	1.50	418	<0.005	<0.01	<0.17	25.04	0.3	16.6	20.8	83	0.3	7.9	8.1	388	2.43	0.8	1.3	1.1	8.2	25
2004289	Drill Core	2.09	354	<0.005	<0.01	<0.17	27.71	0.1	3.5	12.2	7	<0.1	0.3	0.4	104	0.47	<0.5	1.2	<0.5	15.4	32
2004290	Drill Core	0.77	395	<0.005	<0.01	<0.17	27.08	0.2	18.3	15.1	55	0.2	6.5	7.6	435	2.40	0.6	0.5	<0.5	5.7	62
2004291	Drill Core	0.87	323	<0.005	<0.01	<0.17	29.04	0.4	14.8	8.9	57	0.2	5.4	8.0	359	1.94	0.7	0.9	<0.5	8.0	30
2004292	Drill Core	0.71	367	<0.005	<0.01	<0.17	28.14	0.5	14.3	4.2	48	0.2	5.9	7.1	402	2.26	1.2	0.4	<0.5	3.2	44
2004293	Drill Core	1.33	391	<0.005	<0.01	<0.17	23.82	0.3	14.3	12.4	53	0.2	4.8	7.6	425	1.96	<0.5	0.7	<0.5	8.2	56
2004294	Drill Core	1.82	475	<0.005	<0.01	<0.17	28.52	0.5	10.3	28.7	61	0.2	5.8	8.5	592	2.72	0.7	0.9	<0.5	6.8	90
2004295	Drill Core	2.46	345	<0.005	<0.01	<0.17	29.20	<0.1	9.7	3.2	58	<0.1	3.8	4.1	328	2.63	0.9	2.4	<0.5	10.5	37
2004296	Drill Core	1.19	476	<0.005	<0.01	<0.17	28.96	0.2	11.8	4.8	51	0.2	4.3	3.7	407	2.33	0.8	1.7	<0.5	7.8	54
2004297	Drill Core	1.20	396	<0.005	<0.01	<0.17	23.59	0.1	6.5	7.1	47	<0.1	2.5	3.9	254	1.82	0.7	2.5	<0.5	10.6	37
2004298	Drill Core	2.60	355	<0.005	<0.01	<0.17	28.86	0.2	8.6	16.5	53	0.2	4.6	5.9	368	2.00	0.8	1.4	<0.5	9.5	119
2004299	Drill Core	1.97	348	<0.005	<0.01	<0.17	25.69	0.1	13.0	2.5	61	0.1	3.8	5.6	382	2.07	1.0	1.5	<0.5	9.2	122
2004300	Rock Pulp	0.13		6.868				13.8	72.3	24.9	62	0.8	19.8	9.2	467	4.26	12.0	0.4	7946.4	1.3	59
2004301	Drill Core	1.22	475	0.006	<0.01	<0.17	27.40	0.2	24.6	13.8	39	0.3	10.6	11.2	357	2.41	1.6	2.0	2.7	7.6	77
2004302	Drill Core	0.84	422	<0.005	<0.01	<0.17	29.31	0.3	37.8	46.0	64	0.4	8.2	10.6	355	1.93	0.8	1.8	2.7	8.4	42
2004303	Drill Core	0.78	490	<0.005	<0.01	<0.17	29.75	0.2	8.1	2.7	49	0.2	6.3	6.0	427	2.26	0.9	0.6	1.0	3.5	95
2004304	Drill Core	0.97	384	<0.005	<0.01	<0.17	20.92	0.3	15.2	13.6	88	0.2	9.3	14.5	874	2.99	2.0	0.5	3.2	3.5	176
2004305	Drill Core	2.50	419	<0.005	<0.01	<0.17	30.15	0.2	15.0	2.6	53	0.1	6.5	6.2	385	1.78	0.9	2.5	1.9	11.3	31
2004306	Drill Core	1.06	404	<0.005	<0.01	<0.17	24.70	0.5	14.1	6.8	43	0.2	10.7	7.7	264	1.61	1.2	1.2	1.2	10.6	21
2004307	Drill Core	0.86	331	<0.005	<0.01	<0.17	29.16	0.2	31.7	140.0	51	0.3	4.7	5.3	308	1.72	0.6	1.8	2.3	8.9	32
2004308	Drill Core	0.67	356	<0.005	<0.01	<0.17	24.17	0.8	13.8	39.9	47	0.2	3.4	4.5	237	1.28	0.8	2.1	1.1	11.2	22
2004309	Drill Core	1.28	429	<0.005	<0.01	<0.17	28.22	0.2	15.4	3.7	41	0.2	8.0	7.3	403	1.77	0.9	4.5	2.2	9.3	39
2004310	Drill Core	1.77	488	<0.005	<0.01	<0.17	25.57	0.6	13.8	17.2	34	0.2	2.6	3.9	177	1.07	0.6	2.9	1.1	12.5	19
2004311	Drill Core	0.80	453	<0.005	<0.01	<0.17	27.29	0.4	26.2	32.8	45	0.3	9.7	7.7	309	1.81	2.8	1.0	1.2	6.4	36
2004312	Drill Core	1.77	434	<0.005	<0.01	<0.17	26.04	0.3	28.6	34.0	52	0.4	6.3	6.1	236	1.59	<0.5	7.9	0.9	9.9	21
2004313	Drill Core	0.85	318	<0.005	<0.01	<0.17	21.86	0.2	4.7	5.7	9	<0.1	2.2	1.4	170	0.99	0.7	4.4	<0.5	17.5	25
2004314	Drill Core	0.73	371	<0.005	<0.01	<0.17	26.33	0.2	4.5	23.7	10	0.1	0.2	0.4	93	0.34	<0.5	2.2	<0.5	17.0	18
2004315	Drill Core	2.74	404	<0.005	<0.01	<0.17	24.26	0.3	13.7	5.5	57	0.2	8.4	7.9	382	2.09	0.8	2.1	<0.5	10.8	27
2004316	Drill Core	0.87	341	<0.005	<0.01	<0.17	29.61	0.2	7.7	18.3	42	0.2	5.0	5.3	562	2.14	0.6	1.1	<0.5	8.6	61



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 2 of 4 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2004287	Drill Core	0.2	0.4	0.2	16	0.38	0.044	26	49	1.00	338	0.065	<1	0.85	0.033	0.57	0.1	<0.01	2.9	0.3	0.25
2004288	Drill Core	0.1	0.4	0.3	25	0.22	0.059	24	154	1.59	772	0.068	<1	1.44	0.041	0.43	0.1	<0.01	3.1	0.2	0.12
2004289	Drill Core	<0.1	0.2	<0.1	<2	0.25	0.003	25	4	0.20	1190	0.005	<1	0.29	0.050	0.15	<0.1	<0.01	0.9	<0.1	0.06
2004290	Drill Core	0.1	0.4	<0.1	30	0.83	0.048	19	198	1.68	1268	0.030	<1	1.26	0.045	0.27	<0.1	<0.01	3.3	0.1	0.10
2004291	Drill Core	0.1	0.5	<0.1	28	0.48	0.050	15	209	1.69	609	0.069	<1	1.27	0.016	0.43	0.2	<0.01	2.1	0.2	<0.05
2004292	Drill Core	<0.1	0.6	<0.1	25	0.61	0.038	10	201	1.58	1346	0.078	<1	1.22	0.019	0.22	<0.1	<0.01	2.3	<0.1	<0.05
2004293	Drill Core	<0.1	0.2	<0.1	23	0.43	0.038	16	218	1.84	1958	0.038	<1	1.36	0.020	0.14	<0.1	<0.01	2.0	<0.1	0.05
2004294	Drill Core	0.3	0.2	0.2	38	2.67	0.054	18	164	1.54	825	0.030	<1	1.26	0.019	0.43	<0.1	<0.01	7.3	0.2	<0.05
2004295	Drill Core	0.1	0.3	<0.1	26	0.62	0.059	29	26	0.77	723	0.099	<1	1.06	0.080	0.80	0.1	<0.01	5.4	0.3	0.09
2004296	Drill Core	0.2	0.4	<0.1	17	0.78	0.046	20	18	0.80	1107	0.087	<1	1.01	0.027	0.77	0.1	<0.01	3.9	0.3	0.10
2004297	Drill Core	0.1	0.3	<0.1	15	0.67	0.047	24	20	0.64	562	0.083	<1	0.79	0.036	0.63	0.1	<0.01	3.9	0.2	0.17
2004298	Drill Core	0.2	0.4	0.1	23	0.29	0.039	18	173	1.37	1452	0.086	<1	1.30	0.065	0.29	0.1	<0.01	2.0	<0.1	0.07
2004299	Drill Core	<0.1	0.3	<0.1	26	0.28	0.051	21	107	1.42	1169	0.066	<1	1.23	0.026	0.31	0.1	<0.01	2.7	0.1	0.11
2004300	Rock Pulp	0.2	5.4	0.5	94	1.01	0.053	6	30	0.63	91	0.104	2	1.79	0.147	0.13	1.5	0.32	4.9	<0.1	<0.05
2004301	Drill Core	0.3	0.6	<0.1	21	1.13	0.066	20	88	0.75	68	0.074	<1	0.81	0.055	0.36	0.2	<0.01	3.3	0.1	1.30
2004302	Drill Core	0.5	0.3	0.3	27	0.33	0.053	17	223	1.47	382	0.055	<1	1.13	0.026	0.20	0.1	<0.01	1.5	<0.1	0.24
2004303	Drill Core	<0.1	0.4	<0.1	20	0.62	0.042	8	149	1.33	1011	0.057	<1	1.17	0.019	0.31	<0.1	<0.01	1.4	0.1	<0.05
2004304	Drill Core	0.2	0.3	<0.1	61	2.89	0.059	3	343	2.79	1168	0.180	<1	2.00	0.007	1.80	<0.1	<0.01	8.5	0.8	0.10
2004305	Drill Core	0.2	0.4	<0.1	12	0.88	0.054	29	13	0.71	326	0.094	<1	0.99	0.048	0.74	0.2	<0.01	4.1	0.3	0.38
2004306	Drill Core	0.2	0.3	0.1	10	0.58	0.056	26	16	0.52	132	0.059	<1	0.64	0.027	0.48	0.2	<0.01	3.0	0.2	0.72
2004307	Drill Core	0.3	0.3	<0.1	11	0.49	0.040	24	15	0.76	341	0.075	<1	0.91	0.074	0.62	0.2	<0.01	4.1	0.2	0.35
2004308	Drill Core	0.2	0.5	0.1	10	0.27	0.040	24	19	0.81	261	0.069	<1	0.76	0.033	0.57	0.3	<0.01	2.9	0.3	0.24
2004309	Drill Core	0.6	0.3	<0.1	9	1.37	0.055	25	11	0.47	111	0.062	<1	0.80	0.033	0.64	0.2	<0.01	2.9	0.2	0.77
2004310	Drill Core	0.2	0.5	<0.1	10	0.29	0.031	24	41	0.75	503	0.052	<1	0.69	0.028	0.51	0.2	<0.01	2.4	0.2	0.15
2004311	Drill Core	0.8	0.8	0.1	21	0.42	0.050	13	110	1.04	248	0.058	<1	0.86	0.049	0.34	0.3	<0.01	4.2	0.2	<0.05
2004312	Drill Core	0.4	0.5	0.2	14	0.21	0.048	21	24	1.09	416	0.077	<1	0.93	0.026	0.30	0.2	<0.01	3.0	0.1	0.30
2004313	Drill Core	0.1	0.3	<0.1	4	0.37	0.006	30	16	0.18	815	0.011	<1	0.48	0.089	0.34	0.2	<0.01	1.5	<0.1	0.17
2004314	Drill Core	0.4	0.6	0.1	<2	0.18	0.003	31	3	0.08	663	0.004	<1	0.23	0.041	0.19	<0.1	<0.01	0.7	<0.1	0.09
2004315	Drill Core	0.2	0.4	<0.1	19	0.82	0.046	25	95	1.22	168	0.063	<1	1.03	0.026	0.54	0.1	<0.01	5.0	0.2	0.57
2004316	Drill Core	0.7	0.2	0.1	35	2.00	0.037	21	151	1.43	1239	0.050	<1	1.19	0.059	0.69	<0.1	<0.01	6.0	0.3	0.10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 2 of 4 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004287	Drill Core	3	2.0	<0.2
2004288	Drill Core	6	<0.5	<0.2
2004289	Drill Core	1	<0.5	<0.2
2004290	Drill Core	5	<0.5	<0.2
2004291	Drill Core	4	<0.5	<0.2
2004292	Drill Core	4	<0.5	<0.2
2004293	Drill Core	4	<0.5	<0.2
2004294	Drill Core	4	<0.5	<0.2
2004295	Drill Core	5	<0.5	<0.2
2004296	Drill Core	4	<0.5	<0.2
2004297	Drill Core	3	<0.5	<0.2
2004298	Drill Core	5	<0.5	<0.2
2004299	Drill Core	5	<0.5	<0.2
2004300	Rock Pulp	5	<0.5	<0.2
2004301	Drill Core	3	0.8	<0.2
2004302	Drill Core	4	0.8	<0.2
2004303	Drill Core	4	<0.5	<0.2
2004304	Drill Core	5	<0.5	<0.2
2004305	Drill Core	4	<0.5	<0.2
2004306	Drill Core	3	<0.5	<0.2
2004307	Drill Core	4	0.6	<0.2
2004308	Drill Core	3	<0.5	<0.2
2004309	Drill Core	3	<0.5	<0.2
2004310	Drill Core	3	<0.5	<0.2
2004311	Drill Core	3	<0.5	<0.2
2004312	Drill Core	4	3.9	<0.2
2004313	Drill Core	2	<0.5	<0.2
2004314	Drill Core	1	<0.5	<0.2
2004315	Drill Core	4	0.5	<0.2
2004316	Drill Core	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201				
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
2004317	Drill Core	0.78	337	<0.005	<0.01	<0.17	27.78	0.5	12.5	32.5	95	0.2	8.6	13.0	904	3.60	<0.5	0.8	<0.5	7.2	67				
2004318	Drill Core	2.49	416	<0.005	<0.01	<0.17	29.22	0.4	13.2	13.8	57	0.2	8.1	7.6	485	2.27	0.6	1.8	<0.5	10.8	33				
2004434	Drill Core	0.77	418	<0.005	<0.01	<0.17	30.26	0.8	3.0	12.9	11	0.2	0.8	0.4	67	0.49	1.4	1.0	<0.5	9.1	3				
2004435	Drill Core	2.00	411	0.024	0.02	<0.17	27.30	0.4	9.6	79.5	45	0.4	1.6	0.4	131	0.90	1.4	1.7	9.0	13.4	16				
2004436	Drill Core	3.00	445	<0.005	<0.01	<0.17	28.71	1.4	5.5	7.9	10	0.2	0.4	0.3	58	0.53	1.0	1.3	4.4	7.5	18				
2004437	Drill Core	0.75	460	0.009	<0.01	<0.17	26.76	0.4	13.3	30.4	16	0.3	1.2	0.3	93	0.70	0.6	2.8	9.0	16.6	28				
2004438	Drill Core	2.13	400	<0.005	<0.01	<0.17	27.83	0.7	2.0	6.5	8	<0.1	0.3	0.2	63	0.37	0.9	1.8	<0.5	17.0	20				
2004439	Drill Core	1.47	369	<0.005	<0.01	<0.17	28.27	1.3	2.2	9.6	6	0.1	0.3	0.2	53	0.32	0.6	3.3	<0.5	19.6	12				
2004440	Drill Core	3.62	429	<0.005	<0.01	<0.17	25.46	0.8	5.9	11.0	9	0.2	0.9	0.3	82	0.62	<0.5	2.6	2.3	17.8	22				
2004441	Drill Core	2.12	448	<0.005	<0.01	<0.17	24.69	10.7	2.5	4.6	6	0.1	0.3	0.2	52	0.45	<0.5	3.7	3.2	15.9	57				
2004442	Drill Core	1.46	455	<0.005	<0.01	<0.17	29.90	0.9	3.4	4.8	5	<0.1	1.3	0.2	86	0.66	0.5	1.5	1.0	11.7	7				
2004443	Drill Core	2.31	471	0.011	<0.01	<0.17	27.82	2.3	8.2	50.3	6	0.5	0.5	0.4	83	0.43	0.9	2.7	4.2	17.1	45				
2004444	Drill Core	1.52	489	0.016	0.01	<0.17	24.78	0.7	5.3	94.4	7	1.1	0.7	0.6	87	0.49	0.9	1.9	122.7	13.6	75				
2004445	Drill Core	3.21	509	0.080	0.08	<0.17	28.00	8.3	4.2	17.3	13	0.8	2.4	1.9	116	0.99	0.9	3.7	64.6	17.6	20				
2004446	Drill Core	0.91	488	0.074	0.09	0.42	28.85	4.3	19.0	6.8	26	0.6	3.0	2.8	368	1.02	1.0	5.8	93.4	18.0	69				
2004447	Drill Core	1.55	471	0.006	<0.01	<0.17	30.66	1.2	30.0	9.6	87	0.5	12.1	16.0	783	2.97	6.5	1.7	3.0	7.1	66				
2004448	Drill Core	1.72	443	<0.005	<0.01	<0.17	26.60	2.2	30.4	9.5	51	0.3	11.5	10.5	337	2.36	1.8	3.0	<0.5	8.9	43				
2004449	Drill Core	2.34	414	<0.005	<0.01	<0.17	28.66	0.8	11.4	9.2	59	0.3	11.8	10.2	322	1.88	1.1	5.8	<0.5	8.6	22				
2004450	Rock Pulp	0.13		7.255				14.4	75.2	25.0	62	0.8	19.7	9.5	473	4.51	12.7	0.4	7650.1	1.3	59				
2004451	Drill Core	0.91	483	<0.005	<0.01	<0.17	29.42	0.2	7.6	12.6	41	0.1	3.7	6.4	286	1.53	0.6	1.0	0.8	7.8	99				
2004452	Drill Core	1.36	465	<0.005	<0.01	<0.17	27.48	0.2	30.1	46.1	60	0.4	4.9	7.5	435	2.08	0.7	0.9	<0.5	7.5	81				
2004453	Drill Core	0.76	395	<0.005	<0.01	<0.17	21.56	0.1	11.2	2.0	58	<0.1	5.5	4.7	319	2.97	0.8	1.0	1.2	9.2	52				
2004454	Drill Core	1.11	452	<0.005	<0.01	<0.17	28.95	0.3	30.1	4.5	48	<0.1	5.6	7.9	335	2.49	1.9	0.9	2.1	9.7	12				
2004455	Drill Core	1.71	455	<0.005	<0.01	<0.17	25.84	0.3	13.9	8.0	45	0.2	7.4	6.3	320	1.54	1.1	2.2	1.4	9.9	34				
2004456	Drill Core	0.94	425	<0.005	<0.01	<0.17	28.32	0.2	3.1	11.1	68	<0.1	5.5	7.3	427	2.21	0.6	0.8	<0.5	7.5	56				
2004457	Drill Core	2.04	425	<0.005	<0.01	<0.17	27.87	1.3	5.7	11.6	29	0.1	3.5	3.0	181	1.01	<0.5	2.0	<0.5	12.2	42				
2004458	Drill Core	1.85	418	<0.005	<0.01	<0.17	29.93	0.1	18.2	8.0	48	0.2	4.1	7.3	303	1.71	1.0	1.2	<0.5	7.2	35				
2004460	Drill Core	0.57	458	<0.005	<0.01	<0.17	24.86	0.9	11.7	9.4	69	0.2	6.0	3.5	267	1.52	3.4	0.9	<0.5	3.8	14				
2004461	Drill Core	1.43	439	<0.005	<0.01	<0.17	21.47	1.6	25.0	6.2	53	0.1	31.5	12.1	1267	2.97	4.4	0.6	<0.5	4.7	48				
2004462	Drill Core	3.57	419	<0.005	<0.01	<0.17	25.04	2.5	39.2	37.5	174	0.4	29.4	13.3	861	3.60	22.7	0.9	<0.5	5.1	37				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004317	Drill Core																							
2004318	Drill Core																							
2004434	Drill Core																							
2004435	Drill Core																							
2004436	Drill Core																							
2004437	Drill Core																							
2004438	Drill Core																							
2004439	Drill Core																							
2004440	Drill Core																							
2004441	Drill Core																							
2004442	Drill Core																							
2004443	Drill Core																							
2004444	Drill Core																							
2004445	Drill Core																							
2004446	Drill Core																							
2004447	Drill Core																							
2004448	Drill Core																							
2004449	Drill Core																							
2004450	Rock Pulp																							
2004451	Drill Core																							
2004452	Drill Core																							
2004453	Drill Core																							
2004454	Drill Core																							
2004455	Drill Core																							
2004456	Drill Core																							
2004457	Drill Core																							
2004458	Drill Core																							
2004460	Drill Core																							
2004461	Drill Core																							
2004462	Drill Core																							



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
2004317	Drill Core		9	<0.5	<0.2
2004318	Drill Core		5	<0.5	<0.2
2004434	Drill Core		<1	<0.5	<0.2
2004435	Drill Core		1	<0.5	<0.2
2004436	Drill Core		<1	<0.5	<0.2
2004437	Drill Core		2	<0.5	<0.2
2004438	Drill Core		<1	<0.5	<0.2
2004439	Drill Core		1	<0.5	<0.2
2004440	Drill Core		2	<0.5	<0.2
2004441	Drill Core		1	<0.5	<0.2
2004442	Drill Core		<1	<0.5	<0.2
2004443	Drill Core		<1	<0.5	<0.2
2004444	Drill Core		<1	<0.5	<0.2
2004445	Drill Core		2	<0.5	0.4
2004446	Drill Core		2	<0.5	<0.2
2004447	Drill Core		6	<0.5	<0.2
2004448	Drill Core		4	0.8	<0.2
2004449	Drill Core		4	0.7	<0.2
2004450	Rock Pulp		5	<0.5	<0.2
2004451	Drill Core		3	<0.5	<0.2
2004452	Drill Core		5	<0.5	<0.2
2004453	Drill Core		5	<0.5	<0.2
2004454	Drill Core		4	<0.5	<0.2
2004455	Drill Core		3	<0.5	<0.2
2004456	Drill Core		6	<0.5	<0.2
2004457	Drill Core		3	<0.5	<0.2
2004458	Drill Core		4	<0.5	<0.2
2004460	Drill Core		2	<0.5	<0.2
2004461	Drill Core		4	<0.5	<0.2
2004462	Drill Core		5	1.0	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004463	Drill Core	1.00	388	<0.005	<0.01	<0.17	22.31	1.7	43.0	15.7	280	0.4	38.9	19.6	997	3.42	20.6	1.1	<0.5	5.9	16
2004464	Drill Core	5.68	432	0.008	<0.01	<0.17	25.58	3.1	27.6	13.9	67	0.3	26.7	9.4	238	2.18	168.3	2.3	<0.5	7.4	52
2004465	Drill Core	0.83	418	<0.005	<0.01	<0.17	24.98	3.8	24.0	90.9	68	1.0	9.5	6.4	460	2.56	49.1	2.1	0.7	5.2	56
2004574	Drill Core	3.55	458	<0.005	<0.01	<0.17	29.42	1.9	60.7	13.8	166	0.3	29.8	13.9	653	3.48	4.0	1.0	<0.5	5.7	23
2004575	Rock Pulp	0.13		<0.005				1.9	68.7	3.7	35	<0.1	5.3	8.2	342	2.42	0.8	0.8	1.6	2.7	61
2004576	Drill Core	0.36	247	<0.005	<0.01	<0.17	24.38	1.2	19.3	20.1	51	0.2	14.0	6.3	470	2.52	0.6	0.4	0.7	2.6	7
2004577	Drill Core	0.60	477	<0.005	<0.01	<0.17	26.27	1.8	25.8	71.5	78	0.5	12.6	5.1	302	2.19	<0.5	0.7	1.1	3.7	34
2004578	Drill Core	0.54	431	<0.005	<0.01	<0.17	27.17	1.5	25.2	16.9	78	0.2	18.9	7.4	908	2.18	7.3	0.6	<0.5	2.1	65
2004579	Drill Core	1.12	406	<0.005	<0.01	<0.17	30.23	2.3	34.9	85.8	143	0.8	20.0	9.6	688	2.83	50.4	1.9	<0.5	4.6	91
2004580	Drill Core	0.90	551	0.010	<0.01	<0.17	27.13	1.7	38.2	33.3	146	0.6	25.2	12.4	555	2.60	21.2	1.1	5.1	6.3	77
2004581	Drill Core	1.04	374	0.013	0.01	<0.17	20.44	3.3	53.5	55.8	100	1.4	27.0	9.5	662	2.90	19.5	1.1	9.7	6.6	100
2004591	Drill Core	0.71	410	0.019	0.02	<0.17	25.70	1.5	29.2	15.0	38	0.6	9.2	5.8	800	1.24	62.9	1.3	16.9	12.6	171
2004582	Drill Core	1.19	451	0.028	0.03	<0.17	24.58	2.9	43.4	53.1	98	1.8	13.5	7.3	401	2.32	60.7	1.6	25.8	10.1	57
2004583	Drill Core	0.98	375	0.011	0.01	<0.17	27.53	2.1	15.5	18.1	42	0.7	11.4	6.5	943	1.65	69.7	1.6	8.0	9.1	205
2004584	Drill Core	0.76	359	0.005	<0.01	<0.17	27.30	0.8	31.1	57.3	101	0.5	7.4	5.4	540	2.25	9.4	1.5	3.9	9.3	85
2004592	Drill Core	0.54	432	0.015	0.01	<0.17	22.68	1.8	15.9	44.8	54	0.4	7.7	6.1	436	2.17	127.8	2.2	11.9	11.5	91
2004585	Drill Core	2.07	448	<0.005	<0.01	<0.17	26.88	1.6	15.4	28.4	58	0.3	14.6	8.1	603	2.35	7.2	2.3	<0.5	8.2	340
2004586	Drill Core	0.70	396	1.006	1.91	14.85	25.92	0.2	4.6	22.4	15	0.6	0.4	0.6	86	0.49	2.1	1.2	698.6	12.1	30
2004587	Drill Core	0.73	395	<0.005	<0.01	<0.17	26.42	1.2	17.8	26.1	14	0.2	1.0	0.6	116	0.66	0.9	1.9	1.5	17.4	77
2004588	Drill Core	0.72	422	0.041	0.04	<0.17	28.75	0.3	14.3	27.0	51	0.6	0.4	0.9	73	0.53	2.0	1.5	46.5	14.5	39
2004589	Drill Core	0.73	449	<0.005	<0.01	<0.17	28.37	5.9	62.4	1577.1	1490	2.3	10.7	9.6	449	1.85	<0.5	4.8	2.7	11.0	70
2004590	Drill Core	0.74	461	<0.005	<0.01	<0.17	22.81	2.1	9.9	6.7	94	0.1	11.0	6.8	592	2.41	2.5	1.7	0.7	10.3	127



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004463	Drill Core	3.6	1.0	0.2	23	0.24	0.079	21	20	1.99	149	0.012	<1	1.85	0.003	0.25	<0.1	<0.01	2.5	<0.1	<0.05
2004464	Drill Core	0.5	8.5	0.1	16	1.14	0.063	19	20	0.69	204	0.040	<1	0.83	0.018	0.42	0.2	<0.01	6.3	0.2	0.15
2004465	Drill Core	1.2	2.9	1.9	18	1.08	0.085	16	18	0.54	329	0.057	<1	1.00	0.016	0.38	0.9	<0.01	6.4	0.1	<0.05
2004574	Drill Core	1.3	0.7	0.1	40	0.29	0.083	15	30	2.01	167	0.004	1	2.03	0.007	0.21	<0.1	<0.01	3.7	<0.1	<0.05
2004575	Rock Pulp	<0.1	<0.1	<0.1	85	0.70	0.060	7	11	0.68	103	0.095	2	1.24	0.125	0.19	1.8	<0.01	2.0	<0.1	<0.05
2004576	Drill Core	0.5	<0.1	0.1	18	0.09	0.034	8	19	0.92	148	0.004	1	0.95	0.010	0.19	<0.1	<0.01	1.9	<0.1	<0.05
2004577	Drill Core	0.6	0.2	0.6	19	0.13	0.058	10	20	1.11	93	0.004	<1	1.03	0.006	0.14	<0.1	<0.01	1.5	<0.1	<0.05
2004578	Drill Core	0.9	0.6	<0.1	20	1.94	0.038	8	17	0.81	106	0.004	<1	0.80	0.011	0.17	<0.1	<0.01	2.5	<0.1	<0.05
2004579	Drill Core	0.9	2.7	0.8	27	1.74	0.061	18	20	1.25	148	0.004	1	1.48	0.005	0.29	0.2	<0.01	2.9	0.2	<0.05
2004580	Drill Core	1.4	0.8	0.2	28	1.57	0.066	23	31	1.18	121	0.001	<1	1.51	0.003	0.24	0.2	<0.01	2.5	0.1	<0.05
2004581	Drill Core	0.8	0.9	0.7	29	2.13	0.057	24	32	1.08	146	0.003	<1	1.42	0.017	0.20	0.1	<0.01	3.8	0.1	<0.05
2004591	Drill Core	1.2	1.3	0.4	7	4.39	0.042	36	9	0.26	181	0.001	<1	0.59	0.010	0.21	0.1	<0.01	2.9	<0.1	<0.05
2004582	Drill Core	1.1	1.0	2.4	22	1.27	0.199	31	22	0.42	216	0.002	<1	0.90	0.020	0.26	0.3	<0.01	2.4	0.1	<0.05
2004583	Drill Core	1.3	1.1	0.5	10	5.55	0.051	26	9	0.39	196	0.001	<1	0.79	0.007	0.23	0.3	<0.01	3.5	0.1	<0.05
2004584	Drill Core	0.5	0.4	0.2	18	1.37	0.069	27	21	0.80	180	0.004	1	1.12	0.014	0.24	0.2	<0.01	3.3	0.1	0.07
2004592	Drill Core	1.7	1.2	0.4	10	2.20	0.050	34	15	0.47	277	0.002	2	1.06	0.031	0.34	0.2	<0.01	3.6	0.1	<0.05
2004585	Drill Core	0.4	0.8	0.2	23	3.18	0.061	16	23	0.94	497	0.004	<1	0.91	0.021	0.21	<0.1	<0.01	6.5	0.1	0.15
2004586	Drill Core	0.3	0.6	0.3	<2	0.35	0.006	30	3	0.06	340	0.002	<1	0.30	0.024	0.24	0.1	0.02	0.9	<0.1	0.08
2004587	Drill Core	0.3	0.5	0.2	<2	0.69	0.003	31	3	0.09	536	0.002	<1	0.34	0.054	0.22	0.1	0.01	0.9	<0.1	0.09
2004588	Drill Core	1.3	0.5	0.3	<2	0.35	0.006	39	3	0.06	597	0.001	<1	0.31	0.016	0.26	<0.1	0.02	1.0	<0.1	0.06
2004589	Drill Core	20.6	1.2	0.3	17	1.15	0.062	34	24	0.87	354	0.040	<1	1.15	0.022	0.37	32.9	0.02	4.2	0.2	0.18
2004590	Drill Core	1.4	0.9	<0.1	20	2.29	0.058	32	32	0.92	637	0.011	<1	1.28	0.032	0.28	0.6	<0.01	3.9	0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000433.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004463	Drill Core	4	<0.5	<0.2
2004464	Drill Core	3	0.9	<0.2
2004465	Drill Core	4	<0.5	<0.2
2004574	Drill Core	6	<0.5	<0.2
2004575	Rock Pulp	4	<0.5	<0.2
2004576	Drill Core	3	<0.5	<0.2
2004577	Drill Core	3	<0.5	<0.2
2004578	Drill Core	2	<0.5	<0.2
2004579	Drill Core	4	<0.5	<0.2
2004580	Drill Core	7	<0.5	<0.2
2004581	Drill Core	8	<0.5	<0.2
2004591	Drill Core	2	<0.5	<0.2
2004582	Drill Core	4	<0.5	<0.2
2004583	Drill Core	3	<0.5	<0.2
2004584	Drill Core	6	<0.5	<0.2
2004592	Drill Core	3	<0.5	<0.2
2004585	Drill Core	3	<0.5	<0.2
2004586	Drill Core	1	<0.5	<0.2
2004587	Drill Core	2	<0.5	<0.2
2004588	Drill Core	1	<0.5	<0.2
2004589	Drill Core	5	13.0	0.3
2004590	Drill Core	7	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 07, 2016

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000433.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2004287	Drill Core	2.19	406	<0.005	<0.01	<0.17	21.19	0.2	21.3	33.8	50	0.3	5.4	5.6	266	1.47	<0.5	2.7	0.8	12.3	18
REP 2004287	QC							0.2	21.2	33.6	48	0.3	5.3	5.6	268	1.48	<0.5	2.7	<0.5	12.5	19
2004298	Drill Core	2.60	355	<0.005	<0.01	<0.17	28.86	0.2	8.6	16.5	53	0.2	4.6	5.9	368	2.00	0.8	1.4	<0.5	9.5	119
REP 2004298	QC			<0.005																	
2004308	Drill Core	0.67	356	<0.005	<0.01	<0.17	24.17	0.8	13.8	39.9	47	0.2	3.4	4.5	237	1.28	0.8	2.1	1.1	11.2	22
REP 2004308	QC			<0.005																	
2004435	Drill Core	2.00	411	0.024	0.02	<0.17	27.30	0.4	9.6	79.5	45	0.4	1.6	0.4	131	0.90	1.4	1.7	9.0	13.4	16
REP 2004435	QC							0.4	9.9	78.6	41	0.5	1.6	0.4	130	0.89	1.6	1.7	6.4	13.4	16
2004576	Drill Core	0.36	247	<0.005	<0.01	<0.17	24.38	1.2	19.3	20.1	51	0.2	14.0	6.3	470	2.52	0.6	0.4	0.7	2.6	7
REP 2004576	QC			0.005																	
2004580	Drill Core	0.90	551	0.010	<0.01	<0.17	27.13	1.7	38.2	33.3	146	0.6	25.2	12.4	555	2.60	21.2	1.1	5.1	6.3	77
REP 2004580	QC							1.7	39.1	33.1	148	0.6	26.0	13.3	570	2.65	21.6	1.2	5.7	6.5	75
2004581	Drill Core	1.04	374	0.013	0.01	<0.17	20.44	3.3	53.5	55.8	100	1.4	27.0	9.5	662	2.90	19.5	1.1	9.7	6.6	100
REP 2004581	QC			0.012																	
Core Reject Duplicates																					
2004317	Drill Core	0.78	337	<0.005	<0.01	<0.17	27.78	0.5	12.5	32.5	95	0.2	8.6	13.0	904	3.60	<0.5	0.8	<0.5	7.2	67
DUP 2004317	QC		269	<0.005	<0.01	<0.17	27.39	0.4	14.4	34.9	92	0.3	8.0	12.1	852	3.35	0.6	0.7	<0.5	7.0	63
Reference Materials																					
STD DS10	Standard							17.3	175.9	158.0	380	1.9	74.4	14.3	910	2.89	48.1	2.9	75.9	8.4	71
STD DS10	Standard							15.2	161.1	153.9	373	1.8	74.7	12.9	894	2.79	45.9	2.8	87.4	8.0	73
STD DS10	Standard							15.0	156.5	154.0	370	1.8	75.4	12.8	877	2.80	45.2	2.8	91.8	8.0	73
STD OXC129	Standard							1.4	32.4	7.2	45	<0.1	84.1	23.3	434	3.14	<0.5	0.8	197.4	2.1	205
STD OXC129	Standard							1.3	29.6	7.0	41	<0.1	81.1	20.8	427	3.14	0.6	0.7	206.5	2.1	194
STD OXC129	Standard							1.4	28.6	6.9	41	<0.1	79.2	20.5	423	3.10	0.5	0.7	191.7	2.0	195
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.210																	
STD OXH122	Standard			1.240																	
STD OXH122	Standard			1.208																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000433.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2004287	Drill Core	0.2	0.4	0.2	16	0.38	0.044	26	49	1.00	338	0.065	<1	0.85	0.033	0.57	0.1	<0.01	2.9	0.3	0.25
REP 2004287	QC	0.2	0.5	0.2	16	0.39	0.042	25	49	1.02	336	0.067	<1	0.86	0.033	0.57	0.2	<0.01	3.1	0.3	0.25
2004298	Drill Core	0.2	0.4	0.1	23	0.29	0.039	18	173	1.37	1452	0.086	<1	1.30	0.065	0.29	0.1	<0.01	2.0	<0.1	0.07
REP 2004298	QC																				
2004308	Drill Core	0.2	0.5	0.1	10	0.27	0.040	24	19	0.81	261	0.069	<1	0.76	0.033	0.57	0.3	<0.01	2.9	0.3	0.24
REP 2004308	QC																				
2004435	Drill Core	0.3	0.8	0.2	<2	0.01	0.002	27	5	0.22	751	0.001	1	0.40	0.024	0.24	0.2	<0.01	0.7	<0.1	<0.05
REP 2004435	QC	0.3	0.7	0.2	<2	0.01	0.002	27	5	0.22	740	0.001	2	0.40	0.024	0.24	0.2	0.01	0.7	<0.1	<0.05
2004576	Drill Core	0.5	<0.1	0.1	18	0.09	0.034	8	19	0.92	148	0.004	1	0.95	0.010	0.19	<0.1	<0.01	1.9	<0.1	<0.05
REP 2004576	QC																				
2004580	Drill Core	1.4	0.8	0.2	28	1.57	0.066	23	31	1.18	121	0.001	<1	1.51	0.003	0.24	0.2	<0.01	2.5	0.1	<0.05
REP 2004580	QC	1.4	0.7	0.2	28	1.55	0.061	23	33	1.20	121	0.002	<1	1.57	0.003	0.24	0.2	<0.01	2.8	0.1	<0.05
2004581	Drill Core	0.8	0.9	0.7	29	2.13	0.057	24	32	1.08	146	0.003	<1	1.42	0.017	0.20	0.1	<0.01	3.8	0.1	<0.05
REP 2004581	QC																				
Core Reject Duplicates																					
2004317	Drill Core	0.7	0.2	0.2	79	2.01	0.063	21	417	3.84	879	0.065	<1	2.81	0.016	0.88	<0.1	<0.01	15.2	0.3	0.05
DUP 2004317	QC	0.7	0.2	0.2	75	1.97	0.062	20	398	3.65	784	0.061	<1	2.65	0.012	0.86	<0.1	<0.01	14.5	0.3	0.06
Reference Materials																					
STD DS10	Standard	3.1	10.1	13.3	46	1.16	0.083	20	58	0.81	372	0.090	7	1.11	0.072	0.34	3.4	0.30	3.0	5.3	0.29
STD DS10	Standard	3.0	9.0	12.4	45	1.10	0.077	20	58	0.81	360	0.093	7	1.06	0.071	0.35	3.3	0.28	3.3	4.9	0.28
STD DS10	Standard	2.9	9.1	12.7	44	1.09	0.076	20	57	0.79	347	0.090	7	1.08	0.073	0.34	3.1	0.28	3.3	5.3	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.75	0.106	13	57	1.58	56	0.434	<1	1.64	0.596	0.37	<0.1	<0.01	1.1	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.67	0.107	14	55	1.57	52	0.427	1	1.57	0.606	0.37	<0.1	<0.01	1.0	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.68	0.103	13	53	1.54	51	0.403	<1	1.59	0.612	0.37	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000433.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2004287	Drill Core	3	2.0	<0.2
REP 2004287	QC	4	1.9	<0.2
2004298	Drill Core	5	<0.5	<0.2
REP 2004298	QC			
2004308	Drill Core	3	<0.5	<0.2
REP 2004308	QC			
2004435	Drill Core	1	<0.5	<0.2
REP 2004435	QC	1	<0.5	<0.2
2004576	Drill Core	3	<0.5	<0.2
REP 2004576	QC			
2004580	Drill Core	7	<0.5	<0.2
REP 2004580	QC	6	<0.5	<0.2
2004581	Drill Core	8	<0.5	<0.2
REP 2004581	QC			
Core Reject Duplicates				
2004317	Drill Core	9	<0.5	<0.2
DUP 2004317	QC	8	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	2.3	5.1
STD DS10	Standard	5	2.3	4.8
STD DS10	Standard	5	2.4	4.7
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC145	Standard			
STD OXC145	Standard			
STD OXH122	Standard			
STD OXH122	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000433.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXN117	Standard			7.691																	
STD OXN117	Standard			7.684																	
STD OXP91	Standard					15.07	30.05														
STD OXP91	Standard					15.16	29.95														
STD OXP91	Standard					15.10	30.07														
STD OXP91	Standard					14.94	29.99														
STD OXP91	Standard					14.99	30.03														
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
STD OXP91 Expected						14.82															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		398	<0.005	<0.01	<0.17	29.08	0.8	4.3	1.5	31	<0.1	0.9	3.6	429	1.73	0.8	0.4	0.8	2.3	31
ROCK-WHI	Prep Blank		385	<0.005	<0.01	<0.17	30.53	0.8	4.2	1.5	33	<0.1	1.8	3.6	474	2.07	0.9	0.5	<0.5	2.6	34



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000433.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Ti ppm 0.1	AQ201 S % 0.05
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
STD OXP91 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.68	0.040	6	4	0.40	69	0.086	<1	0.89	0.065	0.07	0.1	<0.01	2.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.69	0.041	7	4	0.41	81	0.098	1	1.01	0.114	0.11	<0.1	<0.01	3.3	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 07, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000433.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
STD OXP91 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2