



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: November 08, 2016
Report Date: December 10, 2016
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI16000434.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-72
P.O. Number
Number of Samples: 108

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	104	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	108	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	108	Analysis sample split/packet			VAN
Split -150	108	Analysis sample split/packet			VAN
FS631	104	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	108	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	108	Per sample shipping charges for branch shipments			VAN
SLBHP	4	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 2 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004466	Drill Core	1.53	498	<0.005	<0.01	<0.17	30.49	0.2	15.0	33.1	79	0.5	16.9	8.6	517	2.20	11.3	1.5	1.5	8.6	28
2004467	Drill Core	0.90	359	<0.005	<0.01	<0.17	20.68	0.2	15.2	18.0	66	0.4	12.9	7.7	415	2.00	8.0	1.4	1.4	7.6	35
2004468	Drill Core	1.12	410	<0.005	<0.01	<0.17	15.88	0.3	13.0	16.1	66	0.4	14.6	9.3	449	2.23	8.3	1.6	4.3	9.7	40
2004469	Drill Core	1.27	443	<0.005	<0.01	<0.17	20.98	0.2	27.1	26.3	53	0.4	22.5	8.7	267	1.64	11.5	0.9	2.5	7.0	21
2004470	Drill Core	0.96	394	0.149	0.15	0.30	13.22	0.4	17.4	6.9	39	0.7	19.5	9.0	185	1.08	18.5	0.6	99.4	5.5	24
2004471	Drill Core	1.31	455	<0.005	<0.01	<0.17	29.32	0.4	34.0	3.9	62	0.7	29.0	10.2	213	2.04	29.1	1.3	5.4	7.3	11
2004472	Drill Core	2.15	410	0.108	0.10	<0.17	24.69	0.4	24.1	11.9	38	1.1	14.3	6.1	273	1.43	20.1	1.0	18.3	10.8	10
2004473	Drill Core	1.49	469	0.010	<0.01	<0.17	19.40	0.3	14.2	30.6	40	0.6	14.1	5.6	249	1.48	47.3	1.0	10.3	10.8	30
2004474	Drill Core	1.89	420	<0.005	<0.01	<0.17	29.85	0.1	15.3	18.6	70	0.4	17.1	8.9	392	2.16	5.4	0.9	2.5	9.4	32
2004475	Rock Pulp	0.13	370	<0.005				0.1	12.8	25.3	59	0.3	11.4	6.4	243	1.80	9.7	1.1	0.9	12.9	16
2004476	Drill Core	3.07	370	<0.005	<0.01	<0.17	26.02	1.9	63.0	3.4	34	<0.1	4.7	8.0	328	2.32	0.6	0.8	<0.5	2.4	48
2004477	Drill Core	1.84	352	<0.005	<0.01	<0.17	30.41	0.3	22.5	19.4	70	0.3	19.5	9.4	294	2.14	12.1	0.9	4.7	8.4	15
2004478	Drill Core	2.43	474	<0.005	<0.01	<0.17	25.79	0.4	23.1	23.2	27	0.3	8.2	4.4	205	1.27	9.5	1.0	4.2	12.7	8
2004479	Drill Core	2.08	383	<0.005	<0.01	<0.17	21.01	0.2	8.7	21.1	12	0.1	1.0	0.9	81	0.51	4.8	0.9	1.7	11.8	4
2004480	Drill Core	3.66	385	<0.005	<0.01	<0.17	20.06	<0.1	3.5	17.0	11	0.2	0.5	0.5	76	0.33	1.2	1.0	1.5	14.5	3
2004481	Drill Core	3.65	545	<0.005	<0.01	<0.17	28.47	<0.1	4.8	26.3	12	0.2	0.8	0.7	75	0.35	5.9	1.5	5.3	15.3	4
2004482	Drill Core	1.16	474	<0.005	<0.01	<0.17	25.00	<0.1	4.5	11.9	7	0.1	1.0	0.6	65	0.28	3.2	1.2	2.0	14.0	4
2004483	Drill Core	1.29	465	0.014	0.01	<0.17	19.08	0.1	9.4	44.3	19	0.2	0.8	0.6	73	0.50	7.4	0.9	7.3	11.0	3
2004484	Drill Core	0.97	396	<0.005	<0.01	<0.17	22.50	<0.1	9.6	22.2	16	0.2	1.3	0.9	95	0.44	3.3	1.5	1.2	14.8	4
2004485	Drill Core	3.16	480	<0.005	<0.01	<0.17	32.48	0.2	5.7	41.0	23	0.1	0.8	0.5	96	0.37	3.0	1.1	1.7	12.1	3
2004486	Drill Core	0.85	454	<0.005	<0.01	<0.17	21.34	0.3	6.7	5.8	4	0.2	0.6	0.5	63	0.43	1.7	0.5	3.7	7.3	1
2004487	Drill Core	2.66	454	<0.005	<0.01	<0.17	32.93	<0.1	5.4	5.6	6	0.1	0.6	0.3	64	0.25	1.3	0.8	4.1	16.9	2
2004488	Drill Core	3.46	406	0.024	0.02	<0.17	39.09	<0.1	15.3	17.6	12	0.2	0.6	0.2	37	0.31	3.9	1.1	34.4	17.6	2
2004489	Drill Core	2.98	491	0.031	0.03	<0.17	32.75	0.2	11.7	23.6	14	0.2	0.7	0.3	52	0.34	4.5	1.3	25.3	17.0	2
2004490	Drill Core	1.26	538	<0.005	<0.01	<0.17	30.66	<0.1	9.6	2.6	6	<0.1	0.5	0.2	58	0.32	0.8	1.0	3.7	14.8	2
2004491	Drill Core	1.77	431	<0.005	<0.01	<0.17	29.06	<0.1	4.8	14.9	7	<0.1	0.3	0.1	66	0.26	<0.5	1.1	2.0	18.5	3
2004492	Drill Core	0.82	430	<0.005	<0.01	<0.17	29.12	<0.1	4.0	1.4	3	<0.1	0.3	0.1	41	0.27	0.5	0.6	1.6	11.5	1
2004493	Drill Core	1.32	573	<0.005	<0.01	<0.17	30.75	<0.1	5.6	2.7	5	<0.1	0.3	0.2	48	0.24	0.5	0.7	<0.5	14.5	1
2004494	Drill Core	2.30	497	<0.005	<0.01	<0.17	27.94	<0.1	2.7	7.3	12	<0.1	0.3	0.1	75	0.23	0.8	0.8	1.6	17.9	2
2004495	Drill Core	1.14	658	<0.005	<0.01	<0.17	30.14	0.2	4.9	39.2	12	0.2	0.4	0.2	83	0.28	0.7	0.7	2.8	14.4	2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 2 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004466	Drill Core	0.9	0.7	0.2	27	0.50	0.069	24	36	0.70	170	0.040	<1	1.17	0.023	0.20	0.7	<0.01	4.3	0.1	<0.05			
2004467	Drill Core	0.6	0.9	0.1	25	0.61	0.064	20	31	0.65	180	0.059	<1	1.19	0.029	0.26	0.5	<0.01	4.5	0.2	<0.05			
2004468	Drill Core	0.7	1.0	0.1	27	0.68	0.073	25	34	0.66	286	0.044	1	1.32	0.032	0.35	0.3	<0.01	5.0	0.2	<0.05			
2004469	Drill Core	0.5	0.6	0.3	20	0.35	0.072	17	30	0.63	223	0.022	1	0.95	0.008	0.30	0.2	<0.01	3.8	0.1	<0.05			
2004470	Drill Core	0.5	0.6	<0.1	8	0.18	0.056	15	12	0.24	158	0.005	1	0.50	0.018	0.23	0.2	<0.01	2.2	0.1	<0.05			
2004471	Drill Core	0.6	0.8	<0.1	20	0.21	0.068	21	24	0.74	167	0.002	<1	1.05	0.016	0.22	0.2	<0.01	3.6	0.1	<0.05			
2004472	Drill Core	0.5	0.6	0.3	9	0.18	0.057	24	12	0.40	251	0.012	2	0.66	0.021	0.33	0.3	<0.01	2.9	0.1	<0.05			
2004473	Drill Core	0.3	0.8	0.6	13	0.37	0.060	26	20	0.51	207	0.027	1	0.88	0.024	0.35	0.6	<0.01	2.4	0.1	<0.05			
2004474	Drill Core	0.6	0.9	0.3	25	0.46	0.078	26	37	1.15	177	0.063	1	1.38	0.009	0.47	0.6	<0.01	6.2	0.3	<0.05			
2004475	Rock Pulp	0.4	0.6	0.3	17	0.21	0.062	29	22	0.68	198	0.017	1	0.92	0.026	0.41	0.2	<0.01	4.9	0.3	<0.05			
2004476	Drill Core	<0.1	<0.1	<0.1	81	0.65	0.057	6	11	0.66	99	0.066	2	1.17	0.125	0.18	1.8	<0.01	1.7	<0.1	<0.05			
2004477	Drill Core	0.4	0.5	0.4	24	0.20	0.059	21	31	0.97	155	0.007	<1	1.18	0.014	0.41	0.2	<0.01	3.8	0.2	<0.05			
2004478	Drill Core	0.3	0.5	0.5	10	0.09	0.023	31	16	0.39	150	0.003	1	0.69	0.007	0.31	0.3	<0.01	2.3	0.2	<0.05			
2004479	Drill Core	0.2	0.3	0.3	<2	0.04	0.012	32	4	0.09	173	0.001	<1	0.37	0.009	0.25	0.1	<0.01	0.8	<0.1	<0.05			
2004480	Drill Core	0.2	0.1	0.2	<2	0.03	0.010	37	4	0.07	202	0.001	<1	0.30	0.027	0.24	<0.1	0.02	0.7	<0.1	<0.05			
2004481	Drill Core	0.3	0.3	0.2	<2	0.03	0.010	39	3	0.04	196	<0.001	1	0.27	0.010	0.24	0.2	0.04	0.6	<0.1	<0.05			
2004482	Drill Core	0.2	0.3	0.1	<2	0.02	0.010	38	4	0.03	338	<0.001	2	0.27	0.005	0.26	0.2	0.05	0.4	<0.1	<0.05			
2004483	Drill Core	0.2	0.3	1.0	<2	0.02	0.008	29	5	0.04	236	<0.001	<1	0.29	0.004	0.23	0.2	0.01	0.5	<0.1	<0.05			
2004484	Drill Core	0.4	0.2	0.2	<2	0.04	0.015	40	5	0.06	322	0.001	2	0.43	0.028	0.32	0.1	0.02	1.0	0.1	<0.05			
2004485	Drill Core	0.2	0.2	0.5	<2	0.03	0.008	30	4	0.11	163	<0.001	1	0.34	0.005	0.24	0.1	<0.01	0.6	<0.1	<0.05			
2004486	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.004	18	7	0.02	70	<0.001	1	0.19	0.003	0.17	0.1	<0.01	0.4	<0.1	<0.05			
2004487	Drill Core	0.2	0.2	<0.1	<2	0.01	0.006	35	3	0.03	122	<0.001	<1	0.21	0.015	0.22	<0.1	<0.01	0.5	<0.1	<0.05			
2004488	Drill Core	0.2	0.2	0.1	<2	0.01	0.006	36	3	0.04	108	0.001	<1	0.22	0.014	0.20	0.1	<0.01	0.6	<0.1	<0.05			
2004489	Drill Core	0.2	0.2	0.2	<2	0.02	0.006	37	4	0.05	98	<0.001	<1	0.27	0.012	0.21	0.1	<0.01	0.6	<0.1	<0.05			
2004490	Drill Core	<0.1	0.2	<0.1	<2	0.01	0.005	35	4	0.05	92	<0.001	1	0.23	0.005	0.21	<0.1	<0.01	0.4	<0.1	<0.05			
2004491	Drill Core	0.2	0.2	<0.1	<2	0.02	0.006	41	2	0.06	109	<0.001	1	0.23	0.015	0.20	<0.1	<0.01	0.5	<0.1	<0.05			
2004492	Drill Core	<0.1	<0.1	<0.1	<2	<0.01	0.004	26	4	0.02	78	<0.001	<1	0.15	0.004	0.17	<0.1	<0.01	0.2	<0.1	<0.05			
2004493	Drill Core	0.1	0.2	<0.1	<2	<0.01	0.005	31	3	0.02	78	<0.001	<1	0.16	0.006	0.19	<0.1	<0.01	0.3	<0.1	<0.05			
2004494	Drill Core	0.3	0.1	<0.1	<2	0.02	0.007	39	2	0.05	89	<0.001	<1	0.21	0.009	0.20	<0.1	<0.01	0.5	0.1	<0.05			
2004495	Drill Core	0.2	0.2	0.2	<2	0.01	0.006	34	4	0.05	79	<0.001	<1	0.19	0.006	0.18	<0.1	<0.01	0.4	<0.1	<0.05			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004466	Drill Core	7	<0.5	<0.2
2004467	Drill Core	6	<0.5	<0.2
2004468	Drill Core	8	<0.5	<0.2
2004469	Drill Core	3	<0.5	<0.2
2004470	Drill Core	2	<0.5	<0.2
2004471	Drill Core	4	<0.5	<0.2
2004472	Drill Core	2	<0.5	<0.2
2004473	Drill Core	4	<0.5	<0.2
2004474	Drill Core	5	<0.5	<0.2
2004475	Rock Pulp	4	<0.5	<0.2
2004476	Drill Core	4	<0.5	<0.2
2004477	Drill Core	5	<0.5	<0.2
2004478	Drill Core	3	<0.5	<0.2
2004479	Drill Core	1	<0.5	<0.2
2004480	Drill Core	1	<0.5	<0.2
2004481	Drill Core	<1	<0.5	<0.2
2004482	Drill Core	<1	<0.5	<0.2
2004483	Drill Core	<1	<0.5	<0.2
2004484	Drill Core	1	<0.5	<0.2
2004485	Drill Core	1	<0.5	<0.2
2004486	Drill Core	<1	<0.5	<0.2
2004487	Drill Core	<1	<0.5	<0.2
2004488	Drill Core	<1	<0.5	<0.2
2004489	Drill Core	1	<0.5	<0.2
2004490	Drill Core	<1	<0.5	<0.2
2004491	Drill Core	<1	<0.5	<0.2
2004492	Drill Core	<1	<0.5	<0.2
2004493	Drill Core	<1	<0.5	<0.2
2004494	Drill Core	<1	<0.5	<0.2
2004495	Drill Core	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004496	Drill Core	3.27	566	<0.005	<0.01	<0.17	31.76	0.1	6.0	20.7	22	0.2	0.3	0.1	78	0.26	2.0	1.1	4.3	19.1	4
2004497	Drill Core	0.70	495	<0.005	<0.01	<0.17	32.84	0.1	7.7	22.8	11	0.1	0.3	0.1	56	0.28	1.1	0.8	2.3	14.3	1
2004498	Drill Core	4.24	492	<0.005	<0.01	<0.17	34.86	<0.1	5.9	50.3	63	0.2	0.3	0.1	98	0.31	1.9	1.0	3.2	18.9	4
2004499	Drill Core	0.75	487	<0.005	<0.01	<0.17	31.72	<0.1	5.6	36.8	28	0.1	0.4	0.1	110	0.31	0.7	0.7	4.3	13.8	2
2004500	Rock Pulp	0.14	445	6.948				13.3	66.7	22.8	58	0.7	18.6	9.2	438	4.09	12.2	0.4	6704.4	1.2	48
2004501	Drill Core	3.11	445	0.071	0.07	<0.17	26.84	<0.1	5.8	35.4	19	0.4	0.3	0.2	98	0.29	1.6	1.0	63.5	17.7	10
2004502	Drill Core	1.03	432	<0.005	<0.01	<0.17	29.61	<0.1	6.9	23.7	21	<0.1	0.4	0.2	102	0.37	1.8	1.0	2.7	16.8	8
2004503	Drill Core	2.41	362	<0.005	<0.01	<0.17	29.30	<0.1	3.3	32.4	25	0.1	0.4	0.1	131	0.35	0.7	0.9	3.1	16.5	8
2004504	Drill Core	1.78	520	<0.005	<0.01	<0.17	30.75	<0.1	4.2	31.8	9	<0.1	0.3	0.1	70	0.21	<0.5	0.9	2.9	17.0	2
2004505	Drill Core	3.21	384	<0.005	<0.01	<0.17	30.44	<0.1	11.1	64.5	16	0.1	0.2	0.1	122	0.22	<0.5	0.9	2.0	15.6	29
2004506	Drill Core	3.61	434	<0.005	<0.01	<0.17	36.19	0.2	17.0	153.2	70	0.3	0.3	0.2	99	0.29	0.8	1.3	2.7	18.0	2
2004507	Drill Core	4.29	407	<0.005	<0.01	<0.17	31.00	0.1	21.1	46.1	33	0.3	0.6	0.6	82	0.38	1.3	1.5	4.8	14.8	5
2004508	Drill Core	2.39	403	0.012	0.01	<0.17	18.89	0.2	54.0	38.6	91	0.5	2.1	1.3	247	0.91	4.8	1.8	14.0	12.9	5
2004509	Drill Core	2.18	434	0.006	<0.01	<0.17	16.85	0.1	22.1	25.6	22	0.2	0.8	0.5	109	0.40	0.8	1.2	6.0	10.0	4
2004510	Drill Core	3.56	491	0.005	<0.01	<0.17	18.26	0.1	19.1	60.9	51	0.2	0.6	0.5	121	0.45	1.4	1.1	6.2	10.5	3
2004511	Drill Core	1.97	381	0.051	0.05	<0.17	24.20	0.2	92.6	141.2	108	0.6	1.3	2.1	115	0.99	19.0	1.4	50.4	11.9	3
2004512	Drill Core	1.78	459	0.017	0.02	<0.17	27.29	0.2	46.4	94.7	42	0.4	0.7	0.9	63	0.53	8.4	1.2	16.1	12.0	3
2004513	Drill Core	3.80	343	0.011	0.01	<0.17	25.48	0.2	24.6	27.8	26	0.3	0.7	0.7	107	0.43	3.8	1.1	12.1	12.6	3
2004514	Drill Core	1.96	522	<0.005	<0.01	<0.17	36.06	0.6	20.5	32.6	27	0.4	0.9	0.6	87	0.51	2.9	0.6	3.1	4.2	3
2004515	Drill Core	3.62	384	0.092	0.09	<0.17	25.64	1.1	106.0	145.6	123	1.5	4.5	2.5	216	1.19	16.3	1.9	17.5	6.1	8
2004516	Drill Core	1.39	604	0.032	0.03	<0.17	29.71	1.1	172.9	281.3	330	2.7	9.4	6.1	300	1.71	22.3	2.1	34.6	6.8	10
2004517	Drill Core	2.02	400	<0.005	<0.01	<0.17	31.01	0.3	39.9	61.4	198	0.6	9.0	7.5	289	1.47	6.1	1.8	4.0	10.8	18
2004518	Drill Core	2.13	470	<0.005	<0.01	<0.17	22.78	0.1	14.5	25.6	85	0.4	5.7	5.0	311	1.18	<0.5	1.3	3.1	10.9	42
2004519	Drill Core	2.02	418	0.013	0.01	<0.17	23.86	0.3	19.2	52.1	100	0.4	11.1	7.3	411	1.75	1.9	1.1	16.8	8.6	33
2004520	Drill Core	1.16	494	0.087	0.13	0.89	23.60	0.5	11.6	19.5	58	0.5	11.7	8.4	335	1.63	5.7	1.2	111.1	7.3	46
2004521	Drill Core	3.41	439	0.123	0.20	1.67	22.73	1.3	3.3	7.2	35	0.3	2.4	1.9	133	1.32	11.6	3.3	686.0	19.4	33
2004522	Drill Core	0.92	548	<0.005	<0.01	<0.17	27.74	<0.1	3.3	33.2	7	<0.1	0.3	0.2	46	0.22	<0.5	0.9	4.8	16.2	7
2004523	Drill Core	1.85	448	0.031	0.03	<0.17	24.33	0.1	2.4	68.3	34	0.3	0.4	0.2	78	0.36	1.1	1.1	18.1	17.0	3
2004524	Drill Core	1.06	453	<0.005	<0.01	<0.17	19.83	0.2	8.5	9.2	11	0.1	0.4	0.3	41	0.31	0.5	0.7	2.8	13.4	2
2004525	Rock Pulp	0.14	361	<0.005				1.7	63.6	3.4	33	<0.1	5.1	7.8	322	2.28	<0.5	0.7	4.0	2.4	50



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 3 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004496	Drill Core	0.3	0.3	<0.1	<2	0.02	0.010	46	3	0.04	120	<0.001	<1	0.20	0.013	0.20	<0.1	0.02	0.5	<0.1	<0.05
2004497	Drill Core	0.2	0.1	<0.1	<2	<0.01	0.004	32	4	0.02	90	<0.001	<1	0.16	0.013	0.18	<0.1	0.02	0.4	<0.1	<0.05
2004498	Drill Core	0.3	0.2	0.2	<2	0.02	0.009	45	3	0.08	121	<0.001	<1	0.24	0.016	0.19	0.1	0.01	0.6	<0.1	<0.05
2004499	Drill Core	0.4	0.1	<0.1	<2	0.02	0.005	29	3	0.05	85	<0.001	<1	0.21	0.006	0.18	<0.1	0.01	0.4	<0.1	<0.05
2004500	Rock Pulp	<0.1	5.2	0.5	89	0.94	0.054	4	29	0.59	84	0.081	2	1.67	0.150	0.13	1.5	0.24	3.6	<0.1	<0.05
2004501	Drill Core	0.4	0.2	0.5	<2	0.18	0.007	40	2	0.06	198	<0.001	<1	0.22	0.015	0.19	0.1	0.01	0.8	<0.1	<0.05
2004502	Drill Core	0.5	0.2	0.1	<2	0.12	0.006	41	3	0.08	143	<0.001	<1	0.22	0.013	0.18	0.1	0.01	0.7	<0.1	<0.05
2004503	Drill Core	0.5	0.2	0.1	<2	0.16	0.006	40	2	0.10	97	<0.001	<1	0.28	0.016	0.21	0.1	0.01	0.7	<0.1	<0.05
2004504	Drill Core	0.2	0.2	<0.1	<2	0.01	0.005	40	2	0.03	105	<0.001	<1	0.17	0.008	0.19	<0.1	<0.01	0.4	<0.1	<0.05
2004505	Drill Core	0.2	0.2	0.1	<2	0.44	0.004	34	2	0.05	94	<0.001	<1	0.24	0.008	0.22	<0.1	<0.01	0.4	<0.1	<0.05
2004506	Drill Core	0.2	0.3	0.2	<2	0.02	0.006	38	3	0.08	103	<0.001	<1	0.27	0.015	0.21	<0.1	<0.01	0.5	<0.1	<0.05
2004507	Drill Core	0.4	0.2	0.2	<2	0.03	0.009	33	3	0.06	248	<0.001	<1	0.28	0.020	0.23	<0.1	<0.01	0.9	<0.1	<0.05
2004508	Drill Core	0.7	0.5	0.5	4	0.04	0.011	38	5	0.20	397	<0.001	<1	0.46	0.008	0.21	0.2	0.01	1.8	0.1	<0.05
2004509	Drill Core	0.2	0.2	<0.1	<2	0.02	0.007	32	4	0.09	840	<0.001	<1	0.33	0.003	0.23	<0.1	<0.01	0.6	<0.1	<0.05
2004510	Drill Core	0.5	0.3	0.3	<2	0.02	0.008	29	4	0.10	290	<0.001	<1	0.36	0.002	0.24	<0.1	0.02	0.6	<0.1	<0.05
2004511	Drill Core	0.7	1.4	0.4	5	0.04	0.008	28	4	0.25	203	<0.001	<1	0.52	0.001	0.24	0.3	<0.01	1.0	<0.1	<0.05
2004512	Drill Core	0.3	0.6	0.6	4	0.03	0.009	31	4	0.09	287	<0.001	<1	0.34	0.002	0.24	0.1	<0.01	0.6	<0.1	<0.05
2004513	Drill Core	0.4	0.3	0.4	<2	0.03	0.010	36	4	0.08	242	<0.001	<1	0.33	0.004	0.25	0.1	0.03	0.6	<0.1	<0.05
2004514	Drill Core	0.3	0.4	1.2	<2	0.02	0.004	12	5	0.08	96	<0.001	<1	0.22	0.002	0.12	0.2	<0.01	0.6	<0.1	<0.05
2004515	Drill Core	0.9	1.0	3.3	9	0.08	0.018	17	13	0.24	127	0.003	<1	0.58	0.003	0.17	0.5	0.01	1.7	0.1	<0.05
2004516	Drill Core	2.0	1.1	2.4	14	0.17	0.058	21	19	0.41	177	0.003	<1	0.76	0.007	0.21	0.7	0.02	2.4	0.2	<0.05
2004517	Drill Core	3.8	0.7	0.2	11	0.27	0.071	27	17	0.52	281	0.011	<1	1.00	0.013	0.42	0.2	<0.01	3.5	0.3	<0.05
2004518	Drill Core	2.1	0.6	0.3	8	0.97	0.043	27	13	0.55	515	0.020	<1	0.87	0.015	0.36	0.2	0.02	2.5	0.2	<0.05
2004519	Drill Core	2.2	1.3	0.4	14	0.48	0.059	18	22	0.83	206	0.037	<1	1.22	0.009	0.52	0.7	<0.01	3.4	0.5	<0.05
2004520	Drill Core	0.7	1.3	<0.1	9	0.88	0.061	11	14	0.76	596	0.038	<1	1.13	0.009	0.40	0.6	<0.01	2.1	0.3	0.06
2004521	Drill Core	0.4	0.7	<0.1	<2	0.12	0.019	27	4	0.29	293	0.003	2	0.74	0.007	0.38	0.6	<0.01	1.2	0.2	0.06
2004522	Drill Core	0.2	0.4	0.2	<2	0.06	0.006	36	3	0.05	98	<0.001	<1	0.20	0.009	0.21	<0.1	<0.01	0.4	<0.1	<0.05
2004523	Drill Core	0.3	0.3	0.2	<2	0.02	0.008	36	3	0.11	109	<0.001	1	0.29	0.010	0.22	0.2	0.01	0.5	<0.1	<0.05
2004524	Drill Core	0.2	0.2	<0.1	<2	0.01	0.004	27	4	0.02	90	<0.001	1	0.17	0.006	0.16	0.1	<0.01	0.3	<0.1	<0.05
2004525	Rock Pulp	<0.1	<0.1	<0.1	78	0.64	0.057	6	11	0.64	101	0.072	2	1.16	0.120	0.17	1.7	<0.01	1.6	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004496	Drill Core	<1	<0.5	<0.2
2004497	Drill Core	<1	<0.5	<0.2
2004498	Drill Core	1	<0.5	<0.2
2004499	Drill Core	<1	<0.5	<0.2
2004500	Rock Pulp	5	<0.5	0.3
2004501	Drill Core	1	<0.5	<0.2
2004502	Drill Core	1	<0.5	<0.2
2004503	Drill Core	1	<0.5	<0.2
2004504	Drill Core	<1	<0.5	<0.2
2004505	Drill Core	<1	<0.5	<0.2
2004506	Drill Core	1	<0.5	<0.2
2004507	Drill Core	1	<0.5	<0.2
2004508	Drill Core	3	<0.5	<0.2
2004509	Drill Core	1	<0.5	<0.2
2004510	Drill Core	1	<0.5	<0.2
2004511	Drill Core	3	<0.5	<0.2
2004512	Drill Core	1	<0.5	<0.2
2004513	Drill Core	1	<0.5	<0.2
2004514	Drill Core	<1	<0.5	<0.2
2004515	Drill Core	3	<0.5	<0.2
2004516	Drill Core	4	<0.5	<0.2
2004517	Drill Core	3	<0.5	<0.2
2004518	Drill Core	3	<0.5	<0.2
2004519	Drill Core	5	<0.5	<0.2
2004520	Drill Core	4	<0.5	<0.2
2004521	Drill Core	2	<0.5	<0.2
2004522	Drill Core	<1	<0.5	<0.2
2004523	Drill Core	1	<0.5	<0.2
2004524	Drill Core	<1	<0.5	<0.2
2004525	Rock Pulp	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004526	Drill Core				0.68	361	<0.005	<0.01	<0.17	27.29	0.2	3.2	2.7	6	<0.1	0.5	0.5	44	0.26	<0.5	0.8	1.9	16.2	3
2004527	Drill Core				0.69	458	0.017	0.02	<0.17	25.80	0.2	4.6	5.2	7	0.1	0.4	0.2	35	0.31	<0.5	0.5	5.9	8.8	1
2004528	Drill Core				3.00	593	<0.005	<0.01	<0.17	32.90	0.2	4.9	14.1	10	0.2	0.4	0.2	31	0.22	0.7	1.1	2.9	18.1	3
2004529	Drill Core				1.32	589	<0.005	<0.01	<0.17	24.87	0.2	3.2	3.3	5	0.1	0.4	0.4	28	0.25	0.6	0.8	1.6	12.9	2
2004530	Drill Core				0.84	424	<0.005	<0.01	<0.17	19.58	0.2	7.1	1.4	6	<0.1	0.7	0.3	35	0.35	0.8	0.5	3.1	10.1	2
2004531	Drill Core				1.04	437	<0.005	<0.01	<0.17	19.58	0.2	6.1	2.6	10	0.1	0.6	0.3	42	0.26	0.8	0.9	2.0	18.0	2
2004532	Drill Core				1.05	458	<0.005	<0.01	<0.17	20.92	0.1	3.7	4.3	7	<0.1	0.4	0.1	27	0.28	0.9	0.8	0.6	15.1	2
2004533	Drill Core				2.07	415	<0.005	<0.01	<0.17	13.64	0.2	3.5	12.0	7	0.1	0.5	0.3	43	0.31	0.8	0.5	3.2	12.2	2
2004534	Drill Core				1.45	486	<0.005	<0.01	<0.17	18.52	0.2	2.8	8.4	5	<0.1	0.4	0.2	48	0.21	<0.5	0.7	1.8	15.3	2
2004535	Drill Core				2.02	408	<0.005	<0.01	<0.17	23.48	0.2	3.7	8.6	4	0.1	0.5	0.2	49	0.28	<0.5	0.7	<0.5	12.8	2
2004536	Drill Core				1.70	396	<0.005	<0.01	<0.17	16.02	0.2	5.5	1.5	8	0.1	0.4	0.1	47	0.25	<0.5	0.8	1.1	16.4	2
2004537	Drill Core				2.81	390	0.027	0.03	<0.17	21.37	0.2	3.8	3.4	25	0.1	0.6	0.2	78	0.36	1.1	1.0	56.5	17.2	2
2004538	Drill Core				2.97	300	<0.005	<0.01	<0.17	23.76	0.1	7.1	44.8	46	0.2	0.4	0.2	110	0.22	<0.5	1.0	1.8	16.9	2
2004539	Drill Core				2.18	436	0.021	0.02	<0.17	22.30	0.3	18.3	48.8	29	0.3	0.5	0.4	51	0.39	2.9	0.8	15.7	10.9	2
2004540	Drill Core				2.95	361	0.024	0.06	0.65	21.62	0.2	12.6	84.4	64	0.2	0.5	0.4	124	0.34	1.6	1.0	18.2	16.9	3
2004541	Drill Core				3.54	355	0.012	0.01	<0.17	26.20	0.2	7.8	54.4	44	0.2	0.7	0.4	135	0.30	2.2	1.3	16.1	17.4	3
2004542	Drill Core				1.24	450	0.008	<0.01	<0.17	23.11	<0.1	5.0	69.1	54	0.2	0.5	0.4	145	0.40	1.3	1.1	2.9	16.0	3
2004543	Drill Core				1.55	510	0.007	<0.01	<0.17	33.99	<0.1	4.2	71.7	60	0.2	0.3	0.4	93	0.31	1.0	1.2	5.8	17.6	3
2004544	Drill Core				2.81	489	<0.005	<0.01	<0.17	28.34	0.1	5.1	39.8	27	0.1	0.4	0.5	76	0.29	0.6	1.1	1.5	16.9	3
2004545	Drill Core				3.52	437	<0.005	<0.01	<0.17	29.78	0.2	4.9	23.5	19	0.1	0.4	0.6	77	0.27	0.5	1.0	<0.5	17.0	3
2004546	Drill Core				3.62	353	<0.005	<0.01	<0.17	23.90	0.3	2.9	34.1	22	0.2	0.2	0.3	151	0.31	1.2	0.8	2.1	16.3	3
2004547	Drill Core				1.14	424	0.020	0.02	<0.17	32.47	0.1	4.4	28.4	16	0.2	0.3	0.8	135	0.33	0.7	0.8	2.4	15.2	2
2004548	Drill Core				2.28	429	0.008	<0.01	<0.17	21.22	0.2	6.6	42.8	40	0.2	0.3	0.3	177	0.35	1.0	0.9	4.6	16.4	4
2004549	Drill Core				1.00	404	<0.005	<0.01	<0.17	18.44	0.2	7.3	30.7	17	0.1	0.5	0.8	68	0.37	1.3	0.9	0.9	12.4	3
2004550	Rock Pulp				0.13	410	7.042				12.9	63.9	21.9	56	0.8	18.4	9.0	457	4.07	11.9	0.4	6924.3	1.2	50
2004551	Drill Core				2.02	410	<0.005	<0.01	<0.17	21.29	0.2	7.8	29.8	21	0.2	0.5	0.4	81	0.28	1.4	0.9	0.8	16.9	4
2004552	Drill Core				3.57	465	<0.005	<0.01	<0.17	23.26	0.2	2.3	23.6	18	<0.1	0.5	0.3	99	0.24	0.9	0.9	<0.5	17.1	3
2004553	Drill Core				1.26	531	<0.005	<0.01	<0.17	30.56	0.2	11.3	48.8	44	0.1	0.4	0.3	107	0.27	<0.5	1.2	1.8	17.3	5
2004554	Drill Core				2.44	537	0.035	0.03	<0.17	32.12	0.2	4.6	19.1	15	0.1	0.3	0.5	61	0.36	1.4	1.2	2.0	17.9	3
2004555	Drill Core				2.56	445	<0.005	<0.01	<0.17	28.95	0.2	3.1	20.4	13	<0.1	0.3	0.4	71	0.38	0.7	1.0	<0.5	16.8	2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 4 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2004526	Drill Core	<0.1	0.1	<0.1	<2	0.01	0.006	38	5	0.02	81	<0.001	2	0.21	0.003	0.21	<0.1	<0.01	0.3	<0.1	<0.05			
2004527	Drill Core	<0.1	0.1	<0.1	<2	<0.01	0.003	18	5	0.01	53	<0.001	<1	0.11	0.009	0.12	<0.1	0.04	0.2	<0.1	<0.05			
2004528	Drill Core	0.1	0.2	<0.1	<2	0.01	0.006	41	4	0.02	103	<0.001	<1	0.19	0.009	0.19	0.2	<0.01	0.4	<0.1	<0.05			
2004529	Drill Core	<0.1	0.3	<0.1	<2	0.01	0.004	26	4	0.02	57	<0.001	<1	0.19	0.003	0.18	<0.1	<0.01	0.2	<0.1	<0.05			
2004530	Drill Core	0.1	0.2	<0.1	<2	<0.01	0.003	21	5	0.02	50	<0.001	1	0.17	0.003	0.15	<0.1	<0.01	0.2	<0.1	<0.05			
2004531	Drill Core	0.2	0.2	<0.1	<2	0.01	0.005	36	4	0.02	72	<0.001	2	0.23	0.003	0.21	0.1	<0.01	0.3	<0.1	<0.05			
2004532	Drill Core	0.1	0.1	<0.1	<2	0.01	0.005	30	4	0.01	69	<0.001	2	0.18	0.003	0.19	0.1	<0.01	0.2	<0.1	<0.05			
2004533	Drill Core	<0.1	0.3	0.1	<2	<0.01	0.005	28	5	0.01	68	<0.001	2	0.18	0.003	0.18	0.2	<0.01	0.3	<0.1	<0.05			
2004534	Drill Core	0.1	<0.1	0.1	<2	0.01	0.004	33	2	0.02	72	<0.001	2	0.19	0.002	0.21	<0.1	<0.01	0.2	<0.1	<0.05			
2004535	Drill Core	0.1	0.1	<0.1	<2	<0.01	0.004	28	4	0.02	76	<0.001	<1	0.19	0.007	0.20	0.1	<0.01	0.4	<0.1	<0.05			
2004536	Drill Core	0.3	<0.1	<0.1	<2	0.01	0.005	35	2	0.04	89	<0.001	2	0.22	0.017	0.20	<0.1	<0.01	0.3	<0.1	<0.05			
2004537	Drill Core	0.4	<0.1	<0.1	<2	0.02	0.006	36	2	0.10	90	<0.001	<1	0.32	0.004	0.23	<0.1	<0.01	0.5	<0.1	<0.05			
2004538	Drill Core	0.3	<0.1	0.1	<2	0.02	0.005	35	1	0.07	98	<0.001	<1	0.27	0.014	0.23	0.2	<0.01	0.5	<0.1	<0.05			
2004539	Drill Core	<0.1	0.1	1.5	<2	0.01	0.003	22	4	0.05	67	<0.001	<1	0.21	0.008	0.16	0.4	<0.01	0.4	<0.1	<0.05			
2004540	Drill Core	0.3	<0.1	0.2	<2	0.03	0.004	38	2	0.14	84	<0.001	<1	0.32	0.015	0.21	0.2	<0.01	0.6	<0.1	<0.05			
2004541	Drill Core	0.6	0.1	0.2	<2	0.03	0.007	43	2	0.10	77	0.001	<1	0.29	0.015	0.20	0.2	<0.01	0.4	<0.1	<0.05			
2004542	Drill Core	0.5	0.1	0.4	<2	0.03	0.006	35	2	0.15	88	<0.001	<1	0.33	0.009	0.20	0.2	<0.01	0.4	<0.1	<0.05			
2004543	Drill Core	0.3	0.1	0.2	<2	0.02	0.006	39	2	0.12	87	<0.001	<1	0.30	0.009	0.22	0.1	<0.01	0.4	<0.1	<0.05			
2004544	Drill Core	0.2	<0.1	0.2	<2	0.02	0.005	39	2	0.10	77	<0.001	<1	0.29	0.008	0.22	<0.1	<0.01	0.5	<0.1	<0.05			
2004545	Drill Core	0.4	<0.1	0.2	<2	0.02	0.004	39	2	0.11	73	<0.001	<1	0.30	0.008	0.23	<0.1	<0.01	0.5	<0.1	<0.05			
2004546	Drill Core	0.7	0.1	0.2	<2	0.02	0.004	39	2	0.14	88	<0.001	<1	0.33	0.013	0.24	<0.1	<0.01	0.5	<0.1	<0.05			
2004547	Drill Core	0.4	<0.1	0.3	<2	0.01	0.004	33	3	0.08	71	<0.001	1	0.24	0.015	0.19	<0.1	<0.01	0.4	<0.1	<0.05			
2004548	Drill Core	0.8	0.1	0.5	<2	0.04	0.010	37	2	0.14	86	<0.001	<1	0.34	0.016	0.23	<0.1	<0.01	0.5	<0.1	<0.05			
2004549	Drill Core	0.2	0.1	0.3	<2	0.02	0.009	32	4	0.05	121	<0.001	1	0.26	0.009	0.24	0.2	<0.01	0.4	<0.1	<0.05			
2004550	Rock Pulp	0.1	4.1	0.5	90	0.98	0.050	5	27	0.59	83	0.090	3	1.78	0.154	0.13	1.4	0.30	3.6	<0.1	<0.05			
2004551	Drill Core	0.3	0.1	0.2	<2	0.04	0.015	40	2	0.07	102	<0.001	<1	0.30	0.014	0.25	0.2	<0.01	0.5	<0.1	<0.05			
2004552	Drill Core	0.4	<0.1	0.1	<2	0.03	0.010	32	2	0.08	89	<0.001	<1	0.28	0.007	0.25	<0.1	<0.01	0.5	<0.1	<0.05			
2004553	Drill Core	0.4	0.2	0.1	<2	0.06	0.018	40	2	0.10	89	<0.001	<1	0.30	0.006	0.23	0.1	<0.01	0.5	<0.1	<0.05			
2004554	Drill Core	0.1	0.2	0.4	<2	0.02	0.006	42	3	0.09	75	<0.001	1	0.35	0.003	0.28	0.1	<0.01	0.4	<0.1	<0.05			
2004555	Drill Core	0.1	0.1	<0.1	<2	0.02	0.007	37	4	0.11	128	<0.001	<1	0.39	0.002	0.32	0.1	<0.01	0.4	<0.1	<0.05			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 4 of 5 Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004526	Drill Core	<1	<0.5	<0.2
2004527	Drill Core	<1	<0.5	<0.2
2004528	Drill Core	<1	<0.5	<0.2
2004529	Drill Core	<1	<0.5	<0.2
2004530	Drill Core	<1	<0.5	<0.2
2004531	Drill Core	<1	<0.5	<0.2
2004532	Drill Core	<1	<0.5	<0.2
2004533	Drill Core	<1	<0.5	<0.2
2004534	Drill Core	<1	<0.5	<0.2
2004535	Drill Core	<1	<0.5	<0.2
2004536	Drill Core	<1	<0.5	<0.2
2004537	Drill Core	1	<0.5	<0.2
2004538	Drill Core	<1	<0.5	<0.2
2004539	Drill Core	<1	<0.5	<0.2
2004540	Drill Core	1	<0.5	<0.2
2004541	Drill Core	1	<0.5	<0.2
2004542	Drill Core	1	<0.5	<0.2
2004543	Drill Core	1	<0.5	<0.2
2004544	Drill Core	1	<0.5	<0.2
2004545	Drill Core	<1	<0.5	<0.2
2004546	Drill Core	1	<0.5	<0.2
2004547	Drill Core	<1	<0.5	<0.2
2004548	Drill Core	1	<0.5	<0.2
2004549	Drill Core	<1	<0.5	<0.2
2004550	Rock Pulp	5	<0.5	<0.2
2004551	Drill Core	1	<0.5	<0.2
2004552	Drill Core	<1	<0.5	<0.2
2004553	Drill Core	<1	<0.5	<0.2
2004554	Drill Core	1	<0.5	<0.2
2004555	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2004556	Drill Core	3.87	485	<0.005	<0.01	<0.17	30.98	0.2	2.7	8.2	9	<0.1	0.3	0.3	81	0.40	<0.5	0.9	<0.5	14.2	3
2004557	Drill Core	0.61	490	<0.005	0.03	0.57	19.41	0.2	35.8	79.0	82	0.4	6.5	6.7	373	1.49	3.9	1.1	4.5	11.2	19
2004558	Drill Core	2.79	506	0.009	<0.01	<0.17	19.26	0.2	10.4	8.7	33	0.1	5.3	6.6	396	1.29	2.9	0.9	<0.5	9.6	23
2004559	Drill Core	2.41	523	0.011	0.01	<0.17	26.14	0.4	27.0	46.2	74	0.4	6.4	6.3	479	1.77	9.6	2.0	8.0	9.5	28
2004560	Drill Core	0.60	499	0.056	0.05	<0.17	21.31	0.7	15.7	28.6	68	0.5	4.5	4.7	393	1.52	13.9	1.4	45.1	10.5	12
2004561	Drill Core	1.88	411	0.008	<0.01	<0.17	25.14	0.5	14.7	14.9	61	0.3	4.0	4.7	431	1.38	5.4	1.7	5.0	11.9	28
2004562	Drill Core	2.26	485	<0.005	<0.01	<0.17	30.18	0.4	10.5	30.7	62	0.3	4.5	4.4	397	1.47	5.4	0.9	1.7	8.1	36
2004563	Drill Core	1.52	431	<0.005	<0.01	<0.17	18.86	0.3	7.3	26.7	36	0.2	1.4	1.8	157	0.82	6.8	1.4	<0.5	12.1	14
2004564	Drill Core	2.01	409	<0.005	<0.01	<0.17	17.92	0.1	3.9	17.6	28	<0.1	0.8	1.0	182	0.66	10.9	1.2	<0.5	13.9	26
2004565	Drill Core	1.77	438	<0.005	<0.01	<0.17	20.03	0.3	10.4	24.3	47	0.2	5.9	4.7	299	1.46	2.5	1.7	<0.5	10.4	56
2004566	Drill Core	3.44	336	<0.005	<0.01	<0.17	15.58	0.3	6.2	13.0	33	0.1	2.3	2.2	213	0.93	0.7	2.8	<0.5	14.1	50
2004567	Drill Core	2.71	420	<0.005	<0.01	<0.17	22.65	0.8	10.5	16.7	38	0.2	4.5	4.3	304	1.31	3.9	2.0	<0.5	11.2	105
2004568	Drill Core	0.66	476	<0.005	<0.01	<0.17	27.47	0.2	5.7	15.3	14	0.1	0.7	1.2	194	0.55	1.8	1.2	<0.5	12.2	122
2004569	Drill Core	2.52	480	<0.005	<0.01	<0.17	20.36	0.7	10.0	11.5	41	0.2	4.7	5.4	300	1.25	3.7	2.2	0.8	10.8	115
2004570	Drill Core	2.27	370	<0.005	<0.01	<0.17	15.23	0.6	10.6	12.9	47	0.2	6.2	5.7	347	1.55	3.1	2.0	0.5	11.9	90
2004571	Drill Core	1.49	476	<0.005	<0.01	<0.17	23.81	0.6	10.1	25.7	48	0.2	6.5	5.2	353	1.42	4.8	2.5	2.4	10.1	97
2004572	Drill Core	0.69	403	<0.005	<0.01	<0.17	15.28	0.7	12.9	11.2	53	0.2	10.0	7.4	394	2.05	2.7	1.3	<0.5	10.7	55
2004573	Drill Core	0.66	448	<0.005	<0.01	<0.17	19.75	1.7	13.4	24.1	62	0.2	10.6	8.2	383	2.09	2.6	3.1	<0.5	11.6	77



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2004556	Drill Core	0.2	<0.1	<0.1	<2	0.03	0.010	34	3	0.12	201	0.001	1	0.45	0.003	0.37	<0.1	<0.01	0.7	<0.1	<0.05
2004557	Drill Core	1.1	0.4	0.3	5	0.20	0.048	22	8	0.51	194	0.003	1	1.01	0.003	0.38	0.4	0.01	1.8	0.1	<0.05
2004558	Drill Core	0.8	0.3	<0.1	4	0.28	0.067	17	9	0.55	173	0.005	<1	0.88	0.004	0.28	0.2	<0.01	1.9	<0.1	<0.05
2004559	Drill Core	1.5	0.4	0.3	7	0.24	0.065	27	10	0.51	194	0.002	<1	1.01	0.004	0.32	0.6	<0.01	1.9	0.1	<0.05
2004560	Drill Core	0.7	0.3	0.1	7	0.16	0.038	32	10	0.38	212	0.002	<1	0.75	0.010	0.27	0.2	<0.01	1.8	<0.1	<0.05
2004561	Drill Core	1.0	0.4	0.1	6	0.48	0.042	35	9	0.38	306	0.005	<1	0.74	0.022	0.29	<0.1	0.01	3.3	0.1	<0.05
2004562	Drill Core	0.7	0.2	0.4	8	0.61	0.056	25	11	0.64	141	0.002	<1	0.86	0.010	0.21	<0.1	<0.01	2.5	<0.1	<0.05
2004563	Drill Core	0.3	0.2	0.2	<2	0.29	0.020	36	5	0.29	179	0.003	<1	0.51	0.017	0.25	<0.1	<0.01	2.0	<0.1	<0.05
2004564	Drill Core	0.2	0.2	0.1	<2	0.50	0.010	44	3	0.29	186	0.001	<1	0.49	0.015	0.25	<0.1	<0.01	1.5	<0.1	<0.05
2004565	Drill Core	0.5	0.2	0.2	7	0.82	0.044	24	10	0.56	191	0.023	<1	0.70	0.019	0.39	<0.1	<0.01	4.2	0.2	0.16
2004566	Drill Core	0.4	0.1	0.1	3	0.64	0.025	39	5	0.45	300	0.003	<1	0.59	0.015	0.25	<0.1	<0.01	2.6	<0.1	<0.05
2004567	Drill Core	0.4	0.2	0.1	7	1.12	0.045	30	8	0.51	240	0.013	<1	0.70	0.008	0.35	<0.1	<0.01	3.1	0.2	<0.05
2004568	Drill Core	0.2	0.2	0.2	<2	1.06	0.007	38	3	0.13	192	0.001	<1	0.31	0.008	0.23	<0.1	<0.01	0.9	<0.1	<0.05
2004569	Drill Core	0.4	0.2	0.1	6	1.39	0.044	24	8	0.35	209	0.019	<1	0.57	0.018	0.32	<0.1	<0.01	3.3	0.1	0.17
2004570	Drill Core	0.2	0.1	0.1	9	1.00	0.051	25	10	0.68	235	0.009	<1	0.83	0.019	0.35	<0.1	<0.01	4.0	0.1	0.16
2004571	Drill Core	0.4	0.2	0.3	9	0.87	0.047	23	9	0.56	195	0.009	<1	0.74	0.018	0.31	<0.1	<0.01	4.2	0.2	0.06
2004572	Drill Core	0.1	0.4	<0.1	20	0.60	0.061	23	23	1.14	198	0.040	<1	1.17	0.023	0.30	0.2	<0.01	3.8	0.1	<0.05
2004573	Drill Core	0.2	0.5	0.1	22	0.71	0.064	23	27	0.98	164	0.042	<1	1.03	0.028	0.30	0.2	<0.01	4.2	0.2	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000434.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2004556	Drill Core	1	<0.5	<0.2
2004557	Drill Core	2	<0.5	<0.2
2004558	Drill Core	2	<0.5	<0.2
2004559	Drill Core	3	<0.5	<0.2
2004560	Drill Core	3	<0.5	<0.2
2004561	Drill Core	3	<0.5	<0.2
2004562	Drill Core	3	<0.5	<0.2
2004563	Drill Core	2	<0.5	<0.2
2004564	Drill Core	2	<0.5	<0.2
2004565	Drill Core	2	<0.5	<0.2
2004566	Drill Core	2	<0.5	<0.2
2004567	Drill Core	2	<0.5	<0.2
2004568	Drill Core	1	<0.5	<0.2
2004569	Drill Core	2	<0.5	<0.2
2004570	Drill Core	3	<0.5	<0.2
2004571	Drill Core	2	<0.5	<0.2
2004572	Drill Core	5	<0.5	<0.2
2004573	Drill Core	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000434.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
Pulp Duplicates																					
2004479	Drill Core	2.08	383	<0.005	<0.01	<0.17	21.01	0.2	8.7	21.1	12	0.1	1.0	0.9	81	0.51	4.8	0.9	1.7	11.8	4
REP 2004479	QC							<0.1	8.4	21.8	13	0.1	1.0	0.9	85	0.53	5.0	0.9	0.5	12.2	4
2004483	Drill Core	1.29	465	0.014	0.01	<0.17	19.08	0.1	9.4	44.3	19	0.2	0.8	0.6	73	0.50	7.4	0.9	7.3	11.0	3
REP 2004483	QC			0.012																	
2004502	Drill Core	1.03	432	<0.005	<0.01	<0.17	29.61	<0.1	6.9	23.7	21	<0.1	0.4	0.2	102	0.37	1.8	1.0	2.7	16.8	8
REP 2004502	QC			<0.005																	
2004513	Drill Core	3.80	343	0.011	0.01	<0.17	25.48	0.2	24.6	27.8	26	0.3	0.7	0.7	107	0.43	3.8	1.1	12.1	12.6	3
REP 2004513	QC							0.2	23.8	27.0	28	0.3	0.7	0.7	109	0.44	3.8	1.1	12.7	12.5	3
2004548	Drill Core	2.28	429	0.008	<0.01	<0.17	21.22	0.2	6.6	42.8	40	0.2	0.3	0.3	177	0.35	1.0	0.9	4.6	16.4	4
REP 2004548	QC							0.2	6.8	45.1	42	0.2	0.4	0.4	179	0.36	0.8	1.0	5.5	17.4	4
2004556	Drill Core	3.87	485	<0.005	<0.01	<0.17	30.98	0.2	2.7	8.2	9	<0.1	0.3	0.3	81	0.40	<0.5	0.9	<0.5	14.2	3
REP 2004556	QC			<0.005																	
2004571	Drill Core	1.49	476	<0.005	<0.01	<0.17	23.81	0.6	10.1	25.7	48	0.2	6.5	5.2	353	1.42	4.8	2.5	2.4	10.1	97
REP 2004571	QC							0.7	10.1	25.0	48	0.2	6.5	5.2	344	1.38	4.6	2.5	1.9	9.9	97
Core Reject Duplicates																					
2004474	Drill Core	1.89	420	<0.005	<0.01	<0.17	29.85	0.1	15.3	18.6	70	0.4	17.1	8.9	392	2.16	5.4	0.9	2.5	9.4	32
DUP 2004474	QC		392	<0.005	<0.01	<0.17	28.60	0.2	15.1	17.4	74	0.4	17.5	9.1	403	2.19	5.6	0.9	1.6	9.3	31
2004508	Drill Core	2.39	403	0.012	0.01	<0.17	18.89	0.2	54.0	38.6	91	0.5	2.1	1.3	247	0.91	4.8	1.8	14.0	12.9	5
DUP 2004508	QC		469	0.013	0.01	<0.17	22.12	0.1	53.3	37.9	82	0.5	2.1	1.4	239	0.88	4.7	1.8	12.6	13.4	5
2004542	Drill Core	1.24	450	0.008	<0.01	<0.17	23.11	<0.1	5.0	69.1	54	0.2	0.5	0.4	145	0.40	1.3	1.1	2.9	16.0	3
DUP 2004542	QC		459	0.009	<0.01	<0.17	23.23	0.2	5.2	73.7	63	0.2	0.4	0.4	150	0.45	1.9	1.1	4.5	15.5	3
Reference Materials																					
STD DS10	Standard							14.9	150.7	151.3	373	1.7	73.2	13.4	872	2.81	47.7	2.8	68.7	7.8	62
STD DS10	Standard							14.1	142.5	146.4	353	1.7	73.1	12.7	839	2.70	45.6	2.8	82.8	7.6	61
STD DS10	Standard							13.7	150.3	156.7	355	1.8	72.8	13.1	879	2.77	47.1	2.8	75.3	7.8	62
STD DS10	Standard							14.2	150.0	147.9	360	1.9	73.5	13.0	877	2.73	44.0	2.7	81.9	7.7	68
STD OXC129	Standard							1.2	24.9	6.2	41	<0.1	75.8	19.6	400	2.97	0.5	0.7	191.8	1.8	168
STD OXC129	Standard							1.2	25.1	6.2	41	<0.1	77.5	20.2	409	3.03	<0.5	0.7	185.0	1.9	176



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 10, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000434.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2004479	Drill Core	0.2	0.3	0.3	<2	0.04	0.012	32	4	0.09	173	0.001	<1	0.37	0.009	0.25	0.1	<0.01	0.8	<0.1	<0.05
REP 2004479	QC	0.2	0.3	0.3	<2	0.04	0.011	33	4	0.10	178	0.001	1	0.38	0.009	0.26	0.1	<0.01	0.8	<0.1	<0.05
2004483	Drill Core	0.2	0.3	1.0	<2	0.02	0.008	29	5	0.04	236	<0.001	<1	0.29	0.004	0.23	0.2	0.01	0.5	<0.1	<0.05
REP 2004483	QC																				
2004502	Drill Core	0.5	0.2	0.1	<2	0.12	0.006	41	3	0.08	143	<0.001	<1	0.22	0.013	0.18	0.1	0.01	0.7	<0.1	<0.05
REP 2004502	QC																				
2004513	Drill Core	0.4	0.3	0.4	<2	0.03	0.010	36	4	0.08	242	<0.001	<1	0.33	0.004	0.25	0.1	0.03	0.6	<0.1	<0.05
REP 2004513	QC	0.4	0.3	0.4	<2	0.03	0.009	36	4	0.08	237	<0.001	<1	0.35	0.004	0.26	0.1	0.02	0.6	<0.1	<0.05
2004548	Drill Core	0.8	0.1	0.5	<2	0.04	0.010	37	2	0.14	86	<0.001	<1	0.34	0.016	0.23	<0.1	<0.01	0.5	<0.1	<0.05
REP 2004548	QC	0.8	0.1	0.5	<2	0.04	0.010	42	2	0.15	92	<0.001	<1	0.35	0.016	0.23	0.1	<0.01	0.6	<0.1	<0.05
2004556	Drill Core	0.2	<0.1	<0.1	<2	0.03	0.010	34	3	0.12	201	0.001	1	0.45	0.003	0.37	<0.1	<0.01	0.7	<0.1	<0.05
REP 2004556	QC																				
2004571	Drill Core	0.4	0.2	0.3	9	0.87	0.047	23	9	0.56	195	0.009	<1	0.74	0.018	0.31	<0.1	<0.01	4.2	0.2	0.06
REP 2004571	QC	0.4	0.2	0.3	9	0.90	0.042	23	9	0.56	196	0.009	<1	0.74	0.017	0.32	<0.1	<0.01	4.0	0.1	0.06
Core Reject Duplicates																					
2004474	Drill Core	0.6	0.9	0.3	25	0.46	0.078	26	37	1.15	177	0.063	1	1.38	0.009	0.47	0.6	<0.01	6.2	0.3	<0.05
DUP 2004474	QC	0.6	0.8	0.4	26	0.46	0.076	25	37	1.19	173	0.061	<1	1.38	0.008	0.47	0.5	<0.01	6.1	0.3	<0.05
2004508	Drill Core	0.7	0.5	0.5	4	0.04	0.011	38	5	0.20	397	<0.001	<1	0.46	0.008	0.21	0.2	0.01	1.8	0.1	<0.05
DUP 2004508	QC	0.7	0.4	0.5	4	0.04	0.009	38	5	0.19	383	<0.001	<1	0.46	0.007	0.21	0.2	<0.01	1.7	<0.1	<0.05
2004542	Drill Core	0.5	0.1	0.4	<2	0.03	0.006	35	2	0.15	88	<0.001	<1	0.33	0.009	0.20	0.2	<0.01	0.4	<0.1	<0.05
DUP 2004542	QC	0.4	0.1	0.5	<2	0.03	0.006	36	2	0.16	87	<0.001	<1	0.35	0.009	0.21	0.2	<0.01	0.7	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.4	9.7	13.7	44	1.07	0.079	17	57	0.79	369	0.070	7	1.06	0.073	0.34	3.1	0.27	2.9	5.1	0.28
STD DS10	Standard	2.7	9.6	13.0	42	1.03	0.075	17	55	0.76	346	0.068	7	1.02	0.070	0.33	3.2	0.27	2.7	5.0	0.27
STD DS10	Standard	2.5	8.2	14.1	43	1.07	0.075	17	56	0.75	357	0.066	7	1.02	0.067	0.32	3.2	0.26	2.7	5.3	0.29
STD DS10	Standard	2.3	8.0	12.6	41	1.05	0.067	18	57	0.77	338	0.080	6	1.03	0.068	0.33	3.2	0.26	2.9	5.1	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.59	0.102	12	49	1.48	47	0.359	2	1.46	0.576	0.36	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.61	0.099	11	53	1.50	47	0.383	1	1.50	0.582	0.36	<0.1	<0.01	0.8	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000434.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2004479	Drill Core	1	<0.5	<0.2
REP 2004479	QC	1	<0.5	<0.2
2004483	Drill Core	<1	<0.5	<0.2
REP 2004483	QC			
2004502	Drill Core	1	<0.5	<0.2
REP 2004502	QC			
2004513	Drill Core	1	<0.5	<0.2
REP 2004513	QC	1	<0.5	<0.2
2004548	Drill Core	1	<0.5	<0.2
REP 2004548	QC	1	<0.5	<0.2
2004556	Drill Core	1	<0.5	<0.2
REP 2004556	QC			
2004571	Drill Core	2	<0.5	<0.2
REP 2004571	QC	3	<0.5	<0.2
Core Reject Duplicates				
2004474	Drill Core	5	<0.5	<0.2
DUP 2004474	QC	5	<0.5	<0.2
2004508	Drill Core	3	<0.5	<0.2
DUP 2004508	QC	3	<0.5	<0.2
2004542	Drill Core	1	<0.5	<0.2
DUP 2004542	QC	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.4	5.0
STD DS10	Standard	4	2.1	4.8
STD DS10	Standard	4	2.2	4.9
STD DS10	Standard	4	1.7	4.6
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 10, 2016

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000434.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXC129	Standard							1.4	28.0	6.7	43	<0.1	80.6	21.7	429	3.25	0.7	0.7	188.8	2.0	185
STD OXC129	Standard							1.3	26.5	6.5	41	<0.1	77.5	19.4	421	3.04	1.1	0.7	187.1	2.0	183
STD OXC145	Standard			0.201																	
STD OXC145	Standard			0.209																	
STD OXH122	Standard			1.174																	
STD OXH122	Standard			1.226																	
STD OXN117	Standard			7.620																	
STD OXN117	Standard			7.779																	
STD OXP91	Standard					15.06	29.88														
STD OXP91	Standard					15.14	30.06														
STD OXP91	Standard					15.09	29.96														
STD OXP91	Standard					14.98	29.90														
STD OXP91	Standard					14.89	30.08														
STD OXP91	Standard					14.93	30.01														
STD OXP91	Standard					14.98	30.05														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

December 10, 2016

Page:

2 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000434.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.57	0.101	12	53	1.50	50	0.395	<1	1.49	0.551	0.35	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.64	0.110	13	54	1.54	46	0.422	<1	1.54	0.591	0.36	<0.1	<0.01	0.7	0.1	<0.05
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH122	Standard																				
STD OXH122	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: December 10, 2016

Part: 3 of 3

WHI16000434.1

[illegible]



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000434.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		441	<0.005	<0.01	<0.17	21.36	0.8	2.8	1.5	29	<0.1	0.9	3.5	400	1.70	0.7	0.4	1.0	2.3	23
ROCK-WHI	Prep Blank		437	<0.005	<0.01	<0.17	25.34	0.8	3.9	1.4	30	<0.1	1.0	3.7	411	1.71	0.7	0.4	1.0	2.4	26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000434.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.59	0.038	5	4	0.39	62	0.059	2	0.88	0.083	0.08	0.1	<0.01	2.1	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.61	0.039	5	4	0.39	71	0.063	2	0.87	0.078	0.08	<0.1	<0.01	2.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: December 10, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000434.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2