

Assessment Report

2020 Diamond Drilling Program

Charlotte Property

Whitehorse Mining District, Yukon Territory

In reference to claims and leases:

Leases														
4241	4278	4279	4354	4361	4368	4369	55633	55663	55665	55666	55890	55892		
Quartz Claims														
YA86690	YA86691	YA86692	YA86693	YA86694	YA86695	YE63027	YE63028	YE63029	YE63030	YE63031	YE63036	YE63037	YE63038	YE63039
YE63040	YE63041	73537	73538	73539	73540	73542	73543	73694	73700	73702	73703	73704	73705	73706
74283	74284	74285	74286	74287	74288	77746	77747	77748	77749	77754	77755	77756	77757	77758
77779	77781	77782	77784	77785	77786	77787	81842	81843	81844	81845	81846	81847	81848	81850
YA23835	YA23836	YA23837	YA23838	YA23839	YA23840	YA23841	YA23842	YA23843	YA24813	YA24814	YA24819	YA59596	YA59597	YA59610
YA59611	YA59612	YA59613	YA59614	YA59615	YA59616	YA59617	YA59618	YA59619	YA59620	YA59621	YA59622	YA59623	YA86696	YA86697
YA87204	YA87206	YA87208	YA87210	YA87211	YA87212	YA87213	YA87214	YA87215	YA87216	YA87217	YA87218	YA87223	YA87224	YA87225
YA87226	YA87227	YA92655	YA92656	YA92657	YA92658									

Latitude 62°09'00.07"N, Longitude 137°09'50.32"

NTS Mapsheet 115I/03

Performed Between May 27th – October 7th, 2020

Prepared for:

Taurus Gold Corp.

Prepared by:

Ken MacDonald, P.Geo

Ridgeview Resources Ltd.

2665 Carlisle Way

Prince George, BC, Canada, V2K 4B5

With contributions from:

Patrick McLaughlin, P.Geo

Coast Mountain Geological Ltd.

488-625 Howe Street

Vancouver, BC

V6C 2T6

Table of Contents

1.0 Summary	3
2.0 Introduction	5
<i>2.1 Introduction</i>	<i>5</i>
3.0 Property Description and Location	6
<i>3.1 Location</i>	<i>6</i>
<i>4.2 Property Description</i>	<i>8</i>
4.0 Physiography and Climate	15
5.0 Exploration History	17
6.0 Geological Setting and Mineralization	20
<i>6.1 Regional Geology</i>	<i>20</i>
6.1.1 Yukon-Tanana Terrane	20
6.1.2 Mt. Nansen Trend	22
6.1.3 Mt. Nansen Area	23
6.1.4 Geostructural Setting	23
6.1.5 Mt. Nansen Mineralization	24
6.1.6 Age-Dating	25
<i>6.2 Property Geology</i>	<i>25</i>
<i>6.3 Mineralization</i>	<i>27</i>
<i>6.4 Alteration</i>	<i>27</i>
<i>6.5 Structure</i>	<i>28</i>
<i>6.6 Mineralized Zones</i>	<i>30</i>
7.0 Diamond Drilling	37
7.1 <i>Oriented Core Data Review</i>	<i>46</i>
8.0 Sample Preparation, Analysis and Security	49
9.0 Interpretations and Conclusions	53
10.0 Statement of Expenditures	54
11.0 Recommendations	55
12.0 References	57
Statement of Qualifications	63

List of Figures

Figure 1: Property Location.....	8
Figure 2: Roads and access across the Charlotte Property.....	8
Figure 3: Quartz claim map of the Charlotte Property	11
Figure 4: Extent of Pleistocene glaciation.....	16
Figure 5: Tectonic Setting of the Charlotte Project	21
Figure 6: Regional sketch highlighting major deposits within the Mt. Nansen trend (Mortensen et al, 2003)	22
Figure 7. Mt. Nansen Area Geology (after Ryan, 2010)	29
Figure 8. Mineralized Zones of the Mt. Nansen Area	31
Figure 9. Webber Underground Workings (After Denholm <i>et al.</i> , 2000)	33
Figure 10. Huestis Underground Workings (After Denholm <i>et al.</i> , 2000)	34
Figure 11. Flex Surface Plan (After Stroshein, 2007b)	36
Figure 12. 2020 Drill Collar Locations	39
Figure 13: Structural Data model generated from surface mapping on main trench which absent of dip information for planes (Stroshein, 1998).....	47
Figure 14: Poles and contour of poles for quartz veins, veins and veinlets	47
Figure 15: Poles and a contour of poles for fractures	48
Figure 16: Poles and contour of poles for contact measurements.....	48
Figure 17: Poles and Contour of poles for foliation features.....	49
Figure 18: Avg of QTZ-Vns/Vnlts with Flex Vein geometry and the two planes LOI which is likely where the most attractive vein chutes are developed within the flex.....	49

List of Tables

Table 1. Charlotte Property Claim Data	12
Table 2. 2020 Drill Collars	38
Table 3. Select Intercepts from 2020 Drill Program.....	44
Table 4: Proposed Charlotte Property Budget.....	56

Appendix 1. Units of Conversion and Common Abbreviations

Appendix 2. Diamond Drill Hole Logs

Appendix 3. Diamond Drillholes Sections

Appendix 4: MSA Labs Analytical Certificates

1.0 Summary

The Charlotte Property is a prospective gold exploration project located in the Mt. Nansen area in west-central Yukon Territory, Canada. The property is situated approximately 60 kilometers west of the Village of Carmacks and is accessible by an all-weather gravel road from Carmacks. There are a network of roads and trails within the property that provide access to all of the exploration workings and showings on the property.

The property consists of 139 full or fractional quartz mineral claims and mineral leases that cover an area totalling 2,357.1 hectares (approximately 23 km²). The mineral tenure is registered in the name of 1011308 B.C. Ltd, and the operator of the property is Taurus Gold Corp. ("TGC"), a private exploration corporation domiciled in North Vancouver, British Columbia.

TGC have entered into a multi-tiered, 6-year option agreement with 1011308 BC Ltd. dated August 18, 2020 under which the property owner granted to TGC the sole and exclusive option to acquire an 100% undivided interest in the Charlotte Project by incurring certain exploration expenditures, making certain cash payments and issuing common shares to the property owner. If TGC elects to earn less than 100% interest in the Project, the parties have agreed to form a joint venture to further explore and develop the Project, subject to the terms and conditions set out in the option agreement.

The property lies within the Tintina Gold Province (TGP), a 200 kilometer wide by 2,000 kilometer-long metallogenic province of mid- to Late Cretaceous granitoid intrusions extending in a broad arc from the Yukon-British Columbia border across central Yukon to south central Alaska. The province is host to significant gold deposits including Pogo, Fort Knox, True North and Donlin Creek.

The property is underlain by metamorphosed intrusive, sedimentary and volcanic rocks of the Dawson Range. These rocks are intruded by Early Cretaceous felsic plutonic rocks and overlain by mid-Cretaceous Mt. Nansen mafic to intermediate volcanic rocks and related sub-volcanic feldspar porphyry dykes and plugs.

The main mineralized zones are comprised of anastomosing sulphide-quartz veins or breccia zones that are preferentially hosted in northwesterly trending fault/shear structures. The structures appear to cut foliated Early Mississippian gneissic rocks and are spatially and genetically related to the Mid-Cretaceous intrusive suite. A secondary northeasterly trending set of fault structures is known from detailed mapping at several mineralized zones. The northeasterly structures appear to cross-cut and offset the main fault structures, creating localization of mineralization at the intersection with northwesterly faults.

The mineralized structures occur in a 2.5 kilometer wide by 15 kilometer-long structural corridor trend known as the Mt. Nansen which is host to more than 30 recorded mineral occurrences of epithermal and porphyry origin. The zones exhibit differential and variable intensity of regional metasomatism and

hydrothermal alteration, with strong localized bleaching and intensive clay alteration developed in some zones. Surficial weathering can vary in depth from 5 metres to 150 metres, depending on location and slope aspect. Some zones have a well-developed leach cap overtop of a zone of supergene enrichment, which gives way at depth to hypogene sulphide mineralization.

Historic exploration and development work in the immediate area has focused mainly on defining near-surface gold and silver mineralization, with the bulk of the work directed towards the Huestis, Webber and Flex zones. Other peripheral zones such as the Orloff-King and the Cabin have seen only modest work.

Recent exploration on the property began in 2008 with the completion of a detailed airborne magnetometer and EM geophysical. The survey enhanced the understanding of the regional and structural setting and identified magnetic highs closely associated with mapped intrusive bodies.

In 2010 a 14-hole diamond drill and trenching program was conducted at the Flex zone in an attempt to confirm historic mineralized intervals and grades and to infill some gaps between previous drill fences. The drilling successfully confirmed historic precious metal grades and interval lengths and further demonstrated that the Flex zone appeared to extend at depth and down-dip of the maximum historical drill depth.

A program in 2011 completed 3,608 metres of NQ drilling in 22 holes on the Flex Zone and four holes completed on the Orloff-King Zone. In 2012, a six-hole HQ drill program totalling 1,883.46 metres was completed on the Flex Zone. A program of limited IP geophysics at the Flex Zone and rock sampling for petrography was completed in 2013. A desktop geostructural analysis of the property was completed in 2020 for claim maintenance purposes.

Taurus Gold initiated a maiden drill program in September 2020 which was completed in late October. The drill program was designed to enhance the geologic understanding of the Flex Zone and successfully achieved its goal and confirmed the tenor and thickness potential of the precious metal mineralization over 11 widely spaced drill holes. The drill results also provided additional targets for a subsequent drill campaign.

The Charlotte property covers geologically prospective ground with recorded mineral occurrences of epithermal and porphyry origin including zones with substantial recorded exploration. Historical and more recent exploration campaigns have yet to fully evaluate the potential of the known precious metal-bearing epithermal vein and breccia systems and Cu-Mo-Au porphyry mineralization discovered to date on the Charlotte property. Additional exploration is warranted to advance the known zones of mineralization and to evaluate those areas of high prospectivity surrounding the known zones that remain underexplored.

The Flex Zone remains open to depth, down plunge and along strike both to the north and south. Further drilling is recommended to outline the depth/plunge continuity of the various veins and mineralized pods such that a maiden NI 43-101 compliant mineral resource can be completed.

In addition, historical work on the Webber, Huestis and Orloff-King Zones demonstrate that there is potential to expand the known zones of mineralization. The relationship between the southern extension of the Flex Zone and the Huestis Zone is unknown; as is the relationship of the Flex Zone and the Webber Zone to the west. Recent work has also documented the presence of mineralized zones not previously tested by drilling and sizeable soil gold anomalies remain known but unexamined.

There is excellent potential to increase the size of the known main gold vein zones and for the discovery of additional precious metal mineralization at depth and along strike of known mineralized zones. Moreover, due to the similarities in structural, lithological and host stratigraphy and similar mineralogy, there is potential for further discovery on underexplored targets to the northwest and southeast.

A phased work program is recommended. Phase I would include additional data compilation, LiDAR survey for ground control, high resolution differential GPS ground survey, and targeted surface prospecting, mapping, geophysics and geochemistry to infill gaps in property coverage. An up-to-date comprehensive data compilation is required to improve target definition for future exploration. A 3D geological and structural model of the Flex Zone is required to initiate and complete a maiden resource calculation. This information can then be used to reinterpret the structural setting of the main gold vein zones which will better vector drill testing and provide an exploration model to further develop new drill targets. Phase I expenditures are estimated at \$350,000.

Phase II program include additional field mapping, sampling, soil geochemistry and targeted ground geophysics. The program would include a 10-hole, 1,700 metre diamond drill test of untested or lightly tested zones. Drilling would include the Webber, Huestis and other high priority zones as defined in Phase I. Particular focus should be paid to the western edge of the property along strike of structurally hosted veins on the adjacent property at the Rusk Zone, which lies approximately 3.5 km west of the Charlotte property. Phase II expenditures are estimated at \$750,000 for a combined budget total of \$1.1M.

2.0 Introduction

2.1 Introduction

The Charlotte Property is located in the Mt. Nansen area in west-central Yukon Territory of Canada. The property is situated approximately 60 kilometers west of the Village of Carmacks and is accessible by an all-weather gravel road from Carmacks. The property is located in the Whitehorse Mining District on NTS map sheet 115I/03 and centered at approximately 62.06312°N and -137.16069°W. Within the property

there are a network of roads and trails that provide access to all of the exploration workings and showings on the property.

The property consists of 139 full or fractional quartz mining claims and leases that remain in good standing and cover an area totalling 2,357.1 hectares (approximately 23 km²). All but two of the mineral claims (Dome 55 & Nicola 1) are contiguous. The mineral tenure is registered in the name of 1011308 B.C. Ltd, a valid and subsisting private corporation incorporated under the laws of British Columbia and domiciled in Vancouver, BC. The property is subject to a 3% Net Smelter Return Royalty ("NSR") to two directors of 1011308 B.C. Ltd.

The Property hosts several major gold vein zones that have seen considerable exploration work since discovery in the 1940's, including trenching, drilling, surface stripping and underground development. The zones are part of the larger Mt. Nansen mine complex which, when active, exploited gold resources from three major zones: Brown-McDade, Huestis and Webber. The Mt. Nansen mine saw limited production in the 1960's and again in the 1990's before finally closing in 1999. The core Mt. Nansen mineral claims and leases remain in the hands of the Yukon Government due to the operator's insolvency and subsequent bankruptcy. The peripheral mineral claims and leases were sold off by the interim received to a predecessor company and are now owned by 1011308 B.C. Ltd. The Charlotte property as it is configured now hosts the Webber, Flex, Huestis (part), Cabin and other important gold zones; some of which have only seen limited exploration.

The most recent reported drilling on the property was in 2020 when Taurus completed their maiden exploration program consisting of 2,347.1 metres of diamond drilling (HQ size) in eleven holes on the Flex gold-silver vein system, with hole depths ranging from 161.5 metres to 274.4 metres.

The Charlotte property covers geologically prospective ground within the well mineralized Mt. Nansen Trend, a 15 kilometre structural corridor which is host to more than 30 recorded mineral occurrences of epithermal and porphyry origin. Historical and more recent exploration campaigns have yet to fully evaluate the potential of the known precious metal-bearing epithermal vein and breccia systems and Cu-Mo-Au porphyry mineralization discovered to date on the Charlotte property. Additional exploration is warranted to advance the known zones of mineralization and to evaluate areas of high prospectivity that remain under explored.

3.0 Property Description and Location

3.1 Location

The Charlotte Property is located in the Mt. Nansen area in west-central Yukon Territory of Canada. The property (Figure 1) is situated approximately 60 kilometers west of the Village of Carmacks and is accessible by an all-weather gravel road from Carmacks. The property is located in the Whitehorse Mining District on NTS map sheet 115I/03 and centered at approximately 62.06312°N and 137.16069°W.

A network of tertiary exploration roads and trails service the Charlotte property and provide access to adjacent properties and active placer operations (Figure 2). These roads and trails provide good access to various parts of the Charlotte property, including the major known mineralized zones, the Webber adit (upper), the exploration campsite and the 2010-2012 drill core storage area.




Figure 1: Property Location




Figure 2: Roads and access across the Charlotte Property

4.2 Property Description

The property consists of 139 full or fractional quartz mining claims and leases that remain in good standing and cover an area totalling 2,357.1 hectares (approximately 23 km²). All but two of the mineral claims (Dome 55 & Nicola 1) are contiguous. See Claim map (Figure 3) and the list of mineral tenure (Table 1) which is sorted by expiry date.

The mineral tenure is registered in the name of 1011308 B.C. Ltd, a valid and subsisting private corporation incorporated under the laws of British Columbia and domiciled in Vancouver, BC.

The operator of the Charlotte property is Taurus Gold Corp. ("TGC"), a private exploration corporation incorporated under the laws of the Province of Alberta and domiciled in Calgary, Alberta. TGC have entered into a multi-tiered, 6-year option agreement with 1011308 BC Ltd. dated August 18, 2020 under which the property owner granted to TGC the sole and exclusive option to acquire an 100% undivided interest in the Charlotte Project by incurring certain exploration expenditures, making certain cash payments and issuing common shares to the property owner. If TGC elects to earn less than 100% interest in the Project, the parties have agreed to form a joint venture to further explore and develop the Project, subject to the terms and conditions set out in the option agreement.

1011308 B.C. Ltd has advised TGC that all mineral tenure are in good standing in all respects and are free of all encumbrances save and except for existing royalties. There is an existing 3% net smelter return royalty; owned ½ each by 2 directors of 1011308 B.C. Ltd (Richard Cogan & Robert Sim). The Option agreement allows for the purchase of the 1/3rd of the existing royalties for a certain cash payment. TGC has advised 1011308 B.C. Ltd that it will use reasonable best efforts to obtain and maintain a public share listing on an Exchange and it will comply with the rules and regulations of the Exchange. The intent is to list on the Canadian Securities Exchange.

The *Quartz Mining Act* of the Yukon governs the terms and conditions for obtaining the right to pursue the development of a mineral discovery and sets out the steps required to be taken by a prospector to stake a mineral claim. The *Quartz Mining Act* (Yukon) deems a mineral claim to be a chattel interest, equivalent to a lease of minerals in or under the land for one year, and thereafter from year to year, subject to the performance and observance of all of the terms and conditions of Part 1 of the Quartz Mining Act (Yukon).

The mineral claims comprising the property can be maintained in good standing by performing approved exploration work equivalent to \$100 per claim per year and an additional \$5 fee per claim for an Application for a Certificate of Work. Cash in lieu can also be paid to maintain good standing if no exploration is planned.

Mineral leases are granted by the Yukon for an initial term of 21 years, require the payments of a nominal annual rental fee and are renewable for a second 21-year period provided that the terms of the lease have been complied with. The 13 leases that make up part of the Charlotte property date back to the 1940's when the earliest attempts were made to mine at Mt. Nansen. The leases were renewed in 2019 and are now set to expire October 9th, 2040.

The owner (1011308 B.C. Ltd) continues to take the necessary steps to renew the mineral leases and maintain the mineral claims in accordance with the terms and the provisions of the *Quartz Mining Act* (Yukon). A notarized Application for Certificate of Work and an Application to Group Mineral Claims was

submitted on behalf of 1011308 B.C. Ltd. on February 4th, 2021. This application extended the claims for 4 additional years based on the recorded expenditures of the 2020 drill program. The requisite Grouping and Certificate of Work fees were paid at the same time and totaled \$2,583. The exploration expenditures filed as a requirement of the *Quartz Mining Act* of the Yukon Territory for the 2020 drill program totaled \$830,988.

Exploration in the Yukon which proposes mechanical disturbance (e.g. excavator trenching, diamond or rotary drilling, etc.) is subject to the Quartz Mining Land Use Regulations of the Yukon Mining Quartz Act and the Yukon Environmental and Socio-economic Assessment Act. Yukon Environmental and Socio-economic Assessment Board (“YESAB”) approval must be obtained and a Land Use Approval must be issued, before large-scale exploration is conducted. Any future mine development on the Property will require YESAB approval, a Yukon Mining License and Lease and a permit issued by the Yukon Water Board.

There is a current Class III Mining Land Use Approval (#LQ00356c) for the Charlotte Property granted to 1011308 BC Ltd. (claim owner) with an expiry date of May 3, 2022. The original Class III Mining Land Use Approval was issued in 2012 and formally amended March 27, 2017 to extend the duration date. The YEAAB approval was issued April 27, 2012 and remains valid. A Commercial Dump Permit (#81-041) for solid waste management was extended with an expiry date of May 3, 2022. Collectively these permits and approvals will allow the claim owner or operator to continue to explore the property in compliance with and subject to certain stated permit conditions. There is a requirement to file a Pre-Season Report to the Yukon mining officials which updates the Operating Plan for any proposed drilling; and a requirement to file a Post-season report. There is also a requirement to communicate exploration plans to the Little Salmon Carmacks First Nation (LSCFN) and complete a Heritage Resources Overview Assessment.

An updated Operating Plan was filed on August 10, 2020 advising the Yukon mining officials that the claim owner intended to commence a drill program in the fall of 2020. Similarly, the LSCFN was advised on August 12, 2020 that drilling was planned for 2020 in pre-disturbed areas; and a copy of the proposed Operating Plan was shared at that time. A Heritage Resources Preliminary Field Reconnaissance assessment had earlier been completed by Ecofor Consultants (qualified registered archaeologists) on June 21, 2012 for planned drilling on five target areas; including Flex and Webber. A copy of the report was shared with the LSCFN at the time of completion of the report. The assessment concluded that no further heritage work is recommended for Flex, Webber, Eliza, and Orloff-King zones. Two areas of moderate to high archaeological potential were identified and if any planned exploration targeted those two areas then additional field assessment was recommended to be undertaken to ground truth and evaluate the identified archaeological potential. The locations consist of the northern high ground in the Porphyry Zone (Dome 60) and the peak directly south of the Orloff-King Zone (Dome 50) for which there was no planned exploration in 2020. A Post-season report was filed by the author on behalf of Taurus on December 4, 2020; and received by the Mining Lands Officer in the Whitehorse District.




Figure 3: Quartz claim map of the Charlotte Property

Table 1. Charlotte Property Claim Data

Grant Number	Lease Number	Tenure Type	Claim Name	Owner Name	Staking Date	Recorded Date	Expiry Date	District	Area (ha)
4241	OW00349	Quartz	ROSE	1011308 B.C. Ltd	3/28/1943	4/22/1943	10/9/2040	Whitehorse	20.42
4278	OW00350	Quartz	GOLDEN EAGLE	1011308 B.C. Ltd	3/12/1944	4/12/1944	10/9/2040	Whitehorse	20.96
4279	OW00351	Quartz	WAR EAGLE	1011308 B.C. Ltd	3/12/1944	4/12/1944	10/9/2040	Whitehorse	20.77
4354	OW00352	Quartz	SHAMROCK	1011308 B.C. Ltd	12/10/1944	2/8/1945	10/9/2040	Whitehorse	20.74
4361	OW00353	Quartz	SPOT	1011308 B.C. Ltd	4/1/1945	5/15/1945	10/9/2040	Whitehorse	21.85
4368	OW00354	Quartz	ARLEP	1011308 B.C. Ltd	4/23/1945	6/8/1945	10/9/2040	Whitehorse	14.48
4369	OW00355	Quartz	PHYLLIS	1011308 B.C. Ltd	4/23/1945	6/8/1945	10/9/2040	Whitehorse	20.26
55633	OW00356	Quartz	RUB	1011308 B.C. Ltd	10/24/1945	12/8/1945	10/9/2040	Whitehorse	1.84
55663	OW00357	Quartz	PUB	1011308 B.C. Ltd	12/4/1945	1/23/1946	10/9/2040	Whitehorse	1.94
55665	OW00358	Quartz	SUN DOG	1011308 B.C. Ltd	12/4/1945	1/23/1946	10/9/2040	Whitehorse	3.20
55666	OW00359	Quartz	CUB	1011308 B.C. Ltd	12/4/1945	1/23/1946	10/9/2040	Whitehorse	1.29
55890	OW00360	Quartz	JAM	1011308 B.C. Ltd	8/11/1946	10/29/1946	10/9/2040	Whitehorse	0.55
55892	OW00361	Quartz	PAM	1011308 B.C. Ltd	8/11/1946	10/29/1946	10/9/2040	Whitehorse	2.64
YA86690		Quartz	TBR 1	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2031	Whitehorse	20.47
YA86691		Quartz	TBR 2	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2031	Whitehorse	18.63
YA86692		Quartz	TBR 3	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2031	Whitehorse	20.10
YA86693		Quartz	TBR 4	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2031	Whitehorse	19.42
YA86694		Quartz	TBR 5	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2031	Whitehorse	18.34
YA86695		Quartz	TBR 6	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2031	Whitehorse	14.91
YE63027		Quartz	NICOLA 0	1011308 B.C. Ltd	6/13/2011	6/20/2011	6/20/2030	Whitehorse	4.36
YE63028		Quartz	NICOLA 1	1011308 B.C. Ltd	6/13/2011	6/20/2011	6/20/2030	Whitehorse	6.52
YE63029		Quartz	NICOLA 2	1011308 B.C. Ltd	6/13/2011	6/20/2011	6/20/2030	Whitehorse	6.61
YE63030		Quartz	NICOLA 3	1011308 B.C. Ltd	6/13/2011	6/20/2011	6/20/2030	Whitehorse	6.72
YE63031		Quartz	NICOLA 4	1011308 B.C. Ltd	6/13/2011	6/20/2011	6/20/2030	Whitehorse	6.61
YE63036		Quartz	NICOLA 9	1011308 B.C. Ltd	6/20/2011	6/20/2011	6/20/2030	Whitehorse	5.13
YE63037		Quartz	NICOLA 10	1011308 B.C. Ltd	6/11/2011	6/20/2011	6/20/2030	Whitehorse	4.87
YE63038		Quartz	NICOLA 8	1011308 B.C. Ltd	6/16/2011	6/20/2011	6/20/2030	Whitehorse	2.99
YE63039		Quartz	NICOLA 5	1011308 B.C. Ltd	6/18/2011	6/20/2011	6/20/2030	Whitehorse	6.88
YE63040		Quartz	NICOLA 6	1011308 B.C. Ltd	6/18/2011	6/20/2011	6/20/2030	Whitehorse	6.67
YE63041		Quartz	NICOLA 11	1011308 B.C. Ltd	6/18/2011	6/20/2011	6/20/2030	Whitehorse	1.70
73537		Quartz	DOME 1	1011308 B.C. Ltd	5/20/1958	6/13/1958	2/6/2030	Whitehorse	15.10
73538		Quartz	DOME 2	1011308 B.C. Ltd	5/20/1958	6/13/1958	2/6/2030	Whitehorse	15.51
73539		Quartz	DOME 3	1011308 B.C. Ltd	5/20/1958	6/13/1958	2/6/2030	Whitehorse	17.29
73540		Quartz	DOME 4	1011308 B.C. Ltd	5/20/1958	6/13/1958	2/6/2030	Whitehorse	17.98
73542		Quartz	DOME 6	1011308 B.C. Ltd	5/20/1958	6/13/1958	2/6/2030	Whitehorse	17.32
73543		Quartz	DOME 7	1011308 B.C. Ltd	5/20/1958	6/13/1958	2/6/2030	Whitehorse	25.34
73694		Quartz	DOME 8	1011308 B.C. Ltd	6/27/1958	7/15/1958	2/6/2030	Whitehorse	12.47
73700		Quartz	DOME 14	1011308 B.C. Ltd	6/28/1958	7/15/1958	2/6/2030	Whitehorse	21.07
73702		Quartz	DOME 16	1011308 B.C. Ltd	6/28/1958	7/15/1958	2/6/2030	Whitehorse	20.61
73703		Quartz	DOME 17	1011308 B.C. Ltd	6/28/1958	7/15/1958	2/6/2030	Whitehorse	18.41

Assessment Report-2020 Diamond Drilling Program-Charlotte Property

73704		Quartz	DOM E 18	1011308 B.C. Ltd	6/28/1958	7/15/1958	2/6/2030	Whitehorse	18.56
73705		Quartz	DOM E 19	1011308 B.C. Ltd	6/28/1958	7/15/1958	2/6/2030	Whitehorse	16.73
73706		Quartz	DOM E 20	1011308 B.C. Ltd	6/29/1958	7/15/1958	2/6/2030	Whitehorse	13.42
74283		Quartz	JOANNE 1	1011308 B.C. Ltd	7/6/1959	7/28/1959	2/6/2030	Whitehorse	19.79
74284		Quartz	JOANNE 2	1011308 B.C. Ltd	7/6/1959	7/28/1959	2/6/2030	Whitehorse	19.51
74285		Quartz	JOANNE 3	1011308 B.C. Ltd	7/6/1959	7/28/1959	2/6/2030	Whitehorse	20.36
74286		Quartz	JOANNE 4	1011308 B.C. Ltd	7/6/1959	7/28/1959	2/6/2030	Whitehorse	14.78
74287		Quartz	JOANNE 5	1011308 B.C. Ltd	7/6/1959	7/28/1959	2/6/2030	Whitehorse	19.79
74288		Quartz	JOANNE 6	1011308 B.C. Ltd	7/6/1959	7/28/1959	2/6/2030	Whitehorse	19.71
77746		Quartz	DOM E 25	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	15.23
77747		Quartz	DOM E 26	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	22.54
77748		Quartz	DOM E 27	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.34
77749		Quartz	DOM E 28	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	21.74
77754		Quartz	DOM E 33	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	25.50
77755		Quartz	DOM E 34	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	21.45
77756		Quartz	DOM E 35	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	22.37
77757		Quartz	DOM E 36	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	23.98
77758		Quartz	DOM E 37	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	14.23
77759		Quartz	DOM E 38	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	18.51
77760		Quartz	DOM E 39	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	14.95
77761		Quartz	DOM E 40	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.49
77762		Quartz	DOM E 41	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.76
77763		Quartz	DOM E 42	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	19.98
77764		Quartz	DOM E 43	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.47
77770		Quartz	DOM E 49	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	8.18
77771		Quartz	DOM E 50	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	18.84
77772		Quartz	DOM E 51	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	19.05
77773		Quartz	DOM E 52	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	21.85
77774		Quartz	DOM E 53	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	22.80
77775		Quartz	DOM E 54	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	9.49
77776		Quartz	DOM E 55	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	13.09
77777		Quartz	DOM E 56	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	13.35
77778		Quartz	DOM E 57	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.47
77779		Quartz	DOM E 58	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	15.09
77781		Quartz	DOM E 60	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.06
77782		Quartz	DOM E 61	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	18.91
77784		Quartz	DOM E 63	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	22.50
77785		Quartz	DOM E 64	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	22.90
77786		Quartz	DOM E 65	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	20.66
77787		Quartz	DOM E 66	1011308 B.C. Ltd	4/18/1962	5/8/1962	2/6/2030	Whitehorse	21.26
81842		Quartz	DOM E 78	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	25.41
81843		Quartz	DOM E 79	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	24.10
81844		Quartz	DOM E 80	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	24.20

Assessment Report-2020 Diamond Drilling Program-Charlotte Property

81845		Quartz	DOM 81	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	22.52
81846		Quartz	DOM 82	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	23.26
81847		Quartz	DOM 83	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	18.72
81848		Quartz	DOM 84	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	19.37
81850		Quartz	DOM 86	1011308 B.C. Ltd	8/26/1962	9/18/1962	2/6/2030	Whitehorse	20.76
YA23835		Quartz	HIW 9	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	19.44
YA23836		Quartz	HIW 10	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	15.20
YA23837		Quartz	HIW 11	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	13.96
YA23838		Quartz	HIW 12	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	16.81
YA23839		Quartz	HIW 13	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	16.62
YA23840		Quartz	HIW 14	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	19.57
YA23841		Quartz	HIW 15	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	20.15
YA23842		Quartz	HIW 16	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	19.86
YA23843		Quartz	HIW 17	1011308 B.C. Ltd	10/21/1978	10/27/1978	2/6/2030	Whitehorse	19.92
YA24813		Quartz	HIW 1	1011308 B.C. Ltd	7/11/1979	7/30/1979	2/6/2030	Whitehorse	4.74
YA24814		Quartz	HIW 2	1011308 B.C. Ltd	7/11/1979	7/30/1979	2/6/2030	Whitehorse	5.15
YA24819		Quartz	HIW 7	1011308 B.C. Ltd	7/11/1979	7/30/1979	2/6/2030	Whitehorse	3.01
YA59596		Quartz	DD 1	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	20.62
YA59597		Quartz	DD 2	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	22.35
YA59610		Quartz	DD 15	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.22
YA59611		Quartz	DD 16	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.23
YA59612		Quartz	DD 17	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.35
YA59613		Quartz	DD 18	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.83
YA59614		Quartz	DD 19	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	20.17
YA59615		Quartz	DD 20	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.90
YA59616		Quartz	DD 21	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.64
YA59617		Quartz	DD 22	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.17
YA59618		Quartz	DD 23	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	18.69
YA59619		Quartz	DD 24	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	18.27
YA59620		Quartz	DD 25	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	18.18
YA59621		Quartz	DD 26	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	17.65
YA59622		Quartz	DD 27	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	19.49
YA59623		Quartz	DD 28	1011308 B.C. Ltd	1/18/1981	2/6/1981	2/6/2030	Whitehorse	18.71
YA86696		Quartz	TBR 7	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2030	Whitehorse	15.96
YA86697		Quartz	TBR 8	1011308 B.C. Ltd	5/10/1985	5/17/1985	2/6/2030	Whitehorse	21.79
YA87204		Quartz	ONT 38	1011308 B.C. Ltd	6/2/1985	6/19/1985	2/6/2030	Whitehorse	20.26
YA87206		Quartz	ONT 40	1011308 B.C. Ltd	6/2/1985	6/19/1985	2/6/2030	Whitehorse	18.33
YA87208		Quartz	ONT 42	1011308 B.C. Ltd	6/2/1985	6/19/1985	2/6/2030	Whitehorse	5.73
YA87210		Quartz	EEK 1	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	21.07
YA87211		Quartz	EEK 2	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	20.08
YA87212		Quartz	EEK 3	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	20.70
YA87213		Quartz	EEK 4	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	20.68
YA87214		Quartz	EEK 5	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	20.80

YA87215		Quartz	EEK 6	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	19.58
YA87216		Quartz	EEK 7	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	19.97
YA87217		Quartz	EEK 8	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	21.91
YA87218		Quartz	EEK 9	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	22.64
YA87223		Quartz	EEK 14	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	21.36
YA87224		Quartz	EEK 15	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	21.22
YA87225		Quartz	EEK 16	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	21.76
YA87226		Quartz	EEK 17	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	20.01
YA87227		Quartz	EEK 18	1011308 B.C. Ltd	5/29/1985	6/19/1985	2/6/2030	Whitehorse	20.74
YA92655		Quartz	ONT 44	1011308 B.C. Ltd	6/29/1985	7/10/1985	2/6/2030	Whitehorse	16.80
YA92656		Quartz	ONT 45	1011308 B.C. Ltd	6/29/1985	7/10/1985	2/6/2030	Whitehorse	12.91
YA92657		Quartz	ONT 46	1011308 B.C. Ltd	6/29/1985	7/10/1985	2/6/2030	Whitehorse	18.48
YA92658		Quartz	ONT 47	1011308 B.C. Ltd	6/29/1985	7/10/1985	2/6/2030	Whitehorse	14.41
								Total	2357.09

4.0 Physiography and Climate

The Charlotte Property is located on the eastern margin of the Dawson Range. This area lies northwest of the maximum extent of the Wisconsinian ice sheet and as a result, has remained unaffected by the most recent (Pleistocene) glaciations (Figure 4) (Eaton and Archer, 1989). The terrain is that of a deeply weathered and incised peneplain characterized by deep, wide and dendritic drainages. Local elevations range from 1030 m ASL in the deeper valleys to 1500 m ASL on ridge tops (Melling, 1995; Rodger, 1996). Outcrop is rare and typically documented as felsenmeer of resistant rock units on ridge tops and peaks. The Dawson Range is characterized by a temperate continental climate, with warm summers and cold winters. Average seasonal temperatures range from -25°C in winter to 15°C in the summers. Average precipitation for the Mt. Nansen area is approximately 250 millimetres, most of which falls in the summer months. Local snow pack is typically 30-40 centimetres deep in late winter (Stroshein, 2007b). Permafrost is common in the area and varies according to the slope aspect and vegetation thickness (Stroshein, 2007b). North facing slopes typically do not exhibit an active layer and are frozen immediately under the vegetative mat. More southerly aspects have an active layer that will thaw to a depth of 1-2 metres by the late summer months (Eaton and Archer, 1989).




Figure 4: Extent of Pleistocene glaciation

5.0 Exploration History

The following is a brief outline of the history of exploration in the Mt. Nansen area.

1899: Captain Henry Seymour discovers placer gold in Nansen Creek. Other placer discoveries were made in the early 1900s, but none were large enough or rich enough for sustained development (Lecuyer, 1997).

1930: Gold is discovered in the Mt. Freegold area to the north and after considerable work the La Forma Mine was brought into production (Saunders, 1980).

1937: Silver and lead is discovered by K. Paulson on what is now the Klaza Property immediately north of the Charlotte property (Saunders, 1980).

1943: Prospectors A. Brown and G. McDade discover the first lode gold deposit, now known as the Brown-McDade Deposit ("BMD"), located immediately to the east of the Charlotte Property.

1946: Brown-McDade Mines Ltd. forms and begins an extensive program of underground drilling and development. Concurrently, Conwest Explorations Ltd. discovers and explores the Webber zone while the Huestis Syndicate identified and delineated the Huestis zone, both currently on the Charlotte Property.

1958: Interest in the Mt. Nansen area is revived.

1962: The Mt. Nansen Exploration Syndicate options properties that overlap with the Charlotte claim block. This group explores the Webber and Huestis zones with geochemical surveys, bulldozer trenching and one diamond drill hole in the Webber.

1963: Mt. Nansen Mines is formed by the syndicate. The Webber Zone was further explored with bulldozer trenching and three diamond drill holes

1964: Peso Silver Mines Limited acquires control of Mt. Nansen Mines Ltd. and continued exploration on the Brown-McDade, Webber and Huestis Zones with underground development and diamond drilling between 1964 and 1967 (Walls and Eaton, 1987).

1965: Peso Silver trenches on the Discovery property located to the west of the Charlotte claims (Ellemers and Stroshein, 2005).

1967: A production decision is made and construction of a 200 ton/day mill was started at the Mt. Nansen Mine; approximately 16,350 tonnes was mined and milled from mineralization taken from underground at the Huestis and Webber Zones. Production ceased in 1969 due to unfavorable gold recovery.

1968: On the same ground as Peso Silver's work Associated Geological Services undertakes a soil sampling survey (Ellemers and Stroshein, 2005).

1969: Copper porphyry deposit known as Cyprus is discovered on the NW corner of the property.

1968 and 1969: Esanser Explorations Ltd. conducts exploration on the neighboring Klaza Property which includes geochemical and geophysical surveys, geological mapping, rock sampling, some trenching and also the construction of 14 km of road from the Mount Nansen Mines campsite (Saunders, 1980).

1970: Cyprus showing is worked by Area Exploration Company a subsidiary of Cyprus Exploration Corporation. They undertake soil geochemistry and airborne geophysics.

1971: Mount Nansen Mines undertake reconnaissance geological mapping and silt sampling on the adjacent Etzel Property (McClintock, 1986)

1973: Detailed exploration continues on the Cyprus showing with ground geochemical and geophysical surveys, 3463 m of diamond drilling and 951 m of percussion drilling (Franzen, 1986)

1975: Production resumed in 1975 at the Mt. Nansen Mine and 7,435 tonnes were taken from the Huestis Zone during the first five months of 1976. Gold recovery was unfavourable and the operation was discontinued. The property was relatively inactive until it was acquired by B.Y.G. Natural Resources Inc. in April 1984 (Eaton, B.A. and Archer, A.R., 1989)

1978: Asbestos Corp. completes trenching and drilled 8 holes for 122 m on what will become the Aurchem Exploration Ltd's Discovery Creek Project immediately west of the Charlotte claims. This drilling was following up anomalous gold values in trenches located north of the Etzel (Ellemers and Stroshein, 2005).

1980: BRX Mining and Petroleum Ltd. completes three short bulldozer trenches, seven drill holes for 447.3 m and a geochemical soil survey on the Tawa, now the Klaza Property (Saunders, 1980).

1984: The Mt. Nansen property resumes activity after being acquired by BYG Resources Inc. ("BYG") (Stroshein, 2007b). The nearby Etzel Property was staked by Mr. Gordon Dickson.

1985: Chevron Minerals optioned the claims that now comprise the current Charlotte Property, as well as those that cover the Brown-McDade mine and mill site.

1985 and 1987: Archer, Cathro & Associates was contracted by Chevron to oversee and execute an intensive exploration program (Eaton and Archer, 1988). By the end of the 1987 field season, Archer-Cathro had completed or overseen geological mapping over various parts of the property, test geophysical surveys, a 6,300 soil geochemical survey, aerial photography, baseline and claim surveys, rehabilitation of the Brown-McDade adit portal, 24,121 m of excavator trenching, 1,283.5 m of percussion drilling in 17 holes, 2,605 m of diamond drilling in 41 holes, and metallurgical, geotechnical and environmental studies (Eaton and Walls, 1988). Exploration focused mainly on delineation of oxide mineralization near surface that would be amenable to open-pit mining. However drilling also expanded the underground sulphide occurrence at the Webber and Huestis zones (Eaton and Archer, 1989). The previously unrecognized Flex Zone was discovered during this time.

1985: Mr. Gordon Dickson undertakes bulldozer trenching on the Etzel Property

pre-1986 and 1986: Kerr Addison optioned the Discovery Project claims and undertakes geological mapping and sampling and magnetometer, VLF-EM, SP and resistivity surveys, trenching and the drilling of 19 holes for 1,594 m (Ellemers and Stroshein, 2005). Pearl Resources options the Etzel and Wedge claims from Mr. Gordon Dickson and undertook geological mapping.

1987 -1988: Chesbar Resources Inc. drills 2,372 m in 21 holes on the Discovery Project claims (Ellemers and Stroshein, 2005).

1988: BYG takes on sole proprietorship of the Mt. Nansen Project with exploration conducted by Archer-Cathro and consisted of 1,473 m of trenching on the Dickson, Huestis and Brown-McDade zones and 5,397 m of diamond drilling primarily on the Brown-McDade zone and substantially less on the Orloff-King and Dickson Zones (Eaton and Archer, 1989). Exploration was put on hiatus between 1989 and 1994.

1989 to 1994: BYG undertakes metallurgical testing, mill flow sheet designs, tailings disposal assessments, and baseline environmental and assessment studies were conducted during the exploration hiatus between 1989 and 1994.

1994 to 1996: BYG's exploration on the property consisted of:

Diamond drilling on the Brown-McDade and Flex in 1994 (990 m in 12 holes).

Diamond drilling on the Flex and Huestis in 1995 (1,490 m in 21 holes).

Diamond drilling programs in 1996 consisted of 7 holes (400 m) on the Webber and Huestis/Flex junction and 10 holes (700 m) on the BMD hanging wall zone (Vince Vein).

1996 to 1997: Mining and milling of oxide ore from the Brown-McDade pit commences November 1996 and ran until November 1997 with commercial gold production achieved on January 1, 1997.

1998: BYG's diamond drilling in 1998 includes 30 holes (2,229 m) on the Flex Zone, 10 holes (762 m) on the BMD, 12 holes (1,009 m) on the BMD trend, 4 holes (402 m) on the Breccia Zone (approximately 1 km north of the Brown-McDade Zone), and 1 hole (123 m) on the Orloff King (Middleton, 2009).

Late 1997 to 1999: The mill is forced to close when unseasonably heavy rainfall runoff coupled with mill effluent caused a water imbalance that the tailings impoundment could not adequately contain. Water treatment facilities were installed to meet water quality discharge objectives and the mine restarts in January 1998. The mill was forced to work at less than full mill capacity until new pumping equipment could be installed which overcame circuit problems and finally allowed the mill to operate at full capacity. The mine ceased production in February 1999 (Denholm et al., 2000).

1999: BYG is ordered to terminate operations in 1999 due to non-compliance with the terms of the water license set forth by the Yukon Water Board. BYG entered into bankruptcy shortly after termination and the property came under the control of Department of Indian and Northern Affairs ("DIAND"). D. Manning and Associates of Vancouver, BC was appointed by DIAND as receiver the same year, but soon resigned.

2001: Aurchem Exploration Ltd. performs prospecting and geological mapping on the Discovery Project claims.

2002 to 2003: Aurchem Exploration Ltd. follows this work up with trenching.

2004: Aurchem Exploration Ltd. completes 8 diamond drill holes for 695 m on the Discovery Project (Ellemers and Stroshein, 2005).

2004: PriceWaterhouseCoopers ("PWC") is appointed receiver of the former BYG property and subsequently divides the property into a core claim block and a peripheral claim block. The core claim block was withdrawn from staking for environmental remediation. The peripheral claim block was opened up to tender (Denholm et al., 2000).

2007 to 2008: 101073531 Saskatchewan Ltd (Sask Co) purchases the peripheral claim block, which includes the Charlotte claim block, from PWC in two transactions for total of \$3.2 million. In addition, Sask Co entered into an option with PWC to acquire the Dome 12 claim in consideration of the sum of \$25,000 expiring 2018 (Middleton, 2009).

Sask Co undertakes an airborne VTEM-Magnetic survey. A total of 638 line kms were flown (Middleton, 2009).

2010: Guinness Exploration Inc. commences work on the Charlotte Property in 2010 and sees the completion of 14 drill holes for 1,442.82 m, as well as excavator trenching. Limited reconnaissance mapping and sampling on Charlotte Property. Later that year Ansell Capital Corp. options the Charlotte property from Guinness Exploration.

2011: Ansell Capital Corp. options the Discovery Creek Property from Aurchem Exploration. Ansell undertakes diamond drilling (3607.93 m in 22 holes), soil sampling (1,107), geological mapping, excavator trenching (591.71 m) and claim staking on both the Charlotte and Discovery Creek properties. Results detailed several Au in soil anomalies and the continuation of the known grade and tenor of the Flex Zone veins.

Great Bear Resources options the Etzel claims from Ansell Corp. drills three holes for 696.17 m, collects 478 soil samples to trace the extensive gold in soil anomalies on the adjacent Klaza Property and completes 255.7 m of excavator trenching.

2012: Ansell Capital Corp. completes six diamond drill holes on the Flex Zone for 1,883.46 m and two mapped/sampled trenches in the Eliza Creek Extension area on porphyry targets. A total of 742.9 metres of

trenching was excavated during the work program and only 359.4m of them were mapped and sampled. The results from trenching were less promising, however there were elevated Au results in ECE TR12-01 which should require follow-up because of the anomalous Au results that occur nearby Tin Mountain (Struyk and Dadson, 2012).

2013: Ansell Capital conducted a small rock sampling program in conjunction with a 4.6 line km IP survey. The rock samples were used for petrographic and mineralogical studies which determined that gold occurrences were hosted in a variety of unidentified sulfates and oxides formed from the breakdown of earlier Sb-sulphosalts, arsenopyrite and quartz. Increasing oxidation and alteration appears to have in some cases leached Au and Ag out of the highly oxidized but localized intervals, suggesting a late stage metasomatic overprinting (Quist, 2014). The results from the IP survey were encouraging where some correlations were made between the projection of the Main vein at surface at the Flex Zone to the edge of a readily identifiable N-S resistivity low. A strong correlation was made between highly chargeable targets in alignment with chargeability lows which was related to oxide mineralization in nearby drillholes (Quist, 2014).

A small ground-based magnetometer and radiometrics survey was also conducted but the data was deemed unusable (Quist, 2014)

2020: 1011308 B.C. Ltd commissioned a remote structural analysis to extend and group 11 Nicola claims. The main faults seemed to have formed in an array pattern of individual segments (with limited strike length) implying the extensional step-over between fault segments could be the locus of mineralized intrusive porphyry plugs (as hypothesized for the Cyprus porphyry body) and thus could vector future exploration efforts (Walton, 2020). The known quartz veins within the project area appear to have orientation patterns similar to the regional fault zone suggesting they formed in small-scale faults that are local analogues for the regional pattern. It's believed that regional fault zone controls the location of Casino suite intrusive plugs suggesting a genetic relationship between the intrusive rocks and quartz vein systems (Walton, 2020).

6.0 Geological Setting and Mineralization

6.1 Regional Geology

The most recent government survey mapping in the Mt. Nansen area was by the Geological Survey of Canada ("GSC") in 2016 (Ryan, *et al.*, 2016). The following discussion is primarily based on the digital geology mapping provided by the Yukon Geological Survey (YGS) website and the most recent mapping by the GSC. Mortensen *et al* (2003, 2016) contributed important isotopic data to constrain the age and origin of porphyry and epithermal vein mineralization emplacement of the major gold vein zones. Bedrock exposure is extremely limited in the area and much of the regional geological mapping has been inferred from airborne geophysical surveys and mapping felsenmeer on ridge tops where adequately exposed.

6.1.1 Yukon-Tanana Terrane

The Mt. Nansen area resides within the tectono-stratigraphic Yukon-Tanana Terrane ("YTT") which is a large accreted terrane bounded by the Tintina Fault to the northeast and the Denali Fault to the southwest. The YTT is comprised of a variety of Devonian and older metavolcanic, metasedimentary and metaplutonic rocks that represent both arc and back-arc geological environments. Both the Tintina Fault

and the Denali Fault are recognized as major transcurrent structures that have evidently seen hundreds of kilometres of dextral strike-slip movement (Nelson and Colpron, 2007; Figure 11).




Figure 5: Tectonic Setting of the Charlotte Project

YTT in the Mt Nansen area includes Devonian-Mississippian arc and back-arc assemblages built on older continent-derived sedimentary rocks which in western Yukon were subjected to Permian intrusion and metamorphism (Klöcking *et al*, 2016).

6.1.2 Mt. Nansen Trend

The Charlotte property is located within the Mt. Nansen Trend which is a 15 km-long northwest-trending structural corridor that hosts more than 30 recorded mineral occurrences of epithermal and porphyry origin. Many of the mineral occurrences are northwest-striking, steeply-dipping epithermal sulphide-quartz veins and occur in many different lithologies. The Mt. Nansen Trend is the southeast extent of the important northwest trending Dawson Range Mineral Belt, which extends to the Sixty Mile River area, approximately 250 kilometres to the northwest, and includes the Casino, Prospector Mountain, Cash, Nucleus, Mt. Freegold and Mt. Nansen gold camps. The Mt. Nansen mineral trend and some of the important deposits are shown in the Figure 6 below (taken from Mortensen *et al*, 2003).




Figure 6: Regional sketch highlighting major deposits within the Mt. Nansen trend (Mortensen *et al*, 2003)

Regional lithologies in the Mt. Nansen Trend include metaplutonic, metasedimentary and metavolcanic basement rocks made up mainly of schists and gneisses of the Simpson Range Suite and Snowcap and Finlayson Assemblages (Ryan *et al.*, 2016). The basement rocks are cut by weakly foliated plutonic rocks of the Long Lake Suite that were metamorphosed and, along with the schist and gneiss lithologies, uplifted in the Jurassic.

The youngest rocks in the trend are Cretaceous and Tertiary plutonic and volcanic rocks representative of at least five distinct events: Whitehorse Suite, Mt. Nansen volcanics, Prospector Mountain Suite, Carmacks volcanics and the Casino Suite.

6.1.3 Mt. Nansen Area

The oldest rocks in the Mt. Nansen area are Devonian and older metamorphic rocks dominated by chlorite schist and felsic orthogneiss, with lesser, quartz-rich metasedimentary rocks and amphibolite. Foliation typically strikes northeasterly and dips steeply northwest. The metamorphic rocks are intruded by several plutonic suites including the Early Jurassic Big Creek and Granite Mountain batholiths and the mid-Cretaceous Dawson Range Batholith (Mortensen *et al*, 2003).

The Big Creek Batholith is characterized by generally quartz-poor compositions such as quartz syenite. Feldspar dominated megacrystic granite are typical of the Granite Mountain Batholith. The Jurassic plutonic rocks are generally described as weakly foliated on a local scale. Biotite-hornblende granodiorite is representative of the Dawson Range Batholith.

The mid-Cretaceous Mt. Nansen Group volcanic rocks are believed to be coeval and comagmatic with intrusion of the Dawson Range batholith, and may have formed over a period of ~11 Ma. The volcanic complex in places overlies the main intrusive phases and likely formed an extrusive carapace above the plutonic roots (Klöcking *et al*, 2016).

The volcanic rocks are generally resistant to weathering and tend to form most of the higher peaks in the region. These volcanic rocks are dominated by andesitic flows, tuffs and breccias and are interpreted to represent the erosional remnants of an eruptive caldera. Associated hypabyssal felsic porphyry rocks within the volcanic complex include stocks, plugs, dykes and sills.

Felsic porphyry dykes average about 1.5 m in width, appear to cut all other rock units, and are considered to be the intrusive equivalents of the Mt. Nansen Group volcanic rocks. These high-level felsic intrusions are an important metallogenic host of, or proximal to, both the epithermal precious metal vein and porphyry copper mineralization noted at Mt. Nansen (Mortensen *et al*, 2003).

The Dickson Stock is an informally named rhyolite porphyry stock and one of at least six distinct bodies of felsic porphyry in the area. Several quartz-feldspar porphyry dykes emanate from the Dickson Stock and appear to intrude both the metamorphic rocks and the granodiorite of the Big Creek plutonic suite.

The Late Cretaceous Carmacks Group consists of a complex volcanic assemblage of generally flat-lying basaltic and lesser andesitic flows with pyroclastics and associated felsic domes and basaltic dykes. These rocks are mostly north and east of the Mt. Nansen area.

6.1.4 Geostructural Setting

The geostructural setting of the Mt. Nansen area is dominated by three main structural orientations. The Mt. Nansen trend is a 2 km by 15 km long northwest-trending uplifted basement block within the Mt. Nansen volcanic rocks which is bounded by faults. The trend is oriented parallel to the regional structural trend at 310° to 330° NW. Multiple, parallel faults zones occur within the block ranging in size from 20-500 m wide and are known to host porphyry dykes and mineralized sulphide quartz veins. Both normal (dip-slip) and right-lateral (strike slip) displacements are observed on these structures but kinematic indicators suggest mineralization occurred after normal movement on the faults but before the strike-slip movement.

The secondary structural trend is characterized by locally well-developed jointing that averages about 020° NE. These structures are thought to represent oblique extensional fractures related to the first-order northwest-trending strike-slip movement. The second-order structures are known to host narrow mineralized quartz veins and porphyry dykes.

The third structural trend is comprised of faults, fractures and joints that trend between 050° and 080° Ne. These faults can be recognizable on air photographs and geophysical magnetic surveys as strong lineament patterns and have reportedly been observed in trenches, conspicuously in the Flex zone where they have dominantly sinistral (left-handed) offsets (Mortensen *et al*, 2003).

6.1.5 Mt. Nansen Mineralization

Mineralization on the Mt. Nansen trend tends to be adjacent or peripheral to the region's numerous quartz feldspar porphyry bodies and dykes. Mineral showings in the local Mt. Nansen area are dominated by five main mineralized zones that are within a 1 km radius: Brown-McDade, Webber, Huestis, Flex and Dickson. Mineralization within the zones consists mainly of brittle fault- and shear-hosted sulphide quartz veins with associated bleached clay-rich alteration zones that range from a few centimetres to up to 5 m in width. The vein systems range from narrow, relatively simple veins (e.g., Huestis) to complex anastomosing systems (e.g., Flex) where narrow, sulphide-rich quartz veins occur along anastomosing, steeply dipping, northwest-trending faults and are best developed within metamorphic wall rocks, although they occur in all rock types (Mortensen *et al*, 2003).

Dips are recorded as moderate to steep (65 to 80°) to the southwest and many of these veins have been shown by development and drilling to have strike lengths in the order of 500 m or greater. Displacement can occur along the vein length and appear to be related to north-northeast-striking sinistral (left-handed) strike slip faults. Vein width can locally increase as a result of intersections with 020°-striking fractures (Mortensen *et al*, 2016).

Quartz in veins are reported to be typically crystalline to chalcedonic, and can range in color from dark grey to blue due to disseminated, fine-grained sulphide minerals. Sulphide minerals include abundant pyrite and arsenopyrite with lesser galena, sphalerite, stibnite, and lesser chalcopryrite. Supergene minerals include limonite and goethite and some less common ore-bearing arsenates, sulphates and carbonates that are only readily recognized with spectroscopy. Better precious metal values (>3.5 g/t Au

and >35 g/t Ag) tend to be intimately associated with sulphide quartz veins or anastomosing zones. Values tend to drop down rapidly to less than 0.7 g/t Au and 17 g/t Ag in the surrounding altered wallrock which can show signs of bleaching with intense phyllic and kaolinitic alteration envelopes (Mortensen *et al*, 2003).

The most significant porphyry-style copper mineralization in the local Mt. Nansen area is the Cyprus porphyry which consists of a low grade copper-molybdenum occurrence with local supergene gold enrichment. Mineralization in the Cyprus porphyry is believed to be Late Cretaceous based on various earlier age-dating sample events (Mortensen *et al*, 2003).

6.1.6 Age-Dating

U-Pb dating of zircon and titanite was carried out by Mortensen *et al* (2003) to establish the crystallization ages of the Dickson stock and three related porphyry dykes. The sampled dykes were from the Flex, Webber and Brown-McDade zones and were found to be spatially associated with vein mineralization. Along with field relationships, their age-dating results indicate that the emplacement of the Dickson stock and intrusion of related porphyry dykes occurred at $\sim 108 \pm 1$ Ma and that mineralization and associated hydrothermal alteration occurred at this time. Mortensen *et al* concluded the hypabyssal intrusions and associated mineralization within the Mt Nansen area are likely of two generations: Cyprus Porphyry with a Late Cretaceous emplacement age; and the Dickson stock and dykes with a mid-Cretaceous emplacement age. Further, the data suggest that the mid-Cretaceous emplacement age of the Dickson stock and dykes data correlates to the mid-Cretaceous Dawson Range Batholith; giving rise to the theory that there was a mineralizing event in the eastern Dawson Range that is older than the Late Cretaceous mineralization age responsible for the bulk of Dawson Range mineralization known further north (e.g. Casino) (Mortensen *et al*, 2003). Ryan *et al*, however, have assigned the Dickson Stock and the Cyprus Porphyry to the Late Cretaceous Casino Suite (Ryan, 2016) essentially assigning the vein and porphyry mineralization to the same co-eval event.

6.2 Property Geology

The Charlotte Property consists primarily of metamorphosed and poly-deformed Paleozoic basement rocks that are intruded and overlapped by relatively little-deformed Mesozoic and Cenozoic successions (Ryan, 2016). There are seven principal rock types underlying the property (Figure 7).

Earlier mapping identified Early Mississippian metamorphic basement rocks separated into meta-sedimentary and meta-igneous suites (Stroschein, 1998). The meta-sedimentary suite consisted of micaceous quartz-feldspar gneiss, schist and quartzite of the Nasina Assemblage. The meta-igneous package was comprised of biotite-hornblende feldspar gneiss and coarse-grained granodiorite orthogneiss with lesser amphibolite.

Ryan *et al* (2016) later assigned the basement rocks to three assemblages which include metaplutonic (Simpson Range Suite), metasedimentary (Snowcap Assemblage) and metavolcanic rocks (Finlayson Assemblage).

The oldest rocks are the pre-Devonian **Snowcap Assemblage** located mainly in the south of the property and consists of quartzite, micaceous quartzite and psammitic quartz-muscovite-biotite (+/- garnet) schist with minor metaconglomerate. The unit is amphibolite-facies, strongly foliated, highly layered, and generally exhibits recognizable bedding.

The next oldest rocks underlying the southern portion of the claim block are Upper Devonian to Lower Mississippian amphibolite of the **Finlayson Assemblage**. This unit is characterized by strongly foliated amphibolite and garnet amphibolite. It is compositionally layered from schistose to locally gneissic and is strongly granoblastic and is likely derived from mafic sills, dykes, flows and volcanoclastic rocks. It locally interdigitates with the Snowcap assemblage and can be difficult to distinguish from metamorphosed mafic sills and dykes in the Snowcap assemblage (Ryan, 2016). Foliation as measured in the field typically strikes northeast and dips steeply to the northwest. The main mineralized zones, including the Webber, Flex and Huestis Zones, are hosted by these rocks.

The SE corner of the property is underlain by Late Devonian to Early Mississippian **Simpson Range Suite** of felsic to intermediate granitoids and orthogneiss. The unit is described as interlayered hornblende-biotite or biotite granodiorite, monzogranite, quartz diorite and diorite. It is highly foliated to gneissic and strongly lineated with common K-feldspar augen textures. These rocks are typically spatially associated with Finlayson assemblage felsic metavolcanic rock and may be co-eval.

The middle section of the property is underlain by Late Triassic hornblende-biotite granodiorite, diorite and quartz monzodiorite of the **Stikine Suite**. The unit is weakly to moderately foliated.

The Stikine Suite is intruded and overlapped by two phases. The Middle Cretaceous **Mt. Nansen Group** volcanics consists of massive aphyric and feldspar-phyric andesite to dacite breccias, flows and tuffaceous rocks. Massive heterolithic quartz and feldspar-phyric felsic lapilli tuff and flow banded quartz-phyric rhyolite are less abundant. The group has yielded U/Pb ages ranging between 110 and 105 Ma (Ryan, 2018) making it comagmatic with the Whitehorse plutonic suite.

The middle-eastern part of the property is dominated by the Middle Cretaceous **Dawson Range phase** of the Whitehorse Plutonic Suite. The rocks consist mainly of hornblende-biotite granodiorite, lesser granite, tonalite, quartz diorite, and diorite. The rocks are blocky, hornblende-phyric, medium- to coarse-grained, and range from unfoliated to weakly foliated.

The Dawson Range phase is locally intruded by porphyritic dacite, quartz monzonite, rhyodacite and rhyolite of the Late Cretaceous **Casino Porphyry Suite**. A large stock of Casino Porphyry is located on the NW corner of the property and hosts the Cyprus porphyry Cu-Mo-Au occurrence. Stocks related to the

Casino Porphyry also appear to intrude all older assemblages, including Mt. Nansen, Stikine and Finlayson.

The Casino porphyry is the host rock to many of the important porphyry and epithermal vein deposits in the Dawson Range Gold Belt. At the neighboring Klaza property there are at least four compositionally and texturally distinct intrusions interpreted as part of the Casino Porphyry Suite that intrudes granodiorite of the Whitehorse suite. At the Casino deposit located to the north of Mt. Nansen, Yukon-Tanana terrane rocks are intruded by Dawson Range batholith which is in turn intruded by Casino Plutonic Suite intrusions.

6.3 Mineralization

Two types of mineralization have been documented within the Charlotte claim block. The precious metal-bearing epithermal vein and breccias systems are the most important exploration and mining target. The vein systems are hosted in the metamorphic basement rocks but mineralization is believed to be related to the Mid-Cretaceous intrusive stocks and dykes correlative to the mid-Cretaceous Dawson Range phase. Cu-Mo-Au porphyry mineralization at the Cyprus zone is believed to be hosted in the Late Cretaceous Casino Suite dacite to quartz monzonite porphyry which intrudes the mid-Cretaceous volcanics of Mt. Nansen Group.

The precious metal vein systems have a typical vein gangue mineralogy which consists of quartz $\pm$ carbonate. Sulphides tend to occur as shoots within the gangue; and can range in form from semi-massive to massive rods to smaller masses and blebs to disseminations. Sulphide mineralogy is dominated by pyrite with lesser galena, sphalerite, chalcopyrite, arsenopyrite, stibnite and lesser oxides and carbonates. Gold mineralization as shown by microscopy occurs as fine-grained inclusions (5-40 microns) within or interstitial to the sulphide crystals. Silver mineralization is closely associated with lead-bearing galena and zinc-bearing sphalerite and also occurs as small inclusions within crystals. Denholm *et al* (2000) reported silver to gold ratio of 7:1 in vein style mineralization and 3:1 in breccia-pipe style mineralization (Hiner and Mundhenk, 2010).

Low-grade Cu-Mo mineralization is typically found in porphyry bodies as both stockworks and disseminations. Copper mineralization is typically reported from sampling with a grade of <0.1% Cu. Molybdenum mineralization is usually associated with localized silicification and breccia zones and averages approximately 0.01% Mo. Lead, zinc, silver and gold values have also been reported and appear to be related to porphyry-mineralization.

6.4 Alteration

Five hydrothermal alteration facies have been documented as a function of exploration and development in the Mt. Nansen area (Hiner and Mundhenk, 2010):

Propylitic Alteration

- Widespread throughout the area and across the Charlotte property
- Characterized by chlorite, calcite, epidote, albite and magnetite minerals
- Most commonly associated with plutonic rocks adjacent to the Mt. Nansen porphyry system

Phyllic Alteration

- Characterized by quartz, sericite, pyrite, and kaolinite
- Pyrite content increases with decreasing silicification
- Carries ore grade Au-Ag values surrounding core of veins or breccias

Silicic Alteration

- Characterized by intense to extreme silicification
- Silicified wall rock distinguished by very fine vugs, yellow weathering and drusy quartz lining cavities

Argillic Alteration

- Characterized by the clay minerals including kaolinite, montmorillonite and minor sericite
- Sulphides are commonly leached out, leaving cavities in altered rock
- Often occurs with irregular bleached zones
- Forms broad envelopes around phyllic or silicic alteration zones

Potassic Alteration

- Characterized by biotite and potassium feldspar with minor magnetite and epidote

6.5 Structure

Faulting and shearing are the two main structural features of the property. Three sets have been encountered and are described as follows (Hiner and Mundhenk, 2010):

Northwest Trending Faults

These are the primary mineralizing structures found on the property. They strike approximately 130°-150°, dip steeply southwest and are continuous on a scale of hundreds of metres. Although other displacement has been recorded by faults of this orientation, motion has been dominantly dextral (right handed).

North-Northeast Trending Faults

These faults range from 005°-045°, dip steeply east-northeast and are locally considered ``cross-faults`` to the primary northwest faults. They are characterized by their discontinuity and tend to terminate at intersections with primary structures. These intersections are structurally important as they host


significant high-grade “blow-out” zones in mineralization. It is likely that these faults are conjugate and coeval to the northwest faults.

East-Northeast Trending Structures

This set of structures is present as faults, fractures and joints on the property. They trend approximately 060°, are generally un-mineralized and offset mineralized structures. These structures are easily observed on airphoto, but more difficult to locate on the ground due to limited outcrop exposure.

The structural setting has impacted the morphology of the vein systems whereby veins can vary from planar and consolidated (e.g. Huestis and Webber zones) to complex and anastomosing (e.g. Flex zone). Vein systems have been mapped to greater than 500 m in length and vary from 2 m to as much as 8 m wide (Denholm *et al.*, 2000).

Figure 7. Mt. Nansen Area Geology (after Ryan, 2010)



6.6 Mineralized Zones

The following is a brief description of the known mineralized zones on and immediately adjacent to the Charlotte Property. The locations of these zones are illustrated in Figure 8.

There are a total of 144 diamond drill holes, with a cumulative length of 13,180 metres, drilled on the Charlotte property. Drill programs include work done by Archer Cathro & Associates (1985-88), B.Y.G. Natural Resources Inc. (1994-95), Guinness Exploration Inc. (2010) and Ansell Capital Corp. (2011–12).

There are a total of 7,391 individual gold samples in the drill master database compiled in 2016 that range from 0.09 metres to 8.23 metres long and average 1.26 metres. All samples in the assay database have been analyzed for gold and silver but only samples collected from 36 holes (drilled in 2010 and 2011) have additional multi-element ICP grade data for copper, molybdenum, lead, zinc, arsenic, mercury, sulphur, etc.


Drill holes are distributed over an area measuring roughly 2.5 km north-south by 1.5 km east-west and test several mineralized target areas including, from north to south: Orloff-King, Dickson, Webber, Flex and Huestis zones.

Brown – McDade Deposit

The Brown-McDade deposit was the main mineralized ore body of the Mt. Nansen Mine. The partially flooded open-pit is located immediately outside of the Charlotte claim group, in the Core area that was withdrawn from any further exploration or mining by the Yukon government. The ore body is discussed here due to its proximity to the Charlotte claim group and similarities in its style of mineralization and tenor to other prospective mineralized zones located within the Charlotte property.

The Brown-McDade deposit consists of both an oxide zone and a lower sulphide zone. Within the sulphide zone are two styles of mineralization: a predominant, fracture-hosted, planar zone of anastomosing quartz veins and veinlets with lesser carbonate and varying amounts of sulphide; and less dominant zone of sulphides that occur in a siliceous breccia. The anastomosing veins cut coarse-grained granodiorite and are spatially associated with a series of quartz porphyry dykes injected along a dominant structure known as the “Footwall Fault” which strikes at approximately 160° and dips 50°-60° to the southwest. The sulphide breccia mineralization occurs at the north end of the ore body at the locus of intense faulting (Hiner and Mundhenk, 2010).

Figure 8. Mineralized Zones of the Mt. Nansen Area



Webber Zone

The Webber Zone (Figure 9) consists of a quartz vein system hosted by the metamorphic rocks of the Nasina Assemblage and an extensive NE striking porphyry body. The system is comprised of two principal veins (#1 Vein & #2 Vein) which are located along the footwall and hanging wall of a fault and vary in width from 0.3 metres to 2.0 metres in size. The system strikes northwest with variable dip angle to the southwest. The Webber Zone has been explored over a 500 metre strike length through a combination of surface stripping, trenching and underground development (Hiner and Mundhenk, 2010).

Underground panel sampling has revealed gold mineralization is associated with arsenopyrite and lesser stibnite-bearing ore shoots or rods which typically measure 25 metres in horizontal strike length and up to 100 metres along plunge. Sampling has defined 17 distinct ore shoots that can measure up to 1 m in width and carry grades of approximately 14.1 g/t Au and 917 g/t Ag. The transition between the mineralized and non-mineralized section of the vein tend to be very sharp.

Historic diamond drilling has tested vein continuity up-dip, down-dip and along strike. This work indicates that the Webber zone is truncated to the northwest by the Webber Creek Fault.

Huestis Zone

The Huestis zone (Figure 10) consists of a north-northwest striking quartz vein system that dips steeply to the east-northeast. Three main veins comprise the zone and are known as the No. 11 Vein (hanging wall), the No. 12 Vein (Intermediate) and the No. 13 Vein (Footwall). They are hosted in metamorphic gneiss of the Nasina Assemblage and vary in width from 0.3 m to 2.0 m and average approximately 1.0 m wide. The system has been developed by underground development on two levels, the 4100 Level and the 4300 Level (Hiner and Mundhenk, 2010).

A total of sixteen ore shoots have been identified by underground panel sampling. Ore shoots vary from approximately 10 m to 50 m of exposed strike length with an average of about 27 m in exposed length and 1.0 m in width. Grades average about 19.4 g/t Au and 442 g/t Ag and mineralization closely mirrors that of the Webber Zone. A summary of Huestis ore shoots and grades are illustrated in Table 17.

Figure 9. Webber Underground Workings (After Denholm *et al.*, 2000)





Figure 10. Huestis Underground Workings (After Denholm *et al.*, 2000)



Flex Zone

The main zone of interest since 2010 has been the Flex Zone (Figure 11) which is defined by a network of north-northwesterly trending mineralized quartz veins located in a structural zone hosted by basement metamorphic rocks of the Finlayson Assemblage. The deposit was discovered in 1985 and is located between the Huestis and Webber vein systems. The zone was completely stripped in the 1990's in preparation for deposit modelling and future mining and exposes an area approximately 80 metres wide by 350 metres long. The northern lobe of the zone is off-limits because of the proximity to the core area tenure boundary.

Gold mineralization at the Flex zone occurs in two or three parallel, sheeted, SW dipping epithermal quartz vein systems that appear to have formed in small-scale fault zones that have orientation patterns similar and are likely a local analogue for a mid- to late-Cretaceous regional, northwest-trending fault zone within the project area.


Known zones from surface mapping, trenching, pre-development stripping and drilling are reasonably well understood. Four main veins have been mapped in the system: the Main Vein, the Footwall Vein, the East Vein and the Hanging Wall Vein. The veins are sub-parallel and dip steeply to the west and appear to be offset by post-mineral, east to northeast, trending faults. The veins range from 5 cm to 1.1 m thick but extensive silicification of the wall rock can extend significant precious metal values up to 7 m in width. The Flex Zone has been delineated over a strike length of 550 metres and is open at depth, down plunge and along strike to the north and south (Hiner and Mundhenk, 2010).

These veins occur in a larger, NW-NNW trending structure which has been offset by later, NNE trending faults. The strongest mineralization occurs at and plunges along the intersection of these two structures. These strong ore shoots exhibit a 25m surface expression and tend to repeat at regular intervals (Stroshein, 2007).

The top 15-40 metres of the Flex Zone has undergone significant supergene alteration and a strong oxide cap has developed, characterized by limonite and hematite. Structural control on the individual veins is not well understood making correlation difficult between vein exposure on surface (after stripping) and drill hole intercepts. Stripping of the Main Zone itself compounds the problem since historical drill collars have been lost and locations drilled prior to 1998 are difficult to locate (Stroshein, 2007).

The Flex zone is defined by a total of 112 drill holes with a total meterage of 10,491 metres and an average length of 93.7 metres. The shortest drill hole is 17 metres; the longest is 410.7 metres. Only 9 holes exceed 200 metres in length. Five drill holes are vertical. Angle holes are typically drilled at 045° azimuth in the Southeast section swinging to an average of about 78° azimuth in the northwest section as the flexure in the zone (hence the name) has to be accommodated to ensure orthogonal pierce point intersection. Average dip is -48° although most holes were set at -50°. Down-hole deviation does not appear to be much of an issue as average end dip is about -53°.

Figure 11. Flex Surface Plan (After Stroshein, 2007b)



Orloff-King Zone

The Orloff-King Zone is located 1,400 m north of the Flex Zone. Historical exploration work focused on the low-grade oxide mineralization exposed in trenches and intersected in shallow drill holes. Discontinuous mineralization was identified in the 2010 trenching program over a strike length of approximately 1 km. Sampling returned grades of up to 7.1 g/t Au and 34.7 g/t Ag over 0.7 m. Four drill holes were completed in 2011 for a total length of 607.5 metres. The work confirmed the presence of several narrow Au +/- Ag sulphide breccia zones that appear to be parallel to the regional mineralizing trend. Alteration halos are present and appear similar (albeit narrower) to those at the Flex Zone. The zone remains open to the northwest, southeast and to depth (Hiner and Mundhenk, 2010).

Porphyry Zone (Cyprus and Cyprus South)

The Porphyry Zone is located ENE of Tit Mountain and consists of the Cyprus and Cyprus South showings. The Cyprus showing partly overlaps onto the north end of the property. It has been trenching and drilled but there is little reliable record of this work to be found in the public domain. The showings are low grade Cu-Mo porphyry style mineralization which had been explored in the early 1970's with diamond drilling and more recently with soil sampling in 1985 and 1986. No follow up work has been completed (Hiner and Mundhenk, 2010).

Eliza Creek Extension

The Eliza Creek Extension showing is located on the northeast of Tit Mountain. It consists of four shear zones within hornblende granodiorite which has been intruded by feldspar porphyry dykes. It is a continuation of the Eliza Creek South and Eliza Creek North Zone showings hosted in the Mt Nansen Volcanic Suite. Significant trenching was completed in 1994 and 2003 with the latter exposing ENE shears and veins running 0.2 g/t Au and 11.55 g/t Au, respectively (Hiner and Mundhenk, 2010).

Cabin, GRW, Dickson and Cyprus Zones

Other mineralized zones on the Charlotte Property include the Cabin, GRW, and Dickson. The Cabin, GRW and Dickson are all vein targets that have seen significantly less development than the major zones. These targets have been explored with soil geochemistry and follow-up trenching. To date, none of these targets have been drill tested (Hiner and Mundhenk, 2010).

7.0 Diamond Drilling

Early records show that limited drilling was first completed on the Webber and Huestis Zones in the 1960's during the time when the Brown-McDade deposit was initially being developed. Surface diamond drilling and percussion drilling programs have occurred intermittently on the property; between 1980 to 1988 on the Webber, Huestis and Flex Zone; and from 1994 – 1998 and 2010 to 2012 where property wide exploration led to drill programs primarily covering the Webber/Huestis/Flex and Brown McDade deposit trend with minor drilling completed along the Orloff-King, Breccia and Dickson zones (Hiner and Mundhenk, 2010).

The most recent drill program on the property was completed in the fall of 2020 by Taurus Gold Corp. for a total of approximately 2,347.1 metres of diamond drilling (HQ size) in eleven holes on the Flex gold-silver vein system, with hole depths ranging from 161.5 metres to 274.4 metres. The drill program was initiated to enhance the geologic understanding of the Flex Zone and confirm the high-grade tenor and thickness potential of the precious metal mineralization.

The program was initiated at the beginning of September 1st and concluded October 23rd, 2020. Work was conducted from a road accessible temporary tent camp located on the property. Pre-existing trails were generally used for transport of the drill and personnel. New trail construction was required to reach 5 drill pad locations, totaling 134.9 lineal metres; and all within the pre-disturbed Flex Zone area.

Reclamation included the camp being returned to its pre-field state, and all garbage, debris, and fuel were removed from site and from drill pad locations. Empty diesel drums used for oil stoves were stored in an old shed adjacent to the Webber adit for future use. Drill core was stored on site in existing core racks, or cross-stacked next to the core racks. All drill sites were scarified, loosened and re-contoured after use to closely approximate the pre-existing topography. Due to pre-stripping in 1997 there is generally no top soil available for reseeding. However, local plants do eventually begin to naturally revegetate, especially on the fringes of the Flex Zone. The site is stable and non-erosive, and the nearest stream is more than a kilometre away. The Webber adit was found to have no deterrent to casual access. The entrance was planked and boarded up before the crew left for the season.

A careful Covid-19 protection protocol was successfully implemented throughout the program to protect workers and visitors and there were no reported incidents.

The program tested a series of anastomosing vein structures that trend north northwest at Flex, including the Main Vein, Hangingwall Vein, Footwall Vein and other prominent structures identified in recent and historical drilling. The drill holes were designed to intersect all known major vein structures and probe possible down-plunge extensions in the underlying lithological units. Drillhole depths averaged 211 metres with the deepest hole drilled to 275 metres. By contrast historical drilling has been quite shallow, with an average historical depth of 105 metres. A table of the drill collar locations and orientations is shown below. Collar locations are shown on Figure 19.

Table 2. 2020 Drill Collars


Hole ID	Easting	Northing	Elevation	Length	Azimuth	Dip
DDH-20-281	386626	6881897	1330.7	244.4	78	-60
DDH-20-282	386687	6881860	1326.9	176.2	75	-60
DDH-20-283	386618	6881869	1323.5	234.5	78	-73
DDH-20-284	386694	6881809	1306.0	179.9	78	-63
DDH-20-285	386663	6881775	1295.7	219.5	78	-63

DDH-20-286	386576	6881820	1298.2	274.4	79	-67
DDH-20-287	386624	6881804	1304.1	243.9	78	-68
DDH-20-288	386779	6881710	1289.5	191.7	72	-70
DDH-20-289	386794	6881662	1280.0	161.5	85	-54
DDH-20-290	386764	6881679	1286.0	219.5	78	-54
DDH-20-291	386843	6881586	1286.0	198.2	78	-56

A total of 2,048 samples were taken including 106 QA/QC samples for lab confirmation purposes. Of the total sample count, 1,942 unique samples were taken, representing a total core length of 2,186 metres; or 93% of the recovered core. The average sample interval was 1.13 metres with the vast majority (83%) of samples 1.0 metre in length. Sampling per hole was continuous downhole once commenced, and only ended at the end-of-hole or near the bottom if in unaltered rock.

A brief description of each hole is given below; and long with a table of significant results. All intervals are apparent width.

Figure 12. 2020 Drill Collar Locations



DDH-20-281:

The hole targeted the NNW strike extent of DDH-11-276 and down dip of DDH-11-274 with a planned ~35 metre separation. The hole intersected varying lengths of quartz feldspar porphyry (QFP) and gneiss throughout its length with minor mafic dykes or microsills. Significant mineralization was encountered from ~151.1 -172.9 metres as variably-mineralized quartz veins and quartz-rich QFP. A mineralized vein and associated altered wall rock was encountered from 198.0 to 205 metres. The hole was terminated in 34.4 metres of assumed diorite at 244.4 m. Intersections of note:

- A large vein zone from 149 to 162.1 metres ran **2.5 ppm Au and 78.6 ppm Ag** over a downhole length of **13.1 metres**, including **4.1 ppm Au and 131.0 ppm Ag** over a downhole length of **6.9 metres** from 154.2 to 161.1 metres
- A vein zone from 196.1 to 203.1 metres ran **1.3 ppm Au and 56.7 ppm Ag** over a downhole length of **7.0 metres** including **12.0 ppm Au and 526 ppm Ag** over a downhole length of **0.6 metres** from 201.80 to 202.4 metres

DDH-20-282:

The hole targeted the south southeast strike extents of DDH-11-274 with a planned separation of ~45 metres. The hole was effectively straight with a pierce point located ~7 metres from the intended target and ~35 metres from hole DDH-11-274. The hole collared into QFP before transitioning into a long sequence of gneiss at 13.0 m. Quartz veins and quartz-rich sections in a dacite unit are variably mineralized from 69.7 - 107.9 metres with pyrite, sphalerite and galena. The rock is predominantly QFP with minor felsic dykes from 112.7 metres to the end-of-hole (EOH) at 176.2 metres. Intersections of note:

- A large vein zone from 68.0 to 74.7 metres ran **2.8 ppm Au and 64.1 ppm Ag** over a downhole length of **6.7 metres**, including **15.2 ppm Au and 387.0 ppm Ag** over a downhole length of **1.0 metre** from 70.7 to 71.7 metres
- A vein zone from 86.0 to 88.0 metres ran **2.2 ppm Au and 1.5 ppm Ag** over a downhole length of **2.0 metres**
- A vein zone from 127.0 to 129.0 metres ran **1.4 ppm Au and 48.9 ppm Ag** over a downhole length of **2.0 metres**
- A vein zone 141.0 to 146.0 metres ran **9.7 ppm Au and 135.7 ppm Ag** over a downhole length of **5.0 metres** including **24.2 ppm Au and 338 ppm Ag** over a downhole length of **2.0 metres** from 141.0 to 143.0 metres

DDH-20-283:

The targeted the north northwest strike extents of the high-grade hole DDH-12-280 with a planned separation of ~35 metres. The hole effectively remained straight and as a result remained down-dip of the target pierce point by approximately 20 metres. The hole encountered a mixed sequence of gneiss and QFP from surface to 229.8 metres, after which diorite continued to EOH at 234.5 metres. Clay alteration and silicification occurred sporadically; notably strong from 73.7 to 93.9 metres. Meter-scale mineralized quartz veins (predominately pyrite) were encountered at 148.6 metres and at 193.0 metres. Minor fine grained mafic dykes were encountered throughout the hole. Intersection of note:

- A narrow vein zone from 133.5 to 136.2 metres ran **0.68 ppm Au and 19.6 ppm Ag** over a downhole length of **2.7 metres**, including **1.0 ppm Au and 27.9 ppm Ag** over a downhole length of **1.7 metres** from 133.5 to 135.2 metres

DDH-20-284:

The hole targeted the central area of the Flex zone down-dip of DDH-86-34 with a proposed separation of ~35 metres. The hole effectively stayed straight and intersected the zone within 7 metres of the target. The hole collared into variably altered gneiss continuing downhole to 76.9 metres before intersecting vein breccia downhole to 84.1 metres. The breccia was mineralized with up to 20% pyrite and bisected by thin mafic dykes. QFP intercalated with a mafic dyke continued to 133.0 metres, showing thin quartz vein intervals and terminating in a narrow fault. Dark mineralized quartz with pyrite and cm-scale black sulphide veinlets was encountered at 133.4 metres. QFP continued from 134.5 metres to the EOH at 179.9 metres. Intersections of note:

- A large mineralized vein structure from 77.0 to 84.0 metres ran **3.2 ppm Au and 41.8 ppm Ag** over a downhole length of **7.0 metres**, including **7.1 ppm Au and 138.3 ppm Ag** over a downhole length of **2.0 metres** from 82.0 to 84.0 metres
- A large mineralized vein structure from 162.0 to 171.0 metres ran **5.5 ppm Au and 138.8 ppm Ag** over a downhole length of **9.0 metres**, including the high grade intercept of **45.1 ppm Au and 1,131.0 ppm Ag** over a downhole length of **1.0 metre** from 170.0 to 171.0 metres

DDH-20-285:

The hole targeted a pierce point in the central area of the Flex Zone and to the southeast of DDH-20-284. The hole remained straight and ended up ~8 metres away from the target. The hole collared into variably limonitic and altered gneiss with only minor sulphide mineralization to 94.95 m, after which it encountered a mafic dyke to 99.40 m. Gneiss continued below the dyke to 200.6 metres, showing disseminated and vein-hosted sulphides variably throughout, with higher concentrations in a silicified/vein zone from 115.0 to 122.5 metres and in a vein/breccia zone from 174.0 to 200.6 metres. Altered QFP with sulphide continued to the EOH at 219.5 metres. Intersections of note:

- A mineralized interval from 135.5 to 139.3 metres ran **7.0 ppm Au and 252.5 ppm Ag** over a downhole length of **3.8 metres**, including **20.2 ppm Au and 875.0 ppm Ag** over a downhole length of **0.8 metre** from 138.5 to 139.3 metres
- A mineralized zone from 184.0 to 191.0 metres ran **0.9 ppm Au and 11.9 ppm Ag** over a downhole length of **7.0 metres**

DDH-20-286:

The hole targeted a pierce point down-dip of the high-grade hole DDH-12-280. The hole remained straight and ended up ~10 metres away from the intended target. The hole intersected a mixed interval of intrusives and gneiss, with variable local clay or chlorite alteration, downhole to 215.0 metres. A mineralized QFP and quartz breccia was encountered below 215.0 metres with locally up to 7% fine sulphides and galena within the matrix and clasts, continuing to 233.6 metres. A QFP unit was encountered from 233.6 to 246.3 metres (the end of sampling), after which alternating unremarkable mafic dykes and QFP continue to the EOH at 274.4 metres. Intersections of note:

- A broad, shallow interval from 3.0 to 22.0 metres ran **0.4 ppm Au and 9.8 ppm Ag** over a downhole length of **19.0 metres**, including **1.5 ppm Au and 7.1 ppm Ag** over a downhole length of **3.0 metres** from 19.0 to 22.0 metres
- A mineralized interval from 32.0 to 37.0 metres ran **6.1 ppm Au and 10.5 ppm Ag** over a downhole length of **5.0 metres**, including **30.1 ppm Au and 38.3 ppm Ag** over a downhole length of **1.0 metre** from 33.0 to 34.0 metres
- A mineralized interval from 212.0 to 219.0 metres ran **0.20 ppm Au and 1.89 ppm Ag** from a downhole length of **7.0 metres**, including **2.0 ppm Au and 459.0 ppm Ag** over a downhole depth of **4.6 metres** from 229.0 to 233.6 metres; and a high grade interval of **8.0 ppm Au and 1,102.0 ppm Ag** over a downhole depth of **0.6 metre** from 233.0 to 233.6 metres

DDH-20-287:

The hole targeted a pierce point along strike of the high-grade hole DDH-12-280. The hole remained straight and ended up ~15 metres away from the intended target. The hole collared into a mixed sequence of QFP and gneiss, continuing to 114.50 metres where it intersected a mafic dyke. The dyke ran until 144.0 metres, after which gneiss continued to 155.90 metres before intersecting a fault. The fault is chlorite-rich, expressed as multiple meters of gouge, continued to 174.50 metres. A mafic dyke runs from below the fault contact to 182.30 metres, before terminating in a siliceous mineralized breccia with ample sulphides (locally up to 15%). The breccia was intersected downhole to 198.50 metres, after which maroon QFP continues to 226.10 metres. A mafic dyke runs from 226.10 to the EOH at 243.90 metres. Intersections of note:

- A mineralized interval from 63.0 to 66.0 metres ran **1.9 ppm Au and 8.2 ppm Ag** over a downhole length of **3.0 metres**
- A broad zone of mineralization from 176.0 to 187.0 metres ran **0.5 ppm Au and 8.0 ppm Ag** over a downhole length of **11.0 metres**, including **2.3 ppm Au and 23.3 ppm Ag** over a downhole length of **2.0 metres** from 183.0 to 185.0 metres
- A broad zone of mineralization from 192.0 to 203.3 metres ran **3.5 ppm Au and 32.0 ppm Ag** over a downhole length of **11.3 metres**, including **25.4 ppm Au and 206.0 ppm Ag** over a downhole length of **1.1 metres** from 202.2 to 203.3 metres

DDH-20-288:

The hole targeted a pierce point in the southeast of the Flex zone near DDH-98-234 and DDH-11-261. The hole remained straight and ended up ~8 metres away from the intended target. The hole collared into a sequence of alternating QFP and gneiss, variable limonitic and clay-altered, before encountering a schist sequence at 92.2 metres downhole. The schist was locally brecciated, and pyrite content was observed weakly increasing downhole to a fault at 104.20 metres. The fault was intensely clay altered and contained brecciated/altered fragments of pyrite-rich QFP, which continued to 111.90 metres. A weakly chloritic and pyrite-mineralized mafic dyke continued to 140.0 metres, after which a QFP dyke runs to 148.6 metres. Here, alternating gneiss and QFP comprised the remainder of the hole which terminated at 191.7 metres. Intersections of note:

- A shallow, mineralized interval from 28.0 to 34.0 metres ran **0.4 ppm Au and 5.2 ppm Ag** over a downhole depth of **6.0 metres**

- A mineralized interval from 43.0 to 53.0 metres ran **0.8 ppm Au and 11.4 ppm Ag** over a downhole length of **10.0 metres**, including **3.7 ppm Au and 48.3 ppm Ag** over a downhole length of **2.0 metres** from 46.0 to 48.0 metres
- A mineralized interval from 103.0 to 110.0 metres ran **1.0 ppm Au and 6.3 ppm Ag** over a downhole depth of **7.0 metres**, including **2.5 ppm Au and 7.2 ppm Ag** over a downhole length of **2.0 metres** from 106.0 to 108.0 metres

DDH-20-289:

The hole targeted a pierce point proximal to DDH-11-271 and DDH-11-272. The hole remained straight and ended up ~7 metres away from the intended target. The hole collared into fractured QFP, then intersected a thick package of gneiss at 10.50 metres downhole. Variable clay-altered and weakly pyritic gneiss ran from 10.5 to 72.3 metres, where QFP continued to 97.1 metres. The QFP then became highly siliceous and weakly pyritic before sharply transitioning into a schist unit at 101.8 metres. The schist was altered and mineralized, showing local vein-hosted sphalerite, pyrite, chalcopyrite and arsenopyrite variably thin to thick intervals to 131.4 metres downhole. QFP continued from 131.4 to 159.4 metres containing local veins/bands of sulphides corresponding to zones of silicification or clay alteration. Gneiss was encountered at 159.4 metres and the hole was terminated at 161.50 metres. Intersections of note:

- A shallow, narrow mineralized interval from 17.0 to 18.0 metres ran **4.3 ppm Au and 5.1 ppm Ag** over a downhole length of **1.0 metre**
- A broad mineralized interval from 30.0 to 39.0 metres ran **1.4 ppm Au and 72.0 ppm Ag** over a downhole length of **9.0 metres**, including **3.8 ppm Au and 108.0 ppm Ag** over a downhole length of **1.0 metre** from 31.0 to 32.0 metres, and **3.1 ppm Au and 257.5 ppm Ag** over a downhole length of **2.0 metres** from 36.0 to 38.0 metres
- A well-mineralized interval from 76.0 to 87.0 metres ran **4.4 ppm Au and 230.4 ppm Ag** over a downhole length of **11.0 metres**, including **11.4 ppm Au and 593.0 ppm Ag** over a downhole length of **4.0 metres** from 76.0 to 80.0 metres
- A narrow mineralized interval from 107.0 to 109.0 metres ran **5.4 ppm Au and 81.6 ppm Ag** over downhole length of **2.0 metres**
- A very broad, locally well-mineralized zone from 122.0 to 161.5 metres ran **1.0 ppm Au and 38.4 ppm Ag** over an thick downhole interval of **39.5 metres**, including **1.1 ppm Au and 68.8 ppm Ag** over a downhole length of **11.0 metres** from 135.0 to 146.0 metres, and **8.9 ppm Au and 569.0 ppm Ag** over a downhole length of **1.0 metre** from 154.0 to 155.0 metres

DDH-20-290:

The hole targeted the southeast area of the Flex Zone. The original target had to be modified due to poor collar location and so the hole tested the extension of hole DDH-11-261. The hole effectively remained straight. The hole collared into a sequence of locally weakly altered gneiss, schist and QFP which continued downhole to 81.50 metres, before transitioning to siliceous QFP with pyritic fractures which lay in contact with a mineralized quartz vein/siliceous zone starting at 85.9 metres. The zone contains variably sulphide-mineralized gouge and breccias, with local cm-scale bands of galena, sphalerite, pyrite and pyrrhotite to 90.2 metres. QFP continues from 90.2 to 132.0 metres, hosting local bands/veinlets of quartz-pyrite. A mafic dyke at 132.0 metres intrudes the QFP to 137.3 metres, after

which QFP continues to 180.9 metres. A sequence of schist, QFP and gneiss run from 180.9 metres to the EOH at 219.5 metres. Intersections of note:

- A narrow, shallow mineralized interval from 36.0 to 39.0 metres ran **1.2 ppm Au and 10.7 ppm Ag** over a downhole length of **3.0 metres**
- A mineralized interval from 56.0 to 66.9 metres ran **0.6 ppm Au and 10.0 ppm Ag** over a downhole length of **10.9 metres**, including **1.3 ppm Au and 22.5 ppm Ag** over a downhole length of **3.2 metres** from 60.0 to 63.2 metres
- A broad, well-mineralized interval from 82.0 to 93.0 metres ran **3.0 ppm Au and 200.1 ppm Ag** over a downhole length of **11.0 metres**, including **8.8 ppm Au and 708.6 ppm Ag** over a downhole length of **3.0 metres** from 88.0 to 91.0 metres
- A narrow, mineralized interval from 113.0 to 114.0 metres ran **3.2 ppm Au and 322.0 ppm Ag** over a downhole length of **1.0 metres**
- A broad mineralized zone from 169.0 to 179.0 metres ran **0.9 ppm Au and 18.5 ppm Ag** over a downhole length of **10.0 metres** including **1.4 ppm Au and 33.1 ppm Ag** over a downhole length of **5.0 metres** from 174.0 to 179.0 metres

DDH-20-291:

The hole targeted a pierce point along the southeast edge of the Flex zone in a gap between two clusters of drill holes. The hole remained straight and was ~7 metres from the intended target. The hole collared into gneiss with local cm-scale quartz veins that continued downhole to 85.8 metres. QFP was encountered below 85.8 metres that hosted localized, shallow-angle massive sulphide veins of pyrite, galena and sphalerite over core lengths of up to 60 cm between ~88.0 - 91.00 metres. QFP continued to 103.8 metres, after a sequence of gneiss, locally siliceous with elevated pyrite, was intersected downhole to EOH at 198.2 metres. Intersections of note:

- A mineralized interval from 42.0 to 45.0 metres ran **2.8 ppm Au and 3.8 ppm Ag** over a downhole length of **3.0 metres**
- A mineralized interval from 62.0 to 66.0 metres ran **1.0 ppm Au and 84.9 ppm Ag** over a downhole length of **4.0 metres**, including **2.8 ppm Au and 284.0 ppm Ag** over a downhole length of **1.0 metre** from 62.0 to 63.0 metres
- A broad, mineralized interval from 85.0 to 93.0 metres ran **1.9 ppm Au and 89.1 ppm Ag** over a downhole length of **8.0 metres**, including **4.6 ppm Au and 222.0 ppm Ag** over a downhole length of **3.0 metres** from 88.0 to 91.0 metres
- A mineralized interval from 154.0 to 156.0 metres ran **1.0 ppm Au and 54.2 ppm Ag** over a downhole length of **2.0 metres**, including **1.8 ppm Au and 102.0 ppm Ag** over a downhole length of **1.0 metre** from 154.0 to 155.0 metres
- A well-mineralized interval from 191.0 to 193.0 metres ran **1.0 ppm Au and 682.2 ppm Ag** over a downhole length of **2.0 metres**, including **1.8 ppm Au and 1,354.0 ppm Ag (the equivalent of 43.5 troy ounces Ag)** over a downhole length of **1.0 metre** from 192.0 to 193.0 metres

Table 3. Select Intercepts from 2020 Drill Program

DDH	From_m	To_m	Au ppm	Ag ppm	Interval_m [†]	Comment
DDH-281	151.00	161.10	3.15	100.24	10.10	

including	159.10	161.10	5.91	275.00	2.00	
from	199.10	202.40	2.70	118.80	3.30	
including	201.80	202.40	12.00	526.00	0.60	
DDH-282	69.70	72.70	5.82	141.70	3.00	
including	70.70	71.70	15.20	387.00	1.00	
from	141.00	146.00	9.73	135.77	5.00	
including	141.00	143.00	24.20	338.00	2.00	
DDH-284	82.00	84.00	7.10	138.27	2.00	
including	82.00	83.00	9.90	191.00	1.00	
from	162.00	171.00	5.48	138.78	9.00	
*including	170.00	171.00	45.10	1131.00	1.00	1.45 troy oz Au & 36.4 troy oz Ag
DDH-285	136.50	139.30	8.36	329.52	2.80	
including	138.50	139.30	20.20	875.00	0.80	
DDH-286	33.00	34.00	30.10	38.27	1.00	
from	228.00	239.00	0.98	201.58	11.00	
*including	233.00	233.60	8.00	1102.00	0.60	0.26 troy oz Au & 35.4 troy oz Ag
DDH-287	192.00	203.30	3.51	31.97	11.30	
including	202.20	203.30	25.40	206.00	1.10	
DDH-289	35.00	39.00	1.77	130.32	4.00	
*including	36.00	37.00	2.43	356.00	1.00	0.08 troy oz Au & 11.5 troy oz Ag
from	76.00	87.00	4.44	230.35	11.00	
*including	78.00	80.00	19.70	968.00	2.00	0.63 troy oz Au & 31.1 troy oz Ag
from	137.00	143.00	1.24	117.05	6.00	
from	154.00	155.00	8.90	569.00	1.00	
DDH-290	82.00	93.00	2.94	200.08	11.00	
including	88.00	91.00	8.76	708.59	3.00	
*including	89.50	90.20	17.20	2211.00	0.70	0.55 troy oz Au & 71.1 troy oz Ag
*from	113.00	114.00	3.17	322.00	1.00	0.10 troy oz Au & 10.4 troy oz Ag
*DDH-291	62.00	63.00	2.78	284.00	1.00	0.09 troy oz Au & 9.13 troy oz Ag
from	88.00	91.00	4.55	221.89	3.00	
*from	105.00	106.00	1.22	168.00	1.00	0.04 troy oz Au & 5.4 troy oz Ag
from	191.00	193.00	0.96	682.16	2.00	

*including	192.00	193.00	1.79	1354.00	1.00	0.06 troy oz Au & 43.5 troy oz Ag
* indicates results are shown as grams/tonne from fire assay analysis † intervals shown are apparent width						

The 2020 drill program intersected stacked mineralized zones and quartz veins at the Flex Zone which have tentatively been correlated with previously interpreted mineralized zones from previous drilling. There may be attenuated mineralization or complex vein morphology that has not previously recognized but more interpretation is required to verify. Detailed, 3-D geological modeling is underway to properly fit the respective 2020 drillhole into the Flex Zone for a better understanding of vein morphology and extents.

The 2020 drill program was successful in extending mineralization at the Flex Zone to the west, south, to depth and down plunge. Mineralization remains open in all directions and presents new targets for future drilling. Further drilling is recommended to outline the depth/plunge continuity of the various veins and mineralized pods such that a new NI 43-101 compliant mineral resource can be completed.

7.1 Oriented Core Data Review

Oriented drill core technology was deployed for the first time on the property during the 2020 coring program. A total of 972 structural features were collected, qualified, and processed for analysis and were classified into four primary data sets:

Quartz veins, veins and veinlets (QTZ_VN/VNS/VLTS) with a total feature count of 313 (**Figure 14**)

Foliations (FO) with a total feature count of 24 (**Figure 17**)

Fractures (FR) with a total feature count of 578 (**Figure 15**)

Contact (CNTC) with a total feature count of 57 (**Figure 16**)

A cursory look at the distribution of each feature indicates there is a reasonable amount of variability in the data which is not unexpected given the structurally diverse nature of fault and vein development for the Flex. The variance in each features distribution is further exacerbated by the difficulty from collecting high-quality, oriented core data in areas with strong hydrothermal alteration, supergene enrichment and poor ground conditions like those at the Flex. Generally speaking, some strong correlations can be made between structural understandings from surface work and the oriented core data.

Quartz veins, veins, and veinlets have a strong variance in the distribution but a dominant trend of 012°/-52° is seen in the data.

Fractures are centered on two populations with an average trend of 008°/-72° and 295°/-72°, for the primary and secondary populations, respectively. The dominance of what is interpreted to be the conjugate vein set to the primary Flex Zone veins that is trending 008°/-72° is supported by the structural interpretation by Stroshein (1998) identified in **Figure 13**. The prevalence of the conjugate vein set in this features data set may be related to a bias introduced as a result of poor preservation of

data in the main veins relative to conjugate set or a product of relative abundance of this vein type relative to the main vein zone.

Contact orientations have an average of $192^{\circ}/-48^{\circ}$ (57 features).

Previous reports and authors have identified more attractive ore shoots are developed on the intersection of the Hanginwall, Main and Footwall veins to the NNE conjugate sets and an estimate for the LOI is approximately $302^{\circ}/-50^{\circ}$.




Figure 13: Structural Data model generated from surface mapping on main trench which absent of dip information for planes (Stroshein, 1998)




Figure 14: Poles and contour of poles for quartz veins, veins and veinlets




Figure 15: Poles and a contour of poles for fractures




Figure 16: Poles and contour of poles for contact measurements




Figure 17: Poles and Contour of poles for foliation features




Figure 18: Avg of QTZ-Vns/Vnlts with Flex Vein geometry and the two planes LOI which is likely where the most attractive vein chutes are developed within the flex.

8.0 Sample Preparation, Analysis and Security

The historical sampling, handling, preparation and analytical procedures are generally well-documented in the public domain and exploration personnel appear to have used procedures and methodologies that were consistent with industry standard practices in use at the time. The analytical procedures and results are well-documented in the filed assessment reports from the period 2010-2012 and available online at: http://www.emr.gov.yk.ca/library/yukon_mining_reports.html.

The 2020 drill program instituted a similarly rigorous QA/QC program following the well-documented procedures developed by CMG and used in the previous 2010-2012 drill programs. Down hole directional surveys were taken at an average of every 30 to 50 metres (approximately 100 to 150 feet) using a Reflex EZTRAC down-hole survey tool.

The author visited the drill camp shortly after completion of drilling (October 6-7, 2020) and observed the core and sample program firsthand. The program included enhanced core logging using oriented core, measurement of geotechnical parameters, insertion of Certified Reference Material (CRM) and careful core handling and sample security.

Characteristics such as lithology, veining, mineralisation, alteration, etc., were recorded by the geologist into the predefined logging template using a laptop computer. Selected samples were marked out by the geologist based on degree of mineralization, alteration, and lithology. Typical sample length is in the order of 0.7 to 1.0 metre, with 2.0 metre generally being the maximum length. Drill holes were photographed in their entirety by a technician prior to core cutting.

Sampled intervals were cut in half by a core cutter using a diamond rock saw. The remaining core was returned to the core box as an assurance record. The split sample was placed in a polypropylene bag and each bag was secured with a zap strap. The samples are placed in polypropylene woven rice sacks, approximately ten samples to a sack and secured with a security strap. The samples were kept in secure storage to await transportation by bonded courier to MSA Analytical laboratory in Langley City, BC. The remaining split drill core is stored on-site in constructed core racks and/or cross-piled on wooden pallets.

MSA Labs of Langley, BC, analyzed all the 2020 drill core samples. Samples were prepared and analyzed in the following manner:

Preparation: The preparation of drill core samples was completed using the PRP-910 package. Drill core samples were dried and crushed to 70% passing 2mm, after which a representative 250g split was taken and pulverized to 85% passing 75µm.

Analysis: geochemical analysis of all samples utilized the 39 element IMS-128 package. The prepared homogeneous sample is weighed and digested under heat with a hydrochloric acid and nitric acid mixture (termed 'aqua regia'). Upon completion of the digestion step, the sample is made up to volume with deionized water. This sample solution is then analyzed by Inductively Coupled Plasma-Optical Emission Spectroscopy and Inductively Coupled Plasma-Mass Spectroscopy. The quantified multi-element concentrations are then reported by their respective unit. The detection range for gold was 1 ppb to 25 ppm. The detection limit for silver was 0.05 to 100 ppm.

Assay: The following sequence explains how fire assays were further utilized for any analyzed sample that returned a gold value greater than 1 ppm or a silver value greater than 100 ppm.

- Au > 1ppm – FAS-211, Au > 5ppm – FAS-415
- Ag > 100ppm – ICF-6Ag, Ag > 1000 ppm – FAS-418

For silver, a combination of 4-acid digestion and ICP-ES (detection range 0.5 – 100 ppm) was used for any sample that returned a silver value greater than 100 ppm, followed by fire assay with gravimetric finish for any sample that returned a value greater than 1,000 ppm (detection range 50-10,000 ppm).

Any Zn or Pb or As value from IMS-128 that was overlimit of 10,000 ppm was also submitted for fire assay to determine their respective values.

For FAS-211 the homogeneous pulverized sample is weighed, mixed with flux (a blend of litharge, soda ash, borax, silica, silver and various other essential reagents), and then fused to produce a lead button. The gold-containing lead button is cupelled to remove the lead and yield a bead which contains precious metals. The bead is then digested with nitric acid and hydrochloric acid. After the digestion is complete, the solution is bulked up to volume with dilute hydrochloric acid. The final solution is analyzed by atomic absorption.

For FAS-415 the homogeneous pulverized sample is weighed, mixed with flux (a blend of litharge, soda ash, borax, silica, and various other essential reagents), and then fused to produce a lead button. The gold-containing lead button is cupelled to remove the lead and yield a bead which contains precious metals. The bead is weighed prior to parting with dilute nitric acid, after which the residual gold is annealed and weighed as gold. Silver, if requested, is then determined by the difference between the original bead weight and gold bead weight.

Specific gravity (SG) measurements were made on the pulps of each sample using the SPG-411 package which measured weight on pulp.

The 2020 drill program followed a strict, industry standard QA/QC protocol similar to the 2010-2012 exploration programs. A total of four different types of Certified Reference Materials (CRM's) were inserted into the sample stream in the field at intervals of approximately one every 20 samples. Certified Reference Material samples are prepared by an independent laboratory and are an industry standard and used systematically in exploration to monitor analytical accuracy and check for possible contamination originating at the laboratory.

The 2020 samples were transported by bonded courier to MSA Labs in Langley BC. MSA Labs also applied their own QA/QC procedures by systematically inserting standards, blanks and duplicates into sample batches. Lab results were evaluated to ensure they passed the internal requirements prior to release of the final test reports.

Certified Reference Standards (CRM) Performance

The CRM's used in the 2020 drill program were purchased from CDN Resource Laboratories Ltd. of Langley, BC.

- CDN FCM-6 (Au, Ag, Cu, Pb, Zn)
- CDN GS-10D (Au)

- CDN GS-5H (Au, Ag)
- CDN GS-P3C (Au)

Two plots were created for each element. One plot compared the obtained results against the certified value and the other compared the results against the average and standard deviation calculated from the results.

Two issues were noted with respect to gold for established values for the CRM when compared to the MSA Lab reported values for IMS-128.

The FCM-6 CRM was used 27 times in the sample batch. The Au values returned for FCM-6 under the IMS-128 method underreported the certified value. However, 3 standards from DDH-20-281 were part of an initial batch of 200 samples that were all run under the FAS-211 package. The 3 samples run using FAS-211 returned comparable results with respect to the certified value. It would appear that the IMS-128 (Aqua Regia) method underreports Au in comparison to Au by fire assay, possibly as a result of incomplete digestion. A check was made of the IMS-128 method against the FAS-211 method for the first 200 samples from DDH-20-281 and the results demonstrated a good linear relationship which indicated the two methods are relative and the Au is reporting. The results for Ag, Cu, Pb and Zn were in control, with all data points generally within 1 standard deviation (SD) of the established value; with only one Ag sample slightly outside 2 SD of the expected result.

The GS-10D CRM was used 17 times in the sample batch. The Au values returned for GS-10D under the IMS-128 method also underreported the certified value, suspected again due to the different digestion and analytical method used to obtain the CRM and the MSA IMS-128 values. The other two CRM returned lab values that accord well with the certified values; generally within 2 SD of the established value. The GS-5H CRM was used 30 times in the sample batch whereas the GS-PC3 CRM was used 29 times.

Lab Blank and Lab Duplicate Performance:

The blanks all returned values less than 1 SD of expected result with no obvious outliers. Similarly lab duplicates and pulp duplicates showed good conformance to the expected value with most results within 1 SD of the expected value.

Conclusions:

Overall the performance of Certified Reference Material was acceptable with most results falling within 2 SD of the accepted value. Results from the CRM indicate that the assay processes at MSA are under sufficient control to produce reliable sample assay data, apart from where comparison is attempted between Au from the Certified Values of the CRM (fire assay) and the MSA ICP result. Blank results indicate no contamination in the lab process. Duplicate results from the lab protocols are reliable.

As of the time of writing there has been no independent confirmation of the analyses at an outside umpire laboratory. Future programs will have to ensure that the CRM inserted into the sample stream has a comparable digestion and analytical method to the proposed sample lab method. And for future programs approximately 10% of the submitted samples should be resubmitted to a referee lab as an additional check against accuracy.

9.0 Interpretations and Conclusions

Historical exploration on the Charlotte property has defined significant epithermal gold and silver mineralization within northwesterly-trending structural zones, adjacent or proximal to mineralized porphyry intrusive rocks. The geological setting and episodic mineralizing events have created a structural host that is conducive for high grade precious metal values, particularly at orthogonal fault intersections. These hosts present worthy targets for additional exploration. In addition, evidence exists that defines a possible porphyry copper-gold mineral occurrence of unknown quality.

The existence of epithermal gold and silver mineralization in the main vein zones (Webber, Flex, Huestis) has been well-documented by prior exploration but to-date there has been insufficient exploration to define a mineral resource or mineral reserve to NI 43-101 standards. Additional work is warranted to prepare a NI 43-101 compliant resource classification for the three main gold vein zones.

Recent work from the period 2010-2012 has documented the presence of mineralized zones not previously tested by drilling. Sizeable soil gold anomalies remain known but unexamined. Based on the results of the 2012 exploration program, further drilling is recommended on the Flex Zone to outline the depth/plunge continuity of the various veins and mineralized pods such that a new resource calculation can be completed. The Flex Zone remains open to depth, down plunge and along strike both to the north and south. In addition, historical work on the Webber, Huestis and Orloff-King Zones demonstrate that there is potential to expand the known zones of mineralization. The relationship between the southern extension of the Flex Zone and the Huestis Zone is unknown; as is the relationship of the Flex Zone and the Webber Zone to the west.

The 2020 drill program successfully extended areas of high-grade gold-silver mineralization at the Flex Zone to the west, south, to depth and down plunge. Mineralization remains open in all directions and presents new targets for future drilling. The 2020 drill results provide a high priority target for the planned 2021 drill campaign.

There remains excellent potential to increase the size of the known main gold vein zones and for the discovery of additional precious metal mineralization at depth and along strike of known mineralized zones. Moreover, due to the similarities in structural, lithological and host stratigraphy and similar ore mineralogy, there is potential on under-explored targets to the northwest and southeast for further discovery.

10.0 Statement of Expenditures

Exploration Work Type		
Personnel		Amount
K.Macdonald, Supervising Geologist		\$ 1,000.00
G.Goodall, Project Geologist		\$ 56,100.00
C.Moll, Logging Geologist		\$ 30,625.00
J.Smith, Cook/Level 3 FAA		\$ 24,150.00
W.Nadeau, Camp Manager		\$ 20,900.00
G.Schellenberg, Camp/Prep		\$ 5,350.00
S.Pollock, Sr. Field Tech		\$ 18,525.00
J.Lewis, GIS/Camp		\$ 4,905.00
T.Blake, Core Cutter		\$ 850.00
J.Joseph, Core Cutter		\$ 1,700.00
J.Cochrane, Core Cutter		\$ 8,925.00
C.Basil, Camp		\$ 4,125.00
J.Clethroe		\$ 3,400.00
	Subtotal	\$ 180,555.00
Camp Set-up		
Back Country/CMG		\$ 85,271.73
	Subtotal	\$ 85,271.73
Expenses		
Airfare		\$ 4,246.33
Communication		\$ 6,891.76
Camp/Geological Supplies and Support		\$ 41,780.28
Freight		\$ 15,388.29
Fuel/Tank Rental		\$ 30,223.69
Groceries		\$ 13,796.29
Core Saw Rental		\$ 1,500.00
Truck/Mobile Treatment Center Rentals		\$ 23,770.82
SidexSide Rental		\$ 2,500.00
Camp Equipment Rental		\$ 1,750.00
Tent Rentals		\$ 9,000.00
Field Gear Rental		\$ 4,350.00
Mob/Demob		\$ 9,977.54
Storage Unit		\$ 1,450.70
	Subtotal	\$ 166,625.70
Drilling		
Drilling, Full Force, HQ		\$ 302,956.85
Core Boxes		\$ 12,866.20
Excavator Rental & Insurance		\$ 27,790.00
Survey Tools		\$ 8,669.27
	Subtotal	\$ 352,282.32

Assays		
Drill Core, QA/QC samples MSA Labs		\$ 85,448.28
	Subtotal	\$ 85,448.28
Reporting and Compilation		
Annual Report, Comp, Assessment Report etc		\$ 11,730.17
	Subtotal	\$ 11,730.17
Admin @ 10%		\$ 35,096.38
	TOTAL	\$ 917,009.58

11.0 Recommendations

Additional exploration is warranted to advance the known zones of mineralization and to evaluate those underexplored areas of high prospectivity surrounding the known zones. The following phased work program is recommended.

The data derived from the large amount of historical surface exploration and drilling that has been carried out by various operators on the Charlotte Property is extensive and needs to be integrated into a comprehensive database to plan an appropriate future work program. A modern, comprehensive data compilation and 3D geological and structural model of the current drill core data and other technical information (lithology, alteration, etc.) should be completed. This information can be used to reinterpret the main gold vein zones and the host geology and identify high priority targets for further exploration. A staged approach is recommended to advance the evaluation and exploration of the Charlotte Property.

The key objectives are:

- Compilation of all historical and modern exploration data
- Detailed LiDAR and Differential GPS surveys to improve ground control for all surface zones, drill collars, trenches, underground openings and accurate alignment of underground workings
- 3D geological and structural modelling of all drill hole data; trench data to be included where possible
- Maiden resource calculation for the Flex Zone incorporating all drill data including the 2020 drilling
- Characterize and prioritize mineralized zones and surface soil anomalies; use to identify high priority targets worthy of follow-up
- Identify prospective mineralized zones along strike and to depth through modern surface geochemical and geophysical techniques (infill soil sampling, targeted 3d IP, etc.), and,
- Complete confirmatory drill holes within known mineralized zones and in areas of potential that have limited or no drilling, as identified from the compilation and 3D targeting work

Phase I would include additional data compilation, LiDAR survey for ground control, high resolution differential GPS ground survey, and targeted surface prospecting, mapping, geophysics and geochemistry to infill gaps in property coverage. An up-to-date comprehensive data compilation is required to improve target definition for future exploration. A 3D geological and structural model of the Flex Zone is required to initiate and complete a maiden resource calculation. This information can then be used to reinterpret the structural setting of the main gold vein zones which will better vector drill testing and provide an exploration model to further develop new drill targets. Phase I expenditures are estimated at \$350,000.

Phase II would include a 10-hole, 1,700 metre diamond drill test of untested or lightly tested zones. Drilling would include the Webber, Huestis and other high priority zones as defined in Phase I. Particular focus should be paid to the western edge of the property along strike of structurally hosted epithermal veins at Rockhaven Resources' Rusk Zone, which lie approximately 3.5 km west of the Charlotte property. Phase II expenditures are estimated at \$750,000 for a combined budget total of \$1.1M (Table 18).

Table 4: Proposed Charlotte Property Budget

Phase I	Description	Unit	Qty	Unit Cost	Cost
Historical Data Compilation Update	Office	days	15	\$ 1,200.00	\$ 18,000.00
3D modeling & maiden Flex Zone Resource Calculation	Office	hrs	265	\$ 125.00	\$ 33,125.00
LiDAR Survey	Field	days	1	\$ 50,000.00	\$ 50,000.00
DGPS Survey	Field	days	5	\$ 2,500.00	\$ 12,500.00
30 day Exploration Program	Field				
Soil Survey (infill gaps)	Field	days	15	\$ 2,500.00	\$ 37,500.00
Targeted 3D IP Geophysical Survey	Field	days	15	\$ 3,500.00	\$ 52,500.00
Targeted Geological Mapping	Field	days	15	\$ 1,500.00	\$ 22,500.00
All-in Support	Field	days	30	\$ 2,500.00	\$ 75,000.00
Target Prioritization	Office	hrs	15	\$ 1,200.00	\$ 18,000.00
Update NI 43-101 Technical Report	Office	hrs	25	\$ 1,200.00	\$ 30,000.00
	Total				\$ 349,125.00
Phase II	Description	Drilling (m)			Cost
Drilling to test known zones & new high priority targets	Drilling at \$450/metre inclusive	1,670		\$ 450.00	\$ 751,500.00
	Total				\$ 751,500.00
	Grand Total				\$ 1,100,625.00

12.0 References

AMC Mining Consultants (Canada) Ltd., 2016. Technical Report and PEA for the Klaza Au-Ag Deposit, Yukon, Canada, Prepared for Rockhaven Resources Ltd.

AMC Mining Consultants (Canada) Ltd., 2018. Technical Report Describing Updated Diamond Drilling, Metallurgical Testing and Mineral Resources on the Klaza Property, Yukon, Canada. Prepared for Rockhaven Resources Ltd.

AMC Mining Consultants (Canada) Ltd., 2020. Technical Report and Preliminary Economic Assessment Update for the Klaza Property, Yukon, Canada. Prepared for Rockhaven Resources Ltd.

Andersen, F. and Stroshein, R., 1998. Geology of the Flex Gold-Silver Vein System, Mt. Nansen Area, Yukon. In: Yukon Exploration and Geology 1997, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 139-142.

Carlson, G.G., 1987. Geology of Mt. Nansen (115-I/3) and Stoddart Creek (115-I/6) Map Areas, Dawson Range, Central Yukon. Indian and Northern Affairs Canada Northern Affairs: Yukon Region Open File 1987-2.

Campbell, D., 1983. Summary Review on Mt. Nansen Property, Carmacks, Yukon Territory, Canada. Report for Mt. Nansen Gold and Silver Ltd.

Campbell, D., 1994. Feasibility Study Report on Mt. Nansen Gold Project in Yukon Territory, Canada, Volume 1. Report for BYG Natural Resources Inc.

Cowdery, P.H. 2008. An Exploration Report for the Mt. Nansen Property, Yukon Province, Canada. Report for 101073531 Saskatchewan Ltd.

Dadson, P. and Amy, C., 2012, Assessment Report on the 2011 Trenching, Diamond Drilling and Soil Sampling Program, Etzel Property, Whitehorse Mining District, Yukon Territory. Yukon Mineral Assessment Report Document No: 095804.

Dadson, P. and Struyk, N.M., 2012, Assessment Report on the 2012 Trenching and Diamond Drill Program, Charlotte Property, Whitehorse Mining District, Yukon Territory. Yukon Mineral Assessment Report Document No: 096109.

Davidson, G.S. 1997. Geological Summary Report on the Aurchem Property. Mt. Nansen Area. Whitehorse Mining District. Report for BYG Natural Resources Ltd.

Denholm, E., Dumka, D. and Farquharson, G., 2000. A Review of the Mt. Nansen Property, Yukon Territory. Unpublished report for Department of Indian Affairs and Northern Development.

Eaton, W.D., 1986. Report on Geological, Geochemical, Geophysical, Trench and Drilling Results from Work Done between June 15 and September 27, 1985 on the Mt. Nansen Property Located at Latitude 62°05'N and Longitude 137°08'W on NTS Mapsheet 115I/3. Yukon Mineral Assessment Report Document No: 091825.

Eaton, W.D., and Archer, A.R., 1989. Report on the Geology and Mineral Inventory of the Mt. Nansen and Tawa Properties, Yukon Territory with Assessment of the Economical Potential for Open Pit Mining of Oxidized Mineralization in the Brown-McDade Zone. Report for BYG Natural Resources Inc and Chevron Minerals Ltd.

Evans, A.M., 2005. Ore Geology and Industrial Minerals: An Introduction. Blackwell Publishing. P. 262-271.

Geotech Ltd., 2009. Report on a helicopter-borne versatile Time Domain Electromagnetic (VTEM) Geophysical Survey, Mt. Nansen Property. Report for 101073531 Saskatchewan Corp.

Gunn, D., and Unknown author, 1981. Feasibility Report on Mt. Nansen Mine, Carmacks, YT. Report by Dolmage Campbell and Associates (1975) Ltd, Vancouver, Canada.

Gunn, D., and Unknown author, 1982. Feasibility Report on Mt. Nansen Mine, Carmacks, YT. Report by Dolmage Campbell and Associates (1975) Ltd, Vancouver, Canada.

Hart, Craig J.R., and Langdon, Mark. Geology and mineral deposits of the Mt. Nansen camp, Yukon. *In*: Yukon Exploration and Geology 1997, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p.129-138.

Hiner, J.E. and Norton, C., 2010. Assessment Report on the 2010 Trenching and Diamond Drilling Program, Charlotte Property, Yukon Territory, Canada. Report for Guinness Exploration Inc. Yukon Mineral Assessment Report Document No: 095315.

Hiner, J.E. and Mundhenk, H., 2010. NI 43-101 Technical Report on the Charlotte Property, Whitehorse Mining District, Yukon Territory for Ansell Capital Corp.

Klöcking, M., Mills, L., Mortensen, J. and Roots†, C., 2016. Geology of mid-Cretaceous volcanic rocks at Mt. Nansen, central Yukon, and their relationship to the Dawson Range batholith. Yukon Geological Survey, Open File 2016-25, 37 p. plus appendices.

Langdon, M. 1988. Report on Diamond Drilling, Geology, Magnetometer Survey, Em-16 Survey and Soil Survey Carried out on Wedge #5, Wedge #6, Wedge #7, Wedge #8. Wedge #9, Wedge#10, Wedge#15,

RAS 1, RAS 2, RAS 3, RAS 4, LGCS 1, LGCS 3, MSL, BIT 1, BIT 2, BIT 3, BIT 4, BIT 5. Claim sheet 115 I/3, 62 05' N/137 10'W, May 1, 1988 to August 30, 1988. Report for Aurchem Exploration Ltd.

Langdon, M., 1989. 1989 Exploration Program: Report on Trenching, Geology, Magnetometer Survey and Soil Geochemical Survey Carried Out on Wedge 5, Wedge 6, Wedge 7, Wedge 8, Wedge 9, Wedge 10, Wedge 15, Ras 1, Ras 2, Ras 3, Ras 4, MSL, Bit 1, Bit 2, Bit 3, Bit 4, Bit 5 for Aurchem Exploration Ltd. Yukon Mineral Assessment Report. Document No: 092770.

Langdon, M., 1993. Report on a Soil Geochem Survey Carried Out on the Discovery Creek Property for Aurchem Exploration Ltd. Yukon Mineral Assessment Report. Document No: 093138.

Langdon, M., 1997. Summary Report on the Diamond Drilling Program of January 1997 to March 1997 Carried Out on the Claims of JON WEDGE-2F, JBF-1F, JBF-4F, JBF-6F, JBF-7F, J.BILL-30, BULL-1, BULL-2. Yukon Mineral Assessment Report. Document No: 093701.

Lecuyer, N.L., 1997. Mt. Nansen Property Huestis and Webber Zones Feasibility Study. Report for BYG Natural Resources Inc.

Melling, D.R., 1995. Summary Report: 1994 Exploration Program on Mt. Nansen Gold Project, Carmacks, Yukon Territory, Canada. Report for BYG Natural Resources Inc. Yukon Mineral Assessment Report. Document No: 093231.

Melling, D.R., 1995. Summary Report: 1995 Exploration Program on Mt. Nansen Gold Project, Carmacks, Yukon Territory, Canada. Report for BYG Natural Resources Inc. Yukon Mineral Assessment Report. Document No: 093365.

Middleton, R.S., 2009. National Instrument 43-101 Report on the Mt. Nansen Property and the Tawa Property, Whitehorse Mining District, Yukon Territory for 101073531 Saskatchewan Ltd.

Mortensen, J.K., Hart, C.J.R., Tarswell, J. and Allan, M.M., 2016. U-Pb zircon age and Pb isotopic constraints on the age and origin of porphyry and epithermal vein mineralization in the eastern Dawson Range, Yukon. In: Yukon Exploration Geology 2015, K.E. MacFarlane and M.G. Nordling (eds.), Yukon Geological Survey, p. 165-185, including appendices.

Mortensen, J.K., Appel, V.L. and Hart, C.J.R., 2003. Geological and U-Pb age constraints on base and precious metal vein systems in the Mt. Nansen area, eastern Dawson Range, Yukon. In: Yukon Exploration and Geology 2002, D.S. Emond and L.L. Lewis (eds.), Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada, p. 165-174.

Mortensen, J.K., Hart, C.J.R., Tarswell, J. and Allan, M.M., 2016. U-Pb zircon age and Pb isotopic constraints on the age and origin of porphyry and epithermal vein mineralization in the eastern Dawson

Range, Yukon. In: Yukon Exploration Geology 2015, K.E. MacFarlane and M.G. Nordling (eds.), Yukon Geological Survey, p. 165-185, including appendices.

Mundenk, H. and Hiner, J.E., 2010. Summary Report on the 2010 Trenching and Diamond Drilling Program, Charlotte Property, Yukon Territory, Canada. Report for Ansell Capital Corp Ltd.

Quantec IP Inc. 1996. IP survey over the BMD pit and Eliza Creek Extension.

Quist, B, 2014. Summary report of the 2013 Geophysical Work and Mineralogical Study on the Charlotte Property. Final report for 2013 VMIP Funding under the Target Evaluation Module.

Rockhaven Resources, 2021. *Rockhaven Identifies New Bonanza Grade Gold-Silver and Extends High-Grade Mineralization to Depth at Klaza Project, Yukon* (Press Release). February 18, 2021. <https://www.rockhavenresources.com/news/news-releases/rockhaven-identifies-new-bonanza-grade-gold-silver-and-extends-high-grade-mineralization-to-depth-at-klaza-project-yukon>

Rodger., R.J., 1995. Review of Proposed Work Programme on Mt. Nansen Property. Report for BYG Natural Resources Inc.

Rodger, R.J., 1996. Property Evaluation Report on Tawa Mineral Property and Arctic Mineral Property. Report for Trumpeter Yukon Gold Inc (a subsidiary of BYG Natural Resources Inc).

Roth, J., 1991. Report on Magnetic and IP Surveys Discovery Creek Project Yukon Territory for Aurchem Exploration Ltd. Yukon Mineral Assessment Report. Document No: 092987.

Ryan, J.J., Westberg, E.E., Williams, S.P., and Chapman, J.B., 2016. Geology, Mt. Nansen–Nisling River area, Yukon; Geological Survey of Canada, Canadian Geoscience Map 292 (preliminary), scale 1:100 000. doi:10.4095/298835

Salter, RS, Furey, J.T. and McPhail, R.S., 1989. An Investigation of the Recovery of Gold from Nansen Project Samples Submitted by Archer Cathro and Associates (1981) Ltd per Melis Engineering Progress Report No 2.

Salter, R.S., Jackman, I., and MacPhail, R.S., 1989. An Investigation of the Recovery of Gold from Nansen Project Samples Submitted by Archer Cathro and Associates (1981) Ltd per Melis Engineering Progress Report No 1.

Sawyer, J.B.P. and Dickinson R.A., 1975. Porphyry Mineralization at Mt. Nansen. Private Report.

Sillitoe, R.H. 1993. Epithermal Models: Genetic Types, Geometrical Controls and Shallow Features. Geological Association of Canada: Special Paper 40, p. 403-417.

Sinclair, W.D., 2007, Porphyry deposits, *in* Goodfellow, W.D., ed., Mineral Deposits of Canada: A Synthesis of Major Deposit-Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods: Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, p. 223-243.

Stroshein, R.W., 1998. Overburden Stripping Program on the Flex Deposit. Report for BYG Natural Resources Inc. Yukon Mineral Assessment Report Document No: 093877.

Stroshein, R.W., 2004. Exploration Report for 2003 Geological, Geochemical and Trenching on the Bull, JBF, Etzel, J.Bill and JCS Mineral Claims. Discovery Creek Property (AR 94450). Report for Aurchem Exploration Ltd.

Stroshein, R.W., 2007. Geological Exploration Summary Mt. Nansen Property Discovery Creek Property. The Willow Creek-Eliza Creek – Tit Mtn. Breccia Zones, Yukon Territory. Protore Geological Services. Report for Aurchem Exploration Ltd.

Stroshein, R.W., 2007a. Geological Exploration Summary Mt. Nansen Project Brown McDade Deposit (Core Claims), Yukon Territory. Report for Department of Energy, Mines and Resources, Assessment and Abandoned Mines Branch and Pricewaterhousecoopers Inc.

Stroshein, R.W., 2007b. Geological Exploration Summary Mt. Nansen Project Brown McDade Deposit (Peripheral Claims), Yukon Territory. Report for Department of Energy, Mines and Resources, Assessment and Abandoned Mines Branch and Pricewaterhousecoopers Inc.

Struyk, N.M. and Dadson, P., 2011. Summary Report on the 2011 Reconnaissance Mapping and Soil Geochemistry Program, Discovery Creek Property. Report for Ansell Capital Corp. Yukon Mineral Assessment Report Document No: 095471.

Struyk, N.M. and Dadson, P., 2012. Assessment Report on the 2011 Trenching, and Diamond Drilling Program, Charlotte Property. Report for Ansell Capital Corp. Yukon Mineral Assessment Report Document No: 095861.

Taylor, B.E., 2007, Epithermal gold deposits, *in* Goodfellow, W.D., ed., Mineral Deposits of Canada: A Synthesis of Major Deposit-Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods: Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, p. 113-139.

Unknown author, 1996. Mill Production Memo for BYG Natural Resources Inc.

Unknown author, 1984. Summary Review on Mt. Nansen Property, Carmacks, Yukon Territory, Canada. Report for Nansen Mining Corporation.

Unknown author, 1994. Mt. Nansen Project Summary Report. Report for BYG Natural Resources Inc.

Unknown author, 2008. An Exploration Report for the Mt. Nansen Property, Yukon, Canada. Report for 101073531 Saskatchewan Ltd.

Walls, M.J. and Eaton, W.D., 1987. Nansen Project Final Report. Yukon Mineral Assessment Report Document No: 092122.

Walls, M.J. and Eaton, W.D., 1988. Tawa Property 1988 Final Report. Yukon Mineral Assessment Report. Document No: 092585.

Walton, L., 2020. ASSESSMENT REPORT describing STRUCTURAL REVIEW OF CONTROLS ON GOLD MINERALIZATION at the CHARLOTTE PROPERTY. Unassigned Yukon Mineral Assessment Report Document.

Woodcock, J.R., 1992. Mountain Nansen Porphyry Copper Centre. BYG Resources Inc.

Statement of Qualifications

I, F. Kenneth (Ken) MacDonald, P. Geo., do hereby certify that:

1. I am currently employed as an independent consulting geologist, residing at 2665 Carlisle Way, Prince George, British Columbia, Canada, V2H 4B5.
2. I graduated with a Bachelor of Science degree with Specialization in Geology from the University of Alberta in 1987.
3. I am a member in good standing of the Engineers and Geoscientists BC with Professional Geoscientist status since 1997.
4. I have worked continuously as a geologist since 1987. I have assisted on and directed mineral exploration projects in British Columbia and elsewhere, as an employee and as an independent geological consultant. I have worked on properties of all stages of exploration, from grass roots to early stage exploration through to advance stage exploration and development and production.
5. I supervised an exploration drill program on the Charlotte property from August 9th-23rd, 2010, conducted a site visit on May 14, 2019, designed the 2020 drill program and attended the program on October 6th to the 7th 2020 while under duration.
6. I am responsible for the preparation of this Report titled Assessment Report; 2020 Diamond Drilling Program; Charlotte Property.

Dated in Prince George, British Columbia, this 17th day of April, 2021.



Digitally signed by Ken MacDonald
DN: cn=Ken MacDonald, o=ZincX Resources Corp., ou,
email=ken.macdonald@zincxresources.com, c=CA
Date: 2021.05.06 11:48:24 -07'00'

F. Kenneth MacDonald, P.Geo. (License #23018)

I, Patrick McLaughlin. P.Geo., do hereby certify that:

1. I am currently employed as a Professional Geoscientist and Project Geologist with Coast Mountain Geological Ltd. based in Vancouver, B.C.
2. I graduated with a Bachelor of Science degree (Honours) from the Geological Science Department from the University of Manitoba in 2005.
3. I currently reside at #22-1560 Prince Street, Port Moody, B.C., V3H 3W8.
4. I am a member in good standing of the Engineers and Geoscientists BC ('EGBC') with Professional and compliant Geoscientist status since 2015.
5. I have worked continuously as a geologist since 2005. I have assisted and directed mineral exploration projects across Canada, Ireland and Scandinavia as an employee and as an independent geological consultant. I have worked on properties of all stages of exploration, from grass roots to early and advanced mineral exploration.
6. I am responsible for the preparation of this Report titled Assessment Report; 2020 Diamond Drilling Program; Charlotte Property.

Dated in Port Moody, British Columbia this 17th day of April 2021.

Patrick McLaughlin

Patrick McLaughlin (EGBC Licence # 41479)

APPENDIX 1

Units of Conversion and Abbreviations

Abbreviations

ppb	part per billion
ppm	part per million
g	gram
g/t	gram per tonne
opt	(troy) ounce per short ton
oz/t	(troy) ounce per short ton
Moz	million ounces
Mt	million tonnes
t	metric tonne (1000 kilograms)
st	short ton (2000 pounds)

Conversions

1 gram	=	0.0322 troy ounces	
1 troy ounce	=	31.104 grams	
1 ton	=	2000 pounds	
1 tonne	=	1000 kilograms	
1 gram/tonne	=	1ppm	= 1000ppb
1 troy ounces/ton	=	34.29 gram/tonne	
1 gram/tonne	=	0.0292 troy ounces/ton	
1 kilogram	=	32.151 troy ounces	= 2.205 pounds
1 pound	=	0.454 kilograms	
1 inch	=	2.54 centimeters	
1 foot	=	0.3048 metres	
1 metre	=	39.37 inches	= 3.281 feet
1 mile	=	1.609 kilometres	
1 acre	=	0.4047 hectares	
1 sq mile	=	2.59 square kilometres	
1 hectare	=	10,000 square metres	= 2.471 acres

APPENDIX 2
Diamond Drillhole Logs

Property	Charlotte Gold			Hole Id:	DDH-20-281																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

From_m	To_m	Sub From	Subl To_m	Width	Lith Code	Lithology	Description
0.00	3.00			3.00	CAS	Casing	Rubbly overburden
3.00	9.00			6.00	MV	Mafic Volcanic	Dark grey-green, very fine siliceous. Moderately-highly fractured, limonite along fractures. Diss Py to 2 %. Local gouge zones 10-15 cm wide
9.00	10.70			1.70	FP	Feldspar Porphyry	Med-grained grey-white feldspar phenocrysts; subhedral-euhedral up to 5 mm long. 60% dark green matrix. Moderately fractured, limonite on local fractures. 10 cm gouge at upper/lower contacts.
10.70	18.80			8.10	Gn	Mafic Gneiss	Amphibolite/gneiss, very dark green and weakly foliated 80 tca. Moderately-highly fractured, limonitic. Siliceous zones 15-20 cm wide. Localized gouge 15-20 cm wide
18.80	24.10			5.30	Gn	Gneiss	Bleached tan-brown, well foliated 80 tca. Moderately to highly fractured along foliation and at 20 tca. Local qtz veins along foliation and fractures.
		18.90	19.20	0.30			Breccia - subrounded-subangular frags healed in clay-rich matrix
		21.40	24.10	2.70			Fracture zone with rubbly core and clay-rich gouge. Shear at 10 tca with intense clay gouge
24.10	35.30			11.20	Gn	Gneiss	Bleached light grey to tan brown, weakly foliated 40 tca, limonite on fractures. Grey-clear qtz veins 1-8 mm wide parallel to foliation. Trace diss Py, rarely in fractures/veinlets.
35.30	39.50			4.20	MD	Mafic Dyke	Dark grey-green, fine-med grained, weakly foliated, moderately fractured. Limonite on fractures, moderately-highly magnetic. Local 5 mm qtz veins, local cm-scale brown gouge
39.50	44.30			4.80	Gn	Gneiss	Bleached light grey to tan brown, fine grained, weak-moderately foliated, moderately fractured. Limonitic, with rare quartz veins along fractures and foliation.
		43.20	43.45	0.25			Coarse feldspar laths in fine grained tan-brown matrix, 2 % amphibole, diffuse contacts
44.30	55.70			11.40	MI	Mafic Intrusive	Vfg-fg, moderately to highly siliceous, weakly to mod magnetic. Weakly foliated at 45 tca, trace Py rare Po. Weakly fractured, with epidote-py-po along fractures
55.70	56.70			1.00	QFP	Quartz Feldspar Porphyry	Light grey-green matrix, with white clay-rich felds laths (subhedral) 1-3 mm. Upper contact 20 tca, lower 45 tca. Moderate fractured generally 45 tca.
56.70	60.10			3.40	MI	Mafic Intrusive	Vfg-fg, moderately to highly siliceous, weakly to mod magnetic. Weakly foliated at 45 tca, trace Py rare Po. Weakly fractured, with epidote-py-po along fractures. Local gouge zones up to 20 cm
60.10	83.90			23.80	QFP	Quartz Feldspar Porphyry	As above - upper contact altered to tan brown-chalk white with local patchy zones of medium grey matrix weakly fractured; limonite on fracture 70 and 30 tca. Rare qtz along fractures, trace local vfg diss Py.
		65.20	66.40	1.20			Mafic intrusive as above. Local qtz veins 3-10 mm wide. Sharp upper contact 60 tca, sharp lower 45 tca
		73.50	75.60	2.10			Very coarse grained in light grey siliceous matrix
		75.80	79.20	3.40			Moderately fractured, strong FeOx on fractures and in matrix. More qtz veins with open cockscomb texture, rare vugs lined with carb
		81.70	83.50	1.80			Mod-strong clay altered with local 5-15 cm gouge zones. Weakly brecciated, trace qtz infilling matrix. Sharp lower contact 60 tca.
83.90	107.80			23.90	Gn	Gneiss	Dark green, fine-med grained, locally weakly magnetic with trace epidote. Weakly fractured, limonitic fractures, locally pervasive in matrix. Weakly foliated 70-80 tca.
		94.30	96.10	1.80			Increase in qtz veins, 3 to 5 per meter. 5 mm to 3 cm wide, fractured and locally vuggy (infilled by carb).
		100.00	105.50	5.50			Strongly limonitic, clay rich. Tan to dark brown, medium grained, moderately foliated 60 tca. Locally highly brecciated, with angular 2-10 mm frags. Trace to 2% qtz. Includes vuggy open cavities with quartz crystals.
107.80	112.20			4.40	MD	Mafic Dyke	Dark green, fine grained moderately foliated, moderately fractured. Limonite on fractures locally, trace to 1% diss Py. Local strong clay alteration. Gradational lower contact.
112.20	123.90			11.70	Gn	Gneiss	Tan brown to medium green, well foliated 60 tca. Locally overprinted by clay...argillite? Moderately fractured, local quartz veins and sweats (boudins?)
		120.20	123.90	3.70			Mixed zone of gneiss and QFP. Moderately fractured and broken, chloritic gouge locally. Poorly foliated, rare qtz veinlets
123.90	151.10			27.20	QFP	Quartz Feldspar Porphyry	Fine-medium grained, chalky white-grey matrix - locally tan-brown and limonitic. Broken upper contact. Feldspar laths locally aligned and foliated 50-60 tca. Qtz veins 0.5 to 2 cm wide locally, rarely banded with tan-brown carb. Trace py in veins.
		133.80	151.10	17.30			Mod-strong clay-rich matrix, soft chalky white with small 1-3 cm aggregates of qtz. Weakly fractured, kaolinite infilling fractures and matrix. Hairline fractures infilled with black sulphide (pyrite?). Increase in sulphide and quartz content moving downhole.
		148.00	151.10	3.10			Strong argillic alteration. Clay-rich gouge seams 5-10 cm, quartz veins to 10cm locally. Py infills fractures and vines, locally to 70%.
151.10	164.80			13.70	QTZ	Quartz Vein	Dark grey, very fine, highly fractured and brecciated with 10-30% QFP frags - angular to subrounded up to 3 cm. Py up to 5% along fractures and in 1-5 cm aggregates within qtz-rich matrix. Local vuggy texture. Trace-5% sphalerite, trace-2% galena locally.
164.80	170.10			5.30	QFP	Quartz Feldspar Porphyry	Light grey, fine-medium grey matrix with coarse white euhedral feldspar laths. Weak-moderately fractured, locally brecciated. Thin qtz veinlets infilled with pyrite locally. Diffuse upper contact, lower contact gradational with silicification over 15 cm.
170.10	172.90			2.80	QTZ	Quartz Vein	Highly siliceous QFP or vein, moderately fractured, locally limonitic. Very fine to fine light grey matrix with trace-4% very fine Py. Locally brecciated with coarse angular frags of silica in sulphide-rich matrix.

From_m	To_m	Sub From	Subl To_m	Width	Lith Code	Lithology	Description
172.90	210.00			37.10	QFP	Quartz Feldspar Porphyry	Medium grey, very fine with siliceous matrix. 8-15% white subhedral-euhedral feldspar laths 2-8 mm wide, rarely aligned. Weakly fractured, limonite/pyrite along fracture surfaces. 1-3 mm aggregates of Py locally, rare quartz veinlets. Local rounded qtz eyes to 3 mm.
		177.40	180.60	3.20			Fracture zone with moderate argillic alteration along fractures and in matrix
		182.10	186.90	4.80			As above, trace fine Py. Increase in silica and pyrite in matrix
		191.80	193.50	1.70			Milled QFP breccia. Large coarse feldspar in finer felds-rich matrix.
		195.10	197.50	2.40			QFP with very fine siliceous matrix. 2-3 cm wide medium grey qtz veins 60 tca.
		201.70	201.73	0.03			3 cm vuggy qtz vein 40 tca with trace pyrite
		203.20	204.30	1.10			Quartz vein with semi massive-massive sulphide, weakly banded at 20 tca, Sharp upper contact 50 tca, broken diffuse lower contact. Within vein, sulphides up to 70% as pyrite, galena and sphalerite
210.00	244.40			34.40	DIO	Diorite (?)	Dark grey fine grained matrix, weakly magnetic, weakly calcareous. Weakly fractured, with calcite on fractures at 45, 60, 90 tca. 60% subhedral white feldspar phenocrysts 2-3 mm, trace-3% amphibole, trace diss fine Py.
		232.10	232.50	0.40			40 cm wide chloritic gouge zone
		239.10	240.30	1.20			Intense chloritic gouge on fracture surfaces, trace pyrite
	EOH						

DDH-20-281 Samples, Min and Alt interval data

From	To	Width	Sample	Py Pct	Asp Pct	Gn Pct	Sp Pct	Po Pct	FSx Pct	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
3.00	6.00	3.00	C0040001																											
6.00	8.00	2.00	C0040002																											
8.00	9.00	1.00	C0040003																											
9.00	10.00	1.00	C0040004																											
10.00	10.70	0.70	C0040005																											
10.70	12.00	1.30	C0040006																											
12.00	13.00	1.00	C0040007																											
13.00	14.00	1.00	C0040008																											
14.00	15.00	1.00	C0040009																											
15.00	16.00	1.00	C0040010																											
16.00	17.00	1.00	C0040011																											
17.00	18.00	1.00	C0040012																											
18.00	19.00	1.00	C0040013																											
19.00	20.00	1.00	C0040014																											
		CDN-FCM-6	C0040015																											
20.00	21.00	1.00	C0040016																											
21.00	22.00	1.00	C0040017																											
22.00	23.00	1.00	C0040018																											
23.00	24.00	1.00	C0040019																											
24.00	25.00	1.00	C0040020								beige	3								3										pv
25.00	27.00	2.00	C0040021								beige	3								3										pv
27.00	28.00	1.00	C0040022								orange	2								2			1							pa
28.00	29.00	1.00	C0040023								orange	2								1							2			pa
29.00	30.00	1.00	C0040024								grey	2					1			2										pa
30.00	31.00	1.00	C0040025								orange	1					1			3										fr
31.00	32.00	1.00	C0040026								orange	1								1	2						1			fr
32.00	33.00	1.00	C0040027								orange	2								1	2									pa
33.00	34.00	1.00	C0040028								orange									1	2									pa
34.00	35.00	1.00	C0040029	0.1						dissem	grey									2							2			pa
35.00	36.00	1.00	C0040030						0.2	dissem	grey									2							1			pa
36.00	37.00	1.00	C0040031	0.1		0.2				dissem	black									2										fr
37.00	38.00	1.00	C0040032								grey									2							1			fr
38.00	39.00	1.00	C0040033			0.1			0.2	bl	grey									1							1			pa
39.00	40.00	1.00	C0040034						0.2	bl	grey									1							1			pa
		CDN-GS-10D	C0040035																											
40.00	41.00	1.00	C0040036						0.2	bl	beige									1							1			pa
41.00	42.00	1.00	C0040037						0.1	bl	beige	2								2							1			pa
42.00	43.00	1.00	C0040038						0.1	fr	orange									3							1			pa
43.00	44.00	1.00	C0040039								beige	3								2		3	1							pv
44.00	45.00	1.00	C0040040	0.1						dissem	black	3								1		3								pa
45.00	46.00	1.00	C0040041	0.5						dissem	black	3								1		3				1				pv
46.00	47.00	1.00	C0040042	0.2				0.2		dissem	black	2										3								pv
47.00	48.00	1.00	C0040043	0.5				0.2		dissem	black									1		2				2				pv
48.00	49.00	1.00	C0040044					0.2		bl	black									1		1				1				pa
49.00	50.00	1.00	C0040045	0.1				1		bl	grey	2								1						1				pa
50.00	51.00	1.00	C0040046	0.1				0.5		bl	grey	3								1										pv
51.00	52.00	1.00	C0040047	0.1				0.5		bl	grey	3								1						1				pa
52.00	53.00	1.00	C0040048	0.1				0.2		bl	black	2								1		1				1				pa
53.00	54.00	1.00	C0040049								beige																1			pa
54.00	55.00	1.00	C0040050	0.1	0.2					vlt	black	2								1										pa
55.00	56.00	1.00	C0040051	0.1						vlt	black	2								1						1				pa
56.00	57.00	1.00	C0040052	0.1				0.1		vlt	grey	3								2										pv
57.00	58.00	1.00	C0040053	0.5						bl	grey	3								1										pa
58.00	59.00	1.00	C0040054	0.1						dissem	black	1								2						1		2		pa
		CDN-GS-5H	C0040055																											

DDH-20-281 Samples, Min and Alt interval data

From	To	Width	Sample	Py Pct	Asp Pct	Gn Pct	Sp Pct	Po Pct	FSx Pct	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style	
59.00	60.00	1.00	C0040056	0.1						dissem	black	2								1										pa	
60.00	61.00	1.00	C0040057	0.2					0.1	dissem	grey	4								3										pv	
61.00	62.00	1.00	C0040058	0.1					0.1	dissem	orange	3							1	3										pv	
62.00	63.00	1.00	C0040059	0.1					0.1	dissem	orange								2	3							1			pv	
63.00	64.00	1.00	C0040060	0.1					0.2	bl	orange	2							2	3								2		pa	
64.00	65.00	1.00	C0040061	0.1						dissem	grey	2							1	2								1		pa	
65.00	66.00	1.00	C0040062	0.2						dissem	grey	1							1	1					1					pa	
66.00	67.00	1.00	C0040063								grey	3							1	1								1		pa	
67.00	68.00	1.00	C0040064	0.1						dissem	grey	2							1	2										pa	
68.00	69.00	1.00	C0040065	0.2						dissem	grey	3							1	2										pa	
69.00	70.00	1.00	C0040066	0.1					0.1	dissem	grey	2			1				1	1										pa	
70.00	71.00	1.00	C0040067	0.2						dissem	grey	2							1	1								3		pa	
71.00	72.00	1.00	C0040068	0.1						dissem	orange	2							2	1										pa	
72.00	73.00	1.00	C0040069						0.1	dissem	orange	2							2	1										pa	
73.00	74.00	1.00	C0040070	0.1					0.1	dissem	grey	2							2	1										pa	
74.00	75.00	1.00	C0040071	0.1						dissem	grey	2													1					pa	
75.00	76.00	1.00	C0040072	0.5						bl	orange	2							2	1										pv	
76.00	77.00	1.00	C0040073						0.2	bl	orange	1							2	1								1		pv	
77.00	78.00	1.00	C0040074	0.1						dissem	orange								3	1								1		pa	
		CDN-GS-P3C	C0040075																												
78.00	79.00	1.00	C0040076	0.1						dissem	orange	2							3	1								2		pa	
79.00	80.00	1.00	C0040077	0.1						dissem	black	2							2	1										pa	
80.00	81.00	1.00	C0040078	0.1						dissem	orange	2							2									1		pa	
81.00	82.00	1.00	C0040079								orange	2							3	1										pv	
82.00	83.00	1.00	C0040080								orange	1							4	1								1		pv	
83.00	84.00	1.00	C0040081								grey	2							3	1								1		pa	
84.00	85.00	1.00	C0040082	0.1						dissem	orange								3	1					1			1		pa	
85.00	86.00	1.00	C0040083	0.1						dissem	grey								1									2		pa	
86.00	87.00	1.00	C0040084	0.1						dissem	grey	3							1	1										pa	
87.00	88.00	1.00	C0040085	0.1						dissem	grey	3							1	1										pa	
88.00	89.00	1.00	C0040086	0.1						dissem	grey	1							2	1										pa	
89.00	90.00	1.00	C0040087	0.1						dissem	orange	1							4	1										pa	
90.00	91.00	1.00	C0040088	0.1						dissem	orange								3	2										pv	
91.00	92.00	1.00	C0040089	0.1						dissem	grey								1	1										pa	
92.00	93.00	1.00	C0040090	0.2						dissem	orange	2							3	2										pa	
93.00	94.00	1.00	C0040091	0.3						dissem	black	1							1	1					2					pa	
94.00	95.00	1.00	C0040092	0.2						vlt	grey	1										2	2							ba	
95.00	96.00	1.00	C0040093	0.1						dissem	orange								3	1			1							pv	
96.00	97.00	1.00	C0040094								brown								2	1								2		pa	
		CDN-FCM-6	C0040095																												
97.00	98.00	1.00	C0040096	0.1						vlt	brown								2									2		pa	
98.00	99.00	1.00	C0040097	0.1						dissem	orange								3	1										pv	
99.00	100.00	1.00	C0040098	0.2						dissem	grey	1							2	1										pa	
100.00	101.00	1.00	C0040099	0.1						dissem	orange	1							3	1								1		pv	
101.00	102.00	1.00	C0040100	0.1						dissem	orange								4	1								2		pa	
102.00	103.00	1.00	C0040101	0.1						dissem	orange								4	2								2		pv	
103.00	104.00	1.00	C0040102	0.1						dissem	orange								4	2								2		pv	
104.00	105.00	1.00	C0040103								orange								3	1								2		pv	
105.00	106.00	1.00	C0040104								orange								3	1								1		pv	
106.00	107.00	1.00	C0040105	0.1						vlt	orange								3	1								1		pv	
107.00	107.80	0.80	C0040106	0.3						vlt	grey	1							3	1										pa	
107.80	109.00	1.20	C0040107	0.1					2	dissem	black												2					1		pv	
109.00	110.00	1.00	C0040108	0.1	0.1				2	mas	grey								2	1								1		pv	
110.00	111.00	1.00	C0040109						0.2	dissem	grey								1	1								3		pa	
111.00	112.00	1.00	C0040110	1						vlt	grey								1									3		pa	

DDH-20-281 Samples, Min and Alt interval data

From	To	Width	Sample	Py Pct	Asp Pct	Gn Pct	Sp Pct	Po Pct	FSx Pct	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
112.00	113.00	1.00	C0040111	0.2						dissem	orange								3	1							2			pa
113.00	114.00	1.00	C0040112	0.1						dissem	orange								2	1							2			pa
114.00	115.00	1.00	C0040113	0.1						dissem	orange								2	1			1				1			pa
115.00	116.00	1.00	C0040114	0.1						dissem	orange								3				1				2			pa
		CDN-GS-10D	C0040115																											
116.00	117.00	1.00	C0040116	0.1						dissem	orange	1							3	1							2			pa
117.00	118.00	1.00	C0040117	0.1						dissem	orange								2				1				2			pa
118.00	119.00	1.00	C0040118	0.5					0.1	bl	grey	3							2											pa
119.00	120.20	1.20	C0040119	0.2					0.5	dissem	orange								3	1			1				2			pv
120.20	121.00	0.80	C0040120	0.1					0.1	dissem	brown	2							2	1							1			pa
121.00	122.00	1.00	C0040121	0.1						dissem	orange								2	1			1				3			pa
122.00	123.00	1.00	C0040122	0.2					0.2	bl	grey								3	1							1			pa
123.00	123.90	0.90	C0040123	0.2					0.2	dissem	brown								2	1							2			pa
123.90	125.00	1.10	C0040124								grey	2							2	1							3			pa
125.00	126.00	1.00	C0040125	0.1						dissem	grey	2							2								3			pa
126.00	127.00	1.00	C0040126		0.1	0.1				bl	orange	3			1				2	1			1				2			pa
127.00	128.00	1.00	C0040127		0.1	0.1				bl	grey	2							2	1							2			pv
128.00	129.00	1.00	C0040128	0.2	0.1					vlt	grey	3							2											pa
129.00	130.00	0.00	C0040129	0.1					0.2	bl	grey	2							2	1							1			pa
130.00	131.00	1.00	C0040130	0.1					0.1	dissem	grey	2							1	1					1		1			pa
131.00	132.00	1.00	C0040131	0.1						dissem	beige	1							1						2					pa
132.00	133.00	1.00	C0040132	0.1						dissem	beige	1							1						1		2			pa
133.00	134.00	1.00	C0040133								grey	1															3			pa
134.00	135.00	1.00	C0040134	0.1						dissem	beige																3			pv
		CDN-GS-P3C	C0040135																											
135.00	136.00	1.00	C0040136						0.1	bl	beige																3			pv
136.00	137.00	1.00	C0040137						0.1	bl	beige																3			pv
137.00	138.00	1.00	C0040138						0.1	bl	beige	2											1				3			pv
138.00	139.00	1.00	C0040139						0.1	bl	grey	2							2								1			pv
139.00	140.00	1.00	C0040140						0.1	bl	beige								2								2			pv
140.00	141.00	1.00	C0040141	0.1					0.1	dissem	beige								2				1				2			pa
141.00	142.00	1.00	C0040142	0.2					0.2	dissem	beige								1				1				2			pv
142.00	143.00	1.00	C0040143	0.1					0.1	dissem	beige	1															4			pv
143.00	144.00	1.00	C0040144	0.1					0.2	dissem	grey								1								3			pa
144.00	145.00	1.00	C0040145	0.2					0.2	bl	beige								3	2							3			pa
145.00	146.00	1.00	C0040146	1					1	vlt	beige	2			1				1	1							1			pv
146.00	147.00	1.00	C0040147	1					1	vlt	beige	2							2	1			1				1			pa
147.00	148.00	1.00	C0040148	1					1	vlt	orange	3							2	1							2			pa
148.00	149.00	1.00	C0040149	1					1	vlt	beige								1								3			pv
149.00	150.00	1.00	C0040150	2					2	vlt	beige	1							1								3			pv
150.00	151.00	1.00	C0040151	2					2	vlt	beige																3			pv
151.00	151.90	0.90	C0040152	5			0.5		5	vlt	beige	2															2			pa
151.90	152.40	0.50	C0040153	5					5	vlt	beige	2							1								2			pa
152.40	153.40	1.00	C0040154	5					10	vlt	grey	2															1			pa
		CDN-GS-10D	C0040155																											
153.40	154.20	0.80	C0040156	0.5					0.5	dissem	white																4			pv
154.20	155.20	1.00	C0040157	1					1	vlt	grey	1															2			pv
157.10	158.00	0.90	C0040158	1		10			20	mas	black	1													2		1			pa
158.00	159.00	1.00	C0040159	1		5			5	mas	grey	2															1			pv
159.00	160.00	1.00	C0040160	5		5			10	mas	grey	2							1								3			pv
160.00	161.00	1.00	C0040161	5		5			5	mtx	beige	1															3			pv
161.00	162.00	1.00	C0040162	5		1			5	mtx	grey	2															3			pv
162.00	163.00	1.00	C0040163	2					10	mtx	grey	2															3			pv
163.00	164.00	1.00	C0040164	2					2	mtx	beige	1															3			pv
164.00	164.80	0.80	C0040165	0.5					0.5	dissem	beige																2			pv

DDH-20-281 Samples, Min and Alt interval data

From	To	Width	Sample	Py Pct	Asp Pct	Gn Pct	Sp Pct	Po Pct	FSx Pct	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
164.80	166.00	1.20	C0040166								grey	3															2			pv
166.00	167.00	1.00	C0040167			0.1				dissem	orange	3							3								2			pv
167.00	168.00	1.00	C0040168								grey								1	1							3			pa
168.00	169.00	1.00	C0040169								grey	3							1								2			pv
169.00	170.10	1.10	C0040170								grey	1							1								3			pv
170.10	171.20	1.10	C0040171	1						dissem	grey	4								3										pv
171.20	172.00	0.80	C0040172	1					1	bl	grey	3							1											pv
172.00	172.90	0.90	C0040173	0.1						dissem	grey	1								1							2			pv
172.90	174.00	1.10	C0040174	0.1						dissem	grey								1	1							2			pv
		CDN-GS-5H	C0040175																											
174.00	175.00	1.00	C0040176	0.1					0.1	dissem	beige								1								3			pv
175.00	176.00	1.00	C0040177	0.2					0.1	dissem	beige								2								2			pv
176.00	177.00	1.00	C0040178	0.2						dissem	beige								1	1							3			pv
177.00	178.00	1.00	C0040179	0.1						dissem	grey	1							1								4			pv
178.00	180.00	2.00	C0040180								grey	1							1								3			pv
180.00	181.00	1.00	C0040181	0.1					0.1	dissem	beige								1	1							3			pv
181.00	182.00	1.00	C0040182	0.2						dissem	beige	1								1							1			pv
182.00	183.00	1.00	C0040183	0.2					0.2	dissem	beige	2							1	1							3			pv
183.00	184.00	1.00	C0040184	0.2					0.1	bl	beige	3							1								2			pv
184.00	185.00	1.00	C0040185	0.1					0.1	dissem	beige	2							1								2			pv
185.00	186.00	1.00	C0040186	0.2					0.2	dissem	grey	1															2			pv
186.00	187.00	1.00	C0040187	0.1					0.2	dissem	grey	2							2								2			pv
187.00	188.00	1.00	C0040188	0.1					0.2	dissem	grey	3							1								2			pv
188.00	189.00	1.00	C0040189	0.1	0.1				0.1	dissem	grey	3								1							3			pv
189.00	190.00	1.00	C0040190	0.2	0.1				0.2	vlt	grey	1															3			pv
190.00	191.00	1.00	C0040191	0.1					0.1	dissem	grey																3			pv
191.00	192.00	1.00	C0040192	0.1					0.1	dissem	grey	2							1								3			pv
192.00	193.00	1.00	C0040193	0.1					0.1	dissem	grey	3							1						1		2			pv
193.00	194.00	1.00	C0040194	0.1					0.1	dissem	grey	2													1		2			pv
		CDN-FCM-6	C0040195																											
194.00	195.00	1.00	C0040196	0.1					0.1	dissem	grey	1															2			pv
195.00	196.00	1.00	C0040197	0.1					0.1	dissem	beige	2			1												2			pv
196.00	197.00	1.00	C0040198	0.1					0.1	dissem	beige	2			1												2			pa
197.00	198.00	1.00	C0040199	0.1					0.1	dissem	grey	2															2			pa
198.00	199.00	1.00	C0040200	0.1	0.1				0.1	dissem	grey	3															2			pv
199.00	200.00	1.00	C0040201	0.5					0.5	vlt	grey	3															2			pv
200.00	201.00	1.00	C0040202	0.2					0.2	dissem	grey	1							1								3			pv
201.00	202.00	1.00	C0040203	0.1					0.1	dissem	grey																2			pv
202.00	203.20	1.20	C0040204	0.2		0.2			0.5	vlt	grey	1															2			pa
203.20	203.70	0.50	C0040205	5		2			5	dissem	grey	1															3			pa
203.70	204.30	0.60	C0040206	15		10	5		10	mas	black	3							1	1										pv
204.30	205.00	0.70	C0040207	1		1			0.5	dissem	beige								1								3			pv
205.00	206.00	1.00	C0040208	0.2					0.2	vlt	beige	1															3			pv
206.00	207.00	1.00	C0040209	0.2					0.2	vlt	beige	1															3			pv
207.00	208.00	1.00	C0040210	0.2					0.2	vlt	beige																3			pv
208.00	209.00	1.00	C0040211	0.2					0.2	vlt	beige	3															2			pv
209.00	210.00	1.00	C0040212	0.1					0.1	vlt	beige	3															2			pv
210.00	211.00	1.00	C0040213	0.1					0.1	dissem	grey											2					3			pa
211.00	212.00	1.00	C0040214	0.1					0.1	dissem	beige	3													1					pa
		CDN-GS-P3C	C0040215																											
212.00	214.00	2.00	C0040216	0.1					0.1	dissem	grey	3										2								pv
214.00	216.00	2.00	C0040217	0.1					0.1	dissem	grey	2										2								pv
216.00	218.00	2.00	C0040218	0.1					0.1	dissem	grey	2										2								pv
218.00	220.00	2.00	C0040219	0.1					0.1	dissem	grey	2										2								pv
220.00	222.00	2.00	C0040220	0.1					0.1	dissem	grey	2										2								pv

DDH-20-281 Samples, Min and Alt interval data

From	To	Width	Sample	Py Pct	Asp Pct	Gn Pct	Sp Pct	Po Pct	FSx Pct	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
222.00	224.00	2.00	C0040221	0.1					0.1	dissem	grey	2										2								pv
224.00	226.00	2.00	C0040222	0.1					0.1	dissem	grey	2										2					1			pv
226.00	228.00	2.00	C0040223	0.1					0.1	dissem	grey	2										2					1			pv
228.00	230.00	2.00	C0040224	0.1					0.1	dissem	grey	2										2					1			pv
230.00	232.00	2.00	C0040225	0.1					0.1	dissem	grey	2										2					1			pv
232.00	234.00	2.00	C0040226	0.1					0.1	dissem	grey	2										2					3			pa
234.00	236.00	2.00	C0040227	0.1					0.1	dissem	grey	2										2					2			pv
236.00	238.00	2.00	C0040228	0.1					0.1	dissem	grey	2										2					2			pv
238.00	240.00	2.00	C0040229	0.1					0.1	dissem	grey	2										2					2			pv
240.00	242.00	2.00	C0040230	0.1					0.1	dissem	grey	2										2					4			pa
242.00	244.40	2.40	C0040231	0.1					0.1	dissem	grey	2									1	2								pv

Property: Charlotte Gold
Area: Flex Zone
Client: Taurus Gold Corp.

Hole Id: DDH-20-282

Logged By: G.Goodall
Date Logged: Start Sept 14, 2020



Collar Location:			
Actual:			
Datum:	<u>NAD83, Zone 8</u>		
Easting:	<u>386687.2</u>	Azimuth:	<u>75</u>
Northing:	<u>6881860</u>	Dip:	<u>-60</u>
Elevation:	<u>1326.9</u>	Length:	<u>176.2</u>
Position taken by sequential GPS accurate to +/- 6cm			
Proposed:			
	<u>CHR-20-03</u>		
Easting:	<u>386629</u>	Azimuth:	<u>78</u>
Northing:	<u>6881898</u>	Dip:	<u>-60</u>
Elevation:	<u>1347</u>	Length:	<u>185</u>

Survey Type: EZ-Trac Single Shot			
Distance	Azi	Dip	Accept
0.00	75.00	-60.0	YES
12.19	72.15	-58.8	YES
42.67	71.45	-58.2	YES
73.15	71.55	-58.2	YES
103.63	72.75	-58.0	YES
134.11	72.85	-57.8	YES
164.59	72.35	-57.8	YES

Drilling Information:	
Contractor:	<u>Full Force</u>
Core Diameter:	<u>HQ</u>
Start Date:	<u>14-Sep-2020</u>
End Date:	<u>16-Sep-2020</u>
Casing In:	<u>no</u>
Casing Capped:	
Units:	<u>Metric</u>

Hole Objective: Down dip extension of Central Vein area.

Hole Summary: The hole collared into QFP, transitioning into a long sequence of gneiss at 13.00 m. From 69.70 - 107.90, m-scale quartz veins and quartz-rich sections are variably mineralized with pyrite, sphalerite and galena. A dacite unit is associated with these mineralized zones. 112.70 m to EOH is predominately QFP, with minor m-scale felsic dykes.

Lithology Summary			
From	To	Lith	Comment
0.00	2.20	Casing	
2.20	13.00	Quartz Feldspar Porphyry	
13.00	69.70	Gneiss	
69.70	74.70	Quartz Vein	
74.70	80.10	Felsic Dyke	
80.10	92.10	Dacite	
92.10	96.80	Quartz Vein	Mineralized
96.80	105.20	Dacite	
105.20	107.90	Quartz Vein	Mineralized
107.90	112.70	Dacite	
112.70	117.60	Felsic Dyke	
117.60	127.00	Quartz Feldspar Porphyry	
127.00	130.20	Felsic Dyke	
130.20	176.20	Quartz Feldspar Porphyry	EOH

DDH-20-282 Primary and Sub lithology description

From	To	Sub From m	Sub To m	Width	Lith Code	Lithology	Description
0.00	2.20			2.20	CAS	Casing	Casing in overburden
2.20	13.00			10.80	QFP	Quartz Feldspar Porphyry	Tan brown, medium grained, moderately fractured with limonite on fractures. Patchy grey unaltered zones 5 - 12 cm wide. 10-15 % white feldspar laths in variably clay-rich to siliceous matrix. Clear-grey qtz veins locally, < 1-3 per meter, up to 5 mm wide at 40-90 tca. Matrix weakly foliated at 45 tca. Diffuse lower contact over 15 cm.
13.00	69.70			56.70	Gn	Gneiss	Dark green and white, banded foliation typically 45 tca, bands to 5 mm. 10-30 % qtz, 30-50 % mafic content (amphibole and biotite), trace disseminated fine pyrite. Local qtz veins paralleling foliation up to 2 cm wide. Weakly fractured, with limonite on fractures; locally sulphide-filled (sph, py, hematite). Local altered zones up to 4 m with limonitic matrix and open space cavities, rarely filled with quartz and pyrite.
		39.50	42.30	2.80			Strongly limonitic, 5-8 cm wide qtz veins. High fractured and brecciated, small aggregates of pyrite
		44.50	45.00	0.50			Quartz vein, moderately fractured 45 tca. Minor pyrite and hematite
		46.90	52.40	5.50			Strong limonite in matrix, tan-brown staining on foliation. 15 cm clay-rich brown gouge at upper contact
		52.60	55.00	2.40			Increase in qtz veins and silica in matrix. Veins up to 2 cm along foliation, locally discordant. Matrix locally brecciated and silicified. Rare veins are infilled by pyrite, having a black appearance.
		55.00	57.90	2.90			Strongly limonitic, local vuggy qtz veinlets 2 - 7 mm wide.
		61.00	63.30	2.30			Occasional qtz veins, 1 - 3 per meter, 3 - 8 cm wide, grey-white. Highly fractured, with trace Py on fractures. At 61.5, a 3 cm qtz vein has open vugs filled with coarse pyrite and amphibole.
		63.30	63.31	0.01			Appearance of ruby-red garnet, feldspars are chalky-white
		67.60	69.70	2.10			15-20% ruby red garnets from 2-7 mm diameter in light grey-green matrix
69.70	74.70			5.00	QTZ	Quartz Vein	Vein - moderately to highly fractured and brecciated, with clasts highly siliceous to highly clay-rich. Variable sulphide content from 5 - 50%, disseminated to banded. Very fine-grained, predominately Py. Diffuse lower contact into friable argillic-altered QFP.
74.70	80.10			5.40	FD	Felsic Dyke	Medium grained, medium grey matrix, 8-15% chalk white subhedral feldspar phenocrysts, 1-10 mm. Contacts are broken and indistinct.
80.10	92.10			12.00	DAC	Dacite	Very fine, cream to grey-green matrix, moderately fractured with qtz, chlorite and local pyrite infilling fractures.
		82.70	83.20	0.50			Hematitic section - matrix is brick-red, friable and weakly foliated. More clear qtz veins, locally moderately chloritic both along fractures and in matrix
		86.70	86.72	0.02			2 cm wide qtz vein 40 tca with 8-10 mm aggregates of pyrite within vein and matrix. Hairline fractures lined with pyrite peripheral to vein.
92.10	96.80			4.70	QTZ	Quartz Vein	Highly fractured and brecciated in light to medium grey fine matrix. FeOx on fracture surfaces, open space cavities throughout. Trace-5% very fine sulphides.
96.80	105.20			8.40	DAC	Dacite	As above, local <1cm quartz veins, more carb along fractures. Trace diss fine grained Py.
		104.50	105.20	0.70			Increase in garnet towards lower contact.
105.20	107.90			2.70	QTZ	Quartz Vein	Fractured and brecciated vein in light grey fine matrix. Dark grey-black very fine sulphides infilling fractures and within matrix interstitial to quartz breccia frags. Predominately pyrite, with minor AsPy and hematite.
107.90	112.70			4.80	DAC	Dacite	As above, soft, clay-rich, fractured.
112.70	117.60			4.90	FD	Felsic Dyke	As above, medium grey, very fine, siliceous matrix supporting 8-15% subhedral-euhedral feldspar laths. Weakly fractured with limonite on fractures. Upper contact in broken core, lower sharp at 45 tca.

DDH-20-282 Primary and Sub lithology description

From	To	Sub From m	Sub To m	Width	Lith Code	Lithology	Description
117.60	127.00			9.40	QFP	Quartz Feldspar Porphyry	Light-medium grey, very fine to fine anhedral qtz-feldspar matrix. Moderately-highly clay altered, kaolinite>argillite, trace-3% fine diss Py. Dark grey, very fine sulphides along fractures throughout, rare qtz frags (remnants of veining?).
		125.80	127.00	1.20			Tan-brown, clay-rich gouge, chloritic slickensides on fractures.
127.00	130.20			3.20	FD	Felsic Dyke	As above, highly fractured and brecciated. Trace-3% pyrite, rare qtz veins. White euhedral feldspar laths 1-5 mm long, 5-10% volume.
130.20	176.20			46.00	QFP	Quartz Feldspar Porphyry	As above, very fine grained, light to medium grey matrix. Upper contact moderately fractured and broken. Moderately fractured and broken, dark grey qtz veinlets 3-5 mm wide, generally 45 tca.
		130.20	132.20	2.00			Strong pyrite, hematite, specular hematite, trace galena on fractures and in veinlets.
		134.20	134.90	0.70			Brick-red matrix
		142.10	143.20	1.10			Several grey-white qtz veins 1-15 cm wide, semi massive Py in veins, rare galena. Generally sharp vein walls, rare open
		144.50	153.00	8.50			weakly magnetic matrix, occasional hairline fractures infilled with calcite, trace very fine pyrite locally
		153.00	154.10	1.10			Argillic altered, with narrow qtz veins and trace pyrite
		161.60	161.70	0.10			10 cm clay gouge
		165.00	176.20	11.20			Coarse to very coarse feldspar laths, 3-5 mm, 15-20% of volume. Variably siliceous matrix, locally clay-rich and friable
	EOH						

DDH-20-282 Sample, Alt, and Min interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	PO%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style	
2.20	3.00	0.80	C0040233								beige	3							3	1										pv	
3.00	4.00	1.00	C0040234						0.1	dissem	orange	3							3	1							1			pv	
4.00	5.00	1.00	C0040235								beige	2							2	1							3			pa	
5.00	6.00	1.00	C0040236								orange	3							3	1							1			pa	
6.00	7.00	1.00	C0040237								orange	3							3	1							2			pa	
7.00	8.00	1.00	C0040238						0.1		beige	3							2	1							2			pa	
8.00	9.00	1.00	C0040239								beige	3							2	1							2			pa	
9.00	10.00	1.00	C0040240								grey	2							1	1							3			pa	
10.00	11.00	1.00	C0040241	0.2					0.1	bl	grey	2							1	1							3			pa	
11.00	12.00	1.00	C0040242						0.1	fr	beige	2							2	1							2			pa	
12.00	13.00	1.00	C0040243								beige	2							2	1							3			pa	
13.00	14.00	1.00	C0040244								orange	3							3	2										pa	
14.00	15.00	1.00	C0040245								orange	3							2	1							3			pa	
		CDN-FCM-6	C0040246																												
15.00	16.00	1.00	C0040247								beige	3							2								1			pa	
16.00	17.00	1.00	C0040248								grey	2							1											pa	
17.00	18.00	1.00	C0040249	1	0.1					vlt	orange	3							3	1										pa	
18.00	19.00	1.00	C0040250	1	0.1					vlt	grey	4							1											pv	
19.00	20.00	1.00	C0040251	0.2						dissem	orange	4							2	1										pv	
20.00	21.00	1.00	C0040252	0.2					0.1	vlt	grey	3							2	1										pv	
21.00	22.00	1.00	C0040253	0.2					0.1	vlt	grey	2							2	1										pa	
22.00	23.00	1.00	C0040254	0.5					0.1	vlt	orange	3							3	1							1			pa	
23.00	24.00	1.00	C0040255	0.1						dissem	grey	2							2	2										pa	
24.00	25.00	1.00	C0040256						0.5	vlt	black	2							1						1					pv	
25.00	26.00	1.00	C0040257	0.2					0.2	vlt	black	2							2	1										pa	
26.00	27.00	1.00	C0040258	0.2					0.1	vlt	beige	3							2			1								pv	
27.00	28.00	1.00	C0040259	0.1					0.1	vlt	beige	3							3											pv	
28.00	29.00	1.00	C0040260	0.2					0.2	vlt	orange	3							2											pa	
29.00	30.00	1.00	C0040261	0.2					0.2	dissem	orange	3							2	1					1					pa	
30.00	31.00	1.00	C0040262	0.2					0.2	dissem	orange	3							2	1					1					pa	
31.00	32.00	1.00	C0040263	0.2			0.2		0.2	mtx	orange	2							3	1					1		1			pa	
32.00	33.00	1.00	C0040264	0.1					0.1	mtx	orange	2							3			1			1		1			pv	
33.00	34.00	1.00	C0040265	0.1					0.1	vlt	grey	2											2				1			pa	
		CDN-GS-P3C	C0040266																												
34.00	35.00	1.00	C0040267	0.2			0.1		0.2	vlt	grey	2							2	1										pa	
35.00	36.00	1.00	C0040268	0.2					0.2	vlt	grey	2							2						1					pa	
36.00	37.00	1.00	C0040269	0.1					0.2	vlt	grey	2							2						1					pa	
37.00	38.00	1.00	C0040270	0.2					0.2	vlt	orange	2							3	1										pv	
38.00	39.00	1.00	C0040271	0.2					0.2	vlt	orange	2							3	1										pv	
39.00	40.00	1.00	C0040272	0.2						dissem	orange	2							3	1										pa	
40.00	41.00	1.00	C0040273	0.2		0.1			0.2	vlt	orange								3								1			pv	
41.00	42.00	1.00	C0040274	0.1		0.1				dissem	orange	1							2	1							2			pa	
42.00	43.00	1.00	C0040275	0.1					0.1	dissem	orange				2				2								1			pa	
43.00	44.00	1.00	C0040276	0.1					0.1	vlt	grey	3							1	2										pa	
44.00	45.00	1.00	C0040277	0.2					0.2	vlt	grey	3							1	1										pa	
45.00	46.00	1.00	C0040278						0.1	bleb	grey	1							2				2							pa	
46.00	47.00	1.00	C0040279	0.2					0.1	fr	orange	2							2	1										pa	

DDH-20-282 Sample, Alt, and Min interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	PO%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
47.00	48.00	1.00	C0040280								orange								4								2			pv
48.00	49.00	1.00	C0040281								orange	1							2								1			pa
49.00	50.00	1.00	C0040282								orange	1							3								1			pv
50.00	51.00	1.00	C0040283								orange								2	1										pa
51.00	52.00	1.00	C0040284						0.1	vlt	orange	2							3	2							1			pa
52.00	53.00	1.00	C0040285	0.1						dissem	grey	2							1	1							3			pv
		CDN-GS-5H	C0040286																											
53.00	54.00	1.00	C0040287	0.1					0.1	dissem	grey	2							1								3			pv
54.00	55.00	1.00	C0040288	0.1					0.1	mtx	grey	2							1								2			pv
55.00	56.00	1.00	C0040289	0.1						fr	orange								4	2							1			pv
56.00	57.00	1.00	C0040290	0.1						fr	orange								3	2							1			pv
57.00	58.00	1.00	C0040291	0.1						fr	orange	3							2	2	1						1			pa
58.00	59.00	1.00	C0040292	0.2						fr	grey	3							1	1	1									pa
59.00	60.00	1.00	C0040293	0.5						vlt	grey	2							1		1						2			pa
60.00	61.00	1.00	C0040294	0.5						vlt	grey	3							1	1	1									pa
61.00	62.00	1.00	C0040295	1						vlt	grey	3			1				1	1	1									pv
62.00	63.00	1.00	C0040296	0.2			0.2			dissem	black	2									2				1					pv
63.00	64.00	1.00	C0040297	0.1						dissem	beige	2								1	1						2			pa
64.00	65.00	1.00	C0040298						0.5	dissem	beige	1							1								3			pv
65.00	66.00	1.00	C0040299	0.1	0.1				0.2	fr	black	2									2						1			pv
66.00	67.00	1.00	C0040300	0.2						vlt	black	2									2				2	2	2			pv
67.00	68.00	1.00	C0040301	0.2						vlt	black	2									2				2	1				pv
68.00	69.00	1.00	C0040302	0.5						vlt	beige	1													1	1				pa
69.00	69.70	0.70	C0040303	0.5					0.2	fr	beige	2									2				1	1				pv
69.70	70.70	1.00	C0040304	1					1	mtx	beige	2															3			pv
70.70	71.70	1.00	C0040305	2		0.5			10	mtx	grey	2															3			pa
		CDN-GS-10D	C0040306																											
71.70	72.70	1.00	C0040307	5					5	dissem	beige																4			pv
72.70	73.70	1.00	C0040308	2					2	fr	beige																4			pv
73.70	74.70	1.00	C0040309	2					2	fr	beige																3			pv
74.70	76.00	1.30	C0040310	0.2					0.2	fr	beige																3			pv
76.00	77.00	1.00	C0040311	0.2					0.2	fr	beige	1															4			pv
77.00	78.00	1.00	C0040312						0.2	fr	beige	2															3			pa
78.00	79.50	1.50	C0040313								grey	3															1			pv
79.50	80.20	0.70	C0040314	0.2					0.1	fr	grey	3															1			pv
80.20	81.00	0.80	C0040315	0.2					0.1	fr	grey	3															1			
81.00	82.00	1.00	C0040316	0.2					0.1	fr	grey	2															3			pa
82.00	83.00	1.00	C0040317						0.2	fr	grey	1								1			1				2			pa
83.00	84.00	1.00	C0040318	0.1						dissem	beige	1											1				3			pv
84.00	85.00	1.00	C0040319								beige																3			pv
85.00	86.00	1.00	C0040320	0.2					0.2	vlt	grey																3			pv
86.00	87.00	1.00	C0040321	1					2	mtx	beige	1															3			pv
87.00	88.00	1.00	C0040322								beige																4			pv
88.00	89.00	1.00	C0040323								beige	1															3			pv
89.00	90.00	1.00	C0040324								beige																3			pv
90.00	91.00	1.00	C0040325	0.1					0.1	bl	beige																3			pv
		CDN-GS-5H	C0040326																											

DDH-20-282 Sample, Alt, and Min interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	PO%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
91.00	92.00	1.00	C0040327	0.2					0.2	mtx	beige	1															3			pv
92.00	93.00	1.00	C0040328	2					5	mtx	grey	1							1	1							3			pv
93.00	94.00	1.00	C0040329	0.2					0.2	dissem	grey	3							1	1							3			pa
94.00	95.00	1.00	C0040330	0.5					0.5	mtx	grey	2							1	1							2			pa
95.00	96.00	1.00	C0040331	0.5					0.5	mtx	grey	3							1	1							1			pv
96.00	96.80	0.80	C0040332	0.5					0.5	mtx	grey	3							1	1							1			pv
96.80	98.00	1.20	C0040333	1					1	mtx	beige	1															3			pa
98.00	99.00	1.00	C0040334	0.1					0.1	vlt	beige																2			pv
99.00	100.00	1.00	C0040335	0.2					0.2	mtx	beige																3			pv
100.00	101.00	1.00	C0040336	0.2					0.2	mtx	beige	1															3			pv
101.00	102.00	1.00	C0040337	0.2					0.2	mtx	beige	1															3			pv
102.00	103.00	1.00	C0040338	0.2					0.2	mtx	beige																2			pv
103.00	104.00	1.00	C0040339	0.2					0.2	mtx	beige																2			pv
104.00	105.20	1.20	C0040340	0.5					0.5	mtx	beige																3			pv
105.20	106.20	1.00	C0040341	2					5	mtx	grey	1															3			pv
106.20	107.20	1.00	C0040342	2					10	mtx	grey								1								3			pv
107.20	108.00	0.80	C0040343	2					10	mtx	grey								1								3			pv
108.00	109.00	1.00	C0040344	0.1					0.1	dissem	grey								3	1							3			pv
109.00	110.00	1.00	C0040345								orange								4	1							3			pv
		CDN-GS-10D	C0040346																											
110.00	111.00	1.00	C0040347	0.2					0.2	mtx	orange								3	1							3			pv
111.00	112.00	1.00	C0040348	0.2					0.2	mtx	beige	2							1								3			pa
112.00	112.70	0.70	C0040349	0.2	0.1				0.1	mtx	beige	2							1								2			pa
112.70	113.70	1.00	C0040350	0.1					0.1	dissem	grey	3							2								1			pv
113.70	114.70	1.00	C0040351	0.2						dissem	grey	3							1	1							1			pv
114.70	115.70	1.00	C0040352	0.2						dissem	grey	3							1	1							1			pv
115.70	116.70	1.00	C0040353	0.2						dissem	grey	3							1	1							1			pv
116.70	117.60	0.90	C0040354	0.2						dissem	grey	3							1	1							1			pv
117.60	118.60	1.00	C0040355	0.2	0.1				0.1	mtx	grey	1							2	1							3			pa
118.60	119.60	1.00	C0040356	0.2					0.2	mtx	grey								2	1							3			pa
119.60	120.60	1.00	C0040357	0.5					1	mtx	beige	1							1								3			pv
120.60	121.60	1.00	C0040358	2					1	mtx	beige																3			pv
121.60	122.60	1.00	C0040359	2					1	mtx	white																4			pv
122.60	123.60	1.00	C0040360	0.5					0.5	mtx	white																4			pv
123.60	124.60	1.00	C0040361	0.2					0.2	mtx	grey												1				2			pv
124.60	125.60	1.00	C0040362	0.1					0.1	mtx	grey																4			pv
125.60	127.00	1.40	C0040363	0.2					0.1	mtx	orange										1		1				4			pv
127.00	128.00	1.00	C0040364	1					1	bl	grey	3															2			pv
128.00	129.00	1.00	C0040365	2		3			2	mtx	grey	3													1		1			pv
		CDN-FCM-6	C0040366																											
129.00	130.00	1.00	C0040367	2		3			2	vlt	grey	3															1			pv
130.00	131.00	1.00	C0040368	2		3			2	vlt	grey	3															1			pv
131.00	132.00	1.00	C0040369	1		3			2	vlt	grey	3							1								1			pv
132.00	133.00	1.00	C0040370	2					3	vlt	beige								1								3			pv
133.00	134.00	1.00	C0040371	3					0.5	vlt	beige																3			pv
134.00	135.00	1.00	C0040372	1					0.5	vlt	beige										1					2	3			pv
135.00	136.00	1.00	C0040373	0.2					0.5	vlt	beige										1					1	3			pv

DDH-20-282 Sample, Alt, and Min interval data

[illegible]

Property: **Charlotte Gold**

Area: **Flex**

Client: **Taurus Gold Corp.**

Hole Id: **DDH-20-283**

Logged By: **G.Goodall**

Date Logged: **Start Sept 16, 2020**



Collar Location:					
Actual:					
	Datum:	NAD83, Zone 8			
	Easting:	386620		Azimuth:	78
	Northing:	6881870		Dip:	-73
	Elevation:	1318		Length:	234.5
Proposed:					
	CHR-20-02				
	Easting:	386616		Azimuth:	78
	Northing:	6881870		Dip:	-73
	Elevation:	1338		Length:	240

Survey Type: EZ-Trac Single Shot			
Distance	Azi	Dip	Accept
0.00	78.00	-73	YES
14.94	73.05	-73.2	YES
45.42	72.65	-73.9	YES
75.90	73.25	-74.4	YES
106.38	74.25	-74.4	YES
136.86	75.45	-74.4	YES
167.34	77.15	-74.5	YES
197.82	78.65	-74.9	YES
228.30	79.45	-75.0	YES

Drilling Information:	
Contractor:	Full Force
Core Diameter:	HQ
Start Date:	16-Sep-2020
End Date:	18-Sep-2020
Casing In:	no
Casing Capped:	
Units:	Metric

Hole Objective: NNW strike extent of hole DDH-12-280. A step out of approx. 40m

Hole Summary: The hole encountered a mixed package of gneiss and QFP from surface to 229.80 m, after which diorite continued to 234.50, the EOH. Clay alteration and silicification occurred sporadically, notably strong from 73.7 to 93.90 m. Meter-scale mineralized quartz veins (predominately pyrite, trace galena) were encountered at 148.6 m and at 193.0 m. Significant faults were intersected at 133.5 m and 146.0 m. Minor fine grained mafic intrusive material is found throughout the hole in cm-m scale dykes.

Lithology Summary			
From	To	Lith	Comment
0.00	4.30	Casing	
4.30	6.80	Subcrop	
6.80	39.00	Quartz Feldspar Porphyry	
39.00	48.20	Gneiss	
48.20	73.70	Quartz Feldspar Porphyry	
73.70	133.50	Gneiss	Altered
133.50	134.20	Fault	
134.20	138.40	Quartz Feldspar Porphyry	
138.40	143.50	Gneiss	
143.50	146.00	Mafic Dyke	
146.00	146.60	609-583-643	
146.60	158.40	Quartz Feldspar Porphyry	Mineralized
158.40	177.60	Gneiss	
177.60	193.00	Quartz Feldspar Porphyry	
193.00	196.10	Quartz Vein	Mineralized
196.10	200.00	Felsic Dyke	
200.00	229.80	Quartz Feldspar Porphyry	
229.80	234.50	Diorite	EOH

DDH-20-283 Primary and Sub lithology descriptions

From_m	To_m	SubFrom_m	SubTO_m	Width	Lith Code	Lithology	Description
0.00	4.30			4.30	CAS	Casing	Casing in overburden
4.30	6.80			2.50	SUB	Subcrop	Mixed cobbles gneiss/QFP, clay gouge. Probably not insitu
6.80	39.00			32.20	QFP	Quartz Feldspar Porphyry	Fine grained, tan brown matrix, weakly foliated. Weak-moderate fracturing ~ 40-60 tca, limonitic throughout. Rare qtz veins and qtz vein fragments, rarely visible sulphides. Rare open cavities in veins.
		33.30	37.50	4.20			Strongly oxidized, tan brown QFP with vuggy fractured qtz veins locally subparallel tca. Local bladed texture as carbonate pseudomorphs. Waxy pistachio mineral at 36.1 m.
39.00	48.20			9.20	Gn	Gneiss	Dark grey-tan brown, weakly to moderately foliated at 45 tca. Moderately-strongly oxidized, limonite on fracture surfaces and throughout matrix. Local qtz veins up to 2 cm wide. Diffuse upper contact, sharp lower contact at 70 tca
		42.60	43.60	1.00			Mafic dyke, dark grey/green, weakly magnetic
		44.70	44.71	0.01			Trace epidote along foliation
		44.71	48.90	4.19			Well foliated, 1-2 cm qtz veins following foliation
48.20	73.70			25.50	QFP	Quartz Feldspar Porphyry	Buff-tan brown, fine to medium grained, strongly limonitic, moderately fractured
		50.40	50.55	0.15			Soft tan-brown clay-rich gouge
		50.55	53.40	2.85			Strongly siliceous matrix with occasional white qtz veins. Matrix is weakly brecciated, frags aligned at 45 tca.
		53.40	53.50	0.10			Small mafic dyke
		53.50	59.60	6.10			Aphanitic to very fine highly siliceous matrix, light tan to salmon pink. Glassy clear qtz shards and pink-brown feldspar laths sub-aligned ~ 80 tca. Moderately to highly fractured
		59.60	73.70	14.10			High oxidized, locally clay-rich and with seams of clay gouge hosting large angular clasts of QFP. Rare white qtz vein frags, local boxwork texture.
73.70	133.50			59.80	Gn	Gneiss	Light to medium grey-green, very fine to medium grained matrix. Moderately to well foliated at 45 tca. Weakly to moderately fractured at 30 & 60 tca.
		73.70	78.30	4.60			Highly siliceous, upper contact sharp at 45 tca. Occasional qtz veins, trace Py along and fractures and as disseminations. Rusty dark brown alteration along fractures and 5-8 cm into matrix.
		80.00	80.50	0.50			Highly siliceous, overprints gneissic texture.
		83.80	86.20	2.40			As above, texture overprinted...possibly intrusive?
		92.00	92.40	0.40			Strongly clay altered, broken and friable. Grey-brown, weakly foliated.
		94.10	94.90	0.80			Moderately siliceous, remnant qtz veins (fractured/broken)
		95.60	95.78	0.18			Quartz vein, trace epidote
		97.30	104.80	7.50			Cm-scale qtz veins, 1 to 4 per meter parallel to foliation at 50-65 tca. White-dark grey, locally split by fractures
		112.80	112.88	0.08			Clay-rich gouge
		115.90	115.95	0.05			Epidote to 5% along foliation
		121.00	121.30	0.30			Mafic dyke, fine grained, dark green, massive, trace epidote, strongly magnetic
		126.00	133.50	7.50			Sharp upper contact marked by 5 cm grey qtz vein with 5% diss Py. Highly oxidized, tan-brown matrix. Locally less altered in patches. Moderate qtz veins throughout, 1-20 cm wide, generally white bull qtz.
133.50	134.20			0.70	FLT	Fault	Clay-chlorite gouge, crumbly and broken. Black-sulphide-rich. Sharp lower contact.

DDH-20-283 Primary and Sub lithology descriptions

From_m	To_m	SubFrom_m	SubTO_m	Width	Lith Code	Lithology	Description
134.20	138.40			4.20	QFP	Quartz Feldspar Porphyry	Tan-brown to grey-green, fine to medium matrix, moderately to highly fractured, with limonite on fractures. Qtz veins 3-7 mm wide, crosscut by dark grey narrower qtz veins. Trace-3 % diss Py throughout matrix. Subhedral 2 mm ruby red garnets near lower contact (5-10%) over 15 cm, sharp lower contact.
138.40	143.50			5.10	Gn	Gneiss	Dark green, fine grained, non-magnetic, strongly chloritic. Abundant gouge, locally slickenlines. Trace-2% coarse grained diss Py, weakly to moderately clay altered.
143.50	146.00			2.50	MD	Mafic Dyke	Dark green, very fine matrix, non-magnetic, massive and weakly fractured with hematite on fractures and locally within matrix.
146.00	146.60			0.60	FLT	Fault	Dark green-brown clay-rich gouge
146.60	158.40			11.80	QFP	Quartz Feldspar Porphyry	Light grey-buff, fine to medium matrix, locally sheared with lenses of silica and clay. Trace to 2% Py. Moderately fractured, with pyrite/limonite on fracture surfaces.
		146.60	148.60	2.00			Increase in clay and pyrite content
		148.60	150.00	1.40			Quartz vein, strongly clay-altered, highly fractured with 5 % disseminated Py and in coarse aggregates up to 5 cm. Trace galena
		154.00	154.30	0.30			Qtz-Carb vein, 6 cm wide at 20 tca, infilled with very fine pyrite to 5 %.
		154.60	154.61	0.01			Small qtz veins with up to 10% Py.
158.40	177.60			19.20	Gn	Gneiss	Medium grey-dark green matrix, very fine to fine grained, weakly fractured at 45 and 60 tca, trace to 2 % pyrite on fracture surfaces and diss within matrix. Weakly foliated at 30-50 tca. Calcite infilling fractures and in 2 cm aggregates, rare qtz veins.
		167.40	167.80	0.40			Dark green, chloritic gouge
177.60	193.00			15.40	QFP	Quartz Feldspar Porphyry	Light-medium grey-green, medium grained matrix. Chalk-white to pale green fine anhedral feldspar 18-25 % of matrix. Clear qtz eyes up to 2 mm to 5% of matrix. Weakly fractured, with trace pyrite and chlorite. Local slickensides, occasional narrow dark grey qtz veins long foliation and fracture places, typically at 30 tca. Trace-3% diss fine grained Py.
193.00	196.10			3.10	QTZ	Quartz Vein	Dark grey to black, very fine, highly fractured. Local open cavities with pyrite infilling vugs, matrix and fractures up to 15%. Moderate to high clay alteration in matrix, sharp upper and lower contacts within clay-rich rubble.
196.10	200.00			3.90	FD	Felsic Dyke	Aphanitic to very fine, medium to dark grey matrix. Highly fractured, trace carb and trace-2% pyrite on fractures.
200.00	229.80			29.80	QFP	Quartz Feldspar Porphyry	Medium grey-green, very fine matrix supporting coarse chalk white to pale green feldspar laths up to 20%. Rounded clear to opaque quartz eyes to 3 mm. Rare qtz veins 2-5 cm wide with drusy quartz-lined open cavities and pyrite aggregates. Weakly fractured, with calcite infilling hairline fractures. Trace to 1% pyrite diss through matrix.
		214.30	217.30	3.00			Fracture zone with moderate to strong clay and quartz on fractures and within matrix
		222.30	223.70	1.40			Mafic dyke. Dark green to black, very fine, weakly magnetic. Brecciated, with angular fragments supported in a siliceous matrix. Carb on fracture surfaces.
229.80	234.50			4.70	DIO	Diorite	Dark grey, medium grained matrix supporting 25% white subhedral feldspar phenocrysts. 3-5% brown biotite, weakly magnetic. Trace to 3% very fine diss Py, trace hornblende.
		232.60	232.70	0.10			10 cm gouge
	EOH						

DDH-20-283_Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn	Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn	Style	
4.30	5.00	0.70	C0040390									orange								2	3							2				pv	
5.00	6.00	1.00	C0040391									orange								2	1											pv	
6.00	7.00	1.00	C0040392									orange	1							2	2											pa	
7.00	8.00	1.00	C0040393									beige	1							2								3				pv	
8.00	9.00	1.00	C0040394									orange	1							2								3				pv	
9.00	10.00	1.00	C0040395									beige	2							2	1							3				pa	
10.00	11.00	1.00	C0040396									beige								2	1							3				pv	
11.00	12.00	1.00	C0040397									beige								2	1							3				pv	
12.00	13.00	1.00	C0040398									orange								3	1							2				pv	
13.00	14.00	1.00	C0040399									orange	1							3								2				pa	
14.00	15.00	1.00	C0040400									orange	1							3	1							2				pa	
15.00	16.00	1.00	C0040401									orange	1							3	1							2				pa	
16.00	17.00	1.00	C0040402									orange	1							3	1							2				pa	
17.00	18.00	1.00	C0040403									orange	1							3	1							2				pa	
18.00	19.00	1.00	C0040404									beige	1							2								2				pa	
		CDN-FCM-6	C0040405																														
19.00	20.00	1.00	C0040406									beige	1							1	1							3				pv	
20.00	21.00	1.00	C0040407									beige	1							1	1							3				pv	
21.00	22.00	1.00	C0040408									beige	3							2	1							1				pa	
22.00	23.00	1.00	C0040409									beige	3							2	1							1				pa	
23.00	24.00	1.00	C0040410									orange	3							3	2							1				pa	
24.00	25.00	1.00	C0040411									orange	3							3	3							1				pa	
25.00	26.00	1.00	C0040412									orange								3	2							2				pv	
26.00	27.00	1.00	C0040413									orange								3	2							2				pv	
27.00	29.00	2.00	C0040414									orange								3	1							2				pv	
29.00	30.00	1.00	C0040415									orange								3	2							2				pv	
30.00	31.00	1.00	C0040416									orange								3	2							3				pv	
31.00	32.00	1.00	C0040417									orange								3	1							3				pa	
32.00	33.00	1.00	C0040418									orange								4	2											pv	
33.00	34.00	1.00	C0040419									orange	2							3	2							2				pa	
34.00	35.00	1.00	C0040420									orange	1							3	4							1				pa	
35.00	36.00	1.00	C0040421									orange	1							3	1							2				pv	
36.00	37.00	1.00	C0040422									orange	1							3	1											pv	
37.00	38.00	1.00	C0040423									orange								3	1								1				pv
38.00	39.00	1.00	C0040424									beige								2	1								3				pv
		CDN-GS-5H	C0040425																														
39.00	40.00	1.00	C0040426									orange								3									2				pv
40.00	41.00	1.00	C0040427									beige	2							2	1								3				pa
41.00	42.00	1.00	C0040428									orange								2	1								2				pv
42.00	43.00	1.00	C0040429	0.1							dissem	grey	2							2	1								1				pa

DDH-20-283_Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn	Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn	Style
43.00	44.00	1.00	C0040430						0.1		vlt	grey	1							1	1							1				pa
44.00	45.00	1.00	C0040431									grey	2							1	1							3				pa
45.00	46.00	1.00	C0040432									grey	1							1	1											pa
46.00	47.00	1.00	C0040433									grey	2							2								2				pa
47.00	48.00	1.00	C0040434									beige								1								3				pv
48.00	49.00	1.00	C0040435									pink	1							2								2				pv
49.00	50.00	1.00	C0040436									pink	1							2								2				pv
50.00	51.00	1.00	C0040437									orange	4							2	1											pv
51.00	52.00	1.00	C0040438									beige	3							2	1							2				pa
52.00	53.00	1.00	C0040439									beige	3							2	1							2				pa
53.00	54.00	1.00	C0040440									beige	2							2	1							2				pa
54.00	55.00	1.00	C0040441						0.1		dissem	beige	3							2	1											pv
55.00	56.00	1.00	C0040442						0.1		dissem	beige	3							2												pv
56.00	57.00	1.00	C0040443									beige	4							1												pv
57.00	58.00	1.00	C0040444									beige	3							2								1				pa
		CDN-GS-10D	C0040445																													
58.00	59.00	1.00	C0040446									beige	1							2								2				pa
59.00	60.00	1.00	C0040447									orange	2							3	2							1				pa
60.00	61.00	1.00	C0040448	0.1							dissem	orange								3	2							1				pv
61.00	62.00	1.00	C0040449									orange	1							3	2							2				pv
62.00	63.00	1.00	C0040450						0.1		dissem	orange	1							4	1											pa
63.00	64.00	1.00	C0040451									orange								4	1							1				pa
64.00	65.00	1.00	C0040452	0.1							dissem	orange	1							4	1							1				pa
65.00	66.00	1.00	C0040453									orange								4	1							1				pa
66.00	67.00	1.00	C0040454		0.2						dissem	orange	2							4	1											pa
67.00	68.00	1.00	C0040455									beige								4								4				pv
68.00	69.00	1.00	C0040456	0.2							dissem	orange	2							4	1							2				pa
69.00	70.00	1.00	C0040457									orange								5	2											pv
70.00	71.00	1.00	C0040458									orange								4	2							1				pv
71.00	72.00	1.00	C0040459									orange								3	1											pv
72.00	73.00	1.00	C0040460									orange	2							3	1							1				pa
73.00	73.70	0.70	C0040461	0.5							vlt	orange	2							3	1							1				pa
73.70	75.00	1.30	C0040462	0.2							vlt	grey	2							1	1		2									pv
75.00	76.00	1.00	C0040463	0.2	0.1						vlt	grey	2							1			2									pv
76.00	77.00	1.00	C0040464	0.2	0.1						vlt	grey	2							1			2									pv
		CDN-GS-P3C	C0040465																													
77.00	78.00	1.00	C0040466	0.2	0.1			0.1			vlt	grey	2							1	1		2									pv
78.00	79.00	1.00	C0040467	0.2	0.1						vlt	grey	2							1	1		2									pv
79.00	80.00	1.00	C0040468	0.1	0.1						vlt	grey	2							1	1		2									pv
80.00	82.00	2.00	C0040469	0.1	0.1						vlt	grey	2							1	1		2			1						pv

DDH-20-283_Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
82.00	84.00	2.00	C0040470	0.2	0.1					vlt	grey	2							1	1		2	1							pv
84.00	86.00	2.00	C0040471	0.1					0.1	dissem	grey	2							2	1							2			pa
86.00	88.00	2.00	C0040472	0.1					0.1	dissem	grey	1							3	1							2			pa
88.00	90.00	2.00	C0040473	0.1					0.1	dissem	grey	1							2	1							2			pa
90.00	91.20	1.20	C0040474						0.1	dissem	grey	1							2	1										pa
91.20	92.40	1.20	C0040475		0.1				0.1	dissem	orange	1							3	1										pa
92.40	94.00	1.60	C0040476	0.1					0.1	dissem	grey	1							1			1								pv
94.00	96.00	2.00	C0040477								grey	1							1			1								pv
96.00	98.00	2.00	C0040478	0.1						dissem	grey	1							1			1					2			pv
98.00	100.00	2.00	C0040479								grey	1							1			1					2			pa
100.00	102.00	2.00	C0040480	0.1						dissem	grey	1							1			1					1			pa
102.00	104.00	2.00	C0040481	0.1						dissem	grey	1										1	1							pv
104.00	106.00	2.00	C0040482	0.1						dissem	grey	1							2	1		1					2			pa
106.00	108.00	2.00	C0040483	0.1						dissem	grey	1							1	1		1					2			pa
108.00	110.00	2.00	C0040484								grey	1							1			1					2			pv
		CDN-FCM-6	C0040485																											
110.00	112.00	2.00	C0040486	0.2						dissem	grey	1							1			1					2			pa
112.00	114.00	2.00	C0040487	0.2						dissem	grey	1							2	1		1					3			pa
114.00	116.00	2.00	C0040488	0.2						dissem	grey	1							1			2			1		2			pv
116.00	118.00	2.00	C0040489	0.2						vlt	grey	1							1	1		2								pa
118.00	120.00	2.00	C0040490	0.2						dissem	grey	1										2	1		1					pv
120.00	122.00	2.00	C0040491	0.2						dissem	grey	1							1			2					1			pv
122.00	124.00	2.00	C0040492	0.2						dissem	grey	1							1	1		2								pv
124.00	126.00	2.00	C0040493	0.2						vlt	grey	1							1			2								pv
126.00	127.00	1.00	C0040494								orange	1							3	2										pv
127.00	128.00	1.00	C0040495	0.1						dissem	orange	2							3	2										pa
128.00	129.00	1.00	C0040496	0.1						dissem	grey	1							1								1			pv
129.00	130.00	1.00	C0040497	0.5						bl	grey	1							2	3					1		3			pa
130.00	131.00	1.00	C0040498								orange	3							3								2			pa
131.00	132.00	1.00	C0040499	0.3						vlt	orange	3							3	1										pa
132.00	133.50	1.50	C0040500	0.2						vlt	orange	1							2	1							3			pa
133.50	134.20	0.70	C0040501	10						mas	grey	1							1				2				5			pv
134.20	135.20	1.00	C0040502	0.2						dissem	grey	2							1								2			pa
135.20	136.20	1.00	C0040503	0.2					0.2	dissem	beige	3							1								1			pv
136.20	137.20	1.00	C0040504	0.5					0.1	vlt	beige	1							2								2			pa
		CDN-GS-10D	C0040505																											
137.20	138.40	1.20	C0040506						0.2	vlt	grey	1								1							3			pv
138.40	140.00	1.60	C0040507								grey												3				3			pa
140.00	141.00	1.00	C0040508	0.5						vlt	grey												3				2			pv
141.00	142.00	1.00	C0040509	0.1						dissem	grey	2											2				3			pa

DDH-20-283_Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
142.00	143.50	1.50	C0040510								grey	1															3			pv
143.50	144.50	1.00	C0040511	0.2						dissem	brown									1							3			pv
144.50	146.00	1.50	C0040512	0.1						dissem	grey	1															2			pv
146.00	146.60	0.60	C0040513	0.1						dissem	beige								1								4			pv
146.60	148.00	1.40	C0040514	0.2					0.2	vlt	beige	1							1								2			pv
148.00	149.00	1.00	C0040515	1					0.5	mtx	beige	1							1				1				3			pv
149.00	150.00	1.00	C0040516	5					2	mtx	beige	3															2			pa
150.00	151.00	1.00	C0040517	0.2					0.1	dissem	beige	3															2			pv
151.00	152.00	1.00	C0040518	0.2					0.1	dissem	beige	3															2			pv
152.00	153.00	1.00	C0040519	0.2					0.1	dissem	beige	2															3			pa
153.00	154.00	1.00	C0040520	0.5					0.1	vlt	beige	3															2			pv
154.00	155.00	1.00	C0040521	2					0.2	vlt	beige	3											1				3			pa
155.00	156.00	1.00	C0040522																											
156.00	157.00	1.00	C0040523	1					0.5	mtx	beige	3												2			3			pa
157.00	158.40	1.40	C0040524	1					0.5	mtx	beige	3											2				2			pa
		CDN-GS-5H	C0040525																											
158.40	160.00	1.60	C0040526	1					0.2	vlt	beige	3											2				2			pa
160.00	161.00	1.00	C0040527	0.5					0.2	dissem	beige	3											1				2			pv
161.00	162.00	1.00	C0040528	1					0.2	vlt	beige	3											1				1			pv
162.00	163.00	1.00	C0040529	0.2					0.1	dissem	beige	3											1				2			pv
163.00	164.00	1.00	C0040530	0.1					0.1	dissem	grey	3															2			pv
164.00	165.00	1.00	C0040531	0.2					0.1	vlt	grey	3															1			pv
165.00	166.00	1.00	C0040532	0.2						vlt	grey	2											2				1			pv
166.00	167.40	1.40	C0040533	0.1						dissem	grey	2						1									2			pa
167.40	169.00	1.60	C0040534	0.1						dissem	black					1							4				2			pv
169.00	171.00	2.00	C0040535	0.2						dissem	grey												3				3			pa
171.00	173.00	2.00	C0040536	0.2						vlt	black	2											3				2			pa
173.00	175.00	2	C0040537	0.1						dissem	grey	3											2				1			pa
175.00	176.00	1	C0040538	0.2						dissem	grey					1		1					3				2			pa
176.00	177.60	1.6	C0040539	1						dissem	black							1					3				3			pa
177.60	179.00	1.4	C0040540	0.5						dissem	grey				3												3			pa
179.00	181.00	2	C0040541	0.1						dissem	grey				1								1				3			pv
181.00	183.00	2	C0040542	0.2						vlt	beige												1				3			pv
183.00	185.00	2	C0040543	0.2						vlt	beige	2															3			pa
185.00	186.00	1	C0040544	0.1	0.1				0.1	vlt	beige																3			pv
		CDN-GS-P3C	C0040545																											
186.00	187.00	1	C0040546	0.2	0.1	0.1	0.1			vlt	beige												1				3			pv
187.00	188.00	1	C0040547	0.3					0.2	vlt	beige	1								1							3			pv
188.00	189.00	1	C0040548	0.5					0.1	vlt	beige	2											1				3			pv
189.00	190.00	1	C0040549	0.3					0.1	dissem	beige												1				3			pv

DDH-20-283_Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
190.00	191.00	1	C0040550	0.2					0.1	dissem	beige																2	Mont	Ass	pv
191.00	192.00	1	C0040551	0.2					0.1	dissem	beige	1									1						2			pv
192.00	193.00	1	C0040552	0.2					0.1	vlt	beige	3									1						3			pa
193.00	194.00	1	C0040553	0.5					0.1	dissem	beige	3															3			pv
194.00	195.00	1	C0040554	0.3					0.1	dissem	grey	4															2			pv
195.00	196.00	1	C0040555	1					0.1	mtx	grey	2															3			pa
196.00	197.00	1	C0040556	0.2					0.1	dissem	grey	4															1			pv
197.00	198.00	1	C0040557	0.1						vlt	beige	3											2				2			pa
198.00	199.00	1	C0040558	0.1						dissem	black	3										3								pa
199.00	200.00	1	C0040559	0.1						dissem	black	3										3					1			pa
200.00	201.00	1	C0040560	0.1						dissem	beige	3															2			pa
201.00	202.00	1	C0040561	0.2						dissem	beige	3															2			pv
202.00	203.00	1	C0040562	2						vlt	beige	3															2			pv
203.00	204.00	1	C0040563	0.1						dissem	beige	3			1												2			pv
204.00	205.00	1	C0040564	0.1						dissem	beige	3			1												3			pa
		CDN-FCM-6	C0040565																											
205.00	207.00	2	C0040566	0.1						dissem	grey	3			1												2			pv
207.00	209.00	2	C0040567	0.1						dissem	grey	3			1												2			pv
209.00	211.00	2	C0040568	0.1						dissem	grey	3			1												2			pv
211.00	213.00	2	C0040569	0.1						dissem	grey	3			1												2			pv
213.00	215.00	2	C0040570	0.1						dissem	grey	3			1												3			pv
215.00	217.00	2	C0040571	0.1						dissem	beige	3			1			1									3			pv
217.00	219.00	2	C0040572	0.2						dissem	grey	2			1	2						2					2			pa
219.00	221.00	2	C0040573	0.1						dissem	grey	2			3	2						2								pa
221.00	223.00	2	C0040574	0.2						dissem	grey	3			1						1	1								pa
223.00	225.00	2	C0040575	0.1						dissem	beige	3										2								pa
225.00	227.00	2	C0040576	0.1						dissem	grey	3				1											1			pv
227.00	229.00	2	C0040577	0.2						dissem	grey	2				1						1					1			pv
229.00	231.00	2	C0040578	0.2						dissem	grey	1				1						1								pa
231.00	233.00	2	C0040579	0.2						dissem	grey	1				2						2								pa
233.00	234.50	1.5	C0040580	0.2						dissem	grey	1				2						2								pa
		CDN-GS-5H	C0040581																											

Property:	<u>Charlotte Gold</u>	Hole Id:	<u>DDH-20-284</u>	Logged By:	<u>G.Goodall</u>
Area:	<u>Flex</u>			Date Logged:	<u>19-Sep-2020</u>
Client:	<u>Taurus Gold Corp.</u>				



Collar Location:					
Actual:					
	Datum:	<u>NAD83, Zone 8</u>			
	Easting:	<u>386694</u>	Azimuth:	<u>78</u>	
	Northing:	<u>6881809</u>	Dip:	<u>-63</u>	
	Elevation:	<u>1306</u>	Length:	<u>179.9</u>	
Proposed:					
		CHR-20-04			
	Easting:	<u>386693</u>	Azimuth:	<u>78</u>	
	Northing:	<u>6881804</u>	Dip:	<u>-63</u>	
	Elevation:	<u>1322</u>	Length:	<u>170</u>	

Survey Type: EZ Trac Singleshot			
Distance	Azi	Dip	Accept
0.00	78.00	-63.0	YES
12.19	79.25	-63.2	YES
42.67	78.45	-63.2	YES
73.15	79.75	-63.4	YES
103.63	78.75	-63.8	YES
134.11	77.35	-63.8	YES
164.59	80.05	-63.9	YES

Drilling Information:	
Contractor:	<u>Full Force</u>
Core Diameter:	<u>HQ</u>
Start Date:	<u>18-Sep-2020</u>
End Date:	<u>19-Sep-2020</u>
Casing In:	<u>no</u>
Casing Capped:	
Units:	<u>Metric</u>

Hole Objective: Down dip extension of Central Vein area.

Lithology Summary			
From	To	Lith	Comment
0.00	2.80	Casing	
2.80	76.90	Gneiss	
76.90	78.70	Breccia	Py to 5%
78.70	80.90	Mafic Dyke	
80.90	84.10	Breccia	Py to 20%
84.10	93.70	Quartz Feldspar Porphyry	
93.70	110.30	Mafic Dyke	
110.30	133.00	Quartz Feldspar Porphyry	
133.00	133.40	Fault	
133.40	134.50	Quartz Vein	Mineralized
134.50	179.90	Feldspar Porphyry	EOH

Hole Summary: The hole collared into variably altered gneiss, continuing to 76.90 m. Here, a vein breccia was encountered to 84.10 m, mineralized with pyrite up to 20% and bisected by a m-scale mafic dyke. QFP bookending a mafic dyke continued to 133.0 m, showing minor cm-scale quartz veining and terminating in a 40 cm fault. At 133.40, dark mineralized quartz with pyrite and cm-scale black sulphide veinlets was encountered over 1.10 m. QFP continued from 134.50 to 179.90, the EOH.

DDH-2-284 Primary and sub lithology description

From	To	Sub_from_m	Sub_To_m	Width	Lith Code	Lithology	Description
0.00	2.80			2.80	CAS	Casing	Casing in overburden
2.80	76.90			74.10	Gn	Gneiss	Dark grey-green, fine to medium matrix, moderately fractured, moderately to well foliated at 35-45 tca. Locally moderate to intense limonite.
		7.40	7.55	0.15			Orange-brown clay-rich gouge, local open vuggy texture
		12.70	12.85	0.15			Clay-rich gouge, 5 cm qtz vein
		13.90	14.20	0.30			Quartz vein, moderately fractured, local boxwork texture, limonite and manganese oxide on fractures
		17.60	18.90	1.30			Highly siliceous, light grey very fine matrix, well foliated at 30 tca. Trace Py on matrix and along fractures
		19.20	24.40	5.20			Moderately fractured with strong limonite, permeates into matrix, rare 1 cm qtz veins
		25.30	26.20	0.90			Occasional qtz veins, highly fractured, limonitic, boxwork texture.
		32.00	32.30	0.30			Mafic dyke, 10% clay-rich subhedral feldspar phenocrysts
		38.90	43.70	4.80			Strong FeOx throughout matrix and on fractures. Local qtz veins, fractured up to 1 cm wide, rarely vuggy
		49.60	49.61	0.01			Qtz vein infilled with chlorite, biotite, trace epidote, trace sphalerite
		53.10	53.40	0.30			Siliceous zone with very fine grained pink feldspar
		55.80	55.95	0.15			Feldspar porphyry dyke, dark grey to black, white feldspar phenocrysts
		56.60	58.90	2.30			Strongly oxidized zone with limonite on fractures and in matrix. Trace qtz veins.
		62.80	62.81	0.01			Small aggregate of Po with qtz-carb infilling fracture
		67.10	67.16	0.06			Qtz veins, 40 tca, white and massive, sharp contacts
		67.20	68.10	0.90			Moderate to strong argillic alteration, highly fractured with FeOx and MnOx on fracture surfaces, angular qtz vein fragments
		74.10	74.15	0.05			Ruby red subhedral garnet phenocrysts to 3 mm, 10-15% of matrix
		74.80	74.95	0.15			Tan brown clay-rich gouge
76.90	78.70			1.80	BX	Breccia	Vein breccia, tan brown to dark grey very fine matrix, highly fractured with angular frags of qtz and gneiss. Local 2 - 8 cm wide clay-rich zones, limonitic, trace - 5% very fine disseminated Py
78.70	80.90			2.20	MD	Mafic Dyke	Dark green, fine, moderately fractured with limonite and calcite infilling fractures.
		80.70	80.74	0.04			Qtz-calcite vein at 80 tca.
80.90	84.10			3.20	BX	Breccia	Vein breccia as above, increased very fine pyrite content to 20%
84.10	93.70			9.60	QFP	Quartz Feldspar Porphyry	Tan brown to pink-green, medium grained, moderately fractured, trace limonite on fractures.
		84.10	86.10	2.00			Moderately siliceous, highly fractured, 3-5% disseminated very fine pyrite
93.70	110.30			16.60	MD	Mafic Dyke	Dark green, fine to medium matrix, moderately-highly chloritic, trace calcite veinlets. Locally very friable and crumbly.
		94.40	94.90	0.50			QFP dykelet, local qtz-carb veins
110.30	133.00			22.70	QFP	Quartz Feldspar Porphyry	Tan brown to light grey, very fine matrix, weakly to moderately fractured, locally brecciated. 20-30% minute white feldspar laths, 1-5% rounded clear-opaque quartz eyes. Locally foliated, with clay-rich gouge zones. Local quartz veins, brecciated with trace-1% pyrite.
		111.50	112.00	0.50			Tan brown clay rich gouge, local shears and slickensides
		112.50	112.80	0.30			Crumbly clay-rich zone, some lost core
		119.70	122.50	2.80			Brecciated qtz veins, angular fragments
		122.50	123.20	0.70			Tan brown clay-rich gouge
		128.70	130.20	1.50			Dark green, medium grained QFP, chloritic, weakly fractured. Contains 12 cm qtz vein

DDH-2-284 Primary and sub lithology description

From	To	Sub_from_m	Sub_To_m	Width	Lith Code	Lithology	Description
		130.40	130.90	0.50			Tan brown clay-rich gouge
133.00	133.40			0.40	FLT	Fault	Pale green clay-rich gouge
133.40	134.50			1.10	QTZ	Quartz Vein	Dark grey-black very fine matrix, highly fractured, narrow sulphide-rich black veinlets to 3 cm at 45 tca. Pyrite to 5% as disseminations and within veins.
134.50	179.90			45.40	FP	Feldspar Porphyry	Maroon to brown, aphanitic to fine grained matrix supporting 5-15% euhedral white feldspar phenocrysts 2-5 mm long. Highly fractured, trace disseminated fine pyrite.
		136.90	137.80	0.90			Clay-rich, green-grey gouge with small angular fragments of FP unit.
	EOH						

DDH-20-284_ Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn	Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style	
2.80	5.00	2.20	C0040582	0.1							dissem	grey	3.0										1.0					1.0			pa	
5.00	7.00	2.00	C0040583	0.1							dissem	beige	1.0								2.0	1.0		1.0				2.0			pa	
7.00	8.00	1.00	C0040584									beige									2.0	1.0						3.0			pa	
8.00	9.00	1.00	C0040585									orange									3.0	1.0						3.0			pv	
9.00	10.00	1.00	C0040586									orange	1.0								3.0							2.0			pv	
10.00	11.00	1.00	C0040587									orange	1.0								3.0	1.0						1.0			pv	
11.00	12.00	1.00	C0040588									orange	2.0			1.0					2.0	1.0						2.0			pv	
12.00	13.00	1.00	C0040589									brown	1.0								2.0	1.0			1.0			1.0			pa	
13.00	14.00	1.00	C0040590	0.1							dissem	orange	3.0								3.0			1.0				1.0			pa	
14.00	15.00	1.00	C0040591	0.1							dissem	grey	2.0								2.0			1.0				1.0			pa	
15.00	16.00	1.00	C0040592	0.1							dissem	grey	2.0								1.0			1.0							pv	
16.00	17.00	1.00	C0040593									orange	2.0								2.0							1.0			pa	
17.00	18.00	1.00	C0040594									beige	4.0								1.0	2.0			1.0						pa	
		CDN-FCM-6	C0040595																													
18.00	19.00	1.00	C0040596	0.1					0.1		vlt	grey	3.0								1.0	1.0						1.0			pv	
19.00	20.00	1.00	C0040597	0.1							vlt	grey	2.0								2.0	1.0		1.0				1.0			pa	
20.00	21.00	1.00	C0040598	0.1							dissem	orange	2.0								2.0	1.0									pa	
21.00	22.00	1.00	C0040599	0.2							dissem	orange	3.0								3.0	1.0									pv	
22.00	23.00	1.00	C0040600	0.1							dissem	orange	1.0								3.0	1.0									pv	
23.00	24.00	1.00	C0040601	0.1							dissem	orange	1.0								3.0	1.0									pv	
24.00	25.00	1.00	C0040602	0.1							dissem	orange	1.0								2.0	1.0									pa	
25.00	26.00	1.00	C0040603									orange	2.0								2.0	1.0						2.0			pa	
26.00	27.00	1.00	C0040604									orange									3.0	1.0						2.0			pv	
27.00	28.00	1.00	C0040605									grey	1.0								2.0	1.0						2.0			pa	
28.00	29.00	1.00	C0040606	0.1							dissem	grey	1.0								2.0	1.0									pa	
29.00	30.00	1.00	C0040607	0.1							dissem	orange	1.0								2.0	1.0									pa	
30.00	31.00	1.00	C0040608	0.1							dissem	orange	2.0								2.0	1.0		1.0							pa	
31.00	32.00	1.00	C0040609	0.1							dissem	grey	1.0								1.0			1.0							pa	
32.00	33.00	1.00	C0040610	0.1							dissem	grey	2.0								3.0	1.0						3.0			pa	
33.00	34.00	1.00	C0040611	0.1							dissem	grey	2.0								2.0	1.0						2.0			pa	
34.00	35.00	1.00	C0040612	0.1							dissem	grey	2.0								2.0	1.0									pa	
35.00	36.00	1.00	C0040613	0.1							dissem	orange	1.0								4.0	1.0						1.0			pv	
36.00	37.00	1.00	C0040614	0.1							dissem	orange	1.0								3.0	1.0						1.0			pa	
		CDN-GS-10D	C0040615																													
37.00	38.00	1.00	C0040616	0.2							vlt	grey	1.0								2.0			1.0							pa	
38.00	39.00	1.00	C0040617	0.2							vlt	orange	1.0								2.0	1.0			1.0						pa	
39.00	40.00	1.00	C0040618									orange	2.0								4.0	1.0		2.0				1.0			pv	
40.00	41.00	1.00	C0040619									orange									3.0	1.0						2.0			pa	
41.00	42.00	1.00	C0040620									grey	2.0								2.0	1.0						2.0			pa	
42.00	43.00	1.00	C0040621									orange									3.0	1.0						3.0			pa	
43.00	44.00	1.00	C0040622									orange	3.0								3.0	1.0			1.0						pv	
44.00	45.00	1.00	C0040623	0.1							dissem	grey	3.0								1.0			1.0							pv	
45.00	46.00	1.00	C0040624	0.1							dissem	grey	3.0								1.0	1.0		1.0							pv	
46.00	47.00	1.00	C0040625	0.2					0.1		vlt	grey	3.0								2.0	1.0		1.0							pv	
47.00	48.00	1.00	C0040626	0.1							vlt	grey	3.0								2.0	1.0									pa	
48.00	49.00	1.00	C0040627	0.1							dissem	grey	3.0								1.0			1.0				1.0			pa	
49.00	50.00	1.00	C0040628	0.1			0.1				vlt	grey	1.0								1.0			1.0		1.0					pa	

DDH-20-284_ Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
50.00	51.00	1.00	C0040629	0.5						vlt	grey	2.0							1.0			1.0			1.0					pa
51.00	52.00	1.00	C0040630	0.2						vlt	grey	3.0							1.0											pa
52.00	53.00	1.00	C0040631	0.2						vlt	grey	1.0			1.0				2.0			1.0			1.0					pa
53.00	54.00	1.00	C0040632	0.1						dissem	grey	3.0							1.0			1.0								pa
54.00	55.00	1.00	C0040633	0.1				0.1		dissem	grey	3.0							1.0				1.0							pa
55.00	56.00	1.00	C0040634	0.2				0.1		dissem	orange	4.0							3.0	1.0										pv
		CDN-GS-5H	C0040635																											
56.00	57.00	1.00	C0040636	0.2						vlt	grey	2.0							2.0			1.0					2.0			pa
57.00	58.00	1.00	C0040637	0.1						dissem	orange	2.0							3.0								2.0			pv
58.00	59.00	1.00	C0040638								orange	2.0							2.0								1.0			pv
59.00	60.00	1.00	C0040639	0.1						bl	grey	2.0							2.0								1.0			pa
60.00	61.00	1.00	C0040640	0.1						vlt	grey	2.0								1.0			1.0							pv
61.00	62.00	1.00	C0040641	0.1						dissem	grey									1.0			1.0				1.0			pv
62.00	63.00	1.00	C0040642	0.2				0.2		bl	grey	2.0								1.0			1.0							pv
63.00	64.00	1.00	C0040643								grey	2.0								1.0			1.0							pv
64.00	65.00	1.00	C0040644	0.1						dissem	grey	2.0								1.0			1.0							pv
65.00	66.00	1.00	C0040645	0.1						dissem	grey	1.0				1.0			1.0				1.0							pa
66.00	67.00	1.00	C0040646	0.1						dissem	grey	2.0							1.0						1.0					pa
67.00	68.00	1.00	C0040647	0.1				0.2		vlt	grey	1.0				1.0			2.0	1.0							4.0			pa
68.00	69.00	1.00	C0040648								grey	1.0							2.0				2.0							pa
69.00	70.00	1.00	C0040649	0.1						dissem	grey	1.0							2.0				2.0				1.0			pa
70.00	71.00	1.00	C0040650	0.2						vlt	grey								2.0	1.0			2.0				1.0			pv
71.00	72.00	1.00	C0040651								grey								3.0				1.0				2.0			pa
72.00	73.00	1.00	C0040652	0.1						dissem	grey	2.0							1.0				2.0				1.0			pa
73.00	74.00	1.00	C0040653	0.1							grey							1.0					2.0							pv
74.00	75.00	1.00	C0040654								grey	2.0				1.0			3.0	1.0			1.0							pv
		CDN-GS-P3C	C0040655																											
75.00	76.00	1.00	C0040656	0.2						dissem	brown	1.0							3.0								1.0			pv
76.00	77.00	1.00	C0040657	0.3					0.2	dissem	brown								4.0	2.0							2.0			pv
77.00	78.00	1.00	C0040658	1.0					0.2	dissem	beige	1.0							1.0								4.0			pv
78.00	78.70	0.70	C0040659	1.0		0.1			0.5	dissem	grey	1.0							2.0								2.0			pa
78.70	80.00	1.30	C0040660	0.2						vlt	black					1.0							4.0							pv
80.00	80.90	0.90	C0040661	0.1						vlt	black												4.0							pv
80.90	82.00	1.10	C0040662	0.2						dissem	grey								1.0								3.0			pv
82.00	83.00	1.00	C0040663	1.0		0.1			10.0	mtx	grey	1.0							1.0				1.0				3.0			pv
83.00	84.00	1.00	C0040664	1.0					5.0	mtx	grey	3.0							1.0	1.0							3.0			pv
84.00	85.00	1.00	C0040665	1.0					0.5	vlt	beige								2.0								2.0			pa
85.00	86.00	1.00	C0040666	0.5					0.2	vlt	grey	1.0							3.0	1.0							2.0			pv
86.00	87.00	1.00	C0040667	0.5					0.1	vlt	grey								3.0								1.0			pv
87.00	88.00	1.00	C0040668	0.5						dissem	beige	1.0							1.0								2.0			pv
88.00	89.00	1.00	C0040669	0.1						dissem	beige																3.0			pv
89.00	90.00	1.00	C0040670	0.1						dissem	beige																3.0			pv
90.00	91.10	1.10	C0040671	0.1						vlt	grey							1.0					1.0				3.0			pv
91.10	92.00	0.90	C0040672	0.1						vlt	orange								3.0	1.0							3.0			pv
92.00	93.00	1.00	C0040673	0.1						vlt	orange	1.0							3.0	1.0							2.0			pv
93.00	94.00	1.00	C0040674	0.1					0.1	vlt	beige	1.0							2.0								3.0			pv
		CDN-FCM-6	C0040675																											

DDH-20-284_ Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn	Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	ChI	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
94.00	95.00	1.00	C0040676	0.1							dissem	beige							1.0	2.0								2.0			pv
95.00	96.00	1.00	C0040677	0.2							vlt	grey	2.0							1.0				2.0				2.0			pv
96.00	98.00	2.00	C0040678	0.2							vlt	grey					1.0		1.0									3.0			pv
98.00	100.00	2.00	C0040679	0.2							bl	grey					1.0		1.0									3.0			pv
100.00	102.00	2.00	C0040680	1.0							vlt	grey							1.0	1.0				1.0				3.0			pa
102.00	104.00	2.00	C0040681	0.5							vlt	grey					1.0		1.0					2.0				1.0			pv
104.00	106.00	2.00	C0040682									grey	1.0				1.0				1.0			3.0				2.0			pv
106.00	108.00	2.00	C0040683	0.1							dissem	grey					1.0							1.0				4.0			pv
108.00	110.00	2.00	C0040684	0.2							dissem	grey					1.0							3.0				1.0			pv
110.00	111.00	1.00	C0040685	0.1							dissem	grey								1.0				1.0				3.0			pv
111.00	112.00	1.00	C0040686	0.1							dissem	orange								3.0								2.0			pv
112.00	113.00	1.00	C0040687	0.1							dissem	orange								3.0								2.0			pv
113.00	114.00	1.00	C0040688	0.1							vlt	orange								3.0	1.0			1.0				2.0			pv
114.00	115.00	1.00	C0040689	0.1							dissem	orange								3.0				1.0				2.0			pv
115.00	116.00	1.00	C0040690	0.1							dissem	orange	1.0							3.0	1.0							2.0			pa
116.00	117.00	1.00	C0040691	0.1							vlt	orange								2.0	1.0							4.0			pv
117.00	118.00	1.00	C0040692	0.1							vlt	orange								2.0				1.0				3.0			pv
118.00	119.00	1.00	C0040693	0.1							dissem	orange								3.0	1.0							2.0			pv
119.00	120.00	1.00	C0040694	3.0							vlt	orange	2.0							3.0	1.0							1.0			pa
		CDN-GS-5H	C0040695																												
120.00	121.00	1.00	C0040696	0.1							dissem	orange	4.0							3.0								1.0			pa
121.00	122.00	1.00	C0040697									beige	2.0							1.0	1.0							3.0			pa
122.00	123.00	1.00	C0040698	0.1							dissem	orange	1.0							4.0	2.0			1.0							pv
123.00	124.00	1.00	C0040699	0.2					0.1		dissem	orange	1.0							3.0								3.0			pa
124.00	125.00	1.00	C0040700	0.5					0.1		vlt	grey	2.0							2.0								2.0			pa
125.00	126.00	1.00	C0040701	0.1					0.1		dissem	orange								4.0					1.0			2.0			pv
126.00	127.00	1.00	C0040702	0.1							dissem	brown								1.0	2.0			1.0				2.0			pv
127.00	128.00	1.00	C0040703	0.5							vlt	beige	2.0							2.0	1.0							2.0			pa
128.00	129.00	1.00	C0040704	0.2							dissem	grey	1.0							2.0	1.0			3.0				2.0			pv
129.00	130.00	1.00	C0040705	0.2							dissem	grey	1.0											2.0				3.0			pv
130.00	131.00	1.00	C0040706	0.1							dissem	beige								1.0								4.0			pv
131.00	132.00	1.00	C0040707	0.2					0.2		dissem	beige								2.0								3.0			pv
132.00	133.00	1.00	C0040708	0.1							dissem	beige								2.0								3.0			pv
133.00	134.00	1.00	C0040709	2.0					0.5		mtx	grey	1.0											3.0				3.0			pa
134.00	135.00	1.00	C0040710	0.5					0.2		dissem	grey	3.0											2.0				2.0			pa
135.00	136.00	1.00	C0040711	0.5							dissem	grey	4.0															2.0			pv
136.00	137.00	1.00	C0040712	0.2							dissem	grey	3.0															2.0			pv
137.00	138.00	1.00	C0040713	0.2							dissem	grey	2.0															3.0			pv
138.00	140.00	2.00	C0040714	0.5			0.1				bl	grey	4.0								1.0							2.0			pv
		CDN-GS-P3C	C0040715																												
140.00	142.00	2.00	C0040716	0.5							dissem	grey	4.0								1.0							2.0			pv
142.00	144.00	2.00	C0040717	0.5							vlt	grey	4.0											1.0				2.0			pv
160.00	161.00	1.00	C0040718	0.3							vlt	brown	2.0								1.0							3.0			pa
161.00	162.00	1.00	C0040719	0.3							dissem	brown																3.0			pa
162.00	163.00	1.00	C0040720	10.0		0.2					mass	grey	3.0								1.0							3.0			pa
163.00	164.00	1.00	C0040721	1.0							vlt	grey	3.0															3.0			pa
164.00	165.00	1.00	C0040722	0.5							dissem	grey	2.0															3.0			pa
165.00	166.00	1.00	C0040723	0.5							dissem	grey	3.0															3.0			pa

DDH-20-284_ Sample, Min and Alt interval data

[illegible]

DDH-20-285 Primary and Sub lithology

From	To	SubFROM_m	SubTO_m	Width	Lith Code	Lithology	Description
0.00	2.80			2.80	CAS	Casing	Casing in overburden
2.80	94.95			92.15	Gn	Gneiss	Well to medium formed foliation, alteration controlled by foliation and fractures, abundant limonite and hematite near surface, felsic and mafic layers are mm to cm in thickness with biotite-rich black mafic layer and f.g. white to cream felsic layer, folding evident in patches of gneiss from tight to close angles, minor sub mm dissem py. As unit descends felsic layer of gneiss becomes grey and fine grained
		2.80	15.80	13.00			Pervasive med. to strong clay alteration of gneiss, patchy strong limonite and med-weak hematite controlled by fractures, some small vuggy qtz veins, Mn-ox on frac. Patchy silicification
		15.80	30.00	14.20			Coarser grained gneiss with slight pod-like foliation
		18.30	21.50	3.20			Limonite/ hematite, patchy selvage on fractures
		24.90	25.50	0.60			Patchy selvage hematite on fractures, with py centerline
		25.55	26.30	0.75			55 degrees contact sharp black mafic dyke pervasively altered w. medium chlorite f.g. w. minor amphibole phenos
		30.60	31.00	0.40			Well defined fol 60 degrees
		31.30	32.00	0.70			Silicified zone
		31.50	38.60	7.10			Highly altered with patchy strong silica including vugs, strong pervasive limonite, clay and patchy hematite/ Mn-ox , foliation obliterated, bxworks
		38.60	41.05	2.45			Fol returns and controls alteration (clay/limonite) 45 degree roughly
		43.10	43.50	0.40			Silicified zone with sub mm py, limonite poor, black f.g. blebs with minor similar orientation limonite fractures
		45.20	45.80	0.60			2 cm hematized halos on fractures
		53.00	54.10	1.10			Pervasive strong clay +-chl alteration, w minor ank/carb veinlets, parallel to fol 60 deg.
		54.10	54.45	0.35			Milky qtz vein w. blebs of black f.g. sulphide, ga?/asp?
		54.45	55.25	0.80			Fault w. highly altered grey clay/ limonitic rubble,
		56.80	57.10	0.30			Very clear folding in foliation, two back to back open folds with fold hinge visible in both
		57.20	60.20	3.00			Strong pervasive limonitic alteration and silicification in fractured whole core, irregular qtz veins
		60.60	60.70	0.10			Fault with chl veinlet, and strong pervasive clay alt gouge, cntc 65 degrees
		62.15	62.45	0.30			Minor fault with clay gouge
		63.60	64.10	0.50			Strongly hematite and limonite altered core with asp/py? 3mm wide Veinlets along obliterated foliation with a pervasive silicification
		67.15	68.60	1.45			Fault? highly altered pervasively to clay w, carb veinlets and broken milky qtz vein that looks parallel to fol (48 degrees)
		70.60	71.00	0.40			Highly broken zone, w, qtz vein
		71.00	73.20	2.20			Highly clay, limonite altered with carb veinlets <5mm
		82.80	84.90	2.10			Alteration pervasive clay/ chl
		86.65	87.40	0.75			Zone of py & po mineralization as stringers with qtz veinlets abundant epidote and associated silicification of core
		87.40	88.50	1.10			Pervasive chl & clay with patchy limonite & hematite after mineralized zone
		88.50	90.70	2.20			Patchy white alteration near some fractures, patches resistant to scratching, hardness less than qtz more than calcite, no fizz
		91.85	93.50	1.65			Brown clay/ chloritized zone, 35 degree fractures within
94.95	99.40			4.45	Amp	Amphibolite	Non foliated patch of f.g. amphibolite?, magnetic, dissem py, 12 deg. Upr cntc, bottom contact unclear, small sub-cm garnets disseminated
99.40	200.60			101.20	Gn	Gneiss	Foliated, grey-dark grey, mafic layer (biotite) dominant, patchy alteration of clay, silica, chlorite, and limonite/hematite on fracture surfaces, small patches show foliation wavy (highlighted by small anastomosing qtz veins), patches of less foliated rock in alteration
		100.00	100.45	0.45			3 felsic 2-10 cm dykes with mm biotite
		101.10	101.20	0.10			Fault, clay gouge with 70 degree upper cntc, and 2 cm ankerite qtz vn of similar orientation
		101.20	102.64	1.44			Anastomosing up to 1.5 cm qtz veins parallel to foliation
		103.70	106.30	2.60			Pervasive clay altered zone, with mm carb veinlets, cm qtz chl veinlets

DDH-20-285 Primary and Sub lithology

From	To	SubFROM_m	SubTO_m	Width	Lith Code	Lithology	Description
		107.30	109.15	1.85			Pervasive clay alt & gouge zone, minor fault at 107.4-107.5
		113.40	113.95	0.55			Fault, strong clay alteration, with carb veinlet on upper cntc at 70 deg.
		114.10	114.15	0.05			Qtz vein set (4) 1 cm wide similar to fol at 60 deg.
		115.30	115.40	0.10			Mineralized qtz veins 2 cm wide with blebby py at ~78 deg.
		114.15	121.00	6.85			Abundant hematite on fractures, minor limonite, silicified zone with light coloured halos on py/hematite veinlet, and vuggy qtz at 120.7, +-f.g. black sulphide?
		121.10	122.50	1.40			Silicified zone with py in black f.g. sulphide patches occurring as veinlets/ matrix in crackle breccia and limonite in fractures
		122.50	125.15	2.65			Grey clay rich rubble zone with abundant sericite, patchy silicification highlighting foliation, minor sulphides in grey matrix/veinlets
		125.15	127.35	2.20			Limonite rich, silicified zone, with abundant py, f.g. sulphide, +-asp in black patches of matrix/veinlets of crackle brecciated core, py is f.g. to euhedral <mm
		127.35	128.50	1.15			Clay rich brecciated zone with partially silicified patches and abundant py, f.g. sulphide in discrete veinlets & as matrix of breccia. +-f.g. asp
		129.12	129.30	0.18			Banded vein of f.g. qtz/carb & euhedral py/f.g. sulphide as layers with potentially crack seal texture, and vugs present
		129.80	135.80	6.00			Green grey clay strong pervasive altered zone, minor chl on fractures as slickensides, with some small qtz veins containing blebs of py, highly fractured rubble zone
		135.80	139.30	3.50			Breccia with silicified wall rock clasts, small vugs and a dark grey matrix with euhedral to f.g. py and f.g. black sulphide, clay alt in patches, broken to rubble, breccia grades from crackle breccia with aphanitic matrix to one with round clasts and clay matrix
		139.30	142.70	3.40			Green grey pervasive clay alteration with flakey clear sericite visible on broken core surfaces, foliation visible in spots, minor sulphide blebs within from f.g. to sub mm euhedral cubes
		142.70	145.70	3.00			Silicified zone with crackle texture wall rock, 3 4-5 cm wide white qtz veins with trace f.g. py blebs, vuggy texture, and patchy beige clay/ chlorite overprinted near lower end of this unit
		145.70	146.60	0.90			Breccia zone with silicified clasts angular to sub round and a matrix of clay & sulphide (aphanitic black & pyrite)
		146.60	149.05	2.45			Banded green-beige clay alteration controlled by foliation with py+f.g. sulphides veinlets parallel to fol and crosscutting, minor hematite/clay bands
		149.05	155.95	6.90			This unit starts with 2 qtz veins that are bulging lenses and coarse grained with minor py, pervasive beige clay alteration with minor veinlets-blebs of py/f.g. sulphide with minor patches of silicification, chloritized fracture surfaces, sericite flakes visible on broken core, lower contact becomes more chlorite rich, rhodochrosite veinlet
		155.95	174.70	18.75			Chlorite schist, pervasively chloritized, faulted, well foliated with mafic layer >75%, small calcite veinlets< mm along fol and crosscutting, sphalerite and pyrite in distinct patches connected to veinlets associated with chlorite blebs, faulted ~1 foot patches with lighter colour and clay rich rubble/gouge
		174.70	177.70	3.00			Crackle brecciated gneissic unit with silicified clasts and pervasive green grey clay alteration in matrix and overprint? Of core, pyrite veinlets parallel to foliation and crosscutting as breccia matrix, chloritized fault planes as slickensides
		177.70	180.60	2.90			Faulted clay rich gouge zone with silicic clasts and sericite + clay matrix, some original texture preserved, mild foliation visible, lower cntc ~50 deg. Clay is grey to beige, black material possible remnant sulphide veinlet
		180.60	181.85	1.25			Brecciated zone with green grey pervasive clay and patchy silicic alteration including black qtz matrix (f.g. sulphide + qtz)
		181.85	182.20	0.35			Ankerite /rhodochrosite / qtz / py/ sph/ ga matrix of brecciated zone, looks to be banded compositionally when looking at end of core, vuggy texture in qtz vein, possible carb/qtz outer layer with sulphide/qtz centreline, rhodochrosite vein is ~50 degrees to core, some brecciation within qtz, sulphides overprint
		182.20	191.60	9.40			Crackle brecciated gn? Unit with several episodes of faulting, clasts composed of green grey clay altered variably silicic/ clay alt country rock with matrix of black f.g. sulphide/py/ clay gouge. F.g. sulphides crosscut ankerite/ rhodochrosite/ qtz veins that are between 50-20 deg.

DDH-20-285 Primary and Sub lithology

From	To	SubFROM_m	SubTO_m	Width	Lith Code	Lithology	Description
		189.00	189.20	0.20			Ankerite vein with abundant sphalerite and very interesting textures on replacement mineralization with original wall rocks clasts? silicic with bladed qtz segmenting clast outline of inner pyrite and outer carbonate rims. Very interesting. Ankerite vein at 40 deg.
		191.60	192.90	1.30			Chlorite schist , finely foliated chlorite rich layer crosscut with mm calcite
		192.90	196.80	3.90			Brecciated zone with green grey clay alt of clasts black matrix/veinlets of f.g. sulphide , small ankerite/rhodochrosite veinlets sub cm
		196.80	200.60	3.80			Silicified/ hornfels? Black-d.grey aphanitic unit with chalcedonic qtz veins and mm carb veinlets & py veinlets with patchy green grey clay alt clay alt near rhodochrosite & qtz vein. Faulted area upper cntc 60 deg chloritized rubble zone with destroyed small py veinlet
200.60	219.50			18.90	QFP	Quartz Feldspar Pophyry	Quartz feldspar porphyry with light grey siliceous groundmass, euhedral feldspars altered to sericite, faulted upper contact to hornfels schist? With upper cntc at 70 degrees, unit altered at upper portion to quartz sericite pyrite, with small faulted/brecciated clay zones
		206.00	206.15	0.15			Fault clay altered gouge, 30 degree contact
		206.15	207.30	1.15			Small sub cm py veinlets stockwork with black qtz , some ankerite/rhodochrosite veins crosscut by these structures
		207.30	219.50	12.20			Variably patchy pervasive clay alt and euhedral qtz and feldspar laths, single qtz vein with open vuggy texture at 215.6 that contains minor sph
	EOH						

DDH-20-285 Sample, Min and alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
2.80	4.00	1.20	C004732								orange	1							3	1							3			pa
4.00	5.00	1.00	C004733								orange	1							3	1							2			pa
5.00	6.00	1.00	C004734								orange	3							3	1							3			pa
		CDN-GS-P3C	C004735																											
6.00	7.00	1.00	C004736								orange								3	1							3			pa
7.00	8.00	1.00	C004737								beige								2	3							3			pa
8.00	9.00	1.00	C004738								beige								2	2							3			pv
9.00	10.00	1.00	C004739	0.2						bl	beige	2							1	2							3			pa
10.00	11.00	1.00	C004740								beige	3							2	2							1			pa
11.00	12.00	1.00	C004741								beige	3							1	2							1			pa
12.00	13.00	1.00	C004742								orange	2							3	1										pa
13.00	14.00	1.00	C004743								orange	1							3	1							1			pa
14.00	15.00	1.00	C004744								beige								3	1							1			pa
15.00	16.00	1.00	C004745								beige	2							1	2							2			pa
16.00	17.00	1.00	C004746								grey	2							3	1		1								pa
17.00	18.00	1.00	C004747	0.2						vlt	grey	2							3	1	2	1	1			1				pa
18.00	19.00	1.00	C004748								grey								3	2		1				1				pa
19.00	20.00	1.00	C004749								grey	2							2	1	2									pa
20.00	21.00	1.00	C004750								orange	2							3	1			3							pa
21.00	22.00	1.00	C004751	0.1						dissem	brown	2							3	1		1					2			pa
22.00	23.00	1.00	C004752	0.1						dissem	brown	3							1	1		1					1			pa
23.00	24.00	1.00	C004753	0.2						dissem	brown	3							2			1								pa
24.00	25.00	1.00	C004754	0.2						vlt	orange	3							3	1		1					1			pa
		CDN-GS-5H	C004755																											
25.00	26.00	1.00	C004756	0.2						vlt	grey	2							1				2				1			pv
26.00	27.00	1.00	C004757	0.1						dissem	orange	2							3	1		1	2							pa
27.00	28.00	1.00	C004758	0.2						dissem	orange	3							2		2									pa
28.00	29.00	1.00	C004759	0.2						dissem	grey	3							2		2		2				1			pa
29.00	30.00	1.00	C004760	0.1						dissem	orange	2							2	1										pa
30.00	31.00	1.00	C004761	0.2						dissem	grey	3							1	1										pa
31.00	32.00	1.00	C004762	0.1						dissem	orange	3							3	1							1			pa
32.00	33.00	1.00	C004763	0.5						vlt	brown	3							2	2							1			pa
33.00	34.00	1.00	C004764	0.1						dissem	orange	1							4	1							2			pa
34.00	35.00	1.00	C004765	0.1						dissem	orange	4							3	1							1			pv
35.00	36.00	1.00	C004766	0.1						dissem	orange	2							3	2							3			pa
36.00	37.00	1.00	C004767								orange	2							3	2							2			pa
37.00	38.00	1.00	C004768								orange	3							3	2							2			pa
38.00	39.00	1.00	C004769								orange	2							3	2							3			pa

DDH-20-285 Sample, Min and alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
39.00	40.00	1.00	C004770								orange	1							2								2			pv
40.00	41.00	1.00	C004771								orange	1							3	1							2			pv
41.00	42.00	1.00	C004772								orange								3	1							2			pv
42.00	43.00	1.00	C004773								orange	2							3	1							2			pv
43.00	44.00	1.00	C004774								orange	3							3								2			pa
		CDN-FCM-6	C004775																											
44.00	45.00	1.00	C004776								beige	1							2	1							3			pa
45.00	46.00	1.00	C004777								beige	1							1	2							3			pa
46.00	47.00	1.00	C004778								orange	2							3	1							2			pa
47.00	48.00	1.00	C004779								grey	3							1	1			2				2			pa
48.00	49.00	1.00	C004780	0.1						dissem	beige	1							2	1							2			pa
49.00	50.00	1.00	C004781								beige	3							2	1							2			pa
50.00	51.00	1.00	C004782	0.2						bl	grey	1							2	1							3			pa
51.00	52.00	1.00	C004783								orange								3	1							3			pa
52.00	53.00	1.00	C004784	0.1						dissem	grey	3							3	1							3			pa
53.00	54.00	1.00	C004785	0.1	0.1					dissem	grey							1	1				3				3			pv
54.00	55.50	1.50	C004786		0.1					dissem	orange	3			1				2				2				2			pa
55.50	57.00	1.50	C004787	0.1						dissem	grey	3							2											pa
57.00	58.00	1.00	C004788								orange	2							3								3			pa
58.00	59.00	1.00	C004789								orange	3							3	1							3			pa
59.00	60.00	1.00	C004790	0.1	0.1					dissem	orange	3							3	1										pa
60.00	61.00	1.00	C004791								grey	2							1				3				3			pa
61.00	62.00	1.00	C004792	0.2						vlt	grey												3				3			pv
62.00	63.00	1.00	C004793								brown	1							2	1							2			pv
63.00	64.00	1.00	C004794	0.2	0.5					vlt	brown	3							4	2							2			pa
		CDN-GS-P3C	C004795																											
64.00	65.00	1.00	C004796	0.2	0.2					vlt	orange	2							3	1							2			pa
65.00	66.00	1.00	C004797								orange	3							4								2			pv
66.00	67.00	1.00	C004798								grey	2							1				2				3			pa
67.00	68.00	1.00	C004799								brown	2				1			1								4			pv
68.00	69.00	1.00	C004800	0.2						bl	grey	2				1							2				3			pv
69.00	70.00	1.00	C004801								grey	4				1							2							pa
70.00	71.00	1.00	C004802	0.1						dissem	brown												2				3			pv
71.00	72.00	1.00	C004803	0.1						dissem	brown				1	1			1				1				3			pv
72.00	73.00	1.00	C004804	0.2						bl	brown					1			1				1				3			pv
73.00	75.00	2.00	C004805	0.5			0.1			vlt	grey	3							2	1			2		2		1			pv
75.00	77.00	2.00	C004806	0.2						vlt	grey	3							1				1		2					pv
77.00	79.00	2.00	C004807					0.2	0.1	bl	grey	3				1									1					pv

DDH-20-285 Sample, Min and alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
79.00	81.00	2.00	C004808	0.2				0.5		bl	grey	3							1				2		1					pv
81.00	83.00	2.00	C004809	0.2				0.2		bl	grey	3							1				2							pv
83.00	85.00	2.00	C004810								grey	1							1								3			pv
85.00	87.00	2.00	C004811	2				0.5		vlt	grey	3								1					3		2			pa
87.00	89.00	2.00	C004812	0.2						bl	grey	2							1	1			1		2		2			pa
89.00	91.00	2.00	C004813								grey									1			2				2			pv
91.00	93.00	2.00	C004814								grey	2							1	1			2				3			pa
		CDN-GS-5H	C004815																											
93.00	95.00	2.00	C004816	0.1				0.1		bl	grey	3							1	1			2				3			pa
95.00	97.00	2.00	C004817	0.2						bl	grey					1			1	1		1	2				2			pv
97.00	99.00	2.00	C004818	0.5						dissem	grey					1						1	2				2			pv
99.00	101.00	2.00	C004819	0.5						dissem	grey					1							1				3			pv
101.00	103.00	2.00	C004820	0.2						dissem	grey	3											2				2			pa
103.00	104.00	1.00	C004821	0.1						dissem	grey					1				1			2				3			pv
104.00	105.00	1.00	C004822								grey					1			1	1							3			pv
105.00	106.00	1.00	C004823	0.1						dissem	grey	2				1											3			pa
106.00	107.00	1.00	C004824								grey	1				1							2		1					pv
107.00	108.00	1.00	C004825	0.1						dissem	grey	3							1	1			1				4			pa
108.00	109.00	1	C004826								grey	2				1			1	1							3			pa
109.00	110.00	1	C004827								grey	2							2	1					1		2			pa
110.00	111.00	1	C004828	0.1						dissem	grey	2				1			1	1					2					pa
111.00	112.00	1	C004829								grey	2				1							2				2			pa
112.00	113.00	1	C004830								grey	2				1			1	1					1		3			pa
113.00	114.00	1	C004831	0.2						vlt	grey	1				2							1				3			pa
114.00	115.00	1	C004832								grey	2							2											pa
115.00	116.00	1	C004833	0.5						vlt	grey	2				1			2	1					1					pa
116.00	117.00	1	C004834	0.2						dissem	grey	2				1			1						1		2			pa
		CDN-FCM-6	C004835																											
117.00	118.00	1	C004836								grey	2							1	1										pa
118.00	119.00	1	C004837								grey	2				1			1	1			1							pa
119.00	120.00	1	C004838	0.1						dissem	grey	2								2							1			pv
120.00	121.00	1	C004839	1					0.5	mtx	grey	3							2	2							2			pa
121.00	122.00	1	C004840	1					1	mtx	beige	3			1				1								3			pa
122.00	123.00	1	C004841	0.5					0.5	mtx	grey	3			1				2	1							3			pa
123.00	124.00	1	C004842								grey	3			1												3			pa
124.00	125.00	1	C004843	0.2					0.2	mtx	grey				2												3			pv
125.00	126.00	1	C004844	0.5					0.5	mtx	grey	2			3				2								2			pa
126.00	127.00	1	C004845	0.5	0.1				0.5	mtx	orange	3			1				3	1										pv

DDH-20-285 Sample, Min and alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn	Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
127.00	128.00	1	C004846	2	0.1				0.5	mtx		grey	2			1				2								3			pa
128.00	129.00	1	C004847	1	0.2				1	vlt		grey	2															2			pv
129.00	130.00	1	C004848	2					5	vlt		grey	2				2							1				1			pa
130.00	131.00	1	C004849									grey	1											1				3			pv
131.00	132.00	1	C004850	0.2						vlt		grey												1				3			pv
132.00	133.00	1	C004851									grey												1				3			pv
133.00	134.00	1	C004852									grey	2															3			pa
134.00	135.50	1.5	C004853	0.5					0.5	mtx		grey	3															2			pa
135.50	136.50	1	C004854	1					2	mtx		grey	2															3			pa
		CDN-GS-10D	C004855																												
136.50	137.50	1	C004856	0.5					1	mtx		grey	3															2			pa
137.50	138.50	1	C004857	3					5	mtx		grey	2															4			pa
138.50	139.30	0.8	C004858	5	5				10	mas		black	4															2			pa
139.30	140.50	1.2	C004859	0.2						dissem		beige				1												3			pv
140.50	141.50	1	C004860	0.2						dissem		beige				1												3			pv
141.50	142.50	1	C004861	0.2						dissem		beige				1												3			pv
142.50	143.00	0.5	C004862									grey	3			1												2			pa
143.00	144.00	1	C004863	0.2						vlt		grey	3			1												1			pv
144.00	145.00	1	C004864	0.1						vlt		grey	3			1												2			pv
145.00	146.00	1	C004865	0.2					0.2	mtx		grey	3															2			pv
146.00	147.00	1	C004866	0.5	0.1				1	mtx		beige	3															3			pa
147.00	148.00	1	C004867	0.2					0.1	mtx		beige																3			pa
148.00	149.00	1	C004868	0.2					0.1	vlt		beige								1				2				3			pa
149.00	150.00	1	C004869	0.5					0.5	mtx		beige												1				3			pv
150.00	151.00	1	C004870	0.2					0.2	mtx		beige												1				4			pv
151.00	152.00	1	C004871	0.2					0.2	vlt		beige	2															3			pa
152.00	153.00	1	C004872	0.2					0.2	dissem		beige	2											2				3			pa
153.00	154.00	1	C004873	0.2					0.2	vlt		beige				3								1				2			pa
154.00	155.00	1	C004874									beige	2			2								1				3			pa
		CDN-GS-P3C	C004875																												
155.00	156.00	1	C004876	0.2						vlt		beige	2							1				2				3			pa
156.00	157.00	1	C004877	0.5				0.2		bleb		black	3				1							2				2			pv
157.00	159.00	2	C004878	0.2						dissem		black	3				1							4							pv
159.00	161.00	2	C004879	0.5			0.2			vlt		black	3				1							4		2		2			pa
161.00	163.00	2	C004880	0.5			0.2			vlt		black	2				2							4		2		2			pa
163.00	165.00	2	C004881	2						dissem		black					1							3				3			pv
165.00	167.00	2	C004882	2						dissem		black					1							3				3			pv
167.00	169.00	2	C004883	0.2						dissem		grey					2							3				3			pa

DDH-20-285 Sample, Min and alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
169.00	171.00	2	C004884	0.5					0.1	dissem	grey	2											3				3			pa
171.00	173.00	2	C004885	0.5					0.1	dissem	grey	2											3				3			pa
173.00	175.00	2	C004886	1					0.1	vlt	grey	2											2				3			pa
175.00	177.00	2	C004887	1					0.1	vlt	grey	2											2				3			pa
177.00	178.00	1	C004888	0.1					0.1	vlt	grey	3			2												2			pv
178.00	179.00	1	C004889	0.1					0.1	vlt	grey				3												3			pv
179.00	180.00	1	C004890	0.1					0.1	vlt	grey	1			2												2			pv
180.00	181.00	1	C004891	0.1					0.2	vlt	beige	1											1				3			pa
181.00	182.00	1	C004892	0.5		0.3	0.3		0.1	mtx	grey	1				2							1				2			pa
182.00	183.00	1	C004893	0.5		0.3	0.3		0.1	mtx	beige	3				2							1				2			pa
183.00	184.00	1	C004894	0.2		0.1			0.1	mtx	beige	2				2							1				1			pv
		CDN-GS-5H	C004895																											
184.00	185.00	1	C004896	1			0.2		0.1	mtx	beige	3				1							1				2			pv
185.00	186.00	1	C004897	1			0.2		0.1	mtx	beige	1						3									3			pv
186.00	187.00	1	C004898	2					0.1		beige	1						3									3			pv
187.00	188.00	1	C004899	0.5		0.3	0.2		0.1	mtx	beige	1				1											3			pv
188.00	189.00	1	C004900	0.5					0.1	mtx	beige												1				3			pv
189.00	190.00	1	C004901	0.2		0.1	0.5			mtx	grey	1						4									2			pa
190.00	191.00	1	C004902	1		0.2				mtx	beige	1															3			pa
191.00	192.00	1	C004903	0.5						mtx	grey	1											3				3			pa
192.00	193.00	1	C004904	0.5						dissem	black	2				1							3							pa
193.00	194.00	1	C004905	0.5						mtx	beige	2						1					1				3			pa
194.00	195.00	1	C004906	0.2						mtx	beige	2															3			pa
195.00	196.00	1	C004907	0.1						dissem	beige	2															3			pa
196.00	198.00	2	C004908	0.2						vlt	black	2				1							3				2			pa
198.00	200.00	2	C004909	0.2						vlt	black	1				1							2				3			pa
200.00	202.00	2	C004910	0.2						dissem	grey	4											2				2			pa
202.00	204.00	2	C004911	0.2						dissem	grey	4															2			pv
204.00	206.00	2	C004912	0.2						dissem	grey	4								1			1				2			pv
206.00	207.00	1	C004913	0.5						mtx	grey	4				1		2									2			pa
207.00	208.00	1	C004914	0.5						mtx	grey	3															1			pa
		CDN-FCM-6	C004915																											
208.00	209.00	1	C004916	0.1						dissem	grey	3				1		1									3			pv
209.00	210.40	1.4	C004917	0.1						dissem	beige	3															2			pv
210.40	213.40	3	C004918	0.1						dissem	grey	3											1				2			pv
213.40	216.50	3.1	C004919	0.3			0.1			vlt	grey	3															2			pv
216.50	219.50	3	C004920	0.2						dissem	grey	3															2			pa

Property: **Charlotte Gold**
Area: **Flex**
Client: **Taurus Gold Corp.**

Hole Id: **DDH-20-286**

Logged By: **G.Goodall**
Date Logged: **Start Sept 21, 2020**



Collar Location:			
Actual:			
Datum:	NAD83, Zone 8		
Easting:	386576	Azimuth:	79
Northing:	6881820	Dip:	-67
Elevation:	1298	Length:	274.4
collar measured by averaging GPS for 3 minutes			
Proposed:			
	CHR-20-09		
Easting:	386574	Azimuth:	78
Northing:	6881815	Dip:	-66
Elevation:	1317	Length:	275

Survey Type: Eztrac Single Shot			
Distance	Azi	Dip	Accept
0.00	79.00	-67.00	YES
15.24	76.55	-66.40	YES
45.72	76.55	-66.70	YES
76.20	77.95	-66.90	YES
106.68	78.65	-67.10	YES
137.16	79.15	-67.30	YES
167.64	80.45	-67.30	YES
198.12	80.95	-67.30	YES
228.60	81.10	-67.30	YES
259.08	83.35	-67.20	YES

Drilling Information:	
Contractor:	Full Force
Core Diameter:	HQ
Start Date:	21-Sep-2020
End Date:	22-Sep-2020
Casing In:	No
Casing Capped:	
Units:	Metric

Hole Objective: Down plunge extension of hole DDH-12-280. A stepout of approx. 55 m

Hole Summary: The hole intersected a mixed package of intrusives and gneiss, with variable local clay or chlorite alteration, downhole to 215.0 m. Here, a mineralized QFP and quartz breccia was encountered with locally up to 7% fine sulphides and rare galena within the matrix and clasts, continuing to 233.60 m. QFP runs from 233.6 to 246.3 (the end of sampling), after which alternating unremarkable mafic dykes and QFP continue to the EOH at 274.4 m.

Lithology Summary			
From	To	Lith	Comment
0.00	3.00	Casing	
3.00	37.90	Quartz Feldspar Porphyry	
37.90	58.10	Feldspar Porphyry	
58.10	112.00	Gneiss	
112.00	116.20	Mafic Dyke	
116.20	132.70	Gneiss	
132.70	136.70	Feldspar Porphyry	
136.70	145.90	Mafic Dyke	
145.90	187.00	Gneiss	
187.00	189.90	Felsic Dyke	
189.90	215.00	Gneiss	
215.00	233.60	Breccia	Mineralized
233.60	246.30	Quartz Feldspar Porphyry	
246.30	250.00	Mafic Dyke	
250.00	252.00	Fault	
252.00	264.60	Quartz Feldspar Porphyry	
264.60	267.90	Mafic Dyke	
267.90	274.40	Quartz Feldspar Porphyry	EOH

DDH-20-286 Primary and sub lithology description

From	To	Subinterval From	Subinterval To	Width	Lith Code	Lithology	Description
0.00	3.00			3.00	CAS	Casing	Casing in overburden
3.00	37.90			34.90	QFP	Quartz Feldspar Porphyry	Light grey to tan brown, fine to medium matrix. 5-15% white to light brown feldspar phenocrysts, opaque quartz grains generally less than 1 mm. Local small aggregates of pyrite.
		3.80	21.30	17.50			Patchy strong clay-rich matrix, very soft. Moderate to strong MnOx on fractures and vein filling, dendritic texture common. Overall rubbly core
		32.00	32.02	0.02			Narrow vuggy qtz vein
		33.50	36.80	3.30			Abundant qtz veins 1 - 3 cm wide, white, fine grained, 5 - 20 degrees tca, local aggregates of fine pyrite to 2 cm.
37.90	58.10			20.20	FP	Feldspar Porphyry	Light grey to tan brown, very fine matrix supporting grey to white sub-euhedral feldspar phenocrysts to 5 mm. Locally subaligned at 60 tca. Trace very fine pyrite, trace dark green very fine amphibole.
		40.80	43.00	2.20			Strongly oxidized, weakly fractured with dendritic MnOx coating and 2 cm into porphyry.
		42.40	42.42	0.02			Open fracture, partially infilled with euhedral qtz and MnOx
		43.10	43.11	0.01			Qtz-Py vein, at 45 tca
		52.70	53.10	0.40			Fragmental qtz vein
		54.70	55.60	0.90			Fragmental qtz vein, fractured
58.10	112.00			53.90	Gn	Gneiss	Medium to dark grey, very fine to fine grained matrix, tan brown matrix where oxidized, moderately foliated 1 mm lamellae of felsic and mafic composition, not always distinct, at 80 degrees tca, alternating. Moderately fractured with MnOx and limonite on fractures at 60, 45, 15 tca. Bands of clear to white silica 1-6 mm wide parallel to foliation, trace to 1% very fine pyrite disseminated in matrix
		69.10	69.11	0.01			Qtz-Py vein, at 15 tca
		69.90	70.30	0.40			Dark brown clay-rich gouge
		77.30	77.38	0.08			Qtz vein, highly fractured, no visible sulphides
		81.50	82.60	1.10			Qtz vein, diffuse contacts, highly fractured and brecciated, healed with black siliceous matrix. Subangular-subround fragments of qtz and FP 2 - 4 cm. Trace disseminated fine pyrite.
		89.80	91.70	1.90			Well foliated gneiss with highly siliceous matrix, weakly magnetic. 5-15 mm aggregates of hornblende, local strong sericite on fractures and within matrix.
		96.10	98.10	2.00			Strong MnOx on fractures and in matrix
		99.70	99.90	0.20			Strong sericite
		101.30	101.90	0.60			Dark green, brown clay-rich matrix, local gouge
		102.10	102.20	0.10			Qtz vein, highly fractured, lower 5 cm contains ruby red garnet to 10%, 2-5 mm diameter.
		102.80	110.70	7.90			Weakly foliated at 40-60 tca. Locally fractured normal to foliation, local narrow qtz veins
		110.90	111.80	0.90			Qtz vein, white to clear, chalcedonic to fine grained. Highly fractured, limonitic fractures
112.00	116.20			4.20	MD	Mafic Dyke	Dark green, fine grained, weakly magnetic matrix. Weakly foliated at 45-70 tca, local clear qtz veins. Sharp upper and lower contacts at 60 tca.
116.20	132.70			16.50	Gn	Gneiss	Tan to dark brown (where oxidized), medium to dark green on fresh surfaces. Poorly foliated at 20-45 tca, occasional qtz veins and qtz vein fragments
		119.00	119.30	0.30			Breccia with fragments of QFP in healed siliceous matrix, indistinct fractured contacts
		128.60	131.50	2.90			Qtz veins, clear to off-white, high fractured, limonitic. Locally brecciated, local 1-3 cm aggregates of fine pyrite. Local tan-brown clay gouge
132.70	136.70			4.00	FP	Feldspar Porphyry	Medium to dark grey, fine matrix with medium-coarse white feldspar phenocrysts to 20%. Weak to moderately foliated at 45 tca, weakly fractured. Trace to 5 % dark green fine amphibole, rare aggregates of Py to 2 cm.
		136.10	136.22	0.12			White qtz vein
136.70	145.90			9.20	MD	Mafic Dyke	Dark green, fine grained, weakly calcareous, locally weakly magnetic. Weakly oxidized with limonite on fractures, moderately fractured at 20-30 tca. Trace calcite on fractures, rare epidote
		138.00	138.40	0.40			Diorite dyke, white to light grey, fine matrix, 3-8% dark green amphibole, sharp upper/lower contacts at 80 tca
		140.80	141.10	0.30			Limonitic mafic unit with 5-8% medium grained sericite

DDH-20-286 Primary and sub lithology description

From	To	Subinterval From	Subinterval To	Width	Lith Code	Lithology	Description
		145.10	145.90	0.80			Feldspar porphyry dyke, dark green matrix supporting coarse white feldspar phenocrysts; subhedral to 5 mm. Diffuse upper contact, gradational lower contact with coarse grained red garnet to 10%. 40 cm fractured quartz vein with trace disseminated Py
145.90	187.00			41.10	Gn	Gneiss	Dark green, fine matrix, very weakly magnetic, thin 1 mm lamella generally at 45 tca, rare folds evident, weakly fractured, limonite on fracture surfaces
		151.80	151.95	0.15			Highly fractured qtz vein
		155.60	155.80	0.20			Qtz breccia with gneiss/qtz fragments
		156.00	156.90	0.90			Fractured, chloritic, qtz-carb veinlets on fracture surfaces, trace gouge
		167.70	168.00	0.30			Chloritic gouge with 5 cm qtz vein
		168.40	168.45	0.05			Aggregate of pyrite infilling fracture
		168.80	169.05	0.25			White qtz vein, highly fractures, upper contact at 15 tca
		169.10	170.90	1.80			Gouge, dark green, fine grained, highly friable, chlorite rich. Remnant foliation and qtz veins evident
		172.20	175.00	2.80			Highly fractured gneiss with qtz-carb veinlets, locally brecciated and healed with calcite. Trace-2% Py disseminated and in veinlets
		178.90	187.00	8.10			Chloritic gouge, very crumbly, unconsolidated, locally clay-rich. Rare calcite veinlets. Shearing and slickensides evident
187.00	189.90			2.90	FD	Felsic Dyke	Light grey, fine grained. Soft and clay-rich, brecciated with angular fragments of possible QFP. Trace Py in matrix. Cm-scale qtz veins with vuggy open cavities, trace pyrite.
189.90	215.00			25.10	Gn	Gneiss	As above. Highly chloritic, locally sheared, rare broken qtz fragments. Trace-3% very fine to fine pyrite disseminated in matrix and infilling fractures.
215.00	233.60			18.60	Bx	Breccia	Light to medium grey, medium grained non-calcareous matrix supporting rounded to subangular QFP fragments. 3-5% fine grained pyrite disseminated in matrix and with fragments. Sharp upper contact with chlorite gouge, lower contact sharp at 45 tca.
		224.70	227.30	2.60			Brecciated fragments predominately maroon colored feldspar porphyry with phenocrysts and shards of feldspar/qtz in matrix.
		227.30	233.60	6.30			Vein breccia - light to medium grey, very fine matrix, moderately siliceous. Subangular to angular fragments of quartz vein and lesser QFP. Pyrite up to 7% disseminated/interstitial to fragments and in large aggregates to 8 cm in matrix. Weakly to moderately fractured at 45 tca. 1-3 cm bands of pyrite locally infill fractures. Rare galena at 227.4
233.60	246.30			12.70	QFP	Quartz Feldspar Porphyry	Off white to light grey, aphanitic to very fine matrix. 5-15% subhedral-euhedral white feldspar laths to 5 mm, subrounded clear-grey qtz phenocrysts. Weakly to moderately fractured, calcite along fractures surfaces locally. Trace disseminated pyrite
		237.30	237.35	0.05			Qtz vein with 3 cm band of pyrite and hematite
		241.90	242.00	0.10			Felds laths have green color, possible epidote alteration
		246.00	246.00	0.00			End of sampling, hole continues
246.30	250.00			3.70	MD	Mafic Dyke	Dark green, very fine, moderately fractured with chlorite on fractures
250.00	252.00			2.00	Flt	Fault	Gouge, light to dark green, chlorite/clay rich
252.00	264.60			12.60	QFP	Quartz Feldspar Porphyry	As from 233.6 - 246.3
264.60	267.90			3.30	MD	Mafic Dyke	As from 246.3 - 250.0
267.90	274.40			6.50	QFP	Quartz Feldspar Porphyry	As from 252.0 - 264.6

DDH-20-286 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
3.00	6.00	3.00	C0040917								grey							1	2								2			pa
6.00	7.00	1.00	C0040918								beige								1								3			pv
7.00	8.00	1.00	C0040919	0.1						dissem	beige								1								3			pv
8.00	9.00	1.00	C0040920	0.5						bleb	orange	2							2	1							3			pa
9.00	10.00	1.00	C0040921	0.2						dissem	beige	2						1					2				2			pa
10.00	11.00	1.00	C0040922	0.1						dissem	orange								4								3			pv
11.00	12.00	1.00	C0040923	0.2						dissem	beige	3							2	1							1			pv
12.00	13.00	1.00	C0040924								beige								3				2				2			pa
13.00	14.00	1.00	C0040925	0.1						dissem	orange								3								3			pv
14.00	15.00	1.00	C0040926								orange								3	1			2				2			pv
15.00	16.00	1.00	C0040927								orange								2				2				2			pa
16.00	17.00	1.00	C0040928								orange	1							2								2			pa
17.00	18.00	1.00	C0040929	0.1						dissem	orange								3	1							2			pa
		CDN-GS-10D	C0040930																											
18.00	19.00	1.00	C0040931								orange	2							3	1							3			pa
19.00	20.00	1.00	C0040932	0.1						dissem	orange								3	1							2			pv
20.00	21.00	1.00	C0040933								orange	2							3	1							2			pa
21.00	22.00	1.00	C0040934								orange								3	1							2			pa
22.00	23.00	1.00	C0040935								orange								3	1							2			pa
23.00	24.00	1.00	C0040936	0.1						dissem	orange								3	1							2			pv
24.00	25.00	1.00	C0040937								orange								3	1							2			pv
25.00	26.00	1.00	C0040938								beige								3	1							2			pa
26.00	27.00	1.00	C0040939								orange								3	1							2			pv
27.00	28.00	1.00	C0040940								orange								3	1							2			pv
28.00	29.00	1.00	C0040941								orange								3	1							2			pv
29.00	30.00	1.00	C0040942	0.1						dissem	orange	1							3											pv
30.00	31.00	1.00	C0040943								orange								3								2			pa
31.00	32.00	1.00	C0040944								orange								3								1			pv
32.00	33.00	1.00	C0040945								orange	2							3	2										pa
33.00	34.00	1.00	C0040946	0.2						dissem	orange	3							3	2										pa
34.00	35.00	1.00	C0040947	0.5					0.1	bl	orange	3							2	2							1			pa
35.00	36.00	1.00	C0040948	0.2						bl	orange	2							3	1							1			pa
36.00	37.00	1.00	C0040949	0.5						bl	orange	3							3	1							1			pa
		CDN-FCM-6	C0040950																											
37.00	38.00	1.00	C0040951	0.5						bl	orange	3							3	1							2			pa
38.00	39.00	1.00	C0040952	0.2						vlt	beige	4							2								1			pv
39.00	40.00	1.00	C0040953	0.2						vlt	grey	4							2								1			pv
40.00	41.00	1.00	C0040954	0.2						dissem	grey	4							2											pv
41.00	42.00	1.00	C0040955								orange	4							3								1			pv
42.00	43.00	1.00	C0040956								orange	1							3								2			pa
43.00	44.00	1.00	C0040957	0.2						vlt	orange	2				1			3								2			pa
44.00	45.00	1.00	C0040958								orange	2							2	2							3			pa
45.00	46.00	1.00	C0040959	0.1						dissem	beige	3							3	1							2			pa
46.00	47.00	1.00	C0040960								beige	2							3								4			pa
47.00	48.00	1.00	C0040961	0.2					0.1	vlt	grey	4							2											pv
48.00	49.00	1.00	C0040962	0.1						vlt	grey	4							2	1										pv
49.00	50.00	1.00	C0040963	0.2						dissem	grey	4							1											pv
50.00	51.00	1.00	C0040964	0.2						dissem	grey	4							2											pv

DDH-20-286 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
51.00	52.00	1.00	C0040965								orange	4							2											pv
52.00	53.00	1.00	C0040966						0.1	dissem	orange	2							3								2			pa
53.00	54.00	1.00	C0040967								orange	3							3	1							2			pa
54.00	55.00	1.00	C0040968								orange	3							3	1										pv
55.00	56.00	1.00	C0040969								orange	3							4											pv
		CDN-GS-P3C	C0040970																											
56.00	57.00	1.00	C0040971	0.2						dissem	orange	2							3	2										pv
57.00	58.10	1.10	C0040972								orange	3							2	3							2			pa
58.10	59.00	0.90	C0040973	0.2						dissem	orange	3							2	3							2			pa
59.00	60.00	1.00	C0040974								orange	4							2	3										pa
60.00	61.00	1.00	C0040975								orange								3	2							2			pv
61.00	62.00	1.00	C0040976								orange	3							3	3							2			pv
62.00	63.00	1.00	C0040977	0.2						bl	orange	3							2	3							1			pa
63.00	64.00	1.00	C0040978								brown	2							1	2							1			pa
64.00	65.00	1.00	C0040979	0.1						dissem	beige	3							2	1							3			pa
65.00	66.00	1.00	C0040980	0.5						vlt	grey	3							1	1							1			pv
66.00	67.00	1.00	C0040981	0.2						vlt	orange	1							3	1							2			pa
67.00	68.00	1.00	C0040982								orange	4							3	1							2			pv
68.00	69.00	1.00	C0040983	0.2						dissem	brown	1							1	2							2			pa
69.00	70.00	1.00	C0040984	0.2						vlt	brown	2							1	2							2			pa
70.00	71.00	1.00	C0040985	0.1						dissem	brown	3							4	1										pv
71.00	72.00	1.00	C0040986								brown	1							3	1							1			pa
72.00	73.00	1.00	C0040987								brown	3							3	1							2			pv
73.00	74.00	1.00	C0040988								orange	1							3	1							2			pv
74.00	75.00	1.00	C0040989								orange	1							3	1							2			pv
		CDN-GS-5H	C0040990																											
75.00	76.00	1.00	C0040991	0.2						dissem	beige	3							1	2							2			pa
76.00	77.00	1.00	C0040992	0.2						dissem	beige	2							1	2							3			pa
77.00	78.00	1.00	C0040993	0.1						dissem	beige	2							1	1							3			pa
78.00	79.00	1.00	C0040994								orange	2							2	1							1			pa
79.00	80.00	1.00	C0040995								orange	2							2	1							1			pa
80.00	81.00	1.00	C0040996	0.2						dissem	brown	2								3							2			pa
81.00	82.00	1.00	C0040997	0.5					0.2	mtx	orange	4							3	1										pv
82.00	83.00	1.00	C0040998	0.5					0.2	mtx	orange	4							2								1			pv
83.00	84.00	1.00	C0040999						0.2	dissem	orange	1							3								2			pv
84.00	85.00	1.00	C0041000								orange	2							3	2							1			pa
85.00	86.00	1.00	C0041001								orange	2							3	2							1			pa
86.00	87.00	1.00	C0041002								orange	1							3	2										pv
87.00	88.00	1.00	C0041003								brown	2							3	1										pa
88.00	89.00	1.00	C0041004	0.5						bl	brown	2							3								1			pa
89.00	90.00	1.00	C0041005								grey	3															1			pa
90.00	91.00	1.00	C0041006	0.2						vlt	grey	3							2	1							1			pa
91.00	92.00	1.00	C0041007	0.1						dissem	grey	3			1				1			2			1		2			pa
92.00	93.00	1.00	C0041008	0.1						dissem	orange	3							2				1				2			pa
93.00	94.00	1.00	C0041009	0.2						dissem	brown	2			2				1	3							1			pv
		CDN-GS-P3C	C0041010																											
94.00	95.00	1.00	C0041011	0.1						dissem	orange	1							2				1							pv
95.00	96.00	1.00	C0041012								brown	2							1	3							3			pa

DDH-20-286 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn	Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
96.00	97.00	1.00	C0041013									brown	2			2				2	3										pa
97.00	98.00	1.00	C0041014									brown	1			1				1	3							2			pa
98.00	99.00	1.00	C0041015									brown	1							2	3							1			pa
99.00	100.00	1.00	C0041016									beige	1			1				2								1			pa
100.00	101.00	1.00	C0041017									brown								3				1							pa
101.00	102.00	1.00	C0041018									brown								3				1				2			pa
102.00	103.00	1.00	C0041019									brown	2	3						3								1			pa
103.00	104.00	1.00	C0041020									orange	3							2								3			pa
104.00	105.00	1.00	C0041021									beige	1							2								3			pv
105.00	106.00	1.00	C0041022									beige								3	1							2			pv
106.00	107.00	1.00	C0041023									orange	1							3	1							2			pa
107.00	108.00	1.00	C0041024	0.1							vlt	orange	1							3	1							3			pa
108.00	109.00	1.00	C0041025									brown								3	1							2			pa
109.00	110.00	1.00	C0041026									orange	3							2	1							3			pa
110.00	111.00	1.00	C0041027									brown	3							2	3							2			pa
111.00	112.00	1.00	C0041028									orange	4							2	1							1			pa
112.00	113.00	1.00	C0041029									grey	3							1			1	1				2			pv
		CDN-GS-5H	C0041030																												
113.00	114.00	1.00	C0041031	0.1							dissem	grey	3							1	1		1	2							pa
114.00	115.00	1.00	C0041032	0.2							dissem	grey	3									1	1	1							pv
115.00	116.20	1.20	C0041033	0.1							dissem	grey	2										1	2				2			pa
116.20	117.00	0.80	C0041034									orange								4								2			pv
117.00	118.00	1.00	C0041035									orange								3								2			pv
118.00	119.00	1.00	C0041036									brown	2							3	1							2			pa
119.00	120.00	1.00	C0041037	0.1							dissem	brown	2					3		2	2							2			pa
120.00	121.00	1.00	C0041038									brown	1			1				3	2										pa
121.00	122.00	1.00	C0041039									brown	2							2	1							2			pv
122.00	123.00	1.00	C0041040	0.1							vlt	brown	2							2	1							2			pv
123.00	124.00	1.00	C0041041									brown	2							3	1							2			pa
124.00	125.00	1.00	C0041042									brown	2							2	1							2			pa
125.00	126.00	1.00	C0041043	0.1							dissem	brown	1							2	2							2			pa
126.00	127.00	1.00	C0041044									brown	2							2	1							1			pa
127.00	128.00	1.00	C0041045									brown	2	3						3	1							2			pa
128.00	129.00	1.00	C0041046	0.1					0.1		vlt	brown	3							2	2							2			pa
129.00	130.00	1.00	C0041047						0.1		vlt	brown	3							1	3							1			pa
130.00	131.00	1.00	C0041048	0.1					0.1		dissem	brown	4					1		2	2							1			pa
131.00	132.00	1.00	C0041049	1					0.1		bleb	grey	4							2	2							2			pa
		CDN-FCM-6	C0041050																												
132.00	133.00	1.00	C0041051	0.2							vlt	grey	2							2	1							2			pa
133.00	134.00	1.00	C0041052	0.1					0.1		vlt	grey	3				1			1											pv
134.00	135.00	1.00	C0041053	0.2							bleb	grey	3				1							1				1			pv
135.00	136.00	1.00	C0041054						0.1		dissem	grey	3				1						1	1							pv
136.00	137.00	1.00	C0041055	0.1							dissem	grey	2	1									1								pv
137.00	138.00	1.00	C0041056	0.1							dissem	grey	2	2			1				1			3							pa
138.00	139.00	1.00	C0041057									grey	2			2				1				1							pa
139.00	140.00	1.00	C0041058	0.2					0.1		vlt	grey	2				1		1		1			3							pv
140.00	141.00	1.00	C0041059	0.2							bl	grey	2			1				1							1		2		pa
141.00	142.00	1.00	C0041060	0.5							dissem	grey	2			1				1	1		1	2				2			pa

DDH-20-286 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
142.00	143.00	1.00	C0041061	0.2						dissem	grey	2				1			1			1								pa
143.00	144.00	1.00	C0041062	0.1						dissem	grey	2	1			1						1								pv
144.00	145.00	1.00	C0041063	0.2					0.1	vlt	grey	2				1			1			2			1					pa
145.00	146.00	1.00	C0041064	0.2						dissem	black	2	2									2	2							pa
146.00	148.00	2.00	C0041065								black	2							1			2	1							pa
148.00	150.00	2.00	C0041066	0.1				0.1		dissem	black	2							1			2	1		1					pa
150.00	152.00	2.00	C0041067	0.2						dissem	black	1				1			1	1			3		1					pv
152.00	154.00	2.00	C0041068	0.2						dissem	grey	2							3	1			2							pa
154.00	156.00	2.00	C0041069	0.1				0.2		vlt	grey	2							2	1			2		1					pa
		CDN-GS-P3C	C0041070																											
156.00	158.00	2.00	C0041071	0.2						vlt	grey	1				2			2			1	2							pa
158.00	160.00	2.00	C0041072	0.1						dissem	grey	2				1			2			1	2							pa
160.00	162.00	2.00	C0041073	0.1						dissem	grey	2				2			1			1	1							pv
162.00	164.00	2.00	C0041074	0.2						dissem	black											1	2				1			pa
164.00	166.00	2.00	C0041075	0.1				0.2		vlt	grey	2							1				2							pv
166.00	168.00	2.00	C0041076	0.1						dissem	grey	2				1		1					2				2			pa
168.00	170.00	2.00	C0041077	0.5						mtx	grey	2				3							2				3			pa
170.00	172.00	2.00	C0041078	0.2						vlt	grey	2				3							1				3			pa
172.00	174.00	2.00	C0041079	0.2						vlt	grey	2				2							2				3			pa
174.00	176.00	2.00	C0041080								grey					3							3				2			pa
176.00	178.00	2.00	C0041081	0.1						dissem	grey					1							3				3			pv
178.00	180.00	2.00	C0041082	0.1						dissem	grey	1											3				3			pv
180.00	182.00	2.00	C0041083	0.5						vlt	grey												3				3			pv
182.00	184.00	2.00	C0041084	0.1						dissem	grey												2				3			pv
184.00	186.00	2.00	C0041085	0.2						dissem	grey	2											1				2			pv
186.00	187.00	1.00	C0041086	0.5						vlt	black												3				2			pv
187.00	188.00	1.00	C0041087	1					0.1	mtx	grey	3					1						2				3			pa
188.00	189.00	1.00	C0041088	0.5						mtx	beige	3											1				2			pv
189.00	190.00	1.00	C0041089	0.3						mtx	beige	1											2				3			pv
		CDN-GS-5H	C0041090																											
190.00	191.00	1.00	C0041091	0.2						dissem	black	2				1							3				1			pv
191.00	192.00	1.00	C0041092	0.2						dissem	grey												1				2			pv
192.00	194.00	2.00	C0041093	0.2						dissem	grey												2				3			pv
194.00	196.00	2.00	C0041094	0.1						dissem	grey	2											1				3			pa
196.00	198.00	2.00	C0041095	0.1						dissem	grey					1							2				3			pa
198.00	200.00	2.00	C0041096	0.2						vlt	grey					2							1				3			pv
200.00	202.00	2.00	C0041097	0.2						vlt	grey	2				2							1				3			pa
202.00	204.00	2.00	C0041098	0.2						vlt	grey												1				3			pa
204.00	206.00	2.00	C0041099	0.2	0.5					vlt	grey					1							2				2			pa
206.00	208.00	2.00	C0041100	0.5						vlt	grey					1							2				3			pa
208.00	210.00	2.00	C0041101	0.5						vlt	grey												3				2			pa
210.00	212.00	2.00	C0041102	0.5						vlt	grey	3				3							2				3			pa
212.00	214.00	2.00	C0041103	0.5						vlt	grey	1				2							3				2			pa
214.00	216.00	2.00	C0041104	0.2						dissem	grey					1							3				3			pa
216.00	217.00	1.00	C0041105	0.5					0.2	mtx	grey												1				3			pa
217.00	218.00	1.00	C0041106	0.5					0.2	mtx	grey	1											1				3			pa
218.00	219.00	1.00	C0041107	1					0.2	mtx	grey					1							1				4			pa
219.00	220.00	1.00	C0041108	1					0.2	mtx	grey					1							1				4			pa

DDH-20-286 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
220.00	221.00	1.00	C0041109	0.5					0.2	mtx	grey												1				3			pa
		CDN-GS-10D	C0041110																											
221.00	222.00	1.00	C0041111	0.2					0.1	mtx	grey												2				3			pa
222.00	223.00	1.00	C0041112	0.2						vlt	grey	1								1			2				3			pa
223.00	224.00	1.00	C0041113	0.5					0.1	mtx	beige	1											1				3			pa
224.00	225.00	1.00	C0041114	0.2						dissem	beige	2								1			1				4			pa
225.00	226.00	1.00	C0041115	0.5						mtx	grey	2								2			1				3			pa
226.00	227.00	1.00	C0041116	0.2						mtx	grey	2								2			1				3			pa
227.00	228.00	1.00	C0041117	1		1	0.2			vlt	grey	2			1					1			1				3			pv
228.00	229.00	1.00	C0041118	0.5						mtx	grey	4					2										1			pv
229.00	230.00	1.00	C0041119	5						mas	grey	3					1	1		1			1				1			pv
230.00	231.00	1.00	C0041120	1						vlt	grey	3															1			pv
231.00	232.00	1.00	C0041121	1						mtx	grey	3					1										1			pv
232.00	233.00	1.00	C0041122	5						mas	grey	3															1			pv
233.00	233.60	0.60	C0041123	30						mas	grey	4					1													pv
233.60	235.00	1.40	C0041124	0.5						vlt	grey	3					1										3			pa
235.00	236.00	1.00	C0041125	0.2						dissem	grey	3					1										2			pa
236.00	237.00	1.00	C0041126	0.2						dissem	grey	3															2			pa
237.00	238.00	1.00	C0041127	0.2		0.2	0.2			vlt	grey	3															2			pa
238.00	239.00	1.00	C0041128	0.2		0.2	0.2			mtx	grey	3					2										2			pv
239.00	240.00	1.00	C0041129	0.1						vlt	grey	3				1											2			pv
		CDN-GS-5H	C0041130																											
240.00	241.00	1.00	C0041131	0.1						dissem	grey	3	1		1												2			pv
241.00	242.00	1.00	C0041132	0.5						vlt	grey	3			1												2			pv
242.00	243.00	1.00	C0041133	0.1						dissem	grey	3			1												2			pv
243.00	244.00	1.00	C0041134	0.1						dissem	grey	3			1												2			pv
244.00	245.00	1.00	C0041135	0.2						dissem	grey	3			2										1		2			pv
245.00	246.00	1.00	C0041136	0.1						dissem	grey	3			1												2			pv
246.00	247.00	1.00	Not Sampled	0.1						dissem	grey	2					3					1					2			pa
247.00	250.00	3.00	Not Sampled								black						1					1					2			pv
250.00	253.00	3.00	Not Sampled	0.1						dissem	grey	3											1				2			pa
253.00	256.10	3.10	Not Sampled	0.2						vlt	beige	2															3			pv
256.10	259.10	3.00	Not Sampled	0.1						dissem	beige	2					1					1					3			pv
259.10	262.20	3.10	Not Sampled	0.2						vlt	beige	2													1		3			pv
262.20	265.20	3.00	Not Sampled	0.1						vlt	beige	2										1					2			pv
265.20	268.30	3.10	Not Sampled	0.2						vlt	grey						1					2								pv
268.30	271.30	3.00	Not Sampled	0.2						vlt	grey	1					1										3			pv
271.30	274.40	3.10	Not Sampled	0.1						vlt	grey	1										1	1				1			pv

Property: Charlotte Gold
Area: Flex
Client: Taurus Gold Corp.

Hole Id: DDH-20-287

Logged By: G.Goodall
Date Logged: Start Sept 23, 2020



Collar Location:			
Actual:			
Datum:	<u>NAD83, Zone 8</u>	Azimuth:	<u>78</u>
Easting:	<u>386624</u>	Dip:	<u>-68</u>
Northing:	<u>6881804</u>	Length:	<u>243.9</u>
Elevation:	<u>1304.1</u>		
Proposed:			
	<u>CHR-20-08</u>		
Easting:	<u>386626</u>	Azimuth:	<u>78</u>
Northing:	<u>6881805</u>	Dip:	<u>-68</u>
Elevation:	<u>1320</u>	Length:	<u>240</u>

Survey Type: Ranger Single Shot			
Distance	Azi	Dip	Accept
0.00	78.00	-68.00	Suspect
15.24	66.35	-67.90	YES
45.72	64.85	-68.00	YES
76.20	66.55	-68.10	YES
106.68	67.05	-68.30	YES
137.16	67.05	-68.40	YES
167.64	69.55	-68.50	YES
198.12	69.05	-68.70	YES
228.60	69.55	-68.90	YES
243.84	75.35	-68.90	Suspect

Drilling Information:	
Contractor:	<u>Full Force</u>
Core Diameter:	<u>HQ</u>
Start Date:	<u>23-Sep-2020</u>
End Date:	<u>25-Sep-2020</u>
Casing In:	<u>no</u>
Casing Capped:	
Units:	<u>Metric</u>

Hole Objective: SSE strike extent of hole DDH-12-280. A step out of approx. 35 m

Hole Summary: The hole collared into a mixed sequence of quartz feldspar porphyry and gneiss, continuing to 114.50 m where it intersected a mafic dyke. The dyke ran until 144.0 m, after which gneiss continued to 155.90 m, the uphole contact of a large fault. The fault is chlorite-rich, expressed as multiple meters of gouge, continuing to 174.50 m. A mafic dyke runs from here to 182.30 m, terminating in a siliceous mineralized breccia with ample sulphides (locally up to 15%). The breccia was intersected downhole to 198.50, after which maroon QFP continues to 226.10 m. A mafic dyke runs from 226.10 to 243.90 m, the EOH.

Lithology Summary			
From	To	Lith	Comment
0.00	4.90	Casing	
4.90	33.50	Quartz Feldspar Porphyry	
33.50	71.30	Gneiss	
71.30	88.00	Quartz Feldspar Porphyry	
88.00	114.50	Gneiss	
114.50	144.00	Mafic Dyke	
144.00	155.90	Gneiss	
155.90	174.50	Fault	
174.50	182.30	Mafic Dyke	
182.30	198.50	Breccia	Mineralized
198.50	226.10	Quartz Feldspar Porphyry	
226.10	243.90	Mafic Dyke	

DDH-20-287 Primary and Sub litho description

From	To	Subinterval From	Subinterval To	Width	Lith Code	Lithology	Description
0.00	4.90			4.90	CAS	Casing	Casing in overburden
4.90	33.50			28.60	QFP	Quartz Feldspar Porphyry	Very fine to fine light brown to grey matrix, minute white feldspar laths, local qtz veins ad vein fragments to 2 cm, moderately fractured with moderate to strong limonite on fracture surfaces.
		12.10	13.00	0.90			White clay-rich decomposed QFP, highly fractured and broken
		13.50	17.00	3.50			Highly fractured and broken, qtz fragments to 2 cm, locally clay-rich matrix
		19.80	21.10	1.30			Chalky white, intense clay-altered matrix supporting angular fragmented QFP fragments 1-3 cm 20%
		21.40	24.40	3.00			Rubby core, poor recovery
		24.40	26.00	1.60			Chalky white to tan brown matrix, intensely clay-altered very soft, poorly consolidated
		27.60	33.50	5.90			Massive siliceous QFP with red-orange very fine matrix. Tan brown feldspar phenocrysts to 30%, moderately fractured with limonite and chlorite on fracture surfaces. Contains 6 cm piece of gneiss
33.50	71.30			37.80	Gn	Gneiss	Dark grey to green, fine to medium matrix moderately foliated with 2-5 mm thick lamellae of felsic and mafic alternating at 80 degrees tca. Moderately fractured, with limonite on fracture surfaces. Local qtz veins 2 - 5 cm, clear to white, moderately fractured.
		40.50	41.60	1.10			Yellow-green in matrix along foliation and adjacent to fractures, possibly epidote or scorodite
		45.10	46.00	0.90			Abundant 1-3 cm qtz veins interstitial to foliation at 45 tca. Clear-white, fractured, local boxwork texture, host gneiss is bleached tan brown, MnOx on fractures
		49.50	50.90	1.40			3 cm qtz veins, fractured with chlorite on surfaces
		52.00	53.00	1.00			Qtz vein, grey to white, very fine, moderately fractured with strong limonite on fracture surfaces, local boxwork texture
		59.70	59.95	0.25			Oxidized, friable gneiss
		61.30	63.50	2.20			Maroon to tan brown gneiss, weakly foliated, brecciated, limonite on fractures locally.
		63.70	67.80	4.10			Moderately to strongly argillic altered, soft, friable, locally strongly brecciated with subangular fragments of quartz. Medium to dark brown matrix, weakly fractured with occasional open vugs
		70.70	70.90	0.20			Cm-scale qtz veins at 45 degrees tca, trace to 2 % sericite
71.30	88.00			16.70	QFP	Quartz Feldspar Porphyry	Tan brown, medium grained matrix, weak to moderate foliation, aligned chalky white subhedral feldspars <1 mm. Weak-moderately fractured with MnOx on fractures surfaces, gradational contact over 30 cm. Possibly clay-altered gneiss?
		76.80	77.10	0.30			Siliceous zone, fractured with open cavities, pegmatic feldspar and qtz.
88.00	114.50			26.50	Gn	Gneiss	Medium-dark grey-green, fine matrix, weakly magnetic, weakly to moderately siliceous. Banded felsic and mafic alternating lamellae 1-3 mm thick at 45 tca. Locally massive, weakly fractured at 45-60 tca. Rare qtz veins long fractures 1-2 cm wide. Trace disseminated Py, rare deep red garnet in clusters over 10-20 cm.
		101.40	102.90	1.50			Mafic dyke, dark green, medium grained, weakly fractured with weak limonite on fractures
		109.20	114.50	5.30			Increase in silica throughout matrix, locally intensely siliceous. Remnant foliation fabric, remnant textures and crystals. 70-90% silica, local 10% garnet over dm-scale.
114.50	144.00			29.50	MD	Mafic Dyke	Dark green, medium grained, massive, weakly fractured and weakly foliated. Very weakly magnetic, trace-2% visible magnetite locally, trace pyrrhotite
		117.50	117.55	0.05			Black clay-rich gouge
		117.60	117.65	0.05			Unconsolidated material..wash?
		118.00	120.10	2.10			Dark brown-dark grey-green fine clay-rich gouge, locally sheared
		123.10	123.11	0.01			Clear quartz vein with epidote selvage, trace Py and Po.
		123.40	123.50	0.10			Clay gouge infilling fractures
		133.10	133.25	0.15			Diorite dyke, sharp contacts at 60 tca
		134.10	134.11	0.01			Qtz-calcite vein with trace Cpy
		134.60	134.63	0.03			Aggregate of very fine Po
		136.00	144.00	8.00			Increase in calcite veinlets downhole, generally at 45 tca. Orthogonal cross-cutting veinlets
144.00	155.90			11.90	Gn	Gneiss	Dark grey-green, fine matrix with very thin lamella <1 mm to 2 mm. Weakly to moderately fractured, chlorite on fractures and locally pervasive in matrix. Calcite veinlets throughout parallel to and crosscutting lamellae. Trace t o 2 % disseminated Py

DDH-20-287 Primary and Sub litho description

From	To	Subinterval From	Subinterval To	Width	Lith Code	Lithology	Description
		153.10	154.90	1.80			Milky grey-white argillic QFP with 1-5% disseminated fine Py
		154.90	155.40	0.50			Strong clay-rich gouge
155.90	174.50			18.60	Fit	Fault	Dark green gouge zone, medium grained, intensely chloritic. Highly fractured and friable, occasional remnant qtz and calcite vein fragments. Py throughout gouge and on vein selvage fragments.
174.50	182.30			7.80	MD	Mafic Dyke	Dark green, fine-medium grained matrix, moderately chloritic. Weak to moderately fractured, chlorite on fracture surfaces and throughout matrix. Trae to 2% disseminated fine Py.
		175.10	176.20	1.10			Local 3 cm aggregates of coarse Py.
		176.90	182.30	5.40			Increase in clay alteration down dip, matrix becomes light green-buff colored, soft, clay-rich, local shearing at 15 tca.
182.30	198.50			16.20	Bx	Breccia	Cream white to medium grey matrix, soft, clay-rich, supporting rounded to subangular QFP fragments. Trace to 8 % disseminated Py throughout matrix. Local siliceous areas show sulphides to 15%.
		193.40	198.50	5.10			QFP fragments are maroon to brick red, rounded to subangular and 1 - 5 cm wide. Local open cavities in brecciated veins.
198.50	226.10			27.60	QFP	Quartz Feldspar Porphyry	Red brown, buff to light grey fine-medium matrix with 15-25% white subhedral feldspar phenocrysts to 3 mm and 5-10% clear-grey rounded qtz eyes. Trace to 2% fine disseminated Py, weakly to moderately fractured typically at 45 tca, occasionally at 15 and 60.
		200.60	200.61	0.01			Pyrite vein at 45 tca
		202.30	203.30	1.00			Semi-massive Py vein, 80% medium to coarse pyrite in qtz vein breccia with angular fragments of QFP to 2 cm. 1-5 cm bands of Py, trace dark grey sulphide...galena?
		205.30	207.80	2.50			Highly fractured, sharp angular fragments 2-5 cm, trace clay gouge on fractures.
		210.70	212.50	1.80			Moderately fractured, high clay-rich matrix, friable, broken
		212.70	226.10	13.40			Increase in calcite veinlets along fractures, maroon to tan colored matrix, coarse feldspar phenocrysts 8-12 mm.
226.10	243.90 EOH			17.80	MD	Mafic Dyke	Dark green, fine matrix, massive, weakly fractured, weakly magnetic. Thin calcite veinlets, locally weakly calcareous matrix. Trace-2% very fine to fine Py disseminated and infilling fractures.

DDH-20-287 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style	
4.90	6.00	1.10	C0041137								beige	2							2	1							2			pa	
6.00	7.00	1.00	C0041138								brown	4							2	1										pv	
7.00	8.00	1.00	C0041139								brown	3							2	1			2				2			pa	
8.00	9.00	1.00	C0041140								beige	4							2	1			2				1			pa	
9.00	10.00	1.00	C0041141								beige	4							1				1				1			pv	
10.00	11.00	1.00	C0041142								beige	4							1				1							pv	
11.00	12.00	1.00	C0041143								beige	4							1											pv	
12.00	13.00	1.00	C0041144								beige	2							1	1			1				3			pa	
13.00	14.00	1.00	C0041145								beige	3							1	1							2			pa	
14.00	15.00	1.00	C0041146								beige	2							1	1							2			pa	
15.00	16.00	1.00	C0041147								beige	3							1	1							2			pv	
16.00	17.00	1.00	C0041148								beige	3							1	1							2			pa	
17.00	18.00	1.00	C0041149								beige	3							1	1										pv	
18.00	19.00	1.00	C0041150								beige	3							1	1										pv	
19.00	20.00	1.00	C0041151								beige	2							1	1				1			4			pa	
20.00	21.00	1.00	C0041152								beige	1							1	1				1			3			pv	
21.00	24.00	3.00	C0041153								beige	3							1	1							1			pv	
24.00	25.00	1.00	C0041154								beige	2							2	1			1				2			pa	
		CDN-GS-P3C	C0041155																												
25.00	26.00	1.00	C0041156								beige								1	1							2			pv	
26.00	28.00	2.00	C0041157								orange	3							3	2			2				2			pa	
28.00	29.00	1.00	C0041158								orange	3							2								1			pa	
29.00	30.00	1.00	C0041159	0.2						vlt	orange	3							2	3										pv	
30.00	31.00	1.00	C0041160	0.2						vlt	orange								2								3			pv	
31.00	32.00	1.00	C0041161								beige	3							2								3			pa	
32.00	33.50	1.50	C0041162								beige	4							2				1							pv	
33.50	35.00	1.50	C0041163	0.1						dissem	grey	3							1	1			1							pv	
35.00	36.00	1.00	C0041164	0.1						bl	brown	2							2	1										pa	
36.00	37.00	1.00	C0041165	0.1						dissem	brown	3							1	2			1							pv	
37.00	38.00	1.00	C0041166								brown	3							1	1										pv	
38.00	39.00	1.00	C0041167								brown	3							2	1										pv	
39.00	40.00	1.00	C0041168								brown	1							3	2		1					3			pa	
40.00	41.00	1.00	C0041169	0.1						dissem	brown	1							3			1			1		2			pa	
41.00	42.00	1.00	C0041170	0.1						dissem	brown	1							2	1		1								pa	
42.00	43.00	1.00	C0041171	0.1						dissem	grey								2	1		1								pa	
43.00	44.00	1.00	C0041172								grey	2							2	2		1								pa	
44.00	45.00	1.00	C0041173	0.2						bl	grey	2							1	1		1								pv	
45.00	46.00	1.00	C0041174	0.1						bl	beige	3							2	1										pv	
		CDN-FCM-6	C0041175																												
46.00	47.00	1.00	C0041176	0.1						dissem	brown	1							1	2			1				2			pa	
47.00	48.00	1.00	C0041177	0.1						dissem	grey	3							1	2			2							pa	
48.00	49.00	1.00	C0041178								grey	2			1				1	2							2			pa	
49.00	50.00	1.00	C0041179	0.2						vlt	grey	1		1						1			2		1					pa	
50.00	51.00	1.00	C0041180	0.1						dissem	grey	2							1	1		1								pv	
51.00	52.00	1.00	C0041181	0.2						vlt	grey	2							1	1		1	1							pa	
52.00	53.00	1.00	C0041182								grey	4							1	1										pv	

DDH-20-287 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
53.00	54.00	1.00	C0041183								grey	2							2	1										pa
54.00	55.00	1.00	C0041184								grey	3							1	1		1								pa
55.00	56.00	1.00	C0041185								grey	1								2		1								pv
56.00	57.00	1.00	C0041186								grey	1								1		1								pv
57.00	58.00	1.00	C0041187	0.1						dissem	grey	1							1	1		1								pv
58.00	59.00	1.00	C0041188								grey	2							2	1		1								pa
59.00	60.00	1.00	C0041189								grey	3							1	2							1			pa
60.00	61.00	1.00	C0041190	0.2						dissem	grey	2							1	1										pv
61.00	62.00	1.00	C0041191	0.1						vlt	grey	3							2	1										pv
62.00	63.00	1.00	C0041192								orange	3							3	1										pv
63.00	64.00	1.00	C0041193								orange	2							3	2							3			pa
64.00	65.00	1.00	C0041194								orange								4	1							3			pv
		CDN-GS-5H	C0041195																											
65.00	66.00	1.00	C0041196								brown	3							3	2			1				2			pa
66.00	67.00	1.00	C0041197								orange	2							3	1			1				1			pv
67.00	68.00	1.00	C0041198								brown	2							1	3							1			pa
68.00	69.00	1.00	C0041199								brown	3							1	3			1				1			pa
69.00	70.00	1.00	C0041200								brown	2							1	3							1			pa
70.00	71.00	1.00	C0041201	0.1						vlt	brown	2							1	2							1			pa
71.00	72.00	1.00	C0041202								beige	2							2	2							2			pv
72.00	73.00	1.00	C0041203								beige	1							2	1				1			2			pa
73.00	74.00	1.00	C0041204								beige	2							2	1			1	1			2			pa
74.00	75.00	1.00	C0041205								grey	1							2	1			1				1			pa
75.00	76.00	1.00	C0041206								beige	1							2	1			1	1			2			pa
76.00	77.00	1.00	C0041207								brown	1			1				2	3			1	1			1			pa
77.00	78.00	1.00	C0041208						0.1	vlt	beige	2			1				2	1				1			1			pa
78.00	79.00	1.00	C0041209								brown	1			1				2	1				1			1			pa
79.00	80.00	1.00	C0041210	0.1						dissem	brown	1							2	1							1			pa
80.00	81.00	1.00	C0041211								brown	2							2	1				1			1			pa
81.00	82.00	1.00	C0041212								brown								3	1				2			1			pa
82.00	83.00	1.00	C0041213						0.1	dissem	brown								2	1				1			1			pa
83.00	84.00	1.00	C0041214	0.1						vlt	orange				1				3	1							1			pa
		CDN-GS-P3C	C0041215																											
84.00	85.00	1.00	C0041216								beige				1				2	1							2			pa
85.00	86.00	1.00	C0041217								beige				1				1								2			pa
86.00	87.00	1.00	C0041218								beige								1	1							2			pa
87.00	88.00	1.00	C0041219								beige	2							2	1							2			pa
88.00	89.00	1.00	C0041220								grey	2	1						1	1		2								pa
89.00	90.00	1.00	C0041221	0.2						dissem	grey	2							1								1			pv
90.00	91.00	1.00	C0041222								grey	1	1						1	1			1				2			pa
91.00	92.00	1.00	C0041223								grey	1	1						3	1							2			pa
92.00	93.00	1.00	C0041224								grey	2	2					1				1								pv
93.00	94.00	1.00	C0041225								grey	2	1					1				1					1			pv
94.00	95.00	1.00	C0041226								grey	2	1					1	1			1								pv
95.00	96.00	1.00	C0041227								grey	2							1			1	1		1					pv
96.00	97.00	1.00	C0041228	0.1						dissem	grey	2							1	1		1	1							pv

DDH-20-287 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
97.00	98.00	1.00	C0041229	0.1					0.1	dissem	grey	2							1			1			1					pv
98.00	100.00	2.00	C0041230	0.2						vlt	grey	2			1				2	1		2	1							pv
100.00	102.00	2.00	C0041231								grey	2							1			1	2				2			pa
102.00	104.00	2.00	C0041232	0.1						dissem	grey	3							1				2				1			pv
104.00	106.00	2.00	C0041233	0.1						dissem	grey	2							1											pv
106.00	108.00	2.00	C0041234	0.1						dissem	grey	2							1											pv
		CDN-GS-10D	C0041235																											
108.00	110.00	2.00	C0041236	0.5						vlt	grey	2							2								1			pa
110.00	112.00	2.00	C0041237	0.5						vlt	grey	1	2						1								2			pa
112.00	113.30	1.30	C0041238	0.2						dissem	grey	2	1		1															pv
113.30	114.50	1.20	C0041239	0.2						vlt	grey	3	1		1															pa
114.50	116.00	1.50	C0041240								black	1										2								pv
116.00	117.00	1.00	C0041241								black	1										2								pv
117.00	118.00	1.00	C0041242								black	1								2			2				1			pa
118.00	119.00	1.00	C0041243								brown	2							2	1							1			pa
119.00	120.00	1.00	C0041244								brown	1							2	1			1				1			pv
120.00	121.00	1.00	C0041245	0.1						dissem	grey	2							1											pv
121.00	122.00	1.00	C0041246								grey		1								1									pv
122.00	123.00	1.00	C0041247								grey		2								1		1							pv
123.00	124.00	1.00	C0041248	0.2				0.1		vlt	grey								1	1		1								pv
124.00	125.00	1.00	C0041249	0.2				0.1		dissem	grey								1	1		1	2				2			pa
125.00	126.00	1.00	C0041250	0.2						dissem	grey								1	1			1		1					pa
126.00	128.00	2.00	C0041251	0.1						dissem	grey		1										2		1					pv
128.00	130.00	2.00	C0041252	0.1						dissem	grey	2						1				2	1		1					pv
130.00	132.00	2.00	C0041253	0.2				0.2		vlt	grey	1								1			3							pa
132.00	134.00	2.00	C0041254	0.1							grey	2							1						1					pa
		CDN-GS-5H	C0041255																											
134.00	136.00	2.00	C0041256					0.2		bl	grey	2				1						1								pa
136.00	138.00	2.00	C0041257	0.1				0.1		bl	grey	2				1														pv
138.00	140.00	2.00	C0041258	0.1						bl	grey	2										1								pv
140.00	142.00	2.00	C0041259	0.1						bl	grey	1				2							3				3			pa
142.00	144.00	2.00	C0041260	0.1						bl	grey	2				1						2	2				2			pa
144.00	146.00	2.00	C0041261	0.1						dissem	grey	1				1						1	2				2			pa
146.00	148.00	2.00	C0041262								grey					2							2		1		1			pa
148.00	150.00	2.00	C0041263	0.2						vlt	grey					2		1					2				2			pa
150.00	152.00	2.00	C0041264	0.1						dissem	grey					2		1					3				3			pa
152.00	153.00	1.00	C0041265	0.1						vlt	grey												2				3			pa
153.00	154.00	1.00	C0041266								beige												1				3			pa
154.00	155.00	1.00	C0041267	1						mtx	beige												1				3			pv
155.00	156.00	1.00	C0041268	0.1						vlt	grey	1				1							2				3			pa
156.00	158.00	2.00	C0041269								grey	1				1							2				3			pv
158.00	160.00	2.00	C0041270	0.2						vlt	grey	2				1							2				3			pa
160.00	162.00	2.00	C0041271	0.2						vlt	grey	2				2							2				1			pa
162.00	164.00	2.00	C0041272	0.2						dissem	grey					1							2				3			pv
164.00	166.00	2.00	C0041273	2						dissem	grey					1		2					2				3			pv
166.00	168.00	2.00	C0041274	0.2						vlt	grey					2							1				3			pv

DDH-20-287 Sample, Min and Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Po	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
		CDN-FCM-6	C0041275																											
168.00	170.00	2.00	C0041276	0.2						dissem	grey	1				1							2				3			pv
170.00	172.00	2.00	C0041277	0.5						vlt	green					1							2				3			pv
172.00	174.00	2.00	C0041278	0.2						dissem	green					1				1			3				2			pv
174.00	176.00	2.00	C0041279	1						bl	black	2											3				1			pa
176.00	178.00	2.00	C0041280	0.5	0.2	2				vlt	grey	1								1					1		3			pv
178.00	180.00	2.00	C0041281								grey												1				5			pv
180.00	182.30	2.30	C0041282	0.2						mtx	beige					1				1							3			pv
182.30	183.00	0.70	C0041283	1					0.5	mtx	beige	2															3			pa
183.00	184.00	1.00	C0041284	1					0.5	mtx	grey	2						1					1				2			pa
184.00	185.00	1.00	C0041285	3	0.5	0.2	1		0.2	mtx	grey	3						1												pv
185.00	186.00	1.00	C0041286	2						bl	grey	3															2			pa
186.00	187.00	1.00	C0041287	0.5					0.2	mtx	grey	2															3			pa
187.00	188.00	1.00	C0041288	0.2						mtx	grey	1															4			pv
188.00	189.00	1.00	C0041289	0.2						vlt	grey																2			pv
189.00	190.00	1.00	C0041290	0.1						vlt	grey																3			pv
190.00	191.00	1.00	C0041291	0.1						dissem	grey	1							1								3			pa
191.00	192.00	1.00	C0041292	0.5						mtx	grey	2															3			pa
192.00	193.00	1.00	C0041293	0.2					0.2	mtx	grey																4			pv
193.00	194.00	1.00	C0041294	0.5					0.2	mtx	grey	3								1							2			pa
		CDN-GS-10D	C0041295																											
194.00	195.00	1.00	C0041296	0.2					0.5	mtx	burgandy	4								2							2			pa
195.00	196.00	1.00	C0041297	0.5						dissem	burgandy	2								2							3			pa
196.00	197.00	1.00	C0041298	0.5						dissem	burgandy	3								2							3			pa
197.00	198.00	1.00	C0041299	2					3	mtx	black	4								1							1			pv
198.00	199.00	1.00	C0041300	1					2	mtx	burgandy	4								2							1			pv
199.00	200.00	1.00	C0041301	0.2						dissem	grey	4								1							1			pv
200.00	201.00	1.00	C0041302	0.5					0.2	vlt	burgandy	3						1		1							2			pv
201.00	202.20	1.20	C0041303	0.2						dissem	beige	2								1							3			pa
202.20	203.30	1.10	C0041304	15	0.5				0.5	mas	grey	4																		pv
203.30	204.00	0.70	C0041305	0.5						mtx	grey	3						1									1			pv
204.00	205.00	1.00	C0041306	0.2						dissem	beige	3			1												1			pv
205.00	206.00	1.00	C0041307	0.5					0.1	mtx	grey	3			1												1			pv
206.00	207.00	1.00	C0041308	0.2					0.1	mtx	grey	3			1												1			pv
207.00	208.00	1.00	C0041309	0.2						dissem	grey	3			1												1			pc
208.00	209.00	1.00	C0041310	0.2						dissem	grey	3			1			1									1			pv
209.00	210.00	1.00	C0041311	0.2						dissem	grey	3	1		1												1			pv
210.00	211.00	1.00	C0041312	0.1					0.2	mtx	grey	3															2			pa
211.00	212.00	1.00	C0041313	0.2						dissem	grey	3			1												2			pa
212.00	213.00	1.00	C0041314	0.2						dissem	grey	3			1												1			pa
		CDN-GS-P3C	C0041315																											
213.00	214.00	1.00	C0041316	0.1						dissem	grey	3			1					1							1			pv
214.00	215.70	1.70	No Sample	0.2						dissem	grey	3								1			1				1			pv
215.70	216.50	0.80	No Sample	0.1					0.1	vlt	grey	3															1			pv
216.50	218.90	2.40	No Sample	0.1						dissem	grey	3	2										1				1			pv
218.90	221.00	2.10	No Sample	0.1						dissem	maroon	3								1			1				1			pv

DDH-20-287 Sample, Min and Alt interval data

[illegible]

Property: Charlotte Gold
Area: Flex
Client: Taurus Gold Corp.

Hole Id: DDH-20-288

Logged By: G.Goodall
Date Logged: Start Sept 25, 2020



Collar Location:			
Actual:			
Datum:	<u>NAD83, Zone 8</u>		
Easting:	<u>386779</u>	Azimuth:	<u>72</u>
Northing:	<u>6881710</u>	Dip:	<u>-70</u>
Elevation:	<u>1290</u>	Length:	<u>191.7</u>
Proposed:			
	<u>CHR-20-10</u>		
Easting:	<u>386781</u>	Azimuth:	<u>78</u>
Northing:	<u>6881710</u>	Dip:	<u>-69</u>
Elevation:	<u>1301</u>	Length:	<u>150</u>

Survey Type: EZ-trac Single Shot			
Distance	Azi	Dip	Accept
0.00	72.00	-70.00	YES
15.24	73.15	-69.00	YES
45.72	72.65	-69.10	YES
76.20	71.65	-69.80	YES
106.68	72.15	-70.10	YES
137.16	72.65	-70.20	YES
167.64	73.05	-70.20	YES
192.03	72.85	-70.40	YES

Drilling Information:	
Contractor:	<u>Full Force</u>
Core Diameter:	<u>HQ</u>
Start Date:	<u>25-Sep-2020</u>
End Date:	<u>26-Sep-2020</u>
Casing In:	<u>no</u>
Casing Capped:	
Units:	<u>Metric</u>

Hole Objective: Infill Target testing Main Vein in proximity to high grade Au in holes 261, 234, 271, 258

Hole Summary: The hole collared into a sequence of alternating quartz feldspar porphyry and gneiss, variable limonitic and clay-altered, before encountering a schist unit at 92.20 m downhole. The schist was locally brecciated, and pyrite content was observed weakly increasing downhole to a fault at 104.20 m. The fault was intensely clay altered and contained brecciated/altered fragments of pyrite-rich QFP, continuing to 111.90 m. A weakly chloritic and pyrite-mineralized mafic dyke continues to 140.00 m, after which a m-scale QFP dyke runs to 148.60. Here, alternating gneiss and QFP (as seen uphole) comprises the remainder of the hole, which terminates at 191.70 m.

Lithology Summary			
From	To	Lith	Comment
0.00	4.80	Casing	
4.80	53.80	Quartz Feldspar Porphyry	
53.80	78.00	Gneiss	
78.00	92.20	Quartz Feldspar Porphyry	
92.20	104.20	Schist	
104.20	111.90	Fault	Mineralized
111.90	140.00	Mafic Dyke	
140.00	144.80	Gneiss	
144.80	148.60	Quartz Feldspar Porphyry	
148.60	162.90	Gneiss	
162.90	182.00	Quartz Feldspar Porphyry	
182.00	191.70	Gneiss	EOH

DDH-20-288 Primary and Sub lithology descriptions

From m	To m	SubFROM m	SubTO m	Width	Lith Code	Lithology	Description
0.00	4.80			4.80	CAS	Casing	Casing in overburden
4.80	53.80			49.00	QFP	Quartz Feldspar Porphyry	Tan brown to light grey, fine, MnOx on fractures and as dendritic texture into matrix. Moderately fractured, with limonite on fractures and within matrix. Intermittent zones of moderate to highly siliceous, rare quartz veins. Trace Py disseminated and along fractures, weakly foliated locally at 45 degrees tca.
		28.40	28.50	0.10			Breccia with angular fragments of silica and grey pyrite-rich vein
		29.90	31.10	1.20			Rusty brown, clay-rich zone with strong dendritic MnOx. Trace white qtz vein fragments
		31.70	33.20	1.50			Strong limonite on fractures, clay rich, cm-scale qtz veins
		44.00	53.80	9.80			Strong clay alteration, 3-10% sericite on fractures and in matrix. Local cm to dm scale qtz veins with boxwork textures and scorodite on fractures. Local clay matrix breccia supporting angular QFP clasts.
53.80	78.00			24.20	Gn	Gneiss	Tan brown to dark green, fine to medium matrix, non-calcareous. Moderate to strongly clay-rich, weakly foliated 45-70 degrees tca. Moderately to highly fractured, locally brecciated with subrounded to subangular gneiss fragments 1-3 cm supported by limonite clay.
		62.80	68.50	5.70			Clay-rich breccia
		71.30	73.60	2.30			Dark green, trace limonite on fractures, weakly foliated. Possibly a mafic dyke?
		73.90	74.80	0.90			Clay-rich breccia with angular qtz vein and gneiss fragments. Sharp lower contact at 45 tca.
		74.80	76.20	1.40			Mafic dyke, dark green, massive, moderately chloritic
78.00	92.20			14.20	QFP	Quartz Feldspar Porphyry	Light grey-tan brown, fine to medium matrix. Weakly foliated, weakly fractured, with chalky white feldspar phenocrysts to 20%. Trace disseminated Py, weakly argillic clay throughout matrix
		82.60	86.20	3.60			Moderately fractured with 2-5% Py infilling fractures and in veinlets
92.20	104.20			12.00	Sch	Schist	Tan to rusty brown, very fine to fine groundmass with fine layers <1-3 mm at 45 tca. Trace muscovite on fractures and shear surfaces
		94.90	95.30	0.40			Breccia with angular to subangular fragments of schist healed in very fine dark grey silica. 1-3% fine pyrite, frequent open vugs.
		103.10	103.70	0.60			Limonitic brecciated schist with Py on schist layers
104.20	111.90			7.70	Flt	Fault	Gouge, intensely clay-altered and brecciated QFP with 5-15% Py disseminated and in fractures. Soft, friable, rubbly fragments of QFP to 2 cm.
		109.90	109.91	0.01			Shearing at 80 tca with qtz and fine pyrite
		110.80	111.90	1.10			Fractures with qtz-carb veinlets at 15 tca
111.90	140.00			28.10	MD	Mafic Dyke	Dark green, medium grained, non-weakly magnetic, massive. Occasional 1 cm qtz veins, trace to 2 % disseminated very fine pyrite, rare aggregates to 1 cm.
		111.90	115.70	3.80			Intensely chloritic gouge, generally unconsolidated
		123.50	123.53	0.03			Quartz sulphide vein subparallel tca. 5 cm right anastomosing vein set.
		125.60	128.20	2.60			Buff to light grey dyke with narrow qtz carb veinlets throughout, locally brecciated. 1-5% Py as disseminations and on fracture surfaces
		130.50	130.55	0.05			White qtz vein, pyrite on fractures and in selvages
		131.40	131.50	0.10			Chloritic gouge
		131.50	132.70	1.20			Buff-tan colored matrix, hairline fractures throughout with fine Py
		132.70	133.60	0.90			Chloritic gouge
		137.90	139.10	1.20			Buff to light grey matrix with 1-3 % disseminated Py, local qtz-carb veins.
		139.10	140.00	0.90			Brecciated clay-altered mafic dyke with subrounded frags to 2 cm supported in a clay-rich matrix. Py to 5%
140.00	144.80			4.80	Gn	Gneiss	Dark green, medium grained matrix. Felsic-mafic lamellae locally intensely folded on cm-scale.
		142.00	142.30	0.30			Intensely clay altered
144.80	148.60			3.80	QFP	Quartz Feldspar Porphyry	Medium grey to maroon, fine matrix, 15% white subhedral-euhedral feldspar phenocrysts, lesser grey-clear quartz phenocrysts. Weakly fractured at 45 tca, trace Py on fractures. Trace sub-cm qtz veinlets between 15-45 tca.
148.60	162.90			14.30	Gn	Gneiss	Dark green, fine matrix. Thin <1 mm lamellae predominately mafic varying from 15-60 tca. Non-magnetic, trace disseminated fine pyrite
		154.00	154.04	0.04			Clear-white qtz vein, highly fractured, parallel tca.
		157.50	157.54	0.04			Qtz vein, weakly fractured with trace Py on fractures. Crosscut by narrow veinlet with pyrite on selva

DDH-20-288 Primary and Sub lithology descriptions

[illegible]

DDH-20-288 Sample, Min, Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style	
4.80	7.00	2.20	C0041317	0.2						dissem	brown	3							1	3										pa	
7.00	9.00	2.00	C0041318								brown	2							1	2							2			pa	
9.00	11.00	2.00	C0041319								orange	2							3	1			2				1			pv	
11.00	13.00	2.00	C0041320	0.1						dissem	orange	3							3	1			2							pv	
13.00	15.00	2.00	C0041321								orange	3							3	2			1							pv	
15.00	16.00	1.00	C0041322	0.1						dissem	orange	2							3	1										pa	
16.00	17.00	1.00	C0041323								grey	2							3	1										pa	
17.00	18.00	1.00	C0041324	0.1						vlt	grey	4							2	1										pv	
18.00	19.00	1.00	C0041325	0.1						vlt	orange	3							2	1										pv	
19.00	20.00	1.00	C0041326	0.1						vlt	grey	4							1				1							pv	
20.00	21.00	1.00	C0041327	0.1						vlt	grey	3							1	1			1				1			pa	
21.00	22.00	1.00	C0041328	0.1						vlt	beige	1							2	1							3			pa	
22.00	23.00	1.00	C0041329								orange	3									3									pa	
		CDN-GS-P3C	C0041330																												
23.00	24.00	1.00	C0041331								orange	3			1						3		1				2			pa	
24.00	25.00	1.00	C0041332								beige	3			1						2						1			pa	
25.00	26.00	1.00	C0041333								grey	3			1					1			2							pa	
26.00	27.00	1.00	C0041334								grey	3			2				2											pa	
27.00	28.00	1.00	C0041335	0.1						dissem	brown	3							3	1										pa	
28.00	29.00	1.00	C0041336	0.2					0.2	mtx	orange	3							3	2							1			pa	
29.00	30.00	1.00	C0041337								orange	3							3	2			1							pv	
30.00	31.00	1.00	C0041338								orange	1							4	1							1			pv	
31.00	32.00	1.00	C0041339								grey	2			3				1	1							1			pv	
32.00	33.00	1.00	C0041340								grey	2							3	1							2			pa	
33.00	34.00	1.00	C0041341								brown	1							3	1			1				1			pa	
34.00	35.00	1.00	C0041342	0.1						dissem	brown	1							2								2			pa	
35.00	36.00	1.00	C0041343								brown	1							2	1			1				1			pa	
36.00	37.00	1.00	C0041344	0.1						dissem	brown							1	2	1			2				1			pa	
37.00	38.00	1.00	C0041345								beige	1						1	3	1							2			pv	
38.00	39.00	1.00	C0041346								orange	2			2				3	1										pv	
39.00	40.00	1.00	C0041347	0.1						dissem	beige	3							2	1							2			pa	
40.00	41.00	1.00	C0041348								orange	3			2				3	1										pv	
41.00	42.00	1.00	C0041349								orange	2			1				2	1			1				1			pa	
		CDN-FCM-6	C0041350																												
42.00	43.00	1.00	C0041351								orange	2			2			1	3	1							1			pa	
43.00	44.00	1.00	C0041352								orange	3			2				3											pa	
44.00	45.00	1.00	C0041353								orange	2			2				3	1										pa	
45.00	46.00	1.00	C0041354	1	0.1					bl	orange				1				4								1			pv	
46.00	47.00	1.00	C0041355		0.1					dissem	beige	3			2	1			3	1				1			2			pa	
47.00	48.00	1.00	C0041356								orange	1							3	1							2			pa	
48.00	49.00	1.00	C0041357								beige	1			1				2											pa	
49.00	50.00	1.00	C0041358								beige	1			1				2											pa	
50.00	51.00	1.00	C0041359								orange	1							3	1							3			pa	
51.00	52.00	1.00	C0041360								orange	1							3	1							3			pa	
52.00	53.00	1.00	C0041361								orange	1							3	1							3			pa	
53.00	53.80	0.80	C0041362	0.1						dissem	brown			1					3								2			pa	

DDH-20-288 Sample, Min, Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
53.80	55.00	1.20	C0041363	0.1						dissem	brown								2	1			2				1			pa
55.00	57.00	2.00	C0041364	0.1						vlt	brown								3	1							1			pv
57.00	58.00	1.00	C0041365	0.1						dissem	brown								3	2							1			pa
58.00	59.00	1.00	C0041366								brown								3	2							1			pv
59.00	60.00	1.00	C0041367	0.2						vlt	brown	2							3	2							2			pa
60.00	61.00	1.00	C0041368	0.1						vlt	beige								2	1							3			pa
61.00	62.00	1.00	C0041369	0.1						vlt	brown								2	1			3				3			pa
		CDN-GS-5H	C0041370																											
62.00	63.00	1.00	C0041371						0.2	dissem	brown								4	3										pv
63.00	64.00	1.00	C0041372								brown								4	2										pv
64.00	65.00	1.00	C0041373								orange	2							4	1										pa
65.00	66.00	1.00	C0041374	0.1						dissem	beige	3							3	1										pa
66.00	67.00	1.00	C0041375								orange								4	2										pv
67.00	68.00	1.00	C0041376								orange	1							4	1										pa
68.00	69.00	1.00	C0041377						0.1	vlt	beige						1	3	2								1			pa
69.00	70.00	1.00	C0041378	0.1						bl	brown	2					1	2	1											pv
70.00	71.00	1.00	C0041379	0.1						vlt	brown						1	2	1				2				1			pa
71.00	72.00	1.00	C0041380						0.1	vlt	grey				1			2	1				3							pa
72.00	73.00	1.00	C0041381								grey					1			1				2							pv
73.00	74.00	1.00	C0041382	0.2					0.2	vlt	grey					1			2	1							2			pa
74.00	74.80	0.80	C0041383								orange								4											pv
74.80	76.20	1.40	C0041384	1						dissem	black								1	1			3							pv
76.20	77.00	0.80	C0041385	0.5					0.2	vlt	beige								2	1							2			pv
77.00	78.00	1.00	C0041386	0.2					0.1	vlt	beige	1							3	1							2			pa
78.00	79.00	1.00	C0041387	2			0.1			vlt	beige	1							1								3			pa
79.00	80.00	1.00	C0041388	0.2						vlt	grey	2							1								2			pa
80.00	81.00	1.00	C0041389	0.5						bl	grey	1							1								3			pa
		CDN-GS-10D	C0041390																											
81.00	82.00	1.00	C0041391	0.5						vlt	beige								1								3			pa
82.00	83.00	1.00	C0041392	1						vlt	beige								1	1							3			pa
83.00	84.00	1.00	C0041393	1						vlt	beige								1	1							2			pa
84.00	85.00	1.00	C0041394	1						vlt	brown	2							2	1							2			pa
85.00	86.00	1.00	C0041395	0.5					0.1	vlt	orange	2							3	1							1			pa
86.00	87.00	1.00	C0041396	0.5						vlt	brown	3							3	1			1				2			pa
87.00	88.00	1.00	C0041397	0.2						vlt	grey	2							1	2			1		1		1			pa
88.00	89.00	1.00	C0041398						0.1	vlt	grey	2							2	2					1		1			pv
89.00	90.00	1.00	C0041399	1						mtx	grey	3							1				1				1			pv
90.00	91.00	1.00	C0041400	0.2						dissem	brown	2							1	2							2			pv
91.00	92.00	1.00	C0041401	0.5						mtc	brown	2							3	1							1			pa
92.00	93.00	1.00	C0041402	0.2						vlt	orange	2							3	1										pv
93.00	94.00	1.00	C0041403	0.2						vlt	orange	3					1		2	1										pa
94.00	95.00	1.00	C0041404	0.2					0.1	vlt	orange	2							3	1										pa
95.00	96.00	1.00	C0041405	0.5					0.2	mtx	beige	3							2								2			pa
96.00	97.00	1.00	C0041406	0.1						vlt	grey	3			1				2	1							1			pa
97.00	98.00	1.00	C0041407	0.2						vlt	grey	3							1				1				1			pv
98.00	99.00	1.00	C0041408	0.1						dissem	grey	3							1				1				1			pv

DDH-20-288 Sample, Min, Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
99.00	100.00	1.00	C0041409	0.1						dissem	grey	4							1				1				2			pv
		CDN-GS-P3C	C0041410																											
100.00	101.00	1.00	C0041411	0.1						dissem	grey	3							1				2				1			pv
101.00	102.00	1.00	C0041412	0.2					0.1	mtx	grey	3			2	1			1	1							2			pv
102.00	103.00	1.00	C0041413	0.2						mtx	grey	2							1								2			pv
103.00	104.20	1.20	C0041414	0.2						vlt	orange	2							3	1							1			pa
104.20	105.00	0.80	C0041415	2					0.5	mtx	grey	1											1				3			pv
105.00	106.00	1.00	C0041416	2					0.5	mtx	grey	1											1				3			pv
106.00	107.00	1.00	C0041417	0.5					0.2	mtx	grey												1				3			pv
107.00	108.00	1.00	C0041418	0.5					0.1	mtx	beige	1											1				3			pv
108.00	109.00	1.00	C0041419	0.5					0.2	mtx	beige	1											1				2			pv
109.00	110.00	1.00	C0041420	3					0.5	mtx	beige	2						1									3			pa
110.00	111.00	1.00	C0041421	1						vlt	beige	2						1									2			pv
111.00	112.00	1.00	C0041422	0.2						vlt	beige												1				2			pv
112.00	113.00	1.00	C0041423	1						vlt	green												4							pv
113.00	115.00	2.00	C0041424	0.2						dissem	green												4							pv
115.00	117.00	2.00	C0041425	0.1						dissem	grey	3											2		1					pv
117.00	119.00	2.00	C0041426	0.2						vlt	grey	2											1				3			pa
119.00	121.00	2.00	C0041427	1						vlt	black												3		1					pv
121.00	123.00	2.00	C0041428	0.5						vlt	black					1							3							pv
123.00	125.00	2.00	C0041429	1						vlt	grey	1				1							3							pa
		CDN-FCM-6	C0041430																											
125.00	127.00	2.00	C0041431	0.2						vlt	grey	1						1					1				3			pa
127.00	129.00	2.00	C0041432	0.5						vlt	grey	2						1					2		2					pa
129.00	131.00	2.00	C0041433	0.5						vlt	black	2											2							pa
131.00	133.00	2.00	C0041434	0.5						mtx	grey	1											2				3			pa
133.00	135.00	2.00	C0041435	0.2						vlt	grey	2											1							pa
135.00	137.00	2.00	C0041436	0.2						vlt	grey	2						1					1				2			pa
137.00	139.00	2.00	C0041437	0.5						vlt	grey												2				3			pa
139.00	141.00	2.00	C0041438	0.5						mtx	grey	1						1					1				3			pa
141.00	142.00	1.00	C0041439	0.1						dissem	beige							1					2				3			pa
142.00	143.00	1.00	C0041440	0.2						vlt	beige	1											1	3			2			pa
143.00	144.00	1.00	C0041441	0.2						vlt	beige												2	1			3			pv
144.00	145.00	1.00	C0041442								beige												2	1			3			pa
145.00	146.00	1.00	C0041443	0.2						vlt	beige					1									1		3			pv
146.00	148.00	2.00	C0041444	0.2						vlt	grey	3				1											1			pa
148.00	150.00	2.00	C0041445	0.2						vlt	grey					2							2				2			pa
150.00	152.00	2.00	C0041446	0.2						vlt	grey	2											3		1		2			pa
152.00	154.00	2.00	C0041447	0.1						vlt	grey	3											2				2			pa
154.00	156.00	2.00	C0041448	0.2						vlt	black	3				1							2				2			pv
156.00	158.00	2.00	C0041449	0.2						vlt	black	3										1								pv
		CDN-GS-5H	C0041450																											
158.00	160.00	2.00	C0041451	0.2						vlt	black	2											2		1					pv
160.00	162.00	2.00	C0041452	0.2						vlt	grey												4				2			pv
162.00	163.00	1.00	C0041453	0.1						vlt	black	2											4				1			pv
163.00	164.00	1.00	C0041454	0.2			0.5		0.5	mtx	beige	2															3			pa

DDH-20-288 Sample, Min, Alt interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
164.00	165.00	1.00	C0041455	0.5					0.5	mtx	beige	2															2			pa
165.00	166.00	1.00	C0041456	0.2						dissem	beige												2				3			pa
166.00	167.00	1.00	C0041457	0.5						vlt	beige	1				1											3			pv
167.00	168.00	1.00	C0041458	0.5					0.5	mtx	beige	3											1				2			pa
168.00	169.00	1.00	C0041459	0.2					0.2	mtx	beige	2											1				2			pv
169.00	170.00	1.00	C0041460	0.5					0.2	mtx	beige	2				1				1							3			pa
170.00	171.00	1.00	C0041461	0.5						vlt	beige	1								1				1			3			pa
171.00	172.00	1.00	C0041462	0.2						vlt	beige	1															2			pv
172.00	173.00	1.00	C0041463	0.2					0.2	mtx	beige	1								1							3			pa
173.00	174.00	1.00	C0041464	0.2					0.2	mtx	beige	1															3			pa
174.00	175.00	1.00	C0041465	0.2					0.2	mtx	beige	1															3			pa
175.00	176.00	1.00	C0041466	0.2					0.2	mtx	beige	1															3			pa
176.00	177.00	1.00	C0041467	1					0.5	mtx	grey	1						1									3			pa
177.00	178.00	1.00	C0041468	10					5	mtx	grey	3															2			pa
178.00	179.00	1.00	C0041469	5						mtx	beige	3				1											2			pa
		CDN-GS-10D	C0041470																											
179.00	180.00	1.00	C0041471	5					0.5	mtx	beige	2															3			pa
180.00	181.00	1.00	C0041472	5						dissem	beige	2															3			pa
181.00	182.00	1.00	C0041473	0.5					0.2	dissem	beige	1															3			pa
182.00	183.00	1.00	C0041474	0.2						vlt	black	2				1						2	2							pv
183.00	184.00	1.00	C0041475	0.2						vlt	black	2				1						2	1							pv
184.00	185.00	1.00	C0041476	0.2						vlt	black	2				1						2			1					pv
185.00	186.00	1.00	C0041477	0.5						vlt	black	2				1						2								pv
186.00	187.00	1.00	C0041478	0.2						vlt	black	2				1						2								pv
187.00	188.00	1.00	C0041479	0.2						vlt	black	2				1						2								pv
188.00	189.00	1.00	C0041480	0.2						vlt	black	2				1						2								pv
189.00	190.00	1.00	C0041481	0.2						vlt	black	2	1			1						2								pv
190.00	191.00	1.00	C0041482	0.2						vlt	black	2	1			1						2								pv
191.00	191.70	0.70	C0041483	0.5						vlt	black	3	1			1						2					2			pv
		CDN-GS-P3C	C0041484																											

Property: Charlotte Gold
Area: Flex
Client: Taurus Gold Corp.

Hole Id: DDH-20-289

Logged By: G.Goodall
Date Logged: Start Sept 26, 2020



Collar Location:			
Actual:			
Datum:	<u>NAD83, Zone 8</u>		
Easting:	<u>386794</u>	Azimuth:	<u>85</u>
Northing:	<u>6881662</u>	Dip:	<u>-54</u>
Elevation:	<u>1280.0</u>	Length:	<u>161.5</u>
Proposed:			
CHR-20-11			
Easting:	<u>386790</u>	Azimuth:	<u>78</u>
Northing:	<u>6881661</u>	Dip:	<u>-54</u>
Elevation:	<u>1289</u>	Length:	<u>135</u>

Survey Type: Ranger Single Shot			
Distance	Azi	Dip	Accept
0.00	85.00	-54.0	YES
21.34	83.95	-53.4	YES
67.06	87.85	-54.2	Suspect
97.54	84.65	-54.4	YES
128.02	84.55	-54.5	YES
158.50	86.15	-54.7	YES

Drilling Information:	
Contractor:	<u>Full Force</u>
Core Diameter:	<u>HQ</u>
Start Date:	<u>26-Sep-2020</u>
End Date:	<u>27-Sep-2020</u>
Casing In:	<u>no</u>
Casing Capped:	
Units:	<u>Metric</u>

Hole Objective: Infill Target testing Main Vein in proximity to high grade Au in holes 257, 271, 244, 139, 272

Lithology Summary			
From	To	Lith	Comment
0.00	5.80	Casing	
5.80	10.50	Quartz Feldspar Porphyry	
10.50	72.30	Gneiss	
72.30	97.10	Quartz Feldspar Porphyry	
97.10	101.80	Quartz Feldspar Porphyry	Siliceous, Pyritic
101.80	131.40	Schist	Mineralized
131.40	159.40	Quartz Feldspar Porphyry	Weakly Mineralized
159.40	161.50	Gneiss	EOH

Hole Summary: The hole collared into fractured/broken QFP, then intersected a thick package of gneiss at 10.50 m downhole. From 10.5 m, variable clay-altered and weakly pyritic gneiss ran to 72.30 m, where unremarkable quartz feldspar porphyry continued to 97.10 m. Here, the QFP became highly siliceous and weakly pyritic before sharply transitioning into a schist unit at 101.80 m. The schist was altered and mineralized, showing local vein-hosted sphalerite, pyrite, chalcopyrite and arsenopyrite over dm to m-scale intervals to 131.40 m downhole. QFP continued from here to 159.4 m, containing local veins/bands of sulphides corresponding to zones of silicification or clay alteration. At 159.4, gneiss was encountered, and the hole was terminated at 161.50 m.

DDH-20-289 Primary and Sub lithology descriptions

From	To	SubFROM_m	SubTO_m	Width	Lith Code	Lithology	Description
0.00	5.80			5.80	CAS	Casing	Casing in overburden
5.80	10.50			4.70	QFP	Quartz Feldspar Porphyry	Subcrop? Dark orange-brown, clay rich, friable. Strongly oxidized
10.50	72.30			61.80	Gn	Gneiss	Tan brown to dark green, fine grained matrix, weakly foliated generally at 45 degrees tca. Highly fractured and friable, strongly oxidized with limonite and MnOx on fractures.
		17.50	17.80	0.30			Breccia, subangular fragments of qtz vein with limonite on fracture surfaces
		29.00	31.20	2.20			Strongly oxidized, limonitic, thin qtz vein stockwork, local clay-rich gouge
							Intensely clay-rich matrix, tan-yellow..possibly scorodite? Crumbly/broken with qtz vein fragments. 2-4 cm wide zone of black sulphide
		34.50	37.50	3.00			
		37.50	40.90	3.40			Dark brown, clay rich matrix, friable, crumbly
		40.90	42.80	1.90			Strongly chloritic matrix, soft, clay-rich
		42.80	54.20	11.40			Dark green, moderately chloritic, local gouge zones, rare qtz vein fragments. Foliated at 75-90 degrees tca
		61.40	61.60	0.20			Qtz vein with two bands of Py to 2 cm wide at 90 degrees tca
		72.25	72.30	0.05			Alteration contact with dark green gneiss above and tan brown argillic gneiss below...QFP?
72.30	97.10			24.80	QFP	Quartz Feldspar Porphyry	Tan brown to light green fine matrix, minute chalk-white feldspar to 20%. Weakly to moderately fractured, weakly foliated, qtz along foliation locally normal tca. Trace sericite locally
		72.30	73.10	0.80			Broken, clay-rich gouge
		74.90	75.15	0.25			Dark brown, clay-rich gouge zone
		83.10	84.60	1.50			Siliceous matrix with two 3 cm qtz veins, local open vugs, trace very fine pyrite
		88.40	97.00	8.60			Dark brown, fine. 2-5% fine-medium sericite, occasional 1-2 cm clear-white qtz veins.
97.10	101.80			4.70	QFP	Quartz Feldspar Porphyry	Highly siliceous, light to medium grey, very fine matrix with frequent qtz veins along foliation at 50 degrees tca and crosscutting. 1-3% fine pyrite infilling fractures and within qtz veins. Lower contact sharp at 30 degrees tca.
		97.10	98.30	1.20			Clay-rich QFP breccia with subrounded fragments, fine pyrite interstitial to fragments
							Siliceous QFP, moderately fractured, Py infilling fractures and disseminated in matrix. Crosscut by 1 cm clear qtz vein at 10 degrees tca
		98.90	98.95	0.05			
		99.40	99.90	0.50			Local dm-scale shear zones, limonitic, with medium Py to 2%
101.80	131.40			29.60	Sch	Schist	Light to medium grey, locally tan brown, Very fine to fine, weakly-moderately laminated 1-2 mm wide at 60-80 degrees tca. Predominately felsic layers, minor mafic. Muscovite and sericite to 5 %. Weakly fractured, with limonite on fracture surfaces. Trace-3 % disseminated and fracture-filling Py, local narrow veinlets. Moderately-highly siliceous groundmass.
		107.60	108.30	0.70			Qtz sulphide vein > 6 cm wide subparallel tca at 25 degrees. 3 cm selvage of massive Py, AsPy and Sph. Fine grained, with coarse euhedral qtz crystals in open cavity to 15 mm.
		115.00	115.80	0.80			Highly siliceous, Py infilling lamella < 1-2 mm thick
		119.60	121.40	1.80			Moderate to highly siliceous groundmass, increase in Py to 5% locally
							Intensely siliceous, moderately fractured with pyrite infilling fractures throughout, trace hematite. Local chalcedonic-coarse qtz vein to 6 cm with Py-AsPy selvage. Trace Sph, 3-10% total fine sulphides. Local 5 cm aggregate of malachite/green silicate in contact with cm-scale Cpy-Py band
		122.10	126.70	4.60			
		126.70	129.00	2.30			QFP dyke, medium grey, very fine to fine matrix, minute to very fine chalky white feldspar. Weakly foliated at 45 tca. Malachite-green mineral at 128.1 near fine pyrite
131.40	159.40			28.00	QFP	Quartz Feldspar Porphyry	Tan brown to light grey, very fine to fine matrix. Minute to very fine feldspar phenocrysts. Moderately fractured with limonite and clay on fractures surfaces locally to 133.1 m. Weakly foliated at 45 tca
		131.40	137.60	6.20			Highly fractured and siliceous, locally brecciated. 2 cm qtz vein parallel tca with thin bands of Py in vein and selvage. Pyrite 5% along fracture surfaces and in qtz vein fragments

DDH-20-289 Primary and Sub lithology descriptions

From	To	SubFROM_m	SubTO_m	Width	Lith Code	Lithology	Description
		140.10	155.00	14.90			Intensely fractured and clay altered zone with qtz veins and pyrite infilling fractures at 5-60 degrees tca. 20 cm qtz vein with bands of pyrite at 149.4. 4 cm band of massive Sph and Py at 80 degrees tca at 153.4 m. QFP fragments show sub-alignment to foliation at 35-50 degrees tca
		155.00	159.40	4.40			Intense silicification, brecciated with angular vein fragments healed in silica. Trace very fine pyrite, local aggregates to 3 mm
159.40	161.50			2.10	Gn	Gneiss	Medium grey, very fine to fine matrix. Thin lamellae banded at 45 tca as alternating felsic-mafic bands 1 mm wide. Narrow qtz veinlets crosscutting foliation locally
	EOH						

DDH-20-289 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn	Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
5.80	8.00	2.20	C0041485									orange								4	1							2			pv
8.00	9.00	1.00	C0041486									orange								3	2							2			pa
9.00	10.00	1.00	C0041487									orange								3	1							2			pv
10.00	11.00	1.00	C0041488									orange								3	1							2			pa
11.00	12.00	1.00	C0041489									grey								2	1										pa
12.00	13.00	1.00	C0041490									brown								3	1										pa
13.00	14.00	1.00	C0041491									brown								3	1										pa
14.00	15.00	1.00	C0041492									brown								3	1										pa
15.00	16.00	1.00	C0041493									orange				1				3	1										pa
16.00	17.00	1.00	C0041494									orange								3	1							1			pa
		CDN-FCM-6	C0041495																												
17.00	18.00	1.00	C0041496									brown	3							3	2										pa
18.00	19.00	1.00	C0041497									beige								3	1							1			pa
19.00	20.00	1.00	C0041498									beige	1							3	1										pa
20.00	21.00	1.00	C0041499						0.1		dissem	beige	1							3	1										pa
21.00	22.00	1.00	C0041500									beige								3	1							1			pa
22.00	23.00	1.00	C0041501									orange	2							3	1							1			pa
23.00	24.00	1.00	C0041502									orange								4	1			1				1			pv
24.00	25.00	1.00	C0041503									grey	1							3				3							pa
25.00	26.00	1.00	C0041504									grey	1							2	1			2							pa
26.00	27.00	1.00	C0041505									brown	1							2	2			2				1			pa
27.00	28.00	1.00	C0041506									brown								2	2			3							pa
28.00	29.00	1.00	C0041507									brown								1	1			3							pa
29.00	30.00	1.00	C0041508									orange								3	1							1			pa
30.00	31.00	1.00	C0041509									orange	1							4								2			pa
31.00	32.00	1.00	C0041510		0.5						vlt	beige	2		2					2								1			pv
32.00	33.00	1.00	C0041511									beige	2		1					1								3			pa
33.00	34.00	1.00	C0041512									beige	1		1					1								1			pa
34.00	35.00	1.00	C0041513									grey	3		1					3	1							1			pa
35.00	36.00	1.00	C0041514									beige			2					2								3			pa
		CDN-GS-5H	C0041515																												
36.00	37.00	1.00	C0041516		0.2						bl	beige	2		3					1								3			pa
37.00	38.00	1.00	C0041517									brown			2					2	1							3			pa
38.00	39.00	1.00	C0041518									brown								2	1							2			pv
39.00	40.00	1.00	C0041519									brown								2	1										pa
40.00	41.00	1.00	C0041520									brown								2	1							2			pa
41.00	42.00	1.00	C0041521									brown								2	1							2			pv
42.00	43.00	1.00	C0041522	0.1	0.1						dissem	brown								2	1							2			pa
43.00	46.00	3.00	C0041523									grey	2							1	1										pa
46.00	47.00	1.00	C0041524									black	2							1	1			2							pa
47.00	48.00	1.00	C0041525									black												3							pv
48.00	49.00	1.00	C0041526									black	2			1				1	1			2							pa
49.00	50.00	1.00	C0041527	0.2							vlt	grey	2			1								3							pv
50.00	51.00	1.00	C0041528	0.2							dissem	grey				1								3							pv
51.00	52.00	1.00	C0041529	0.5							vlt	grey				1								3				1			pv
52.00	53.00	1.00	C0041530	1					0.5		mtx	grey	2											3				1			pa

DDH-20-289 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn	Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
53.00	54.00	1.00	C0041531	0.5						mtx		grey	2				1							3				1			pa
54.00	56.00	2.00	C0041532	0.5						dissem		black					2							3				1			pv
56.00	58.00	2.00	C0041533	0.5						dissem		black					1		1		1			3							pv
58.00	60.00	2.00	C0041534	0.2						vlt		grey	3							1				2		1		1			pa
		CDN-GS-P3C	C0041535																												
60.00	62.00	2.00	C0041536	1						vlt		grey	3				1			1				1				1			pa
62.00	64.00	2.00	C0041537	0.5						vlt		grey	1				1			2			2					2			pa
64.00	66.00	2.00	C0041538	0.2						vlt		grey	2						2	1	2										pa
66.00	68.00	2.00	C0041539									grey	2				1			2	1		2								pa
68.00	70.00	2.00	C0041540									grey	2				1			3	1		1				2				pa
70.00	72.00	2.00	C0041541		0.1					dissem		grey		1									2	2							pa
72.00	74.00	2.00	C0041542	0.5						vlt		orange	3				1			3	1										pa
74.00	76.00	2.00	C0041543									orange	3			2				3	1										pa
76.00	78.00	2.00	C0041544									beige	3		1	2				2	1										pa
78.00	80.00	2.00	C0041545		0.2				1	vlt		beige	3		2					3								2			pa
80.00	82.00	2.00	C0041546									beige	2			1				1								3			pa
82.00	83.00	1.00	C0041547						0.1	vlt		beige	3							1								1			pv
83.00	84.00	1.00	C0041548						0.1	vlt		beige	4							1								1			pv
84.00	85.00	1.00	C0041549									beige	4			1				1								1			pa
85.00	86.00	1.00	C0041550									beige	1			1				2								1			pa
86.00	87.00	1.00	C0041551									beige	3			1				1								3			pa
87.00	88.00	1.00	C0041552									orange	2			1				2	2										pa
88.00	89.00	1.00	C0041553									orange	2			1				3	1							2			pa
89.00	90.00	1.00	C0041554	0.2						vlt		orange	2			1				3	1										pa
		CDN-GS-10D	C0041555																												
90.00	91.00	1.00	C0041556	0.2						vlt		orange	1			2				3	1							2			pa
91.00	92.00	1.00	C0041557	0.2						vlt		orange	2			1				3	1							1			pa
92.00	93.00	1.00	C0041558	0.2						vlt		orange	3			1				2	1							2			pa
93.00	94.00	1.00	C0041559									orange	1			1				3	1							2			pa
94.00	95.00	1.00	C0041560									orange	2			2				2								2			pa
95.00	96.00	1.00	C0041561	0.2						vlt		orange	1			2				3	1							1			pa
96.00	97.00	1.00	C0041562									brown				2				2								3			pv
97.00	98.00	1.00	C0041563	0.5					0.2	dissem		grey								1				1				4			pv
98.00	99.00	1.00	C0041564	1					0.2	mtx		grey	3							1								1			pa
99.00	100.00	1.00	C0041565	0.5					0.2	mtx		grey	2							1	1							2			pa
100.00	101.00	1.00	C0041566	0.5						dissem		grey	3			1				2	1							3			pa
101.00	102.00	1.00	C0041567	0.5						vlt		grey	3							3	1							1			pa
102.00	103.00	1.00	C0041568	0.5						vlt		grey	3							2								1			pa
103.00	104.00	1.00	C0041569	0.5						vlt		grey	3							1	1							1			pa
104.00	105.00	1.00	C0041570	0.5						vlt		grey	3							1	1							1			pa
105.00	106.00	1.00	C0041571	0.5					0.2	vlt		grey	3			2				2	2							1			pa
106.00	107.00	1.00	C0041572	0.5					0.2	vlt		grey	4							1								1			pv
107.00	108.00	1.00	C0041573	0.5	5	0.2	0.5			mas		grey	5		1					1								1			pv
108.00	109.00	1.00	C0041574	0.5	10	0.2	0.5			mas		grey	4		1	2				1	1							1			pa
		CDN-GS-P3C	C0041575																												
109.00	110.00	1.00	C0041576	1						vlt		grey	3			1				1								1			pa

DDH-20-289 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
110.00	111.00	1.00	C0041577	1					0.2	mtx	grey	3			1				1								1			pa
111.00	112.00	1.00	C0041578	0.5						mtx	orange	3			2				3								1			pa
112.00	113.00	1.00	C0041579	0.5					0.1	vlt	grey	3							1								1			pa
113.00	114.00	1.00	C0041580	0.5					0.1	vlt	grey	3						1	1								1			pa
114.00	115.00	1.00	C0041581	0.5					0.1	vlt	grey	3							1								2			pa
115.00	116.00	1.00	C0041582	1	0.1		0.2			vlt	grey	3							2								2			pa
116.00	117.00	1.00	C0041583	0.5						vlt	beige	2		2					2	1							3			pa
117.00	118.00	1.00	C0041584	0.2						vlt	beige	3							1								2			pa
118.00	119.00	1.00	C0041585	0.2						vlt	beige	3							2								1			pa
119.00	120.00	1.00	C0041586	0.2					0.1	vlt	orange	1			2				3	1							2			pa
120.00	121.00	1.00	C0041587	1						mtx	grey				2				1								2			pv
121.00	122.00	1.00	C0041588	0.5						mtx	grey	2			1				2	1							2			pa
122.00	123.00	1.00	C0041589	0.5			0.5		0.1	vlt	grey	3							1								1			pa
123.00	124.00	1.00	C0041590	5					0.5	mtx	grey	3							1											pv
124.00	125.00	1.00	C0041591	0.5					0.2	vlt	grey	3							1								2			pa
125.00	126.00	1.00	C0041592	1					0.2	vlt	grey	3							1								1			pa
126.00	127.00	1.00	C0041593	0.5	5		0.5		0.2	vlt	grey	4							1											pa
127.00	128.00	1.00	C0041594	2					0.2	dissem	grey	3						1									2			pv
		CDN-GS-10D	C0041595																											
128.00	129.00	1.00	C0041596	2					0.2	dissem	grey	3															1			pv
129.00	130.00	1.00	C0041597	1					0.2	vlt	grey	2							1								3			pa
130.00	131.00	1.00	C0041598	1					0.2	vlt	grey	3							2								2			pa
131.00	132.00	1.00	C0041599	0.5					0.2	vlt	beige	3							1								2			pa
132.00	133.00	1.00	C0041600	0.5					0.2	vlt	beige	3							1								2			pa
133.00	134.00	1.00	C0041601	1					0.2	mtx	beige	3															2			pa
134.00	135.00	1.00	C0041602	2					0.2	mtx	beige	3															2			pa
135.00	136.00	1.00	C0041603	2					0.2	mtx	grey	3															2			pa
136.00	137.00	1.00	C0041604	5			0.2		0.2	mtx	grey	3															2			pa
137.00	138.00	1.00	C0041605	5			0.2		0.2	mtx	grey	3															2			pa
138.00	139.00	1.00	C0041606	5					0.2	mtx	beige	2						1									2			pa
139.00	140.00	1.00	C0041607	2					0.2	vlt	beige	2						1									3			pa
140.00	141.00	1.00	C0041608	3			0.5		0.2	vlt	grey	3															2			pa
141.00	142.00	1.00	C0041609	2					0.2	mtx	grey	3															2			pa
142.00	143.00	1.00	C0041610	2					0.2	mtx	grey	3															2			pa
143.00	144.00	1.00	C0041611	1					0.2	mtx	grey	3															2			pa
144.00	145.00	1.00	C0041612	1					0.2	mtx	grey	3															3			pa
145.00	146.00	1.00	C0041613	0.5					0.2	mtx	grey	3															2			pa
146.00	147.00	1.00	C0041614	1					0.2	mtx	grey	3						1									1			pa
		CDN-GS-5H	C0041615																											
147.00	148.00	1.00	C0041616	1					0.2	mtx	grey	3						1									2			pa
148.00	149.00	1.00	C0041617	2			0.1		0.2	mtx	grey	3						1									2			pa
149.00	150.00	1.00	C0041618	1	0.2		0.2		0.2	mtx	grey	3							1		1						2			pa
150.00	151.00	1.00	C0041619	1					0.2	mtx	grey	3															1			pa
151.00	152.00	1.00	C0041620	0.5					0.2	mtx	grey	2															2			pa
152.00	153.00	1.00	C0041621	0.2					0.1	mtx	grey	4								1							2			pa
153.00	154.00	1.00	C0041622	0.2					0.1	vlt	grey	3								1							2			pa

DDH-20-289 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
154.00	155.00	1.00	C0041623	0.5	1		3		0.1	vlt	grey	4						1												pv
155.00	156.00	1.00	C0041624	0.2					0.1	vlt	grey	3						1									2			pa
156.00	157.00	1.00	C0041625	1					2	dissem	grey	3						1										2		pa
157.00	158.00	1.00	C0041626	0.2					0.5	mtx	grey	3							2								1			pa
158.00	159.00	1.00	C0041627	0.5					0.5	mtx	grey	4						1	1								1			pv
159.00	160.00	1.00	C0041628	0.5					0.5	vlt	grey	4							2											pv
160.00	161.50	1.50	C0041629	0.5					0.5	vlt	grey	4							1								1			pa
		CDN-FCM-6	C0041630																											

Property: **Charlotte Gold**

Area: **Flex**

Client: **Taurus Gold Corp.**

Hole Id: **DDH-20-290**

Logged By: **G.Goodall**

Date Logged: **Start Sept 27, 2020**



Collar Location:			
Actual:			
Datum:	NAD83, Zone 8		
Easting:	386764	Azimuth:	78
Northing:	6881679	Dip:	-54
Elevation:	1286.0	Length:	219.5
Proposed:			
DDH-11-261 site			
Easting:	386776	Azimuth:	78
Northing:	6881667	Dip:	-54
Elevation:		Length:	145

Survey Type: Ranger Single Shot			
Distance	Azi	Dip	Accept
0.00	78.00	-54.00	YES
15.24	77.05	-53.10	YES
45.72	74.65	-53.50	YES
76.20	75.55	-53.90	YES
106.68	76.95	-54.10	YES
137.16	78.05	-54.50	YES
167.64	78.75	-54.90	YES
195.07	78.55	-54.90	YES
219.46	79.65	-55.10	YES

Drilling Information:	
Contractor:	Full Force
Core Diameter:	HQ
Start Date:	27-Sep-2020
End Date:	30-Sep-2020
Casing In:	no
Casing Capped:	
Units:	Metric

Hole Objective: Extension of DDH-11-261

Hole Summary: The hole collared into a sequence of unremarkable, locally weakly altered gneiss, schist and quartz feldspar porphyry continuing downhole to 81.50 m, where a siliceous QFP with pyritic fractures lay in contact with a mineralized quartz vein/siliceous zone starting at 85.90 m. The zone contains variably sulphide-mineralized gouge and breccias, with local cm-scale bands of galena, sphalerite, pyrite and pyrrhotite at 45 degrees to core axis to 90.20 m. QFP continues from 90.20 to 132.0 m, hosting local bands/veinlets of qtz-pyrite. At 132.0 m, a mafic dyke intrudes the QFP to 137.3, after which QFP as seen uphole from the dyke continues to 180.9 m. Unremarkable schist, QFP and gneiss run from here to the EOH at 219.50 m.

Lithology Summary			
From	To	Lith	Comment
0.00	3.10	Casing	
3.10	12.00	Gneiss	
12.00	35.90	Schist	
35.90	67.00	Quartz Feldspar Porphyry	
67.00	81.50	Gneiss	
81.50	85.90	Quartz Feldspar Porphyry	Weakly Mineralized
85.90	90.20	Quartz Vein	Mineralized
90.20	132.00	Quartz Feldspar Porphyry	Weakly Mineralized
132.00	137.30	Mafic Dyke	
137.30	180.90	Quartz Feldspar Porphyry	Weakly Mineralized
180.90	187.10	Schist	
187.10	189.70	Quartz Feldspar Porphyry	
189.70	219.50	Gneiss	EOH

DDH-20-290 Primary and Sub lithology description

From_m	To_m	SubFROM_m	SubTO_m	Width	Lith Code	Lithology	Description
0.00	3.10			3.10	CAS	Casing	Casing in overburden
3.10	12.00			8.90	Gn	Gneiss	Dark green, fine, weakly foliated. Strongly oxidized to 7.3 m, moderately fractured. Trace sericite on fracture surfaces
12.00	35.90			23.90	Sch	Schist	Tan brown, fine to medium grained groundmass. Moderate-well layered at 60-80 degrees tca. Thin < 1mm planes, 10% muscovite/sericite, moderately fractured
35.90	67.00			31.10	QFP	Quartz Feldspar Porphyry	Tan to dark brown, very fine grained matrix. Crumbly and broken, moderately to highly fractured. Local strong to intense limonite and clay, rare qtz veins with trace Py on selvages
		36.60	38.50	1.90			Intense clay alteration, very soft
		47.80	48.40	0.60			Intense clay-rich breccia with <1 cm subrounded fragments of QFP
		52.20	54.00	1.80			1 m lost core, friable, broken material ground up
		56.10	56.50	0.40			Siliceous interval with open cavities, possible qtz vein. Broken, highly fractured
		57.10	67.00	9.90			Intense clay altered breccia and gouge. Tan brown-yellow green. Small <1 cm fragments of qtz with pyrite. Possible AsPy with hematite
67.00	81.50			14.50	Gn	Gneiss	Pale to dark green, fine matrix, weakly foliated at 80 degrees tca. Weakly to moderately fractured at 45-80 tca.
81.50	85.90			4.40	QFP	Quartz Feldspar Porphyry	Cream-light green matrix, fine grained, moderately fractured with limonite on fractures. Pyrite infilling fractures
85.90	90.20			4.30	Qtz	Quartz Vein	Quartz sulphide vein, white to dark grey with black sulphides. Highly fractured, with dark pyrite infilling fractures
		85.90	86.80	0.90			Fractured clay-rich matrix supporting angular qtz vein fragments to 3 cm. 5-15% very fine Py in matrix
		86.80	88.00	1.20			White qtz, massive. Fractured, with trace disseminated Py
		88.00	88.80	0.80			Brecciated QFP with siliceous matrix. Pyrite to 3% infilling fractures and in matrix
		88.80	90.20	1.40			Semi-massive to massive sulphide within highly fractured and brecciated QFP, 6-8 cm wide. Bands of Ga/Py/Po/Sph at 45-60 degrees tca
90.20	132.00			41.80	QFP	Quartz Feldspar Porphyry	As from 85.90 - 90.20 m.
		102.50	103.80	1.30			Breccia with coarse fragments of QFP healed by silica. Trace-3% fine Py
		119.50	131.60	12.10			Medium grey, very fine matrix with frequent (5-10 per meter) very fine dark grey siliceous bands. Trace-5% very fine Py in bands and on selvages
132.00	137.30			5.30	MD	Mafic Dyke	Dark green, fine grained and massive. Weakly fractured, with calcite on fracture surfaces typically broken at 45-60 degrees tca. Trace disseminated fine Py
137.30	180.90			43.60	QFP	Quartz Feldspar Porphyry	Buff to light grey, fine grained matrix with minute feldspar laths weakly aligned. Weakly fractured at 45, 60 and 90 tca
		138.00	140.80	2.80			4 cm wide quartz vein sub-parallel to core axis infilled with medium grained bands of Py to 15%. Numerous thin veinlets locally infilled with Py.
		147.00	152.10	5.10			Multiple qtz veins 1-2 cm wide with 1-3% Py in veins and along selvages. Locally up to 5% Py
		158.10	161.60	3.50			Moderately sheared at 10 degrees tca
		168.10	170.90	2.80			Brecciated QFP with subround-subangular fragments of QFP and qtz vein in siliceous matrix. Very fine to fine Py to 3% within fragments and in matrix
		172.30	172.70	0.40			Brecciated gouge zone
		174.80	179.00	4.20			Highly siliceous, with local qtz veins and fragments generally 30 tca. Disseminated and locally banded Py up to 5%
180.90	187.10			6.20	Sch	Schist	Tan brown to light grey, moderately foliated at 45 degrees tca. Fine grained, moderately siliceous with silica bands <1 cm parallel to foliation. Pyrite on selvages and disseminated in matrix to 2%
187.10	189.70			2.60	QFP	Quartz Feldspar Porphyry	Medium grey, very fine matrix, moderately siliceous. Locally brecciated with Py to 2% in matrix
189.70	219.50			29.80	Gn	Gneiss	Dark green matrix, weakly to moderately foliated generally at 45 degrees tca. Felsic-mafic bands <1 - 3 mm thick, weakly fractured. Pyrite along fractures and disseminated in matrix to 1%. Occasional 1 cm wide Py veins (209.9, 210.5 and 211.2 m)
		219.10	219.50	0.40			Qtz vein, massive, coarse grained with quartz/feldspar crystals to 2 cm
	EOH						

DDH-20-290 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style	
3.10	6.00	2.90	C0041631								orange	3			2				4	2										pv	
6.00	7.00	1.00	C0041632								orange	2							4	1										pv	
7.00	8.00	1.00	C0041633	0.1						dissem	grey	3			2				3	1							1			pa	
8.00	9.00	1.00	C0041634	0.2						dissem	grey	4									1									pv	
9.00	10.00	1.00	C0041635								grey	2							2	2							2			pa	
10.00	11.00	1.00	C0041636								grey	2								1										pv	
11.00	12.00	1.00	C0041637								brown	3			1				1	1										pv	
12.00	13.00	1.00	C0041638								brown	2			1				2	1										pv	
13.00	14.00	1.00	C0041639								orange	2							3	1							1			pv	
14.00	15.00	1.00	C0041640								beige	2			1				2	1							3			pa	
15.00	16.00	1.00	C0041641								orange	3			1				2								2			pa	
16.00	17.00	1.00	C0041642								grey	1			2				1	1							1			pa	
17.00	18.00	1.00	C0041643								orange	3			2				3	1							1			pa	
18.00	19.00	1.00	C0041644								orange	3			2				3	1										pv	
		CDN-GS-5H	C0041645																												
19.00	20.00	1.00	C0041646								orange	4			1				3	1										pv	
20.00	21.00	1.00	C0041647								orange	3			2				3	1							2			pa	
21.00	22.00	1.00	C0041648								grey	3			2				1											pa	
22.00	23.00	1.00	C0041649	0.2						vlt	grey	3			1				1											pv	
23.00	24.00	1.00	C0041650								grey	2			1				1								2			pa	
24.00	25.00	1.00	C0041651								grey	3				1			2				2							pa	
25.00	26.00	1.00	C0041652								grey	4																		pv	
26.00	27.00	1.00	C0041653								beige	3			2				2								2			pa	
27.00	28.00	1.00	C0041654								beige	2			2				2								2			pa	
28.00	29.00	1.00	C0041655								grey	2			1				1		2									pa	
29.00	30.00	1.00	C0041656	0.1						vlt	grey	4							2											pv	
30.00	31.00	1.00	C0041657	0.1						vlt	grey	4							2											pv	
31.00	32.00	1.00	C0041658								orange	3			2				3	1										pa	
32.00	33.00	1.00	C0041659								orange	3			2				2	1										pa	
33.00	34.00	1.00	C0041660								orange	2							1	1			1				2			pa	
34.00	35.00	1.00	C0041661								beige	3							1	1			1							pa	
35.00	36.00	1.00	C0041662								grey	2							2	1			2				2			pa	
36.00	37.00	1.00	C0041663								beige	1							2	1							3			pa	
37.00	38.00	1.00	C0041664								beige	1							1	1							3			pa	
		CDN-FCM-6	C0041665																												
38.00	39.00	1.00	C0041666								orange								4	2							2			pv	
39.00	40.00	1.00	C0041667								orange								4	2							2			pv	
40.00	41.00	1.00	C0041668								orange								4	2							3			pv	
41.00	42.00	1.00	C0041669								orange								4	2							3			pv	
42.00	43.00	1.00	C0041670	1						vlt	orange								4	2							3			pv	
43.00	44.00	1.00	C0041671	0.2						vlt	orange								4	2							3			pv	
44.00	45.00	1.00	C0041672								orange								4	2							3			pv	
45.00	46.00	1.00	C0041673								orange	2							3	1							2			pv	
46.00	47.00	1.00	C0041674								orange								4	2							3			pv	
47.00	48.00	1.00	C0041675								orange								4	2							2			pv	
48.00	49.00	1.00	C0041676	0.5						vlt	orange				1				4	2							3			pv	

DDH-20-290 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
49.00	50.00	1.00	C0041677								orange	2							4	2							2			pa
50.00	51.00	1.00	C0041678								orange								4	2							3			pv
51.00	52.00	1.00	C0041679								orange	1							4	2							2			pa
52.00	54.00	2.00	C0041680								orange	2							3	2							2			pa
54.00	55.00	1.00	C0041681								orange								3	1							2			pv
55.00	56.00	1.00	C0041682								orange								3	1							2			pv
56.00	57.00	1.00	C0041683								beige			1					2	1							2			pa
57.00	58.00	1.00	C0041684								orange								4	2							3			pv
		CDN-GS-P3C	C0041685																											
58.00	59.00	1.00	C0041686								orange	2							4	1							2			pa
59.00	60.00	1.00	C0041687								orange	2							3	1							1			pa
60.00	61.00	1.00	C0041688								orange	1		1					3	1							1			pa
61.00	63.20	2.20	C0041689								beige	2		2													3			pv
63.20	64.00	0.80	C0041690								orange								3	1							2			pv
64.00	65.00	1.00	C0041691								orange								3	1							2			pv
65.00	66.00	1.00	C0041692								beige	2		2													2			pv
66.00	66.90	0.90	C0041693								orange								4	1							2			pv
66.90	68.00	1.10	C0041694								brown								2	2							2			pv
68.00	69.00	1.00	C0041695								brown	1	1							1			2				1			pa
69.00	70.00	1.00	C0041696	0.2						vlt	grey	1				1							3							pv
70.00	71.00	1.00	C0041697	0.2						vlt	grey	1				1			1	1			3							pv
71.00	72.00	1.00	C0041698	0.2						vlt	grey	1											2				2			pa
72.00	73.00	1.00	C0041699	0.2						vlt	beige	2				1		1					1				3			pv
73.00	74.00	1.00	C0041700								grey	2				1							1							pv
74.00	75.00	1.00	C0041701								grey	2				1			1				1							pv
75.00	76.00	1.00	C0041702	0.1						vlt	grey	2				1			1				1							pv
76.00	77.00	1.00	C0041703	0.1						vlt	grey	2				1			1				1		2		3			pa
77.00	78.00	1.00	C0041704	0.5						vlt	grey					1							3				3			pv
		CDN-GS-5H	C0041705																											
78.00	79.00	1.00	C0041706	0.2						vlt	grey	2				1			1	1		1					1			pv
79.00	80.00	1.00	C0041707	0.5						vlt	grey	1				2			1	1							1			pv
80.00	81.00	1.00	C0041708	0.1						vlt	grey	1				1			1	1							1			pv
81.00	82.00	1.00	C0041709	0.5						vlt	grey	1							2				1				2			pa
82.00	83.00	1.00	C0041710	1						mtx	beige	3							2								1			pa
83.00	84.00	1.00	C0041711	0.5						mtx	beige	2							2								1			pa
84.00	85.00	1.00	C0041712	0.5	0.2					mtx	beige	2							1								3			pa
85.00	86.00	1.00	C0041713	1	0.5		0.5			mtx	beige	2		1					1								2			pa
86.00	86.80	0.80	C0041714	1						mtx	grey	2		1					1								2			pa
86.80	88.00	1.20	C0041715	0.2						mtx	white	4							1											pa
88.00	88.80	0.80	C0041716	3						mtx	grey	3							1								2			pa
88.80	89.50	0.70	C0041717	0.5	10		0.2			mas	grey	3															3			pa
89.50	90.20	0.70	C0041718	5	30	5	2			mas	grey	2													1		1			pa
90.20	91.00	0.80	C0041719	2					0.2	mtx	grey	2							1	1							2			pv
91.00	92.00	1.00	C0041720	0.5					0.2	mtx	grey	3		1					1											pv
92.00	93.00	1.00	C0041721	0.5					0.2	mtx	grey	2							1								2			pa
93.00	94.00	1.00	C0041722						0.5	vlt	grey	3							2	2										pv

DDH-20-290 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
94.00	95.00	1.00	C0041723								orange	2			2				4	2							2			pa
95.00	96.00	1.00	C0041724								orange	2							3	1							2			pa
		CDN-FCM-6	C0041725																											
96.00	97.00	1.00	C0041726								beige	2							2								2			pa
97.00	98.00	1.00	C0041727								beige	2							2								2			pa
98.00	99.00	1.00	C0041728								beige	2			1				1								1			pa
99.00	100.00	1.00	C0041729								grey	3							1											pv
100.00	101.00	1.00	C0041730	0.2						vlt	grey	3		1					1											pv
101.00	102.00	1.00	C0041731	0.2					0.5	mtx	orange	3					1		3								1			pa
102.00	103.00	1.00	C0041732	0.2					0.5	mtx	grey	3							1								2			pa
103.00	104.00	1.00	C0041733	0.2					0.5	mtx	beige	2							3								1			pa
104.00	105.00	1.00	C0041734	0.2					0.5	mtx	beige	3							3	1							3			pa
105.00	106.00	1.00	C0041735	0.2					0.5	mtx	beige	1							2								2			pa
106.00	107.00	1.00	C0041736	0.1					0.2	vlt	beige	1			1				2								2			pa
107.00	108.00	1.00	C0041737	0.1						dissem	beige	1							3								3			pa
108.00	109.00	1.00	C0041738						0.1	vlt	beige	1							1								3			pa
109.00	110.00	1.00	C0041739	0.5					0.5	mtx	beige	2					1										3			pv
110.00	111.00	1.00	C0041740	0.1						dissem	grey	2											3				2			pa
111.00	112.00	1.00	C0041741	0.2						dissem	grey	2											3				1			pa
112.00	113.00	1.00	C0041742	0.2						dissem	grey	1							1				2				2			pa
113.00	114.00	1.00	C0041743	1					0.5	mtx	grey	2															3			pa
114.00	115.00	1.00	C0041744	1					0.2	mtx	grey	2															3			pa
		CDN-GS-P3C	C0041745																											
115.00	116.00	1.00	C0041746						0.5	mtx	grey	2							1								2			pa
116.00	117.00	1.00	C0041747	0.5					0.2	mtx	grey	2															2			pa
117.00	118.00	1.00	C0041748	1						vlt	beige	1															2			pa
118.00	119.00	1.00	C0041749	1						vlt	grey	1															2			pa
119.00	120.00	1.00	C0041750	0.2					0.1	vlt	grey	2							1								1			pv
120.00	121.00	1.00	C0041751	0.2					0.1	vlt	grey	2							1								1			pv
121.00	122.00	1.00	C0041752	0.5					0.1	vlt	grey	2							1								1			pv
122.00	123.00	1.00	C0041753	0.5					0.1	vlt	grey	3															2			pa
123.00	124.00	1.00	C0041754	1					0.2	vlt	grey	2															2			pa
124.00	125.00	1.00	C0041755	0.5					0.1	vlt	grey	3															2			pa
125.00	126.00	1.00	C0041756	0.5					0.1	vlt	grey	3															2			pa
126.00	127.00	1.00	C0041757	0.5					0.1	vlt	grey	3															2			pa
127.00	128.00	1.00	C0041758	0.5					0.1	vlt	grey	3															2			pa
128.00	129.00	1.00	C0041759	0.5					0.1	vlt	grey	2											2				3			pa
129.00	130.00	1.00	C0041760	0.2					0.1	vlt	grey	2											2				3			pa
130.00	131.00	1.00	C0041761	1					0.2	vlt	grey	2											1				3			pa
131.00	132.00	1.00	C0041762	0.2					0.1	vlt	grey	3															2			pa
132.00	133.00	1.00	C0041763	0.2					0.1	vlt	grey	3															2			pa
133.00	134.00	1.00	C0041764	0.1					0.1	vlt	grey	3											1				2			pa
		CDN-GS-5H	C0041765																											
134.00	135.00	1.00	C0041766	0.2						vlt	grey	3															2			pa
135.00	136.00	1.00	C0041767	0.2						dissem	grey	4											1				1			pa
136.00	137.00	1.00	C0041768								grey	2											2				3			pa

DDH-20-290 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn	Style	Rock Colour	Si	ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
137.00	138.00	1.00	C0041769						0.2	vlt		grey	3															1			pv
138.00	139.00	1.00	C0041770						0.2	vlt		grey	2															2			pa
139.00	140.00	1.00	C0041771	10					0.5	mas		grey	4															1			pv
140.00	141.00	1.00	C0041772	0.5					0.1	vlt		grey	3															2			pa
141.00	142.00	1.00	C0041773	0.5					0.1	vlt		grey	3															2			pa
142.00	143.00	1.00	C0041774	0.5					0.1	vlt		beige	1															3			pv
143.00	144.00	1.00	C0041775	0.2					0.1	vlt		beige	1															3			pv
144.00	145.00	1.00	C0041776	0.2					0.1	vlt		beige	2											1				3			pv
145.00	146.00	1.00	C0041777									grey	2						1					1				2			pa
146.00	147.00	1.00	C0041778	0.5					0.2	mtx		grey	2															3			pa
147.00	148.00	1.00	C0041779	0.5					0.2	mtx		grey	2															3			pa
148.00	149.00	1.00	C0041780	0.5					0.2	mtx		grey	2															3			pa
149.00	150.00	1.00	C0041781	0.1					0.1	mtx		grey	2															2			pa
150.00	151.00	1.00	C0041782	0.5					0.2	mtx		grey	2															3			pa
151.00	152.00	1.00	C0041783	0.5					0.2	vlt		grey	2															3			pa
152.00	153.00	1.00	C0041784	0.5					0.2	vlt		grey	2															1			pv
		CDN-FCM-6	C0041785																												
153.00	154.00	1.00	C0041786	0.2						dissem		grey	1															3			pv
154.00	155.00	1.00	C0041787	0.2						vlt		grey	1															2			pv
155.00	156.00	1.00	C0041788	0.5					0.2	vlt		grey	1															3			pv
156.00	157.00	1.00	C0041789	0.5					0.2	vlt		grey	1															3			pv
157.00	158.00	1.00	C0041790	0.5					0.2	vlt		grey	1															3			pv
158.00	159.00	1.00	C0041791	0.5					0.2	vlt		grey	1															3			pv
159.00	160.00	1.00	C0041792	0.2					0.1	vlt		beige	1															3			pv
160.00	161.00	1.00	C0041793	0.2					0.1	vlt		beige																3			pv
161.00	162.00	1.00	C0041794	0.5					0.1	mtx		beige									1							3			pv
162.00	163.00	1.00	C0041795	0.5					0.1	mtx		beige																3			pv
163.00	164.00	1.00	C0041796	0.2					0.1	vlt		beige																2			pv
164.00	165.00	1.00	C0041797	0.2					0.1	vlt		beige																3			pv
165.00	166.00	1.00	C0041798	0.2					0.1	vlt		beige	1															3			pv
166.00	167.00	1.00	C0041799	0.2						dissem		beige	1						1									3			pv
167.00	168.00	1.00	C0041800	1						dissem		beige	3			1												3			pa
168.00	169.00	1.00	C0041801	2						mtx		beige	3															3			pa
169.00	170.00	1.00	C0041802	0.5	0.5				0.5	vlt		grey	2			1				1								3			pa
170.00	171.00	1.00	C0041803	0.5	0.5				0.5	mtx		beige	1															3			pa
171.00	172.00	1.00	C0041804	0.5						dissem		beige	1															2			pv
		CDN-GS-10D	C0041805																												
172.00	173.00	1.00	C0041806						0.5	mtx		grey	1															3			pa
173.00	174.00	1.00	C0041807						0.2	vlt		grey	2															3			pa
174.00	175.00	1.00	C0041808	0.2	0.2				0.1	vlt		grey	3			1												1			pv
175.00	176.00	1.00	C0041809	0.2	0.1				0.1	vlt		grey	3			1								1				2			pa
176.00	177.00	1.00	C0041810				0.2			bl		grey	3			1								1				2			pa
177.00	178.00	1.00	C0041811	0.5						vlt		beige	2			1												3			pa
178.00	179.00	1.00	C0041812	0.5	1					vlt		grey	2			2												2			pa
179.00	180.00	1.00	C0041813	0.5						vlt		grey	2			1												3			pv
180.00	181.00	1.00	C0041814	0.5						vlt		grey	3						1					1				2			pa

DDH-20-290 Sample, Mineralization and Alteration interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn	Style	Rock Colour	Si	ga	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
181.00	182.00	1.00	C0041815	0.2						vlt		beige	3						1									2			pa
182.00	183.00	1.00	C0041816	0.1			0.1			vlt		beige	3															2			pa
183.00	184.00	1.00	C0041817	0.5						vlt		beige	3															2			pv
184.00	185.00	1.00	C0041818	1						vlt		beige	4				1											2			pv
185.00	186.00	1.00	C0041819	0.5						vlt		beige	3						1									2			pa
186.00	187.00	1.00	C0041820	0.2						vlt		beige	2															3			pa
187.00	188.00	1.00	C0041821	0.5						mtx		beige	3															2			pa
188.00	189.00	1.00	C0041822	0.2						mtx		grey																3			pv
189.00	190.00	1.00	C0041823	1	0.5					mtx		grey	2				1		1									3			pv
190.00	191.00	1.00	C0041824	0.5						mtx		grey	4											1				1			pv
		CDN-GS-5H	C0041825																												
191.00	192.00	1.00	C0041826	0.5						mtx		grey	4											1							pv
192.00	193.00	1.00	C0041827	0.5						vlt		grey	4						1									1			pa
193.00	194.00	1.00	C0041828									grey																4			pv
194.00	195.00	1.00	C0041829	0.2						mtx		grey	1															4			pa
195.00	196.00	1.00	C0041830	0.2			0.2		0.2	mtx		grey	2															3			pa
196.00	197.00	1.00	C0041831	0.5						vlt		grey	3															2			pa
197.00	198.00	1.00	C0041832	0.5						vlt		grey	2															3			pv
198.00	199.00	1.00	C0041833	1						mtx		grey	3															1			pv
199.00	200.00	1.00	C0041834	0.5						vlt		grey	1											2				3			pa
200.00	201.00	1.00	C0041835	0.5						vlt		grey	3								1			2				1			pa
201.00	202.00	1.00	C0041836	0.1						vlt		beige																3			pv
202.00	203.00	1.00	C0041837	0.2						vlt		beige	3			1												1			pv
203.00	204.00	1.00	C0041838	0.2			0.1		0.1	vlt		beige	2												2			2			pa
204.00	205.00	1.00	C0041839	1					0.1	mtx		beige	3															2			pa
205.00	206.00	1.00	C0041840	0.5					0.1	mtx		grey	3												2						pv
206.00	207.00	1.00	C0041841	0.1						vlt		grey	3												1						pv
207.00	208.00	1.00	C0041842	0.5						mtx		grey	3												1			1			pv
208.00	209.00	1.00	C0041843	0.5						mtx		grey	3												1			2			pa
209.00	210.00	1.00	C0041844	1						vlt		grey	3												1			2			pa
		CDN-GS-P3C	C0041845																												
210.00	211.00	1.00	C0041846	10	0.1		0.1			mas		grey	4												1			2			pv
211.00	212.00	1.00	C0041847		0.2		0.2			vlt		grey	3						1												pv
212.00	213.00	1.00	C0041848	0.1						vlt		grey	3				1							3		1		3			pa
213.00	214.00	1.00	C0041849	0.2						vlt		grey	3											2							pa
214.00	215.00	1.00	C0041850	0.2						vlt		grey												3				3			pa
215.00	216.00	1.00	C0041851	0.2						vlt		grey	3				1														pv
216.00	217.00	1.00	C0041852	0.2						vlt		grey	3								1							3			pa
217.00	218.00	1.00	C0041853	0.2						dissem		grey	3															3			pa
218.00	219.50	1.50	C0041854	0.2						vlt		grey	3														1				pa

DDH-20-291 Primary and Sub lithology descriptions

[illegible]

DDH-20-291 Sample interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
6.10	13.00	6.90	41855																						1			
13.00	16.00	3.00	41856																						1			
16.00	17.00	1.00	41857																						1			
17.00	18.00	1.00	41858																									
18.00	19.00	1.00	41859																									
19.00	20.00	1.00	41860							1																		
20.00	21.00	1.00	41861																									
21.00	22.00	1.00	41862							1																		
22.00	23.00	1.00	41863							1																		
23.00	24.00	1.00	41864							1															1			
24.00	25.00	1.00	41865							1															1			
25.00	26.00	1.00	41866							1															1			
26.00	27.00	1.00	41867																						1			
27.00	28.00	1.00	41868																						1			
28.00	29.00	1.00	41869																						1			
		CDN GS-P3C	41870																						1			
29.00	30.00	1.00	41871																									
30.00	31.00	1.00	41872																									
31.00	32.00	1.00	41873																									
32.00	33.00	1.00	41874																						1			
33.00	34.00	1.00	41875																						1			
34.00	35.00	1.00	41876																						1			
35.00	36.00	1.00	41877																									
36.00	37.00	1.00	41878																									
37.00	38.00	1.00	41879																									
38.00	39.00	1.00	41880																									
39.00	40.00	1.00	41881																									
40.00	41.00	1.00	41882																						1			
41.00	42.00	1.00	41883																									
42.00	43.00	1.00	41884																									
43.00	44.00	1.00	41885							2																		
44.00	45.00	1.00	41886							1																		
45.00	46.00	1.00	41887							1															1			
46.00	47.00	1.00	41888																									
47.00	48.00	1.00	41889																									
		CDN-FCM-6	41890																									
48.00	49.00	1.00	41891																									
49.00	50.00	1.00	41892																									

DDH-20-291 Sample interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
50.00	51.00	1.00	41893																									
51.00	52.00	1.00	41894																									
52.00	53.00	1.00	41895																									
53.00	54.00	1.00	41896																									
54.00	55.00	1.00	41897																									
55.00	56.00	1.00	41898																									
56.00	57.00	1.00	41899																									
57.00	58.00	1.00	41900																						1			
58.00	59.00	1.00	41901																						2			
59.00	60.00	1.00	41902																						2			
60.00	61.00	1.00	41903							2															1			
61.00	62.00	1.00	41904	1																					2			
62.00	63.00	1.00	41905	1																					2			
63.00	64.00	1.00	41906	1																					2			
64.00	65.00	1.00	41907	1																					2			
65.00	66.00	1.00	41908	1																								
66.00	67.00	1.00	41909	1																								
		CDN-GS-5H	41910	1																								
67.00	68.00	1.00	41911	1						1																		
68.00	69.00	1.00	41912	1																								
69.00	70.00	1.00	41913	1																								
70.00	71.00	1.00	41914	1						1																		
71.00	72.00	1.00	41915																									
72.00	73.00	1.00	41916																									
73.00	74.00	1.00	41917																									
74.00	75.00	1.00	41918																									
75.00	76.00	1.00	41919																									
76.00	77.00	1.00	41920																									
77.00	78.00	1.00	41921																									
78.00	79.00	1.00	41922																									
79.00	80.00	1.00	41923																									
80.00	81.00	1.00	41924																									
81.00	82.00	1.00	41925																									
82.00	83.00	1.00	41926																									
83.00	84.00	1.00	41927																									
84.00	85.00	1.00	41928							1																		
85.00	86.00	1.00	41929							1																		
		CDN-GS-10D	41930																									

DDH-20-291 Sample interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
86.00	87.00	1.00	41931							1																		
87.00	88.00	1.00	41932							1																		
88.00	89.00	1.00	41933	7		3	1			1																		
89.00	90.00	1.00	41934	3		2	1			1																		
90.00	91.00	1.00	41935	5		3	1			2																		
91.00	92.00	1.00	41936							1																		
92.00	93.00	1.00	41937							1																		
93.00	94.00	1.00	41938																									
94.00	95.00	1.00	41939																									
95.00	96.00	1.00	41940																									
96.00	97.00	1.00	41941							1																		
97.00	98.00	1.00	41942																									
98.00	99.00	1.00	41943																									
99.00	100.00	1.00	41944																									
100.00	101.00	1.00	41945																									
101.00	102.00	1.00	41946																									
102.00	103.00	1.00	41947																									
103.00	104.00	1.00	41948																									
104.00	105.00	1.00	41949																									
		CDN-GS-P3C	41950																									
105.00	106.00	1.00	41951																									
106.00	107.00	1.00	41952																									
107.00	108.00	1.00	41953																									
108.00	109.00	1.00	41954																									
109.00	110.00	1.00	41955																									
110.00	111.00	1.00	41956																									
111.00	112.00	1.00	41957																									
112.00	113.00	1.00	41958																									
113.00	114.00	1.00	41959																									
114.00	115.00	1.00	41960																									
115.00	116.00	1.00	41961																									
116.00	117.00	1.00	41962																									
117.00	118.00	1.00	41963																									
118.00	119.00	1.00	41964																									
119.00	120.00	1.00	41965																									
120.00	121.00	1.00	41966																									
121.00	122.00	1.00	41967																									
122.00	123.00	1.00	41968																									

DDH-20-291 Sample interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
123.00	124.00	1.00	41969	1						1																		
		CDN-GS-5H	41970																									
124.00	125.00	1.00	41971	1						1																		
125.00	126.00	1.00	41972							1																		
126.00	127.00	1.00	41973							1																		
127.00	128.00	1.00	41974							1																		
128.00	129.00	1.00	41975																									
129.00	130.00	1.00	41976	1						1																		
130.00	131.00	1.00	41977																									
131.00	132.00	1.00	41978							1																		
132.00	133.00	1.00	41979																									
133.00	134.00	1.00	41980							1																		
134.00	135.00	1.00	41981																									
135.00	136.00	1.00	41982																									
136.00	137.00	1.00	41983																									
137.00	138.00	1.00	41984																									
138.00	139.00	1.00	41985																									
139.00	140.00	1.00	41986																									
140.00	141.00	1.00	41987							1																		
141.00	142.00	1.00	41988							1																		
142.00	143.00	1.00	41989																									
		CDN-GS-P3C	41990																									
143.00	144.00	1.00	41991																									
144.00	145.00	1.00	41992																									
145.00	146.00	1.00	41993																									
146.00	147.00	1.00	41994																									
147.00	148.00	1.00	41995																									
148.00	149.00	1.00	41996																									
149.00	150.00	1.00	41997																									
150.00	151.00	1.00	41998																									
151.00	152.00	1.00	41999																									
152.00	153.00	1.00	42000																									
153.00	154.00	1.00	42001																									
154.00	155.00	1.00	42002																									
155.00	156.00	1.00	42003																									
156.00	157.00	1.00	42004																									
157.00	158.00	1.00	42005																									
158.00	159.00	1.00	42006																									
159.00	160.00	1.00	42007																									

DDH-20-291 Sample interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
160.00	161.00	1.00	42008																									
161.00	162.00	1.00	42009																									
		CDN-FCM-6	42010																									
162.00	163.00	1.00	42011																									
163.00	164.00	1.00	42012																									
164.00	165.00	1.00	42013																									
165.00	166.00	1.00	42014																									
166.00	167.00	1.00	42015																									
167.00	168.00	1.00	42016																									
168.00	169.00	1.00	42017																									
169.00	170.00	1.00	42018																									
170.00	171.00	1.00	42019																									
171.00	172.00	1.00	42020																									
172.00	173.00	1.00	42021																									
173.00	174.00	1.00	42022																									
174.00	175.00	1.00	42023																									
175.00	176.00	1.00	42024																									
176.00	177.00	1.00	42025																									
177.00	178.00	1.00	42026							1																		
178.00	179.00	1.00	42027							1																		
179.00	180.00	1.00	42028																									
180.00	181.00	1.00	42029																									
		CDN-GS-5H	42030																									
181.00	182.00	1.00	42031																									
182.00	183.00	1.00	42032																									
183.00	184.00	1.00	42033																									
184.00	185.00	1.00	42034																									
185.00	186.00	1.00	42035	1						1																		
186.00	187.00	1.00	42036	1						1																		
187.00	188.00	1.00	42037	1																								
188.00	189.00	1.00	42038	1																								
189.00	190.00	1.00	42039	1																								
190.00	191.00	1.00	42040	1																								
191.00	192.00	1.00	42041	1																								
192.00	193.00	1.00	42042	1						1																		
193.00	194.00	1.00	42043	1						1																		
194.00	195.00	1.00	42044	1						1																		
195.00	196.00	1.00	42045	1																								
196.00	197.00	1.00	42046	1																			1					


DDH-20-291 Sample interval data

From	To	Width	Sample	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
197.00	198.20	1.20	42047	1						1												1						
		CDN-FCM-6	42048																									

DDH-20-291 Mineralization and alteration interval data

From	To	Width	Sample	Code	Lithology	Py%	Asp%	Gn%	Sp%	Cp%	FSx%	Mnzn Style	Rock Colour	Si	Bch	Scor	Ser	Cal	Tour	Ank	Lim	Hem	Ksp	Mag	Chl	Talc	Epi	Alb	Kao	Mont	Ass	Altn Style
48.80	51.80	3.00	Run Block Interval										orange	2			1					3	1						1			pa
51.80	54.90	3.10	Run Block Interval										orange	2								3	1						1			pa
54.90	57.90	3.00	Run Block Interval										orange	2								3	1						1			pa
57.90	61.00	3.10	Run Block Interval			0.5						bl	beige	3								3							3			pa
61.00	64.00	3.00	Run Block Interval										orange	3		1						3							2			pa
64.00	67.10	3.10	Run Block Interval			0.1	1					vlt	beige									2							3			pa
67.10	70.10	3.00	Run Block Interval			0.2						vlt	beige									1							3			pa
70.10	73.20	3.10	Run Block Interval			1						vlt	beige	2															3			pa
73.20	76.20	3.00	Run Block Interval			0.2						vlt	beige	1															3			pa
76.20	79.30	3.10	Run Block Interval			0.5						mtx	grey	2								1				1			3			pa
79.30	82.30	3.00	Run Block Interval			0.2						vlt	grey	2											1		1		3			pa
82.30	85.40	3.10	Run Block Interval			0.5						vlt	grey	1								1	1		1				3			pa
85.40	88.40	3.00	Run Block Interval			0.1		0.1				vlt	grey							1	2								3			pa
88.40	91.50	3.10	Run Block Interval			3		3	0.1			mas	grey	3								1							1			pa
91.50	94.50	3.00	Run Block Interval								0.2	vlt	grey	3						1	1								1			pa
94.50	97.60	3.10	Run Block Interval			0.2						vlt	grey	3								3	1						2			pa
97.60	100.60	3.00	Run Block Interval			0.2						vlt	grey									2							3			pa
100.60	103.70	3.10	Run Block Interval			0.2						vlt	grey	2								3				2			3			pa
103.70	106.70	3.00	Run Block Interval			0.2						vlt	grey	2								2							2			pa
106.70	109.80	3.10	Run Block Interval			0.5						vlt	grey	3								2										pa
109.80	112.80	3.00	Run Block Interval			0.2						vlt	grey	2								1	1			2			2			pa
112.80	115.90	3.10	Run Block Interval			0.5						mtx	grey	3								2	1						1			pa
115.90	118.90	3.00	Run Block Interval			0.5						mtx	grey	3								3							2			pa
118.90	122.00	3.10	Run Block Interval			0.5						mtx	grey	2								3	1						2			pa
122.00	125.00	3.00	Run Block Interval			0.2						mtx	orange	3								4	1						2			pa
125.00	128.00	3.00	Run Block Interval			0.2						vlt	orange	1								3							2			pa
128.00	131.10	3.10	Run Block Interval			0.2						vlt	orange	1								3							2			pa
131.10	134.10	3.00	Run Block Interval			0.5					0.2	mtx	orange	3					1			3							2			pa
134.10	137.20	3.10	Run Block Interval			0.5					0.2	mtx	orange	2								2							3			pa
137.20	140.20	3.00	Run Block Interval			0.5					0.2	mtx	orange	3								2							2			pa
140.20	143.30	3.10	Run Block Interval			0.2					0.1	mtx	orange	3								2							1			pa
143.30	145.10	1.80	Run Block Interval			0.5						vlt	orange	2								2				1			1			pa
145.10	149.40	4.30	Run Block Interval			0.2					0.1	vlt	beige	3								2							2			pa
149.40	152.40	3.00	Run Block Interval			0.2					0.1	vlt	beige	2								2							2			pa
152.40	154.00	1.60	Run Block Interval			0.2					0.1	mtx	beige	2								2					1		2			pa
154.00	157.00	3.00	Run Block Interval			0.2					0.1	mtx	grey	3								1	1						1			pa
157.00	160.10	3.10	Run Block Interval			0.1					0.5	vlt	grey	3								1							2			pa
160.10	163.10	3.00	Run Block Interval			0.2					0.1	vlt	beige	2								1					1		2			pa
163.10	164.60	1.50	Run Block Interval			0.5						vlt	grey	2								2							2			pa
164.60	167.70	3.10	Run Block Interval			0.5					0.2	mtx	grey	3								2							2			pa
167.70	170.70	3.00	Run Block Interval			0.5					0.2	vlt	grey	3								2							3			pa
170.70	173.80	3.10	Run Block Interval			0.1					0.5	mtx	grey	2								3	1						1			pa
173.80	176.80	3.00	Run Block Interval								0.1	vlt	beige	1								2							2			pa
176.80	179.90	3.10	Run Block Interval										beige	3								2							2			pa
179.90	186.00	6.10	Run Block Interval						0.1			bl	orange	2						1		3							1			pa
186.00	189.00	3.00	Run Block Interval			0.5						mtx	grey	2								2							3			pa
189.00	192.10	3.10	Run Block Interval										grey	2								3							1			pa
192.10	195.10	3.00	Run Block Interval			0.5	1		0.2		1	mtx	grey	2							2	2							2			pa
195.10	198.20	3.10	Run Block Interval											3									1			2			2			pa

APPENDIX 3
Diamond Drillholes Cross Sections





Charlotte Project

2020 Diamond Drill Section Layout
Section centreline
Sections tolerance window
Claim Fabric
SCALE 1:2500



0 50 100 150 200 m



Section_Plan

DDH Collars_incl 2020_Flex_3D

• Drill Holes Prior to 2020

◉ Drillholes 2020

DDH_2020_Primary Lithology

Breccia

Casing/Overburden

Dacite

Diorite

Felsic Dyke

Fault Structure

Feldspar Porphyry

Gneiss

Mafic Dyke

Mafic Volcanic

Quartz Feldspar Porphyry

Quartz Vein/Veining

Schist

DDH Results Au in ppm/g/t

0 - 0.2

0.2 - 0.75

0.75 - 1.84

1.84 - 3.17

3.17 - 5.3

5.3 - 8.9

8.9 - 12

12 - 20.2

20.2 - 30.1

30.1 - 45.1

DDH Results Ag in ppm g/t

0 - 55

55 - 229

229 - 569

569 - 1354

1354 - 2211

Interpreted Vein Zones

Charlotte Project

Diamond Drill Hole

Cross Sections

SECTION LINE 6881589

DDH-20-291

Looking Azimuth 345

SCALE 1:500

Section Tolerance +/- 25m

0

10



20



30



40 m



Author: P McLaughlin

EPSC: 26908









APPENDIX 4
MSA Labs Analytical Certificates

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Number of Samples: 218
Report Version: Final

COMMENTS:

Coarse gold and silver may be present in some samples.
Detection limit for sodium changed to 0.2% due to matrix interferences.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm
PLG-100	Log Sample - No preparation required

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific Gravity by weight on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
FAS-418	Ag, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
Granite Blank	QC-P-BK	--		2.70								0.09	1.24
Granite Blank	QC-P-BK	--		2.63								<0.05	1.29
C0041831	Core	4.21		2.63								2.02	0.37
C0041832	Core	3.48		2.63								1.75	0.41
C0041833	Core	3.84		2.70								9.54	0.44
C0041834	Core	4.11		2.70								0.51	1.15
C0041835	Core	3.86		2.70								0.13	1.33
C0041836	Core	3.40		2.63								0.11	0.87
C0041837	Core	3.96		2.70								0.44	0.47
C0041838	Core	3.95		2.70								6.17	0.39
C0041839	Core	4.17		2.78								3.18	0.39
C0041840	Core	3.95		2.70								0.91	0.42
C0041841	Core	4.43		2.70								0.87	0.53
C0041842	Core	3.64		2.56								0.42	0.49
C0041843	Core	4.45		2.50								1.73	0.46
C0041844	Core	4.10		2.78	1.83							4.09	0.43
C0041845	Pulp	0.12		2.78								0.40	0.37
C0041846	Core	5.63		2.78								9.92	0.51
C0041847	Core	3.65		2.70								1.31	0.51
C0041848	Core	4.62		2.78								0.27	1.54
C0041848PD	QC-PD	--		2.63								0.27	1.43
C0041849	Core	3.92		2.63								0.06	1.69
C0041850	Core	4.10		2.70								0.14	1.56
C0041851	Core	3.75		2.63								0.10	1.73
C0041852	Core	3.78		2.83								0.17	1.59

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041853	Core	3.57		2.78								0.10	1.71
C0041854	Core	5.77		2.56								0.11	0.86
C0041855	Core	1.92		2.75								0.49	0.78
C0041856	Core	3.04		2.63								0.18	0.62
C0041857	Core	2.54		2.56								0.12	1.37
C0041858	Core	2.86		2.56								0.08	0.66
C0041859	Core	4.52		2.63								0.07	0.94
C0041860	Core	2.91		2.70								0.07	0.85
C0041861	Core	3.20		2.63								0.07	0.59
C0041862	Core	3.33		2.63								0.08	0.63
C0041863	Core	2.94		2.63								0.19	0.61
C0041864	Core	3.10		2.63								0.43	0.36
C0041865	Core	3.71		2.56								0.63	0.36
C0041866	Core	3.13		2.63								0.71	0.42
C0041867	Core	3.03		2.66								0.43	0.61
C0041868	Core	3.08		2.56								1.64	0.42
C0041869	Core	3.67		2.56								0.65	0.44
C0041870	Pulp	0.12		2.78								0.41	0.41
C0041871	Core	3.85		2.70								2.99	0.36
C0041872	Core	3.51		2.63								4.04	0.40
C0041873	Core	3.39		2.63								1.67	0.42
C0041874	Core	3.79		2.70								0.99	0.45
C0041875	Core	3.18		2.56								0.74	0.54
C0041876	Core	4.30		2.63								0.39	0.73
C0041877	Core	3.72		2.63								0.53	0.44

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
C0041878	Core	2.83		2.54								0.18	0.34
C0041879	Core	3.12		2.56								0.31	0.41
C0041880	Core	3.30		2.56								0.31	0.47
C0041881	Core	3.70		2.56								0.61	0.69
C0041882	Core	3.64		2.70								0.39	0.65
C0041883	Core	3.87		2.63								0.46	0.41
C0041884	Core	2.95		2.78								2.34	0.36
C0041885	Core	3.22		2.68		6.8						7.69	0.24
C0041886	Core	3.02		2.68								1.25	0.43
C0041887	Core	3.32		2.70								0.86	0.69
C0041888	Core	3.10		2.63								0.79	0.94
C0041888PD	QC-PD	--		2.63								0.79	0.84
C0041889	Core	2.40		2.70								0.18	1.20
C0041890	Pulp	0.13		3.57				160	1.263	1.50	9.18	>100	0.30
C0041891	Core	2.91		2.63								2.22	0.58
C0041892	Core	2.66		2.63								3.60	0.53
C0041893	Core	4.55		2.63								0.57	0.60
C0041894	Core	3.19		2.70								1.03	0.49
C0041895	Core	3.17		2.78								0.47	0.61
C0041896	Core	3.15		2.56								0.11	0.93
C0041897	Core	2.74		2.50								0.10	0.87
C0041898	Core	2.55		2.56								0.30	0.91
C0041899	Core	2.90		2.56								0.37	0.78
C0041900	Core	3.42		2.63								4.92	0.71
C0041901	Core	3.41		2.50								16.00	0.57

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041902	Core	3.35		2.56								0.93	0.50
C0041903	Core	2.76		2.56								0.38	0.34
C0041904	Core	2.83		2.66								0.50	0.57
C0041905	Core	3.22		2.63	2.78			284				>100	0.51
C0041906	Core	4.06		2.61								1.12	0.56
C0041907	Core	3.51		2.70								4.14	0.74
C0041908	Core	3.82		3.00						2.02	2.31	50.26	0.58
C0041909	Core	3.30		2.78								0.36	0.94
C0041910	Pulp	0.12		2.62	3.91							51.80	1.30
C0041911	Core	3.71		2.63								0.16	0.75
C0041912	Core	3.64		2.78								0.17	0.60
C0041913	Core	3.53		2.70								0.26	0.87
C0041914	Core	4.51		2.78								0.40	0.59
C0041915	Core	3.43		2.70								0.14	0.84
C0041916	Core	3.50		2.70								0.22	0.64
C0041917	Core	4.06		2.78								0.39	0.63
C0041918	Core	3.28		2.63								0.69	0.48
C0041919	Core	4.03		2.78								0.52	0.59
C0041920	Core	3.81		2.78								1.44	0.60
C0041921	Core	3.81		2.78								1.48	0.78
C0041922	Core	3.47		2.63								0.40	1.13
C0041923	Core	3.34		2.63								0.14	1.25
C0041924	Core	3.47		2.61								0.09	1.62
C0041925	Core	4.12		2.78								0.18	1.04
C0041926	Core	4.28		2.68								1.47	1.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041927	Core	3.55		2.63								3.12	1.10
C0041928	Core	3.80		2.63								0.34	1.60
C0041929	Core	4.66		2.86								4.60	0.55
C0041930	Pulp	0.12		2.70		10.2						1.38	1.64
C0041931	Core	3.99		2.86								9.33	0.52
C0041932	Core	3.38		2.70								2.68	0.58
C0041933	Core	4.49		2.86		6.0		113		1.05	1.21	>100	0.52
C0041934	Core	3.57		2.70	4.00							27.68	0.45
C0041935	Core	4.16		3.23	3.66			525		6.40		>100	0.40
C0041935PD	QC-PD	--		3.23	4.27			657		7.62		>100	0.37
C0041936	Core	4.83		2.63								6.78	0.39
C0041937	Core	4.33		2.63								23.32	0.31
C0041938	Core	3.67		2.63								21.30	0.34
C0041939	Core	3.63		2.63								5.91	0.30
C0041940	Core	3.93		2.78								8.30	0.46
C0041941	Core	3.81		2.70								1.64	0.49
C0041942	Core	4.17		2.70								0.99	0.57
C0041943	Core	3.74		2.63								0.21	0.83
C0041944	Core	4.55		2.78								0.31	0.58
C0041945	Core	3.78		2.86								0.69	0.44
C0041946	Core	3.65		2.75								0.29	0.45
C0041947	Core	3.47		2.63								0.29	1.04
C0041948	Core	3.63		2.78								0.72	0.67
C0041949	Core	4.18		2.91								5.73	0.35
C0041950	Pulp	0.12		2.70								0.43	0.43

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041951	Core	3.48		2.97	1.22			168		2.88	2.48	>100	0.28
C0041952	Core	3.97		2.73								2.76	0.32
C0041953	Core	5.11		2.78								1.05	0.36
C0041954	Core	3.41		2.66								0.27	0.45
C0041955	Core	3.80		2.73								0.12	0.85
C0041956	Core	3.99		2.86								0.10	0.80
C0041957	Core	3.73		2.78								0.11	0.91
C0041958	Core	2.98		2.61								0.10	1.60
C0041959	Core	3.63		2.70								0.09	0.70
C0041960	Core	4.02		2.72								0.11	0.71
C0041961	Core	4.10		2.78								0.17	0.33
C0041962	Core	3.68		2.68								0.46	0.51
C0041963	Core	4.13		2.78								0.18	0.55
C0041964	Core	4.19		2.83								0.67	0.37
C0041965	Core	3.87		2.86								0.95	0.41
C0041966	Core	4.46		2.70								0.52	0.35
C0041967	Core	3.30		2.78								0.25	0.43
C0041968	Core	3.80		2.73								0.34	0.70
C0041969	Core	3.27		2.78								0.29	0.74
C0041970	Pulp	0.12		2.86	3.52							51.20	1.24
C0041971	Core	4.00		2.86								0.48	0.42
C0041972	Core	3.37		2.78								0.99	0.65
C0041973	Core	4.15		2.81								0.28	0.61
C0041974	Core	3.41		2.70								2.37	0.57
C0041975	Core	4.36		2.78								0.58	0.56

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
C0041976	Core	4.26		2.70								1.08	0.36
C0041977	Core	2.63		2.70								0.78	0.43
C0041978	Core	4.26		2.81								9.59	0.30
C0041979	Core	3.97		2.73								2.79	0.46
C0041980	Core	3.03		2.83								0.71	0.38
C0041980PD	QC-PD	--		2.70								0.73	0.37
C0041981	Core	2.88		2.78								1.04	0.50
C0041982	Core	3.72		2.86								0.86	0.46
C0041983	Core	3.71		2.81								0.25	0.56
C0041984	Core	4.14		2.73								0.52	0.55
C0041985	Core	4.10		2.73								0.18	0.53
C0041986	Core	2.83		2.70								0.27	0.49
C0041987	Core	2.52		2.78								0.10	0.63
C0041988	Core	3.34		2.73								0.23	0.39
C0041989	Core	2.65		2.78								0.26	0.36
C0041990	Pulp	0.12		2.83								0.40	0.44
C0041991	Core	3.78		2.83								0.16	0.46
C0041992	Core	3.58		2.63								0.35	0.42
C0041993	Core	4.16		2.83								1.18	0.32
C0041994	Core	4.40		2.83								7.33	0.34
C0041995	Core	3.48		2.70								0.73	0.35
C0041996	Core	3.62		2.78								0.40	0.37
C0041997	Core	4.37		2.83								2.37	0.33
C0041998	Core	3.74		2.78								0.17	0.60
C0041999	Core	3.95		2.75								0.51	0.34

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0042000	Core	3.95		2.86								0.60	0.37
C0042001	Core	3.92		2.70								5.67	0.36
C0042002	Core	4.59		2.81	1.77			102				>100	0.32
C0042003	Core	3.95		2.86								6.44	0.36
C0042004	Core	3.92		2.78								2.09	0.38
C0042005	Core	5.19		2.81								6.10	0.33
C0042006	Core	3.45		2.73								1.24	0.28
C0042007	Core	3.31		2.73								12.91	0.32
C0042008	Core	4.43		2.89								5.65	0.28
C0042009	Core	4.11		2.83								7.32	0.29
C0042010	Pulp	0.13		3.33				159	1.264	1.52	9.25	>100	0.29
C0042011	Core	4.41		2.78								3.73	0.37
C0042012	Core	3.74		2.76								3.11	0.34
C0042013	Core	4.24		2.78								2.87	0.32
C0042014	Core	3.96		2.78	1.40						1.07	37.76	0.27
C0042015	Core	3.12		2.81								18.10	0.29
C0042016	Core	3.60		2.78								0.87	0.47
C0042017	Core	4.34		2.75								0.13	1.63
C0042018	Core	4.32		2.81								0.39	0.40
C0042019	Core	4.42		2.86								1.88	0.30
C0042020	Core	3.24		2.78								0.50	0.35
C0042021	Core	3.93		2.73								0.36	0.84
C0042022	Core	2.50		2.66								0.10	1.63
C0042022PD	QC-PD	--		2.70								0.09	1.79
C0042023	Core	3.90		2.83								0.37	0.63

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
C0042024	Core	3.10		2.66								0.17	0.69
C0042025	Core	3.24		2.66								0.23	0.75
C0042026	Core	3.26		2.63								0.10	0.57
C0042027	Core	3.13		2.70								0.13	0.58
C0042028	Core	3.40		2.70								0.15	0.53
C0042029	Core	4.69		2.66								0.06	0.52
C0042030	Pulp	0.12		2.70	3.75							51.62	1.26
C0042031	Core	5.14		2.78								0.15	0.53
C0042032	Core	3.26		2.63								0.23	0.42
C0042033	Core	3.01		2.66								0.16	0.54
C0042034	Core	3.73		2.70								0.15	0.43
C0042035	Core	3.86		2.78								0.56	0.40
C0042036	Core	4.13		2.70								0.31	0.34
C0042037	Core	4.36		2.70								0.21	0.45
C0042038	Core	2.91		2.81								0.27	0.45
C0042039	Core	3.48		2.78								1.83	0.35
C0042040	Core	3.53		2.73								1.85	0.35
C0042041	Core	2.28		2.81								10.32	0.37
C0042042	Core	4.48		2.86	1.79		1354	>1000		2.12		>100	0.28
C0042043	Core	3.08		2.83								1.73	0.41
C0042044	Core	4.34		2.94								3.81	0.59
C0042045	Core	3.61		2.78								1.02	0.78
C0042046	Core	4.29		2.78								0.26	1.22
C0042047	Core	4.80		2.70								0.15	1.15
C0042048	Pulp	0.13		3.45				160	1.267	1.52	9.25	>100	0.30

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:

YVR2110125

Project Name:	Charlotte
Job Received Date:	09-Nov-2020
Job Report Date:	10-Feb-2021
Report Version:	Final

[illegible]

Please refer to the cover page for comments regarding this test report.



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
STD OREAS 600b		0.01			0.01	0.9	50	1	0.001	0.01	0.01	26.71	0.62
STD OREAS 25a												0.06	6.03
STD OREAS 600b												25.49	0.59
STD OREAS 25a												<0.05	6.27
STD OREAS 600b												25.69	0.58
STD OREAS 25a												<0.05	6.03
STD OREAS 904				2.63									
STD OREAS 904				2.63									
STD OREAS 904				2.63									
STD OREAS 904				2.75									
STD OREAS 904				2.73									
STD OREAS 904				2.86									
STD MP-1b									3.067	2.10	16.53		
STD CDN-ME-1407								244					
STD CDN-ME-1805							2296						
STD OxQ115						25.5							
STD OxK160					3.55								

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
Granite Blank	2.2	<0.001	<10	99	<0.05	0.78	0.07	4.2	63	5.5	1.82	4.3	<0.01
Granite Blank	1.2	<0.001	<10	105	<0.05	0.79	<0.05	4.1	63	5.5	1.85	4.4	<0.01
C0041831	92.1	0.025	<10	71	0.19	0.88	1.24	4.7	71	10.8	1.93	0.9	0.03
C0041832	162.7	0.028	<10	72	0.25	0.75	1.12	5.4	88	11.6	2.27	0.9	<0.01
C0041833	217.7	0.028	<10	61	0.25	1.26	0.88	12.2	63	53.8	3.21	0.9	0.03
C0041834	30.9	0.005	15	33	0.32	2.47	0.19	33.6	38	58.5	4.96	3.9	0.03
C0041835	7.1	0.002	<10	69	0.25	1.38	0.09	22.6	53	71.8	3.75	5.4	<0.01
C0041836	47.7	0.002	<10	131	0.23	1.43	0.09	6.5	29	15.1	2.02	2.4	0.04
C0041837	90.3	0.013	<10	71	0.23	1.12	0.25	4.5	54	9.1	2.26	1.1	<0.01
C0041838	1384.6	0.156	<10	61	0.14	0.51	18.53	4.0	75	40.1	2.14	1.0	0.02
C0041839	621.1	0.069	<10	81	0.32	0.31	9.99	3.5	91	12.8	2.24	1.0	0.04
C0041840	592.3	0.046	<10	69	0.23	1.11	0.81	6.3	95	10.8	2.61	1.0	0.03
C0041841	146.0	0.021	<10	75	0.25	1.14	0.28	6.4	63	8.7	2.75	1.1	0.05
C0041842	121.9	0.039	<10	33	0.24	1.39	0.20	6.5	46	10.1	2.23	1.1	0.06
C0041843	2458.8	0.414	12	47	0.34	0.83	1.37	9.2	70	14.4	4.09	1.0	0.02
C0041844	9930.6	1.987	<10	45	0.46	1.21	2.07	7.7	65	14.6	3.95	0.9	0.01
C0041845	446.9	0.250	<10	849	0.19	1.03	0.38	3.7	42	38.4	3.91	1.7	4.02
C0041846	2329.5	0.802	14	18	2.61	0.72	32.61	10.2	80	34.2	6.72	1.2	0.07
C0041847	504.0	0.124	11	84	0.48	1.22	7.37	11.9	70	12.9	2.50	1.0	0.02
C0041848	167.2	0.024	<10	136	0.16	1.60	0.28	11.9	45	30.1	3.15	5.1	0.02
C0041848PD	165.7	0.025	<10	128	0.16	1.59	0.24	11.8	37	32.0	3.14	4.8	0.02
C0041849	30.7	0.016	<10	202	0.14	1.00	<0.05	6.8	39	14.8	2.88	6.4	0.01
C0041850	34.1	0.024	<10	76	0.38	2.24	0.07	6.9	45	27.9	3.57	3.9	0.02
C0041851	25.1	0.002	<10	108	0.41	2.23	0.07	6.1	67	58.3	2.66	5.5	<0.01
C0041852	19.4	0.006	<10	61	0.78	1.76	0.13	8.0	61	67.9	3.26	4.2	0.13

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2110125**

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041853	6.8	0.002	<10	47	0.43	1.39	0.09	7.9	61	50.9	2.78	4.4	0.02
C0041854	12.2	0.007	<10	187	0.31	1.70	0.07	6.2	57	37.3	2.35	3.7	<0.01
C0041855	118.0	0.006	<10	446	0.32	0.35	0.84	4.7	74	19.0	1.16	2.2	0.03
C0041856	230.9	0.006	<10	72	0.28	0.08	0.64	1.0	59	8.9	1.38	2.1	0.01
C0041857	318.3	0.005	<10	90	0.21	0.17	0.82	2.7	47	13.2	2.38	4.1	0.01
C0041858	171.6	0.002	<10	110	0.14	0.09	0.33	1.2	63	5.9	1.61	3.3	<0.01
C0041859	109.9	0.002	<10	121	0.20	0.12	0.29	1.1	65	8.3	2.00	5.2	<0.01
C0041860	191.0	0.002	<10	125	0.32	0.15	0.31	1.1	57	8.8	2.01	3.6	0.02
C0041861	269.6	0.003	<10	126	0.53	0.10	0.37	1.0	53	10.5	2.25	2.2	0.02
C0041862	250.1	0.003	<10	130	0.72	0.09	0.50	1.1	50	10.3	2.21	2.0	0.03
C0041863	149.2	0.007	<10	137	0.37	0.09	0.57	1.1	46	9.3	1.66	2.1	0.04
C0041864	230.4	0.015	<10	171	0.29	0.08	0.56	1.1	93	9.3	1.45	1.0	0.01
C0041865	204.2	0.012	<10	126	1.02	0.08	0.52	1.4	80	7.3	1.43	1.1	0.02
C0041866	297.5	0.016	<10	163	0.77	0.08	0.59	0.7	59	6.0	1.73	1.3	0.03
C0041867	417.2	0.020	<10	283	0.30	0.09	1.03	0.8	53	6.8	2.52	2.1	0.05
C0041868	679.9	0.111	<10	459	0.26	0.09	1.52	0.8	64	8.0	1.66	1.2	0.08
C0041869	645.1	0.017	<10	352	0.48	0.14	1.25	0.8	45	6.9	1.95	1.5	0.03
C0041870	456.3	0.260	<10	1185	0.19	1.03	0.38	3.8	43	40.6	3.98	1.8	3.90
C0041871	796.2	0.125	<10	195	0.43	0.09	2.11	0.9	81	8.9	1.80	1.1	0.09
C0041872	379.1	0.074	<10	194	0.37	0.09	1.07	1.0	53	5.9	0.96	1.1	0.08
C0041873	195.8	0.021	<10	143	0.41	0.10	0.73	0.9	51	4.7	0.98	1.0	0.04
C0041874	112.8	0.016	<10	288	0.34	0.09	0.38	0.6	60	4.9	1.31	1.2	0.04
C0041875	145.8	0.008	<10	966	0.44	0.06	0.64	0.5	61	5.6	1.16	1.5	0.05
C0041876	335.4	0.003	<10	140	0.26	0.06	1.67	0.9	37	11.7	1.61	2.1	0.03
C0041877	349.5	0.006	<10	292	0.15	0.04	2.13	0.9	67	10.7	1.41	1.0	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041878	166.9	0.003	<10	190	0.07	0.03	0.65	0.6	83	7.4	0.76	0.6	0.02
C0041879	148.8	0.002	<10	150	0.07	0.03	0.75	0.6	78	7.3	0.56	0.8	0.02
C0041880	216.5	0.001	<10	131	0.06	0.04	1.08	0.6	67	9.9	0.89	1.0	0.02
C0041881	295.1	0.003	<10	72	0.08	0.05	1.42	1.0	64	23.7	1.27	1.4	0.02
C0041882	616.3	0.015	<10	95	0.06	0.06	2.84	1.4	65	31.1	1.90	1.1	0.03
C0041883	370.3	0.007	<10	98	0.07	0.05	2.37	0.9	68	13.0	1.53	0.7	0.07
C0041884	443.8	0.704	<10	106	0.14	0.03	17.53	0.8	81	25.2	1.24	0.8	1.75
C0041885	3192.4	7.755	<10	212	0.09	0.06	21.30	1.4	115	65.8	1.67	0.7	9.91
C0041886	1011.0	0.829	<10	177	0.15	0.05	7.48	0.9	80	23.7	1.59	1.0	0.46
C0041887	1407.7	0.079	<10	107	0.27	0.10	9.44	2.1	75	42.2	3.62	1.1	0.19
C0041888	1343.1	0.015	<10	388	0.19	0.13	8.05	5.9	65	47.3	4.96	1.9	0.08
C0041888PD	1276.0	0.017	<10	329	0.20	0.13	7.92	5.8	56	44.8	4.84	1.7	0.07
C0041889	1375.5	0.008	<10	853	0.27	0.12	5.76	14.3	48	41.0	6.14	2.6	0.19
C0041890	1114.2	0.184	19	10	61.03	1.67	497.88	28.8	16	>10000	18.42	8.0	18.91
C0041891	791.6	0.287	<10	153	0.38	0.15	7.24	2.4	49	26.5	2.42	1.3	0.12
C0041892	398.6	0.128	<10	135	0.34	0.13	1.95	0.9	55	20.4	2.17	1.4	0.09
C0041893	704.7	0.006	<10	707	0.27	0.10	2.26	2.1	59	41.0	2.68	1.1	0.11
C0041894	771.8	0.015	<10	142	0.28	0.09	2.91	2.4	67	51.7	2.73	1.0	0.07
C0041895	680.7	0.004	<10	833	0.32	0.06	2.24	2.7	58	46.2	2.83	1.4	0.05
C0041896	754.7	0.003	<10	583	0.25	0.10	3.02	4.3	25	46.9	4.59	2.2	0.09
C0041897	481.6	0.003	<10	559	0.35	0.09	1.37	3.5	25	49.1	3.30	2.0	0.06
C0041898	570.2	0.003	<10	346	0.23	0.11	1.31	4.3	33	52.8	3.80	2.0	0.05
C0041899	1030.7	0.004	<10	258	0.36	0.14	4.06	6.0	25	60.4	5.11	1.7	0.08
C0041900	1288.9	0.045	14	244	0.71	0.15	1.08	3.1	36	60.7	4.88	1.9	0.10
C0041901	616.6	0.633	11	198	0.28	0.14	0.23	2.6	68	23.1	2.91	1.9	0.07

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041902	579.2	0.070	10	355	0.32	0.14	0.57	2.7	44	18.2	2.94	1.6	0.04
C0041903	132.9	0.008	<10	112	0.35	0.06	0.48	2.2	83	6.9	1.46	0.9	0.02
C0041904	472.3	0.007	12	98	0.57	0.13	0.32	11.2	42	17.3	4.22	1.5	0.03
C0041905	5899.4	3.045	12	62	0.57	0.11	36.50	10.5	46	347.5	4.34	1.4	0.52
C0041906	330.5	0.021	11	165	0.41	0.12	1.61	4.0	40	48.9	3.47	1.5	0.05
C0041907	485.4	0.255	11	52	1.12	0.87	35.60	5.3	59	36.2	3.43	1.4	0.05
C0041908	205.1	0.748	13	43	0.73	0.83	276.91	11.3	62	137.1	3.33	1.3	0.39
C0041909	26.2	0.009	10	59	0.33	0.98	0.68	15.7	52	74.4	3.74	2.2	0.09
C0041910	30.6	3.300	12	117	0.98	0.79	15.31	8.1	27	67.8	3.65	6.6	0.22
C0041911	35.2	0.007	<10	38	0.52	1.93	0.35	9.0	38	46.0	3.21	1.7	0.09
C0041912	1127.2	0.007	14	24	0.32	2.69	0.30	13.3	67	29.3	3.99	1.5	0.31
C0041913	44.5	0.008	10	20	0.56	1.70	2.30	12.5	27	63.4	3.95	1.9	0.15
C0041914	52.6	0.015	<10	53	0.57	1.21	0.84	8.5	72	28.6	2.73	1.2	0.11
C0041915	12.9	0.004	<10	60	0.60	1.35	0.12	8.1	72	68.5	3.11	1.9	0.08
C0041916	11.4	0.006	10	65	0.45	1.60	0.18	8.2	60	35.0	2.77	1.4	0.04
C0041917	23.7	0.008	13	27	0.65	2.50	0.63	9.5	58	19.8	3.72	1.4	0.03
C0041918	67.1	0.017	13	40	0.92	2.25	2.62	8.4	85	27.9	3.45	1.0	0.03
C0041919	40.3	0.013	11	28	0.57	2.92	0.48	8.3	76	38.7	3.54	1.3	0.03
C0041920	82.4	0.017	14	61	1.80	2.70	5.41	10.3	55	64.5	4.21	1.4	0.07
C0041921	36.4	0.013	12	25	6.16	2.35	0.90	7.8	64	64.2	4.10	1.9	0.06
C0041922	35.5	0.012	11	67	1.19	2.13	0.15	10.6	52	95.7	3.72	3.0	0.07
C0041923	6.0	0.003	<10	101	1.72	1.69	0.07	10.8	62	31.9	3.82	4.0	0.04
C0041924	8.1	0.002	<10	112	0.37	1.17	0.11	11.2	45	36.2	4.04	5.0	0.02
C0041925	11.3	0.003	<10	103	1.06	2.45	0.13	11.2	55	52.5	4.17	4.1	0.02
C0041926	54.4	0.009	12	52	0.84	2.68	10.14	7.6	58	43.2	3.49	2.1	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2110125**

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
Sample ID													
C0041927	37.0	0.012	13	59	1.90	2.70	12.95	7.6	55	57.9	4.73	2.5	0.04
C0041928	112.9	0.003	12	27	0.62	2.22	0.31	10.0	49	38.7	4.44	4.1	0.02
C0041929	812.4	0.211	14	41	2.20	1.53	7.53	9.6	52	32.8	4.67	1.2	0.13
C0041930	35.0	8.743	15	128	1.32	0.86	0.29	12.8	41	770.7	5.12	5.8	0.46
C0041931	1559.5	0.737	20	42	1.84	2.31	19.26	10.1	53	133.5	5.94	1.2	0.09
C0041932	703.3	0.077	15	76	4.13	2.65	2.77	6.5	77	23.1	2.46	1.2	0.02
C0041933	2588.1	7.647	15	34	0.89	0.91	168.02	6.9	67	1076.2	5.92	1.3	0.37
C0041934	826.4	3.909	12	46	0.79	0.11	28.31	4.5	59	500.1	3.99	1.0	0.15
C0041935	1352.1	3.258	17	28	2.33	0.13	103.07	5.1	93	2280.1	8.48	0.9	0.35
C0041935PD	1417.7	2.498	17	27	2.67	0.15	124.64	5.2	78	2775.8	8.89	0.8	0.39
C0041936	558.4	0.318	12	57	3.24	0.06	8.49	6.5	91	46.1	3.17	1.0	0.05
C0041937	579.5	0.302	10	75	5.61	0.05	17.13	3.6	93	102.4	2.07	1.3	0.11
C0041938	568.1	0.114	<10	88	2.66	0.09	41.21	3.8	91	102.0	2.32	1.1	0.14
C0041939	269.5	0.034	10	98	2.81	0.12	3.69	3.2	84	40.4	1.83	1.0	0.07
C0041940	527.5	0.104	15	47	1.31	1.16	5.35	10.8	70	33.6	3.97	1.0	0.06
C0041941	257.0	0.024	16	55	2.21	1.67	2.02	10.0	60	55.0	4.00	1.3	0.05
C0041942	189.0	0.014	16	51	1.99	2.27	0.50	10.0	51	46.0	3.54	1.4	0.04
C0041943	71.7	0.004	12	22	2.27	2.15	0.15	11.5	38	53.1	4.86	2.0	0.05
C0041944	290.0	0.003	13	80	1.45	1.94	0.37	10.2	59	63.4	3.86	1.4	0.02
C0041945	192.6	0.006	12	75	1.59	2.04	0.24	7.9	75	35.9	3.63	1.0	0.02
C0041946	300.3	0.006	10	82	1.92	1.83	0.23	9.4	20	58.3	3.91	1.3	0.04
C0041947	103.2	0.004	<10	25	2.91	1.46	0.21	5.8	15	79.1	2.81	2.6	0.05
C0041948	338.9	0.031	13	67	1.93	1.95	0.47	10.5	16	69.3	4.27	1.9	0.06
C0041949	694.8	0.243	16	31	1.85	2.47	2.79	6.1	23	25.4	3.83	0.9	0.03
C0041950	449.7	0.267	11	1144	0.19	1.01	0.40	3.7	42	40.0	4.08	1.8	3.64

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041951	562.0	1.500	17	29	18.50	0.22	274.54	4.4	29	709.6	7.61	0.9	0.48
C0041952	762.3	0.337	12	48	1.49	0.27	14.60	6.3	27	33.1	3.90	0.8	0.07
C0041953	588.7	0.120	13	44	0.98	1.01	1.77	8.2	17	10.4	3.71	0.8	0.04
C0041954	100.9	0.004	<10	85	1.07	1.16	0.80	5.7	29	17.9	3.05	1.1	0.06
C0041955	80.6	0.003	10	43	1.17	1.48	0.35	8.7	18	41.7	3.81	2.3	0.03
C0041956	39.6	0.003	10	44	1.07	2.05	0.19	7.6	27	61.4	4.22	2.2	0.01
C0041957	17.5	0.002	11	26	1.37	1.83	0.09	7.9	24	45.0	4.92	3.0	<0.01
C0041958	83.6	0.003	10	78	0.87	1.70	0.08	10.5	21	58.5	4.31	4.2	0.01
C0041959	158.7	0.002	<10	35	1.29	1.14	0.60	5.6	19	39.6	3.10	1.4	0.04
C0041960	56.7	0.002	<10	88	3.90	1.05	0.21	4.8	44	27.6	2.84	1.3	0.01
C0041961	30.5	0.002	<10	67	1.18	0.90	0.38	4.7	21	12.5	2.91	0.6	0.01
C0041962	133.7	0.008	<10	55	4.25	0.73	1.62	5.7	40	17.0	3.59	1.0	0.02
C0041963	230.1	0.003	<10	43	1.33	0.55	1.81	8.4	21	37.1	3.58	1.1	0.03
C0041964	68.8	0.003	12	29	1.69	1.15	0.61	9.5	22	57.3	3.94	0.9	0.05
C0041965	165.3	0.007	13	54	1.65	1.57	2.37	8.7	19	32.5	3.91	0.7	0.05
C0041966	133.8	0.003	<10	27	1.21	0.65	1.33	6.0	14	30.0	2.47	0.8	0.05
C0041967	131.1	0.021	<10	162	0.48	0.88	3.02	5.2	21	22.7	2.21	0.7	0.03
C0041968	519.1	0.059	11	90	0.78	0.88	8.36	6.9	21	31.1	3.35	1.2	0.03
C0041969	432.9	0.003	12	85	0.49	0.93	7.07	10.2	36	35.5	3.24	1.2	0.03
C0041970	31.6	3.188	12	119	0.97	0.78	15.42	8.4	27	68.1	3.61	6.4	0.20
C0041971	311.6	0.008	12	55	0.42	1.52	4.43	10.1	28	27.6	3.20	0.9	0.04
C0041972	601.1	0.012	14	77	0.85	2.62	8.54	14.7	19	57.8	4.60	1.2	0.05
C0041973	371.5	0.007	16	78	0.47	2.47	7.40	12.0	22	33.2	3.56	1.0	0.06
C0041974	942.1	0.029	14	141	0.69	0.53	14.02	14.3	19	92.6	3.99	1.1	0.14
C0041975	330.3	0.003	12	58	0.47	1.74	3.35	12.5	23	113.1	3.09	1.1	0.10

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
Sample ID													
C0041976	491.1	0.007	12	134	0.36	0.30	7.85	10.7	24	112.2	2.94	0.7	0.06
C0041977	254.1	0.005	12	56	0.49	1.55	3.55	8.6	29	50.5	3.00	0.9	0.12
C0041978	644.7	0.642	13	60	0.50	1.42	84.24	8.9	24	582.5	3.39	0.8	0.29
C0041979	912.6	0.172	14	50	0.33	2.44	3.83	10.4	22	64.2	3.99	1.0	0.69
C0041980	282.6	0.018	14	60	0.40	2.08	1.00	8.8	23	56.9	3.46	1.0	0.35
C0041980PD	277.3	0.018	12	60	0.40	2.12	1.30	8.3	21	53.3	3.39	1.0	0.35
C0041981	396.8	0.037	13	138	0.48	0.96	0.77	10.8	15	75.7	3.98	1.4	0.60
C0041982	270.4	0.007	12	82	0.55	2.39	0.79	13.9	22	188.5	4.22	1.1	0.13
C0041983	436.7	0.004	<10	129	0.36	1.14	0.63	9.7	27	165.9	3.47	1.5	0.12
C0041984	315.6	0.003	<10	118	0.27	1.17	0.56	10.0	22	93.2	3.07	1.4	0.19
C0041985	283.7	0.003	11	141	0.35	1.62	0.71	8.0	29	52.6	3.15	1.3	0.08
C0041986	374.3	0.003	<10	226	0.21	1.57	0.96	6.6	24	61.8	2.66	1.2	0.06
C0041987	396.8	0.002	11	326	0.17	1.41	1.23	7.6	19	39.0	3.12	1.7	0.07
C0041988	192.2	0.007	10	223	0.16	1.85	1.06	4.7	31	37.2	2.46	1.0	0.04
C0041989	220.0	0.064	10	120	0.20	1.90	0.74	6.1	34	35.2	2.59	0.9	0.05
C0041990	452.7	0.271	11	1126	0.18	1.08	0.39	3.9	44	40.5	4.04	1.9	3.94
C0041991	117.8	0.003	<10	161	0.28	1.37	0.28	6.8	26	82.8	2.63	1.2	0.10
C0041992	125.6	0.004	<10	100	0.41	1.64	0.30	11.2	26	69.6	2.80	1.0	0.08
C0041993	138.8	0.026	11	76	0.34	1.51	0.93	9.3	25	57.0	3.04	0.8	0.04
C0041994	397.5	0.123	13	76	0.64	0.78	4.51	9.6	28	104.8	3.10	0.9	0.19
C0041995	319.2	0.035	11	73	0.28	1.26	0.38	5.9	29	66.0	2.45	0.9	0.06
C0041996	116.7	0.028	11	46	0.22	1.76	0.25	6.0	30	82.8	1.97	1.0	0.05
C0041997	950.4	0.305	14	53	0.28	2.42	0.48	12.7	28	92.9	3.63	0.9	0.17
C0041998	97.8	0.005	12	109	0.34	2.26	0.81	9.5	36	100.4	3.23	1.5	0.08
C0041999	238.2	0.036	12	99	0.21	1.98	0.67	5.8	26	50.1	2.67	0.9	0.04

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0042000	262.2	0.030	11	108	0.28	2.11	0.64	6.8	34	79.5	2.80	1.0	0.07
C0042001	577.6	0.042	12	62	0.28	1.39	29.52	8.7	152	86.4	2.57	1.1	0.12
C0042002	7200.5	1.832	15	17	0.16	0.52	64.80	9.8	28	197.3	5.94	1.2	0.53
C0042003	1358.2	0.313	21	37	0.41	0.80	19.37	14.9	32	51.1	5.15	1.0	0.27
C0042004	208.5	0.024	15	54	0.55	0.33	10.88	14.0	136	265.6	2.59	0.9	0.05
C0042005	477.5	0.045	15	66	0.63	0.25	11.78	10.2	23	119.6	2.83	0.8	0.05
C0042006	255.2	0.049	13	73	0.35	0.21	3.31	4.6	36	12.1	1.94	0.7	0.02
C0042007	499.8	0.151	14	38	0.24	0.20	2.18	5.8	149	35.4	1.77	0.8	0.03
C0042008	551.7	0.068	16	83	0.42	0.35	3.67	5.2	33	28.4	2.24	0.7	0.02
C0042009	247.8	0.043	16	59	0.28	1.40	1.99	5.9	26	50.6	2.10	0.7	0.03
C0042010	1052.6	0.123	30	<10	63.29	1.70	453.63	29.0	16	>10000	18.61	7.8	18.23
C0042011	914.9	0.124	16	52	0.47	0.29	6.32	12.9	134	36.3	3.86	0.8	0.04
C0042012	536.7	0.106	16	58	0.60	0.62	2.92	14.7	26	33.4	4.22	0.7	0.02
C0042013	634.3	0.646	19	54	0.44	0.65	20.43	13.7	26	29.8	4.12	0.7	0.05
C0042014	373.9	1.641	15	56	0.29	0.68	119.91	6.9	189	276.5	2.61	1.0	0.30
C0042015	309.2	0.944	15	50	0.38	0.36	54.31	8.5	36	144.6	2.60	0.8	0.13
C0042016	164.1	0.142	16	139	0.26	2.99	2.06	10.7	25	57.4	3.37	1.3	0.06
C0042017	128.8	0.004	13	130	0.22	1.33	0.55	10.4	85	53.7	3.10	5.0	0.03
C0042018	72.5	0.016	15	78	0.40	2.10	0.86	9.0	25	51.7	3.03	1.1	0.03
C0042019	92.3	0.027	13	86	0.17	1.14	4.63	7.6	28	92.3	1.88	0.8	0.04
C0042020	105.1	0.008	15	241	0.08	1.68	3.62	5.5	130	26.8	2.11	0.9	0.04
C0042021	118.1	0.003	12	118	0.12	1.33	0.90	9.6	19	60.0	2.90	2.4	0.04
C0042022	200.7	0.002	13	103	0.13	1.22	0.83	11.9	16	59.4	3.50	3.6	0.04
C0042022PD	188.0	0.001	11	101	0.12	1.17	0.75	11.2	63	56.2	3.35	3.8	0.04
C0042023	84.5	0.003	13	232	0.18	1.58	3.97	8.0	19	64.8	2.46	1.6	0.14

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0042024	100.0	0.002	13	144	0.19	1.46	0.41	11.2	20	60.1	2.81	1.7	0.13
C0042025	94.3	0.002	12	55	0.16	1.54	0.57	14.7	100	56.5	2.35	1.8	0.12
C0042026	79.1	0.002	12	150	0.34	1.20	0.20	9.0	24	60.0	2.62	1.9	0.07
C0042027	66.9	0.003	<10	60	0.37	0.42	0.24	11.3	17	60.5	2.51	1.5	0.09
C0042028	38.2	0.001	<10	69	0.22	0.98	0.18	5.8	91	21.4	1.91	1.3	0.04
C0042029	27.9	0.002	10	132	0.19	1.04	0.11	5.5	14	17.6	1.60	1.3	0.03
C0042030	31.4	3.149	13	107	1.03	0.77	15.70	8.4	27	67.4	3.66	6.6	0.20
C0042031	22.4	0.004	11	73	0.30	1.03	0.08	7.3	19	17.5	2.05	1.3	0.04
C0042032	21.3	0.003	13	45	0.45	1.16	0.13	8.1	104	15.3	2.35	1.0	0.03
C0042033	30.6	0.003	10	39	0.61	0.76	0.10	12.9	18	49.0	2.65	1.4	0.05
C0042034	47.9	0.003	11	58	0.45	1.16	0.12	7.3	23	68.9	2.08	1.0	0.10
C0042035	43.6	0.010	14	57	0.53	2.66	0.84	8.6	134	39.2	2.57	0.9	0.05
C0042036	37.9	0.004	12	83	0.38	1.82	0.16	5.4	30	32.2	1.91	0.8	0.03
C0042037	62.7	0.003	<10	48	0.36	1.80	0.21	10.1	22	83.0	2.73	1.1	0.12
C0042038	66.5	0.003	<10	115	0.37	2.07	0.50	7.7	113	52.6	2.34	1.0	0.04
C0042039	220.1	0.017	<10	83	0.35	1.95	6.19	10.5	27	151.1	3.11	0.8	0.10
C0042040	292.6	0.037	<10	55	0.17	1.74	9.12	6.9	22	56.6	2.28	0.9	0.04
C0042041	1090.9	0.137	<10	56	0.24	2.01	8.41	6.5	118	55.9	2.53	0.9	0.05
C0042042	1024.5	1.359	<10	37	1.79	2.48	49.70	8.0	25	1898.0	4.41	0.7	0.97
C0042043	86.6	0.012	<10	55	0.47	1.82	1.01	10.9	24	93.6	3.57	1.1	0.09
C0042044	121.3	0.030	11	44	1.16	4.02	0.82	20.7	70	110.6	6.85	1.5	0.63
C0042045	24.5	0.007	<10	20	1.85	1.34	0.50	20.4	25	162.4	6.91	2.1	0.18
C0042046	11.0	0.004	<10	67	0.88	2.86	0.20	16.5	31	102.2	5.51	3.5	0.04
C0042047	5.0	0.002	<10	83	0.14	1.63	0.12	7.8	121	76.6	2.77	4.6	<0.01
C0042048	1078.6	0.222	23	10	60.88	1.70	452.13	28.5	16	>10000	18.61	7.7	18.42

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
DUP C0041838	1383.8	0.143	<10	62	0.14	0.51	18.34	3.8	76	39.5	2.15	0.9	0.03
DUP C0041872	383.4	0.073	<10	198	0.38	0.09	1.04	1.0	58	5.8	0.97	1.1	0.09
DUP C0041904	473.5	0.007	13	100	0.57	0.13	0.30	11.5	34	17.3	4.23	1.6	0.03
DUP C0041955	78.3	0.003	10	42	1.18	1.48	0.32	8.5	18	41.6	3.80	2.2	0.03
DUP C0041995	320.9	0.035	11	74	0.28	1.26	0.40	5.8	29	65.0	2.45	0.9	0.06
DUP C0042026	79.7	0.007	12	129	0.33	1.20	0.19	9.4	23	62.3	2.60	1.8	0.08
DUP C0041842													
DUP C0041897													
DUP C0041921													
DUP C0041959													
DUP C0041994													
DUP C0042033													
DUP C0042041													
DUP C0041933													
DUP C0042002													
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK													
STD BLANK													
STD BLANK													
STD BLANK													
STD BLANK													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
STD OREAS 600b	89.1	0.201	<10	664	5.70	0.83	2.09	2.1	27	505.8	2.06	3.5	0.08
STD OREAS 25a	2.9	0.002	<10	62	0.31	0.15	<0.05	5.8	76	24.4	6.32	21.0	0.07
STD OREAS 600b	99.0	0.194	<10	659	5.72	0.85	2.11	2.1	27	496.6	2.10	3.4	0.09
STD OREAS 25a	2.8	<0.001	16	58	0.29	0.15	<0.05	5.8	75	25.1	6.51	20.6	0.06
STD OREAS 600b	102.1	0.198	<10	657	5.72	0.85	2.12	2.2	27	504.1	2.09	3.5	0.09
STD OREAS 25a	2.8	0.002	19	58	0.30	0.16	<0.05	6.0	77	25.1	6.41	20.9	0.06
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD MP-1b													
STD CDN-ME-1407													
STD CDN-ME-1805													
STD OxQ115													
STD OxK160													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
Granite Blank	0.17	5.9	0.56	535	1.91	0.2	3.3	395	1.2	<0.005	0.02	0.13
Granite Blank	0.19	6.0	0.57	547	1.88	0.3	3.0	412	1.1	<0.005	0.01	0.07
C0041831	0.26	5.9	0.29	1829	1.26	<0.2	4.0	202	239.3	<0.005	1.99	29.85
C0041832	0.26	7.5	0.27	1033	16.85	<0.2	3.9	164	262.7	<0.005	2.33	7.65
C0041833	0.30	3.7	0.45	1752	1.44	<0.2	10.8	208	63.0	<0.005	3.40	33.64
C0041834	0.45	6.0	1.00	1523	3.34	<0.2	22.5	529	20.5	<0.005	3.92	15.06
C0041835	0.70	10.2	1.11	360	2.84	<0.2	20.2	557	4.8	<0.005	2.09	2.93
C0041836	0.19	16.2	0.40	417	7.43	<0.2	2.8	841	11.0	<0.005	1.26	5.14
C0041837	0.32	4.3	0.40	943	1.99	<0.2	3.1	356	19.3	<0.005	2.25	3.53
C0041838	0.28	2.8	0.19	594	11.32	<0.2	3.4	123	431.6	<0.005	2.24	65.12
C0041839	0.26	4.7	0.11	444	2.97	<0.2	4.4	193	845.6	<0.005	2.42	108.32
C0041840	0.27	4.4	0.28	1254	1.72	<0.2	4.8	325	59.6	<0.005	2.67	12.77
C0041841	0.33	4.8	0.39	1510	1.25	<0.2	3.5	300	119.9	<0.005	2.75	10.50
C0041842	0.26	3.3	0.49	1166	4.90	<0.2	2.8	400	18.4	<0.005	2.04	6.86
C0041843	0.31	4.1	0.28	1533	7.27	<0.2	7.6	566	102.2	<0.005	4.35	19.46
C0041844	0.29	3.4	0.44	1330	1.89	<0.2	4.1	327	691.4	<0.005	3.77	65.23
C0041845	0.09	6.0	0.03	66	14.05	<0.2	16.3	136	15.1	<0.005	0.22	26.25
C0041846	0.36	1.7	0.24	878	8.56	<0.2	10.2	359	1110.3	<0.005	7.53	140.14
C0041847	0.35	4.7	0.42	1484	4.41	<0.2	9.5	388	64.7	<0.005	2.62	10.58
C0041848	0.66	8.4	1.07	750	1.45	<0.2	6.2	478	12.0	<0.005	0.92	7.52
C0041848PD	0.65	7.7	1.07	746	1.73	<0.2	6.0	480	12.1	<0.005	0.93	7.75
C0041849	0.91	7.8	1.21	388	2.72	<0.2	3.8	364	5.8	<0.005	0.60	3.46
C0041850	0.26	11.9	0.73	560	2.11	<0.2	7.9	512	7.3	<0.005	1.77	4.53
C0041851	0.21	16.7	0.65	372	3.29	<0.2	10.1	475	4.4	<0.005	1.47	2.70
C0041852	0.14	12.8	0.51	491	2.81	<0.2	7.5	407	7.5	<0.005	2.20	6.56

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041853	0.09	7.3	0.57	350	3.63	<0.2	7.8	403	4.0	<0.005	1.56	3.78
C0041854	0.25	9.2	0.79	395	4.66	<0.2	11.4	483	5.2	0.006	1.26	1.08
C0041855	0.25	11.0	0.12	224	2.22	<0.2	8.9	217	40.5	<0.005	0.05	7.68
C0041856	0.18	7.3	0.13	87	1.56	<0.2	2.9	121	6.6	<0.005	0.02	12.76
C0041857	0.32	10.8	0.43	234	1.13	<0.2	3.8	196	3.6	<0.005	0.01	19.22
C0041858	0.18	9.8	0.13	77	1.03	<0.2	2.8	238	2.1	<0.005	0.05	9.65
C0041859	0.22	8.4	0.25	93	1.23	<0.2	3.0	258	3.1	<0.005	0.05	6.06
C0041860	0.17	8.9	0.19	123	0.88	<0.2	2.9	398	2.7	<0.005	0.06	8.30
C0041861	0.21	14.1	0.07	53	0.84	<0.2	3.2	341	6.7	<0.005	0.15	13.47
C0041862	0.19	17.6	0.06	93	0.88	<0.2	2.8	395	6.8	<0.005	0.14	21.78
C0041863	0.29	21.6	0.04	86	0.70	<0.2	2.4	402	9.5	<0.005	0.20	22.98
C0041864	0.31	8.2	0.03	38	1.37	<0.2	3.3	227	27.1	<0.005	0.20	21.40
C0041865	0.31	10.8	0.03	78	1.29	<0.2	3.1	154	32.4	<0.005	0.14	33.24
C0041866	0.36	7.6	0.03	44	0.98	<0.2	2.3	166	18.7	<0.005	0.26	28.14
C0041867	0.44	12.7	0.03	52	0.84	<0.2	2.3	285	19.7	<0.005	0.54	51.39
C0041868	0.38	9.2	0.03	47	1.12	<0.2	2.2	186	124.3	<0.005	0.34	45.39
C0041869	0.40	13.4	0.04	76	0.75	<0.2	1.9	213	36.4	<0.005	0.34	27.56
C0041870	0.10	6.8	0.03	67	13.66	<0.2	15.7	140	15.1	<0.005	0.24	28.13
C0041871	0.31	9.9	0.03	68	1.30	<0.2	3.1	175	62.3	<0.005	0.20	68.45
C0041872	0.33	9.8	0.03	71	0.86	<0.2	2.1	104	106.3	<0.005	0.19	38.97
C0041873	0.32	10.2	0.03	61	1.17	<0.2	2.0	98	27.0	<0.005	0.16	20.63
C0041874	0.41	9.7	0.03	29	1.07	<0.2	2.2	112	8.8	<0.005	0.36	13.57
C0041875	0.31	10.1	0.03	24	1.35	<0.2	2.2	142	11.2	<0.005	0.25	7.64
C0041876	0.23	11.9	0.05	48	0.94	<0.2	2.2	214	3.0	<0.005	0.10	20.29
C0041877	0.26	10.9	0.02	71	1.90	<0.2	3.0	184	16.3	<0.005	0.09	53.06

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041878	0.23	11.9	0.02	19	2.36	<0.2	3.0	80	10.9	<0.005	0.02	26.52
C0041879	0.22	17.1	0.02	26	2.91	<0.2	2.8	65	11.3	<0.005	0.03	8.88
C0041880	0.27	16.4	0.03	29	1.40	<0.2	2.7	102	22.6	<0.005	0.03	17.06
C0041881	0.22	10.4	0.04	40	1.74	<0.2	3.1	145	16.7	<0.005	0.05	16.34
C0041882	0.31	9.2	0.04	64	1.58	<0.2	3.8	197	11.5	<0.005	0.06	15.65
C0041883	0.26	13.8	0.02	36	2.53	<0.2	3.0	193	40.4	<0.005	0.07	39.21
C0041884	0.23	7.8	0.02	44	2.26	<0.2	3.2	90	345.8	<0.005	0.31	117.56
C0041885	0.15	5.4	0.01	264	3.36	<0.2	4.5	117	374.4	<0.005	0.52	127.39
C0041886	0.26	11.2	0.03	94	3.28	<0.2	3.2	128	56.5	<0.005	0.20	63.68
C0041887	0.28	12.0	0.04	182	4.56	<0.2	6.7	377	259.5	<0.005	0.09	31.77
C0041888	0.32	9.1	0.04	370	4.41	<0.2	9.8	737	188.5	<0.005	0.22	9.94
C0041888PD	0.30	8.9	0.04	350	4.27	<0.2	9.3	723	173.9	<0.005	0.23	10.56
C0041889	0.12	8.2	0.04	872	7.47	<0.2	17.1	1085	8.9	<0.005	0.07	9.19
C0041890	0.06	1.5	0.79	338	32.71	<0.2	52.4	345	>10000	0.033	>10	251.97
C0041891	0.34	8.0	0.04	712	6.67	<0.2	5.7	391	198.1	<0.005	0.30	22.75
C0041892	0.42	12.0	0.04	113	4.39	<0.2	7.7	364	675.2	<0.005	0.38	15.95
C0041893	0.32	10.8	0.04	319	7.09	<0.2	11.4	358	63.7	<0.005	0.32	12.83
C0041894	0.34	9.3	0.04	223	6.49	<0.2	12.5	379	256.4	<0.005	0.32	15.01
C0041895	0.24	11.7	0.03	163	8.35	<0.2	15.1	392	62.1	<0.005	0.24	13.70
C0041896	0.21	9.6	0.03	148	6.80	<0.2	8.7	770	25.7	<0.005	0.37	12.01
C0041897	0.15	7.0	0.03	120	4.87	<0.2	4.3	527	15.8	<0.005	0.26	19.09
C0041898	0.34	8.7	0.03	171	2.36	<0.2	5.7	534	12.9	<0.005	0.52	18.28
C0041899	0.47	7.6	0.04	161	3.58	<0.2	6.6	664	42.3	<0.005	0.76	13.37
C0041900	0.52	9.2	0.04	150	3.15	<0.2	6.5	791	1190.2	<0.005	0.64	32.74
C0041901	0.55	10.4	0.06	81	3.59	<0.2	7.1	366	378.7	<0.005	0.64	37.58

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041902	0.46	15.0	0.05	97	16.33	<0.2	8.3	334	127.2	0.008	0.54	20.74
C0041903	0.37	11.8	0.03	24	15.07	<0.2	6.0	117	16.7	0.010	0.67	13.04
C0041904	0.45	16.4	0.05	148	7.60	<0.2	8.0	425	10.5	0.008	2.29	13.50
C0041905	0.35	13.5	0.04	83	8.83	<0.2	5.4	595	2061.6	0.010	3.32	407.50
C0041906	0.37	11.7	0.05	97	4.74	<0.2	5.1	457	17.8	0.005	1.20	28.00
C0041907	0.28	9.2	0.04	75	5.17	<0.2	10.4	479	450.3	0.007	2.75	126.03
C0041908	0.24	4.3	0.09	5060	2.31	<0.2	8.8	402	>10000	0.005	4.26	370.19
C0041909	0.11	11.3	0.21	2530	5.20	<0.2	17.1	505	55.4	0.011	2.27	36.82
C0041910	0.12	5.4	0.63	398	9.72	<0.2	31.1	542	496.0	<0.005	0.37	58.33
C0041911	0.17	9.2	0.56	1005	4.43	<0.2	9.1	461	11.6	0.010	2.70	19.48
C0041912	0.29	8.3	0.93	1330	1.72	<0.2	83.7	626	15.1	<0.005	3.22	20.15
C0041913	0.23	14.9	0.57	966	3.74	<0.2	8.3	677	70.3	0.006	3.77	26.97
C0041914	0.22	7.9	0.44	988	20.69	<0.2	19.0	282	61.4	0.018	2.65	15.11
C0041915	0.12	10.2	0.41	657	9.54	<0.2	26.4	546	8.1	0.016	2.50	27.43
C0041916	0.19	5.5	0.55	1258	6.27	<0.2	11.9	352	9.7	0.007	2.18	13.16
C0041917	0.24	5.7	0.90	1550	6.38	<0.2	14.1	507	12.7	0.006	3.23	6.48
C0041918	0.33	5.8	0.70	2917	3.43	<0.2	14.8	524	24.9	<0.005	3.29	6.73
C0041919	0.29	5.6	0.98	2380	5.97	<0.2	13.6	491	17.6	0.010	3.10	11.34
C0041920	0.37	5.3	0.81	2771	2.15	<0.2	8.1	773	85.4	<0.005	4.08	12.29
C0041921	0.24	9.8	0.66	2113	3.65	<0.2	11.2	644	41.9	<0.005	3.23	20.62
C0041922	0.29	11.6	0.88	1290	11.83	<0.2	11.6	745	7.6	0.010	2.49	24.69
C0041923	0.36	10.6	0.99	572	4.55	<0.2	12.2	635	4.1	0.011	1.81	3.87
C0041924	0.38	14.4	1.11	644	11.83	<0.2	9.7	662	3.9	0.021	1.58	5.77
C0041925	0.22	11.4	1.20	903	4.60	<0.2	9.1	686	4.5	0.008	2.07	5.41
C0041926	0.23	10.6	0.87	1655	4.08	<0.2	9.5	661	226.8	0.006	1.93	6.12

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041927	0.25	8.6	0.95	1984	2.44	<0.2	9.5	556	1089.5	0.005	3.08	7.99
C0041928	0.23	11.7	0.87	1174	1.89	<0.2	8.6	723	13.5	<0.005	2.70	10.79
C0041929	0.27	4.7	0.43	3184	1.88	<0.2	11.5	626	434.8	<0.005	4.56	68.63
C0041930	0.29	7.3	0.83	541	32.25	<0.2	57.5	733	30.5	0.062	0.62	8.78
C0041931	0.30	3.6	0.65	5238	1.61	<0.2	8.5	633	828.4	<0.005	5.59	157.14
C0041932	0.36	5.5	0.75	5112	2.18	<0.2	13.6	568	229.1	<0.005	1.70	33.87
C0041933	0.31	3.5	0.24	2033	2.09	<0.2	7.8	578	>10000	<0.005	6.53	987.96
C0041934	0.29	3.5	0.03	57	1.56	<0.2	4.7	414	8493.4	<0.005	4.28	1118.16
C0041935	0.24	1.5	0.03	269	2.06	<0.2	8.3	372	>10000	<0.005	>10	5554.77
C0041935PD	0.21	1.4	0.03	325	2.09	<0.2	8.3	384	>10000	<0.005	>10	6459.43
C0041936	0.28	4.7	0.02	39	5.10	<0.2	8.0	184	1702.7	<0.005	3.09	485.17
C0041937	0.29	5.3	0.02	41	3.06	<0.2	8.0	222	4747.5	<0.005	1.69	788.29
C0041938	0.23	5.2	0.03	348	2.26	<0.2	7.7	267	3336.7	<0.005	1.84	804.64
C0041939	0.28	6.4	0.03	645	1.83	<0.2	6.7	193	554.6	<0.005	1.08	151.80
C0041940	0.28	4.5	0.29	3026	34.81	<0.2	12.2	494	251.2	0.055	3.11	148.41
C0041941	0.32	6.6	0.47	2622	2.53	<0.2	6.6	769	42.5	<0.005	3.56	46.68
C0041942	0.34	8.6	0.74	1927	1.67	<0.2	6.3	910	25.2	<0.005	3.07	20.92
C0041943	0.16	9.3	0.73	751	7.83	<0.2	12.1	684	15.6	0.006	4.14	14.76
C0041944	0.26	6.1	0.67	1024	11.79	<0.2	14.5	620	11.3	<0.005	2.20	28.37
C0041945	0.30	4.2	0.70	880	5.21	<0.2	9.2	497	18.7	<0.005	2.74	13.31
C0041946	0.13	6.6	0.61	1062	9.15	<0.2	9.9	571	8.0	<0.005	2.34	21.52
C0041947	0.11	10.7	0.51	536	3.86	<0.2	6.1	639	9.5	<0.005	1.46	7.67
C0041948	0.19	9.2	0.63	2118	3.34	<0.2	12.2	825	29.5	<0.005	3.18	25.09
C0041949	0.20	5.3	0.78	4971	4.79	<0.2	11.3	705	253.9	<0.005	3.70	74.92
C0041950	0.09	7.1	0.03	70	13.55	<0.2	15.4	150	15.1	<0.005	0.25	26.92

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041951	0.15	3.0	0.04	577	5.07	<0.2	8.2	574	>10000	<0.005	9.23	890.39
C0041952	0.19	4.3	0.06	444	21.12	<0.2	7.5	555	520.3	<0.005	3.79	115.02
C0041953	0.22	7.3	0.31	2322	3.79	<0.2	3.8	801	45.1	<0.005	3.31	23.65
C0041954	0.21	8.9	0.38	763	6.36	<0.2	3.8	463	33.8	<0.005	2.43	17.72
C0041955	0.17	8.5	0.51	668	5.20	<0.2	9.9	590	6.2	<0.005	2.40	10.14
C0041956	0.17	8.8	0.60	538	7.32	<0.2	12.5	565	4.2	<0.005	3.16	3.01
C0041957	0.19	12.7	0.65	480	7.23	<0.2	11.6	569	5.6	0.006	3.83	3.30
C0041958	0.14	18.0	0.82	507	9.21	<0.2	13.3	568	4.5	0.009	2.30	5.85
C0041959	0.11	17.1	0.43	455	6.71	<0.2	5.9	380	5.4	<0.005	1.80	8.94
C0041960	0.19	13.2	0.39	335	9.64	<0.2	3.8	205	7.2	<0.005	1.85	4.63
C0041961	0.17	8.9	0.30	407	7.86	<0.2	2.5	145	7.1	<0.005	2.55	2.73
C0041962	0.26	9.9	0.24	455	11.48	<0.2	4.5	224	16.5	<0.005	2.88	3.80
C0041963	0.17	13.8	0.17	514	7.91	<0.2	6.4	364	13.5	<0.005	2.56	10.43
C0041964	0.15	9.9	0.34	770	5.94	<0.2	4.8	340	16.9	<0.005	3.16	17.03
C0041965	0.23	5.3	0.40	1553	4.88	<0.2	7.4	597	43.6	<0.005	2.65	7.57
C0041966	0.09	11.9	0.17	987	3.27	<0.2	4.5	493	13.7	<0.005	1.32	9.27
C0041967	0.11	6.2	0.26	1012	7.05	<0.2	5.6	193	19.7	0.005	1.23	6.38
C0041968	0.19	9.8	0.22	1130	5.22	<0.2	9.6	604	18.6	<0.005	1.77	7.43
C0041969	0.20	7.7	0.21	1178	9.82	<0.2	15.4	470	34.6	<0.005	1.35	10.39
C0041970	0.11	5.4	0.63	397	9.63	<0.2	31.3	544	488.0	<0.005	0.37	60.37
C0041971	0.24	6.2	0.46	1667	11.40	<0.2	9.1	379	27.0	0.005	1.67	7.59
C0041972	0.25	5.8	0.79	2582	4.91	<0.2	14.9	736	160.2	<0.005	1.91	17.01
C0041973	0.24	4.9	0.75	5025	5.18	<0.2	14.1	510	37.2	0.005	1.38	8.52
C0041974	0.14	7.1	0.17	3834	8.87	<0.2	25.3	585	393.4	0.006	1.34	40.17
C0041975	0.17	6.8	0.53	2979	7.18	<0.2	24.7	760	22.2	0.007	1.93	43.31

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041976	0.20	6.5	0.09	2730	11.31	<0.2	22.9	332	27.6	0.009	1.27	35.95
C0041977	0.25	6.9	0.57	3112	18.56	<0.2	14.1	502	46.8	0.006	2.20	20.29
C0041978	0.20	5.4	0.46	4255	22.33	<0.2	11.5	401	1272.7	0.008	2.67	130.71
C0041979	0.21	5.1	0.95	4798	18.33	<0.2	13.5	464	125.6	0.005	2.12	73.02
C0041980	0.24	7.1	0.77	3351	112.15	<0.2	7.7	547	38.5	0.060	2.01	28.88
C0041980PD	0.24	6.8	0.78	3389	110.47	<0.2	7.5	533	42.1	0.054	2.03	27.89
C0041981	0.23	6.6	0.26	2869	17.57	<0.2	9.1	436	31.4	0.010	1.52	39.32
C0041982	0.19	6.6	0.73	1288	27.86	<0.2	19.4	671	8.6	0.030	2.27	40.40
C0041983	0.08	12.7	0.31	827	18.57	<0.2	9.2	764	13.6	0.010	1.69	42.20
C0041984	0.09	10.3	0.34	836	8.88	<0.2	7.9	716	35.7	<0.005	1.25	29.31
C0041985	0.12	7.7	0.49	968	18.63	<0.2	8.6	560	12.4	0.017	1.32	21.06
C0041986	0.15	12.8	0.45	780	24.87	<0.2	6.9	517	15.6	0.019	0.77	22.58
C0041987	0.12	19.4	0.42	1399	64.52	<0.2	5.9	572	9.8	0.051	0.69	25.17
C0041988	0.19	11.4	0.55	1180	94.18	<0.2	4.8	475	9.9	0.109	0.90	13.23
C0041989	0.17	8.7	0.61	1019	69.16	<0.2	5.9	347	10.1	0.072	1.60	15.65
C0041990	0.11	7.1	0.04	70	13.91	<0.2	17.4	160	14.7	<0.005	0.24	29.35
C0041991	0.10	12.3	0.39	742	254.55	<0.2	10.3	524	7.6	0.235	1.17	27.58
C0041992	0.12	8.7	0.49	935	37.45	<0.2	6.2	530	26.2	0.030	1.58	27.74
C0041993	0.22	7.4	0.48	1701	227.19	<0.2	8.6	473	31.7	0.172	2.50	23.59
C0041994	0.22	5.9	0.26	1860	16.90	<0.2	9.9	375	123.0	0.013	2.65	54.72
C0041995	0.23	11.2	0.41	1508	140.66	<0.2	6.5	458	14.9	0.110	2.02	30.33
C0041996	0.25	14.1	0.52	1247	74.62	<0.2	4.7	380	6.3	0.056	1.06	37.41
C0041997	0.24	5.5	0.71	2274	18.32	<0.2	11.8	593	15.6	0.016	2.83	45.76
C0041998	0.28	9.1	0.71	1279	88.90	<0.2	12.5	647	8.0	0.045	1.48	37.73
C0041999	0.25	7.2	0.60	2280	17.45	<0.2	10.0	531	11.8	0.013	1.88	26.45

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0042000	0.26	6.3	0.62	2461	26.80	<0.2	15.4	601	7.0	0.023	1.92	28.39
C0042001	0.25	5.6	0.36	2063	7.36	<0.2	20.0	593	197.9	0.007	2.21	66.07
C0042002	0.21	4.5	0.10	954	12.71	<0.2	8.8	393	3861.8	0.007	6.46	1142.13
C0042003	0.23	7.2	0.21	2916	227.74	<0.2	31.9	653	750.9	0.199	5.20	88.15
C0042004	0.23	6.9	0.07	1165	27.37	<0.2	13.9	676	66.2	0.017	2.35	134.97
C0042005	0.22	7.1	0.04	312	35.10	<0.2	9.4	636	285.7	0.018	2.77	129.32
C0042006	0.20	8.4	0.06	369	274.91	<0.2	2.9	196	184.7	0.181	1.83	22.61
C0042007	0.20	10.0	0.05	306	3.30	<0.2	6.1	291	101.7	<0.005	1.63	56.06
C0042008	0.20	5.2	0.09	584	5.83	<0.2	5.1	346	341.7	<0.005	2.22	83.21
C0042009	0.21	5.5	0.31	2654	8.66	<0.2	6.1	546	59.5	0.007	1.74	48.16
C0042010	0.06	1.4	0.78	351	31.25	<0.2	51.3	351	>10000	0.038	>10	252.71
C0042011	0.25	4.9	0.06	577	428.21	<0.2	16.1	536	190.2	0.311	4.05	46.68
C0042012	0.23	5.3	0.16	1603	64.11	<0.2	16.0	564	92.0	0.052	4.24	39.58
C0042013	0.23	4.4	0.16	1657	220.51	<0.2	13.0	549	315.5	0.164	3.88	105.07
C0042014	0.17	6.2	0.21	1111	38.08	<0.2	9.6	287	5792.3	0.021	3.01	346.73
C0042015	0.20	3.8	0.10	521	17.07	<0.2	9.5	373	3962.0	0.013	2.73	822.02
C0042016	0.15	7.8	1.03	1876	65.35	<0.2	10.5	612	56.1	0.037	1.24	29.76
C0042017	0.41	10.8	0.79	658	8.31	<0.2	11.7	510	19.6	0.015	0.79	13.40
C0042018	0.17	8.8	0.58	2068	142.23	<0.2	7.5	501	39.7	0.092	2.13	21.03
C0042019	0.21	7.1	0.30	1951	13.70	<0.2	9.4	448	382.8	0.016	1.04	17.24
C0042020	0.24	8.8	0.49	2581	37.93	<0.2	5.9	409	62.8	0.104	0.67	13.11
C0042021	0.24	11.3	0.50	1535	71.00	<0.2	11.2	533	18.1	0.192	0.53	16.58
C0042022	0.14	11.2	0.60	1429	66.11	<0.2	13.9	570	16.3	0.072	0.67	30.44
C0042022PD	0.16	11.2	0.60	1398	59.69	<0.2	14.2	561	14.8	0.066	0.62	27.40
C0042023	0.13	11.7	0.47	961	159.66	<0.2	7.9	579	63.6	0.334	0.90	16.17

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875


To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0042024	0.14	9.1	0.41	1107	54.61	<0.2	9.2	473	8.4	0.181	1.18	24.01
C0042025	0.13	8.2	0.43	1777	27.49	<0.2	11.7	645	10.4	0.070	0.96	27.63
C0042026	0.10	9.4	0.40	699	20.58	<0.2	7.9	428	7.5	0.023	1.30	21.97
C0042027	0.05	36.8	0.10	422	76.31	<0.2	7.6	610	4.1	0.119	2.05	20.13
C0042028	0.13	40.5	0.34	532	18.12	<0.2	4.2	419	9.9	0.031	1.52	10.85
C0042029	0.16	45.3	0.40	292	20.21	<0.2	2.4	351	7.5	0.021	1.21	7.69
C0042030	0.11	5.7	0.61	400	9.47	<0.2	27.9	520	489.3	<0.005	0.37	61.22
C0042031	0.15	45.6	0.40	313	9.66	<0.2	2.8	342	7.3	0.008	1.72	6.79
C0042032	0.24	32.0	0.46	573	14.05	<0.2	4.2	372	3.8	0.014	2.17	5.71
C0042033	0.08	33.2	0.22	485	50.42	<0.2	6.6	570	5.1	0.079	2.37	15.75
C0042034	0.13	14.0	0.33	551	65.90	<0.2	6.5	408	6.0	0.091	1.28	20.38
C0042035	0.21	9.3	0.87	1204	24.19	<0.2	12.9	392	22.2	0.039	1.44	9.42
C0042036	0.20	9.7	0.55	962	68.97	<0.2	6.2	344	10.0	0.055	0.92	6.31
C0042037	0.12	7.3	0.51	984	8.96	<0.2	6.6	488	6.5	0.011	1.63	25.82
C0042038	0.19	6.9	0.64	1538	84.70	<0.2	8.2	505	18.5	0.074	1.32	13.74
C0042039	0.23	7.7	0.62	3052	152.44	<0.2	16.4	580	156.2	0.069	1.91	37.52
C0042040	0.24	8.7	0.49	2481	10.63	<0.2	8.4	553	327.0	<0.005	1.55	23.85
C0042041	0.25	6.1	0.65	3530	4.03	<0.2	9.0	473	727.5	<0.005	2.10	69.80
C0042042	0.18	3.8	0.81	4071	17.48	<0.2	11.0	587	>10000	0.022	4.39	3670.29
C0042043	0.14	8.4	0.54	1846	8.26	<0.2	13.0	574	59.1	0.007	2.22	45.30
C0042044	0.24	8.5	1.27	4088	3.66	<0.2	16.9	841	38.3	0.007	4.98	39.84
C0042045	0.07	10.4	0.53	2533	11.83	<0.2	20.2	1472	18.0	0.014	2.95	47.16
C0042046	0.06	7.8	0.74	1443	5.67	<0.2	18.9	1033	4.1	0.009	2.22	3.93
C0042047	0.15	10.0	0.80	361	18.96	<0.2	12.6	582	4.2	0.017	0.95	1.42
C0042048	0.06	1.4	0.82	338	32.07	<0.2	56.1	363	>10000	0.038	>10	253.87

***Please refer to the cover page for comments
regarding this test report. ***



YVR2110125

[illegible]



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
STD OREAS 600b	0.28	29.3	0.05	248	5.18	<0.2	4.2	233	81.9	<0.005	0.25	10.74
STD OREAS 25a	0.14	14.4	0.22	426	1.55	<0.2	27.9	381	21.2	<0.005	0.05	0.25
STD OREAS 600b	0.27	28.8	0.05	253	5.05	<0.2	4.4	236	82.4	<0.005	0.25	10.74
STD OREAS 25a	0.14	14.2	0.22	438	1.54	<0.2	29.0	394	21.1	<0.005	0.05	0.23
STD OREAS 600b	0.28	29.3	0.05	254	4.95	<0.2	4.4	238	85.5	<0.005	0.26	10.90
STD OREAS 25a	0.14	14.0	0.21	434	1.54	<0.2	27.9	392	21.0	<0.005	0.05	0.17
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD MP-1b												
STD CDN-ME-1407												
STD CDN-ME-1805												
STD OxQ115												
STD OxK160												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Granite Blank	3.2	<0.2	26.9	<0.05	2.4	0.095	<0.05	0.42	27	0.45	8.3	31
Granite Blank	3.4	<0.2	26.5	<0.05	2.3	0.098	<0.05	0.43	27	0.43	8.4	32
C0041831	1.3	0.4	14.2	<0.05	4.4	<0.005	0.34	0.58	2	0.58	6.6	147
C0041832	1.1	0.8	12.5	<0.05	3.7	<0.005	0.33	0.46	1	0.88	4.9	122
C0041833	2.3	0.9	19.8	<0.05	3.1	<0.005	0.44	0.50	7	0.67	6.4	87
C0041834	15.7	1.0	73.5	0.05	2.0	0.021	0.62	0.47	88	0.30	8.3	56
C0041835	14.0	1.0	68.5	0.07	3.1	0.089	0.43	0.57	110	0.37	6.1	28
C0041836	3.9	0.4	33.1	<0.05	6.4	<0.005	0.28	1.73	20	0.26	7.0	32
C0041837	1.6	0.5	16.0	0.07	3.0	<0.005	0.35	0.48	4	0.50	6.5	31
C0041838	0.9	0.5	10.3	0.07	2.6	<0.005	0.33	0.48	2	0.62	2.3	1254
C0041839	1.1	0.6	6.7	<0.05	3.4	<0.005	0.36	0.43	3	0.69	2.9	765
C0041840	1.8	0.9	18.0	<0.05	2.9	<0.005	0.52	0.69	5	0.72	5.0	70
C0041841	3.7	0.6	21.9	0.05	2.9	<0.005	0.72	0.44	4	0.58	5.2	33
C0041842	4.0	0.6	25.6	0.05	2.0	<0.005	0.59	0.71	5	0.58	4.9	27
C0041843	2.1	1.0	12.6	<0.05	2.7	<0.005	0.48	0.57	4	0.81	6.5	138
C0041844	1.6	0.8	17.1	0.10	2.6	<0.005	0.44	0.36	3	1.10	5.3	159
C0041845	1.0	1.2	66.6	<0.05	1.4	0.009	11.78	1.60	28	13.15	2.2	21
C0041846	2.3	2.9	10.3	0.37	1.3	<0.005	0.44	0.34	8	0.80	4.2	2593
C0041847	2.4	0.7	18.5	0.15	3.5	<0.005	0.40	0.42	5	0.63	8.8	666
C0041848	12.4	0.4	41.5	<0.05	2.8	0.068	0.42	0.66	51	0.31	8.7	54
C0041848PD	12.0	0.4	41.1	<0.05	2.7	0.068	0.40	0.62	50	0.29	8.5	52
C0041849	9.9	0.3	32.0	<0.05	2.6	0.106	0.42	0.56	26	0.37	5.6	41
C0041850	8.4	0.8	51.7	0.11	3.3	0.022	0.16	2.10	21	0.35	11.7	21
C0041851	6.7	1.1	80.7	0.12	5.4	0.020	0.23	1.24	36	0.50	14.8	33
C0041852	6.7	1.3	51.8	0.16	3.4	0.018	0.19	1.34	36	1.86	12.5	50

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041853	5.3	1.0	38.8	0.17	2.4	0.052	0.15	1.09	36	0.47	9.6	23
C0041854	6.1	0.9	49.2	0.08	2.7	0.052	0.15	0.88	50	0.40	8.3	30
C0041855	1.9	<0.2	23.3	0.05	8.7	0.013	0.23	1.08	12	0.76	4.8	59
C0041856	1.5	0.2	6.1	<0.05	5.2	<0.005	0.11	0.52	2	0.89	4.3	103
C0041857	3.1	0.2	8.4	<0.05	4.3	0.030	0.25	0.64	7	0.52	5.6	213
C0041858	3.3	<0.2	7.1	<0.05	3.7	0.016	0.12	0.54	9	0.40	3.4	103
C0041859	4.2	<0.2	11.8	0.14	3.9	0.026	0.17	0.51	11	0.41	4.3	91
C0041860	3.2	<0.2	16.7	<0.05	4.5	0.025	0.18	0.75	15	0.40	5.0	117
C0041861	2.5	0.2	22.4	0.08	4.5	<0.005	0.35	0.62	7	0.38	4.2	160
C0041862	2.6	0.2	27.1	0.17	5.5	<0.005	0.39	0.72	7	0.41	4.9	182
C0041863	3.4	<0.2	37.5	0.08	6.7	<0.005	0.61	0.70	8	0.32	4.9	143
C0041864	0.9	<0.2	34.6	0.11	5.0	<0.005	0.63	0.32	2	0.74	2.1	42
C0041865	0.5	0.4	18.9	0.11	3.4	<0.005	0.64	0.28	2	0.96	1.9	56
C0041866	0.7	0.4	20.6	<0.05	3.6	<0.005	0.72	0.27	2	0.50	2.0	49
C0041867	1.8	<0.2	51.6	<0.05	5.6	<0.005	0.96	0.42	5	0.48	3.3	100
C0041868	1.7	<0.2	33.9	0.06	4.2	<0.005	1.22	0.33	3	0.55	1.9	41
C0041869	1.7	0.2	40.5	0.18	7.8	<0.005	1.05	0.40	3	0.47	3.5	135
C0041870	1.1	1.4	69.0	0.06	1.5	0.009	11.36	1.54	29	13.28	2.4	22
C0041871	2.0	<0.2	18.6	0.21	5.5	<0.005	0.78	0.46	3	0.75	3.4	176
C0041872	1.5	<0.2	12.4	0.24	3.8	<0.005	0.82	0.24	3	0.48	2.0	55
C0041873	0.9	<0.2	11.5	0.22	3.2	<0.005	0.72	0.29	2	0.49	2.3	63
C0041874	1.0	<0.2	14.3	0.10	3.6	<0.005	0.75	0.23	2	0.50	2.2	50
C0041875	1.0	<0.2	20.6	0.13	4.5	<0.005	0.52	0.35	3	0.44	2.2	60
C0041876	2.4	<0.2	14.8	0.08	6.1	<0.005	0.27	0.78	4	0.33	4.0	212
C0041877	1.0	<0.2	15.1	<0.05	6.4	<0.005	0.36	0.70	2	0.53	3.4	160

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041878	0.4	<0.2	7.3	<0.05	7.5	<0.005	0.21	0.64	1	0.60	2.2	61
C0041879	0.4	<0.2	6.0	<0.05	8.0	<0.005	0.19	0.64	1	0.53	2.5	42
C0041880	0.6	<0.2	5.4	0.08	7.8	<0.005	0.27	0.77	1	0.48	3.3	126
C0041881	1.9	<0.2	5.9	<0.05	5.4	<0.005	0.25	0.84	4	2.34	3.4	253
C0041882	1.7	<0.2	11.6	<0.05	4.7	<0.005	0.35	1.24	2	0.53	5.6	385
C0041883	1.3	<0.2	20.6	<0.05	8.6	<0.005	0.38	0.99	2	0.53	4.0	285
C0041884	0.8	<0.2	18.3	0.13	5.5	<0.005	1.02	0.87	1	0.79	2.6	286
C0041885	1.0	0.3	44.7	0.08	2.1	<0.005	4.15	0.78	3	1.40	3.0	382
C0041886	0.6	0.3	34.5	<0.05	5.1	<0.005	1.16	0.68	3	0.81	4.0	197
C0041887	2.7	0.4	20.8	<0.05	6.2	<0.005	0.62	1.98	5	1.15	10.6	766
C0041888	10.4	0.5	45.1	<0.05	3.3	<0.005	0.54	2.66	27	0.49	13.3	912
C0041888PD	10.5	0.4	43.6	0.09	3.3	<0.005	0.50	2.59	26	0.45	13.4	905
C0041889	21.2	0.5	13.0	0.06	2.1	<0.005	0.23	2.55	84	0.40	15.8	1383
C0041890	1.0	199.7	27.7	0.85	0.4	<0.005	29.45	2.75	17	0.88	3.3	>10000
C0041891	3.7	0.7	67.5	0.23	3.0	<0.005	1.41	1.10	11	0.54	4.1	305
C0041892	1.9	1.7	84.3	0.13	4.1	<0.005	0.96	0.66	9	0.45	2.8	191
C0041893	3.0	1.7	47.2	0.09	3.3	<0.005	0.37	1.40	15	0.59	4.5	329
C0041894	2.4	2.1	47.0	0.10	3.9	<0.005	0.41	1.32	13	0.78	4.5	296
C0041895	3.8	2.0	29.1	0.08	3.2	<0.005	0.28	1.47	28	0.59	4.9	329
C0041896	12.8	2.4	46.5	0.17	3.6	<0.005	0.28	1.81	59	0.34	6.6	527
C0041897	11.2	3.2	28.0	0.40	1.7	<0.005	0.26	1.50	49	0.29	4.4	408
C0041898	13.8	0.7	41.7	0.10	1.9	<0.005	0.39	1.32	37	0.28	5.3	394
C0041899	10.5	6.8	46.6	0.13	2.0	<0.005	0.52	1.83	38	0.26	8.2	532
C0041900	8.1	2.2	36.5	0.56	3.2	<0.005	0.62	1.11	46	0.69	5.7	767
C0041901	2.5	1.2	22.4	0.16	3.3	<0.005	0.92	0.59	13	0.63	2.3	234

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041902	2.0	1.5	18.1	0.08	4.1	<0.005	0.69	0.57	9	0.41	3.8	277
C0041903	1.1	2.0	13.0	0.12	3.2	<0.005	0.37	0.39	4	0.79	2.4	68
C0041904	3.2	2.4	13.5	0.25	6.6	<0.005	0.56	0.80	9	0.43	5.3	634
C0041905	3.4	2.2	14.6	0.12	5.3	<0.005	2.07	1.04	9	0.51	4.6	2924
C0041906	3.5	1.4	7.4	0.22	3.1	<0.005	0.53	0.80	12	0.50	4.9	563
C0041907	3.8	1.1	6.9	0.32	3.8	<0.005	0.47	0.91	10	0.50	6.0	672
C0041908	2.8	1.4	5.6	0.29	2.4	<0.005	0.69	0.66	10	0.62	10.7	>10000
C0041909	7.2	1.7	8.2	0.12	4.3	<0.005	0.16	0.88	32	0.40	17.5	1032
C0041910	4.7	0.3	35.7	0.21	1.2	0.121	1.04	0.35	72	3.45	7.6	1476
C0041911	6.3	1.3	28.7	0.12	2.7	<0.005	0.34	0.83	22	0.39	13.3	212
C0041912	5.6	0.9	45.8	0.13	3.2	<0.005	0.76	0.73	21	0.43	11.7	113
C0041913	5.4	2.3	24.6	0.10	6.6	<0.005	0.57	0.95	28	0.30	9.0	379
C0041914	2.6	2.0	18.6	0.08	3.0	<0.005	0.67	1.05	13	0.61	6.8	127
C0041915	6.2	2.8	18.6	0.22	3.7	<0.005	0.17	1.48	42	0.56	10.2	94
C0041916	5.9	1.5	22.2	0.16	2.5	<0.005	0.22	0.89	24	0.50	8.4	87
C0041917	6.5	1.6	38.3	0.11	2.3	<0.005	0.33	0.55	23	0.48	10.2	85
C0041918	3.2	1.5	37.3	0.10	2.9	<0.005	0.39	0.61	11	0.76	12.1	226
C0041919	4.9	1.7	34.1	0.11	2.6	<0.005	0.36	0.88	14	0.63	12.4	92
C0041920	6.3	1.2	27.9	0.30	2.2	<0.005	0.55	0.38	15	0.55	10.6	497
C0041921	8.0	1.7	33.7	0.90	3.6	<0.005	0.34	0.96	29	0.52	14.7	162
C0041922	11.1	1.4	43.1	0.17	3.0	0.020	0.27	0.83	51	0.44	15.1	81
C0041923	10.0	1.0	42.6	0.67	3.2	0.052	0.21	0.76	55	0.59	13.3	42
C0041924	12.4	1.1	32.7	<0.05	4.0	0.082	0.20	0.61	72	0.39	16.1	54
C0041925	12.2	1.1	63.7	0.32	3.1	0.047	0.27	0.61	75	0.40	16.7	44
C0041926	6.7	1.1	51.6	0.09	3.3	<0.005	0.29	1.07	33	0.47	13.5	860

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
C0041927	7.0	1.3	53.0	0.45	2.5	<0.005	0.37	1.15	40	0.42	13.4	1124
C0041928	9.6	1.4	49.0	0.28	3.6	0.014	0.37	1.02	50	0.38	14.3	148
C0041929	5.3	1.3	19.9	1.16	1.9	<0.005	1.23	0.61	15	0.55	9.3	726
C0041930	6.2	1.7	39.5	0.51	1.4	0.137	0.18	0.46	82	8.74	9.1	75
C0041931	5.5	1.3	27.1	0.65	1.4	<0.005	0.68	0.52	16	0.67	10.3	1454
C0041932	4.1	0.5	33.4	0.15	2.4	<0.005	0.72	0.64	10	0.61	10.8	1247
C0041933	3.2	1.1	12.1	0.23	2.4	<0.005	1.19	1.12	10	0.68	7.9	>10000
C0041934	0.8	0.7	8.3	0.19	2.5	<0.005	1.01	0.93	5	0.56	3.3	1034
C0041935	1.5	2.8	5.0	0.39	1.6	<0.005	2.49	1.71	6	0.89	3.0	5909
C0041935PD	1.5	3.2	4.9	0.45	1.6	<0.005	2.67	2.02	6	0.77	3.2	7284
C0041936	1.6	1.4	20.8	0.18	2.7	<0.005	0.73	0.45	5	0.90	2.2	552
C0041937	1.2	1.2	21.7	0.31	2.3	<0.005	1.00	1.06	6	0.69	1.7	817
C0041938	1.4	1.0	21.9	0.16	1.7	<0.005	0.85	0.79	4	0.77	3.6	1812
C0041939	1.4	1.0	32.2	0.06	1.7	<0.005	0.48	0.53	4	0.77	4.2	410
C0041940	3.8	1.5	18.2	0.33	2.0	<0.005	0.53	0.71	8	0.68	8.8	687
C0041941	2.4	1.9	24.9	0.27	3.0	<0.005	0.56	0.56	7	0.74	7.5	290
C0041942	2.4	1.5	24.0	0.08	3.8	<0.005	0.55	0.56	8	0.58	8.4	84
C0041943	9.0	3.0	39.9	0.30	3.0	<0.005	0.22	0.77	33	0.53	13.2	104
C0041944	6.1	2.0	32.3	0.15	2.4	<0.005	0.32	0.66	25	1.13	11.3	254
C0041945	3.6	1.9	33.0	0.30	2.8	<0.005	0.35	0.56	10	1.15	10.7	118
C0041946	6.6	1.9	33.6	0.07	3.3	<0.005	0.16	0.69	23	0.32	12.5	341
C0041947	4.9	1.1	30.5	0.18	3.7	<0.005	0.15	0.70	22	0.24	8.7	122
C0041948	8.7	1.8	25.9	0.43	3.3	<0.005	0.49	0.68	31	0.41	17.5	180
C0041949	4.9	1.5	23.8	<0.05	2.6	<0.005	0.49	0.54	5	0.41	15.3	287
C0041950	1.1	1.5	71.0	0.08	1.4	0.009	11.24	1.58	28	12.80	2.5	21

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041951	1.7	3.4	4.1	0.61	1.5	<0.005	1.00	0.94	3	0.66	2.9	>10000
C0041952	2.4	1.8	12.0	0.14	2.7	<0.005	0.62	0.48	4	0.41	5.2	1323
C0041953	2.5	1.5	13.3	<0.05	4.4	<0.005	0.69	0.54	4	0.48	6.2	695
C0041954	2.4	1.4	18.0	<0.05	4.6	<0.005	0.61	0.63	5	1.01	8.3	161
C0041955	6.5	2.0	23.6	<0.05	3.9	<0.005	0.22	0.89	28	1.47	12.0	136
C0041956	5.1	3.0	34.0	0.11	4.0	<0.005	0.19	1.03	20	2.42	12.3	63
C0041957	6.8	3.5	45.0	0.19	3.7	0.016	0.16	1.11	29	7.21	15.4	43
C0041958	7.4	2.1	34.2	<0.05	4.1	0.006	0.15	0.82	31	0.57	18.5	77
C0041959	3.8	1.5	17.4	0.06	6.8	<0.005	0.11	0.69	9	0.45	15.3	148
C0041960	1.9	1.2	21.3	0.09	5.7	<0.005	0.16	0.60	3	1.55	11.6	73
C0041961	1.2	1.7	14.9	<0.05	5.1	<0.005	0.13	0.51	2	0.78	8.0	70
C0041962	1.7	1.7	11.7	0.08	5.4	<0.005	0.22	0.66	4	0.67	9.9	137
C0041963	3.8	1.8	10.1	<0.05	5.5	<0.005	0.15	0.86	12	0.45	14.3	212
C0041964	4.3	2.4	18.4	<0.05	4.2	<0.005	0.18	0.75	11	1.34	12.1	108
C0041965	2.5	1.8	20.0	0.05	3.4	<0.005	0.33	0.76	8	1.04	14.2	204
C0041966	3.5	1.0	7.3	<0.05	4.6	<0.005	0.14	0.82	6	0.22	14.6	215
C0041967	2.5	1.1	11.8	<0.05	3.3	<0.005	0.14	0.59	4	0.25	10.7	254
C0041968	2.2	1.3	12.0	<0.05	4.4	<0.005	0.29	1.18	5	0.36	20.1	435
C0041969	3.3	1.1	9.9	0.07	3.6	<0.005	0.25	1.21	7	0.37	18.8	731
C0041970	4.6	0.3	34.4	0.23	1.2	0.112	1.04	0.33	60	3.33	7.7	1519
C0041971	2.3	1.3	18.9	0.09	2.8	<0.005	0.28	0.76	6	0.36	15.2	430
C0041972	6.5	1.4	36.0	0.07	2.8	<0.005	0.44	1.27	26	0.48	22.2	842
C0041973	4.2	0.7	43.2	<0.05	1.7	<0.005	0.43	1.28	15	0.27	20.7	831
C0041974	6.6	1.8	18.3	0.10	2.2	<0.005	0.46	1.80	24	0.41	17.7	1883
C0041975	8.4	2.3	24.2	0.14	2.7	<0.005	0.52	0.97	26	0.41	13.3	726

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041976	2.6	2.1	19.0	0.07	2.2	<0.005	0.72	0.96	7	0.24	10.4	1370
C0041977	3.9	1.6	21.9	0.08	2.2	<0.005	0.91	0.56	10	0.44	14.5	862
C0041978	3.4	1.3	18.3	<0.05	2.2	<0.005	0.99	0.62	8	0.34	10.1	7514
C0041979	3.8	0.9	40.3	<0.05	1.7	<0.005	3.36	0.97	12	0.40	13.8	694
C0041980	3.4	1.0	38.8	<0.05	2.0	<0.005	1.74	0.82	12	0.43	12.6	208
C0041980PD	3.3	1.0	38.1	0.05	2.0	<0.005	1.79	0.77	12	0.43	12.8	214
C0041981	4.5	0.9	30.9	0.10	1.5	<0.005	2.36	0.90	17	1.12	12.1	225
C0041982	6.9	2.2	35.4	0.19	2.1	<0.005	0.53	0.63	24	0.41	11.8	138
C0041983	9.9	1.8	18.0	0.11	3.7	<0.005	0.16	0.74	28	0.48	14.9	211
C0041984	8.3	1.1	17.3	0.08	3.6	<0.005	0.24	0.83	23	1.83	14.1	170
C0041985	7.4	1.0	21.7	0.08	2.8	<0.005	0.26	0.78	24	0.26	13.3	184
C0041986	6.0	0.7	24.8	<0.05	5.1	<0.005	0.33	0.91	8	0.32	14.5	200
C0041987	8.4	0.6	20.4	<0.05	6.6	<0.005	0.26	1.14	12	0.25	20.5	354
C0041988	4.0	0.5	24.4	0.05	4.2	<0.005	0.47	0.67	5	0.24	14.2	157
C0041989	3.1	0.8	23.3	<0.05	3.4	<0.005	0.37	0.62	5	0.27	10.8	95
C0041990	1.1	1.3	75.2	<0.05	1.5	0.008	11.21	1.54	29	13.60	2.5	21
C0041991	7.9	1.1	20.0	0.10	4.1	<0.005	0.33	0.79	16	0.30	15.3	76
C0041992	6.0	1.3	20.0	0.07	3.4	<0.005	0.24	0.75	13	0.25	14.9	84
C0041993	3.1	1.4	17.5	0.10	3.2	<0.005	0.47	0.78	5	0.46	9.6	128
C0041994	2.7	1.3	19.0	0.09	1.6	<0.005	1.24	0.58	7	0.26	7.0	447
C0041995	2.7	0.8	17.5	0.08	3.9	<0.005	0.71	0.49	6	0.25	6.7	68
C0041996	2.8	0.9	26.2	<0.05	4.7	<0.005	0.57	0.58	5	0.24	9.5	75
C0041997	5.2	1.3	38.8	0.06	2.1	<0.005	1.63	0.56	14	0.29	9.9	105
C0041998	6.7	1.6	36.1	0.10	3.4	<0.005	0.65	1.05	20	0.35	12.2	186
C0041999	2.9	0.8	25.6	0.07	2.1	<0.005	0.59	0.43	6	0.32	10.2	101

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0042000	4.3	1.2	24.6	0.16	2.3	<0.005	0.57	0.58	8	0.36	11.1	132
C0042001	3.0	1.1	17.3	0.12	2.3	<0.005	0.52	0.44	5	0.26	7.3	2514
C0042002	1.4	0.2	13.5	0.11	1.1	<0.005	3.39	0.48	6	0.43	6.2	6061
C0042003	3.4	0.5	13.9	0.14	2.3	<0.005	2.66	0.91	7	0.60	10.4	2063
C0042004	3.4	2.3	5.8	0.11	2.3	<0.005	0.44	0.70	7	0.32	6.5	502
C0042005	2.6	1.8	6.7	0.08	3.1	<0.005	0.47	0.63	5	0.29	4.9	681
C0042006	0.9	0.7	3.8	<0.05	5.1	<0.005	0.26	0.68	<1	0.28	4.0	406
C0042007	1.2	0.7	3.7	0.09	3.6	<0.005	0.46	0.67	2	0.22	4.8	157
C0042008	1.7	0.9	5.1	0.10	3.9	<0.005	0.37	0.53	2	0.21	5.2	349
C0042009	2.6	0.6	18.5	0.06	3.2	<0.005	0.38	0.57	3	0.21	12.7	179
C0042010	1.0	207.0	28.2	0.73	0.4	<0.005	29.19	2.76	17	0.89	3.3	>10000
C0042011	2.4	1.7	6.1	0.19	2.5	<0.005	0.75	0.56	4	0.37	5.5	537
C0042012	2.9	1.7	8.5	0.16	2.5	<0.005	0.52	0.48	6	0.37	7.8	501
C0042013	3.0	1.3	10.3	0.15	1.8	<0.005	0.51	0.57	7	0.82	7.8	1558
C0042014	1.5	0.7	8.7	0.12	1.3	<0.005	0.37	0.65	6	0.30	4.8	>10000
C0042015	1.7	0.9	4.5	0.09	2.3	<0.005	0.52	0.59	5	0.35	4.9	4839
C0042016	10.1	1.0	51.8	0.09	2.9	<0.005	0.46	0.81	33	0.28	15.1	269
C0042017	11.8	0.9	30.3	0.06	3.9	0.055	0.31	1.11	56	0.12	14.9	283
C0042018	6.4	1.5	30.7	0.09	3.3	<0.005	0.29	0.51	11	0.33	13.9	170
C0042019	2.7	0.8	14.6	0.08	3.0	<0.005	0.37	0.43	5	0.22	8.3	409
C0042020	2.9	0.4	22.4	<0.05	4.1	<0.005	0.38	0.54	4	0.23	11.6	351
C0042021	6.9	0.7	23.1	0.06	3.8	0.008	0.38	0.90	18	0.29	15.3	286
C0042022	6.5	1.0	33.2	<0.05	4.5	0.005	0.22	0.77	25	0.17	16.5	629
C0042022PD	6.5	0.8	31.8	0.11	4.5	<0.005	0.24	0.74	25	0.14	15.9	611
C0042023	6.8	0.8	25.9	<0.05	4.6	<0.005	0.16	0.85	19	0.55	14.1	596

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0042024	8.3	1.1	19.8	0.11	3.4	<0.005	0.22	0.84	29	0.36	13.5	281
C0042025	8.8	0.8	19.5	0.09	2.6	<0.005	0.22	0.83	34	0.50	13.4	495
C0042026	7.8	1.0	18.3	0.06	3.3	<0.005	0.14	0.67	24	0.24	10.2	161
C0042027	7.1	1.9	9.3	0.14	16.5	<0.005	0.09	0.73	19	0.25	10.4	165
C0042028	3.2	1.1	21.5	0.09	26.2	<0.005	0.14	0.83	8	0.59	9.4	72
C0042029	1.3	0.9	23.6	0.12	30.3	<0.005	0.13	0.87	4	0.15	8.2	31
C0042030	4.7	0.3	36.1	0.15	1.5	0.117	1.05	0.35	61	3.40	7.9	1517
C0042031	1.4	1.4	24.1	0.13	29.7	<0.005	0.13	0.96	4	0.37	8.4	35
C0042032	0.9	1.3	33.2	0.06	22.4	<0.005	0.17	0.65	3	0.22	8.5	32
C0042033	5.5	1.8	14.3	0.06	14.8	<0.005	0.11	1.07	15	0.23	9.6	95
C0042034	4.4	1.2	15.7	0.08	5.0	<0.005	0.14	0.76	11	0.26	13.2	89
C0042035	3.6	0.9	36.9	<0.05	2.2	<0.005	0.28	0.46	13	0.26	14.0	125
C0042036	2.5	0.7	24.6	<0.05	3.5	<0.005	0.23	0.55	6	0.28	11.6	76
C0042037	8.4	1.3	29.4	0.14	2.6	<0.005	0.38	0.49	29	0.30	13.4	85
C0042038	6.0	0.8	28.0	0.16	2.8	<0.005	0.30	0.72	17	0.24	12.2	136
C0042039	3.5	2.3	24.6	0.17	2.7	<0.005	0.41	0.75	10	0.46	13.6	507
C0042040	3.1	1.0	19.3	0.09	3.4	<0.005	0.41	0.52	6	0.31	11.9	517
C0042041	4.1	0.6	23.0	0.09	3.7	<0.005	0.39	0.67	6	0.27	12.0	672
C0042042	4.4	1.5	24.8	0.58	1.8	<0.005	0.71	1.04	9	0.31	9.8	4592
C0042043	10.1	1.6	23.3	0.14	3.1	<0.005	0.32	0.67	26	0.33	14.4	249
C0042044	15.6	2.7	45.7	0.39	1.4	<0.005	0.68	0.98	55	0.32	20.2	414
C0042045	22.2	1.7	22.2	0.60	1.7	<0.005	0.12	1.16	94	0.43	15.2	268
C0042046	15.2	2.0	56.6	0.20	1.5	0.027	0.08	0.66	91	0.50	12.0	85
C0042047	6.5	1.3	26.1	<0.05	3.5	0.047	0.11	0.97	42	0.43	14.5	41
C0042048	1.0	203.8	28.2	0.59	0.4	<0.005	29.83	2.74	19	0.91	3.3	>10000

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
DUP C0041838	0.9	0.5	10.2	<0.05	2.5	<0.005	0.32	0.45	2	0.61	2.3	1257
DUP C0041872	1.5	<0.2	12.2	0.20	3.7	<0.005	0.83	0.24	3	0.52	2.0	56
DUP C0041904	3.3	2.6	13.5	0.23	6.5	<0.005	0.57	0.79	9	0.37	5.4	634
DUP C0041955	6.3	1.9	23.2	<0.05	3.9	<0.005	0.21	0.89	27	1.47	11.8	136
DUP C0041995	2.7	0.8	17.1	0.16	3.9	<0.005	0.70	0.49	6	0.26	6.5	69
DUP C0042026	7.9	1.1	18.5	<0.05	3.2	<0.005	0.14	0.66	24	0.25	10.4	161
DUP C0041842												
DUP C0041897												
DUP C0041921												
DUP C0041959												
DUP C0041994												
DUP C0042033												
DUP C0042041												
DUP C0041933												
DUP C0042002												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110125

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
STD OREAS 600b	1.2	2.8	26.8	2.08	10.3	0.031	0.47	3.07	3	2.49	7.1	329
STD OREAS 25a	8.8	0.5	17.3	<0.05	11.0	0.071	0.21	1.47	127	<0.05	4.5	30
STD OREAS 600b	1.2	3.2	26.7	2.02	9.6	0.031	0.48	3.10	2	2.53	7.5	329
STD OREAS 25a	9.4	0.8	17.4	<0.05	10.5	0.080	0.21	1.50	126	<0.05	4.6	31
STD OREAS 600b	1.2	3.2	26.2	2.00	10.0	0.029	0.48	3.09	3	2.41	7.6	341
STD OREAS 25a	9.1	0.6	18.2	<0.05	11.0	0.067	0.20	1.45	127	<0.05	4.6	31
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD MP-1b												
STD CDN-ME-1407												
STD CDN-ME-1805												
STD OxQ115												
STD OxK160												

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780A

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 10-Feb-2021
Number of Samples: 8
Report Version: Final

COMMENTS:

Samples originally from YVR2010780.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PLG-100	Log Sample - No preparation required

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010780A

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 10-Feb-2021
Report Version: Final

	Sample Type	Method Analyte Units LOR	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %
Sample ID			0.001	0.01	0.01
C0040015	Pulp		1.257	1.52	9.38
C0040095	Pulp		1.227	1.48	9.15
C0040152	Core				1.03
C0040158	Core			1.00	0.98
C0040161	Core				1.06
C0040162	Core				2.75
C0040163	Core			1.75	5.05
C0040195	Pulp		1.289	1.50	9.29
STD BLANK			<0.001	<0.01	<0.01
STD MP-1b			3.007	2.08	16.72

***Please refer to the cover page for comments
regarding this test report. ***

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Coarse silver may be present in some samples.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
Granite Blank	QC-P-BK	--		2.68	<0.01	<1	<0.05	0.92	0.9	<0.001	<10	64	<0.05	0.60	<0.05
Granite Blank	QC-P-BK	--		2.75	<0.01	<1	<0.05	0.96	0.7	<0.001	<10	65	<0.05	0.63	<0.05
C0040001	Core	2.85		2.50	0.01	<1	0.40	0.98	5.0	0.004	<10	59	0.22	0.38	0.62
C0040002	Core	3.12		2.50	<0.01	<1	1.95	0.91	3.4	0.005	<10	25	0.97	0.18	0.10
C0040003	Core	2.54		2.61	0.02	<1	0.10	1.88	216.9	0.008	<10	154	0.52	0.44	0.23
C0040004	Core	1.93		2.56	0.02	1	<0.05	0.70	356.2	0.012	<10	88	0.18	0.19	<0.05
C0040005	Core	2.62		2.56	0.13	<1	0.06	2.37	104.7	0.048	<10	233	0.24	0.55	0.06
C0040006	Core	4.42		2.86	0.01	<1	0.07	2.65	79.2	0.006	<10	199	0.31	1.51	0.11
C0040007	Core	2.41		2.78	0.01	<1	<0.05	1.82	112.5	0.004	<10	111	0.19	0.91	<0.05
C0040008	Core	2.32		2.59	0.01	<1	<0.05	0.83	58.9	0.003	<10	51	0.19	0.21	<0.05
C0040009	Core	3.08		2.70	<0.01	<1	0.06	2.24	111.4	0.002	<10	203	0.46	1.07	<0.05
C0040010	Core	2.25		2.86	0.02	<1	0.31	2.05	62.2	0.008	<10	117	3.60	1.03	0.13
C0040011	Core	2.19		2.70	0.01	<1	0.16	2.29	21.6	0.003	<10	185	0.89	0.97	0.11
C0040012	Core	1.10		2.50	<0.01	2	0.18	3.91	38.6	0.003	<10	351	1.34	1.06	0.25
C0040013	Core	2.85		2.44	<0.01	<1	0.06	2.12	7.2	0.002	<10	246	0.75	0.73	0.08
C0040014	Core	3.41		2.50	<0.01	<1	0.15	0.43	31.4	0.003	<10	22	2.27	0.10	0.10
C0040015	Pulp	0.12		3.33	1.99	148	>100	0.31	1184.1	0.339	<10	15	57.68	1.63	513.11
C0040016	Core	2.94		2.44	0.14	<1	0.44	0.31	37.7	0.149	<10	12	5.50	0.04	0.12
C0040017	Core	2.19		2.56	0.01	<1	0.45	0.54	28.7	0.009	<10	16	1.81	0.08	0.23
C0040018	Core	1.82		2.56	<0.01	3	0.14	0.50	18.3	0.003	<10	17	0.64	0.12	0.25
C0040019	Core	1.77		2.56	<0.01	<1	0.09	0.42	15.9	0.002	<10	16	0.46	0.08	0.15
C0040019PD	QC-PD	--		2.56	<0.01	<1	0.09	0.39	15.5	0.002	<10	15	0.44	0.08	0.15
C0040020	Core	2.79		2.54	<0.01	<1	0.15	0.42	9.6	0.003	<10	20	0.88	0.07	0.24
C0040021	Core	3.00		2.56	<0.01	<1	0.10	0.41	34.2	0.003	<10	39	0.33	0.07	0.70
C0040022	Core	2.81		2.54	<0.01	<1	<0.05	0.43	24.2	0.002	<10	16	0.21	0.05	0.31
C0040023	Core	3.40		2.70	<0.01	<1	0.05	0.57	10.4	0.002	<10	17	0.19	0.08	<0.05
C0040024	Core	3.00		2.63	0.01	3	0.21	0.53	40.7	0.011	<10	22	0.17	0.08	0.10
C0040025	Core	2.98		2.61	<0.01	<1	<0.05	0.46	19.3	0.003	<10	25	0.11	0.08	0.06
C0040026	Core	2.86		2.50	0.01	<1	<0.05	0.51	7.2	0.005	<10	33	0.25	0.09	0.06
C0040027	Core	2.22		2.50	<0.01	<1	<0.05	0.38	10.4	0.004	<10	35	0.08	0.09	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
C0040028	Core	3.92		2.50	0.02	<1	0.07	0.71	33.4	0.006	<10	50	0.14	0.17	0.13
C0040029	Core	2.83		2.50	0.02	<1	0.07	0.83	32.8	0.006	<10	26	0.17	0.12	0.07
C0040030	Core	2.33		2.50	<0.01	<1	0.08	0.79	26.8	0.003	<10	40	0.20	0.09	0.08
C0040031	Core	2.71		2.70	<0.01	<1	0.10	1.07	11.1	0.003	<10	78	0.11	0.22	<0.05
C0040032	Core	3.47		2.53	0.01	<1	0.07	0.99	1.6	0.003	<10	67	0.22	0.33	<0.05
C0040033	Core	4.02		2.59	<0.01	2	<0.05	1.07	3.2	0.003	11	46	0.41	0.41	0.06
C0040034	Core	3.16		2.50	0.02	<1	<0.05	1.26	16.8	0.019	<10	79	0.44	0.42	0.24
C0040035	Pulp	0.12		2.70	9.20	<1	1.41	1.62	33.7	9.058	13	116	1.34	0.85	0.26
C0040036	Core	3.03		2.38	1.10	<1	0.28	0.73	24.8	1.125	<10	49	7.98	0.21	0.08
C0040037	Core	2.51		2.56	0.21	<1	0.13	0.48	20.5	0.176	<10	19	1.69	0.18	0.08
C0040038	Core	2.43		2.56	0.05	<1	0.08	1.06	21.6	0.027	<10	29	0.63	1.46	0.20
C0040039	Core	3.10		2.63	0.01	<1	0.13	0.48	8.9	0.007	<10	250	0.12	1.75	0.25
C0040040	Core	3.99		2.56	<0.01	<1	0.08	0.77	2.8	0.005	<10	179	0.16	0.80	0.15
C0040041	Core	3.82		2.56	0.05	<1	<0.05	0.96	3.8	0.038	<10	75	0.59	0.83	0.10
C0040042	Core	3.93		2.70	0.03	<1	0.06	1.34	6.1	0.033	<10	133	0.42	0.67	<0.05
C0040043	Core	2.90		2.50	<0.01	<1	<0.05	1.19	8.4	0.003	<10	83	0.20	0.61	0.17
C0040044	Core	3.62		2.70	0.02	1	<0.05	1.47	8.1	0.004	<10	110	0.32	0.78	0.07
C0040045	Core	3.91		2.66	0.06	<1	<0.05	0.95	1.9	0.037	<10	59	0.47	0.79	<0.05
C0040046	Core	3.28		2.61	0.16	3	0.05	0.53	3.5	0.310	<10	44	0.95	0.85	0.10
C0040047	Core	3.86		2.63	0.04	2	<0.05	0.85	17.9	0.031	<10	57	0.31	0.76	0.25
C0040048	Core	3.41		2.68	<0.01	2	<0.05	1.11	12.7	0.009	<10	155	0.20	0.72	0.06
C0040049	Core	3.58		2.63	<0.01	<1	0.07	1.00	12.4	0.003	<10	85	0.27	0.65	0.26
C0040050	Core	3.61		2.56	0.01	4	<0.05	1.15	13.4	0.004	<10	141	0.19	0.37	<0.05
C0040051	Core	3.70		2.56	<0.01	2	<0.05	0.81	19.8	0.004	<10	67	0.15	0.71	0.80
C0040052	Core	3.91		2.41	<0.01	3	<0.05	0.51	6.5	0.004	<10	61	0.10	0.71	0.61
C0040053	Core	4.16		2.53	<0.01	<1	0.07	0.91	3.3	0.005	<10	71	0.26	0.55	0.11
C0040054	Core	3.50		2.56	0.01	2	<0.05	1.13	6.9	0.003	<10	87	0.30	0.52	<0.05
C0040055	Pulp	0.12		2.63	3.75	50	53.75	1.20	28.7	3.249	11	101	0.97	0.75	15.17
C0040056	Core	3.11		2.63	<0.01	<1	<0.05	1.40	2.5	0.003	<10	264	0.25	0.96	<0.05
C0040057	Core	3.59		2.44	0.02	<1	0.08	0.47	93.9	0.015	<10	112	0.48	0.65	0.14

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
C0040058	Core	3.22		2.47	<0.01	3	<0.05	0.39	29.7	0.001	<10	56	0.14	0.43	0.05
C0040059	Core	4.25		2.56	0.02	3	<0.05	0.49	153.8	0.016	<10	617	0.16	0.67	0.20
C0040060	Core	3.40		2.56	<0.01	<1	<0.05	0.42	9.5	0.002	<10	66	0.20	0.95	0.06
C0040061	Core	3.84		2.48	<0.01	<1	<0.05	0.30	22.8	<0.001	<10	147	<0.05	0.88	0.27
C0040062	Core	3.25		2.70	<0.01	<1	<0.05	1.51	22.3	0.002	<10	184	0.12	1.22	0.17
C0040062PD	QC-PD	--		2.50	<0.01	<1	<0.05	1.48	21.5	0.003	<10	179	0.12	1.22	0.19
C0040063	Core	3.72		2.54	<0.01	3	<0.05	0.58	14.6	0.002	<10	273	0.10	0.94	1.71
C0040064	Core	3.90		2.68	<0.01	<1	<0.05	0.23	8.7	0.002	<10	97	0.11	0.72	0.07
C0040065	Core	3.60		2.50	<0.01	<1	<0.05	0.32	17.9	<0.001	<10	85	0.12	0.85	0.16
C0040066	Core	3.86		2.56	<0.01	1	<0.05	0.39	7.3	0.001	<10	166	0.09	1.16	<0.05
C0040067	Core	3.18		2.63	<0.01	<1	<0.05	0.59	6.4	0.001	<10	248	0.17	1.24	0.21
C0040068	Core	3.54		2.61	<0.01	<1	<0.05	0.38	45.5	<0.001	<10	191	0.14	0.44	0.34
C0040069	Core	3.19		2.63	<0.01	<1	0.13	0.88	155.3	0.003	<10	153	0.67	0.48	1.20
C0040070	Core	3.48		2.50	<0.01	<1	<0.05	0.37	24.5	0.001	<10	118	0.42	0.88	0.62
C0040071	Core	3.90		2.56	0.01	<1	0.08	0.26	25.2	0.001	<10	158	0.54	1.45	0.28
C0040072	Core	3.96		2.54	<0.01	<1	<0.05	0.29	94.7	0.001	<10	171	0.27	0.41	0.54
C0040073	Core	3.79		2.44	<0.01	2	0.14	0.43	176.6	0.001	<10	431	0.54	0.12	1.10
C0040074	Core	2.49		2.63	<0.01	<1	0.35	0.64	402.5	0.002	<10	570	1.80	0.12	1.43
C0040075	Pulp	0.12		2.56	0.24	<1	0.38	0.41	442.9	0.240	11	1411	0.18	0.99	0.38
C0040076	Core	3.36		2.56	0.01	<1	0.12	0.67	397.5	0.004	<10	429	3.08	0.11	0.94
C0040077	Core	3.28		2.56	<0.01	<1	0.05	1.14	229.0	0.002	<10	233	0.76	0.18	0.50
C0040078	Core	3.10		2.63	<0.01	<1	<0.05	0.37	114.4	0.002	<10	129	0.91	0.10	0.56
C0040079	Core	3.44		2.50	<0.01	<1	<0.05	0.47	229.3	<0.001	<10	53	0.68	0.11	1.10
C0040080	Core	2.16		2.40	<0.01	<1	<0.05	0.59	681.4	<0.001	<10	48	1.24	0.15	2.50
C0040081	Core	2.32		2.50	<0.01	<1	<0.05	1.13	495.0	0.001	<10	102	0.25	0.21	2.70
C0040082	Core	3.59		2.48	<0.01	<1	0.06	1.36	385.8	0.003	<10	94	0.35	0.27	3.49
C0040083	Core	3.68		2.50	<0.01	<1	<0.05	1.12	357.7	0.001	<10	113	0.44	0.15	3.48
C0040084	Core	3.69		2.63	<0.01	<1	<0.05	0.94	184.2	0.002	<10	54	0.30	0.18	2.47
C0040085	Core	2.88		2.70	<0.01	<1	<0.05	0.83	387.0	0.002	<10	101	0.26	0.15	4.16
C0040086	Core	4.42		2.56	<0.01	<1	0.07	1.00	534.8	0.002	<10	90	0.23	0.20	7.22

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
C0040087	Core	2.77		2.54	<0.01	<1	<0.05	1.16	700.4	0.003	<10	96	0.40	0.28	9.25
C0040088	Core	3.99		2.56	<0.01	<1	<0.05	0.89	363.4	0.001	<10	142	0.97	0.82	8.21
C0040089	Core	2.80		2.70	<0.01	<1	<0.05	1.08	285.3	0.001	<10	112	0.38	0.17	3.56
C0040090	Core	4.26		2.50	<0.01	<1	<0.05	0.70	645.6	0.002	<10	55	0.45	0.14	9.12
C0040091	Core	3.90		2.70	<0.01	<1	0.07	1.44	520.3	0.005	<10	129	3.01	0.34	4.60
C0040092	Core	3.89		2.56	<0.01	<1	<0.05	1.24	479.0	0.004	11	99	1.61	0.19	6.16
C0040093	Core	3.01		2.50	<0.01	2	0.06	2.27	1923.2	0.001	12	86	0.29	0.20	17.04
C0040094	Core	3.17		2.56	<0.01	<1	0.06	0.80	1049.9	0.002	<10	149	0.71	0.09	13.15
C0040095	Pulp	0.12		3.57	1.93	161	>100	0.31	1081.3	0.296	25	15	61.72	1.62	502.77
C0040096	Core	3.34		2.44	<0.01	<1	0.08	0.78	1034.7	0.002	<10	13	0.73	0.13	11.79
C0040097	Core	2.52		2.48	<0.01	<1	0.09	0.80	903.4	0.003	<10	18	0.72	0.13	8.77
C0040098	Core	2.72		2.48	<0.01	<1	<0.05	1.42	425.1	0.001	<10	60	0.66	0.22	7.56
C0040099	Core	3.62		2.44	<0.01	<1	0.17	1.27	1503.8	0.003	<10	53	1.22	0.22	27.03
C0040100	Core	3.01		2.50	<0.01	<1	0.08	0.91	949.5	0.003	<10	33	1.99	0.13	15.31
C0040101	Core	2.70		2.50	<0.01	<1	0.08	0.79	1085.5	0.002	<10	26	0.35	0.09	17.69
C0040102	Core	2.26		2.70	<0.01	<1	0.08	0.53	930.9	0.003	<10	33	0.16	0.06	11.76
C0040102PD	QC-PD	--		2.56	<0.01	2	0.07	0.58	913.9	0.003	<10	33	0.15	0.06	11.73
C0040103	Core	2.14		2.68	<0.01	<1	0.09	0.55	792.0	0.008	<10	26	0.32	0.08	8.94
C0040104	Core	2.14		2.61	<0.01	<1	0.10	0.72	863.9	0.004	<10	39	0.64	0.09	8.04
C0040105	Core	3.61		2.66	<0.01	<1	0.09	1.47	590.4	0.002	<10	23	0.53	0.22	5.50
C0040106	Core	2.41		2.56	<0.01	<1	0.09	1.51	493.6	0.002	<10	26	0.61	0.29	5.28
C0040107	Core	3.60		2.55	<0.01	2	0.13	1.49	136.6	0.001	13	15	2.03	0.39	6.10
C0040108	Core	2.32		2.63	<0.01	1	0.09	1.22	118.8	0.002	<10	14	0.89	0.45	0.67
C0040109	Core	1.97		2.46	<0.01	<1	0.05	1.40	92.1	<0.001	<10	22	0.98	0.64	0.30
C0040110	Core	2.96		2.49	<0.01	1	0.06	1.27	103.9	0.003	<10	17	0.61	0.79	0.10
C0040111	Core	2.59		2.46	0.01	1	0.13	1.21	400.5	0.012	11	20	0.95	0.35	0.94
C0040112	Core	2.77		2.61	<0.01	3	<0.05	0.57	340.4	0.001	<10	13	0.51	0.19	3.11
C0040113	Core	3.17		2.59	<0.01	<1	0.09	0.61	363.4	0.003	<10	18	0.46	0.14	2.62
C0040114	Core	3.50		2.56	<0.01	<1	0.08	1.29	464.6	0.002	<10	76	0.69	0.24	1.09
C0040115	Pulp	0.11		2.78	9.35	4	1.35	1.57	34.8	8.356	15	127	1.33	0.80	0.27

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
C0040116	Core	2.46		2.59	<0.01	<1	0.19	0.89	419.7	0.007	<10	26	2.23	0.18	2.65
C0040117	Core	2.71		2.61	0.01	<1	0.08	0.68	405.4	0.008	<10	22	0.62	0.10	1.33
C0040118	Core	3.90		2.63	<0.01	2	0.32	0.44	394.2	0.006	<10	51	0.54	1.25	1.73
C0040119	Core	3.50		2.63	<0.01	<1	0.50	0.46	423.7	0.005	<10	34	2.08	0.82	3.72
C0040120	Core	2.89		2.63	<0.01	3	0.08	0.59	218.2	0.001	<10	15	10.86	0.42	0.29
C0040121	Core	2.67		2.56	<0.01	<1	0.25	1.24	341.4	0.004	<10	37	1.15	0.49	2.99
C0040122	Core	2.87		2.56	<0.01	3	0.23	1.21	272.8	0.002	<10	80	6.29	0.60	5.22
C0040123	Core	1.92		2.63	<0.01	<1	0.19	0.56	362.0	0.003	<10	14	1.24	0.21	5.74
C0040124	Core	3.88		2.63	0.01	<1	0.10	0.49	143.3	0.005	<10	180	1.02	0.71	5.14
C0040125	Core	2.90		2.68	<0.01	<1	0.30	0.57	78.3	0.003	<10	88	54.84	1.04	4.45
C0040126	Core	3.76		2.61	<0.01	3	0.28	0.66	145.4	0.006	<10	651	3.73	1.41	5.80
C0040127	Core	4.08		2.70	<0.01	<1	0.57	0.45	49.5	0.007	<10	376	0.69	1.67	2.11
C0040128	Core	3.40		2.66	0.03	<1	0.67	0.38	219.3	0.030	<10	201	1.01	0.66	1.79
C0040129	Core	3.33		2.68	0.02	<1	0.38	0.47	56.9	0.015	<10	188	2.24	0.56	0.91
C0040130	Core	3.41		2.50	<0.01	2	0.14	0.68	53.3	0.006	<10	139	0.56	1.26	0.42
C0040131	Core	3.23		2.56	0.04	<1	0.37	0.69	29.9	0.033	<10	83	7.93	1.41	0.80
C0040132	Core	3.02		2.63	0.05	<1	0.22	0.60	41.2	0.039	<10	66	5.55	1.29	0.92
C0040133	Core	2.60		2.56	0.01	<1	0.61	0.87	39.1	0.013	<10	103	11.91	1.08	0.40
C0040134	Core	3.25		2.44	0.03	<1	0.17	0.98	13.2	0.024	<10	98	2.20	0.79	0.10
C0040135	Pulp	0.12		2.70	0.25	5	0.40	0.37	449.4	0.262	10	1126	0.18	1.01	0.38
C0040136	Core	3.36		2.63	<0.01	<1	0.13	0.55	15.7	0.005	<10	68	0.61	2.98	0.31
C0040137	Core	3.80		2.61	<0.01	2	0.22	0.54	19.1	0.004	<10	62	2.50	0.53	0.64
C0040138	Core	3.64		2.68	0.01	4	0.36	0.47	30.2	0.010	<10	307	0.54	0.36	2.20
C0040139	Core	2.70		2.63	0.01	<1	0.26	0.52	47.9	0.007	<10	469	0.62	0.10	1.49
C0040140	Core	2.95		2.68	0.01	<1	0.32	0.99	65.8	0.009	<10	84	0.95	0.21	2.62
C0040141	Core	3.54		2.44	<0.01	1	0.15	1.03	20.9	0.006	<10	193	0.83	0.71	1.01
C0040142	Core	3.06		2.44	0.01	<1	0.36	1.22	26.5	0.007	<10	63	1.01	0.37	0.56
C0040143	Core	3.49		2.63	<0.01	2	0.16	0.86	13.5	0.002	<10	180	0.35	0.37	0.17
C0040144	Core	3.58		2.68	<0.01	<1	0.13	0.82	54.5	0.001	11	203	0.62	0.47	0.58
C0040145	Core	3.78		2.63	0.01	<1	0.64	0.44	100.4	0.009	<10	92	0.71	0.09	3.34

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
C0040146	Core	4.16		2.70	0.02	2	2.89	0.36	69.1	0.021	<10	273	1.32	0.08	7.42
C0040147	Core	3.39		2.63	0.02	<1	1.85	0.31	156.6	0.021	<10	200	1.55	0.07	3.71
C0040148	Core	2.87		2.68	0.02	<1	1.31	0.33	144.0	0.015	10	170	0.87	0.82	3.02
C0040149	Core	2.85		2.68	0.03	<1	2.17	0.36	208.8	0.029	10	94	1.69	0.11	5.28
C0040150	Core	2.85		2.80	0.12	9	6.30	0.36	254.6	0.150	12	75	15.17	0.12	6.03
C0040151	Core	3.90		2.75	0.13	7	5.07	0.39	1028.4	0.134	11	66	1.66	0.10	9.33
C0040151PD	QC-PD	--		2.70	0.13	8	4.99	0.38	1026.8	0.129	11	64	1.79	0.10	9.11
C0040152	Core	2.39		2.70	1.06	29	27.71	0.29	3897.5	1.063	<10	53	1.68	0.08	114.16
C0040153	Core	1.75		2.81	0.40	19	18.66	0.35	2885.2	0.396	11	54	2.97	0.09	31.64
C0040154	Core	1.96		2.78	2.08	68	77.30	0.23	8730.8	2.087	<10	26	3.36	0.05	101.32
C0040155	Pulp	0.11		2.78	9.18	4	1.46	1.60	36.2	8.966	14	129	1.35	0.82	0.29
C0040156	Core	2.66		2.75	0.28	6	9.94	0.32	1071.8	0.270	<10	63	5.28	0.08	8.71
C0040157	Core	2.62		2.86	4.59	43	47.15	0.20	>10000	4.660	<10	29	2.20	0.03	37.32
C0040158	Core	2.90		3.33	11.89	260	>100	0.12	>10000	12.460	13	35	11.32	0.02	100.03
C0040159	Core	3.20		3.23	0.48	20	18.33	0.13	1893.7	0.516	<10	114	2.46	0.02	45.71
C0040160	Core	1.99		2.86	0.19	2	7.70	0.30	741.8	0.201	<10	80	0.61	0.11	17.05
C0040161	Core	2.88		2.78	0.59	55	68.62	0.37	1500.9	0.599	<10	53	2.44	0.12	146.38
C0040162	Core	2.08		2.94	4.06	272	>100	0.24	3729.7	4.523	12	32	3.77	0.04	430.31
C0040163	Core	2.35		3.03	7.75	278	>100	0.35	>10000	7.462	15	34	16.30	0.05	826.88
C0040164	Core	2.79		2.75	0.10	1	4.19	0.63	313.1	0.110	<10	64	2.04	0.14	42.56
C0040165	Core	1.99		2.70	0.03	<1	0.77	0.87	184.6	0.031	<10	77	0.49	0.09	17.04
C0040166	Core	4.02		2.70	<0.01	<1	0.26	0.57	62.3	0.009	15	30	0.54	0.18	9.30
C0040167	Core	2.72		2.70	<0.01	<1	0.27	1.14	465.3	0.006	<10	157	0.33	0.06	3.09
C0040168	Core	2.24		2.63	0.12	2	3.19	0.73	316.4	0.137	<10	129	0.88	0.06	3.57
C0040169	Core	3.08		2.66	0.02	<1	0.65	0.32	81.9	0.022	<10	45	0.67	0.05	1.98
C0040170	Core	3.86		2.75	0.04	<1	2.12	0.34	137.1	0.045	11	105	0.49	0.05	6.03
C0040171	Core	3.31		2.70	0.23	5	4.31	0.18	751.1	0.257	<10	74	0.21	0.02	9.13
C0040172	Core	3.23		3.00	1.69	5	4.44	0.27	8719.3	1.756	13	68	0.19	0.03	5.65
C0040173	Core	2.60		2.70	0.03	<1	0.82	0.34	80.8	0.029	<10	210	0.20	0.04	3.35
C0040174	Core	3.77		2.75	<0.01	<1	0.75	0.40	17.3	0.007	<10	293	0.43	0.05	1.99

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
C0040175	Pulp	0.12		2.70	3.51	48	52.97	1.25	32.9	3.347	15	117	1.00	0.80	16.66
C0040176	Core	3.34		1.51	<0.01	2	1.13	0.32	18.0	0.010	<10	143	0.50	0.06	7.94
C0040177	Core	3.52		2.78	0.01	<1	1.57	0.33	26.9	0.010	10	96	0.63	0.07	14.73
C0040178	Core	3.97		2.75	0.01	2	1.46	0.41	31.6	0.011	11	112	0.50	0.08	79.30
C0040179	Core	2.95		2.78	0.01	2	0.54	0.41	30.3	0.011	<10	110	0.35	0.10	6.90
C0040180	Core	3.40		2.73	<0.01	<1	0.28	0.37	4.9	0.001	<10	298	0.07	0.04	0.58
C0040181	Core	3.20		2.73	<0.01	<1	0.51	0.61	23.0	0.001	<10	327	0.22	0.12	1.50
C0040182	Core	2.73		2.59	<0.01	<1	0.17	0.61	4.0	0.001	11	469	0.18	0.23	2.34
C0040183	Core	3.04		2.46	0.05	<1	0.15	0.79	7.9	0.001	<10	272	0.22	0.22	4.53
C0040184	Core	2.77		2.78	<0.01	<1	0.27	0.44	5.3	<0.001	<10	579	0.20	0.04	2.26
C0040185	Core	2.56		2.70	<0.01	<1	0.23	0.40	3.9	<0.001	<10	493	0.13	0.04	3.01
C0040186	Core	2.91		2.73	<0.01	<1	0.22	0.22	5.0	0.003	<10	271	0.15	0.03	2.76
C0040187	Core	3.29		2.75	<0.01	1	0.24	0.34	15.7	0.001	<10	287	0.23	0.07	4.62
C0040188	Core	4.62		2.70	<0.01	<1	0.18	0.24	2.8	0.002	<10	462	0.19	0.09	2.08
C0040189	Core	3.29		2.78	<0.01	<1	0.71	0.35	10.1	0.005	<10	123	0.27	0.08	5.33
C0040190	Core	3.44		2.81	<0.01	<1	0.27	0.46	6.9	0.002	12	120	0.47	0.14	7.36
C0040190PD	QC-PD	--		2.75	<0.01	<1	0.28	0.44	6.8	0.002	13	113	0.46	0.14	7.28
C0040191	Core	3.14		2.70	<0.01	<1	0.69	0.43	4.2	0.001	<10	177	0.41	0.09	7.53
C0040192	Core	3.83		2.70	<0.01	2	1.13	0.39	23.4	0.004	<10	136	0.26	0.12	7.35
C0040193	Core	4.39		2.73	<0.01	<1	0.25	0.45	6.7	0.008	<10	149	0.42	0.89	4.63
C0040194	Core	4.16		2.73	<0.01	<1	0.50	0.41	5.4	0.003	11	90	0.70	0.93	1.49
C0040195	Pulp	0.12		3.57	2.06	157	>100	0.31	1112.6	0.322	26	<10	63.79	1.72	515.15
C0040196	Core	4.16		2.68	<0.01	3	3.76	0.37	6.7	0.004	10	413	0.53	0.16	3.86
C0040197	Core	4.18		2.70	<0.01	5	2.74	0.35	9.0	0.005	<10	491	0.26	0.56	5.58
C0040198	Core	4.40		2.66	<0.01	3	0.97	0.42	8.1	0.003	<10	187	0.29	0.09	12.32
C0040199	Core	4.06		2.83	0.02	<1	1.96	0.41	18.3	0.022	11	46	1.08	0.17	10.68
C0040200	Core	4.93		2.73	0.28	<1	0.89	0.31	1835.4	0.304	<10	80	0.22	0.05	34.24

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
DUP C0040027						<1									
DUP C0040046						1									
DUP C0040090						<1									
DUP C0040132						<1									
DUP C0040146						3									
DUP C0040008				2.68											
DUP C0040045				2.70											
DUP C0040071				2.50											
DUP C0040125				2.63											
DUP C0040155				2.78											
DUP C0040078					<0.01										
DUP C0040082					<0.01										
DUP C0040027					<0.01										
DUP C0040016					0.14										
DUP C0040051					0.01										
DUP C0040024							0.20	0.52	42.7	0.011	<10	22	0.17	0.08	0.07
DUP C0040047							<0.05	0.86	17.7	0.026	<10	57	0.31	0.76	0.27
DUP C0040078							<0.05	0.40	114.4	<0.001	<10	131	0.96	0.11	0.55
DUP C0040130							0.15	0.69	53.4	0.006	<10	137	0.56	1.24	0.43
DUP C0040144							0.13	0.81	55.2	0.002	11	203	0.61	0.47	0.54
STD BLANK						<1									
STD BLANK						<1									
STD BLANK						<1									
STD BLANK						<1									
STD BLANK						<1									
STD BLANK							<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05
STD BLANK							<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05
STD BLANK							<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05
STD BLANK							<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05
STD BLANK							<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	ICF-6Ag Ag ppm 1	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05
STD BLANK					<0.01										
STD BLANK					<0.01										
STD BLANK					<0.01										
STD BLANK					<0.01										
STD BLANK					<0.01										
STD CDN-ME-1407						244									
STD GBM315-13						42									
STD OREAS 601						49									
STD GBM315-13						40									
STD CDN-ME-1407						247									
STD OREAS 25a							<0.05	6.12	3.2	<0.001	<10	60	0.29	0.15	<0.05
STD OREAS 600b							25.10	0.58	96.9	0.196	<10	648	5.91	0.81	2.02
STD OREAS 25a							<0.05	6.03	3.0	<0.001	17	64	0.30	0.15	<0.05
STD OREAS 600b							25.87	0.58	93.7	0.206	11	644	6.03	0.78	2.07
STD OREAS 600b							25.15	0.62	97.8	0.194	<10	665	6.02	0.84	2.15
STD OREAS 904				2.56											
STD OREAS 904				2.61											
STD OREAS 904				2.81											
STD OREAS 904				2.78											
STD OREAS 904				2.75											
STD OxB130					0.12										
STD OxC129					0.20										
STD OxC129					0.21										
STD OxB130					0.12										
STD OxK160					3.63										

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
Granite Blank	5.2	24	3.3	1.89	3.7	<0.01	0.12	6.6	0.40	419	4.88	0.16	2.6	399	1.4
Granite Blank	5.5	34	3.8	2.01	4.0	<0.01	0.13	7.0	0.43	444	6.58	0.17	3.1	413	1.4
C0040001	6.9	20	15.2	1.99	3.7	0.02	0.17	9.7	0.39	303	3.75	0.07	3.7	344	3.5
C0040002	3.5	18	9.3	2.29	4.2	<0.01	0.20	9.7	0.30	139	2.91	0.04	2.5	347	2.9
C0040003	32.2	17	15.9	3.37	6.9	<0.01	0.56	8.9	0.95	398	1.98	0.04	4.9	492	3.0
C0040004	9.6	21	11.6	1.31	3.9	<0.01	0.15	4.9	0.35	245	2.97	0.08	2.5	177	5.3
C0040005	12.9	25	18.3	3.50	7.9	0.04	0.95	5.7	1.59	646	1.82	0.08	6.1	411	4.4
C0040006	17.9	27	33.1	4.40	8.1	<0.01	0.75	8.9	1.85	550	2.64	0.22	8.9	769	3.8
C0040007	9.7	17	12.4	3.06	6.7	<0.01	0.39	9.5	1.27	350	1.92	0.16	4.6	820	1.5
C0040008	2.7	23	13.4	1.52	4.5	<0.01	0.19	14.4	0.40	201	3.34	0.07	2.8	153	2.2
C0040009	12.3	24	11.6	3.93	8.3	<0.01	0.51	15.6	1.68	540	1.44	0.15	8.9	1229	4.2
C0040010	13.3	108	20.6	3.84	7.5	<0.01	0.36	12.5	1.71	566	1.18	0.12	35.2	1344	17.7
C0040011	12.9	54	16.9	3.87	7.3	<0.01	0.66	8.0	1.94	620	1.09	0.14	15.7	788	9.6
C0040012	32.7	38	30.1	6.91	11.4	<0.01	1.25	13.3	2.65	1990	1.24	0.09	16.8	886	9.6
C0040013	9.8	28	15.9	3.14	6.7	0.04	0.57	14.8	0.94	480	2.14	0.05	11.9	529	4.3
C0040014	2.6	22	9.6	1.65	1.2	0.01	0.10	19.7	0.05	116	4.62	0.04	2.9	115	13.3
C0040015	27.7	16	>10000	18.19	7.0	18.29	0.07	1.5	0.75	368	33.55	<0.01	60.1	357	>10000
C0040016	1.3	25	6.7	1.40	1.0	0.15	0.06	6.4	0.02	31	4.83	0.06	1.4	16	58.5
C0040017	3.3	17	18.2	2.19	1.4	0.10	0.07	13.7	0.05	112	4.52	0.02	1.2	33	61.9
C0040018	1.8	19	8.2	1.26	1.6	0.06	0.08	17.9	0.08	114	4.29	0.04	1.2	25	14.3
C0040019	1.1	23	7.4	0.95	1.2	0.05	0.08	22.1	0.05	72	4.35	0.05	1.4	40	23.5
C0040019PD	1.0	21	7.2	0.91	1.1	0.04	0.08	22.3	0.05	66	3.87	0.05	1.3	41	24.3
C0040020	2.5	22	8.0	1.21	1.1	0.04	0.07	17.8	0.05	199	4.51	0.04	1.5	62	23.1
C0040021	4.6	23	4.7	1.05	1.4	0.04	0.06	26.3	0.06	838	4.80	0.05	1.8	23	12.0
C0040022	2.2	26	2.1	1.31	1.5	0.03	0.07	24.9	0.03	715	6.83	0.03	1.7	37	3.8
C0040023	1.2	25	10.9	1.42	2.1	0.03	0.13	26.5	0.11	97	5.04	0.04	1.8	66	2.6
C0040024	2.7	24	32.8	1.50	1.5	0.03	0.09	21.5	0.04	193	4.94	0.03	1.7	48	5.3
C0040025	1.8	27	7.1	1.09	1.4	0.02	0.11	25.7	0.04	126	5.06	0.06	1.8	63	3.5
C0040026	1.2	25	8.5	1.60	1.4	0.02	0.11	25.2	0.05	105	5.39	0.04	1.6	82	4.5
C0040027	1.7	27	4.7	0.93	1.3	0.02	0.10	12.8	0.04	106	4.55	0.06	2.0	108	2.7

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
C0040028	5.3	23	20.7	2.10	3.0	0.09	0.14	20.0	0.12	767	2.75	0.04	3.8	430	5.0
C0040029	6.8	10	40.7	3.63	3.5	0.53	0.09	25.6	0.04	916	2.32	<0.01	1.4	648	4.7
C0040030	9.2	9	38.4	3.18	2.9	0.36	0.08	22.9	0.04	1197	2.34	<0.01	3.2	435	5.1
C0040031	4.9	10	36.6	3.77	5.2	0.11	0.24	12.7	0.26	426	3.21	0.03	1.8	561	2.2
C0040032	4.6	25	20.8	3.58	5.3	0.01	0.20	10.4	0.35	415	3.55	0.07	3.1	589	2.1
C0040033	5.2	36	19.5	3.24	5.8	<0.01	0.16	11.4	0.49	456	4.19	0.09	3.2	604	3.0
C0040034	6.1	17	30.6	3.33	6.1	0.01	0.31	12.0	0.55	331	6.72	0.08	2.7	736	2.7
C0040035	13.2	42	777.0	5.30	5.7	0.43	0.28	7.8	0.85	548	33.31	0.12	59.6	717	30.5
C0040036	8.2	13	21.5	2.51	2.3	0.08	0.07	14.0	0.08	660	5.46	0.05	2.4	690	7.0
C0040037	4.9	13	30.1	1.69	1.8	0.03	0.05	11.7	0.07	273	5.20	0.08	2.0	517	4.6
C0040038	10.3	35	33.7	2.45	3.8	0.08	0.15	12.1	0.38	663	2.46	0.03	13.0	695	5.4
C0040039	4.9	30	25.6	2.30	2.0	0.07	0.12	12.6	0.64	809	3.54	0.04	7.8	359	11.0
C0040040	5.5	25	23.4	2.99	4.7	0.01	0.41	12.0	0.67	689	4.45	0.09	1.7	486	2.3
C0040041	6.1	27	17.8	2.43	5.3	<0.01	0.45	11.3	0.76	481	4.91	0.11	1.8	481	2.1
C0040042	7.5	24	33.6	3.46	6.6	<0.01	0.78	14.5	1.07	507	4.20	0.15	1.6	687	1.3
C0040043	6.4	27	24.5	2.97	5.9	<0.01	0.53	14.5	0.93	557	4.42	0.16	1.7	527	1.2
C0040044	8.2	20	38.4	4.02	7.5	<0.01	0.71	14.0	1.11	730	5.14	0.15	1.5	641	1.9
C0040045	7.8	22	29.0	2.68	4.9	<0.01	0.14	11.2	0.57	396	6.79	0.12	1.3	520	2.2
C0040046	4.9	26	14.2	1.53	3.1	<0.01	0.11	6.4	0.24	249	4.38	0.08	1.2	309	2.9
C0040047	6.0	20	20.6	2.74	5.2	<0.01	0.19	10.1	0.40	371	3.76	0.08	1.2	457	10.8
C0040048	6.6	25	14.0	2.64	5.8	<0.01	0.51	8.8	0.82	467	4.19	0.11	1.9	425	2.2
C0040049	6.7	23	25.2	3.74	5.0	0.04	0.39	14.2	0.68	830	4.86	0.06	1.4	590	4.1
C0040050	6.3	17	23.3	3.08	6.3	0.01	0.59	11.3	0.65	536	4.18	0.10	1.1	482	2.0
C0040051	4.9	22	25.4	2.87	4.8	<0.01	0.36	9.3	0.48	515	4.31	0.08	1.3	414	19.8
C0040052	2.7	25	16.8	1.46	3.2	<0.01	0.16	4.9	0.23	212	4.08	0.08	1.5	210	23.2
C0040053	7.7	18	27.3	3.24	5.5	<0.01	0.33	8.6	0.53	372	3.19	0.12	0.9	426	3.1
C0040054	6.9	23	4.0	4.15	5.6	0.03	0.48	11.1	0.68	656	5.13	0.06	1.5	573	2.8
C0040055	8.0	27	67.0	3.59	6.2	0.21	0.11	5.6	0.63	392	9.92	0.09	30.9	525	465.2
C0040056	9.3	46	8.3	4.01	6.9	<0.01	0.71	11.2	1.27	734	5.23	0.11	6.9	709	2.7
C0040057	4.1	24	7.8	2.01	2.1	0.01	0.22	5.6	0.30	537	4.97	0.05	2.4	312	9.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
C0040058	0.7	20	11.8	0.63	1.0	<0.01	0.13	0.6	0.06	226	3.42	0.04	1.1	139	11.4
C0040059	1.2	16	12.0	0.82	1.2	0.02	0.12	0.7	0.07	364	2.87	0.03	1.1	160	17.4
C0040060	2.3	23	11.7	1.17	1.8	<0.01	0.13	1.8	0.26	278	3.52	0.07	1.4	242	7.3
C0040061	1.5	23	11.9	0.77	0.9	0.01	0.13	1.4	0.15	250	3.81	0.07	1.5	150	35.6
C0040062	12.2	41	27.5	4.34	6.3	0.01	0.76	9.6	1.62	1078	5.02	0.08	6.7	456	9.0
C0040062PD	12.1	37	27.6	4.32	6.1	0.01	0.75	9.3	1.61	1071	4.50	0.08	6.4	459	7.6
C0040063	2.8	25	12.9	1.91	2.7	0.02	0.27	6.8	0.46	499	4.39	0.07	1.3	426	10.3
C0040064	0.5	25	4.0	0.62	0.8	<0.01	0.11	1.1	0.08	164	4.12	0.07	1.3	127	5.2
C0040065	0.8	28	5.8	0.69	1.0	<0.01	0.12	2.5	0.07	209	4.77	0.06	1.6	131	7.4
C0040066	0.6	25	3.8	0.60	1.1	0.02	0.12	3.4	0.12	206	4.42	0.05	1.4	116	9.0
C0040067	2.2	17	7.8	1.07	1.6	0.03	0.10	5.5	0.23	419	3.06	0.05	1.4	181	8.7
C0040068	1.0	23	3.5	0.69	1.1	<0.01	0.12	4.4	0.11	287	4.18	0.07	2.7	100	6.7
C0040069	6.9	19	55.2	2.74	3.8	<0.01	0.17	6.7	0.45	1085	3.36	0.08	2.0	460	13.6
C0040070	1.9	23	6.6	1.07	1.6	<0.01	0.16	4.5	0.18	255	11.23	0.07	1.3	211	9.4
C0040071	2.2	23	12.1	0.89	0.8	<0.01	0.16	3.2	0.06	230	8.06	0.07	1.2	110	27.7
C0040072	1.2	20	9.1	0.57	0.8	<0.01	0.13	5.3	0.03	146	6.02	0.08	1.2	43	11.0
C0040073	2.3	26	22.3	0.80	1.0	<0.01	0.15	4.3	0.05	299	10.66	0.07	1.7	97	17.2
C0040074	2.8	20	70.0	2.78	1.7	0.10	0.23	8.5	0.07	182	4.46	0.07	2.1	356	24.9
C0040075	3.7	43	40.2	3.89	1.8	3.85	0.10	6.8	0.03	68	13.86	0.11	17.1	144	14.6
C0040076	1.7	18	13.2	3.50	3.0	0.03	0.38	6.8	0.15	60	4.03	0.16	1.7	535	17.7
C0040077	3.6	20	6.0	2.55	7.0	0.01	0.38	2.6	0.62	152	4.03	0.07	2.4	573	7.7
C0040078	2.3	24	1.5	0.72	1.0	0.01	0.13	6.8	0.04	60	4.53	0.06	1.5	167	8.8
C0040079	0.8	20	2.5	0.77	1.1	0.01	0.11	5.5	0.06	20	3.99	0.05	1.2	78	6.1
C0040080	1.5	18	3.4	1.45	1.7	0.04	0.10	8.8	0.06	31	4.40	0.03	1.7	206	10.2
C0040081	2.9	15	5.1	2.41	4.6	0.02	0.36	7.3	0.44	185	3.22	0.05	1.7	363	5.1
C0040082	7.4	15	26.3	3.91	5.9	0.06	0.51	13.8	0.62	406	3.55	0.04	1.8	591	3.9
C0040083	6.0	22	14.6	3.19	5.6	0.02	0.49	8.3	0.57	292	4.07	0.06	2.4	412	3.6
C0040084	5.6	19	9.3	3.53	6.3	<0.01	0.26	9.7	0.68	500	3.56	0.09	1.8	446	2.4
C0040085	3.8	26	9.4	2.52	4.4	<0.01	0.25	5.8	0.40	281	4.48	0.06	2.8	328	4.3
C0040086	4.6	23	21.1	2.83	4.1	<0.01	0.36	9.7	0.41	264	3.71	0.05	3.3	337	3.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
C0040087	6.8	18	13.9	3.73	4.7	0.02	0.41	13.2	0.49	702	3.63	0.05	5.7	430	3.8
C0040088	7.1	36	9.4	3.54	4.7	0.03	0.18	13.0	0.61	947	5.03	0.06	19.2	460	4.2
C0040089	4.6	25	9.8	3.11	5.6	<0.01	0.17	10.5	0.58	363	5.43	0.09	1.8	368	2.3
C0040090	5.5	23	11.3	2.49	2.2	<0.01	0.19	10.3	0.23	641	5.59	0.04	3.4	377	4.2
C0040091	12.4	25	10.1	4.18	7.3	0.02	0.50	6.2	0.86	209	4.06	0.10	3.0	687	2.8
C0040092	10.3	41	14.7	3.49	5.0	0.02	0.40	8.7	0.69	772	6.21	0.05	8.8	417	2.3
C0040093	10.6	63	29.0	4.32	4.2	0.03	0.49	9.0	0.61	313	4.46	0.02	36.6	644	14.4
C0040094	6.1	24	34.1	3.37	1.6	0.07	0.03	8.7	0.06	319	5.70	0.02	2.7	253	11.0
C0040095	28.7	16	>10000	17.91	7.3	18.61	0.06	1.5	0.78	349	34.69	<0.01	58.4	341	>10000
C0040096	7.1	24	22.9	3.38	1.9	0.23	0.05	7.9	0.10	308	6.22	0.01	2.1	239	19.2
C0040097	6.1	15	22.2	3.18	1.9	0.13	0.10	7.6	0.08	213	4.31	0.02	2.1	316	15.6
C0040098	5.9	13	45.3	2.98	4.2	0.14	0.11	7.0	0.33	159	4.12	0.04	2.0	300	3.0
C0040099	3.1	13	29.9	4.27	3.3	0.08	0.11	12.3	0.21	172	4.40	0.01	1.9	311	3.6
C0040100	3.5	16	25.3	2.70	2.1	0.10	0.07	24.5	0.09	129	5.72	<0.01	2.2	313	4.4
C0040101	2.4	20	29.0	2.56	1.8	0.04	0.06	10.3	0.09	111	4.98	<0.01	1.7	241	16.7
C0040102	3.6	18	27.9	2.70	1.3	0.06	0.04	8.6	0.05	119	4.03	<0.01	2.2	303	9.1
C0040102PD	3.5	18	27.5	2.68	1.3	0.06	0.04	9.0	0.05	119	4.26	<0.01	2.2	300	8.8
C0040103	5.4	23	29.3	2.53	1.3	0.05	0.02	5.6	0.04	181	4.69	<0.01	5.1	381	5.9
C0040104	4.1	15	49.1	3.71	1.8	0.07	0.07	18.3	0.04	231	3.90	<0.01	2.7	490	7.4
C0040105	6.6	10	97.5	4.79	3.2	0.15	0.06	13.5	0.21	200	4.34	0.01	1.2	486	6.0
C0040106	6.3	12	123.4	3.88	2.9	0.11	0.07	16.9	0.20	260	4.59	<0.01	1.7	707	7.0
C0040107	13.6	11	226.8	5.04	3.4	0.21	0.07	12.9	0.36	2266	2.97	<0.01	1.8	479	6.4
C0040108	11.2	10	85.8	3.74	3.2	0.10	0.06	14.8	0.26	2231	2.69	<0.01	2.0	821	7.9
C0040109	10.4	26	47.8	3.56	4.4	0.16	0.07	16.6	0.29	2060	2.09	0.01	5.3	1699	10.5
C0040110	8.6	15	51.5	3.45	4.0	0.05	0.07	18.5	0.47	2066	3.21	<0.01	2.4	487	5.9
C0040111	10.1	13	56.3	3.89	3.8	0.07	0.08	19.5	0.29	2446	3.10	<0.01	5.9	469	11.5
C0040112	9.5	21	52.2	2.91	1.9	0.05	0.06	14.8	0.10	3849	4.02	<0.01	5.0	434	8.7
C0040113	4.8	23	38.7	2.38	1.5	0.06	0.07	11.2	0.06	1449	5.67	<0.01	2.0	270	10.6
C0040114	5.1	14	49.7	3.13	3.1	0.06	0.04	17.5	0.21	192	2.99	0.02	1.5	365	7.8
C0040115	12.7	41	769.0	4.99	6.0	0.43	0.28	7.4	0.81	536	32.15	0.12	57.1	676	30.6

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
C0040116	7.3	20	47.6	2.94	2.4	0.10	0.06	11.4	0.12	1506	3.74	<0.01	3.0	327	22.1
C0040117	4.1	20	29.1	2.34	1.8	0.09	0.04	14.3	0.05	477	4.04	<0.01	1.7	258	9.0
C0040118	4.2	23	47.0	2.02	1.2	0.06	0.09	7.5	0.42	1485	4.38	<0.01	1.9	216	18.3
C0040119	7.8	22	108.0	2.99	1.3	0.05	0.13	8.7	0.30	2202	4.31	<0.01	2.4	251	25.6
C0040120	6.2	23	33.2	2.20	1.8	0.09	0.08	15.9	0.15	1082	5.51	<0.01	2.1	314	15.9
C0040121	6.7	11	47.1	2.22	1.9	0.05	0.11	8.4	0.34	1364	2.51	<0.01	1.7	285	11.9
C0040122	7.5	16	17.3	2.90	1.8	0.01	0.14	7.2	0.34	1371	3.55	0.02	2.8	231	17.2
C0040123	9.5	21	43.7	2.95	1.7	0.05	0.07	15.2	0.09	3243	5.23	<0.01	2.4	330	13.3
C0040124	4.7	22	29.2	1.53	1.2	0.03	0.10	7.4	0.24	1764	4.58	0.02	2.8	189	18.6
C0040125	2.8	20	20.2	1.30	1.2	<0.01	0.13	4.1	0.40	911	3.94	0.01	3.8	154	16.5
C0040126	2.6	41	17.8	1.08	1.3	0.01	0.14	5.0	0.47	1104	3.59	0.04	11.8	305	19.4
C0040127	2.2	25	17.9	0.94	0.9	0.01	0.16	3.9	0.60	1190	4.46	0.04	2.2	202	41.0
C0040128	5.1	31	54.6	1.01	0.8	0.02	0.15	3.0	0.22	744	5.25	0.02	1.7	149	39.8
C0040129	5.3	28	84.9	0.85	1.0	0.04	0.15	4.0	0.17	449	4.77	0.02	1.9	184	30.3
C0040130	4.8	17	28.3	0.66	1.2	0.01	0.13	3.7	0.27	419	3.19	0.03	1.2	81	14.5
C0040131	3.7	19	40.6	0.92	1.2	0.01	0.15	3.0	0.30	529	3.41	0.01	1.3	62	31.6
C0040132	2.3	18	24.8	0.62	1.0	0.01	0.16	3.7	0.20	635	3.08	<0.01	0.9	64	24.2
C0040133	4.4	13	36.3	0.89	1.7	0.02	0.14	3.0	0.32	912	2.27	0.01	1.4	234	109.5
C0040134	2.2	8	29.3	0.70	1.7	0.02	0.11	3.7	0.38	570	1.53	0.01	0.8	114	26.4
C0040135	3.7	42	38.2	3.96	1.7	3.89	0.09	5.9	0.03	70	13.86	0.08	17.2	130	14.4
C0040136	2.4	16	24.6	0.70	1.0	0.02	0.10	4.2	0.16	1342	2.88	<0.01	1.1	85	22.7
C0040137	3.0	20	26.1	0.73	0.9	0.03	0.12	3.8	0.17	851	3.57	<0.01	1.5	140	47.3
C0040138	5.7	28	28.3	0.64	0.8	0.04	0.18	3.6	0.14	529	5.18	0.03	1.5	66	93.3
C0040139	5.2	22	25.5	0.51	0.8	0.03	0.16	4.2	0.03	219	3.82	0.04	1.6	87	38.2
C0040140	7.2	20	27.9	1.05	1.4	0.02	0.15	4.5	0.22	1167	3.50	0.01	1.6	93	57.6
C0040141	6.6	14	39.0	0.92	1.7	0.02	0.11	4.0	0.44	908	2.50	0.03	1.4	88	39.6
C0040142	7.0	11	78.2	0.87	1.6	0.02	0.15	3.8	0.46	637	2.11	<0.01	1.3	115	60.5
C0040143	6.3	15	32.9	0.91	1.3	0.02	0.10	4.8	0.28	713	2.72	0.01	1.4	136	24.0
C0040144	13.2	19	73.9	3.21	2.2	0.07	0.11	8.2	0.24	4260	2.97	0.02	8.6	515	17.6
C0040145	4.8	23	67.9	0.83	0.9	0.16	0.25	3.4	0.03	517	3.94	0.01	1.9	206	57.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010780**

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
C0040146	5.1	27	87.1	1.30	0.9	0.11	0.25	8.9	0.03	1352	4.89	0.03	2.1	154	211.9
C0040147	5.9	21	34.4	1.12	0.6	0.03	0.24	3.0	0.02	1087	3.56	0.02	1.6	160	131.3
C0040148	10.0	25	71.8	1.69	0.7	0.05	0.24	3.8	0.29	2683	4.99	0.02	2.0	174	100.6
C0040149	8.0	30	51.6	1.83	0.7	0.08	0.26	1.3	0.03	2631	5.64	0.01	2.9	227	244.8
C0040150	21.7	22	130.1	2.70	0.8	0.09	0.25	5.5	0.03	1235	4.54	<0.01	2.4	336	248.5
C0040151	15.9	32	180.8	2.58	0.9	0.10	0.28	6.4	0.03	75	6.24	<0.01	2.2	278	358.8
C0040151PD	15.4	29	183.6	2.57	0.9	0.10	0.27	5.8	0.03	70	5.36	<0.01	2.0	285	345.9
C0040152	12.3	34	147.5	3.35	0.8	0.28	0.19	4.9	0.02	190	6.75	<0.01	2.5	204	2890.6
C0040153	16.3	35	175.0	3.05	0.8	0.13	0.22	4.9	0.02	102	7.06	<0.01	2.4	273	1198.0
C0040154	9.0	27	127.8	3.96	0.7	0.23	0.16	3.8	0.02	118	5.33	<0.01	2.1	122	8675.7
C0040155	13.0	41	783.6	5.02	5.4	0.45	0.28	7.9	0.81	539	33.27	0.12	58.5	679	32.5
C0040156	17.2	28	26.2	3.02	0.8	0.06	0.24	10.6	0.02	298	7.56	<0.01	2.9	246	1241.4
C0040157	5.1	27	34.3	3.94	0.5	0.11	0.14	2.6	0.01	62	5.04	<0.01	1.7	77	4667.4
C0040158	4.0	28	775.3	10.08	0.5	0.51	0.08	0.5	0.01	100	5.22	<0.01	69.1	43	>10000
C0040159	2.3	23	27.0	1.67	0.4	0.24	0.09	0.7	0.01	57	4.63	0.01	1.9	33	1994.3
C0040160	5.7	30	36.0	2.16	0.8	0.15	0.15	3.3	0.05	1965	6.81	<0.01	2.7	227	656.8
C0040161	6.3	26	313.9	3.60	1.0	0.31	0.15	4.1	0.05	126	5.72	<0.01	2.3	247	1743.6
C0040162	3.3	30	973.4	5.20	0.9	0.93	0.12	3.7	0.02	260	5.79	<0.01	2.7	69	8846.0
C0040163	3.7	22	941.4	7.13	0.9	2.01	0.11	2.0	0.02	399	4.63	<0.01	3.7	163	>10000
C0040164	7.8	28	16.2	3.12	1.0	0.12	0.27	4.3	0.05	517	6.10	<0.01	5.7	368	357.9
C0040165	5.0	25	9.0	2.05	0.9	0.09	0.25	5.3	0.04	1019	6.46	<0.01	4.7	246	32.9
C0040166	7.3	22	13.2	3.77	1.2	0.13	0.15	6.0	0.06	7539	7.19	<0.01	3.9	199	19.6
C0040167	2.5	19	9.3	1.36	1.2	0.03	0.11	5.8	0.08	41	5.56	0.02	5.2	265	28.6
C0040168	2.8	18	20.8	1.23	1.2	0.15	0.15	20.4	0.05	33	5.00	0.01	2.6	243	505.8
C0040169	1.6	17	6.8	0.68	0.8	0.04	0.16	26.8	0.02	25	4.04	<0.01	1.2	66	143.6
C0040170	4.2	30	9.9	2.74	1.3	0.06	0.24	28.1	0.03	36	6.29	0.01	3.2	96	507.7
C0040171	1.2	34	21.2	1.64	0.7	0.07	0.11	17.9	0.01	35	5.95	<0.01	2.0	130	329.2
C0040172	2.1	30	9.0	4.18	1.3	0.17	0.19	27.0	0.02	35	5.26	0.01	2.3	48	239.0
C0040173	1.6	27	4.2	1.23	1.0	0.06	0.22	37.7	0.03	47	5.09	0.02	2.2	75	82.8
C0040174	1.1	24	2.3	1.00	1.0	0.04	0.25	36.3	0.03	33	4.55	0.03	2.0	95	94.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
C0040175	8.4	28	68.0	3.65	5.8	0.20	0.11	6.2	0.61	408	10.55	0.10	32.1	550	472.6
C0040176	2.3	21	3.0	1.75	0.8	0.07	0.21	39.3	0.03	33	4.38	0.02	2.4	164	208.7
C0040177	3.1	21	7.2	2.24	0.9	0.07	0.20	35.6	0.03	33	3.84	0.01	2.6	122	317.4
C0040178	3.0	29	5.1	2.09	1.0	0.14	0.23	36.0	0.03	45	5.69	0.01	3.2	185	390.2
C0040179	3.1	24	4.4	1.83	0.9	0.04	0.22	34.5	0.04	44	4.54	0.01	2.7	255	69.0
C0040180	0.6	23	3.4	0.31	0.7	0.03	0.22	6.9	0.02	24	5.09	0.03	1.2	54	22.3
C0040181	3.1	21	9.4	1.17	1.1	0.03	0.14	11.9	0.09	1492	4.76	0.04	1.7	83	33.6
C0040182	1.3	16	3.8	1.39	1.2	0.03	0.13	11.6	0.13	4106	3.31	0.04	1.7	58	26.8
C0040183	1.9	13	3.7	0.61	1.3	0.04	0.13	13.3	0.19	51	2.80	0.03	1.1	53	27.1
C0040184	1.1	20	2.9	0.56	0.8	0.03	0.19	12.9	0.02	29	3.88	0.05	1.2	47	34.9
C0040185	1.0	22	1.9	0.61	0.7	0.02	0.23	15.1	0.02	22	4.19	0.05	1.3	48	27.8
C0040186	0.8	10	0.7	0.49	0.4	0.01	0.16	8.9	0.01	12	2.40	0.02	0.6	57	36.8
C0040187	1.9	18	1.5	1.01	0.8	0.02	0.20	14.4	0.03	1427	5.74	0.03	1.4	61	24.1
C0040188	1.2	7	1.8	0.93	0.5	0.04	0.14	10.0	0.02	2152	2.61	0.04	1.0	53	22.5
C0040189	3.0	17	4.1	1.69	0.8	0.01	0.24	19.3	0.02	1247	4.78	0.02	1.6	165	15.9
C0040190	4.6	22	3.5	2.20	1.0	0.03	0.24	31.5	0.03	1949	4.48	0.01	2.6	327	30.7
C0040190PD	4.5	20	3.3	2.17	0.9	0.03	0.23	29.0	0.03	1924	4.11	0.01	2.3	324	30.7
C0040191	3.7	23	7.9	1.20	0.8	0.02	0.20	20.6	0.03	68	6.10	0.02	1.9	198	33.8
C0040192	3.5	22	14.5	1.35	0.7	0.02	0.15	3.1	0.04	2253	6.06	0.02	2.0	73	57.4
C0040193	2.8	22	4.6	1.36	0.9	0.03	0.20	19.0	0.19	728	8.55	0.02	2.8	182	22.4
C0040194	2.9	18	8.1	2.13	0.9	0.02	0.25	18.7	0.37	1343	8.22	0.01	3.2	258	31.7
C0040195	29.1	16	>10000	18.35	7.1	18.83	0.06	1.7	0.77	360	36.33	<0.01	58.1	369	>10000
C0040196	2.3	27	33.1	0.95	0.6	0.21	0.24	6.2	0.05	1307	20.25	0.04	2.1	140	44.5
C0040197	1.9	23	22.4	0.76	0.6	0.12	0.23	4.2	0.03	1352	10.22	0.04	1.8	120	50.3
C0040198	4.3	23	21.6	0.91	0.7	0.11	0.24	13.2	0.03	99	19.55	0.02	2.4	181	47.0
C0040199	4.2	18	11.9	2.79	0.9	0.14	0.29	16.7	0.06	1098	7.35	<0.01	4.3	360	174.3
C0040200	2.2	25	27.0	1.10	0.6	0.09	0.21	3.5	0.02	803	6.21	0.01	1.7	107	206.7

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010780**

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm
Sample ID	0.1	1	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2
DUP C0040027															
DUP C0040046															
DUP C0040090															
DUP C0040132															
DUP C0040146															
DUP C0040008															
DUP C0040045															
DUP C0040071															
DUP C0040125															
DUP C0040155															
DUP C0040078															
DUP C0040082															
DUP C0040027															
DUP C0040016															
DUP C0040051															
DUP C0040024	2.8	24	33.3	1.48	1.6	0.01	0.09	22.4	0.04	191	5.00	0.03	1.7	53	5.3
DUP C0040047	5.9	20	20.3	2.74	5.2	<0.01	0.19	10.1	0.40	371	3.68	0.08	1.2	448	10.9
DUP C0040078	2.3	24	1.4	0.73	1.2	<0.01	0.14	7.1	0.04	60	4.54	0.06	1.5	167	9.1
DUP C0040130	4.8	17	28.1	0.66	1.2	<0.01	0.13	3.7	0.28	414	3.15	0.03	1.2	78	14.2
DUP C0040144	12.9	19	73.0	3.21	2.3	0.07	0.11	7.9	0.24	4331	3.01	0.02	8.4	517	17.9
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2
STD BLANK	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2
STD BLANK	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2
STD BLANK	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2
STD BLANK	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2
Sample ID															
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK															
STD CDN-ME-1407															
STD GBM315-13															
STD OREAS 601															
STD GBM315-13															
STD CDN-ME-1407															
STD OREAS 25a	5.9	76	24.3	6.10	20.6	0.06	0.14	13.6	0.20	433	1.79	0.04	27.3	367	20.5
STD OREAS 600b	2.1	27	490.7	2.04	3.5	0.08	0.27	28.2	0.05	257	4.94	0.10	4.3	247	83.7
STD OREAS 25a	5.7	77	24.7	6.26	21.7	0.08	0.15	13.7	0.22	432	1.58	0.04	28.3	384	21.4
STD OREAS 600b	2.1	26	503.8	2.02	3.5	0.09	0.27	28.6	0.05	248	5.04	0.11	4.5	221	84.1
STD OREAS 600b	2.1	27	504.7	2.10	3.4	0.09	0.28	30.5	0.05	259	4.95	0.10	4.3	237	84.7
STD OREAS 904															
STD OREAS 904															
STD OREAS 904															
STD OREAS 904															
STD OREAS 904															
STD OxB130															
STD OxC129															
STD OxC129															
STD OxB130															
STD OxC160															

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010780**

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.005	0.01	0.05	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
Granite Blank	<0.005	0.01	0.06	2.5	<0.2	23.6	<0.05	2.5	0.100	<0.05	0.49	26	0.17	9.6	22
Granite Blank	<0.005	0.01	0.06	2.8	<0.2	25.7	<0.05	2.6	0.106	<0.05	0.51	26	0.24	10.2	23
C0040001	<0.005	0.06	2.27	3.5	<0.2	13.7	<0.05	4.7	0.040	0.12	0.70	28	1.58	8.8	64
C0040002	<0.005	0.07	2.19	3.8	0.3	8.7	0.15	6.6	0.032	0.06	0.93	21	1.45	9.9	40
C0040003	<0.005	0.06	7.52	6.8	<0.2	15.6	0.12	6.0	0.088	0.18	0.88	55	0.52	10.0	69
C0040004	<0.005	<0.01	6.40	1.9	<0.2	12.0	<0.05	2.0	0.018	0.06	0.23	20	0.22	3.8	14
C0040005	<0.005	<0.01	8.61	8.0	<0.2	13.2	0.06	1.8	0.158	0.43	0.30	100	0.31	5.6	55
C0040006	<0.005	0.02	3.78	9.9	<0.2	31.6	0.06	2.0	0.199	0.30	0.51	118	0.33	6.9	64
C0040007	<0.005	<0.01	4.62	6.6	<0.2	18.1	<0.05	4.0	0.135	0.11	0.57	86	0.36	6.9	29
C0040008	<0.005	0.01	3.03	2.9	<0.2	11.6	<0.05	6.7	0.074	0.06	0.70	12	0.31	11.1	20
C0040009	<0.005	<0.01	2.56	11.2	<0.2	25.2	0.25	4.6	0.191	0.12	0.84	115	0.76	9.2	42
C0040010	<0.005	0.10	4.98	9.5	0.3	21.7	1.12	4.5	0.183	0.15	0.93	112	23.69	10.1	61
C0040011	<0.005	<0.01	2.33	11.5	<0.2	15.0	0.29	1.9	0.193	0.27	0.53	131	0.53	7.9	57
C0040012	<0.005	<0.01	8.47	21.0	<0.2	33.1	0.29	2.3	0.187	0.99	0.64	178	0.23	11.6	109
C0040013	<0.005	0.01	3.17	10.1	<0.2	25.3	0.20	6.1	0.078	0.20	0.83	78	0.19	12.1	56
C0040014	<0.005	0.01	3.44	2.1	0.4	6.5	0.70	9.8	<0.005	0.06	0.58	5	0.23	8.6	28
C0040015	0.031	>10	219.84	0.9	187.2	26.3	0.51	0.4	<0.005	27.27	2.62	21	0.85	3.5	>10000
C0040016	<0.005	0.04	3.01	1.5	0.5	3.6	2.09	3.1	<0.005	<0.05	0.42	1	0.15	2.8	102
C0040017	<0.005	0.02	5.77	2.4	0.3	4.5	0.76	7.6	<0.005	<0.05	0.77	1	0.13	5.6	131
C0040018	<0.005	<0.01	2.86	2.0	<0.2	4.8	0.22	6.7	<0.005	<0.05	0.60	1	0.12	8.4	57
C0040019	<0.005	<0.01	2.66	2.1	<0.2	5.3	0.24	4.7	<0.005	<0.05	0.49	1	0.14	6.9	34
C0040019PD	<0.005	<0.01	2.58	2.1	<0.2	5.2	0.09	4.7	<0.005	<0.05	0.49	1	0.13	6.8	33
C0040020	<0.005	<0.01	2.23	1.8	0.2	4.9	0.25	6.1	<0.005	<0.05	0.88	<1	0.13	9.7	53
C0040021	<0.005	<0.01	3.12	3.3	<0.2	5.6	0.07	8.8	<0.005	0.11	0.78	2	0.24	15.7	55
C0040022	<0.005	<0.01	2.70	3.9	<0.2	4.6	0.10	7.7	<0.005	0.08	0.79	2	0.10	13.3	28
C0040023	<0.005	0.04	2.09	3.7	<0.2	4.7	<0.05	7.4	0.011	0.06	1.03	4	0.12	15.2	30
C0040024	<0.005	0.01	8.38	2.5	0.2	4.5	<0.05	6.3	<0.005	0.10	1.34	2	0.19	14.1	40
C0040025	<0.005	<0.01	2.37	1.9	<0.2	5.6	<0.05	7.3	<0.005	0.07	0.92	2	0.10	19.5	30
C0040026	<0.005	0.04	3.22	1.9	0.3	20.5	<0.05	8.8	<0.005	0.06	0.95	2	0.13	26.0	26
C0040027	<0.005	0.02	1.30	2.1	<0.2	5.9	<0.05	6.2	<0.005	0.08	0.75	5	0.11	16.6	22

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040028	<0.005	0.06	6.89	6.6	0.3	8.5	0.05	4.4	0.013	0.58	1.29	16	0.16	33.5	53
C0040029	<0.005	0.03	10.01	11.5	0.4	6.4	<0.05	4.6	<0.005	0.76	2.62	6	0.23	28.6	58
C0040030	<0.005	<0.01	6.50	10.2	0.3	7.0	<0.05	3.9	<0.005	0.83	2.77	7	0.17	27.2	52
C0040031	<0.005	0.04	4.62	8.5	<0.2	12.0	<0.05	3.9	0.038	0.13	1.68	7	0.21	26.7	34
C0040032	<0.005	0.06	3.16	7.9	<0.2	15.6	<0.05	3.3	0.042	0.20	0.69	12	0.14	21.1	28
C0040033	<0.005	0.27	2.26	7.0	<0.2	19.2	0.05	3.1	0.047	0.10	0.75	12	0.14	21.4	33
C0040034	<0.005	0.13	7.40	9.9	0.4	17.7	<0.05	4.0	0.086	0.36	1.01	26	0.14	21.7	47
C0040035	0.058	0.64	9.28	6.1	1.5	42.4	0.58	1.5	0.139	0.17	0.48	97	8.70	9.9	78
C0040036	<0.005	<0.01	10.31	7.8	0.3	9.0	1.19	4.3	<0.005	0.24	1.55	12	0.15	23.3	56
C0040037	<0.005	0.03	5.35	6.5	0.4	8.4	0.32	3.9	<0.005	0.19	0.85	8	0.12	19.2	36
C0040038	<0.005	0.09	9.71	10.6	0.2	28.3	0.15	4.0	0.009	0.23	0.69	25	0.21	19.2	58
C0040039	<0.005	0.50	6.32	5.6	<0.2	48.8	<0.05	2.9	0.006	0.18	0.71	11	0.15	13.6	63
C0040040	<0.005	0.67	1.64	8.2	<0.2	25.7	<0.05	3.7	0.089	0.18	0.65	22	0.10	17.3	79
C0040041	<0.005	0.44	0.59	8.4	<0.2	23.9	0.21	3.2	0.113	0.22	0.75	22	1.55	19.7	45
C0040042	<0.005	0.72	0.67	10.9	0.2	17.2	0.08	4.0	0.185	0.31	0.95	35	0.25	22.3	50
C0040043	<0.005	0.42	1.48	8.9	<0.2	15.8	0.06	3.8	0.136	0.21	0.70	22	0.14	18.0	70
C0040044	<0.005	0.69	2.17	10.9	<0.2	20.5	<0.05	3.4	0.169	0.33	0.84	25	0.24	20.9	68
C0040045	<0.005	0.65	0.74	8.4	0.2	21.7	0.08	3.3	0.118	0.10	0.75	14	0.45	16.1	30
C0040046	<0.005	0.30	0.88	3.6	<0.2	31.4	0.30	2.0	0.047	0.07	0.60	8	0.16	8.3	29
C0040047	<0.005	0.39	2.55	6.0	<0.2	28.3	<0.05	2.9	0.040	0.15	0.81	10	0.16	15.7	71
C0040048	<0.005	0.28	2.06	7.2	<0.2	35.8	<0.05	2.5	0.095	0.26	0.97	37	0.11	9.9	47
C0040049	<0.005	0.40	3.39	11.4	<0.2	24.5	<0.05	3.6	0.068	0.30	0.91	13	0.12	19.3	105
C0040050	<0.005	0.39	2.68	9.5	<0.2	14.7	0.07	3.3	0.118	0.45	0.56	9	0.20	19.6	42
C0040051	<0.005	0.41	1.95	6.5	<0.2	30.3	<0.05	2.6	0.067	0.18	1.04	9	0.10	17.4	157
C0040052	<0.005	0.21	0.71	2.6	<0.2	30.6	<0.05	1.5	0.028	0.09	0.40	7	0.08	8.0	73
C0040053	<0.005	0.51	0.80	7.8	<0.2	21.7	<0.05	2.5	0.098	0.16	0.79	13	0.12	15.9	34
C0040054	<0.005	0.79	3.22	9.6	<0.2	17.2	<0.05	3.7	0.117	0.22	0.83	22	0.23	21.6	98
C0040055	<0.005	0.36	57.75	4.3	0.3	35.9	0.23	1.2	0.116	0.99	0.36	60	3.45	7.8	1483
C0040056	<0.005	0.83	2.05	10.3	<0.2	68.6	<0.05	3.1	0.155	0.29	0.72	59	0.11	17.3	70
C0040057	<0.005	0.60	4.94	3.3	<0.2	53.2	0.07	1.9	0.011	0.16	0.65	10	0.15	7.7	100

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040058	<0.005	0.10	4.96	0.3	<0.2	28.9	<0.05	0.3	<0.005	0.08	0.37	1	0.08	1.3	71
C0040059	<0.005	0.16	9.87	0.6	<0.2	19.6	<0.05	0.3	<0.005	0.11	0.44	2	0.10	2.1	100
C0040060	<0.005	0.26	4.07	1.9	<0.2	64.9	<0.05	0.6	0.006	0.08	0.47	15	0.06	2.4	23
C0040061	<0.005	0.10	4.77	0.7	<0.2	57.1	<0.05	0.5	<0.005	0.07	0.40	4	0.07	2.3	71
C0040062	<0.005	0.39	2.26	14.2	<0.2	88.9	<0.05	2.4	0.103	0.40	0.78	69	0.10	14.6	129
C0040062PD	<0.005	0.41	2.19	14.1	<0.2	87.0	<0.05	2.3	0.102	0.40	0.74	68	0.09	14.1	128
C0040063	<0.005	0.37	2.31	4.6	<0.2	64.9	<0.05	1.9	0.032	0.19	0.79	7	0.10	9.7	225
C0040064	<0.005	0.14	1.09	0.4	<0.2	56.7	<0.05	0.5	<0.005	0.06	0.75	2	0.06	1.1	27
C0040065	<0.005	0.15	2.31	0.5	<0.2	65.1	<0.05	1.0	<0.005	0.07	1.05	3	0.07	1.9	58
C0040066	<0.005	0.23	3.02	0.3	<0.2	74.2	<0.05	1.3	<0.005	0.12	1.28	2	0.08	2.5	24
C0040067	<0.005	0.34	3.42	1.5	<0.2	61.0	<0.05	2.0	<0.005	0.11	1.54	8	0.07	4.7	88
C0040068	<0.005	0.14	1.93	0.4	<0.2	36.7	<0.05	1.8	<0.005	0.06	0.53	2	0.06	2.6	125
C0040069	<0.005	0.56	6.97	4.1	0.4	32.3	0.17	2.4	0.019	0.35	0.83	45	0.08	6.7	478
C0040070	0.007	0.39	1.15	1.3	<0.2	83.4	0.06	1.8	0.007	0.09	1.26	13	0.06	2.8	133
C0040071	<0.005	0.67	1.39	0.3	0.3	147.3	0.23	1.7	<0.005	0.07	1.11	1	0.06	2.4	57
C0040072	<0.005	0.16	3.94	0.2	<0.2	42.2	0.06	2.8	<0.005	0.05	0.50	<1	0.06	2.0	129
C0040073	0.008	0.17	8.50	0.3	<0.2	15.5	0.11	1.9	<0.005	0.10	0.67	<1	0.13	3.0	226
C0040074	<0.005	0.29	9.74	3.6	0.7	40.2	0.59	2.4	<0.005	0.16	1.67	16	0.14	7.8	568
C0040075	<0.005	0.24	26.44	1.0	1.2	74.3	0.07	1.4	0.009	10.98	1.60	29	13.05	2.5	21
C0040076	<0.005	0.73	4.22	2.7	1.5	104.7	0.87	2.1	0.010	0.14	1.39	19	0.11	5.4	328
C0040077	<0.005	0.45	3.00	0.9	0.5	32.5	0.16	1.1	0.051	0.17	1.22	33	0.11	3.3	264
C0040078	<0.005	0.18	1.16	0.3	0.3	12.5	0.23	2.8	<0.005	0.06	0.76	2	0.08	3.1	163
C0040079	<0.005	0.06	3.21	0.3	0.3	13.1	0.29	2.4	<0.005	<0.05	0.87	1	0.15	2.4	194
C0040080	<0.005	0.07	9.17	1.1	0.4	13.1	0.61	4.1	<0.005	0.05	1.36	5	0.14	6.0	345
C0040081	<0.005	0.11	6.17	4.9	0.2	15.4	<0.05	2.7	0.049	0.15	1.04	18	0.11	9.1	429
C0040082	<0.005	0.76	4.01	10.6	0.5	12.2	<0.05	3.6	0.078	0.25	1.32	11	0.20	19.1	605
C0040083	<0.005	0.58	3.94	9.5	0.4	8.3	0.15	2.2	0.076	0.21	0.83	11	0.18	11.7	459
C0040084	<0.005	0.61	2.40	8.8	<0.2	8.0	<0.05	3.1	0.041	0.12	0.61	9	0.12	15.0	473
C0040085	<0.005	0.47	5.77	5.1	0.2	9.5	0.06	2.3	0.041	0.11	0.78	11	0.15	12.6	406
C0040086	<0.005	0.41	6.40	6.6	0.3	9.6	<0.05	3.6	0.050	0.13	0.97	10	0.17	14.1	605

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040087	<0.005	0.64	12.13	8.5	0.3	11.9	<0.05	3.8	0.039	0.18	1.51	9	0.16	19.9	1116
C0040088	<0.005	1.05	5.15	6.3	0.3	27.8	0.26	4.0	0.011	0.17	1.05	13	0.15	17.8	923
C0040089	<0.005	0.56	3.98	6.8	<0.2	6.2	0.12	3.9	0.025	0.17	1.06	9	0.12	10.8	369
C0040090	<0.005	0.47	10.91	4.1	<0.2	4.6	0.10	3.9	<0.005	0.27	1.91	4	0.28	13.9	870
C0040091	<0.005	1.81	8.74	4.4	0.8	22.6	1.16	2.0	0.074	0.51	1.11	77	0.15	6.6	382
C0040092	<0.005	1.03	10.06	5.6	0.5	7.8	0.54	2.9	0.035	0.42	1.53	27	0.18	10.1	862
C0040093	<0.005	0.25	67.90	10.0	0.3	4.9	0.06	2.5	0.046	0.46	8.06	37	0.26	23.1	1688
C0040094	<0.005	0.35	24.07	6.5	0.6	5.9	0.20	3.2	<0.005	0.11	4.01	5	0.23	12.6	1033
C0040095	0.033	>10	217.07	0.9	203.1	29.3	0.54	0.3	<0.005	28.57	2.79	19	0.87	3.4	>10000
C0040096	<0.005	0.44	12.26	5.6	0.5	3.4	0.35	3.3	<0.005	0.13	4.13	5	0.26	11.9	941
C0040097	<0.005	0.68	13.67	5.8	0.7	5.0	0.30	3.2	<0.005	0.30	4.64	5	0.15	12.6	833
C0040098	<0.005	0.76	11.97	5.8	0.7	12.7	0.25	2.5	0.010	0.22	2.90	7	0.14	12.6	820
C0040099	<0.005	0.26	32.42	6.0	0.9	24.7	0.54	3.6	<0.005	0.31	5.26	6	1.17	14.2	955
C0040100	<0.005	0.32	38.69	4.4	0.7	15.5	0.87	9.7	<0.005	0.19	6.01	6	0.49	14.4	626
C0040101	<0.005	0.07	69.18	3.7	0.2	17.6	0.10	3.2	<0.005	0.20	4.08	5	0.35	11.1	599
C0040102	<0.005	0.11	99.13	4.2	<0.2	8.0	<0.05	2.8	<0.005	0.16	4.68	6	0.51	11.2	706
C0040102PD	<0.005	0.10	96.80	4.1	0.2	7.8	0.08	2.9	<0.005	0.16	4.44	6	0.50	11.2	706
C0040103	<0.005	0.10	82.46	4.1	<0.2	3.7	0.09	2.2	<0.005	0.11	3.98	10	0.47	15.8	689
C0040104	<0.005	0.09	110.89	8.3	0.5	16.3	0.10	4.2	<0.005	0.59	5.55	7	0.20	28.6	631
C0040105	<0.005	0.40	55.08	5.4	0.7	8.0	0.09	4.7	<0.005	1.14	2.37	5	0.13	25.0	692
C0040106	<0.005	0.48	67.08	5.2	0.8	13.9	0.08	5.1	<0.005	1.29	2.70	10	0.12	25.2	565
C0040107	<0.005	1.87	75.92	6.2	1.7	7.7	0.54	4.5	<0.005	3.17	2.44	6	0.13	35.8	764
C0040108	<0.005	1.15	45.58	6.8	0.8	8.4	0.15	5.6	<0.005	1.46	3.00	13	0.18	29.6	845
C0040109	<0.005	0.88	15.71	7.1	0.5	14.0	0.22	7.8	<0.005	2.44	3.22	24	0.17	21.3	612
C0040110	0.008	0.92	16.05	5.8	0.4	14.2	0.11	5.0	<0.005	1.10	4.00	6	0.14	30.5	681
C0040111	<0.005	0.80	34.18	6.4	0.4	7.3	0.28	4.5	<0.005	0.73	4.16	12	0.25	26.4	955
C0040112	<0.005	0.51	66.56	4.9	0.3	3.5	0.13	3.6	<0.005	0.33	3.05	14	0.26	22.5	1477
C0040113	<0.005	0.26	80.55	3.9	0.2	4.2	<0.05	3.1	<0.005	0.18	3.17	5	0.20	18.6	941
C0040114	<0.005	0.59	31.36	6.7	0.3	18.8	0.08	5.0	<0.005	0.47	4.68	8	0.21	18.8	486
C0040115	0.063	0.61	8.42	6.3	1.5	38.3	0.45	1.4	0.134	0.18	0.47	95	8.44	9.0	79

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040116	<0.005	0.79	65.96	5.3	0.4	8.6	0.88	4.6	<0.005	0.79	2.80	7	0.24	18.9	925
C0040117	<0.005	0.24	45.97	5.1	0.3	4.5	0.05	4.2	<0.005	0.19	3.55	6	0.20	17.9	446
C0040118	<0.005	0.68	36.95	3.0	0.3	24.7	0.15	3.3	<0.005	0.63	1.29	4	0.15	12.9	296
C0040119	<0.005	1.53	79.79	2.5	0.9	16.8	0.70	3.5	<0.005	0.85	1.92	3	0.23	13.7	1140
C0040120	<0.005	0.35	28.35	4.5	0.6	9.0	4.91	5.0	<0.005	1.66	2.65	6	0.20	15.4	417
C0040121	<0.005	0.70	45.50	1.8	0.6	9.7	0.58	2.9	<0.005	0.64	3.40	2	0.14	14.3	1325
C0040122	<0.005	0.96	51.39	2.0	1.0	24.1	2.92	3.6	<0.005	0.16	2.07	3	0.14	12.7	1835
C0040123	<0.005	0.80	66.95	5.4	0.7	3.9	0.53	5.0	<0.005	0.21	3.33	4	0.33	18.7	2059
C0040124	<0.005	0.32	44.11	2.0	0.3	13.6	0.43	2.7	<0.005	0.19	1.99	3	0.40	10.3	1286
C0040125	<0.005	0.30	16.93	0.5	0.4	29.4	29.66	1.9	<0.005	0.12	1.01	1	0.35	4.1	582
C0040126	<0.005	0.19	24.38	1.9	<0.2	43.0	1.85	1.8	<0.005	0.17	1.85	6	0.36	6.8	486
C0040127	<0.005	0.26	13.87	0.4	<0.2	59.4	0.32	1.7	<0.005	0.17	1.22	2	0.55	3.3	159
C0040128	<0.005	0.64	19.33	0.3	0.5	26.0	0.40	1.4	<0.005	0.15	0.57	<1	5.37	2.9	172
C0040129	<0.005	0.43	27.84	0.4	0.4	18.5	1.30	1.7	<0.005	0.13	0.76	<1	6.59	3.0	171
C0040130	<0.005	0.27	12.26	0.3	0.2	62.2	0.25	2.3	<0.005	0.12	1.48	1	0.71	3.4	397
C0040131	<0.005	0.60	13.64	0.3	0.5	77.7	4.05	1.6	<0.005	0.17	1.53	<1	0.45	3.1	537
C0040132	<0.005	0.34	8.54	0.2	0.3	47.3	2.42	1.8	<0.005	0.14	1.64	1	0.20	2.1	274
C0040133	<0.005	0.44	10.44	0.5	0.6	25.6	6.91	1.3	<0.005	0.16	1.20	2	0.19	2.2	139
C0040134	<0.005	0.29	7.73	0.4	0.3	20.6	1.14	1.7	<0.005	0.10	1.21	1	0.15	1.8	141
C0040135	<0.005	0.22	25.40	1.0	1.3	61.8	0.10	1.4	0.009	11.41	1.52	29	13.57	2.4	22
C0040136	<0.005	0.26	11.61	0.5	0.2	47.6	0.39	1.7	<0.005	0.09	1.59	2	0.28	4.1	379
C0040137	<0.005	0.23	13.31	0.3	0.3	12.8	1.40	1.6	<0.005	0.10	1.13	2	0.24	2.8	399
C0040138	<0.005	0.29	19.92	0.2	0.3	8.3	0.14	1.6	<0.005	0.22	1.44	<1	0.19	2.7	544
C0040139	<0.005	0.27	24.31	0.3	0.2	4.5	0.19	1.9	<0.005	0.19	1.45	<1	0.66	2.6	343
C0040140	<0.005	0.29	21.21	0.4	0.3	7.3	0.38	1.9	<0.005	0.13	2.20	<1	0.30	4.3	1310
C0040141	<0.005	0.27	11.54	0.3	0.3	37.2	0.47	1.7	<0.005	0.13	1.56	<1	0.10	3.1	884
C0040142	<0.005	0.28	18.12	0.3	0.3	10.6	0.50	1.7	<0.005	0.18	1.41	<1	0.11	1.8	572
C0040143	<0.005	0.25	13.97	0.3	0.2	9.9	0.11	2.0	<0.005	0.14	1.75	1	0.25	2.1	361
C0040144	<0.005	0.49	35.11	8.3	0.3	10.7	0.30	2.6	<0.005	0.33	8.95	50	0.24	8.7	1908
C0040145	<0.005	0.58	30.02	0.5	0.3	3.5	0.33	1.7	<0.005	0.42	1.40	1	0.33	3.9	687

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040146	<0.005	0.89	48.97	0.5	0.4	4.7	0.69	2.1	<0.005	0.53	0.93	<1	0.16	6.1	1842
C0040147	<0.005	0.80	20.66	0.7	0.4	2.8	0.69	1.7	<0.005	0.41	0.84	<1	0.17	6.3	1176
C0040148	<0.005	1.08	37.68	0.8	0.5	12.4	0.59	2.5	<0.005	0.53	1.03	<1	0.15	7.6	1578
C0040149	<0.005	1.10	35.05	0.7	0.6	3.7	0.70	0.7	<0.005	0.61	1.66	1	0.31	5.6	2275
C0040150	<0.005	2.57	84.97	1.4	1.6	3.2	9.25	2.8	<0.005	0.58	1.26	2	0.33	9.4	1565
C0040151	<0.005	2.65	95.21	1.4	1.5	2.4	1.10	3.4	<0.005	0.67	1.55	2	0.57	9.2	369
C0040151PD	<0.005	2.69	91.04	1.4	1.5	2.3	1.23	3.3	<0.005	0.67	1.54	2	0.64	8.9	387
C0040152	<0.005	3.87	115.94	1.1	0.9	1.7	1.19	2.7	<0.005	0.75	2.50	2	0.75	7.0	>10000
C0040153	<0.005	3.21	99.70	1.4	1.2	1.8	1.55	2.8	<0.005	0.61	4.13	2	0.82	9.5	2379
C0040154	<0.005	4.36	189.27	0.5	0.8	2.9	1.35	2.6	<0.005	0.87	1.09	1	0.84	3.8	6035
C0040155	0.062	0.61	8.80	5.9	1.6	40.2	0.57	1.5	0.136	0.17	0.48	95	8.63	9.5	81
C0040156	<0.005	3.16	30.24	1.1	1.4	3.0	2.27	10.3	<0.005	0.37	2.42	2	0.38	9.0	923
C0040157	<0.005	3.68	121.42	0.4	0.5	23.4	1.06	0.9	<0.005	0.44	0.88	1	0.25	3.6	2511
C0040158	0.009	9.37	857.01	0.4	0.5	12.4	8.14	<0.2	<0.005	4.42	1.54	1	999.71	2.3	>10000
C0040159	<0.005	1.85	95.51	0.3	0.2	51.0	2.00	0.2	<0.005	0.51	0.74	1	2.35	2.4	3573
C0040160	<0.005	1.65	34.33	1.1	0.2	23.1	0.22	1.3	<0.005	0.56	2.13	2	1.14	5.4	2869
C0040161	<0.005	4.30	143.42	0.7	0.5	2.7	1.21	2.2	<0.005	0.91	4.13	1	0.43	4.8	>10000
C0040162	<0.005	6.82	578.21	0.4	0.4	1.2	0.18	1.6	<0.005	0.73	2.97	2	0.56	2.2	>10000
C0040163	<0.005	9.06	486.22	0.6	0.5	2.1	0.48	1.0	<0.005	0.88	3.44	2	0.50	2.7	>10000
C0040164	<0.005	3.21	17.44	1.8	0.5	4.2	0.47	3.2	<0.005	0.71	5.38	4	0.44	8.5	1682
C0040165	<0.005	1.71	10.66	2.3	<0.2	3.2	0.12	4.6	<0.005	0.67	9.17	5	0.69	5.3	1529
C0040166	<0.005	0.93	11.59	2.3	0.2	3.1	0.14	5.8	<0.005	0.37	5.06	4	0.35	10.7	4707
C0040167	<0.005	0.50	29.01	2.6	<0.2	8.1	0.06	6.9	<0.005	0.19	7.33	5	0.35	6.4	840
C0040168	<0.005	0.81	26.37	2.1	<0.2	33.8	0.21	17.2	<0.005	0.52	5.14	6	0.34	7.6	335
C0040169	<0.005	0.44	7.22	0.5	<0.2	16.2	0.25	17.6	<0.005	0.87	1.47	2	0.25	3.7	48
C0040170	<0.005	2.74	13.50	0.6	0.4	10.4	0.13	31.0	<0.005	1.16	0.89	4	0.22	2.2	294
C0040171	<0.005	1.03	88.07	0.5	<0.2	10.6	0.11	13.4	<0.005	1.02	2.37	2	0.64	2.7	186
C0040172	<0.005	4.13	46.78	0.5	0.3	6.8	0.14	15.9	<0.005	3.02	1.00	2	0.15	2.3	74
C0040173	<0.005	1.04	11.58	0.5	0.4	11.8	0.13	23.3	<0.005	0.63	1.10	2	0.25	3.4	67
C0040174	<0.005	0.88	5.16	0.5	0.2	16.8	0.11	31.1	<0.005	0.50	1.49	1	0.17	7.1	67

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

Sample ID	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040175	<0.005	0.38	62.12	4.2	0.3	37.9	0.27	1.3	0.122	1.01	0.35	62	3.85	8.2	1508
C0040176	<0.005	1.79	5.17	0.6	0.5	17.0	0.17	34.9	<0.005	0.44	1.68	2	0.17	6.5	233
C0040177	<0.005	2.40	5.76	0.7	0.4	7.7	0.29	42.3	<0.005	0.45	1.74	2	0.14	5.9	469
C0040178	<0.005	2.19	6.53	0.8	0.4	5.7	0.23	44.1	<0.005	0.47	2.08	2	0.32	5.9	782
C0040179	<0.005	1.87	5.27	0.8	0.3	7.1	0.24	41.5	<0.005	0.38	1.75	2	0.16	6.7	212
C0040180	<0.005	0.13	3.37	0.4	<0.2	7.3	<0.05	13.1	<0.005	0.14	1.00	<1	0.20	3.6	45
C0040181	<0.005	0.62	11.28	0.5	0.6	9.6	<0.05	16.8	<0.005	0.13	2.17	<1	0.09	5.1	1290
C0040182	<0.005	0.27	5.97	0.4	<0.2	15.0	<0.05	14.6	<0.005	0.10	1.97	<1	0.09	5.7	2263
C0040183	<0.005	0.53	7.41	0.5	0.2	16.5	<0.05	15.6	<0.005	0.09	1.70	<1	0.10	5.8	249
C0040184	<0.005	0.45	5.27	0.4	0.2	15.6	<0.05	16.0	<0.005	0.13	1.75	<1	0.15	4.6	81
C0040185	<0.005	0.49	4.23	0.4	<0.2	14.0	<0.05	15.8	<0.005	0.14	1.62	<1	0.13	4.5	61
C0040186	<0.005	0.48	3.19	0.3	<0.2	5.8	<0.05	15.6	<0.005	0.13	1.85	<1	0.08	3.5	40
C0040187	<0.005	0.57	4.49	0.3	0.3	8.7	<0.05	15.3	<0.005	0.14	2.22	<1	0.13	6.3	926
C0040188	<0.005	0.42	3.41	0.3	<0.2	8.6	0.08	12.8	<0.005	0.11	1.94	<1	<0.05	3.4	1293
C0040189	0.010	1.51	4.55	0.4	0.3	10.5	0.13	25.4	<0.005	0.16	3.23	<1	0.11	6.0	531
C0040190	<0.005	1.83	6.29	0.6	0.6	17.5	0.13	39.8	<0.005	0.18	3.97	1	0.10	8.8	1244
C0040190PD	<0.005	1.84	6.21	0.5	0.6	16.5	0.21	39.0	<0.005	0.17	3.88	1	0.10	8.5	1227
C0040191	0.013	1.17	8.75	0.5	0.4	12.0	0.06	27.5	<0.005	0.17	2.55	<1	0.26	5.9	109
C0040192	0.014	0.65	11.52	0.4	0.3	6.5	<0.05	15.2	<0.005	0.13	3.57	<1	0.16	4.9	1361
C0040193	0.042	1.17	5.10	0.7	0.3	27.0	<0.05	13.3	<0.005	0.14	2.80	2	0.12	6.8	616
C0040194	0.015	2.06	7.05	0.8	0.5	27.6	0.11	11.3	<0.005	0.19	2.28	3	0.15	7.5	449
C0040195	0.036	>10	221.71	0.9	199.1	29.8	0.71	0.4	<0.005	29.43	2.80	19	0.98	3.6	>10000
C0040196	0.079	0.51	31.26	0.4	0.2	11.5	0.07	13.3	<0.005	0.26	2.09	<1	0.19	6.1	1041
C0040197	0.017	0.36	25.28	0.4	<0.2	22.5	0.07	15.0	<0.005	0.22	2.24	<1	0.17	5.3	621
C0040198	0.014	0.81	18.89	0.6	0.2	7.9	0.09	14.7	<0.005	0.24	2.28	1	0.16	5.7	179
C0040199	<0.005	2.82	23.38	1.1	0.4	8.5	0.39	10.5	<0.005	0.46	3.19	4	0.22	9.4	919
C0040200	0.010	0.80	28.66	0.4	<0.2	3.9	0.07	12.7	<0.005	0.29	1.54	<1	0.11	3.9	1500

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.005	0.01	0.05	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
DUP C0040027															
DUP C0040046															
DUP C0040090															
DUP C0040132															
DUP C0040146															
DUP C0040008															
DUP C0040045															
DUP C0040071															
DUP C0040125															
DUP C0040155															
DUP C0040078															
DUP C0040082															
DUP C0040027															
DUP C0040016															
DUP C0040051															
DUP C0040024	<0.005	<0.01	8.90	2.7	0.2	4.7	<0.05	6.6	<0.005	0.10	1.35	2	0.20	14.9	41
DUP C0040047	<0.005	0.39	2.49	6.0	<0.2	27.6	0.12	2.8	0.040	0.15	0.81	10	0.15	15.5	70
DUP C0040078	<0.005	0.18	1.16	0.4	0.3	12.5	0.37	2.9	<0.005	0.06	0.82	2	0.07	3.2	166
DUP C0040130	<0.005	0.27	12.60	0.3	0.2	62.8	0.21	2.3	<0.005	0.11	1.44	<1	0.63	3.5	392
DUP C0040144	<0.005	0.49	35.28	8.5	0.3	10.2	0.24	2.5	<0.005	0.33	9.08	49	0.25	8.4	1913
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010780

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 11-Jan-2021
Report Version: Final

	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID															
STD BLANK															
STD BLANK															
STD BLANK															
STD BLANK															
STD CDN-ME-1407															
STD GBM315-13															
STD OREAS 601															
STD GBM315-13															
STD CDN-ME-1407															
STD OREAS 25a	<0.005	0.05	0.25	8.4	0.8	17.0	<0.05	10.5	0.071	0.20	1.48	120	0.10	4.5	31
STD OREAS 600b	<0.005	0.25	10.42	1.2	3.0	26.4	1.93	9.7	0.032	0.46	3.25	3	2.50	7.6	329
STD OREAS 25a	<0.005	0.05	0.19	9.1	0.7	17.8	<0.05	10.5	0.076	0.21	1.54	128	<0.05	4.4	30
STD OREAS 600b	<0.005	0.25	10.30	1.1	3.0	25.2	1.91	9.9	0.031	0.49	3.12	3	2.46	7.4	339
STD OREAS 600b	<0.005	0.26	10.64	1.3	3.3	26.0	1.93	9.7	0.032	0.48	3.24	3	2.50	7.6	336
STD OREAS 904															
STD OREAS 904															
STD OREAS 904															
STD OREAS 904															
STD OREAS 904															
STD OxB130															
STD OxC129															
STD OxC129															
STD OxB130															
STD OxC160															



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Detection limit for sodium changed to 0.2% due to matrix interferences.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
Granite Blank	QC-P-BK	--		2.54							<0.05	1.11	1.6
Granite Blank	QC-P-BK	--		2.56							<0.05	1.10	1.4
C0040201	Core	3.96		2.63							1.22	0.39	501.9
C0040202	Core	3.99		2.68							0.87	0.43	54.3
C0040203	Core	4.11		2.63							10.09	0.44	353.4
C0040204	Core	3.98		2.56							2.37	0.43	1551.6
C0040205	Core	3.28		2.86	2.61		127				>100	0.36	5414.3
C0040206	Core	2.98		3.33		12.0	526		3.70	3.35	>100	0.26	>10000
C0040207	Core	3.66		2.56							2.77	0.46	126.6
C0040208	Core	4.23		2.56							2.93	0.36	67.7
C0040209	Core	3.74		2.63							1.48	0.36	150.8
C0040210	Core	5.00		2.56							1.38	0.37	61.6
C0040211	Core	3.79		2.56							0.66	0.42	15.5
C0040212	Core	4.18		2.50							0.64	0.39	9.2
C0040213	Core	5.36		2.56							0.84	0.73	14.0
C0040214	Core	3.21		2.63							0.37	0.53	10.1
C0040215	Pulp	0.15		2.56							0.40	0.42	451.3
C0040216	Core	7.61		2.52							0.15	0.75	5.4
C0040217	Core	7.85		2.56							0.17	1.11	5.2
C0040218	Core	8.96		2.63							0.11	0.94	7.4
C0040218PD	QC-PD	--		2.63							0.13	0.97	7.6
C0040219	Core	8.53		2.63							0.10	0.98	8.2
C0040220	Core	8.45		2.63							<0.05	0.99	6.2
C0040221	Core	7.20		2.63							0.30	0.93	16.6
C0040222	Core	7.96		2.63							0.06	0.97	4.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040223	Core	7.81		2.50							0.21	0.99	14.7
C0040224	Core	9.35		2.78							0.06	1.12	5.7
C0040225	Core	7.76		2.78							<0.05	1.07	3.9
C0040226	Core	6.59		2.54							0.15	1.27	5.3
C0040227	Core	8.96		2.44							0.07	1.04	6.9
C0040228	Core	8.38		2.63							0.06	1.00	13.2
C0040229	Core	8.27		2.70							0.06	1.11	4.4
C0040230	Core	7.20		2.46							0.08	0.79	4.1
C0040231	Core	10.32		2.50							0.09	0.65	4.1
C0040232	Pulp	0.16		2.70	3.68						52.74	1.25	30.5
C0040233	Core	3.59		2.63							0.49	0.43	20.4
C0040234	Core	3.84		2.68							0.09	0.49	24.3
C0040235	Core	3.45		2.66							<0.05	0.53	9.4
C0040236	Core	4.31		2.73							0.06	0.32	14.7
C0040237	Core	3.96		2.73							0.07	0.42	75.0
C0040238	Core	4.07		2.66							0.05	0.41	31.7
C0040239	Core	3.40		2.66							0.08	0.34	17.4
C0040240	Core	3.57		2.70							0.06	0.44	9.5
C0040241	Core	4.46		2.62							0.05	0.36	8.5
C0040242	Core	3.63		2.53							0.07	0.43	12.8
C0040243	Core	4.07		2.66							<0.05	0.47	6.7
C0040244	Core	4.60		2.75							0.06	0.63	9.3
C0040245	Core	3.67		2.63							0.06	0.40	19.6
C0040246	Pulp	0.17		3.45			157	1.256	1.50	9.23	>100	0.28	1082.0
C0040247	Core	4.61		2.66							0.06	0.44	4.5

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040248	Core	3.32		2.70							0.07	0.74	9.1
C0040249	Core	4.28		2.75							0.10	0.40	16.6
C0040250	Core	4.25		2.70							0.08	0.23	5.7
C0040251	Core	4.46		2.68							0.21	0.38	24.1
C0040252	Core	4.09		2.70							0.06	0.70	9.8
C0040253	Core	4.40		2.68							<0.05	0.62	11.4
C0040254	Core	2.82		2.78							<0.05	0.71	5.5
C0040255	Core	4.35		2.56							<0.05	0.63	5.6
C0040256	Core	4.45		2.70							0.06	1.01	3.2
C0040257	Core	3.92		2.61							<0.05	1.03	3.4
C0040258	Core	4.78		2.70							0.09	0.83	8.5
C0040258PD	QC-PD	--		2.70							0.08	0.81	7.6
C0040259	Core	4.01		2.63							0.17	0.80	9.0
C0040260	Core	3.80		2.66							0.09	1.27	6.0
C0040261	Core	4.09		2.70							<0.05	0.79	3.6
C0040262	Core	4.49		2.78							<0.05	0.63	21.5
C0040263	Core	4.95		2.78							0.06	0.64	43.4
C0040264	Core	3.34		2.66							<0.05	0.56	22.5
C0040265	Core	4.01		2.70							0.25	0.75	7.4
C0040266	Pulp	0.15		2.73							0.39	0.37	449.3
C0040267	Core	3.89		2.78							0.22	0.71	5.6
C0040268	Core	4.84		2.68							0.05	0.72	4.9
C0040269	Core	4.38		2.78							0.05	0.84	10.3
C0040270	Core	3.73		2.73							<0.05	0.75	7.1
C0040271	Core	4.69		2.63							0.28	0.77	23.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040272	Core	4.63		2.70							0.19	0.65	10.7
C0040273	Core	4.11		2.94							1.07	0.34	132.4
C0040274	Core	2.68		2.59							11.37	0.40	619.1
C0040275	Core	3.60		2.66							0.42	1.90	412.6
C0040276	Core	4.41		2.63							0.11	1.54	166.2
C0040277	Core	4.26		2.70							0.33	0.99	83.2
C0040278	Core	4.57		2.70							<0.05	1.12	15.3
C0040279	Core	3.93		2.75							0.08	1.16	62.5
C0040280	Core	3.57		2.54							0.26	1.43	420.7
C0040281	Core	4.49		2.63							0.18	0.93	196.0
C0040282	Core	3.72		2.68							0.10	0.96	222.6
C0040283	Core	4.43		2.70							0.07	0.94	38.1
C0040284	Core	3.19		2.63							0.11	0.96	155.6
C0040285	Core	4.49		2.63							3.54	0.42	1101.8
C0040286	Pulp	0.16		2.66	3.66						53.02	1.27	31.6
C0040287	Core	4.18		2.70							1.84	0.29	1267.3
C0040288	Core	3.71		2.66							2.22	0.30	2349.2
C0040289	Core	4.37		2.73							0.55	0.58	405.3
C0040290	Core	4.40		2.73							0.72	0.55	455.9
C0040291	Core	3.79		2.63							0.16	0.69	93.7
C0040292	Core	3.73		2.81							0.09	0.65	44.4
C0040293	Core	4.50		2.66							0.07	0.75	54.9
C0040294	Core	3.69		2.68							0.13	0.65	75.0
C0040295	Core	4.47		2.66							0.32	0.58	41.7
C0040296	Core	4.08		2.78							0.05	1.00	2.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040297	Core	5.17		2.73							0.31	0.75	21.3
C0040298	Core	3.83		2.63							0.44	0.52	56.9
C0040299	Core	3.75		2.70							0.16	0.70	14.1
C0040300	Core	4.47		2.70							0.11	0.92	26.3
C0040301	Core	3.73		2.81							0.12	0.87	12.4
C0040302	Core	4.50		2.70							0.50	0.68	441.5
C0040303	Core	2.69		2.81							1.70	0.38	951.1
C0040304	Core	4.69		2.86	1.28						6.13	0.35	3571.2
C0040305	Core	4.33		2.86		15.2	387				>100	0.30	>10000
C0040305PD	QC-PD	--		2.86		16.5	355				>100	0.29	>10000
C0040306	Pulp	0.15		2.78		9.6					1.49	1.50	35.1
C0040307	Core	5.00		2.94	0.97						31.97	0.42	1479.2
C0040308	Core	3.80		2.86							1.87	0.45	1357.3
C0040309	Core	5.90		2.73							0.84	0.50	614.7
C0040310	Core	3.98		2.70							0.17	0.80	32.9
C0040311	Core	4.29		2.78							7.18	0.51	692.1
C0040312	Core	4.11		2.70							0.21	0.54	59.7
C0040313	Core	2.72		2.63							0.13	0.59	23.0
C0040314	Core	4.18		2.66							0.11	0.58	16.2
C0040315	Core	3.07		2.56							0.12	0.73	23.3
C0040316	Core	4.14		2.78							0.15	0.82	17.9
C0040317	Core	5.63		2.63							0.10	0.94	7.4
C0040318	Core	4.71		2.63							0.14	0.84	8.9
C0040319	Core	2.70		2.56							0.09	0.72	9.3
C0040320	Core	5.38		2.70							0.28	0.86	15.9

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040321	Core	5.15		2.70	2.73						2.02	0.83	26.1
C0040322	Core	3.99		2.63	1.72						1.00	0.83	12.4
C0040323	Core	3.70		2.78							0.06	0.83	10.3
C0040324	Core	4.38		2.70							0.17	0.74	16.5
C0040325	Core	3.12		2.70							0.06	0.70	27.1
C0040326	Pulp	0.16		2.70	3.82						52.50	1.20	28.9
C0040327	Core	5.63		2.63							0.84	0.76	394.0
C0040328	Core	3.96		2.75							0.85	0.57	836.0
C0040329	Core	3.57		2.63							0.33	0.45	25.4
C0040330	Core	4.26		2.63							0.52	0.32	88.6
C0040331	Core	3.82		2.63							0.58	0.34	41.6
C0040332	Core	3.83		2.56							0.42	0.42	29.9
C0040333	Core	5.79		2.78							0.28	0.53	69.1
C0040334	Core	4.75		2.50							0.07	0.53	7.7
C0040335	Core	3.81		2.56							0.54	0.47	45.8
C0040336	Core	4.08		2.78							0.17	0.52	20.3
C0040337	Core	3.94		2.66							0.08	0.52	5.7
C0040338	Core	3.89		2.70							0.12	0.55	8.9
C0040339	Core	4.94		2.70							0.14	0.47	11.6
C0040340	Core	7.06		2.63							0.26	0.53	51.3
C0040341	Core	3.99		2.78							3.59	0.40	524.8
C0040342	Core	3.11		2.81							8.00	0.37	541.3
C0040343	Core	3.01		2.86							0.52	0.64	196.5
C0040344	Core	4.41		2.68							0.14	0.91	102.6
C0040345	Core	4.36		2.70							0.29	0.80	446.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040346	Pulp	0.16		2.75		9.5					1.44	1.70	32.4
C0040347	Core	5.34		2.81							1.22	0.48	260.3
C0040348	Core	4.71		2.66							0.82	0.35	30.6
C0040349	Core	3.17		2.78							0.96	0.37	20.9
C0040350	Core	3.64		2.63							0.65	0.26	11.6
C0040351	Core	3.81		2.73							0.51	0.32	19.7
C0040352	Core	4.11		2.73							0.45	0.33	21.0
C0040353	Core	4.53		2.66							0.41	0.25	31.1
C0040353PD	QC-PD	--		2.59							0.43	0.27	31.2
C0040354	Core	4.33		2.78							0.51	0.31	43.7
C0040355	Core	4.66		2.73							0.36	0.44	109.1
C0040356	Core	4.08		2.66							0.57	0.50	58.4
C0040357	Core	5.10		2.78							0.21	0.41	48.6
C0040358	Core	4.01		2.70							0.39	0.37	126.3
C0040359	Core	3.13		2.68							0.45	0.49	11.5
C0040360	Core	4.52		2.70							0.26	0.43	6.8
C0040361	Core	4.31		2.66							0.20	0.60	13.6
C0040362	Core	4.14		2.59							0.32	0.67	28.4
C0040363	Core	4.82		2.63							0.81	0.74	83.5
C0040364	Core	3.77		2.70	1.09					1.03	49.01	0.21	2760.6
C0040365	Core	5.34		2.54	1.66					1.36	48.77	0.17	3113.8
C0040366	Pulp	0.16		3.33			157	1.241	1.51	9.27	>100	0.31	1082.5
C0040367	Core	4.06		2.73							12.18	0.27	1649.0
C0040368	Core	3.58		2.78						1.27	16.42	0.27	5420.7
C0040369	Core	6.03		2.81							7.17	0.29	1937.8

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040370	Core	4.28		2.70							0.99	0.39	1036.6
C0040371	Core	3.97		2.70							0.56	0.68	17.3
C0040372	Core	4.23		2.70							0.56	0.62	256.3
C0040373	Core	3.65		2.63							0.14	0.68	20.7
C0040374	Core	3.49		2.66							0.17	0.62	21.1
C0040375	Core	4.96		2.70							0.22	0.48	16.0
C0040376	Core	4.30		2.70							0.21	0.56	24.1
C0040377	Core	4.36		2.66							0.23	0.55	26.2
C0040378	Core	4.19		2.70							0.20	0.77	13.6
C0040379	Core	3.70		3.13		18.9	267		1.99		>100	0.35	>10000
C0040380	Core	4.35		3.33		29.5	409		3.95	1.25	>100	0.21	>10000
C0040381	Core	4.23		2.75							1.19	0.38	133.4
C0040382	Core	5.14		2.70							0.80	0.84	46.7
C0040383	Core	4.83		2.63							0.88	1.04	55.0
C0040384	Core	7.52		2.78							0.19	0.97	10.9
C0040385	Core	8.26		2.63							0.11	1.09	7.9
C0040386	Pulp	0.16		2.70							0.43	0.44	461.7
C0040387	Core	8.19		2.73							0.07	0.94	6.0
C0040388	Core	7.84		2.63							0.66	1.15	138.2
C0040389	Core	8.36		2.70							0.17	1.21	15.7
C0040390	Core	3.00		2.56							0.06	2.18	10.0
C0040391	Core	2.95		2.70							0.06	2.02	22.4
C0040392	Core	3.11		2.66							0.09	2.07	79.3
C0040392PD	QC-PD	--		2.70							0.09	1.99	84.2
C0040393	Core	3.95		2.63							0.10	0.51	32.5

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
C0040394	Core	3.06		2.56							0.09	0.67	64.7
C0040395	Core	3.20		2.63							0.06	0.43	57.5
C0040396	Core	3.17		2.68							0.20	0.51	137.4
C0040397	Core	3.36		2.70							0.12	0.42	60.1
C0040398	Core	3.32		2.70							0.14	0.52	48.2
C0040399	Core	3.44		2.56							0.15	0.56	5.8
C0040400	Core	3.55		2.59							0.20	0.58	12.2
DUP C0040210				2.56									
DUP C0040250				2.73									
DUP C0040277				2.73									
DUP C0040310				2.70									
DUP C0040360				2.61									
DUP C0040392				2.66									
DUP C0040227											0.07	1.01	7.1
DUP C0040237											0.06	0.42	73.4
DUP C0040279											0.09	1.14	62.5
DUP C0040356											0.54	0.51	59.3
DUP C0040373											0.13	0.66	20.8
DUP C0040304					1.28								
STD BLANK											<0.05	<0.01	<0.2
STD BLANK											<0.05	<0.01	<0.2
STD BLANK											<0.05	<0.01	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01	IMS-128 As ppm 0.2
STD BLANK											<0.05	<0.01	<0.2
STD BLANK											<0.05	<0.01	<0.2
STD BLANK													
STD BLANK					<0.01		<1	<0.001	<0.01	<0.01			
STD BLANK						<0.9							
STD OREAS 904				2.81									
STD OREAS 904				2.70									
STD OREAS 904				2.78									
STD OREAS 904				2.78									
STD OREAS 904				2.68									
STD OREAS 904				2.78									
STD OREAS 25a											<0.05	5.88	3.1
STD OREAS 600b											27.02	0.59	98.2
STD OREAS 25a											<0.05	5.79	2.9
STD OREAS 25a											<0.05	5.82	2.6
STD OREAS 25a											<0.05	5.85	2.7
STD CDN-ME-1407							246						
STD MP-1b								3.036	2.11	16.73			
STD OXK160					3.53								
STD OXK160						3.7							

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
Granite Blank	0.001	<10	89	<0.05	0.75	<0.05	3.6	30	5.1	1.88	3.7	<0.01	0.15
Granite Blank	<0.001	<10	91	<0.05	0.76	<0.05	3.4	32	3.8	1.86	4.0	<0.01	0.15
C0040201	0.091	<10	115	0.29	0.05	30.14	2.0	26	42.5	0.82	0.7	0.04	0.24
C0040202	0.012	<10	125	0.32	0.07	9.36	3.5	24	12.9	0.99	0.9	0.03	0.28
C0040203	0.147	<10	102	5.61	0.07	19.69	3.2	26	41.6	1.14	0.9	0.08	0.28
C0040204	0.207	10	85	0.97	0.10	27.98	2.6	22	15.2	1.81	1.1	0.02	0.29
C0040205	2.692	14	25	13.57	0.06	196.04	6.4	25	313.3	7.17	0.9	0.23	0.19
C0040206	11.496	18	17	2.85	0.03	585.73	1.3	30	1281.3	12.09	1.8	0.81	0.16
C0040207	0.082	<10	76	0.61	0.10	14.51	2.9	16	14.4	0.97	0.8	0.02	0.26
C0040208	0.070	<10	86	1.41	0.70	9.26	2.8	18	14.3	0.82	0.7	0.02	0.25
C0040209	0.050	<10	67	0.24	0.29	17.90	2.4	20	9.4	0.75	0.8	0.02	0.24
C0040210	0.022	<10	62	0.25	1.02	13.78	3.2	17	15.8	0.65	0.8	0.01	0.22
C0040211	0.008	<10	120	0.16	1.12	8.14	1.8	17	6.4	0.59	0.9	0.02	0.18
C0040212	0.004	<10	97	0.36	1.25	3.99	1.6	18	4.6	0.70	0.9	0.01	0.22
C0040213	0.010	<10	324	2.06	1.87	0.76	3.1	23	8.2	1.76	3.0	<0.01	0.20
C0040214	0.005	<10	265	1.03	2.18	8.55	4.1	22	10.1	1.27	1.6	0.01	0.20
C0040215	0.272	11	923	0.18	1.03	0.39	3.9	44	40.8	3.97	1.8	3.84	0.10
C0040216	0.003	<10	293	0.38	1.00	0.77	3.8	27	5.9	1.77	3.5	0.01	0.11
C0040217	0.002	<10	464	0.46	0.86	0.24	6.4	31	7.8	2.12	4.7	<0.01	0.10
C0040218	0.002	<10	323	0.08	0.67	0.41	6.0	25	11.7	1.96	4.1	<0.01	0.09
C0040218PD	0.003	<10	333	0.08	0.68	0.37	5.9	27	13.0	1.96	4.1	<0.01	0.09
C0040219	0.004	<10	330	0.10	0.74	0.52	5.3	31	16.1	2.05	4.3	<0.01	0.08
C0040220	0.005	<10	361	0.13	0.71	0.13	3.6	27	3.4	2.03	4.3	<0.01	0.10
C0040221	0.008	<10	345	0.21	0.74	0.52	5.8	29	18.9	2.08	4.1	<0.01	0.12
C0040222	0.002	<10	411	0.12	0.69	0.10	3.6	29	3.6	2.23	4.0	<0.01	0.14

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040223	0.009	<10	321	0.09	1.04	0.48	5.1	29	23.6	2.14	4.1	<0.01	0.13
C0040224	0.003	<10	335	0.27	0.83	0.08	4.9	28	8.8	2.25	4.4	<0.01	0.14
C0040225	0.001	<10	245	0.19	0.80	0.07	4.7	28	12.3	2.21	4.5	<0.01	0.12
C0040226	0.003	<10	164	21.00	1.96	0.15	4.2	21	18.7	1.94	4.8	0.02	0.11
C0040227	0.007	<10	376	2.00	1.05	0.09	4.6	29	7.0	2.15	4.3	<0.01	0.14
C0040228	0.003	<10	175	0.56	0.98	0.20	4.3	23	11.4	2.12	4.1	<0.01	0.08
C0040229	0.038	<10	140	0.75	0.81	0.08	4.8	25	6.2	2.17	4.4	<0.01	0.07
C0040230	0.012	<10	152	0.90	0.77	0.14	2.9	28	5.7	1.46	3.5	<0.01	0.09
C0040231	0.007	<10	152	0.36	0.57	0.15	2.2	23	9.2	1.22	3.2	<0.01	0.10
C0040232	3.593	14	116	0.96	0.76	15.32	8.3	27	68.9	3.59	6.1	0.20	0.11
C0040233	0.190	<10	415	0.81	0.11	0.13	0.9	23	7.1	0.62	1.1	0.01	0.15
C0040234	0.013	<10	2008	0.31	0.09	0.15	0.8	19	12.8	0.50	1.2	0.01	0.11
C0040235	0.004	<10	152	0.25	0.10	0.19	0.9	18	7.9	0.58	1.3	<0.01	0.10
C0040236	0.002	<10	119	0.19	0.62	0.19	0.9	25	8.9	0.54	1.0	<0.01	0.11
C0040237	0.003	<10	187	0.28	0.39	0.13	2.0	24	18.2	0.84	1.2	0.04	0.13
C0040238	0.003	<10	188	0.46	0.14	0.39	1.9	21	14.8	0.84	1.2	0.03	0.12
C0040239	0.002	<10	300	0.78	0.13	0.18	2.6	21	24.4	0.70	0.8	<0.01	0.15
C0040240	0.002	<10	813	3.38	0.15	0.06	1.3	18	4.3	0.42	0.8	<0.01	0.17
C0040241	0.002	<10	126	1.00	0.55	0.21	0.8	18	15.9	0.38	1.0	<0.01	0.13
C0040242	0.003	<10	321	0.37	0.17	0.23	0.8	19	13.3	0.48	1.2	0.04	0.13
C0040243	0.003	<10	202	0.28	0.13	0.25	1.1	16	2.5	0.82	1.4	0.01	0.12
C0040244	0.016	<10	318	0.34	0.21	0.11	4.7	23	19.3	2.48	3.3	0.01	0.17
C0040245	0.004	<10	169	0.80	0.14	<0.05	3.9	17	15.9	1.70	1.5	0.03	0.08
C0040246	0.292	25	<10	58.90	1.66	499.76	28.5	15	>10000	17.99	7.6	18.90	0.06
C0040247	0.006	<10	132	0.18	0.26	0.12	3.5	22	11.0	1.41	2.1	0.01	0.15

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040248	0.008	<10	116	0.25	0.23	0.07	5.3	23	35.0	1.90	4.4	<0.01	0.13
C0040249	0.007	<10	179	1.86	0.69	0.16	4.3	17	21.6	1.43	1.5	0.01	0.15
C0040250	0.004	<10	82	2.46	1.19	0.11	3.8	16	3.5	1.26	0.8	0.01	0.14
C0040251	0.014	<10	210	1.15	0.39	0.43	5.3	23	63.2	1.14	1.8	0.01	0.15
C0040252	0.005	<10	64	0.99	0.42	<0.05	5.1	23	29.4	2.46	4.6	<0.01	0.21
C0040253	0.001	<10	35	0.21	0.49	0.11	2.4	24	16.8	1.52	4.2	<0.01	0.14
C0040254	<0.001	<10	259	0.59	1.57	<0.05	5.4	70	12.8	2.05	3.4	0.03	0.24
C0040255	0.003	<10	68	0.20	0.59	<0.05	3.7	22	14.6	2.33	4.3	<0.01	0.23
C0040256	0.001	<10	173	0.14	0.44	0.10	3.9	28	30.4	2.20	5.7	<0.01	0.55
C0040257	0.001	<10	98	0.20	0.73	0.06	4.6	26	22.5	2.54	5.7	<0.01	0.52
C0040258	0.003	<10	112	2.62	0.20	0.09	7.9	37	10.9	2.74	5.4	<0.01	0.20
C0040258PD	0.003	<10	108	2.25	0.20	0.08	7.1	35	10.3	2.56	5.2	<0.01	0.19
C0040259	0.016	<10	45	1.66	0.17	0.16	6.1	25	91.8	2.23	5.3	<0.01	0.11
C0040260	0.003	<10	94	0.73	0.22	0.09	6.8	24	40.3	3.10	6.8	<0.01	0.56
C0040261	0.002	<10	25	0.34	0.30	<0.05	3.0	23	18.7	2.30	4.6	<0.01	0.24
C0040262	0.002	<10	34	0.33	0.23	0.11	2.7	27	26.6	1.88	4.0	<0.01	0.11
C0040263	0.009	<10	22	0.33	0.16	0.25	3.5	23	36.8	2.02	3.9	0.01	0.09
C0040264	0.003	<10	13	0.23	0.42	0.19	3.0	25	28.2	1.92	2.6	0.02	0.06
C0040265	0.003	<10	18	0.95	0.46	0.11	3.1	26	102.7	1.81	4.0	<0.01	0.09
C0040266	0.257	11	958	0.18	1.03	0.37	3.9	42	41.1	3.96	1.7	3.79	0.09
C0040267	0.004	<10	13	1.34	0.27	0.15	3.4	23	89.1	2.29	4.4	<0.01	0.15
C0040268	0.002	<10	16	0.23	0.39	0.16	4.1	25	35.1	2.27	4.1	<0.01	0.14
C0040269	0.008	<10	12	0.22	0.25	0.32	4.2	25	36.4	2.45	5.1	<0.01	0.10
C0040270	0.003	<10	12	0.82	0.19	0.11	4.0	25	38.4	2.36	4.8	<0.01	0.12
C0040271	0.009	<10	34	2.65	0.17	0.31	6.0	20	97.0	2.50	4.5	0.01	0.10

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040272	0.003	<10	67	2.63	0.53	0.15	6.5	26	22.0	2.52	3.0	<0.01	0.15
C0040273	0.008	<10	52	3.05	0.06	0.65	4.0	26	93.4	2.39	0.8	0.03	0.21
C0040274	0.107	<10	50	11.79	0.05	1.77	2.6	24	137.4	2.28	1.0	0.30	0.19
C0040275	0.004	<10	115	0.60	0.22	1.22	4.4	15	74.1	2.91	5.5	0.03	0.36
C0040276	0.002	<10	234	0.67	0.25	0.85	6.8	40	47.4	3.27	6.6	<0.01	0.38
C0040277	0.002	<10	47	0.70	0.13	0.34	2.3	38	115.7	2.02	3.6	<0.01	0.19
C0040278	0.002	<10	88	0.18	0.12	1.37	7.4	24	24.7	2.69	5.9	<0.01	0.39
C0040279	0.001	<10	50	0.86	0.11	2.20	6.7	22	26.9	2.77	5.3	0.01	0.20
C0040280	0.001	<10	29	0.64	0.20	0.84	9.0	35	28.9	3.51	3.6	0.05	0.24
C0040281	0.002	<10	31	0.64	0.06	0.49	4.0	18	41.9	2.93	4.4	0.02	0.16
C0040282	0.001	<10	77	0.09	0.05	0.64	3.7	21	23.3	3.35	5.2	0.01	0.26
C0040283	<0.001	<10	41	0.08	0.06	0.27	2.9	22	23.1	2.76	5.6	0.01	0.24
C0040284	0.003	<10	22	0.06	0.02	0.43	3.1	23	39.5	3.42	3.5	0.04	0.14
C0040285	0.443	<10	140	0.09	0.01	0.50	0.7	22	18.3	2.19	1.6	0.12	0.39
C0040286	3.290	13	105	1.02	0.79	15.10	8.2	27	68.9	3.53	6.4	0.22	0.12
C0040287	0.313	<10	374	0.35	<0.01	1.96	0.8	30	16.9	1.30	1.6	0.11	0.34
C0040288	0.329	<10	284	0.73	<0.01	2.73	0.4	28	47.1	1.44	1.4	0.09	0.36
C0040289	0.026	12	65	0.67	0.01	0.46	4.1	18	34.2	3.94	1.8	0.12	0.34
C0040290	0.023	12	49	1.14	0.04	5.65	6.2	21	47.0	3.66	1.1	0.06	0.24
C0040291	0.003	<10	58	0.25	0.13	15.98	9.0	16	27.4	2.56	2.0	0.03	0.20
C0040292	0.003	<10	92	1.06	0.17	3.07	10.2	25	41.0	3.51	4.2	<0.01	0.25
C0040293	0.003	<10	71	1.25	0.15	6.06	10.8	24	15.7	3.41	3.7	0.02	0.30
C0040294	0.003	<10	46	3.02	0.18	5.86	10.8	27	15.1	4.03	3.4	0.02	0.15
C0040295	0.054	<10	69	1.44	0.13	3.23	9.0	22	113.3	2.81	3.5	<0.01	0.18
C0040296	0.001	<10	71	0.09	0.18	1.23	5.8	19	11.7	3.40	6.6	<0.01	0.61

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040297	0.005	<10	35	0.20	0.14	4.93	7.5	29	63.8	3.00	3.3	0.20	0.23
C0040298	0.016	<10	17	0.18	0.15	6.71	9.4	26	66.3	3.06	1.3	0.39	0.10
C0040299	0.005	<10	23	0.21	0.16	2.88	5.9	23	17.3	3.09	4.5	0.01	0.18
C0040300	0.002	<10	181	0.42	0.17	4.43	8.0	23	21.9	3.37	5.5	0.01	0.36
C0040301	0.003	<10	36	0.13	0.34	3.22	9.1	22	26.4	3.99	5.3	<0.01	0.23
C0040302	0.260	<10	45	0.11	0.32	12.33	7.0	25	23.8	3.34	2.9	0.02	0.25
C0040303	0.510	12	52	0.08	0.12	22.57	7.6	34	24.3	3.81	0.8	0.07	0.23
C0040304	1.276	13	54	0.25	0.66	9.33	8.9	28	37.9	4.18	0.8	0.13	0.19
C0040305	18.120	12	34	0.27	0.62	74.04	7.8	22	417.6	5.70	1.2	0.78	0.16
C0040305PD	17.807	13	34	0.25	0.60	71.61	7.7	23	377.8	5.54	1.1	0.77	0.16
C0040306	8.580	17	124	1.25	0.82	0.26	12.7	40	760.5	4.98	5.3	0.46	0.27
C0040307	1.011	17	36	0.84	2.95	33.00	17.7	13	68.4	6.46	1.1	0.24	0.22
C0040308	0.408	16	49	0.41	4.89	1.14	18.3	14	27.5	5.04	1.1	0.11	0.28
C0040309	0.122	16	61	0.44	4.94	0.92	17.3	27	10.1	5.27	1.3	0.25	0.29
C0040310	0.018	15	283	0.41	3.02	0.36	21.6	85	5.5	5.13	1.9	0.37	0.12
C0040311	0.334	13	109	1.19	3.11	2.00	17.8	25	95.5	4.24	1.4	0.24	0.21
C0040312	0.013	12	308	0.26	2.77	0.13	11.5	16	17.8	2.95	1.6	0.25	0.14
C0040313	0.003	<10	291	0.08	2.54	0.10	6.3	18	5.2	2.14	1.7	0.84	0.10
C0040314	0.002	<10	488	0.07	2.67	0.10	5.5	20	8.5	2.01	1.7	0.78	0.08
C0040315	0.002	<10	520	0.09	2.46	0.12	7.1	18	8.9	2.11	2.1	0.68	0.11
C0040316	0.020	14	265	1.11	3.37	0.15	22.9	63	10.0	5.58	2.7	0.49	0.09
C0040317	0.017	14	169	0.75	2.29	0.18	26.6	95	30.5	7.01	3.6	0.21	0.09
C0040318	0.012	17	255	0.82	2.03	0.22	25.1	73	16.2	7.58	2.9	0.16	0.09
C0040319	0.004	14	333	0.24	1.59	0.24	20.0	17	20.9	7.05	2.6	0.28	0.08
C0040320	0.016	14	291	1.39	3.87	0.42	28.5	29	27.2	6.77	2.3	0.37	0.08

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040321	2.807	11	184	7.72	1.70	0.51	99.1	39	16.6	5.62	2.1	0.68	0.06
C0040322	1.686	11	212	4.01	2.15	0.31	48.3	21	13.7	4.98	2.1	0.31	0.08
C0040323	0.021	15	51	0.40	1.25	0.25	20.5	34	5.9	7.21	2.5	0.27	0.09
C0040324	0.017	16	28	0.55	1.47	0.44	22.1	28	24.2	7.32	2.0	0.47	0.06
C0040325	0.021	16	14	0.46	1.27	0.21	33.9	23	41.5	7.67	1.7	0.21	0.03
C0040326	3.239	11	116	0.94	0.76	14.76	7.6	26	64.9	3.59	5.8	0.21	0.11
C0040327	0.142	17	99	0.43	2.28	0.40	22.1	18	43.7	6.30	2.1	0.16	0.21
C0040328	0.313	20	67	0.47	3.45	0.32	21.3	30	13.5	6.38	1.5	0.10	0.24
C0040329	0.011	<10	124	1.20	1.52	0.10	7.3	23	8.6	2.80	1.3	0.04	0.18
C0040330	0.017	11	67	0.54	1.72	0.09	6.5	27	6.3	2.55	0.8	0.03	0.17
C0040331	0.017	<10	75	0.85	0.59	0.19	5.8	25	25.3	1.55	0.9	0.02	0.16
C0040332	0.012	<10	140	0.97	0.42	0.14	7.8	23	10.8	2.62	1.3	0.10	0.16
C0040333	0.022	10	81	0.51	0.44	0.28	7.9	21	18.9	3.47	1.5	0.26	0.14
C0040334	0.002	<10	95	0.13	0.75	<0.05	2.6	21	5.5	2.08	2.0	0.15	0.11
C0040335	0.022	11	56	0.92	0.92	0.10	31.7	20	40.5	4.75	1.6	0.24	0.10
C0040336	0.004	11	227	0.62	0.57	0.09	10.6	23	12.1	3.89	1.7	0.16	0.11
C0040337	0.002	10	194	0.64	0.21	0.09	11.3	23	12.3	3.47	2.0	0.06	0.09
C0040338	0.004	<10	91	1.49	0.66	<0.05	17.5	18	17.0	3.64	1.6	0.04	0.09
C0040339	0.004	10	187	0.43	1.23	0.05	8.6	19	10.7	3.11	1.2	0.04	0.13
C0040340	0.010	<10	54	0.81	0.21	0.16	13.0	20	55.1	3.30	1.3	0.05	0.10
C0040341	0.123	13	37	0.84	0.76	0.34	12.5	19	24.9	4.96	0.9	0.12	0.25
C0040342	0.157	16	16	0.99	1.19	1.79	21.4	24	35.0	6.36	0.9	0.15	0.25
C0040343	0.024	21	25	0.39	1.90	1.29	38.0	57	14.7	7.70	2.3	0.14	0.21
C0040344	0.004	18	15	0.44	0.50	0.91	49.3	56	55.5	8.01	3.2	0.39	0.09
C0040345	0.009	14	101	0.96	0.28	0.52	24.7	59	24.6	6.94	2.1	0.22	0.15

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040346	8.294	14	117	1.36	0.82	0.27	13.6	41	767.0	5.05	5.8	0.38	0.29
C0040347	0.070	19	43	0.71	0.28	1.11	19.6	16	21.2	5.46	1.0	0.03	0.27
C0040348	0.017	<10	44	0.68	0.05	0.09	6.3	18	12.1	2.08	1.0	0.04	0.28
C0040349	0.026	<10	40	0.63	0.04	0.10	3.2	19	7.9	1.38	1.1	0.04	0.29
C0040350	0.058	<10	170	0.15	0.03	0.33	0.7	21	4.2	0.43	0.7	0.02	0.20
C0040351	0.006	<10	91	0.24	0.03	0.70	1.4	19	3.7	0.62	0.7	0.03	0.21
C0040352	0.003	<10	77	0.22	0.03	0.71	1.3	24	3.0	0.69	0.7	0.03	0.21
C0040353	0.016	<10	72	0.19	0.03	0.86	1.0	23	2.8	0.65	0.5	0.04	0.17
C0040353PD	0.016	<10	60	0.18	0.03	0.86	1.0	22	2.9	0.65	0.5	0.03	0.18
C0040354	0.023	<10	189	0.25	0.07	1.12	3.4	26	19.1	1.00	0.7	0.04	0.19
C0040355	0.029	<10	90	0.33	0.82	0.39	8.3	19	17.5	2.64	1.3	0.09	0.24
C0040356	0.008	<10	31	5.02	0.27	0.39	8.2	25	14.6	2.53	1.3	0.16	0.09
C0040357	0.013	<10	51	2.20	0.30	0.33	12.7	28	18.2	2.78	0.8	0.06	0.13
C0040358	0.069	<10	14	2.72	0.03	1.09	11.6	23	53.4	1.22	0.8	0.04	0.08
C0040359	0.011	<10	<10	1.18	0.03	0.80	6.9	24	34.5	1.00	1.2	0.06	0.05
C0040360	0.007	<10	<10	0.61	0.02	0.42	4.1	22	8.5	1.10	1.0	0.04	0.04
C0040361	0.004	<10	19	0.52	0.09	0.67	5.8	18	29.4	1.30	1.7	0.25	0.06
C0040362	0.010	<10	41	0.61	0.10	0.88	8.5	17	9.2	2.01	2.2	0.41	0.10
C0040363	0.027	<10	63	1.06	0.12	3.99	5.9	21	11.0	1.93	2.2	0.22	0.15
C0040364	1.110	<10	32	12.56	0.04	168.62	4.2	31	148.7	3.43	0.9	0.46	0.10
C0040365	1.625	12	29	4.71	0.02	230.75	1.7	46	198.4	5.30	0.9	0.44	0.13
C0040366	0.321	27	<10	61.93	1.69	477.99	28.9	15	>10000	18.13	7.6	16.47	0.06
C0040367	0.443	<10	89	1.98	0.02	102.03	1.2	38	69.6	2.04	0.7	0.20	0.19
C0040368	0.651	<10	70	0.70	0.03	140.54	1.0	31	52.4	2.29	0.8	0.26	0.20
C0040369	0.343	<10	63	0.30	0.09	31.95	4.1	29	18.6	2.32	0.8	0.17	0.19

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040370	0.077	11	75	0.10	0.15	1.55	4.4	22	4.6	2.37	1.2	0.15	0.24
C0040371	0.004	11	207	0.24	0.19	1.42	5.9	18	5.4	2.44	2.5	0.09	0.15
C0040372	0.014	<10	207	0.14	0.15	2.25	4.6	17	6.9	1.28	2.1	0.15	0.14
C0040373	0.004	<10	179	0.61	0.14	1.03	5.0	21	3.5	1.13	2.4	0.10	0.09
C0040374	0.004	<10	147	0.18	0.15	0.73	5.5	16	5.6	1.46	2.0	0.11	0.17
C0040375	0.005	10	198	0.11	0.68	0.79	4.8	16	5.2	2.23	1.7	0.06	0.19
C0040376	0.033	<10	256	0.25	1.04	0.52	3.8	21	4.8	2.05	2.1	0.04	0.17
C0040377	0.022	<10	201	0.18	1.04	0.45	3.9	19	3.4	2.24	2.0	0.03	0.21
C0040378	0.013	<10	279	0.21	1.06	0.33	5.0	27	3.0	2.32	3.4	0.01	0.23
C0040379	14.791	17	15	5.58	0.22	71.27	3.2	29	1071.3	9.12	1.3	0.26	0.21
C0040380	23.618	23	14	25.16	0.04	201.06	4.7	26	1630.4	15.65	1.1	0.40	0.11
C0040381	0.085	<10	89	0.63	0.18	5.47	4.8	19	5.0	2.23	1.0	0.05	0.22
C0040382	0.094	<10	143	0.26	0.56	1.28	4.6	30	5.5	2.16	2.9	0.03	0.20
C0040383	0.084	<10	248	0.91	0.76	0.85	4.2	19	8.1	2.21	3.7	0.06	0.10
C0040384	0.012	<10	405	0.10	0.95	0.75	4.9	27	3.8	2.21	4.2	0.04	0.16
C0040385	0.008	<10	394	0.10	0.69	0.19	4.7	28	5.4	2.23	4.5	<0.01	0.13
C0040386	0.223	12	872	0.19	1.03	0.41	3.8	43	42.3	4.00	1.9	3.45	0.10
C0040387	0.005	<10	301	0.30	1.12	0.07	3.9	28	3.8	2.09	4.1	0.02	0.10
C0040388	0.066	<10	198	0.23	0.93	0.88	4.8	26	6.7	2.21	4.1	0.03	0.15
C0040389	0.007	<10	177	2.13	0.92	0.12	5.8	32	12.3	2.12	4.7	0.01	0.12
C0040390	0.008	11	156	0.19	2.95	0.11	15.5	20	15.3	4.71	7.3	0.01	0.49
C0040391	0.026	<10	237	0.58	2.18	0.08	14.6	22	36.0	4.13	7.8	0.02	0.53
C0040392	0.024	<10	80	0.72	1.16	0.12	16.5	35	48.7	4.54	6.7	0.03	0.27
C0040392PD	0.012	10	76	0.66	1.12	0.11	17.2	32	50.2	4.50	6.4	0.04	0.26
C0040393	0.003	<10	21	0.40	0.12	0.07	1.9	20	36.4	1.26	1.6	0.03	0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
C0040394	0.004	<10	32	0.83	0.11	<0.05	2.4	18	21.2	1.41	1.8	0.02	0.07
C0040395	0.003	<10	12	0.69	0.04	<0.05	0.9	28	8.2	1.28	1.3	0.03	0.06
C0040396	0.020	<10	52	0.37	0.05	<0.05	2.0	23	39.3	2.00	1.4	0.06	0.07
C0040397	0.005	<10	11	0.41	0.03	<0.05	0.7	25	13.3	1.48	1.2	0.04	0.06
C0040398	0.003	<10	10	0.64	0.06	0.05	1.5	19	8.1	1.37	1.5	0.01	0.04
C0040399	0.003	<10	12	0.64	0.09	<0.05	1.4	24	8.0	1.35	1.4	0.02	0.06
C0040400	0.008	<10	80	1.16	0.09	<0.05	1.8	14	41.7	4.14	2.5	0.07	0.23
DUP C0040210													
DUP C0040250													
DUP C0040277													
DUP C0040310													
DUP C0040360													
DUP C0040392													
DUP C0040227	0.007	<10	361	2.13	1.03	0.08	4.6	29	7.0	2.15	4.3	<0.01	0.14
DUP C0040237	0.003	<10	185	0.28	0.38	0.12	2.0	24	18.2	0.83	1.2	0.04	0.12
DUP C0040279	0.001	<10	51	0.85	0.11	2.17	6.8	22	26.9	2.80	5.2	0.01	0.20
DUP C0040356	0.008	<10	32	4.65	0.28	0.40	8.2	25	14.6	2.59	1.4	0.16	0.09
DUP C0040373	0.006	<10	196	0.62	0.15	1.03	4.9	21	3.6	1.18	2.3	0.11	0.09
DUP C0040304													
STD BLANK	0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01
STD BLANK	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01
STD BLANK	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01
STD BLANK	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01
STD BLANK	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 25a	0.001	14	63	0.30	0.15	<0.05	5.8	77	24.4	6.25	19.8	0.05	0.14
STD OREAS 600b	0.210	<10	648	5.75	0.80	2.06	2.2	27	505.5	2.07	3.7	0.08	0.27
STD OREAS 25a	0.001	13	56	0.30	0.15	<0.05	5.7	74	24.8	6.27	20.6	0.05	0.13
STD OREAS 25a	<0.001	14	56	0.31	0.15	<0.05	5.7	75	24.5	6.15	20.4	0.06	0.14
STD OREAS 25a	0.003	13	56	0.30	0.15	<0.05	5.7	74	24.5	6.24	20.4	0.06	0.14
STD CDN-ME-1407													
STD MP-1b													
STD OXK160													
STD OXK160													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
Granite Blank	5.6	0.47	512	5.63	<0.2	1.5	409	1.3	<0.005	0.03	0.11	2.6	<0.2
Granite Blank	5.8	0.45	507	5.83	<0.2	1.7	404	1.1	<0.005	0.02	0.09	2.8	<0.2
C0040201	2.4	0.02	61	6.01	<0.2	1.3	79	394.2	0.014	0.72	17.36	0.4	0.3
C0040202	14.9	0.03	147	5.10	<0.2	1.5	199	57.8	0.007	0.89	10.16	0.5	0.3
C0040203	10.3	0.03	333	7.14	<0.2	1.9	187	275.7	0.019	1.07	43.62	0.5	0.3
C0040204	20.5	0.03	666	4.58	<0.2	2.0	287	619.7	<0.005	1.69	60.40	0.6	0.2
C0040205	13.2	0.02	51	4.20	<0.2	5.3	201	1785.4	<0.005	8.13	348.56	0.5	0.3
C0040206	4.6	0.02	300	5.13	<0.2	1.7	45	>10000	<0.005	>10	1390.94	0.3	0.7
C0040207	8.9	0.03	1329	3.35	<0.2	1.5	87	171.6	<0.005	0.55	14.27	0.5	<0.2
C0040208	5.9	0.05	1100	3.19	<0.2	1.1	85	205.6	<0.005	0.51	10.74	0.4	<0.2
C0040209	9.8	0.06	872	3.63	<0.2	1.5	72	116.7	<0.005	0.30	10.00	0.5	<0.2
C0040210	8.9	0.14	902	3.56	<0.2	1.1	66	111.4	<0.005	0.28	8.17	0.5	<0.2
C0040211	6.9	0.10	519	3.63	<0.2	1.0	75	65.8	<0.005	0.40	4.97	0.4	<0.2
C0040212	15.7	0.10	452	3.78	<0.2	1.2	76	34.1	<0.005	0.54	7.48	0.5	<0.2
C0040213	42.3	0.38	794	6.86	<0.2	2.3	356	48.9	0.011	0.73	2.65	2.0	<0.2
C0040214	36.0	0.20	653	4.14	<0.2	1.6	239	27.9	<0.005	0.77	3.25	0.9	0.2
C0040215	6.4	0.03	70	13.50	<0.2	16.4	151	14.6	<0.005	0.24	26.37	1.1	1.5
C0040216	39.9	0.46	231	5.48	<0.2	2.3	333	14.6	<0.005	0.69	2.17	1.9	<0.2
C0040217	37.5	0.68	282	5.33	<0.2	3.7	402	15.1	<0.005	0.44	1.67	2.7	<0.2
C0040218	40.3	0.55	271	4.62	<0.2	2.2	417	11.7	<0.005	0.11	0.65	2.3	<0.2
C0040218PD	42.0	0.55	272	4.83	<0.2	2.4	407	12.0	<0.005	0.10	0.65	2.3	<0.2
C0040219	36.3	0.57	267	5.05	<0.2	2.3	427	10.5	<0.005	0.20	1.24	2.5	<0.2
C0040220	36.4	0.57	267	4.78	<0.2	2.3	425	6.7	<0.005	0.33	0.57	2.4	<0.2
C0040221	48.6	0.57	268	5.19	<0.2	2.4	395	21.8	<0.005	0.64	1.50	2.5	<0.2
C0040222	39.1	0.55	303	4.71	<0.2	2.9	478	8.2	<0.005	0.26	0.87	2.6	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
C0040223	49.4	0.55	369	5.30	<0.2	2.8	474	21.2	<0.005	0.16	2.39	2.5	<0.2
C0040224	39.6	0.63	331	4.93	<0.2	2.9	492	6.5	<0.005	0.35	1.71	2.9	<0.2
C0040225	36.4	0.61	303	4.87	<0.2	2.8	487	5.7	<0.005	0.17	1.03	3.0	<0.2
C0040226	55.8	0.67	505	4.57	<0.2	2.3	505	13.7	<0.005	0.27	3.26	2.5	<0.2
C0040227	37.9	0.61	359	5.31	<0.2	2.8	506	7.0	<0.005	0.37	1.24	2.8	<0.2
C0040228	30.7	0.59	382	4.10	<0.2	2.5	513	7.3	<0.005	0.11	2.37	2.3	<0.2
C0040229	26.2	0.64	257	4.37	<0.2	2.5	501	6.9	<0.005	0.48	2.53	2.4	<0.2
C0040230	30.9	0.44	269	5.71	<0.2	2.1	321	12.0	<0.005	0.14	2.10	2.2	<0.2
C0040231	29.2	0.36	230	4.38	<0.2	1.5	252	15.7	<0.005	0.07	0.74	2.2	<0.2
C0040232	5.3	0.61	399	9.65	<0.2	29.3	536	481.0	<0.005	0.37	56.64	4.5	0.4
C0040233	3.3	0.04	153	3.91	<0.2	1.5	118	9.0	<0.005	<0.01	4.09	0.5	<0.2
C0040234	2.0	0.02	137	3.30	<0.2	1.0	119	12.6	<0.005	0.05	5.82	0.4	<0.2
C0040235	3.5	0.04	110	3.14	<0.2	0.9	128	10.6	<0.005	<0.01	4.58	0.4	<0.2
C0040236	4.1	0.03	84	4.08	<0.2	1.2	115	6.4	<0.005	0.04	3.16	0.4	<0.2
C0040237	5.5	0.03	127	3.83	<0.2	2.1	254	8.4	<0.005	0.04	10.05	1.3	<0.2
C0040238	4.2	0.03	201	3.93	<0.2	1.3	215	17.8	<0.005	0.02	6.19	0.4	<0.2
C0040239	5.0	0.02	80	4.11	<0.2	1.2	164	13.6	<0.005	0.02	3.15	0.4	0.2
C0040240	4.7	0.03	82	3.69	<0.2	1.0	296	12.4	<0.005	0.05	2.34	0.2	0.2
C0040241	5.1	0.03	132	2.84	<0.2	0.8	109	12.7	<0.005	0.03	3.83	0.2	<0.2
C0040242	5.1	0.03	230	3.21	<0.2	0.9	136	41.9	<0.005	<0.01	4.47	0.4	<0.2
C0040243	6.6	0.04	245	3.12	<0.2	0.9	221	18.3	<0.005	<0.01	3.02	0.6	<0.2
C0040244	11.1	0.19	371	4.30	<0.2	1.5	398	8.2	<0.005	0.02	4.65	6.5	<0.2
C0040245	18.0	0.04	113	4.79	<0.2	1.1	292	5.5	<0.005	<0.01	6.09	3.9	0.3
C0040246	1.3	0.77	349	31.33	<0.2	51.1	359	>10000	0.033	>10	197.47	0.9	225.8
C0040247	6.3	0.18	273	3.82	<0.2	1.4	210	10.6	<0.005	0.07	2.30	3.1	0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2
C0040248	13.4	0.43	318	3.87	<0.2	1.2	348	5.5	<0.005	0.08	1.19	5.6	<0.2
C0040249	7.1	0.16	251	3.80	<0.2	1.0	359	14.5	<0.005	0.32	4.63	1.6	0.5
C0040250	4.2	0.23	216	2.75	<0.2	0.9	410	14.2	<0.005	0.79	0.83	0.6	1.0
C0040251	6.4	0.15	246	4.14	<0.2	1.2	216	17.7	<0.005	0.30	1.41	2.2	0.2
C0040252	13.5	0.58	293	7.01	<0.2	1.3	351	3.2	<0.005	0.61	0.82	7.9	0.6
C0040253	10.8	0.47	262	4.18	<0.2	1.8	224	4.4	<0.005	0.25	0.88	5.0	<0.2
C0040254	3.9	0.29	432	4.21	<0.2	19.5	184	5.1	<0.005	0.13	1.93	5.0	0.3
C0040255	12.9	0.51	409	5.22	<0.2	1.3	343	2.7	<0.005	0.34	1.29	7.4	<0.2
C0040256	9.1	0.79	390	4.76	<0.2	2.5	390	3.6	<0.005	0.20	0.33	7.3	<0.2
C0040257	8.8	0.87	431	5.06	<0.2	2.6	327	3.1	<0.005	0.34	0.46	8.1	<0.2
C0040258	13.8	0.53	251	4.12	<0.2	6.0	392	8.4	<0.005	0.52	0.62	7.1	0.8
C0040258PD	13.3	0.52	237	3.88	<0.2	5.3	360	7.7	<0.005	0.49	0.59	6.7	0.7
C0040259	10.3	0.46	263	4.32	<0.2	1.6	315	10.0	<0.005	0.29	0.71	5.7	0.8
C0040260	11.3	0.75	436	4.52	<0.2	1.7	360	3.3	<0.005	0.10	0.53	8.9	0.5
C0040261	11.2	0.42	289	3.80	<0.2	1.3	378	2.1	<0.005	0.42	0.35	8.9	<0.2
C0040262	9.7	0.34	288	4.30	<0.2	1.5	315	7.8	<0.005	0.25	1.21	4.7	0.3
C0040263	12.5	0.28	268	3.89	<0.2	1.3	337	9.7	<0.005	0.07	2.66	5.1	0.2
C0040264	13.1	0.19	434	4.39	<0.2	1.4	346	4.3	<0.005	0.07	4.88	5.9	<0.2
C0040265	9.3	0.38	274	4.47	<0.2	1.6	342	4.6	<0.005	0.25	1.93	5.9	0.4
C0040266	5.4	0.03	70	13.39	<0.2	16.4	135	15.1	<0.005	0.22	25.57	1.0	1.4
C0040267	12.3	0.40	226	5.39	<0.2	1.1	304	3.3	<0.005	0.54	2.35	7.5	0.5
C0040268	8.7	0.35	307	4.38	<0.2	1.5	317	4.3	<0.005	0.32	3.15	6.8	0.2
C0040269	14.9	0.43	318	4.30	<0.2	1.2	326	16.1	<0.005	0.33	3.73	6.6	0.2
C0040270	15.2	0.35	268	4.58	<0.2	1.1	322	4.8	<0.005	0.35	6.33	7.0	0.5
C0040271	14.5	0.32	207	4.01	<0.2	1.3	332	36.3	<0.005	0.19	5.42	4.2	0.6

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
C0040272	12.8	0.24	382	4.74	<0.2	1.8	347	24.4	<0.005	0.58	1.82	3.8	0.6
C0040273	14.9	0.02	476	5.95	<0.2	1.9	263	104.5	<0.005	0.05	16.37	1.8	0.6
C0040274	9.9	0.02	298	5.00	<0.2	1.8	231	776.0	<0.005	0.09	191.02	2.0	0.8
C0040275	8.8	0.37	349	3.03	<0.2	3.1	377	24.7	<0.005	0.01	30.42	6.0	0.2
C0040276	11.3	0.60	330	3.36	<0.2	3.2	719	8.0	<0.005	0.38	7.27	6.8	0.6
C0040277	6.2	0.31	161	6.71	<0.2	2.3	192	10.3	<0.005	0.10	4.01	3.3	0.5
C0040278	9.2	0.61	386	4.71	<0.2	2.4	196	5.4	<0.005	0.15	1.96	7.6	<0.2
C0040279	9.3	0.43	284	5.17	<0.2	3.3	209	10.9	<0.005	0.32	2.85	6.4	0.5
C0040280	11.1	0.31	185	3.07	<0.2	20.6	458	14.2	<0.005	0.03	11.75	9.7	0.3
C0040281	13.1	0.22	137	3.14	<0.2	3.3	279	15.9	<0.005	0.23	7.50	7.2	0.5
C0040282	12.9	0.25	162	5.04	<0.2	1.8	285	6.1	<0.005	0.08	9.15	8.4	<0.2
C0040283	11.2	0.33	150	6.92	<0.2	1.5	254	1.8	<0.005	0.12	3.27	7.8	<0.2
C0040284	10.2	0.12	145	7.45	<0.2	1.7	328	4.8	<0.005	0.12	12.89	7.5	<0.2
C0040285	8.5	0.02	40	4.89	<0.2	1.0	221	450.3	<0.005	0.51	37.58	2.3	<0.2
C0040286	6.0	0.62	392	9.43	<0.2	27.8	497	483.8	<0.005	0.37	58.99	4.7	0.4
C0040287	7.6	<0.01	27	7.24	<0.2	1.4	77	77.4	<0.005	0.54	16.13	1.3	0.4
C0040288	8.5	<0.01	34	5.32	<0.2	1.2	151	142.3	<0.005	0.50	14.63	1.6	0.5
C0040289	8.5	0.02	150	4.25	<0.2	1.4	321	39.8	<0.005	0.46	17.34	7.2	0.4
C0040290	10.1	0.05	661	4.69	<0.2	2.3	409	39.4	<0.005	0.25	15.42	5.6	0.4
C0040291	7.5	0.16	2483	3.24	<0.2	1.9	218	14.6	<0.005	0.36	7.11	3.8	0.3
C0040292	7.8	0.40	1183	4.50	<0.2	2.2	231	6.4	<0.005	0.71	2.11	6.1	0.6
C0040293	8.9	0.42	1911	4.52	<0.2	1.7	212	7.0	<0.005	0.72	5.22	5.8	0.5
C0040294	9.2	0.49	1789	6.79	<0.2	1.8	242	15.7	<0.005	0.82	3.63	5.3	0.6
C0040295	7.9	0.33	767	5.24	<0.2	1.4	183	8.8	<0.005	0.97	2.34	4.4	1.0
C0040296	8.7	0.62	659	4.43	<0.2	0.9	268	1.2	<0.005	0.18	0.94	9.0	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
C0040297	9.9	0.35	1284	6.41	<0.2	1.7	230	7.3	<0.005	0.37	20.88	6.2	<0.2
C0040298	7.4	0.21	1917	5.98	<0.2	1.6	250	12.8	<0.005	0.83	21.59	4.8	0.2
C0040299	10.9	0.36	868	5.79	<0.2	1.3	274	3.5	<0.005	0.35	3.04	6.8	<0.2
C0040300	9.4	0.56	948	4.49	<0.2	1.7	327	3.3	<0.005	0.62	7.44	7.3	0.3
C0040301	11.6	0.77	976	7.97	<0.2	1.4	224	2.6	<0.005	0.32	2.62	5.7	<0.2
C0040302	7.1	0.32	1329	5.23	<0.2	1.8	261	20.3	<0.005	1.06	12.94	4.2	<0.2
C0040303	5.4	0.03	1187	6.95	<0.2	2.3	275	54.0	<0.005	3.36	19.80	1.7	<0.2
C0040304	4.2	0.24	771	6.25	<0.2	2.3	390	123.9	<0.005	4.10	60.41	1.9	<0.2
C0040305	2.6	0.22	561	4.32	<0.2	4.6	228	3573.0	<0.005	5.31	2366.24	2.2	0.5
C0040305PD	2.5	0.21	544	4.69	<0.2	4.7	228	3341.4	<0.005	5.17	2200.55	2.2	0.5
C0040306	6.9	0.80	522	31.84	<0.2	55.7	725	30.4	0.057	0.61	9.37	6.0	1.6
C0040307	1.3	0.96	3144	2.57	<0.2	9.2	224	834.3	<0.005	6.67	243.17	5.4	0.7
C0040308	2.9	1.70	4327	2.32	<0.2	12.9	458	34.6	<0.005	4.37	28.74	8.6	0.3
C0040309	6.0	1.49	4080	2.31	<0.2	21.1	836	22.4	<0.005	4.29	18.59	15.1	<0.2
C0040310	8.9	1.33	2749	1.84	<0.2	31.3	1032	8.4	<0.005	0.47	6.76	26.2	<0.2
C0040311	6.7	1.11	2295	3.96	<0.2	10.3	566	66.9	<0.005	1.84	48.26	10.8	0.3
C0040312	14.0	0.96	1466	3.14	<0.2	8.1	696	11.9	<0.005	0.59	13.94	7.1	<0.2
C0040313	17.6	0.88	824	2.66	<0.2	5.2	939	11.8	<0.005	0.33	7.54	3.9	<0.2
C0040314	15.2	0.94	719	2.96	<0.2	4.5	858	9.4	<0.005	0.34	6.58	3.7	<0.2
C0040315	18.4	0.87	827	2.59	<0.2	5.7	963	15.3	<0.005	0.26	8.72	3.9	<0.2
C0040316	17.7	1.34	2010	1.87	<0.2	18.3	985	10.9	<0.005	0.99	8.39	20.3	<0.2
C0040317	22.9	1.17	2045	1.40	<0.2	19.5	1290	6.5	<0.005	0.44	12.07	29.1	<0.2
C0040318	22.3	1.17	2606	1.77	<0.2	18.3	1036	6.1	<0.005	0.45	7.70	28.0	<0.2
C0040319	9.1	1.07	2187	1.97	<0.2	13.8	808	5.6	<0.005	0.23	4.58	25.5	<0.2
C0040320	8.1	1.59	2349	1.57	<0.2	14.6	670	12.2	<0.005	0.83	11.61	24.9	0.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
C0040321	13.7	0.76	1720	2.28	<0.2	17.4	934	96.6	<0.005	1.36	6.36	22.8	0.4
C0040322	15.0	0.88	1664	2.37	<0.2	11.3	983	7.9	<0.005	1.10	3.26	20.4	0.3
C0040323	20.7	0.89	2590	1.14	<0.2	15.2	993	6.3	<0.005	0.37	3.34	27.4	<0.2
C0040324	14.2	1.00	2857	2.62	<0.2	15.5	1113	8.0	<0.005	0.57	13.33	27.5	0.3
C0040325	12.1	1.04	2631	1.43	<0.2	17.4	953	5.9	<0.005	0.64	19.55	31.7	0.3
C0040326	5.4	0.61	385	9.66	<0.2	28.8	540	481.8	<0.005	0.36	58.85	4.2	0.3
C0040327	17.4	1.22	3708	1.88	<0.2	9.4	1308	24.7	<0.005	0.62	20.41	16.4	0.3
C0040328	12.2	1.24	5006	5.14	<0.2	16.5	867	31.4	<0.005	2.61	16.79	14.1	<0.2
C0040329	8.3	0.50	1140	4.87	<0.2	2.4	327	5.1	<0.005	1.46	6.66	4.0	0.5
C0040330	6.2	0.50	1794	5.38	<0.2	3.3	286	8.7	<0.005	1.66	7.24	3.1	0.2
C0040331	9.1	0.19	674	5.91	<0.2	2.1	203	6.5	<0.005	0.79	8.79	2.4	0.2
C0040332	9.1	0.19	1020	5.79	<0.2	1.8	442	5.6	<0.005	1.28	9.41	3.8	0.4
C0040333	8.9	0.24	1476	5.39	<0.2	2.0	500	7.8	<0.005	1.55	10.96	6.1	<0.2
C0040334	14.5	0.31	1000	3.78	<0.2	1.1	304	2.6	<0.005	0.20	2.40	5.3	<0.2
C0040335	10.4	0.45	1852	4.92	<0.2	1.9	257	10.8	0.005	2.30	17.88	5.7	1.5
C0040336	7.4	0.42	1759	4.51	<0.2	2.5	273	5.8	<0.005	0.88	6.33	7.3	<0.2
C0040337	8.9	0.29	1292	4.10	<0.2	2.1	298	3.8	<0.005	0.88	4.14	6.3	0.2
C0040338	8.5	0.32	1107	2.92	<0.2	2.4	289	5.4	<0.005	1.66	7.12	6.7	0.5
C0040339	7.9	0.58	1553	3.33	<0.2	1.6	210	4.0	<0.005	0.69	4.05	4.3	<0.2
C0040340	5.7	0.25	1826	3.80	<0.2	2.3	244	7.4	<0.005	1.05	24.22	5.7	0.3
C0040341	4.0	0.25	1270	4.03	<0.2	6.0	419	16.3	<0.005	5.24	21.46	2.8	0.6
C0040342	4.0	0.38	2264	4.68	<0.2	11.8	581	57.4	<0.005	6.67	42.51	5.2	0.7
C0040343	17.0	0.91	5503	1.61	<0.2	34.7	993	27.6	<0.005	3.68	14.15	24.7	<0.2
C0040344	18.4	0.53	5465	1.76	<0.2	49.0	901	9.9	<0.005	0.72	29.99	35.4	0.3
C0040345	13.9	0.11	1259	3.26	<0.2	20.0	938	14.8	<0.005	1.05	29.14	25.3	0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
C0040346	7.6	0.79	545	31.00	<0.2	56.1	674	30.2	0.060	0.64	9.26	6.3	1.6
C0040347	4.8	0.10	9136	3.11	<0.2	8.3	372	15.2	<0.005	3.57	10.82	3.3	0.4
C0040348	8.0	0.03	34	13.63	<0.2	1.7	31	12.0	<0.005	2.14	6.67	1.4	0.5
C0040349	15.5	0.03	29	7.58	<0.2	1.2	41	13.7	<0.005	1.29	6.21	0.9	0.4
C0040350	3.3	0.01	51	5.12	<0.2	0.9	15	19.4	<0.005	0.25	4.28	0.4	<0.2
C0040351	5.6	0.02	24	4.52	<0.2	0.9	30	23.7	<0.005	0.38	5.53	0.4	<0.2
C0040352	5.1	0.02	28	5.44	<0.2	1.2	37	18.5	<0.005	0.38	5.58	0.4	<0.2
C0040353	2.3	0.01	111	4.88	<0.2	1.1	40	12.2	<0.005	0.37	8.23	0.4	<0.2
C0040353PD	2.4	0.01	94	4.78	<0.2	1.1	40	12.4	<0.005	0.37	8.39	0.4	<0.2
C0040354	3.4	0.03	994	5.49	<0.2	2.0	61	13.7	<0.005	0.57	8.14	0.9	<0.2
C0040355	9.8	0.26	1983	4.17	<0.2	4.8	290	8.9	<0.005	1.96	11.01	4.4	<0.2
C0040356	9.6	0.12	1961	22.01	<0.2	6.8	235	38.9	0.007	1.03	8.10	4.8	0.5
C0040357	5.0	0.10	1044	6.01	<0.2	3.2	84	11.5	<0.005	2.33	9.98	2.7	0.7
C0040358	8.3	0.01	23	5.75	<0.2	1.6	32	31.4	<0.005	1.23	20.30	1.7	0.5
C0040359	11.4	0.01	26	5.55	<0.2	1.4	45	10.3	<0.005	0.92	13.59	2.2	0.3
C0040360	12.1	0.02	22	4.05	<0.2	1.3	25	6.6	<0.005	1.04	3.07	2.2	0.3
C0040361	13.0	0.05	40	3.51	<0.2	3.3	295	7.9	<0.005	1.22	7.02	3.7	0.5
C0040362	14.4	0.09	414	3.71	<0.2	3.2	314	21.0	<0.005	1.53	8.50	6.5	0.3
C0040363	14.2	0.12	1313	3.86	<0.2	5.4	313	73.0	<0.005	0.55	16.46	5.0	<0.2
C0040364	2.3	0.04	120	4.90	<0.2	2.6	73	7231.9	<0.005	4.18	234.01	0.7	0.4
C0040365	3.3	0.01	134	7.27	<0.2	2.4	23	4651.4	<0.005	6.41	300.07	0.4	0.3
C0040366	1.5	0.76	354	30.95	<0.2	54.3	340	>10000	0.036	>10	241.86	0.9	196.7
C0040367	3.5	0.01	119	7.65	<0.2	1.9	39	2317.2	0.011	2.41	55.88	0.4	0.4
C0040368	2.8	0.02	154	6.10	<0.2	1.6	42	4145.2	0.011	2.78	131.28	0.4	<0.2
C0040369	20.2	0.03	80	5.37	<0.2	3.0	234	1694.9	0.006	2.45	62.68	0.7	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2
C0040370	37.6	0.03	1204	4.71	<0.2	2.9	377	85.8	<0.005	2.07	17.46	1.5	<0.2
C0040371	103.6	0.07	2765	18.39	<0.2	3.1	526	81.3	0.100	0.92	9.30	3.2	0.2
C0040372	83.7	0.03	821	3.95	<0.2	2.5	496	87.1	<0.005	0.87	16.41	2.6	<0.2
C0040373	108.4	0.03	62	4.50	<0.2	2.6	522	25.5	<0.005	0.96	13.36	2.5	0.2
C0040374	76.4	0.03	500	3.29	<0.2	2.7	494	19.8	<0.005	1.24	12.93	2.3	0.3
C0040375	73.1	0.20	2790	7.22	<0.2	2.8	410	15.3	0.030	0.89	7.39	2.5	<0.2
C0040376	70.3	0.33	991	3.87	<0.2	2.0	409	40.4	<0.005	0.68	4.42	2.6	<0.2
C0040377	64.9	0.32	1236	4.28	<0.2	2.3	414	23.9	<0.005	1.06	5.94	2.4	<0.2
C0040378	60.3	0.47	955	5.34	<0.2	2.5	413	23.0	<0.005	0.76	4.67	2.8	<0.2
C0040379	15.7	0.07	337	9.95	<0.2	2.4	202	>10000	0.033	9.72	1005.66	0.6	0.7
C0040380	5.7	0.02	126	5.60	<0.2	3.0	109	>10000	<0.005	>10	1801.90	0.5	1.1
C0040381	34.6	0.05	592	5.39	<0.2	2.5	344	130.3	0.009	1.96	26.92	1.2	0.3
C0040382	57.0	0.27	715	7.87	<0.2	3.0	392	54.6	0.013	1.07	11.62	2.2	<0.2
C0040383	84.4	0.42	654	4.13	<0.2	2.3	511	90.0	<0.005	0.37	8.43	2.8	<0.2
C0040384	60.8	0.57	709	4.93	<0.2	3.0	501	16.6	<0.005	0.37	2.74	3.5	<0.2
C0040385	57.1	0.55	492	5.33	<0.2	3.0	473	16.7	<0.005	0.25	3.31	2.8	<0.2
C0040386	6.6	0.03	69	13.91	<0.2	15.9	148	16.1	<0.005	0.25	27.67	1.1	1.4
C0040387	51.1	0.51	427	5.25	<0.2	2.7	452	8.5	<0.005	0.33	1.89	2.6	<0.2
C0040388	49.8	0.55	547	5.28	<0.2	3.3	437	116.6	<0.005	0.53	8.93	2.4	<0.2
C0040389	48.1	0.63	441	6.21	<0.2	3.1	454	11.7	<0.005	0.40	2.85	2.4	<0.2
C0040390	12.8	0.97	672	2.56	<0.2	5.2	557	4.6	<0.005	0.02	8.42	14.6	<0.2
C0040391	13.7	1.17	603	2.10	<0.2	10.5	1034	3.4	<0.005	0.02	8.01	14.3	<0.2
C0040392	18.7	0.72	552	2.43	<0.2	13.2	624	4.5	<0.005	0.01	15.70	15.4	0.3
C0040392PD	19.8	0.68	557	2.23	<0.2	13.6	613	5.1	<0.005	0.01	16.91	14.9	0.3
C0040393	33.3	0.06	216	3.75	<0.2	1.2	64	5.5	<0.005	<0.01	6.37	2.4	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
C0040394	34.4	0.05	230	3.65	<0.2	1.3	97	10.9	<0.005	<0.01	6.52	2.6	<0.2
C0040395	12.1	0.01	49	5.38	<0.2	1.3	64	7.4	<0.005	<0.01	5.61	2.6	<0.2
C0040396	10.5	0.02	403	6.17	<0.2	1.5	83	6.1	<0.005	<0.01	21.85	3.4	0.2
C0040397	8.8	0.01	61	7.09	<0.2	1.2	46	6.2	<0.005	0.02	8.24	2.6	<0.2
C0040398	16.2	0.02	149	4.94	<0.2	1.1	25	8.6	<0.005	<0.01	4.52	3.5	<0.2
C0040399	11.1	0.05	68	6.12	<0.2	1.1	11	10.7	<0.005	0.01	1.25	2.5	0.3
C0040400	11.3	0.03	106	10.98	<0.2	0.8	54	11.3	<0.005	0.38	7.44	3.1	0.9
DUP C0040210													
DUP C0040250													
DUP C0040277													
DUP C0040310													
DUP C0040360													
DUP C0040392													
DUP C0040227	34.8	0.61	353	5.29	<0.2	2.8	490	7.0	<0.005	0.37	1.23	2.7	<0.2
DUP C0040237	5.4	0.03	125	3.81	<0.2	2.1	251	8.3	<0.005	0.04	9.95	1.3	<0.2
DUP C0040279	8.7	0.44	283	5.16	<0.2	3.3	211	10.8	<0.005	0.33	2.90	6.3	0.6
DUP C0040356	9.7	0.12	2000	20.97	<0.2	7.0	238	39.4	0.007	1.05	8.25	4.9	0.5
DUP C0040373	112.1	0.03	64	4.49	<0.2	2.6	542	25.6	<0.005	1.00	13.24	2.5	0.2
DUP C0040304													
STD BLANK	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2
STD BLANK	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2
STD BLANK	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm	IMS-128 Se ppm
Sample ID	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05	0.1	0.2
STD BLANK	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2
STD BLANK	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 25a	13.0	0.21	431	1.64	<0.2	28.5	399	20.6	<0.005	0.05	0.24	8.6	0.5
STD OREAS 600b	29.0	0.05	252	4.90	<0.2	4.3	233	84.4	<0.005	0.26	10.23	1.2	3.2
STD OREAS 25a	12.9	0.20	418	1.53	<0.2	27.0	377	20.6	<0.005	0.05	0.17	8.7	0.6
STD OREAS 25a	13.6	0.21	421	1.52	<0.2	26.7	372	21.2	<0.005	0.05	0.22	8.9	0.5
STD OREAS 25a	13.2	0.20	429	1.52	<0.2	26.6	374	21.1	<0.005	0.05	0.21	8.8	0.5
STD CDN-ME-1407													
STD MP-1b													
STD OxK160													
STD OxK160													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
Granite Blank	27.6	<0.05	2.1	0.087	<0.05	0.39	23	0.18	9.0	32
Granite Blank	28.4	<0.05	2.1	0.088	<0.05	0.43	23	0.15	9.0	31
C0040201	4.0	0.10	13.2	<0.005	0.31	1.28	<1	0.20	3.7	703
C0040202	7.4	0.08	26.4	<0.005	0.30	1.90	1	0.18	6.3	229
C0040203	7.8	2.14	22.4	<0.005	0.30	1.56	1	0.13	5.8	1344
C0040204	6.1	0.25	30.7	<0.005	0.35	1.68	1	0.13	5.2	1090
C0040205	21.9	0.15	19.6	<0.005	0.60	3.71	2	0.35	4.9	3861
C0040206	2.0	0.20	7.3	<0.005	1.03	1.56	2	0.13	2.6	>10000
C0040207	8.5	0.19	15.1	<0.005	0.29	1.68	<1	0.20	8.5	1260
C0040208	22.8	0.47	16.0	<0.005	0.26	1.85	<1	0.11	7.2	1049
C0040209	12.3	0.06	15.5	<0.005	0.23	2.36	<1	0.10	9.9	1742
C0040210	43.3	<0.05	15.0	<0.005	0.20	2.93	<1	0.11	8.7	1131
C0040211	48.0	<0.05	16.0	<0.005	0.15	2.43	<1	0.10	5.4	595
C0040212	57.6	0.08	16.0	<0.005	0.16	2.67	<1	0.07	5.5	319
C0040213	91.3	0.60	38.9	0.010	0.13	2.36	15	0.12	9.6	105
C0040214	73.3	0.29	30.7	<0.005	0.10	2.05	4	0.11	10.3	939
C0040215	71.7	0.07	1.4	0.008	10.94	1.52	29	13.54	2.5	22
C0040216	57.6	0.10	37.0	0.020	0.07	1.80	18	0.13	8.8	89
C0040217	56.8	0.13	41.9	0.063	0.06	1.44	28	0.38	7.9	38
C0040218	47.9	<0.05	41.0	0.091	<0.05	1.35	28	0.23	8.2	51
C0040218PD	50.1	<0.05	41.2	0.093	<0.05	1.37	28	0.22	8.3	47
C0040219	49.8	<0.05	40.8	0.080	<0.05	1.19	27	0.19	7.4	36
C0040220	48.7	<0.05	42.1	0.088	<0.05	1.34	27	0.21	7.5	24
C0040221	54.7	<0.05	37.3	0.054	0.06	1.35	24	0.13	8.5	47
C0040222	53.0	<0.05	38.6	0.079	0.07	1.26	33	0.19	8.1	26

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040223	52.7	<0.05	39.2	0.061	0.08	1.29	31	0.39	9.2	52
C0040224	80.5	0.15	37.6	0.096	0.07	1.37	36	0.41	8.6	23
C0040225	52.0	0.08	38.9	0.097	0.07	1.42	37	0.25	8.5	22
C0040226	67.5	10.93	38.8	0.026	0.12	1.96	26	0.15	10.8	30
C0040227	76.9	0.96	40.4	0.082	0.08	1.51	33	0.29	8.5	25
C0040228	51.8	0.28	40.0	0.090	<0.05	1.19	33	0.26	7.6	28
C0040229	43.6	0.27	38.2	0.095	<0.05	0.98	30	0.49	7.0	23
C0040230	30.0	0.39	31.2	0.056	<0.05	2.05	18	1.94	9.1	26
C0040231	26.9	0.14	27.5	0.062	<0.05	3.28	15	0.61	9.4	27
C0040232	35.5	0.16	1.2	0.110	1.00	0.33	62	3.46	7.8	1541
C0040233	11.8	0.20	1.7	<0.005	0.10	0.30	2	1.77	3.0	34
C0040234	12.1	<0.05	0.9	<0.005	0.09	0.32	1	0.28	1.9	29
C0040235	7.4	<0.05	1.4	<0.005	0.06	0.41	1	0.09	2.1	52
C0040236	48.3	<0.05	1.7	<0.005	<0.05	0.69	2	0.18	2.1	30
C0040237	26.2	<0.05	2.2	<0.005	0.11	0.96	5	0.31	4.0	33
C0040238	12.1	0.12	1.7	<0.005	0.16	0.44	2	0.24	2.4	63
C0040239	13.0	0.40	2.0	<0.005	0.09	0.46	2	0.11	2.2	25
C0040240	11.5	1.69	1.9	<0.005	0.10	0.41	<1	0.09	3.8	12
C0040241	34.5	0.40	2.0	<0.005	0.08	0.45	<1	1.49	2.6	20
C0040242	12.1	0.07	1.8	<0.005	0.13	0.40	<1	0.15	2.5	43
C0040243	10.8	<0.05	2.5	<0.005	0.14	0.67	2	0.15	3.4	46
C0040244	15.9	0.06	3.5	0.014	0.17	1.42	9	0.17	14.7	48
C0040245	10.3	0.26	3.4	<0.005	0.10	1.31	5	0.16	11.3	30
C0040246	27.5	0.57	0.3	<0.005	29.15	2.79	18	0.88	3.2	>10000
C0040247	18.9	<0.05	2.2	0.012	0.11	0.67	8	0.08	6.6	58

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040248	17.0	0.06	3.2	0.017	0.08	0.81	8	0.20	20.1	33
C0040249	50.7	0.85	2.4	<0.005	0.11	1.46	4	0.23	6.0	42
C0040250	88.3	1.17	2.6	<0.005	0.07	1.69	4	0.10	2.7	28
C0040251	29.4	0.53	2.7	<0.005	0.08	0.61	4	0.11	5.5	41
C0040252	27.5	0.48	4.2	0.036	0.15	0.99	9	0.12	16.5	25
C0040253	28.9	<0.05	3.4	0.021	0.08	0.66	7	0.10	13.4	27
C0040254	18.4	0.23	1.4	0.011	0.13	0.51	20	0.09	5.9	38
C0040255	27.1	<0.05	3.6	0.039	0.14	0.79	8	0.07	13.0	27
C0040256	26.8	<0.05	2.9	0.109	0.19	0.97	24	0.09	8.7	47
C0040257	21.6	<0.05	3.1	0.090	0.16	0.60	14	0.12	10.1	45
C0040258	12.0	1.16	4.0	0.035	0.11	0.69	21	0.12	15.0	33
C0040258PD	11.5	1.03	4.0	0.035	0.10	0.67	20	0.11	14.1	31
C0040259	10.9	0.47	4.1	0.038	0.07	1.22	10	0.15	15.8	31
C0040260	10.2	0.29	4.4	0.099	0.22	0.97	14	0.14	22.1	46
C0040261	7.6	0.07	4.4	0.112	0.09	0.89	9	0.14	21.9	24
C0040262	8.6	0.08	3.9	0.029	0.12	1.10	8	0.08	18.8	33
C0040263	7.1	<0.05	4.3	0.015	0.14	1.01	8	0.14	22.4	55
C0040264	8.2	<0.05	4.1	0.040	0.28	0.90	6	0.12	28.3	58
C0040265	10.1	0.38	4.1	0.078	0.08	0.81	8	0.21	20.8	25
C0040266	62.7	0.10	1.3	0.008	11.34	1.52	29	13.71	2.3	22
C0040267	5.0	0.53	5.0	0.109	0.09	0.95	8	0.19	21.7	31
C0040268	6.5	0.08	4.4	0.098	0.11	0.84	8	0.16	21.0	33
C0040269	5.3	<0.05	5.2	0.048	0.10	1.04	9	0.11	26.5	68
C0040270	5.5	0.20	5.3	0.050	0.13	1.11	9	0.11	28.0	32
C0040271	8.3	1.28	5.5	0.007	0.08	0.69	8	0.11	19.1	84

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040272	16.5	1.28	5.0	0.005	0.13	0.75	7	0.11	17.6	37
C0040273	11.3	1.44	3.6	<0.005	0.29	1.12	1	0.19	12.8	289
C0040274	20.7	3.60	3.5	<0.005	0.61	1.55	2	0.22	7.4	434
C0040275	14.7	0.19	4.8	0.051	0.21	1.58	9	0.16	13.2	309
C0040276	13.8	0.22	5.2	0.059	0.18	1.11	23	0.11	13.3	221
C0040277	13.5	0.18	2.1	0.032	0.13	0.60	14	0.13	5.5	124
C0040278	4.7	<0.05	3.5	0.055	0.16	0.90	38	0.07	10.8	202
C0040279	3.9	0.32	3.5	0.023	0.15	1.02	32	0.11	9.5	253
C0040280	8.2	0.25	4.7	0.006	0.42	1.58	28	0.42	14.9	729
C0040281	7.5	0.19	4.0	0.012	0.21	1.16	10	0.11	7.7	380
C0040282	7.7	<0.05	4.0	0.033	0.20	1.15	9	0.19	9.0	349
C0040283	9.1	<0.05	3.8	0.031	0.14	0.77	10	0.09	5.8	143
C0040284	6.9	<0.05	3.9	0.012	0.19	1.01	8	0.14	7.7	678
C0040285	7.0	<0.05	3.2	<0.005	1.10	0.40	2	0.18	3.1	157
C0040286	37.4	0.17	1.3	0.124	1.08	0.37	66	3.45	8.0	1499
C0040287	4.3	0.11	2.0	<0.005	0.66	0.15	2	0.18	1.7	123
C0040288	3.4	0.33	2.6	<0.005	0.71	0.15	2	0.22	1.6	213
C0040289	9.6	0.17	3.9	<0.005	1.02	0.72	17	0.28	5.5	606
C0040290	14.8	0.63	3.9	<0.005	0.49	1.20	9	0.19	11.0	869
C0040291	4.3	0.11	2.9	0.006	0.25	0.69	6	0.09	11.1	1158
C0040292	8.4	0.49	3.0	0.033	0.18	0.55	10	0.08	7.7	435
C0040293	5.1	0.63	2.9	0.031	0.21	0.61	7	0.10	9.3	824
C0040294	6.5	1.56	3.3	0.005	0.20	0.64	6	0.08	8.9	751
C0040295	5.6	0.80	3.0	0.021	0.12	0.65	7	0.14	7.3	395
C0040296	6.5	<0.05	2.7	0.090	0.15	0.43	10	0.07	5.0	151

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
C0040297	3.4	0.07	2.8	0.033	0.18	0.55	6	0.34	8.5	520
C0040298	3.2	<0.05	3.1	<0.005	0.43	0.62	4	0.17	8.7	881
C0040299	4.2	0.07	3.3	0.019	0.12	0.58	7	0.14	7.0	352
C0040300	8.7	0.19	3.5	0.056	0.23	0.70	18	0.07	10.0	586
C0040301	10.8	<0.05	3.4	0.021	0.17	0.76	8	0.09	7.3	368
C0040302	5.1	<0.05	3.2	0.011	0.36	0.60	4	0.16	7.5	999
C0040303	2.7	<0.05	4.0	<0.005	0.66	0.56	1	0.56	7.4	1319
C0040304	15.2	0.10	3.0	<0.005	1.52	0.58	2	0.40	5.9	586
C0040305	9.5	0.11	1.9	<0.005	2.64	0.35	7	0.24	2.9	5838
C0040305PD	9.2	0.08	1.8	<0.005	2.51	0.35	7	0.24	2.8	5661
C0040306	36.5	0.64	1.4	0.120	0.17	0.43	92	8.56	8.6	77
C0040307	37.3	0.16	0.4	<0.005	1.92	0.34	22	0.54	7.2	2691
C0040308	65.3	0.13	1.0	<0.005	1.69	0.62	26	0.41	11.3	121
C0040309	77.4	<0.05	4.0	<0.005	3.01	0.98	42	0.43	13.4	138
C0040310	57.3	0.08	6.0	<0.005	0.45	1.75	102	0.40	13.6	85
C0040311	46.8	0.45	3.2	<0.005	1.04	1.03	39	0.29	10.3	195
C0040312	57.3	0.10	3.7	<0.005	1.02	1.35	34	0.24	6.8	96
C0040313	83.1	<0.05	5.2	<0.005	0.97	1.53	29	0.42	5.7	82
C0040314	82.6	<0.05	5.2	<0.005	1.08	1.42	31	0.35	5.1	80
C0040315	94.8	<0.05	5.3	<0.005	0.96	1.32	32	0.31	5.6	112
C0040316	89.1	0.26	5.7	<0.005	0.53	1.32	118	0.42	11.5	119
C0040317	46.2	0.08	7.9	0.013	0.21	1.03	162	0.99	15.0	136
C0040318	38.2	0.19	6.7	0.008	0.19	0.93	165	0.80	16.2	166
C0040319	29.3	0.05	2.5	<0.005	0.14	0.74	154	0.55	16.5	127
C0040320	69.6	0.23	2.8	<0.005	0.17	1.16	167	0.38	15.5	135

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040321	28.0	3.65	4.8	<0.005	0.10	0.65	122	0.36	17.4	83
C0040322	46.0	1.70	4.1	<0.005	0.12	0.75	118	0.40	23.7	82
C0040323	22.8	<0.05	6.2	<0.005	0.18	1.61	127	0.33	23.3	158
C0040324	27.6	0.06	4.8	<0.005	0.19	1.47	131	0.49	17.2	157
C0040325	25.8	0.06	3.3	<0.005	0.20	0.58	150	0.76	14.8	79
C0040326	32.1	0.21	1.2	0.111	1.01	0.35	57	3.43	7.1	1492
C0040327	44.3	0.06	5.5	<0.005	0.56	1.80	89	0.51	14.0	130
C0040328	59.7	0.06	5.3	<0.005	1.16	1.62	57	0.29	12.9	202
C0040329	22.4	0.41	3.6	<0.005	0.40	0.96	8	0.54	10.8	98
C0040330	28.1	0.11	3.4	<0.005	0.52	0.67	6	0.84	8.4	74
C0040331	8.8	0.19	4.5	<0.005	0.27	0.89	4	0.94	9.2	169
C0040332	6.4	0.06	3.8	<0.005	0.43	1.50	8	0.77	11.0	198
C0040333	6.6	0.11	3.9	<0.005	1.01	1.80	9	0.49	13.3	242
C0040334	10.9	<0.05	5.4	<0.005	0.33	1.22	6	0.25	15.7	47
C0040335	13.5	0.23	6.3	<0.005	0.62	1.35	9	0.28	14.1	83
C0040336	11.0	0.11	3.7	<0.005	0.40	1.24	25	0.36	9.9	103
C0040337	5.4	0.19	3.7	<0.005	0.19	1.91	25	0.32	11.1	165
C0040338	11.2	0.39	3.9	<0.005	0.17	1.39	26	0.25	12.8	90
C0040339	21.4	0.10	3.8	<0.005	0.25	1.09	13	0.22	9.0	100
C0040340	4.5	0.35	3.4	<0.005	0.41	1.86	19	0.37	8.5	376
C0040341	12.9	0.18	3.4	<0.005	2.71	1.80	6	0.37	8.7	347
C0040342	19.9	0.29	3.5	<0.005	5.42	1.63	12	0.67	9.7	372
C0040343	32.6	0.12	7.3	<0.005	1.50	4.30	85	0.49	18.6	999
C0040344	13.1	<0.05	4.4	<0.005	0.80	5.85	163	0.56	20.8	1630
C0040345	16.5	0.16	6.5	<0.005	0.99	5.31	95	0.42	15.1	1707

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040346	40.3	0.44	1.7	0.142	0.19	0.46	91	9.01	9.6	80
C0040347	10.9	0.19	3.2	<0.005	0.97	1.13	6	0.29	19.5	3293
C0040348	10.6	0.12	4.3	<0.005	0.51	0.29	3	0.33	1.5	44
C0040349	10.0	0.18	7.0	<0.005	0.41	0.38	1	0.23	1.9	38
C0040350	5.0	<0.05	5.1	<0.005	0.31	0.65	<1	0.19	1.9	36
C0040351	7.8	<0.05	7.1	<0.005	0.31	1.68	<1	0.18	4.3	77
C0040352	6.7	<0.05	7.6	<0.005	0.30	2.36	<1	0.22	5.1	91
C0040353	3.9	<0.05	4.4	<0.005	0.38	1.12	<1	0.26	3.9	128
C0040353PD	3.9	<0.05	4.5	<0.005	0.36	1.11	<1	0.29	3.9	123
C0040354	5.5	<0.05	4.8	<0.005	0.35	1.15	2	0.25	5.5	447
C0040355	13.4	<0.05	4.3	<0.005	1.17	1.48	4	0.34	9.4	567
C0040356	14.5	2.61	4.4	<0.005	0.23	1.30	6	0.36	8.7	942
C0040357	10.7	1.14	4.3	<0.005	0.34	1.03	1	0.45	6.9	1167
C0040358	1.6	1.50	5.9	<0.005	0.13	1.46	1	0.43	5.5	112
C0040359	1.8	0.53	6.3	<0.005	0.09	2.77	2	0.62	6.2	70
C0040360	1.7	0.21	6.4	<0.005	0.06	2.41	2	0.37	5.3	69
C0040361	2.9	0.13	5.6	<0.005	0.20	3.51	8	0.53	10.3	111
C0040362	3.3	0.10	5.2	0.009	0.90	3.14	7	1.19	12.7	519
C0040363	4.1	0.34	6.6	0.014	0.41	3.21	12	1.08	13.8	1837
C0040364	3.3	0.39	3.0	<0.005	1.40	2.53	2	0.72	3.8	>10000
C0040365	2.0	0.07	5.7	<0.005	0.95	1.51	1	0.36	2.5	>10000
C0040366	28.7	0.53	0.4	<0.005	31.38	2.87	17	0.95	3.3	>10000
C0040367	2.5	0.12	10.7	<0.005	0.54	1.65	<1	0.27	3.4	8654
C0040368	1.8	0.33	11.0	<0.005	0.60	1.38	<1	0.21	3.3	>10000
C0040369	4.3	0.10	37.1	<0.005	1.07	1.62	2	0.58	5.9	2709

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040370	8.4	<0.05	42.1	<0.005	1.10	1.93	3	0.37	8.5	934
C0040371	13.3	0.12	47.4	<0.005	0.52	4.96	14	0.41	13.1	1464
C0040372	15.7	0.09	45.2	<0.005	0.76	4.57	11	0.36	12.1	569
C0040373	14.8	0.24	48.7	<0.005	0.51	3.77	12	0.40	12.9	117
C0040374	14.0	<0.05	48.1	<0.005	0.49	3.85	11	0.37	11.7	363
C0040375	25.8	<0.05	42.1	<0.005	0.54	3.14	10	0.31	11.4	1214
C0040376	32.9	0.10	42.3	0.006	0.33	1.72	14	0.22	10.4	139
C0040377	28.7	<0.05	45.0	<0.005	0.37	2.04	13	0.26	10.6	221
C0040378	71.3	<0.05	45.8	0.018	0.26	1.96	21	0.14	9.5	170
C0040379	7.3	0.19	28.5	<0.005	1.23	1.19	3	0.58	3.1	5418
C0040380	3.7	0.38	13.5	<0.005	2.32	2.28	2	0.37	2.1	>10000
C0040381	17.5	0.20	33.2	<0.005	0.49	2.36	3	0.51	8.3	1064
C0040382	42.2	0.09	41.0	0.005	0.32	1.76	15	0.16	9.6	415
C0040383	39.3	<0.05	46.7	0.018	0.21	2.56	21	0.37	12.1	261
C0040384	53.3	<0.05	43.5	0.055	0.22	2.93	32	0.26	10.6	320
C0040385	42.4	<0.05	46.7	0.066	0.09	1.83	29	0.28	9.7	131
C0040386	70.4	<0.05	1.7	0.010	10.86	1.56	28	13.60	2.4	23
C0040387	49.9	0.07	45.2	0.074	0.09	1.88	27	0.44	9.3	27
C0040388	41.5	0.06	43.1	0.036	0.16	1.72	22	0.28	9.5	217
C0040389	39.5	0.95	45.6	0.049	0.10	1.35	25	0.30	8.9	100
C0040390	54.3	<0.05	4.6	0.102	0.17	0.81	96	0.38	14.0	36
C0040391	45.3	0.19	3.5	0.181	0.28	0.87	129	0.34	14.7	46
C0040392	32.4	<0.05	4.0	0.097	0.78	0.80	119	0.56	21.8	56
C0040392PD	32.7	0.09	4.3	0.088	0.82	0.80	114	0.57	22.8	56
C0040393	6.0	<0.05	8.8	<0.005	0.11	0.52	3	0.27	22.5	13

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

Sample ID	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040394	5.2	0.29	8.2	<0.005	0.07	0.56	5	0.31	17.8	18
C0040395	4.6	0.07	6.8	<0.005	<0.05	0.50	3	0.20	6.5	11
C0040396	3.6	<0.05	7.1	<0.005	0.17	0.62	3	0.82	8.0	14
C0040397	5.3	0.14	7.6	<0.005	0.05	0.43	3	0.35	7.4	14
C0040398	2.2	0.15	10.9	<0.005	0.06	0.57	1	0.27	11.2	20
C0040399	4.9	0.15	6.7	<0.005	<0.05	0.63	<1	0.11	7.5	13
C0040400	12.7	0.22	6.9	<0.005	0.12	0.48	9	0.29	9.7	30
DUP C0040210										
DUP C0040250										
DUP C0040277										
DUP C0040310										
DUP C0040360										
DUP C0040392										
DUP C0040227	76.4	1.15	40.0	0.075	0.08	1.48	33	0.27	8.3	26
DUP C0040237	25.5	0.06	2.1	<0.005	0.11	0.94	4	0.31	3.9	33
DUP C0040279	4.0	0.64	3.4	0.023	0.14	1.00	32	0.11	9.4	258
DUP C0040356	14.3	2.53	4.5	<0.005	0.23	1.33	7	0.33	8.7	964
DUP C0040373	14.2	0.18	47.5	<0.005	0.52	3.68	13	0.39	12.7	120
DUP C0040304										
STD BLANK	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010781

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 31-Jan-2021
Report Version: Final

	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
STD BLANK	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK										
STD BLANK										
STD BLANK										
STD OREAS 904										
STD OREAS 904										
STD OREAS 904										
STD OREAS 904										
STD OREAS 904										
STD OREAS 25a	17.9	<0.05	10.4	0.063	0.20	1.48	127	<0.05	4.4	31
STD OREAS 600b	26.0	1.96	10.0	0.030	0.49	3.17	3	2.46	7.8	343
STD OREAS 25a	17.2	<0.05	10.9	0.067	0.20	1.50	124	<0.05	4.5	30
STD OREAS 25a	17.8	<0.05	10.8	0.065	0.21	1.46	127	<0.05	4.4	30
STD OREAS 25a	17.2	<0.05	11.7	0.059	0.20	1.53	123	<0.05	4.5	29
STD CDN-ME-1407										
STD MP-1b										
STD OxK160										
STD OxK160										

***Please refer to the cover page for comments
regarding this test report. ***

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Number of Samples: 148
Report Version: Final

COMMENTS:

Detection limit for sodium changed to 0.2% due to matrix interferences.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
Granite Blank	QC-P-BK	--		2.63							<0.05	1.04
Granite Blank	QC-P-BK	--		2.56							<0.05	0.91
C0040401	Core	3.53		2.56							0.10	0.60
C0040402	Core	3.30		2.56							0.45	0.81
C0040403	Core	3.09		2.50							0.10	0.60
C0040404	Core	3.21		2.50							0.07	0.53
C0040405	Pulp	0.17		3.57			154	1.236	1.51	9.21	>100	0.30
C0040406	Core	3.36		2.50							0.23	0.50
C0040407	Core	3.57		2.50							0.12	0.63
C0040408	Core	3.46		2.44							0.19	0.51
C0040409	Core	3.66		2.50							0.09	0.28
C0040410	Core	3.60		2.56							0.08	0.26
C0040411	Core	3.78		2.63							0.17	0.25
C0040412	Core	3.46		2.44							0.05	0.81
C0040413	Core	3.56		2.50							0.06	0.82
C0040414	Core	5.03		2.68							0.18	0.71
C0040415	Core	3.99		2.56							0.07	0.71
C0040416	Core	3.61		2.50							0.10	0.61
C0040417	Core	3.43		2.56							0.23	0.67
C0040418	Core	3.76		2.63							0.23	0.68
C0040418PD	QC-PD	--		2.50							0.23	0.73
C0040419	Core	3.70		2.44							0.10	0.63
C0040420	Core	3.60		2.56							0.11	0.72
C0040421	Core	3.17		2.50							0.12	0.85
C0040422	Core	3.32		2.63							0.52	0.75

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040423	Core	4.00		2.63							0.54	0.45
C0040424	Core	3.79		2.63							0.19	0.54
C0040425	Pulp	0.15		2.70	3.82						52.36	1.31
C0040426	Core	3.95		2.50							0.07	0.93
C0040427	Core	4.47		2.50							<0.05	0.80
C0040428	Core	3.35		2.50							<0.05	0.89
C0040429	Core	3.80		2.63							<0.05	0.68
C0040430	Core	3.93		2.56							<0.05	1.03
C0040431	Core	3.68		2.50							<0.05	1.10
C0040432	Core	3.90		2.63							0.05	0.71
C0040433	Core	3.76		2.56							<0.05	0.98
C0040434	Core	5.13		2.56							<0.05	1.05
C0040435	Core	2.85		2.70							0.06	0.91
C0040436	Core	3.44		2.63							0.05	0.57
C0040437	Core	3.68		2.54							0.09	0.63
C0040438	Core	2.74		2.56							0.64	0.38
C0040439	Core	3.77		2.56							0.10	0.41
C0040440	Core	3.58		2.56							0.72	0.64
C0040441	Core	3.72		2.50							<0.05	0.33
C0040442	Core	3.26		2.56							<0.05	0.33
C0040443	Core	4.09		2.50							<0.05	0.36
C0040444	Core	4.12		2.63							0.07	0.50
C0040445	Pulp	0.15		2.64		9.6					1.34	1.60
C0040446	Core	3.69		2.50							0.16	0.64
C0040447	Core	3.65		2.46							0.06	0.80

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040448	Core	3.75		2.63							0.52	1.21
C0040449	Core	3.25		2.56							0.37	0.69
C0040450	Core	2.98		2.56							0.23	1.12
C0040451	Core	3.10		2.78							3.10	0.69
C0040452	Core	3.41		2.78							11.43	0.39
C0040453	Core	3.27		2.70							19.44	0.29
C0040454	Core	4.43		2.75							3.65	0.41
C0040455	Core	2.78		2.70							11.07	0.33
C0040456	Core	1.50		2.63							15.46	0.43
C0040457	Core	2.58		2.56							1.21	0.90
C0040458	Core	2.65		2.56							0.58	0.79
C0040458PD	QC-PD	--		2.56							0.68	0.80
C0040459	Core	2.30		2.63							0.32	0.69
C0040460	Core	3.99		2.56							0.45	0.60
C0040461	Core	2.25		2.56							1.25	0.48
C0040462	Core	4.64		2.70							0.22	0.34
C0040463	Core	3.52		2.68							0.38	0.65
C0040464	Core	3.72		2.63							0.23	0.64
C0040465	Pulp	0.16		2.70							0.43	0.44
C0040466	Core	3.86		2.63							0.12	0.80
C0040467	Core	3.50		2.63							0.23	0.86
C0040468	Core	4.06		2.70							0.26	0.96
C0040469	Core	8.10		2.63							0.08	0.87
C0040582	Core	9.05		2.70							<0.05	1.02
C0040583	Core	8.44		2.70							<0.05	1.43

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040584	Core	3.38		2.63							0.10	0.33
C0040585	Core	3.68		2.50							0.09	0.45
C0040586	Core	4.40		2.56							<0.05	0.77
C0040587	Core	5.92		2.56							<0.05	0.57
C0040588	Core	2.79		2.56							<0.05	0.59
C0040589	Core	5.11		2.56							0.18	0.60
C0040590	Core	4.88		2.56							<0.05	0.57
C0040591	Core	4.63		2.63							<0.05	0.90
C0040592	Core	4.31		2.63							0.09	1.15
C0040593	Core	3.66		2.56							<0.05	1.03
C0040594	Core	3.75		2.50							<0.05	0.78
C0040595	Pulp	0.16		3.45			155	1.269	1.52	9.33	>100	0.29
C0040596	Core	3.88		2.63							0.09	0.37
C0040597	Core	4.17		2.63							0.13	0.80
C0040598	Core	3.38		2.56							<0.05	0.95
C0040599	Core	3.70		2.63							<0.05	0.64
C0040600	Core	4.46		2.56							<0.05	0.87
C0040601	Core	3.32		2.70							<0.05	0.93
C0040602	Core	4.09		2.63							<0.05	1.05
C0040603	Core	3.24		2.56							<0.05	1.31
C0040604	Core	4.37		2.50							<0.05	0.76
C0040605	Core	5.07		2.63							<0.05	1.17
C0040606	Core	4.70		2.63							0.07	0.98
C0040607	Core	3.01		2.56							<0.05	0.91
C0040608	Core	5.22		2.56							<0.05	0.85

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040609	Core	4.20		2.66							<0.05	0.92
C0040610	Core	4.37		2.50							<0.05	0.85
C0040610PD	QC-PD	--		2.50							<0.05	0.89
C0040611	Core	4.47		2.50							<0.05	1.13
C0040612	Core	4.35		2.56							<0.05	1.19
C0040613	Core	3.66		2.63							0.05	0.81
C0040614	Core	4.16		2.56							0.10	0.83
C0040615	Pulp	0.16		2.56		9.6					1.45	1.73
C0040616	Core	4.14		2.78							0.06	1.42
C0040617	Core	4.45		2.70							<0.05	0.97
C0040618	Core	3.65		2.70							0.12	0.62
C0040619	Core	3.56		2.63							0.25	0.47
C0040620	Core	3.96		2.63							0.05	0.78
C0040621	Core	4.32		2.78							0.14	0.63
C0040622	Core	3.63		2.70							0.08	0.84
C0040623	Core	4.35		2.63							<0.05	1.21
C0040624	Core	3.70		2.70							<0.05	1.92
C0040625	Core	4.54		2.63							0.19	1.14
C0040626	Core	4.05		2.56							<0.05	0.96
C0040627	Core	4.11		2.63							0.09	0.88
C0040628	Core	4.15		2.56							<0.05	1.04
C0040629	Core	4.16		2.70							<0.05	1.18
C0040630	Core	3.91		2.70							<0.05	0.73
C0040631	Core	4.10		2.63							<0.05	1.15
C0040632	Core	4.12		2.70							<0.05	0.70

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010782**

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040633	Core	4.21		2.59							<0.05	0.82
C0040634	Core	3.97		2.59							<0.05	0.51
C0040635	Pulp	0.16		2.63	3.77						54.65	1.39
C0040636	Core	3.66		2.63							0.09	1.46
C0040637	Core	4.16		2.63							<0.05	1.62
C0040638	Core	4.74		2.56							<0.05	1.63
C0040639	Core	4.14		2.94							<0.05	3.05
C0040640	Core	4.10		2.94							0.06	3.27
C0040641	Core	5.21		3.03							0.05	3.45
C0040642	Core	4.50		2.86							<0.05	2.77
C0040643	Core	4.57		2.70							<0.05	2.13
C0040644	Core	5.14		2.86							<0.05	2.46
C0040645	Core	4.41		2.75							<0.05	2.33
C0040646	Core	4.11		2.70							0.17	2.40
C0040647	Core	4.07		2.63							0.29	2.84
C0040648	Core	4.50		2.61							0.12	2.80
C0040649	Core	4.37		2.86							0.06	2.80
C0040650	Core	4.26		2.78							0.09	2.18
C0040651	Core	3.81		2.63							<0.05	3.17
C0040652	Core	5.30		2.83							<0.05	4.05
C0040652PD	QC-PD	--		2.78							<0.05	3.97
C0040653	Core	4.17		2.70							<0.05	3.93
C0040654	Core	4.00		2.68							0.10	2.49
C0040655	Pulp	0.16		2.56							0.37	0.38
C0040656	Core	4.00		2.63							0.06	2.23

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	1	0.001	0.01	0.01	0.05	0.01
C0040657	Core	3.63		2.63							0.22	0.74
C0040658	Core	6.59		2.86		5.3					9.88	0.45
C0040659	Core	2.94		2.70	4.03						2.17	0.56
C0040660	Core	5.27		2.68							0.08	2.76
DUP C0040404											0.07	0.54
DUP C0040438											0.55	0.37
DUP C0040609											<0.05	0.94
DUP C0040651											<0.05	3.32
DUP C0040428				2.50								
DUP C0040452				2.78								
DUP C0040469				2.63								
DUP C0040620				2.63								
DUP C0040660				2.63								
STD BLANK											<0.05	<0.01
STD BLANK											<0.05	<0.01
STD BLANK											<0.05	<0.01
STD BLANK							<1	<0.001	<0.01	<0.01	<0.05	<0.01
STD BLANK					<0.01							
STD BLANK						<0.9						
STD OREAS 600b											25.69	0.60
STD OREAS 25a											<0.05	6.08
STD OREAS 600b											26.47	0.59
STD OREAS 25a											<0.05	6.27

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
STD OREAS 904				2.78								
STD OREAS 904				2.63								
STD OREAS 904				2.68								
STD OREAS 904				2.70								
STD OREAS 904				2.63								
STD MP-1b								3.158	2.18	17.58		
STD CDN-ME-1407							247					
STD OxK160					3.65							
STD OxK160						3.7						

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
Granite Blank	1.6	<0.001	<10	89	<0.05	0.64	<0.05	3.7	11	6.6	1.92	4.0
Granite Blank	1.1	<0.001	<10	78	<0.05	0.56	<0.05	3.2	25	3.9	1.67	3.5
C0040401	9.4	0.004	<10	67	0.26	0.05	<0.05	1.2	32	34.4	1.93	1.9
C0040402	38.0	0.030	<10	90	0.37	0.08	<0.05	2.4	8	65.6	2.85	2.8
C0040403	9.5	0.004	<10	17	0.11	0.06	<0.05	2.3	30	33.1	1.49	2.0
C0040404	12.6	0.020	<10	13	0.10	0.03	<0.05	2.1	29	21.0	1.35	1.3
C0040405	1061.7	0.366	27	13	58.66	1.63	488.28	29.9	15	>10000	17.61	8.0
C0040406	11.4	0.004	<10	10	0.32	0.03	0.11	2.3	22	25.8	1.53	1.2
C0040407	46.6	0.003	<10	15	1.69	0.05	0.08	2.7	6	24.1	1.96	1.8
C0040408	20.2	0.004	<10	13	0.45	0.08	<0.05	0.7	24	23.6	1.48	1.4
C0040409	53.2	0.007	<10	70	0.62	0.06	<0.05	1.0	29	27.6	2.37	1.4
C0040410	61.1	0.005	<10	55	0.50	0.05	<0.05	0.9	24	35.1	3.08	2.0
C0040411	45.7	0.005	<10	72	1.17	0.04	<0.05	1.0	9	29.8	4.02	2.1
C0040412	143.3	0.016	<10	24	0.70	0.13	<0.05	5.5	14	49.7	4.07	2.5
C0040413	141.5	0.003	11	35	0.79	0.10	0.07	6.5	4	68.5	5.39	2.5
C0040414	44.5	0.004	<10	35	4.36	0.10	0.10	5.7	16	70.9	3.79	1.8
C0040415	20.1	0.004	<10	41	0.70	0.07	<0.05	6.3	22	49.7	3.26	2.1
C0040416	10.1	0.003	<10	36	2.51	0.05	0.06	4.0	18	41.2	2.25	1.6
C0040417	27.5	0.011	<10	77	9.67	0.11	0.11	5.7	4	60.0	3.76	2.1
C0040418	46.6	0.008	10	110	2.16	0.12	0.07	4.6	15	28.0	4.92	1.9
C0040418PD	47.2	0.008	<10	140	2.11	0.12	0.06	4.9	3	29.9	4.94	2.1
C0040419	20.2	0.006	<10	37	0.59	0.04	<0.05	3.6	19	29.4	3.65	1.8
C0040420	40.2	0.016	10	37	0.74	0.04	<0.05	7.1	4	46.1	5.54	2.2
C0040421	82.6	0.027	<10	22	0.37	0.05	0.08	8.6	18	63.8	3.99	1.7
C0040422	320.3	0.030	12	34	0.99	0.05	0.54	12.7	7	99.1	3.92	1.6

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040423	278.3	0.065	11	155	1.02	0.03	0.09	3.6	14	29.7	4.74	1.2
C0040424	89.4	0.012	<10	121	0.31	0.04	0.11	9.0	5	30.7	3.06	1.3
C0040425	29.9	3.337	13	123	1.00	0.71	14.86	8.3	27	67.1	3.57	6.6
C0040426	31.8	0.016	<10	45	0.20	0.07	0.10	7.4	11	15.6	3.94	2.7
C0040427	4.7	0.002	<10	79	0.08	0.09	0.07	3.5	4	14.4	2.89	3.6
C0040428	14.5	0.008	11	84	0.22	0.11	0.10	6.7	9	29.9	4.65	2.4
C0040429	82.8	0.002	<10	166	0.24	0.13	0.34	7.0	6	12.8	2.64	3.1
C0040430	6.6	0.001	<10	207	0.24	0.39	0.14	7.5	21	18.1	3.55	5.8
C0040431	18.0	0.003	<10	59	0.53	0.20	1.41	5.6	5	28.5	3.38	5.1
C0040432	10.3	0.004	<10	51	0.63	0.13	0.06	3.7	15	10.4	3.72	4.2
C0040433	7.5	0.001	<10	76	0.20	0.20	0.22	8.0	7	17.9	3.63	5.1
C0040434	7.3	0.002	10	42	0.57	0.15	0.22	12.1	10	33.1	4.70	4.1
C0040435	21.6	0.005	<10	31	1.30	0.13	0.12	8.6	4	35.2	3.28	3.2
C0040436	50.1	0.004	<10	37	0.68	0.09	0.12	3.0	15	16.9	0.98	1.5
C0040437	8.3	0.001	<10	46	1.02	0.12	<0.05	3.2	9	17.0	1.22	1.9
C0040438	47.4	0.886	<10	144	40.71	0.08	0.22	1.7	29	5.4	0.60	0.9
C0040439	38.0	0.133	<10	82	3.98	0.15	0.11	1.5	14	11.5	0.65	1.2
C0040440	38.9	0.006	<10	102	0.49	0.16	0.07	1.9	21	25.6	1.10	3.1
C0040441	17.3	0.001	<10	82	0.12	0.14	0.05	1.0	9	8.4	0.69	1.7
C0040442	21.4	0.001	<10	102	0.16	0.17	0.11	0.9	23	4.3	0.64	1.6
C0040443	15.3	0.001	<10	79	0.21	0.36	0.06	0.8	8	10.3	0.51	1.2
C0040444	55.3	0.001	<10	81	0.55	0.17	0.11	1.2	23	17.2	0.68	1.5
C0040445	35.0	8.282	14	126	1.36	0.84	0.27	13.0	41	766.1	5.08	6.2
C0040446	131.8	0.007	<10	109	1.10	0.20	0.18	2.5	6	23.1	1.06	1.7
C0040447	74.9	0.003	<10	105	1.00	0.23	0.25	5.6	17	16.4	1.52	2.9

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040448	88.7	0.004	11	93	1.56	0.27	0.90	17.4	19	47.3	3.64	4.5
C0040449	114.0	0.005	10	63	1.94	0.16	0.13	4.2	16	95.2	3.58	2.9
C0040450	230.7	0.004	<10	47	1.25	0.23	0.41	7.9	12	74.7	2.77	2.3
C0040451	171.3	0.016	10	47	7.61	0.16	0.90	6.6	16	51.2	2.89	1.4
C0040452	153.0	0.085	11	57	61.87	0.06	0.31	3.9	9	122.4	4.07	0.9
C0040453	178.9	0.148	11	61	111.44	0.04	2.09	2.9	20	246.3	3.46	0.8
C0040454	171.7	0.022	11	137	5.04	0.15	1.40	7.5	9	33.4	3.63	1.0
C0040455	290.4	0.144	10	68	36.35	0.36	0.13	4.6	18	52.0	4.63	0.8
C0040456	264.9	0.144	11	66	45.21	0.41	2.72	15.7	4	85.3	3.95	0.9
C0040457	560.0	0.016	<10	46	8.26	0.12	0.50	6.5	17	36.1	3.79	2.5
C0040458	246.1	0.011	<10	38	5.71	0.06	0.25	4.2	7	37.2	2.10	2.0
C0040458PD	238.0	0.012	<10	37	5.88	0.06	0.25	4.1	14	35.6	2.04	2.0
C0040459	573.2	0.012	<10	31	2.74	0.07	0.76	4.1	6	68.5	2.29	1.7
C0040460	426.2	0.014	<10	69	4.77	0.31	2.22	6.5	13	33.9	2.13	1.4
C0040461	322.2	0.028	<10	69	16.08	1.31	1.33	5.5	14	12.4	1.80	1.0
C0040462	48.4	0.025	<10	63	3.58	1.29	0.29	5.6	18	41.2	1.88	1.3
C0040463	68.9	0.010	<10	21	2.17	0.87	0.35	6.6	8	62.1	2.70	4.3
C0040464	41.5	0.015	<10	20	21.05	1.01	0.20	9.9	20	34.5	2.58	3.8
C0040465	458.9	0.255	14	869	0.19	1.02	0.38	3.8	44	38.9	3.97	2.0
C0040466	83.6	0.009	<10	24	0.55	0.90	0.33	6.5	8	33.9	2.36	3.9
C0040467	161.0	0.037	<10	20	1.07	0.70	1.00	6.7	16	54.1	2.76	3.7
C0040468	113.9	0.011	<10	35	2.59	1.11	0.34	8.8	14	40.2	3.34	5.2
C0040469	56.0	0.032	<10	49	0.61	0.63	0.15	6.0	19	27.9	2.68	4.8
C0040582	10.9	<0.001	<10	43	0.14	0.41	<0.05	3.1	8	10.8	2.19	4.6
C0040583	57.9	<0.001	<10	51	0.12	0.38	0.07	3.5	17	8.9	1.92	4.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040584	132.0	0.004	<10	72	4.68	0.11	<0.05	1.0	8	5.3	2.20	1.3
C0040585	52.8	0.006	<10	98	0.76	0.09	<0.05	3.9	17	48.0	2.54	1.4
C0040586	11.2	0.003	<10	52	0.46	0.06	<0.05	3.3	9	7.3	1.73	1.9
C0040587	12.2	0.003	<10	84	0.19	0.10	0.28	6.7	23	13.7	1.94	2.0
C0040588	11.8	0.002	<10	42	0.37	0.08	0.16	7.1	15	15.5	2.21	1.9
C0040589	26.3	0.080	<10	97	0.71	0.11	0.21	11.6	19	39.6	3.58	2.3
C0040590	12.9	0.003	<10	106	0.33	0.18	0.06	7.4	13	11.8	2.51	1.5
C0040591	5.7	0.001	<10	165	0.36	0.32	0.05	7.8	20	7.4	3.11	4.4
C0040592	5.4	0.002	<10	114	0.14	0.21	0.06	8.3	8	18.1	3.31	6.7
C0040593	8.1	0.001	<10	127	0.11	0.25	<0.05	7.5	34	13.8	2.63	4.4
C0040594	15.1	0.001	<10	42	0.09	0.55	0.26	6.5	24	10.9	2.37	3.0
C0040595	1063.8	0.285	28	<10	59.45	1.64	487.49	27.6	15	>10000	17.75	7.6
C0040596	22.0	0.001	<10	25	3.69	0.68	0.12	2.5	21	21.3	1.57	2.0
C0040597	17.2	0.002	<10	39	0.44	0.26	0.08	5.1	8	61.7	2.84	5.2
C0040598	64.0	0.002	<10	36	0.31	0.19	0.41	7.1	22	20.0	3.74	6.4
C0040599	52.5	0.003	<10	15	0.28	0.11	0.05	3.3	24	17.2	2.89	4.6
C0040600	22.5	0.003	<10	36	0.15	0.14	0.13	4.0	22	16.7	3.04	6.1
C0040601	54.7	0.003	<10	16	0.13	0.12	0.29	5.7	20	14.4	3.02	6.4
C0040602	33.9	0.002	<10	95	0.09	0.13	0.20	6.0	23	12.8	3.03	6.3
C0040603	19.7	0.002	<10	60	0.11	0.15	0.32	9.7	26	6.9	4.27	6.9
C0040604	34.8	0.002	10	31	0.44	0.09	0.39	15.1	15	22.3	4.94	2.1
C0040605	13.8	0.002	<10	139	0.15	0.14	0.24	5.7	25	16.3	2.91	6.3
C0040606	19.4	0.003	<10	99	0.11	0.15	0.14	6.8	24	52.2	3.02	5.6
C0040607	18.3	0.002	<10	40	0.11	0.13	0.48	4.8	26	17.1	3.03	6.3
C0040608	7.7	<0.001	<10	34	0.06	0.10	0.23	3.8	27	12.5	3.09	6.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040609	1.7	<0.001	<10	69	<0.05	0.20	0.26	3.4	23	7.9	3.18	7.0
C0040610	11.1	0.002	<10	304	0.14	0.15	1.53	5.5	17	12.5	3.23	3.4
C0040610PD	11.0	0.002	<10	292	0.14	0.15	1.43	5.6	16	12.9	3.22	3.6
C0040611	9.9	<0.001	<10	167	0.10	0.13	1.15	6.5	19	20.7	2.62	4.3
C0040612	41.0	0.001	<10	108	0.17	0.14	1.32	6.9	25	31.7	3.00	5.5
C0040613	88.8	0.002	<10	44	1.00	0.12	2.67	10.8	22	47.1	3.46	2.7
C0040614	73.8	0.003	10	69	0.81	0.18	1.68	8.6	25	60.3	3.30	3.9
C0040615	33.8	8.563	15	126	1.39	0.84	0.26	13.3	42	779.7	5.09	6.0
C0040616	21.8	0.006	12	73	0.44	0.37	1.07	11.3	23	55.5	4.65	8.2
C0040617	42.2	0.008	<10	48	0.52	0.12	1.02	7.1	20	48.9	3.48	6.1
C0040618	177.7	0.004	<10	26	0.38	0.04	1.27	5.9	21	46.6	3.19	1.6
C0040619	585.6	0.004	<10	45	0.22	0.06	2.37	2.1	22	12.4	2.64	1.1
C0040620	46.5	0.003	<10	13	0.12	0.19	6.19	6.7	19	15.8	3.44	3.2
C0040621	440.7	0.004	<10	42	0.28	0.09	3.85	9.5	23	20.1	2.96	1.2
C0040622	96.7	0.003	13	69	0.63	0.16	8.55	17.8	25	30.6	4.41	3.2
C0040623	14.1	0.001	<10	81	0.24	0.15	3.80	4.9	21	14.9	2.63	6.8
C0040624	273.1	<0.001	11	56	0.35	0.43	8.51	11.1	30	34.3	4.29	8.1
C0040625	142.7	0.006	<10	27	1.45	0.13	7.09	7.1	20	110.0	3.04	5.5
C0040626	27.7	0.002	<10	63	0.28	0.11	5.10	3.9	24	18.0	2.07	4.5
C0040627	14.0	0.001	<10	54	5.35	0.20	1.23	3.5	23	22.0	2.07	4.8
C0040628	2.9	0.001	<10	73	0.12	0.91	0.40	4.1	24	18.8	2.72	6.1
C0040629	21.6	0.001	<10	51	0.19	0.31	4.01	5.9	20	41.4	2.40	5.1
C0040630	25.8	0.002	<10	58	0.40	0.11	4.33	5.5	25	20.5	1.75	4.5
C0040631	6.5	0.004	<10	65	0.27	0.22	1.48	6.3	27	44.2	3.20	6.8
C0040632	7.3	<0.001	<10	65	0.18	0.08	1.70	4.2	31	33.5	1.93	4.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040633	5.1	0.002	<10	71	0.61	0.14	1.15	4.6	26	20.5	2.30	5.2
C0040634	23.8	0.001	<10	45	0.32	0.16	1.36	2.9	25	21.6	1.34	3.1
C0040635	29.0	3.204	13	114	1.04	0.79	15.66	8.2	27	68.9	3.62	6.7
C0040636	118.3	0.003	<10	142	0.77	0.24	3.63	7.3	23	54.8	3.39	6.4
C0040637	291.7	0.002	<10	160	0.52	0.09	1.75	4.5	17	49.5	3.83	5.9
C0040638	148.4	<0.001	<10	126	0.16	0.15	2.61	6.2	23	15.7	2.55	6.0
C0040639	51.1	0.008	<10	192	0.26	1.07	2.56	18.5	31	58.0	4.96	8.9
C0040640	15.9	0.007	<10	194	0.25	0.94	0.41	23.6	29	75.6	5.85	9.1
C0040641	24.3	0.012	11	189	0.20	0.83	0.38	24.0	28	67.6	6.11	9.4
C0040642	36.8	0.004	<10	152	0.23	1.18	2.39	15.7	26	35.1	4.02	7.9
C0040643	5.5	<0.001	<10	430	0.07	0.99	0.53	12.7	32	17.2	3.17	7.3
C0040644	19.0	0.003	<10	250	0.09	1.20	0.11	13.8	63	15.6	3.17	7.2
C0040645	8.4	0.004	<10	229	0.10	1.18	0.10	14.9	39	14.2	3.41	8.4
C0040646	8.0	0.001	<10	263	0.32	1.69	0.13	12.4	37	78.8	3.43	8.4
C0040647	91.5	0.013	15	136	0.90	3.24	16.83	25.4	25	124.1	5.74	10.1
C0040648	78.6	0.003	<10	214	0.31	1.00	10.06	21.0	16	63.7	4.58	8.5
C0040649	125.8	0.003	<10	151	0.30	1.07	10.65	18.0	21	33.9	4.12	8.1
C0040650	109.2	0.005	<10	65	0.21	1.02	10.72	27.3	24	101.5	3.55	6.4
C0040651	286.0	0.001	<10	178	0.40	0.75	5.95	19.5	38	28.2	4.88	9.8
C0040652	44.2	0.013	11	182	0.28	1.79	4.90	17.5	40	21.3	3.87	9.5
C0040652PD	43.3	0.009	<10	182	0.28	1.72	5.40	17.5	37	20.7	3.83	9.7
C0040653	12.3	0.006	11	246	0.20	1.66	0.09	19.1	23	31.5	5.92	10.8
C0040654	581.3	0.002	12	149	0.17	0.98	8.51	17.7	20	77.3	6.53	8.6
C0040655	450.2	0.250	10	1181	0.17	1.05	0.38	3.7	42	43.3	4.01	1.6
C0040656	237.3	0.002	15	143	0.32	1.64	0.82	23.8	20	72.0	6.92	6.9

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040657	674.9	0.002	16	28	0.57	2.11	3.46	21.4	17	52.6	6.38	2.1
C0040658	>10000	5.081	15	27	0.55	2.07	0.41	14.0	18	40.0	5.54	1.2
C0040659	>10000	3.857	17	31	0.29	2.12	0.19	23.0	13	44.8	6.28	1.2
C0040660	75.0	0.030	12	70	0.94	2.77	0.15	22.2	17	56.3	5.95	7.8
DUP C0040404	12.7	0.019	<10	13	0.10	0.03	<0.05	2.2	29	21.2	1.34	1.4
DUP C0040438	46.4	0.823	<10	143	39.28	0.08	0.23	1.7	29	5.1	0.60	0.9
DUP C0040609	1.4	0.001	<10	70	<0.05	0.20	0.27	3.5	23	7.9	3.21	7.1
DUP C0040651	287.3	0.002	<10	178	0.43	0.78	5.82	19.2	38	27.6	4.93	10.6
DUP C0040428												
DUP C0040452												
DUP C0040469												
DUP C0040620												
DUP C0040660												
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK												
STD BLANK												
STD OREAS 600b	101.5	0.204	<10	662	5.65	0.82	2.21	2.2	27	505.4	2.08	3.5
STD OREAS 25a	3.2	0.002	10	63	0.29	0.15	<0.05	5.7	76	24.5	6.23	21.7
STD OREAS 600b	98.3	0.202	<10	654	5.99	0.81	2.12	2.2	27	502.6	2.04	3.5
STD OREAS 25a	2.9	<0.001	12	61	0.30	0.15	<0.05	5.6	75	23.7	6.26	20.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD MP-1b												
STD CDN-ME-1407												
STD OxK160												
STD OxK160												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010782**

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
Granite Blank	0.02	0.14	6.7	0.43	438	1.80	<0.2	2.6	397	1.3	<0.005	0.03
Granite Blank	0.01	0.12	6.1	0.39	387	4.77	<0.2	1.8	362	1.1	<0.005	0.03
C0040401	0.18	0.13	9.7	0.02	102	6.39	<0.2	1.6	51	7.2	<0.005	0.15
C0040402	0.17	0.21	20.5	0.04	142	1.54	<0.2	2.0	95	17.5	<0.005	0.29
C0040403	0.12	0.03	12.4	0.02	137	5.12	<0.2	1.6	29	3.6	<0.005	0.03
C0040404	0.06	0.05	8.8	<0.01	95	5.00	<0.2	1.6	26	6.4	<0.005	0.03
C0040405	18.49	0.06	1.5	0.75	323	34.08	<0.2	59.4	333	>10000	0.034	>10
C0040406	0.04	0.05	6.6	<0.01	98	3.98	<0.2	1.4	41	11.1	<0.005	0.01
C0040407	0.11	0.06	23.2	0.01	121	1.35	<0.2	1.6	222	39.6	<0.005	0.01
C0040408	0.02	0.07	5.7	0.03	26	4.42	<0.2	1.2	49	36.9	<0.005	0.02
C0040409	0.04	0.15	13.0	0.01	45	7.63	<0.2	1.2	48	7.0	<0.005	0.32
C0040410	0.03	0.13	12.4	0.01	63	4.84	<0.2	0.8	153	4.1	<0.005	0.30
C0040411	0.10	0.18	9.1	<0.01	98	1.98	<0.2	1.1	85	5.0	<0.005	0.58
C0040412	0.11	0.08	21.2	0.05	177	3.16	<0.2	1.2	629	6.9	<0.005	0.12
C0040413	0.10	0.10	25.5	0.03	292	1.19	<0.2	1.6	898	6.4	<0.005	0.14
C0040414	0.47	0.12	18.8	0.03	364	3.94	<0.2	2.3	640	13.2	<0.005	0.11
C0040415	0.34	0.08	16.1	0.02	254	0.82	<0.2	9.2	715	8.1	<0.005	0.08
C0040416	0.12	0.09	11.2	0.02	200	2.63	<0.2	3.7	404	8.9	<0.005	0.07
C0040417	0.06	0.20	17.1	0.05	348	2.66	<0.2	1.4	832	11.4	<0.005	0.29
C0040418	0.06	0.23	17.4	0.05	302	3.80	<0.2	1.0	634	14.0	<0.005	0.29
C0040418PD	0.06	0.24	18.6	0.05	306	1.68	<0.2	1.5	631	14.0	<0.005	0.29
C0040419	0.09	0.17	14.9	0.03	232	4.47	<0.2	1.4	581	4.4	<0.005	0.13
C0040420	0.14	0.20	18.0	0.04	396	1.78	<0.2	2.1	699	6.6	<0.005	0.09
C0040421	0.06	0.13	14.9	0.05	450	2.77	<0.2	3.8	489	6.1	<0.005	0.04
C0040422	0.14	0.17	17.5	0.04	1333	2.66	<0.2	9.9	702	31.8	<0.005	0.06

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
C0040423	0.10	0.20	17.6	0.03	180	4.00	<0.2	2.3	615	12.7	<0.005	0.22
C0040424	0.07	0.20	13.1	0.04	535	0.67	<0.2	3.3	374	10.2	<0.005	0.17
C0040425	0.21	0.12	5.4	0.62	390	9.65	<0.2	30.8	520	490.4	<0.005	0.38
C0040426	0.10	0.13	17.8	0.10	478	2.19	<0.2	1.1	668	6.2	<0.005	0.04
C0040427	0.10	0.18	8.2	0.16	238	0.68	<0.2	1.0	420	2.5	<0.005	0.05
C0040428	0.30	0.08	11.4	0.12	531	1.82	<0.2	1.2	786	4.2	<0.005	0.05
C0040429	0.02	0.16	12.4	0.19	920	1.66	<0.2	2.2	385	1.6	<0.005	0.19
C0040430	0.02	0.57	16.5	0.60	1712	3.91	<0.2	1.3	599	1.7	<0.005	0.35
C0040431	0.05	0.33	16.3	0.37	325	0.70	<0.2	1.5	625	3.1	<0.005	0.16
C0040432	0.06	0.15	11.7	0.18	310	2.89	<0.2	0.9	564	1.9	<0.005	0.04
C0040433	0.02	0.21	12.4	0.28	1238	1.81	<0.2	1.5	602	1.5	<0.005	0.02
C0040434	0.06	0.11	14.5	0.18	1597	2.43	<0.2	1.1	614	3.2	<0.005	<0.01
C0040435	0.26	0.10	12.0	0.10	591	0.58	<0.2	2.4	462	8.2	<0.005	<0.01
C0040436	0.09	0.08	2.0	0.04	524	2.47	<0.2	1.2	190	12.9	<0.005	<0.01
C0040437	0.04	0.08	1.7	0.07	145	1.34	<0.2	2.2	225	7.4	<0.005	<0.01
C0040438	0.02	0.15	2.6	0.04	645	5.10	<0.2	1.8	121	20.5	<0.005	0.02
C0040439	<0.01	0.11	4.3	0.04	241	1.14	<0.2	3.5	184	5.2	<0.005	0.01
C0040440	0.01	0.20	4.8	0.18	243	3.39	<0.2	1.5	310	5.7	<0.005	<0.01
C0040441	<0.01	0.09	5.4	0.05	214	0.94	<0.2	1.5	212	3.6	<0.005	0.01
C0040442	<0.01	0.12	11.4	0.04	454	3.76	<0.2	1.3	232	3.3	<0.005	<0.01
C0040443	<0.01	0.11	7.4	0.04	181	0.85	<0.2	1.7	137	6.9	<0.005	<0.01
C0040444	0.01	0.09	7.1	0.08	263	3.62	<0.2	1.5	151	8.1	<0.005	<0.01
C0040445	0.44	0.28	7.8	0.83	537	32.09	<0.2	56.3	694	31.0	0.062	0.64
C0040446	0.02	0.15	10.1	0.09	499	0.73	<0.2	1.9	306	18.2	<0.005	<0.01
C0040447	0.01	0.16	15.3	0.17	707	2.96	<0.2	3.0	307	7.8	<0.005	0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
C0040448	0.03	0.18	17.5	0.31	2756	2.70	<0.2	11.5	531	64.9	<0.005	0.08
C0040449	0.01	0.14	13.0	0.13	312	4.47	<0.2	1.4	466	14.3	<0.005	0.30
C0040450	<0.01	0.10	10.2	0.18	1124	2.13	<0.2	2.8	455	18.3	<0.005	0.02
C0040451	0.02	0.17	10.2	0.08	2298	3.82	<0.2	2.5	481	271.8	<0.005	0.06
C0040452	0.05	0.21	8.4	0.03	512	1.39	<0.2	2.6	291	931.1	<0.005	0.19
C0040453	0.06	0.19	9.1	0.02	701	5.56	<0.2	1.7	294	1378.1	<0.005	0.06
C0040454	0.02	0.22	11.3	0.03	1150	2.85	<0.2	3.4	375	158.4	<0.005	0.22
C0040455	0.04	0.23	5.5	0.03	154	6.97	<0.2	2.2	474	898.4	<0.005	0.53
C0040456	0.03	0.21	3.9	0.03	1203	1.95	<0.2	3.4	486	533.7	<0.005	0.57
C0040457	0.05	0.15	8.9	0.11	136	3.59	<0.2	2.5	541	91.9	<0.005	0.13
C0040458	0.03	0.10	8.8	0.04	63	2.38	<0.2	1.9	297	47.7	<0.005	0.13
C0040458PD	0.03	0.10	8.6	0.04	58	3.59	<0.2	1.6	294	49.3	<0.005	0.12
C0040459	0.05	0.11	13.6	0.04	152	2.01	<0.2	2.5	357	10.1	<0.005	0.07
C0040460	0.13	0.12	9.2	0.10	1841	3.18	<0.2	2.8	337	42.6	<0.005	0.37
C0040461	0.02	0.19	5.4	0.46	1840	1.50	<0.2	10.4	349	92.6	<0.005	0.61
C0040462	<0.01	0.11	8.4	0.29	387	3.00	<0.2	2.4	299	24.8	<0.005	0.80
C0040463	<0.01	0.11	10.9	0.39	536	1.28	<0.2	1.9	367	41.8	<0.005	0.75
C0040464	<0.01	0.11	12.1	0.42	459	3.62	<0.2	1.6	313	21.3	<0.005	1.10
C0040465	3.97	0.09	7.7	0.04	68	13.85	<0.2	16.8	155	15.0	<0.005	0.25
C0040466	<0.01	0.17	12.9	0.39	551	1.87	<0.2	3.6	314	9.4	<0.005	0.49
C0040467	0.02	0.14	12.9	0.30	780	3.15	<0.2	2.2	477	22.9	<0.005	0.53
C0040468	0.01	0.21	13.0	0.57	675	1.36	<0.2	3.3	778	31.4	<0.005	0.95
C0040469	<0.01	0.28	9.2	0.47	458	3.76	<0.2	1.9	346	9.7	<0.005	0.51
C0040582	0.01	0.25	9.6	0.42	311	1.71	<0.2	1.5	331	1.4	<0.005	0.10
C0040583	0.04	0.16	7.3	0.27	294	3.90	<0.2	1.9	291	1.8	<0.005	0.04

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
C0040584	0.57	0.18	10.7	0.03	39	2.71	<0.2	0.8	240	6.8	<0.005	0.21
C0040585	0.21	0.21	14.0	0.03	171	3.56	<0.2	1.2	374	6.2	<0.005	0.13
C0040586	0.15	0.16	11.4	0.04	163	1.63	<0.2	2.6	244	4.8	<0.005	0.06
C0040587	0.14	0.20	12.5	0.06	983	4.45	<0.2	3.1	288	5.8	<0.005	0.01
C0040588	0.20	0.18	13.5	0.05	682	1.85	<0.2	5.8	322	5.4	<0.005	<0.01
C0040589	0.14	0.20	16.5	0.08	972	5.14	<0.2	4.8	330	18.2	<0.005	0.04
C0040590	0.11	0.17	13.2	0.05	610	1.64	<0.2	3.5	460	6.0	<0.005	0.01
C0040591	0.09	0.29	11.8	0.32	532	3.49	<0.2	3.2	321	3.2	<0.005	0.02
C0040592	<0.01	0.29	13.7	0.60	446	2.70	<0.2	2.4	331	3.1	<0.005	0.02
C0040593	0.01	0.35	12.0	0.48	382	4.13	<0.2	8.4	302	2.0	<0.005	0.03
C0040594	<0.01	0.16	11.2	0.35	521	2.17	<0.2	12.7	222	15.2	<0.005	0.04
C0040595	18.56	0.05	1.5	0.75	328	32.87	<0.2	54.3	344	>10000	0.036	>10
C0040596	<0.01	0.10	13.0	0.28	246	3.67	<0.2	1.3	116	5.1	<0.005	0.21
C0040597	<0.01	0.33	10.8	0.36	399	1.94	<0.2	1.6	286	3.9	<0.005	0.32
C0040598	<0.01	0.17	12.9	0.38	495	5.95	<0.2	1.0	266	12.7	<0.005	0.36
C0040599	0.03	0.05	10.0	0.25	381	4.71	<0.2	1.4	273	4.2	<0.005	0.27
C0040600	0.02	0.19	11.7	0.41	404	4.04	<0.2	1.4	294	2.1	<0.005	0.09
C0040601	0.03	0.08	10.5	0.44	425	5.03	<0.2	1.3	280	2.0	<0.005	0.31
C0040602	0.02	0.29	10.5	0.43	416	4.77	<0.2	1.5	275	2.8	<0.005	0.13
C0040603	0.08	0.43	11.2	0.50	609	5.29	<0.2	2.8	327	2.7	<0.005	0.04
C0040604	0.16	0.05	16.5	0.09	1516	3.78	<0.2	3.0	373	5.9	<0.005	<0.01
C0040605	0.02	0.44	11.1	0.48	579	5.27	<0.2	1.7	325	1.6	<0.005	0.06
C0040606	0.03	0.36	11.3	0.42	621	5.69	<0.2	1.8	319	6.7	<0.005	0.09
C0040607	<0.01	0.21	12.4	0.39	504	6.06	<0.2	1.8	250	3.4	<0.005	0.15
C0040608	0.02	0.30	11.7	0.37	389	6.14	<0.2	1.7	264	1.3	<0.005	0.06

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
C0040609	<0.01	0.41	9.5	0.45	429	5.29	<0.2	1.4	306	0.9	<0.005	0.08
C0040610	0.10	0.35	17.5	0.23	1008	3.59	<0.2	1.7	561	8.8	<0.005	0.02
C0040610PD	0.09	0.36	17.9	0.23	1016	3.43	<0.2	1.7	554	8.8	<0.005	0.02
C0040611	0.04	0.37	9.1	0.43	601	3.51	<0.2	1.5	196	2.4	<0.005	0.04
C0040612	0.03	0.37	10.0	0.45	439	4.69	<0.2	1.7	286	2.1	<0.005	0.10
C0040613	0.05	0.08	15.5	0.14	1501	6.23	<0.2	2.0	348	22.8	<0.005	0.08
C0040614	0.02	0.23	11.2	0.27	1046	5.74	<0.2	2.3	380	50.6	<0.005	0.27
C0040615	0.46	0.29	8.1	0.83	549	31.63	<0.2	53.5	707	31.8	0.063	0.64
C0040616	<0.01	0.34	9.8	0.82	794	6.40	<0.2	1.5	304	2.5	<0.005	0.65
C0040617	<0.01	0.12	12.3	0.39	274	3.45	<0.2	1.4	390	2.7	<0.005	0.55
C0040618	0.02	0.11	13.6	0.03	454	3.95	<0.2	2.0	368	25.5	<0.005	0.07
C0040619	0.04	0.22	12.2	0.02	130	4.22	<0.2	1.5	369	130.3	<0.005	0.12
C0040620	0.01	0.06	11.9	0.18	1771	3.81	<0.2	1.7	347	10.5	<0.005	0.29
C0040621	0.07	0.18	8.7	0.04	959	5.84	<0.2	3.4	391	52.4	<0.005	0.46
C0040622	0.06	0.20	11.2	0.19	2847	5.62	<0.2	4.1	469	31.0	<0.005	0.40
C0040623	<0.01	0.30	10.0	0.68	440	3.76	<0.2	1.5	185	12.3	<0.005	0.17
C0040624	0.01	0.17	9.2	1.25	830	3.90	<0.2	4.2	384	5.3	<0.005	0.45
C0040625	<0.01	0.14	12.5	0.40	348	3.79	<0.2	2.2	297	5.8	<0.005	0.58
C0040626	<0.01	0.23	8.4	0.40	385	5.21	<0.2	2.1	204	4.8	<0.005	0.17
C0040627	<0.01	0.31	7.6	0.37	325	3.86	<0.2	2.3	210	7.0	<0.005	0.20
C0040628	<0.01	0.58	8.8	0.44	553	3.98	<0.2	1.9	299	1.9	<0.005	0.24
C0040629	<0.01	0.36	10.0	0.41	452	3.43	<0.2	2.3	309	3.5	<0.005	0.48
C0040630	<0.01	0.19	6.6	0.35	267	3.67	<0.2	2.2	165	4.1	<0.005	0.40
C0040631	<0.01	0.53	9.9	0.61	489	4.58	<0.2	2.8	285	1.7	<0.005	0.56
C0040632	<0.01	0.25	7.7	0.34	252	4.46	<0.2	1.9	135	1.7	<0.005	0.33

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010782**

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
C0040633	<0.01	0.30	6.3	0.38	396	4.14	<0.2	1.6	105	2.9	<0.005	0.47
C0040634	<0.01	0.14	4.0	0.20	174	3.61	<0.2	1.6	121	4.5	<0.005	0.34
C0040635	0.22	0.12	6.4	0.63	405	9.75	<0.2	28.4	526	498.3	<0.005	0.38
C0040636	<0.01	0.45	5.6	0.55	438	3.56	<0.2	1.8	279	5.6	<0.005	0.67
C0040637	<0.01	0.39	5.5	0.49	235	3.37	<0.2	2.1	217	3.8	<0.005	0.28
C0040638	<0.01	0.54	6.8	0.94	321	2.40	<0.2	5.9	239	3.2	<0.005	0.02
C0040639	<0.01	0.88	14.9	1.92	655	2.48	0.2	6.4	1246	2.7	<0.005	0.58
C0040640	<0.01	0.88	11.2	2.24	610	2.34	0.2	6.7	625	2.8	<0.005	0.96
C0040641	<0.01	0.97	11.4	2.35	712	2.54	0.2	6.2	694	2.1	<0.005	0.91
C0040642	<0.01	0.57	15.4	1.65	558	2.12	0.2	5.6	862	2.2	<0.005	0.50
C0040643	<0.01	0.76	22.5	1.57	356	2.19	0.2	6.1	1296	2.6	<0.005	0.11
C0040644	<0.01	0.87	19.1	1.83	408	4.91	0.2	11.2	1023	2.1	<0.005	0.14
C0040645	<0.01	0.96	20.1	1.94	393	3.10	<0.2	10.1	1064	3.0	<0.005	0.12
C0040646	<0.01	0.72	16.6	1.68	586	2.44	<0.2	6.7	941	3.1	<0.005	0.15
C0040647	<0.01	0.43	10.2	2.05	2813	1.82	<0.2	11.1	684	15.9	<0.005	1.08
C0040648	0.02	0.90	6.4	1.80	1231	1.19	<0.2	10.6	730	6.6	<0.005	0.43
C0040649	<0.01	0.62	5.5	1.57	539	3.63	<0.2	9.1	684	3.2	<0.005	0.17
C0040650	<0.01	0.20	6.0	1.30	527	3.42	<0.2	8.6	712	8.3	<0.005	0.18
C0040651	<0.01	0.82	13.0	2.14	617	2.82	<0.2	10.5	782	5.0	<0.005	0.22
C0040652	<0.01	1.23	3.5	2.03	851	4.84	0.4	15.5	237	3.2	<0.005	0.22
C0040652PD	<0.01	1.25	3.5	2.05	830	3.44	0.3	15.5	241	3.1	<0.005	0.21
C0040653	<0.01	1.56	3.5	2.48	756	2.87	0.2	9.4	397	3.8	<0.005	0.69
C0040654	<0.01	0.74	4.0	2.10	1251	4.06	<0.2	4.2	546	7.5	<0.005	0.49
C0040655	3.93	0.10	5.6	0.03	70	13.44	<0.2	16.4	129	14.6	<0.005	0.22
C0040656	0.02	0.64	4.5	2.15	1108	5.50	<0.2	4.9	569	15.8	<0.005	1.17

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
C0040657	0.13	0.23	5.8	1.09	3382	3.20	<0.2	4.0	748	11.3	<0.005	1.22
C0040658	0.19	0.27	4.9	0.69	3358	3.64	<0.2	3.7	781	45.6	<0.005	4.13
C0040659	0.27	0.26	2.6	0.70	2520	1.65	<0.2	14.8	454	13.3	<0.005	5.27
C0040660	0.06	0.27	4.8	1.73	931	1.46	<0.2	13.6	658	5.6	<0.005	1.09
DUP C0040404	0.06	0.05	9.0	<0.01	93	5.06	<0.2	1.6	26	6.4	<0.005	0.03
DUP C0040438	0.02	0.15	2.5	0.04	646	4.98	<0.2	1.7	120	20.1	<0.005	0.02
DUP C0040609	<0.01	0.42	10.6	0.45	436	5.27	<0.2	1.4	303	0.9	<0.005	0.08
DUP C0040651	<0.01	0.82	12.9	2.18	636	2.65	<0.2	10.4	773	5.2	<0.005	0.22
DUP C0040428												
DUP C0040452												
DUP C0040469												
DUP C0040620												
DUP C0040660												
STD BLANK	0.02	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01
STD BLANK												
STD BLANK												
STD OREAS 600b	0.08	0.27	29.6	0.05	254	5.01	<0.2	4.4	239	85.0	<0.005	0.26
STD OREAS 25a	0.06	0.14	13.8	0.21	440	1.69	<0.2	27.2	376	21.0	<0.005	0.05
STD OREAS 600b	0.09	0.27	28.6	0.05	249	5.03	<0.2	4.4	228	84.3	<0.005	0.26
STD OREAS 25a	0.06	0.14	14.1	0.21	433	1.56	<0.2	26.4	391	20.7	<0.005	0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.2	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD MP-1b												
STD CDN-ME-1407												
STD OxK160												
STD OxK160												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Granite Blank	0.09	2.8	<0.2	26.6	<0.05	2.3	0.098	<0.05	0.46	24	0.11	9.2	24
Granite Blank	0.06	2.5	<0.2	23.7	<0.05	2.1	0.089	<0.05	0.42	22	0.19	8.2	22
C0040401	8.06	3.0	0.5	11.3	<0.05	7.0	<0.005	0.09	0.62	3	0.14	8.9	18
C0040402	22.91	3.5	1.0	12.6	0.17	6.6	<0.005	0.11	1.24	4	0.13	16.5	48
C0040403	5.09	3.8	<0.2	3.8	<0.05	7.8	<0.005	0.06	0.70	1	0.33	18.2	15
C0040404	3.56	3.5	<0.2	2.5	<0.05	7.0	<0.005	<0.05	0.89	2	0.17	16.8	39
C0040405	191.83	1.1	213.0	29.3	0.49	0.3	<0.005	29.82	2.66	17	0.87	3.3	>10000
C0040406	5.28	3.1	0.4	1.9	<0.05	8.2	<0.005	0.05	1.21	2	0.13	18.3	68
C0040407	5.79	6.3	0.3	5.3	0.66	5.5	<0.005	0.09	2.17	2	0.13	25.2	70
C0040408	3.81	2.4	0.3	4.3	0.05	8.0	<0.005	0.08	1.16	1	0.11	9.1	42
C0040409	4.89	2.1	1.4	11.6	0.07	5.6	<0.005	0.15	0.61	3	0.12	7.3	26
C0040410	7.37	3.7	1.3	14.3	<0.05	5.1	<0.005	0.55	0.79	4	0.12	7.3	16
C0040411	5.79	3.2	5.3	19.2	0.15	2.4	<0.005	1.66	0.35	3	0.06	5.7	14
C0040412	9.42	11.2	0.4	15.2	0.05	4.7	<0.005	0.73	3.39	6	0.16	22.6	53
C0040413	10.77	16.7	0.4	21.6	<0.05	5.2	<0.005	1.61	1.69	6	0.15	28.0	47
C0040414	18.37	11.3	0.7	24.6	1.78	4.2	<0.005	0.31	1.18	4	0.41	27.7	38
C0040415	12.51	12.7	0.5	21.6	0.20	4.1	<0.005	0.22	0.91	23	0.15	17.0	40
C0040416	10.46	6.3	0.3	13.0	0.82	2.6	<0.005	0.17	0.59	13	0.10	13.2	39
C0040417	14.20	6.1	1.3	32.1	3.84	3.7	<0.005	0.41	1.36	6	0.14	21.4	31
C0040418	6.66	5.3	1.1	29.3	0.73	3.4	<0.005	0.54	0.72	4	0.30	15.3	28
C0040418PD	6.22	5.5	1.1	30.5	0.71	3.5	<0.005	0.53	0.74	4	0.27	15.9	28
C0040419	7.43	6.6	0.5	18.0	<0.05	3.6	<0.005	0.36	0.74	4	0.19	13.9	31
C0040420	9.11	6.7	0.5	5.7	<0.05	3.5	<0.005	0.51	0.71	9	0.18	22.1	62
C0040421	6.29	8.1	0.4	3.7	0.08	3.7	<0.005	0.85	0.76	8	0.16	23.6	76
C0040422	19.72	5.7	0.8	8.6	0.19	3.4	<0.005	0.73	0.65	7	0.16	19.5	149

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040423	11.16	4.0	0.9	15.4	0.33	3.1	<0.005	0.67	0.39	4	0.28	10.4	98
C0040424	7.59	3.4	0.3	8.1	<0.05	2.1	<0.005	0.86	0.30	5	0.15	11.2	76
C0040425	55.38	4.5	0.3	33.9	0.19	1.1	0.117	1.05	0.34	56	3.28	7.5	1508
C0040426	7.96	8.9	<0.2	7.9	<0.05	3.9	<0.005	0.35	1.05	7	0.12	17.4	55
C0040427	3.57	8.2	<0.2	9.0	<0.05	3.1	0.021	0.23	0.52	8	0.13	11.2	25
C0040428	9.05	14.9	0.2	7.5	<0.05	4.1	<0.005	0.23	1.13	17	0.18	16.3	64
C0040429	8.21	8.6	0.3	6.5	<0.05	2.6	0.030	0.34	0.75	10	0.05	23.2	52
C0040430	2.71	10.8	<0.2	17.8	<0.05	3.3	0.112	0.29	0.59	23	0.07	23.7	79
C0040431	4.84	11.3	0.3	5.6	0.08	4.0	0.056	0.51	0.72	9	0.06	17.7	74
C0040432	3.56	11.7	0.4	6.2	0.09	4.0	0.021	0.30	0.70	13	0.09	10.1	56
C0040433	3.73	9.3	<0.2	9.4	<0.05	3.1	0.031	0.30	0.75	9	0.05	13.4	82
C0040434	2.90	13.0	0.2	6.5	0.06	2.8	0.015	0.17	1.31	10	0.28	15.0	67
C0040435	6.79	6.1	0.3	6.4	0.30	2.7	<0.005	0.21	1.21	25	0.24	11.5	77
C0040436	4.56	1.0	<0.2	7.1	0.33	0.4	<0.005	0.23	0.44	3	0.14	4.0	39
C0040437	2.36	2.6	<0.2	12.2	0.41	0.6	<0.005	0.07	0.46	12	0.22	3.6	33
C0040438	2.79	0.3	<0.2	7.4	17.22	0.9	<0.005	0.14	0.33	<1	0.87	2.4	58
C0040439	2.63	0.6	<0.2	13.1	1.19	1.6	<0.005	0.07	0.40	2	0.14	3.1	30
C0040440	4.87	0.9	<0.2	13.4	0.15	1.8	0.013	0.11	0.41	11	0.62	2.5	37
C0040441	1.93	0.6	<0.2	18.7	<0.05	1.9	<0.005	0.06	0.42	5	<0.05	2.2	22
C0040442	1.43	0.8	<0.2	22.0	<0.05	3.6	<0.005	0.10	0.66	5	0.13	3.8	29
C0040443	1.64	0.5	<0.2	36.3	<0.05	2.6	<0.005	0.06	0.42	1	0.06	3.1	21
C0040444	2.34	0.6	<0.2	19.8	0.24	3.0	<0.005	0.06	0.44	2	0.09	3.6	43
C0040445	8.81	6.6	1.6	41.3	0.54	1.5	0.149	0.19	0.48	91	8.21	9.6	76
C0040446	4.20	0.9	<0.2	12.9	0.37	3.5	<0.005	0.13	0.60	2	0.10	6.0	79
C0040447	3.55	2.6	<0.2	20.8	0.30	5.4	<0.005	0.13	0.78	5	0.09	9.6	64

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040448	3.45	14.5	0.5	55.6	0.59	2.8	0.005	0.21	1.26	33	0.24	17.6	245
C0040449	3.95	6.2	1.0	86.4	0.92	3.7	<0.005	0.15	0.78	4	0.48	7.7	101
C0040450	4.55	5.2	0.3	17.3	0.46	3.0	<0.005	0.16	0.81	3	0.09	9.5	237
C0040451	5.23	3.7	0.6	31.5	3.01	3.3	<0.005	0.17	0.80	2	0.16	9.2	336
C0040452	22.30	2.5	2.3	23.8	27.54	2.6	<0.005	0.18	0.34	2	0.22	2.8	342
C0040453	51.89	2.4	1.2	11.7	48.33	3.2	<0.005	0.18	1.13	2	0.18	6.6	582
C0040454	9.19	2.6	1.3	38.6	2.32	5.2	<0.005	0.35	0.80	3	0.17	4.4	479
C0040455	46.73	1.9	2.3	39.0	17.00	4.6	<0.005	0.30	0.43	3	0.18	2.3	349
C0040456	32.64	3.0	2.1	39.9	23.55	2.0	<0.005	0.22	0.48	2	0.36	4.1	413
C0040457	9.27	9.4	1.4	48.8	4.46	4.2	<0.005	0.14	2.10	18	0.41	9.6	497
C0040458	8.81	6.1	1.4	67.2	2.83	4.8	<0.005	0.09	0.88	6	0.20	8.2	240
C0040458PD	8.59	5.9	1.3	65.7	3.23	4.7	<0.005	0.09	0.87	5	0.18	8.0	237
C0040459	19.66	6.2	1.3	38.6	1.20	4.1	<0.005	0.16	1.24	3	0.37	7.9	269
C0040460	27.76	5.1	1.1	40.9	2.24	3.1	<0.005	0.22	0.93	3	0.33	12.6	554
C0040461	15.16	2.3	0.7	38.9	8.32	2.7	<0.005	0.22	0.61	3	0.13	11.4	218
C0040462	1.90	3.1	0.7	58.6	1.90	3.3	<0.005	0.12	0.68	4	0.24	8.0	93
C0040463	1.77	6.7	0.6	33.7	0.76	3.7	0.014	0.12	0.71	7	0.05	11.2	125
C0040464	1.35	5.5	0.8	32.9	9.31	4.2	0.010	0.14	0.85	8	0.07	12.2	63
C0040465	28.59	1.1	1.3	77.5	0.08	1.4	0.010	11.72	1.63	28	14.00	2.5	21
C0040466	3.09	6.1	0.4	25.2	0.23	4.2	0.020	0.26	0.63	6	0.20	13.5	164
C0040467	7.20	7.3	0.4	18.9	0.27	4.1	0.014	0.16	1.02	6	0.13	15.1	363
C0040468	3.60	8.0	0.7	46.3	1.19	4.6	0.031	0.27	1.00	17	0.09	16.1	127
C0040469	5.96	7.0	0.3	26.0	0.18	3.2	0.057	0.18	0.85	10	0.28	14.2	83
C0040582	0.75	6.4	<0.2	12.4	<0.05	4.0	0.101	0.08	0.66	9	0.13	17.4	28
C0040583	3.20	6.8	<0.2	19.7	<0.05	3.1	0.043	0.19	0.92	7	0.17	14.3	39

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040584	18.40	1.9	1.0	25.2	2.12	3.0	<0.005	4.46	0.50	2	0.34	6.6	16
C0040585	15.66	4.3	0.3	50.8	0.11	4.4	<0.005	1.00	0.93	5	0.31	12.6	47
C0040586	2.93	4.7	<0.2	12.6	0.09	3.9	<0.005	0.24	0.95	3	0.16	15.0	36
C0040587	3.78	3.7	<0.2	4.6	<0.05	3.7	<0.005	0.62	0.74	4	0.12	18.1	56
C0040588	6.09	5.2	<0.2	3.8	<0.05	4.0	<0.005	0.36	0.73	8	0.09	17.3	59
C0040589	4.89	7.5	0.3	11.4	0.16	4.2	<0.005	0.49	0.93	19	0.16	23.4	62
C0040590	4.41	4.6	<0.2	5.2	<0.05	3.6	<0.005	0.34	0.52	10	0.11	12.3	44
C0040591	4.61	9.6	<0.2	9.9	<0.05	3.9	0.037	0.47	0.47	44	0.34	13.2	36
C0040592	1.68	8.3	<0.2	8.7	<0.05	4.4	0.031	0.14	0.61	41	<0.05	12.0	37
C0040593	1.31	7.9	<0.2	8.4	<0.05	4.2	0.066	0.19	0.63	35	0.43	10.4	34
C0040594	1.40	5.5	<0.2	20.6	<0.05	4.0	0.008	0.15	0.56	21	1.90	8.1	104
C0040595	194.85	1.0	185.2	28.3	0.35	0.3	<0.005	30.00	2.70	15	0.84	3.3	>10000
C0040596	0.93	4.1	0.2	18.9	1.71	4.2	0.009	0.10	0.87	8	0.07	6.8	34
C0040597	0.94	7.9	0.2	10.0	0.11	3.6	0.058	0.24	0.73	9	0.07	8.7	29
C0040598	2.11	8.0	0.2	7.7	<0.05	4.3	0.024	0.19	0.82	10	0.06	9.1	65
C0040599	2.56	6.4	<0.2	4.8	<0.05	3.7	0.008	0.24	0.70	8	<0.05	9.3	27
C0040600	1.99	7.6	<0.2	5.7	<0.05	4.3	0.037	0.24	0.86	10	<0.05	12.1	40
C0040601	5.90	5.9	<0.2	4.9	<0.05	3.9	0.019	0.46	1.03	8	<0.05	15.1	53
C0040602	3.98	6.6	<0.2	5.2	<0.05	3.9	0.057	0.36	0.71	13	0.06	11.5	42
C0040603	3.62	12.1	<0.2	7.2	<0.05	3.6	0.080	0.50	0.79	40	0.10	15.4	76
C0040604	11.61	10.4	<0.2	7.3	<0.05	4.2	<0.005	0.41	1.55	24	0.12	24.1	80
C0040605	3.50	7.2	<0.2	8.5	<0.05	3.4	0.080	0.25	0.67	13	0.10	12.8	80
C0040606	3.09	7.8	<0.2	6.3	<0.05	4.0	0.076	0.25	0.75	10	0.16	13.6	43
C0040607	2.20	7.4	<0.2	6.1	<0.05	4.1	0.038	0.18	0.80	10	0.06	12.5	73
C0040608	1.93	8.4	<0.2	4.3	<0.05	3.8	0.050	0.14	0.70	9	0.07	10.4	54

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040609	1.47	9.0	<0.2	8.2	<0.05	3.3	0.071	0.13	0.52	11	0.07	8.6	46
C0040610	3.45	5.6	<0.2	6.8	<0.05	5.2	0.043	0.22	0.85	20	0.13	10.6	166
C0040610PD	3.39	5.7	<0.2	6.8	<0.05	5.2	0.043	0.23	0.87	20	0.13	10.7	166
C0040611	2.15	4.8	<0.2	5.7	<0.05	2.9	0.048	0.15	0.63	16	0.11	7.4	171
C0040612	4.62	6.5	<0.2	6.8	<0.05	3.2	0.057	0.32	0.72	11	0.10	8.4	134
C0040613	12.96	6.8	0.4	7.8	0.34	4.1	0.006	0.36	1.14	10	0.10	13.5	416
C0040614	12.80	5.5	0.4	8.5	0.27	3.3	0.020	0.27	0.72	12	0.11	8.4	274
C0040615	9.30	6.4	1.4	41.5	0.50	1.5	0.148	0.19	0.49	91	8.72	9.7	81
C0040616	2.86	7.3	0.3	12.7	<0.05	3.3	0.053	0.42	0.85	12	0.07	11.0	118
C0040617	7.05	7.6	0.3	6.0	<0.05	4.3	0.021	0.37	1.02	17	0.05	10.5	163
C0040618	13.62	4.9	0.2	5.1	0.06	4.4	<0.005	0.38	1.25	7	0.13	9.6	615
C0040619	14.19	2.5	<0.2	10.1	<0.05	4.1	<0.005	0.48	0.82	3	0.15	7.4	403
C0040620	6.18	6.4	<0.2	3.4	<0.05	4.0	<0.005	0.14	1.08	6	0.09	12.4	553
C0040621	13.97	3.5	<0.2	3.5	0.07	3.8	<0.005	0.98	1.67	6	0.13	9.8	610
C0040622	7.43	4.4	0.4	9.4	0.17	4.3	0.006	0.98	1.20	7	0.10	16.3	1305
C0040623	1.28	5.8	<0.2	8.3	0.12	4.5	0.044	0.20	0.84	17	0.05	7.5	222
C0040624	5.58	8.3	0.6	25.5	0.07	4.8	0.021	0.47	0.77	51	0.05	11.8	374
C0040625	7.30	5.9	0.7	6.4	0.79	4.1	0.012	0.34	1.04	14	0.06	12.8	365
C0040626	1.80	4.8	<0.2	6.1	0.20	2.9	0.038	0.17	0.53	21	0.06	7.4	236
C0040627	1.27	5.9	<0.2	6.7	2.31	2.9	0.069	0.13	0.57	12	0.10	8.1	128
C0040628	0.48	8.0	<0.2	14.4	<0.05	3.0	0.125	0.23	0.60	11	0.11	9.7	77
C0040629	3.37	5.1	0.3	7.8	0.10	3.6	0.078	0.17	0.93	10	0.29	11.6	240
C0040630	2.66	3.6	0.2	8.2	0.20	2.6	0.044	0.10	0.71	15	0.08	6.7	176
C0040631	0.97	8.6	0.3	5.2	<0.05	4.0	0.129	0.18	0.93	23	0.15	16.2	172
C0040632	1.05	3.5	<0.2	4.5	<0.05	3.0	0.052	0.11	0.65	15	0.09	7.1	113

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040633	0.58	3.7	0.3	7.1	0.13	3.5	0.048	0.12	0.73	8	0.08	6.7	105
C0040634	0.78	1.9	0.2	6.9	0.16	2.5	0.034	0.06	1.28	9	0.09	5.3	65
C0040635	60.18	4.7	0.3	38.4	0.15	1.3	0.133	1.08	0.39	59	3.34	8.3	1576
C0040636	2.60	5.4	0.5	7.6	0.30	3.4	0.091	0.17	1.03	15	0.12	8.6	258
C0040637	7.38	4.6	0.5	10.6	0.12	2.7	0.055	0.30	1.26	16	0.07	6.1	380
C0040638	7.99	7.5	<0.2	7.3	<0.05	2.6	0.066	0.22	0.87	61	0.08	7.2	298
C0040639	1.58	11.5	0.3	41.9	0.10	3.8	0.142	0.40	0.85	125	0.14	9.3	349
C0040640	1.23	13.2	0.4	36.7	0.05	3.3	0.157	0.41	0.58	147	0.22	6.0	130
C0040641	1.45	14.3	0.4	35.0	<0.05	3.5	0.144	0.36	0.69	155	0.24	6.9	157
C0040642	2.29	10.6	0.2	59.3	<0.05	3.7	0.114	0.33	0.87	111	0.20	7.7	234
C0040643	0.48	7.6	<0.2	26.2	<0.05	7.7	0.159	0.15	1.70	103	0.26	7.6	75
C0040644	4.16	8.0	<0.2	41.2	<0.05	5.0	0.131	0.31	1.22	95	0.18	6.0	36
C0040645	2.40	8.2	<0.2	25.3	<0.05	5.2	0.154	0.32	1.34	118	0.17	7.6	40
C0040646	6.65	8.4	<0.2	39.7	0.15	4.6	0.149	0.32	1.20	110	0.17	7.5	57
C0040647	7.41	11.3	0.8	57.2	0.48	2.3	0.027	0.32	0.68	108	0.11	16.3	1113
C0040648	6.45	9.9	0.3	17.0	0.06	1.7	0.133	0.49	0.56	143	0.10	9.7	764
C0040649	18.56	11.2	<0.2	22.9	<0.05	1.2	0.141	0.34	0.37	152	0.19	10.2	422
C0040650	10.34	9.2	<0.2	17.2	0.09	1.7	0.108	0.19	0.43	121	0.18	9.6	334
C0040651	19.66	9.4	<0.2	14.0	0.17	3.7	0.111	0.27	0.84	140	0.19	9.8	622
C0040652	3.35	11.0	<0.2	72.9	0.10	0.9	0.177	0.42	0.21	188	3.14	5.6	405
C0040652PD	3.61	11.1	<0.2	70.6	<0.05	0.9	0.173	0.44	0.21	186	3.93	5.4	398
C0040653	1.71	14.2	0.3	43.9	0.10	0.6	0.165	1.10	0.17	216	0.11	6.7	62
C0040654	6.76	16.5	0.4	22.6	<0.05	1.0	0.064	0.62	0.32	124	0.07	12.8	781
C0040655	26.82	1.0	1.4	62.6	0.22	1.3	0.009	11.05	1.51	28	13.71	2.3	22
C0040656	6.31	14.0	1.4	39.9	0.18	1.6	0.050	1.18	0.33	111	0.10	7.6	289

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID													
C0040657	17.14	16.4	1.0	32.9	0.28	1.9	<0.005	1.30	0.32	69	0.31	16.0	766
C0040658	59.87	6.0	0.6	29.5	0.23	2.3	<0.005	2.08	0.58	15	0.36	8.4	76
C0040659	48.11	16.5	0.5	33.4	0.10	0.6	<0.005	3.08	0.27	43	0.37	8.1	64
C0040660	17.08	19.2	0.5	79.6	0.41	1.2	0.035	1.16	0.37	155	0.21	11.2	58
DUP C0040404	3.51	3.5	<0.2	2.6	<0.05	7.2	<0.005	<0.05	0.89	2	0.17	17.2	38
DUP C0040438	2.75	0.3	<0.2	7.4	15.83	0.9	<0.005	0.14	0.33	<1	0.86	2.4	58
DUP C0040609	1.46	9.2	<0.2	8.2	<0.05	3.5	0.072	0.13	0.56	11	0.08	8.9	47
DUP C0040651	19.91	10.4	<0.2	13.9	0.23	3.7	0.116	0.28	0.89	143	0.20	9.9	619
DUP C0040428													
DUP C0040452													
DUP C0040469													
DUP C0040620													
DUP C0040660													
STD BLANK	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK													
STD BLANK													
STD OREAS 600b	10.48	1.2	3.2	27.1	1.99	9.7	0.031	0.48	3.13	3	2.47	7.6	345
STD OREAS 25a	0.26	8.8	0.6	17.8	<0.05	10.8	0.110	0.21	1.44	123	0.08	4.7	33
STD OREAS 600b	10.33	1.2	3.2	26.3	1.95	9.5	0.029	0.49	3.05	3	2.52	7.3	334
STD OREAS 25a	0.19	8.5	0.5	17.8	0.05	10.6	0.067	0.20	1.52	121	<0.05	4.5	31

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010782

Project Name: Charlotte
Job Received Date: 13-Oct-2020
Job Report Date: 02-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sb ppm 0.05	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD MP-1b													
STD CDN-ME-1407													
STD OxK160													
STD OxK160													

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Coarse silver may be present in some samples.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
FAS-418	Ag, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6As	As, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
Granite Blank	QC-P-BK	--		2.62									<0.05
Granite Blank	QC-P-BK	--		2.73									<0.05
C0040470	Core	6.66		2.78									0.07
C0040471	Core	7.25		2.70									<0.05
C0040472	Core	7.29		2.70									0.14
C0040473	Core	7.89		2.70									<0.05
C0040474	Core	4.38		2.70									<0.05
C0040475	Core	3.63		2.66									0.32
C0040476	Core	6.37		2.63									0.05
C0040477	Core	7.22		2.73									<0.05
C0040478	Core	9.25		2.66									<0.05
C0040479	Core	7.72		2.70									<0.05
C0040480	Core	7.64		2.73									<0.05
C0040481	Core	7.94		2.63									<0.05
C0040482	Core	7.75		2.73									<0.05
C0040483	Core	8.20		2.68									<0.05
C0040484	Core	7.70		2.70									<0.05
C0040485	Pulp	0.12		3.37				160		1.259	1.53	9.43	>100
C0040486	Core	7.18		2.66									0.06
C0040487	Core	7.40		2.63									0.06
C0040488	Core	8.08		2.70									<0.05
C0040488PD	QC-PD	--		2.68									<0.05
C0040489	Core	7.39		2.70									<0.05
C0040490	Core	7.88		2.66									<0.05
C0040491	Core	7.50		2.70									<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040492	Core	7.44		2.73									<0.05
C0040493	Core	7.64		2.70									<0.05
C0040494	Core	3.23		2.70									0.08
C0040495	Core	3.85		2.63									0.20
C0040496	Core	3.37		2.70									0.06
C0040497	Core	3.36		2.78									0.30
C0040498	Core	2.65		2.63									0.18
C0040499	Core	3.62		2.78									0.15
C0040500	Core	4.91		2.70									0.08
C0040501	Core	1.98		2.70	1.17								30.89
C0040502	Core	2.30		2.86									25.83
C0040503	Core	3.52		2.63									5.36
C0040504	Core	3.64		2.70									0.36
C0040505	Pulp	0.12		2.78		9.6							1.39
C0040506	Core	4.75		2.78									0.08
C0040507	Core	4.34		2.63									0.24
C0040508	Core	2.41		2.50									0.15
C0040509	Core	3.59		2.66									0.07
C0040510	Core	4.13		2.70									0.05
C0040511	Core	3.03		2.75									<0.05
C0040512	Core	5.96		2.70									<0.05
C0040513	Core	1.50		2.70									0.09
C0040514	Core	4.39		2.78									0.65
C0040515	Core	3.08		2.78									3.94
C0040516	Core	4.06		2.86									4.27

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040517	Core	3.54		2.78									1.36
C0040518	Core	3.35		2.81									2.43
C0040519	Core	3.60		2.70									0.43
C0040520	Core	3.87		2.70									0.48
C0040521	Core	3.83		2.73									1.82
C0040522	Core	3.65		2.66									1.22
C0040523	Core	2.74		2.75									0.70
C0040524	Core	5.76		2.73									3.47
C0040525	Pulp	0.12		2.73	3.64								52.37
C0040526	Core	5.82		2.70									0.35
C0040527	Core	3.48		2.78									0.72
C0040528	Core	4.20		2.63									0.22
C0040528PD	QC-PD	--		2.63									0.23
C0040529	Core	3.53		2.66									<0.05
C0040530	Core	3.85		2.70									0.07
C0040531	Core	3.46		2.66									0.13
C0040532	Core	4.15		2.78									0.11
C0040533	Core	3.93		2.68									0.07
C0040534	Core	5.29		2.63									<0.05
C0040535	Core	6.85		2.70									0.08
C0040536	Core	7.16		2.62									0.11
C0040537	Core	6.92		2.59									0.08
C0040538	Core	5.52		2.59									0.16
C0040539	Core	4.86		2.70									0.29
C0040540	Core	6.45		2.73									0.26

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040541	Core	10.07		2.70									0.23
C0040542	Core	6.87		2.66									0.13
C0040543	Core	7.78		2.68									0.88
C0040544	Core	4.18		2.63									1.33
C0040545	Pulp	0.12		2.66									0.40
C0040546	Core	3.91		2.73									3.24
C0040547	Core	3.96		2.73									3.20
C0040548	Core	4.82		2.73									2.28
C0040549	Core	4.74		2.73									0.81
C0040550	Core	3.57		2.68									1.09
C0040551	Core	4.35		2.66									1.58
C0040552	Core	4.34		2.63									2.01
C0040553	Core	4.90		2.66									11.02
C0040554	Core	6.36		2.73									7.41
C0040555	Core	4.88		2.68									13.17
C0040556	Core	4.09		2.70									0.84
C0040557	Core	5.56		2.73									1.92
C0040558	Core	4.51		2.73									0.65
C0040559	Core	4.87		2.59									0.11
C0040560	Core	4.15		2.70									0.69
C0040561	Core	4.25		2.70									2.39
C0040562	Core	4.10		2.76									4.10
C0040563	Core	4.98		2.59									0.15
C0040564	Core	5.98		2.66									0.22
C0040565	Pulp	0.12		3.45				161		1.297	1.52	9.42	>100

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0040566	Core	7.14		2.59									0.12
C0040567	Core	9.72		2.63									0.17
C0040568	Core	7.97		2.70									0.19
C0040569	Core	8.55		2.78									0.95
C0040570	Core	7.03		2.66									1.97
C0040571	Core	7.82		2.86									3.55
C0040572	Core	7.54		2.66									0.13
C0040573	Core	8.51		2.86									0.12
C0040574	Core	7.20		2.66									0.15
C0040574PD	QC-PD	--		2.68									0.16
C0040575	Core	9.75		2.66									0.10
C0040576	Core	8.13		2.78									0.10
C0040577	Core	6.56		2.66									0.07
C0040578	Core	7.77		2.78									0.06
C0040579	Core	7.95		2.73									<0.05
C0040580	Core	6.12		2.78									0.16
C0040581	Pulp	0.12		2.70	3.88								53.00
C0040661	Core	4.32		2.59									<0.05
C0040662	Core	5.63		2.68									3.83
C0040663	Core	6.40		3.03		9.9		191	2.857		1.41	1.69	>100
C0040664	Core	6.07		2.81	3.94	4.3			1.322				85.54
C0040665	Core	2.96		2.78									0.53
C0040666	Core	3.63		2.89									1.41
C0040667	Core	5.75		2.86									2.06
C0040668	Core	3.80		3.28									0.78

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040669	Core	3.93		2.81									0.12
C0040670	Core	3.84		2.78									0.14
C0040671	Core	4.95		2.86									1.04
C0040672	Core	2.57		2.73									1.58
C0040673	Core	3.64		2.66									0.46
C0040674	Core	4.54		2.50									0.18
C0040675	Pulp	0.12		3.48				160		1.284	1.53	9.45	>100
C0040676	Core	5.58		2.46									0.28
C0040677	Core	5.13		2.70									0.12
C0040678	Core	7.63		2.59									0.21
C0040679	Core	9.52		2.50									0.10
C0040680	Core	8.65		2.50									0.09
C0040681	Core	7.73		2.63									0.06
C0040682	Core	5.64		2.53									0.07
C0040683	Core	4.92		2.44									0.15
C0040684	Core	6.26		2.46									0.08
C0040685	Core	3.17		2.78									0.14
C0040686	Core	3.96		2.63									0.13
C0040687	Core	2.86		2.70									0.16
C0040688	Core	2.62		2.73									0.09
C0040689	Core	3.50		2.70									0.17
C0040690	Core	4.08		2.66									0.57
C0040691	Core	2.85		2.63									0.11
C0040692	Core	2.85		2.70									0.11
C0040693	Core	3.71		2.73									0.08

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040694	Core	3.56		2.78									0.26
C0040695	Pulp	0.12		2.70	4.00								51.52
C0040696	Core	3.08		2.70									0.10
C0040697	Core	3.39		2.68									<0.05
C0040698	Core	2.97		2.63									0.28
C0040699	Core	3.67		2.81									0.66
C0040700	Core	3.69		2.81									0.80
C0040700PD	QC-PD	--		2.89									0.73
C0040701	Core	2.82		2.81									0.25
C0040702	Core	4.05		2.66									0.06
C0040703	Core	2.96		2.66									0.10
C0040704	Core	3.51		2.70									0.07
C0040705	Core	3.39		2.66									0.10
C0040706	Core	3.22		2.59									0.14
C0040707	Core	2.13		2.63									0.31
C0040708	Core	2.26		2.63									0.08
C0040709	Core	3.57		2.73									6.81
C0040710	Core	2.81		2.70									2.51
C0040711	Core	3.52		2.73									0.52
C0040712	Core	2.21		2.70									0.53
C0040713	Core	3.20		2.73									5.46
C0040714	Core	4.91		2.70									5.63
C0040715	Pulp	0.12		2.66									0.42
C0040716	Core	6.83		2.73									0.96
C0040717	Core	5.55		2.70									0.64

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0040718	Core	3.28		2.81									0.57
C0040719	Core	3.28		2.81									2.07
C0040720	Core	3.88		2.86	3.71			94	1.265				>100
C0040721	Core	1.95		2.70									0.31
C0040722	Core	3.31		2.86									4.22
C0040723	Core	2.96		2.70									6.38
C0040724	Core	4.29		2.81									10.29
C0040725	Core	2.79		2.78									1.40
C0040726	Core	3.27		2.81									0.86
C0040727	Core	3.60		2.78									0.60
C0040728	Core	3.67		3.37		45.1	1131	>1000	3.471		3.08	6.20	>100
C0040729	Pulp	0.12		2.73		10.2							1.41
C0040730	Core	3.48		2.73									2.32
C0040730PD	QC-PD	--		2.70									2.29
C0040731	Core	2.89		2.66									0.26
C0040732	Core	3.47		2.68									1.69
C0040733	Core	3.39		2.68									0.30
C0040734	Core	3.46		2.78									0.38
C0040735	Pulp	0.11		2.86									0.36
C0040736	Core	3.78		2.68									0.28
C0040737	Core	3.73		2.63									0.08
C0040738	Core	3.60		2.70									0.10
C0040739	Core	3.12		2.70									1.87
C0040740	Core	3.46		2.78									4.13
C0040741	Core	2.76		2.68									0.23

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01			0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0040742	Core	3.74		2.78									0.34
C0040743	Core	1.69		2.78									0.22
C0040744	Core	2.68		2.66									<0.05
C0040745	Core	3.07		2.66									0.09
C0040746	Core	3.62		2.78									<0.05
C0040747	Core	4.04		2.70									<0.05
C0040748	Core	3.58		2.70									<0.05
DUP C0040476				2.66									
DUP C0040525				2.78									
DUP C0040566				2.59									
DUP C0040670				2.83									
DUP C0040694				2.73									
DUP C0040727				2.73									
DUP C0040728							1102						
DUP C0040487													0.06
DUP C0040500													0.08
DUP C0040527													0.73
DUP C0040674													0.19
DUP C0040744													<0.05
STD BLANK							<50						<0.05
STD BLANK													<0.05
STD BLANK													<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													
STD BLANK					<0.01			<1	<0.005	<0.001	<0.01	<0.01	
STD BLANK						<0.9							
STD OREAS 904				2.78									
STD OREAS 904				2.81									
STD OREAS 904				2.70									
STD OREAS 904				2.73									
STD OREAS 904				2.81									
STD OREAS 904				2.78									
STD CDN-ME-1805							2273						
STD OREAS 600b													26.43
STD OREAS 25a													<0.05
STD OREAS 600b													26.30
STD OREAS 25a													<0.05
STD OREAS 600b													26.20
STD MP-1b								49	2.249	3.066	2.12	16.47	
STD CDN-ME-1407								240					
STD OxG140					1.02								
STD OxQ115						25.7							

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
Granite Blank	0.73	1.3	<0.001	<10	61	<0.05	0.52	<0.05	3.3	20	2.8	1.79	3.3
Granite Blank	0.84	1.1	<0.001	<10	63	<0.05	0.60	<0.05	3.4	29	3.1	1.91	3.7
C0040470	0.86	165.4	0.007	<10	59	0.59	0.36	0.33	7.9	22	47.1	3.13	5.3
C0040471	0.52	218.1	0.015	<10	42	0.29	0.34	0.77	5.0	33	27.0	1.93	2.5
C0040472	0.50	328.6	0.005	<10	23	0.39	0.26	0.92	6.6	22	31.3	2.65	2.4
C0040473	0.83	388.8	0.002	<10	54	0.38	0.18	2.04	7.4	34	17.5	2.59	3.7
C0040474	1.53	268.9	0.002	<10	115	0.48	0.38	1.73	8.5	26	14.6	3.23	6.5
C0040475	0.67	654.3	0.003	<10	21	0.75	0.16	4.51	7.9	33	42.0	3.06	2.9
C0040476	0.70	216.2	0.003	<10	29	0.41	0.41	2.01	7.0	24	26.6	2.97	4.1
C0040477	0.69	39.1	0.001	<10	28	0.08	0.11	0.64	6.8	37	21.1	2.43	4.5
C0040478	0.75	50.7	<0.001	<10	46	0.06	0.16	0.44	4.5	24	10.0	2.70	5.3
C0040479	0.71	96.2	<0.001	<10	30	0.07	0.18	0.61	5.0	28	10.0	2.90	4.7
C0040480	0.86	40.1	<0.001	<10	44	0.11	0.22	0.18	5.9	25	9.0	2.85	5.4
C0040481	0.92	10.1	<0.001	<10	52	0.14	0.37	0.27	4.5	32	23.5	2.70	6.3
C0040482	0.80	153.1	0.002	<10	41	0.19	0.36	1.34	6.8	19	18.1	3.71	4.7
C0040483	0.72	50.5	<0.001	<10	54	0.27	0.30	0.18	5.6	28	14.2	3.27	4.6
C0040484	0.82	127.6	0.001	<10	121	4.18	0.41	1.25	6.1	28	12.2	3.36	4.4
C0040485	0.29	1062.9	0.293	28	12	58.27	1.76	458.81	30.3	15	>10000	18.53	7.7
C0040486	0.82	167.1	0.002	<10	97	0.56	0.15	1.72	6.0	23	15.5	3.36	5.1
C0040487	0.97	235.0	0.002	<10	122	0.22	0.22	1.59	8.3	29	22.5	3.59	6.4
C0040488	0.93	72.1	0.003	<10	56	0.36	0.16	0.75	5.6	25	16.9	3.20	6.6
C0040488PD	0.99	71.2	0.001	<10	61	0.24	0.17	0.73	5.4	29	16.5	3.27	7.0
C0040489	1.00	56.6	0.002	<10	52	0.18	0.22	0.71	6.7	22	24.1	3.32	7.1
C0040490	1.06	10.1	0.001	<10	44	0.16	0.20	0.20	4.2	32	9.2	3.05	7.2
C0040491	1.05	18.5	0.001	<10	308	0.96	0.96	0.33	5.8	21	12.1	3.53	6.5

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040492	1.01	39.3	<0.001	<10	97	0.09	0.48	0.29	4.8	34	9.9	3.44	6.4
C0040493	1.07	28.3	<0.001	<10	123	0.17	0.39	0.14	5.7	24	13.6	3.36	6.9
C0040494	0.75	434.7	0.001	<10	39	0.16	1.08	2.67	6.2	26	11.4	2.98	2.5
C0040495	0.74	243.7	0.007	<10	180	0.96	1.84	1.33	8.2	20	20.8	3.62	2.8
C0040496	1.05	72.5	0.002	<10	113	0.06	0.49	0.66	6.2	28	9.2	3.47	4.9
C0040497	0.41	123.6	0.023	<10	40	0.36	1.87	1.06	5.5	24	19.9	3.06	1.0
C0040498	0.50	245.3	0.005	<10	36	0.07	0.32	1.65	3.1	37	64.8	1.60	1.1
C0040499	0.31	358.8	0.025	<10	11	0.88	0.39	2.86	10.7	33	80.0	3.62	1.1
C0040500	0.58	74.0	0.002	<10	27	0.51	0.43	0.71	8.8	31	43.6	3.39	2.7
C0040501	0.57	1809.9	1.334	<10	<10	1.02	0.31	29.27	6.5	15	394.7	2.71	1.7
C0040502	0.62	669.1	0.916	<10	36	0.87	1.26	10.38	11.3	24	103.0	3.63	1.7
C0040503	0.44	375.4	0.103	<10	61	0.22	0.68	4.53	3.8	24	49.9	1.80	1.2
C0040504	0.56	220.9	0.013	<10	<10	0.20	0.77	1.05	5.5	27	37.4	2.76	1.7
C0040505	1.57	35.7	8.747	<10	121	1.34	0.87	0.27	13.3	40	784.5	5.19	5.8
C0040506	0.62	18.0	0.009	<10	<10	0.34	0.76	0.60	8.0	17	25.8	3.04	2.0
C0040507	1.49	57.8	0.018	<10	36	0.18	0.55	0.65	5.3	18	30.4	2.81	3.3
C0040508	1.47	26.4	0.007	<10	121	0.38	0.51	0.31	4.2	13	7.0	2.61	3.2
C0040509	1.02	7.9	0.005	<10	35	0.42	0.59	0.24	6.3	29	11.8	2.77	2.5
C0040510	0.60	4.0	0.003	<10	22	0.31	0.63	0.34	6.7	18	10.1	3.08	2.1
C0040511	2.07	17.7	0.001	<10	272	0.31	0.66	0.10	13.2	11	2.1	5.56	6.9
C0040512	1.43	10.4	0.001	<10	275	0.41	0.81	0.08	17.7	9	4.3	5.03	5.1
C0040513	0.79	19.5	0.003	<10	54	0.67	0.45	0.17	9.8	16	18.1	3.18	3.3
C0040514	0.42	36.9	0.005	<10	96	1.12	1.66	1.57	4.1	20	30.0	2.23	1.0
C0040515	0.62	129.6	0.019	<10	94	20.68	1.84	2.27	15.6	26	78.5	4.26	1.8
C0040516	0.35	492.0	0.187	<10	40	2.96	2.01	2.10	12.0	33	172.2	6.32	1.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040517	0.34	101.2	0.033	<10	131	0.92	1.66	0.77	3.8	31	42.5	1.74	0.8
C0040518	0.32	342.2	0.219	<10	38	3.66	1.70	0.69	5.3	30	35.3	2.13	0.8
C0040519	0.50	199.8	0.034	<10	33	0.19	1.30	0.34	3.7	24	25.7	2.07	1.3
C0040520	0.38	298.7	0.017	<10	47	0.36	1.52	1.69	4.1	24	35.5	1.99	0.9
C0040521	0.31	232.8	0.049	<10	63	1.85	1.33	0.59	7.0	25	43.1	2.94	0.7
C0040522	0.32	233.2	0.027	<10	57	0.59	1.53	1.75	5.9	28	34.2	2.89	0.8
C0040523	0.83	268.3	0.031	<10	26	0.34	1.42	0.22	5.9	20	47.6	2.77	1.8
C0040524	0.54	1255.1	0.332	<10	78	0.26	1.49	0.54	5.1	30	41.0	2.97	1.2
C0040525	1.24	31.7	3.298	<10	109	1.00	0.80	15.48	8.2	26	65.1	3.69	6.7
C0040526	0.50	63.8	0.013	<10	22	0.29	1.04	0.41	5.8	24	38.7	2.86	1.6
C0040527	0.51	200.7	0.012	<10	54	10.70	1.58	0.88	6.6	24	42.5	2.58	1.1
C0040528	0.74	108.6	0.010	<10	41	0.38	1.13	0.17	5.8	18	23.5	2.89	1.8
C0040528PD	0.75	113.2	0.010	<10	39	0.39	1.14	0.17	6.1	22	23.1	2.93	1.8
C0040529	0.67	5.4	0.002	<10	33	0.31	0.35	<0.05	6.7	21	9.2	2.46	4.1
C0040530	0.45	39.0	0.008	<10	32	0.10	0.50	0.06	3.3	26	8.7	2.17	2.1
C0040531	0.64	61.3	0.010	<10	42	0.13	0.38	0.11	5.5	22	18.0	2.86	3.7
C0040532	0.50	34.3	0.004	<10	246	0.18	0.84	0.15	5.3	29	20.7	2.68	2.7
C0040533	1.01	13.0	0.002	<10	274	0.13	2.29	0.05	5.5	17	13.1	2.41	2.3
C0040534	3.63	12.9	0.001	<10	174	0.25	2.72	0.07	19.6	16	25.7	6.30	10.8
C0040535	2.89	7.5	0.003	<10	157	0.14	2.42	0.09	16.0	19	15.2	4.69	9.0
C0040536	1.60	12.4	0.002	<10	54	0.21	3.39	0.11	10.2	27	27.4	4.14	4.2
C0040537	1.41	103.1	0.002	<10	133	0.30	1.30	<0.05	6.7	18	18.7	3.55	5.7
C0040538	1.63	40.8	0.006	<10	32	0.18	2.29	0.06	5.7	16	32.9	3.52	3.5
C0040539	1.54	76.4	0.013	<10	110	0.23	1.74	0.11	6.7	14	23.0	4.16	3.0
C0040540	0.74	24.7	0.005	<10	17	0.19	0.92	0.12	6.5	18	18.0	3.32	1.9

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040541	0.84	20.8	0.004	<10	60	0.14	1.12	0.11	6.3	22	24.0	3.28	2.4
C0040542	0.60	42.3	0.016	<10	63	0.19	1.04	0.12	5.9	16	10.2	3.57	2.1
C0040543	0.66	48.6	0.026	<10	166	0.27	0.69	2.19	5.7	17	24.5	3.33	1.9
C0040544	0.58	68.3	0.275	<10	11	0.51	0.59	4.43	6.9	14	36.6	3.32	1.6
C0040545	0.41	439.9	0.262	<10	1160	0.18	1.09	0.39	3.7	43	37.8	4.11	1.9
C0040546	0.62	798.6	0.110	<10	13	0.47	1.09	9.35	7.1	17	74.2	3.39	1.5
C0040547	0.42	132.8	0.057	<10	17	0.86	1.79	5.23	13.0	17	130.4	2.87	1.0
C0040548	0.42	164.4	0.083	<10	25	1.44	1.88	7.79	8.7	20	50.7	2.50	1.0
C0040549	0.54	80.2	0.009	<10	19	0.76	0.97	2.50	7.3	22	79.4	2.57	1.4
C0040550	0.56	29.1	0.007	<10	13	0.94	1.64	0.48	5.5	24	38.3	2.45	1.5
C0040551	0.55	53.9	0.016	<10	22	0.40	1.21	9.45	5.6	23	59.8	2.17	1.3
C0040552	0.38	302.6	0.065	<10	24	0.17	0.70	1.41	3.0	24	19.4	2.07	0.9
C0040553	0.27	462.5	0.235	<10	34	0.98	0.04	25.56	2.2	31	34.5	2.12	0.7
C0040554	0.31	515.9	0.219	<10	41	0.94	0.08	22.15	2.7	24	25.6	2.60	0.9
C0040555	0.44	542.3	0.383	<10	35	2.15	0.19	36.58	9.6	21	55.9	4.27	1.2
C0040556	0.62	39.0	0.049	<10	48	0.37	1.81	1.97	3.0	16	4.8	1.68	1.6
C0040557	1.16	247.5	0.119	<10	83	0.46	1.87	6.85	4.8	17	12.7	2.15	3.0
C0040558	1.80	54.6	0.012	<10	312	0.28	1.72	0.93	7.5	23	27.6	3.02	5.9
C0040559	2.01	4.8	0.003	<10	151	0.10	0.71	0.20	6.2	30	4.6	2.66	6.6
C0040560	0.54	52.6	0.012	<10	66	0.17	0.30	0.32	3.1	16	6.5	1.10	1.4
C0040561	0.43	40.7	0.027	<10	63	1.60	0.23	2.70	2.0	21	24.5	0.90	1.1
C0040562	0.35	388.3	0.302	<10	55	5.53	0.12	3.20	2.3	19	18.4	2.29	0.9
C0040563	0.37	23.8	0.006	<10	42	0.12	0.33	0.16	0.8	23	5.4	0.59	0.9
C0040564	0.39	22.6	0.015	<10	47	0.16	0.47	0.23	1.0	17	2.9	0.66	0.8
C0040565	0.32	1063.0	0.304	17	14	59.11	1.75	469.12	29.0	15	>10000	18.38	8.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040566	0.50	4.6	0.002	<10	278	0.14	1.22	0.33	0.9	20	6.2	0.59	1.2
C0040567	0.48	3.5	0.002	<10	179	0.17	1.52	0.64	1.2	14	3.1	0.74	1.1
C0040568	0.36	3.3	0.003	<10	813	0.16	1.41	0.70	0.8	22	7.6	0.49	0.9
C0040569	0.38	5.4	0.004	<10	403	0.20	1.25	0.44	1.2	17	8.0	0.71	1.0
C0040570	0.33	35.0	0.011	<10	69	0.66	1.14	11.73	2.2	19	11.6	1.22	0.8
C0040571	0.38	98.1	0.038	<10	111	1.07	1.22	88.05	2.7	17	15.1	1.64	1.1
C0040572	1.28	3.2	0.001	<10	182	0.34	1.15	0.30	3.1	23	9.1	1.89	4.3
C0040573	0.82	3.4	0.002	<10	178	0.38	1.38	0.28	3.0	23	9.1	1.92	3.1
C0040574	0.85	3.1	0.002	<10	143	0.79	0.76	0.25	1.6	27	8.7	1.65	3.3
C0040574PD	0.74	2.8	0.002	<10	146	0.72	0.77	0.26	1.4	30	7.9	1.55	2.8
C0040575	0.76	2.7	0.002	<10	387	0.34	0.77	0.35	1.8	29	20.1	1.28	2.8
C0040576	0.41	2.2	0.002	<10	209	0.38	0.79	0.37	1.7	23	11.6	1.05	1.5
C0040577	0.34	2.4	0.002	<10	329	0.28	0.67	0.22	1.3	30	8.4	0.92	1.3
C0040578	0.86	2.3	0.001	<10	165	0.27	0.86	0.14	2.9	24	9.7	1.96	3.5
C0040579	1.01	2.0	0.001	<10	180	0.31	0.78	0.07	3.7	31	7.3	2.15	3.9
C0040580	0.97	4.7	0.004	<10	331	4.11	1.42	0.82	4.4	22	20.0	1.89	4.2
C0040581	1.21	31.2	3.072	11	110	1.04	0.74	15.95	7.9	26	70.1	3.56	6.3
C0040661	3.09	104.1	0.008	10	96	0.18	2.73	0.05	19.9	15	39.2	5.95	7.6
C0040662	0.75	2156.1	0.233	14	46	0.42	2.84	7.35	22.4	10	31.3	6.48	1.8
C0040663	0.27	>10000	9.547	14	26	1.55	1.99	188.85	9.0	23	645.7	7.01	1.3
C0040664	0.48	>10000	4.690	14	31	3.30	1.29	60.75	16.0	16	157.8	6.40	1.4
C0040665	0.57	256.3	0.080	17	40	0.87	4.35	0.40	23.0	14	13.9	5.06	1.3
C0040666	0.40	236.5	0.022	16	56	1.42	4.62	2.76	24.2	14	35.8	5.65	1.0
C0040667	0.50	228.5	0.028	17	72	3.05	4.41	1.49	20.4	14	20.2	5.24	1.3
C0040668	0.48	261.8	0.061	15	39	0.65	4.25	0.47	9.9	20	26.5	4.23	1.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040669	0.99	15.5	0.005	13	61	0.42	3.00	0.30	14.5	15	70.6	5.07	2.9
C0040670	1.20	15.1	0.006	14	81	0.59	2.31	0.28	17.2	13	93.0	6.04	3.3
C0040671	0.91	85.7	0.032	14	61	1.65	2.81	2.28	19.2	14	30.9	5.82	2.2
C0040672	0.75	404.2	0.042	13	101	1.05	3.87	0.33	14.3	30	6.0	5.63	1.9
C0040673	0.69	521.4	0.010	<10	135	0.58	2.23	0.33	11.8	26	21.5	3.80	1.6
C0040674	1.80	193.3	0.004	<10	169	1.47	1.88	0.07	12.6	22	7.3	3.84	4.7
C0040675	0.32	1054.3	0.328	28	11	62.10	1.74	451.29	28.2	15	>10000	18.49	8.1
C0040676	1.71	121.6	0.006	<10	160	1.96	2.73	0.10	12.6	14	9.1	4.22	4.4
C0040677	1.70	42.3	0.005	<10	140	1.69	1.38	0.06	13.8	18	6.1	3.88	6.2
C0040678	1.71	12.0	0.004	<10	162	5.49	2.93	0.19	14.3	33	25.4	4.02	5.6
C0040679	2.01	6.6	0.003	<10	316	1.82	2.47	0.10	13.0	44	4.6	3.61	5.9
C0040680	1.75	33.9	0.003	<10	212	1.17	2.08	0.10	12.6	29	11.7	4.04	5.7
C0040681	1.43	4.6	0.008	13	124	0.98	1.35	0.16	14.0	47	7.8	3.72	5.6
C0040682	1.39	10.4	0.006	<10	210	0.32	1.49	0.53	12.9	37	24.0	2.71	5.3
C0040683	1.36	14.9	0.003	<10	40	0.44	2.28	0.22	18.9	32	40.1	3.49	3.7
C0040684	2.40	9.5	0.003	10	234	0.96	2.19	0.07	20.3	29	34.2	5.25	6.6
C0040685	1.44	32.3	0.004	<10	262	0.47	0.85	0.06	16.5	19	41.7	4.22	5.1
C0040686	0.84	221.6	0.001	<10	32	0.55	0.67	0.07	11.0	19	16.4	2.98	2.4
C0040687	0.89	477.1	0.004	<10	319	0.75	1.10	0.20	11.5	88	15.9	3.57	2.6
C0040688	0.90	900.2	0.003	<10	329	1.72	2.26	0.23	15.7	111	6.4	5.05	3.2
C0040689	0.80	606.7	0.005	<10	88	2.11	1.20	0.16	10.8	15	20.1	4.12	2.0
C0040690	0.62	261.4	0.012	12	301	1.89	2.04	0.30	6.2	30	21.5	2.84	1.4
C0040691	1.03	73.3	0.002	<10	96	0.77	0.37	0.24	8.2	17	22.3	3.49	3.3
C0040692	0.99	101.9	0.002	<10	191	0.73	1.17	0.10	11.9	26	17.1	3.27	3.0
C0040693	0.65	128.6	0.002	<10	466	0.34	1.40	0.05	6.6	28	7.5	2.33	1.4

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040694	0.62	138.0	0.003	<10	80	0.80	2.64	0.09	7.5	29	5.2	3.53	1.2
C0040695	1.24	30.5	2.984	13	106	0.93	0.74	14.76	8.2	26	65.7	3.61	6.2
C0040696	0.51	186.8	0.004	<10	713	0.12	3.04	0.11	8.8	34	23.6	2.41	1.2
C0040697	0.59	95.6	0.004	<10	595	0.18	2.77	0.06	8.9	40	11.3	2.96	1.5
C0040698	0.67	530.0	0.005	10	237	0.80	1.40	0.34	12.7	33	8.8	4.13	1.8
C0040699	0.56	174.4	0.011	13	70	1.46	2.92	0.26	11.5	19	5.7	4.38	1.2
C0040700	0.61	157.2	0.019	16	46	1.75	3.32	0.28	25.7	18	3.5	5.82	1.3
C0040700PD	0.52	157.0	0.017	13	39	1.73	3.31	0.23	25.1	19	3.8	5.70	1.1
C0040701	0.83	589.1	0.005	12	42	1.13	0.36	0.36	17.5	26	6.5	5.21	1.9
C0040702	1.55	245.1	0.002	18	202	1.17	0.47	0.15	24.5	74	7.4	8.61	5.3
C0040703	1.21	267.9	0.003	<10	329	0.81	0.28	0.06	11.6	66	32.7	3.36	3.1
C0040704	1.86	129.1	0.003	<10	425	0.51	0.34	0.46	15.2	50	20.5	4.71	6.7
C0040705	2.38	2.6	0.004	<10	436	0.54	0.31	0.25	18.7	36	30.8	4.46	10.1
C0040706	1.26	23.7	0.006	<10	209	0.59	0.26	1.07	16.8	37	45.3	3.15	4.1
C0040707	0.85	70.5	0.005	<10	80	8.93	0.24	1.73	9.9	22	14.2	2.63	2.4
C0040708	0.84	61.2	0.002	11	230	1.91	0.30	1.89	13.6	18	21.3	3.36	2.8
C0040709	0.68	1259.8	0.423	10	60	1.01	0.13	42.42	13.3	18	28.8	3.48	1.9
C0040710	0.41	471.8	0.085	11	80	0.51	0.07	7.97	3.3	19	4.8	1.98	0.9
C0040711	0.36	13.9	0.006	<10	238	0.27	0.05	3.03	1.4	20	3.4	0.96	0.8
C0040712	0.43	10.4	0.005	11	161	0.29	0.10	2.06	1.1	18	2.7	1.14	0.9
C0040713	0.39	486.8	0.118	12	127	0.91	0.44	4.72	1.8	15	17.4	1.56	0.9
C0040714	0.31	674.3	0.161	<10	58	0.66	0.19	21.13	1.0	21	34.5	1.41	0.8
C0040715	0.36	433.4	0.264	12	985	0.18	1.10	0.38	4.0	40	40.8	4.09	1.7
C0040716	0.34	71.7	0.022	<10	111	0.44	0.29	0.91	2.4	21	8.9	1.51	0.7
C0040717	0.32	8.0	0.007	10	192	0.40	0.29	0.25	1.0	18	6.8	0.89	0.7

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040718	0.42	11.4	0.008	<10	74	0.74	0.87	0.11	4.4	22	6.6	2.14	1.1
C0040719	0.40	122.4	0.098	<10	75	1.16	0.96	1.09	4.6	20	9.6	2.18	1.1
C0040720	0.36	>10000	3.604	12	20	0.75	0.19	34.04	3.4	25	293.8	4.89	1.1
C0040721	0.48	21.2	0.009	<10	59	0.65	0.68	0.10	3.5	21	4.9	2.06	1.3
C0040722	0.45	266.9	0.088	10	38	4.81	0.80	7.39	8.0	20	11.0	2.79	1.2
C0040723	0.37	415.5	0.157	<10	74	1.11	0.62	13.52	2.9	14	23.6	1.95	1.0
C0040724	0.35	295.8	0.168	<10	54	0.26	0.42	23.57	2.7	16	27.8	2.03	0.8
C0040725	0.29	21.0	0.020	<10	53	0.33	1.00	1.59	2.1	17	3.6	1.32	0.7
C0040726	0.36	104.1	0.039	<10	79	0.28	0.31	1.47	3.0	15	2.3	2.18	0.8
C0040727	0.36	166.1	0.031	<10	218	0.14	0.32	2.74	1.4	17	2.8	0.87	0.9
C0040728	0.26	>10000	>25	19	20	12.02	0.18	>1000	2.1	23	4002.6	10.92	3.4
C0040729	1.66	34.9	9.001	17	131	1.35	0.82	0.29	13.5	41	783.2	5.05	5.7
C0040730	0.38	380.2	0.108	<10	111	0.54	0.71	6.43	3.9	17	10.5	1.98	1.1
C0040730PD	0.35	380.1	0.102	10	94	0.53	0.71	6.67	3.8	17	10.2	1.99	1.0
C0040731	0.76	32.4	0.011	<10	268	0.41	0.56	0.67	4.3	16	15.6	1.35	2.6
C0040732	0.53	422.0	0.101	<10	107	3.74	0.18	0.72	1.6	20	28.9	2.19	1.4
C0040733	0.50	331.1	0.011	<10	75	0.62	0.12	0.42	1.7	16	20.9	3.48	1.5
C0040734	0.43	808.8	0.046	<10	555	0.58	0.09	0.86	1.8	23	28.6	3.72	1.2
C0040735	0.44	432.3	0.246	12	996	0.17	1.09	0.37	4.1	43	41.5	4.05	1.9
C0040736	0.48	471.0	0.035	10	154	1.98	0.11	0.72	4.8	15	50.5	4.31	1.5
C0040737	0.45	233.1	0.012	<10	91	0.59	0.08	0.40	3.7	16	16.1	1.94	1.4
C0040738	0.42	414.9	0.014	<10	85	0.31	0.06	0.75	2.3	17	17.4	2.38	1.5
C0040739	0.26	971.0	0.336	<10	108	0.42	0.08	0.58	1.0	20	16.2	1.93	0.9
C0040740	0.28	1872.2	0.791	<10	124	0.48	0.08	0.95	0.6	22	26.4	2.22	1.0
C0040741	0.35	353.2	0.017	10	66	0.44	0.07	0.36	1.7	21	18.5	2.44	1.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040742	0.29	641.6	0.026	<10	59	1.81	0.07	1.19	2.6	21	27.4	3.07	0.8
C0040743	0.27	394.6	0.050	<10	34	1.95	0.05	1.21	4.4	26	44.0	1.96	0.6
C0040744	0.49	87.2	0.004	<10	29	0.25	0.07	0.60	3.3	17	26.5	1.75	1.3
C0040745	0.59	104.8	0.006	<10	30	0.34	0.09	0.52	1.4	18	26.2	2.04	2.7
C0040746	0.86	5.8	0.003	<10	49	0.16	0.15	0.13	2.7	18	18.0	2.82	5.8
C0040747	0.85	5.6	0.007	<10	33	0.17	0.15	0.19	4.5	19	19.1	2.93	6.0
C0040748	0.96	12.1	0.005	<10	61	0.28	0.18	0.27	7.8	21	14.6	3.20	6.1
DUP C0040476													
DUP C0040525													
DUP C0040566													
DUP C0040670													
DUP C0040694													
DUP C0040727													
DUP C0040728													
DUP C0040487	0.97	232.1	0.001	<10	122	0.22	0.22	1.63	8.2	29	22.0	3.58	6.3
DUP C0040500	0.64	74.8	0.002	<10	28	0.52	0.43	0.70	9.0	31	43.8	3.42	2.9
DUP C0040527	0.50	198.5	0.011	<10	53	10.73	1.57	0.86	6.6	24	42.1	2.56	1.1
DUP C0040674	1.73	194.5	0.006	<10	164	1.46	1.88	0.07	13.0	21	7.4	3.83	4.6
DUP C0040744	0.51	84.5	0.003	<10	29	0.25	0.07	0.58	3.3	17	27.0	1.74	1.4
STD BLANK													
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK													
STD BLANK													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD CDN-ME-1805													
STD OREAS 600b	0.58	101.2	0.197	<10	685	5.79	0.86	2.19	2.3	26	520.0	2.14	3.5
STD OREAS 25a	5.94	2.9	0.001	<10	59	0.29	0.16	<0.05	6.1	75	23.9	6.43	21.8
STD OREAS 600b	0.61	100.0	0.206	<10	626	5.89	0.86	2.13	2.1	26	517.6	2.13	3.5
STD OREAS 25a	5.81	3.0	<0.001	15	60	0.29	0.16	0.05	5.6	74	25.0	6.31	20.8
STD OREAS 600b	0.58	98.6	0.202	<10	676	5.47	0.87	2.10	2.2	27	505.1	2.13	3.3
STD MP-1b													
STD CDN-ME-1407													
STD OxG140													
STD OxQ115													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
Granite Blank	<0.01	0.10	5.8	0.37	397	4.24	0.12	1.6	385	1.3	<0.005	<0.01	0.07
Granite Blank	<0.01	0.11	6.0	0.38	413	6.10	0.14	1.4	389	1.1	<0.005	0.03	0.13
C0040470	<0.01	0.26	10.2	0.49	536	5.21	0.09	2.2	269	3.7	<0.005	0.70	4.93
C0040471	0.02	0.10	8.8	0.23	423	6.17	0.07	2.1	158	3.9	<0.005	0.20	8.50
C0040472	0.02	0.06	8.5	0.19	499	5.16	0.06	2.6	189	4.9	<0.005	0.41	9.86
C0040473	<0.01	0.19	8.6	0.40	261	7.28	0.06	2.9	106	2.4	<0.005	0.38	6.31
C0040474	<0.01	0.47	10.8	0.70	287	6.16	0.13	3.6	259	1.8	<0.005	0.32	4.22
C0040475	0.02	0.15	10.9	0.19	391	6.13	0.04	5.3	266	13.4	<0.005	0.56	15.78
C0040476	0.01	0.19	8.9	0.48	443	4.79	0.07	4.2	232	5.1	<0.005	0.64	3.42
C0040477	<0.01	0.25	6.5	0.43	330	6.52	0.09	1.9	152	0.8	<0.005	0.33	1.76
C0040478	<0.01	0.31	8.0	0.43	314	5.11	0.11	1.7	188	3.2	<0.005	0.21	1.48
C0040479	0.02	0.25	9.4	0.37	447	5.93	0.07	1.5	210	5.4	<0.005	0.23	1.21
C0040480	<0.01	0.44	9.1	0.42	337	7.23	0.08	1.7	226	1.5	<0.005	0.19	1.60
C0040481	<0.01	0.32	12.0	0.43	307	7.71	0.11	1.5	221	1.5	<0.005	0.37	0.27
C0040482	0.02	0.26	11.0	0.36	650	5.87	0.06	1.7	278	7.5	<0.005	0.42	2.80
C0040483	0.03	0.26	10.4	0.37	409	5.29	0.08	1.7	190	3.3	<0.005	0.25	2.56
C0040484	<0.01	0.39	6.9	0.41	469	6.68	0.07	1.4	193	6.1	<0.005	0.38	2.00
C0040485	18.75	0.06	1.4	0.75	338	35.49	<0.01	55.7	347	>10000	0.034	>10	245.39
C0040486	0.06	0.42	7.6	0.38	422	5.49	0.07	1.5	202	5.9	<0.005	0.34	2.16
C0040487	0.06	0.39	9.8	0.45	404	5.46	0.08	2.5	357	20.4	<0.005	0.42	1.85
C0040488	0.03	0.37	9.0	0.42	323	4.91	0.11	1.4	213	4.7	<0.005	0.38	0.82
C0040488PD	0.02	0.40	9.3	0.44	337	5.88	0.11	1.6	228	4.2	<0.005	0.33	0.79
C0040489	0.03	0.38	8.1	0.44	433	5.98	0.08	1.7	234	2.0	<0.005	0.34	1.77
C0040490	0.02	0.50	8.5	0.45	279	6.26	0.15	1.6	196	0.8	<0.005	0.15	0.45
C0040491	0.02	0.52	9.3	0.62	573	4.35	0.11	1.9	473	6.6	<0.005	0.33	0.92

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040492	0.02	0.53	8.9	0.53	500	6.29	0.08	1.6	316	1.2	<0.005	0.23	1.16
C0040493	0.01	0.50	8.7	0.50	388	4.73	0.10	1.8	265	1.4	<0.005	0.42	1.08
C0040494	0.04	0.25	7.0	0.42	812	4.69	0.01	2.3	346	3.0	<0.005	0.26	3.20
C0040495	0.06	0.30	10.2	0.65	1254	3.91	0.03	2.0	405	5.0	<0.005	0.34	5.78
C0040496	<0.01	0.55	8.0	0.57	729	5.93	0.06	2.0	249	1.1	<0.005	0.19	1.62
C0040497	0.02	0.23	3.5	0.52	1251	5.07	0.01	2.4	253	5.0	<0.005	1.43	6.66
C0040498	0.02	0.12	1.9	0.16	288	6.50	0.03	1.6	42	11.2	<0.005	0.14	8.62
C0040499	0.04	0.08	5.4	0.21	867	9.18	<0.01	2.9	151	4.9	<0.005	0.94	19.88
C0040500	0.27	0.13	9.7	0.28	991	6.32	<0.01	3.3	497	3.7	<0.005	0.58	14.91
C0040501	0.22	0.06	7.0	0.23	836	4.47	<0.01	3.3	347	1798.2	<0.005	1.27	570.60
C0040502	0.09	0.11	12.3	0.43	1255	5.50	<0.01	1.9	835	1159.5	<0.005	1.23	166.06
C0040503	0.04	0.07	14.4	0.26	657	5.95	<0.01	2.0	67	217.5	<0.005	0.49	35.07
C0040504	0.07	0.07	13.3	0.30	835	8.23	<0.01	1.8	254	14.5	<0.005	0.57	21.42
C0040505	0.44	0.28	7.6	0.78	530	33.68	0.12	54.2	687	29.7	0.059	0.62	8.89
C0040506	0.11	0.03	9.1	0.22	942	7.44	<0.01	1.5	901	8.2	<0.005	0.50	13.21
C0040507	0.06	0.05	8.2	0.53	297	6.33	<0.01	0.9	376	6.1	<0.005	0.40	14.45
C0040508	0.01	0.07	6.9	0.53	217	4.49	0.03	1.3	39	2.5	<0.005	0.85	7.26
C0040509	0.02	0.05	7.4	0.40	339	9.64	0.02	1.4	84	3.3	<0.005	0.92	4.62
C0040510	0.09	0.08	11.5	0.32	893	5.50	<0.01	1.9	329	4.0	<0.005	0.59	3.31
C0040511	0.04	0.91	14.1	1.04	1193	1.65	0.03	2.6	1912	4.3	<0.005	0.47	36.03
C0040512	0.17	0.48	26.2	0.68	1411	1.45	0.03	3.2	1801	6.7	<0.005	0.82	6.34
C0040513	0.06	0.11	20.3	0.24	829	3.23	<0.01	2.7	768	4.1	<0.005	1.00	6.96
C0040514	0.03	0.10	6.7	0.54	969	4.82	0.01	2.2	209	37.8	<0.005	0.51	13.17
C0040515	1.05	0.15	5.5	0.64	2183	3.89	0.01	11.9	648	282.4	<0.005	1.17	30.61
C0040516	0.11	0.22	3.7	0.49	3038	10.03	<0.01	6.3	785	132.0	0.007	6.07	55.51

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040517	0.03	0.23	5.8	0.48	1741	5.51	0.02	1.9	84	32.2	<0.005	1.21	16.78
C0040518	0.04	0.21	5.5	0.50	1629	7.51	<0.01	2.0	107	38.3	<0.005	1.57	16.86
C0040519	0.02	0.17	10.5	0.39	1262	4.63	<0.01	1.7	154	8.6	<0.005	0.98	11.96
C0040520	0.04	0.22	6.5	0.42	1206	5.94	<0.01	1.1	196	30.6	<0.005	1.39	19.49
C0040521	0.03	0.21	3.9	0.39	1892	6.92	0.01	1.9	197	79.3	<0.005	2.74	21.07
C0040522	0.02	0.23	4.3	0.46	1626	7.08	<0.01	1.9	273	59.3	<0.005	2.64	19.58
C0040523	0.03	0.18	6.6	0.52	1092	7.72	<0.01	1.7	357	8.8	<0.005	1.59	20.62
C0040524	0.03	0.24	3.4	0.52	1461	7.25	0.01	2.8	247	9.5	<0.005	2.36	22.69
C0040525	0.21	0.11	5.7	0.59	390	10.14	0.10	29.2	510	478.3	<0.005	0.36	55.00
C0040526	0.02	0.14	7.2	0.43	1042	4.86	0.04	1.9	298	5.1	<0.005	0.84	9.55
C0040527	0.03	0.17	5.2	0.54	1097	5.16	0.03	1.8	296	48.8	<0.005	1.28	13.74
C0040528	0.01	0.14	7.3	0.53	867	4.51	0.03	1.8	319	6.6	<0.005	0.91	9.56
C0040528PD	0.02	0.14	7.5	0.53	865	5.71	0.03	1.4	316	7.0	<0.005	0.97	9.71
C0040529	<0.01	0.13	8.6	0.44	429	6.65	0.07	1.9	215	1.4	<0.005	0.59	1.34
C0040530	<0.01	0.12	12.1	0.34	647	5.64	0.06	1.8	159	4.0	<0.005	0.30	2.78
C0040531	<0.01	0.16	8.6	0.55	676	5.20	0.06	1.7	155	3.4	<0.005	0.49	4.32
C0040532	<0.01	0.14	7.7	0.47	770	5.62	0.07	1.5	210	3.3	<0.005	0.61	5.21
C0040533	0.02	0.08	8.3	0.87	750	2.99	0.04	1.8	238	3.7	<0.005	0.38	5.19
C0040534	0.02	0.50	8.9	2.27	1287	1.56	0.07	6.1	705	5.8	<0.005	0.41	13.39
C0040535	<0.01	0.53	9.0	2.01	1111	1.67	0.10	7.3	716	6.9	<0.005	0.20	10.22
C0040536	0.10	0.19	12.0	1.46	960	2.76	0.01	25.3	537	8.0	<0.005	0.58	8.77
C0040537	0.01	0.15	9.5	0.85	982	4.67	0.05	1.3	280	2.8	<0.005	0.57	11.30
C0040538	<0.01	0.10	6.3	1.04	976	3.25	0.01	1.1	264	4.7	<0.005	0.50	6.09
C0040539	0.01	0.11	6.6	0.93	685	2.63	0.01	1.3	365	8.8	<0.005	0.82	8.06
C0040540	0.09	0.07	10.2	0.42	786	3.54	<0.01	1.7	334	8.9	<0.005	0.60	7.81

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040541	0.06	0.14	10.2	0.53	855	4.18	0.01	1.6	262	12.3	<0.005	0.51	6.56
C0040542	0.12	0.09	10.5	0.43	1347	3.74	<0.01	1.9	578	6.2	<0.005	0.63	4.20
C0040543	0.06	0.09	12.9	0.34	1426	3.90	0.02	1.8	330	156.0	<0.005	0.77	9.51
C0040544	0.05	0.11	14.4	0.30	2094	2.85	<0.01	1.6	291	122.9	<0.005	0.61	12.13
C0040545	4.03	0.10	6.8	0.03	68	14.08	0.14	15.8	145	14.7	<0.005	0.24	26.18
C0040546	0.10	0.17	11.0	0.39	2025	3.69	<0.01	1.4	307	218.9	<0.005	1.30	23.15
C0040547	0.15	0.24	6.0	0.53	1368	3.59	<0.01	1.7	286	158.3	<0.005	2.09	30.12
C0040548	0.08	0.25	5.8	0.53	1745	4.74	<0.01	1.9	320	128.0	<0.005	1.52	17.42
C0040549	0.16	0.15	8.0	0.31	1324	6.06	<0.01	2.8	455	42.3	<0.005	0.88	39.29
C0040550	0.05	0.13	7.3	0.55	1282	5.83	<0.01	1.4	109	44.7	<0.005	0.57	10.03
C0040551	0.08	0.16	8.1	0.37	1229	5.57	<0.01	1.7	142	260.0	<0.005	0.89	19.72
C0040552	0.08	0.20	6.6	0.25	976	5.28	<0.01	2.0	91	34.7	<0.005	1.68	21.81
C0040553	0.16	0.12	3.7	0.02	42	6.64	<0.01	1.6	35	1700.8	<0.005	2.15	44.16
C0040554	0.10	0.16	3.2	0.03	89	6.17	<0.01	2.1	157	921.4	<0.005	2.66	31.33
C0040555	0.17	0.16	6.2	0.07	935	4.80	<0.01	2.9	310	1284.1	<0.005	4.29	71.92
C0040556	0.02	0.21	13.3	0.43	1189	3.32	0.03	2.8	249	43.7	<0.005	0.98	5.78
C0040557	0.04	0.39	16.6	0.53	940	3.33	0.03	3.3	386	254.4	<0.005	0.74	5.21
C0040558	0.01	0.57	23.6	0.88	748	3.49	0.18	4.6	435	28.3	<0.005	0.61	4.24
C0040559	<0.01	0.74	28.3	0.83	730	5.27	0.13	4.4	409	12.1	<0.005	0.12	4.00
C0040560	0.03	0.30	15.4	0.14	1022	3.75	0.02	2.5	237	19.6	<0.005	0.51	4.61
C0040561	0.01	0.24	16.3	0.09	788	4.23	0.01	1.6	85	75.2	<0.005	0.45	6.90
C0040562	0.03	0.24	5.4	0.07	413	3.78	0.01	1.7	87	258.0	<0.005	1.92	20.60
C0040563	0.01	0.25	9.5	0.10	571	4.68	<0.01	1.0	63	13.1	<0.005	0.19	3.19
C0040564	0.03	0.25	7.2	0.13	684	3.60	<0.01	1.4	83	28.0	<0.005	0.33	3.91
C0040565	18.51	0.07	1.6	0.76	335	35.24	<0.01	54.2	342	>10000	0.033	>10	258.85

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040566	0.07	0.19	7.4	0.17	364	4.40	0.04	1.2	70	20.0	<0.005	0.24	2.21
C0040567	0.05	0.21	9.1	0.21	525	3.37	0.03	1.3	89	23.2	<0.005	0.43	2.04
C0040568	0.03	0.23	11.6	0.08	420	4.49	0.09	0.9	61	30.8	<0.005	0.26	2.01
C0040569	0.03	0.23	20.3	0.12	436	3.70	0.05	1.5	103	14.1	<0.005	0.45	2.65
C0040570	0.05	0.23	16.1	0.31	1897	3.86	0.01	1.6	114	291.0	<0.005	0.92	11.01
C0040571	0.15	0.22	18.6	0.38	2496	3.56	0.02	2.0	156	328.6	<0.005	1.44	13.07
C0040572	0.01	0.27	75.2	0.59	422	4.24	0.07	1.9	412	17.3	<0.005	0.91	2.98
C0040573	0.01	0.25	51.7	0.51	347	4.16	0.08	2.5	404	15.2	<0.005	0.94	1.25
C0040574	0.01	0.40	21.3	0.51	205	5.10	0.09	3.0	191	19.8	<0.005	1.18	0.69
C0040574PD	<0.01	0.35	22.0	0.44	195	5.76	0.09	2.4	178	20.5	<0.005	1.11	0.66
C0040575	0.01	0.35	14.3	0.37	248	4.98	0.13	2.8	174	17.3	<0.005	0.49	1.26
C0040576	0.01	0.16	42.3	0.16	160	4.58	0.08	1.9	126	13.6	<0.005	0.83	1.12
C0040577	0.01	0.14	27.2	0.12	155	6.35	0.09	1.9	115	16.0	<0.005	0.63	0.70
C0040578	<0.01	0.24	58.3	0.49	245	5.59	0.10	2.6	312	11.2	<0.005	1.08	0.61
C0040579	<0.01	0.22	57.2	0.58	235	5.68	0.11	2.4	360	6.5	<0.005	1.02	1.01
C0040580	0.02	0.21	71.4	0.56	344	4.41	0.12	2.9	384	16.2	<0.005	0.71	2.63
C0040581	0.21	0.11	5.6	0.59	383	10.19	0.10	28.3	512	492.9	<0.005	0.37	57.72
C0040661	0.02	0.25	4.8	1.49	661	1.37	0.06	11.2	592	3.5	<0.005	0.46	14.32
C0040662	0.31	0.21	3.6	0.83	2570	2.23	0.01	13.2	716	170.2	<0.005	5.49	104.58
C0040663	0.78	0.14	<0.5	0.72	2269	4.30	<0.01	8.7	183	>10000	<0.005	7.00	6334.86
C0040664	0.41	0.21	1.4	0.43	1467	2.89	<0.01	15.8	428	4590.6	<0.005	6.43	872.70
C0040665	0.09	0.32	5.5	1.74	2685	1.57	<0.01	22.8	488	30.2	<0.005	1.08	27.19
C0040666	0.09	0.27	3.8	1.63	4042	2.63	<0.01	18.8	433	58.7	<0.005	2.34	30.87
C0040667	0.06	0.28	3.6	1.47	3312	3.16	0.01	15.1	574	82.7	0.008	2.71	37.22
C0040668	0.04	0.30	2.9	1.52	3235	6.28	<0.01	4.8	585	32.3	0.012	2.52	15.16

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040669	0.12	0.24	3.1	1.62	1805	2.87	0.01	7.8	665	17.2	0.006	1.12	28.33
C0040670	0.20	0.13	3.0	1.07	1392	6.52	0.01	5.7	688	16.1	0.022	2.68	29.81
C0040671	0.10	0.15	3.4	1.23	1785	6.40	<0.01	10.2	666	159.5	0.023	2.53	10.27
C0040672	0.11	0.17	6.3	1.39	2153	8.43	0.01	14.8	520	493.3	0.029	1.54	7.37
C0040673	0.16	0.15	6.8	0.70	1124	14.16	0.02	8.8	604	32.6	0.012	1.21	13.78
C0040674	0.10	0.39	11.9	0.95	499	2.08	0.02	8.7	659	15.4	<0.005	1.20	3.84
C0040675	19.09	0.07	1.6	0.74	335	35.72	<0.01	52.3	340	>10000	0.036	>10	258.71
C0040676	0.11	0.32	11.7	1.27	464	3.96	0.02	7.9	595	17.5	<0.005	1.57	4.17
C0040677	0.06	0.83	9.8	1.37	454	2.87	0.04	8.7	667	6.7	<0.005	1.59	4.00
C0040678	0.12	0.78	12.0	1.71	840	10.92	0.04	11.2	609	19.1	0.066	1.47	7.59
C0040679	0.06	0.91	11.6	1.68	641	1.65	0.05	15.1	781	11.4	<0.005	0.73	7.35
C0040680	0.05	0.82	12.5	1.40	580	2.88	0.03	8.8	655	11.0	0.009	1.03	6.91
C0040681	<0.01	0.73	8.7	1.22	576	2.81	0.06	12.7	606	9.5	0.008	1.33	4.15
C0040682	0.04	0.32	8.2	0.80	487	2.47	0.06	13.1	706	15.1	<0.005	0.38	5.85
C0040683	0.10	0.11	10.2	0.70	895	1.95	0.01	15.3	711	12.3	<0.005	0.51	14.59
C0040684	0.07	0.57	9.6	1.39	756	1.41	0.04	14.4	1010	8.3	<0.005	0.94	10.72
C0040685	0.12	0.54	19.1	0.67	897	2.04	0.04	10.2	1191	5.7	<0.005	0.60	3.47
C0040686	0.12	0.04	12.2	0.20	461	3.06	<0.01	8.4	642	12.7	<0.005	0.28	2.38
C0040687	0.10	0.06	10.7	0.35	836	2.51	0.04	32.5	824	22.6	<0.005	0.33	4.53
C0040688	0.23	0.06	14.4	0.67	986	2.60	0.04	52.2	1001	19.8	<0.005	0.69	4.72
C0040689	0.19	0.05	10.3	0.35	902	2.40	0.01	7.7	965	36.6	<0.005	1.10	7.76
C0040690	0.18	0.04	7.6	0.60	570	3.30	0.04	7.2	518	47.7	<0.005	0.62	5.98
C0040691	0.14	0.24	7.5	0.27	827	3.01	0.01	7.7	710	21.6	<0.005	0.58	2.06
C0040692	0.09	0.25	13.4	0.57	688	3.48	0.03	19.5	400	12.3	<0.005	0.63	1.56
C0040693	0.18	0.09	12.0	0.49	645	4.83	0.06	8.6	280	10.3	<0.005	0.30	1.49

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040694	0.07	0.15	6.7	1.04	489	4.81	0.01	9.0	303	23.7	<0.005	2.00	2.24
C0040695	0.20	0.11	5.5	0.60	394	9.86	0.10	30.0	510	494.6	<0.005	0.36	54.47
C0040696	0.17	0.06	9.8	1.10	639	5.61	0.08	12.5	289	6.7	<0.005	0.17	7.87
C0040697	0.08	0.08	11.9	0.99	1154	6.26	0.07	11.1	348	6.7	<0.005	0.38	1.98
C0040698	0.11	0.16	10.7	0.54	958	6.48	0.03	18.1	618	11.7	<0.005	1.02	9.72
C0040699	0.05	0.26	2.7	1.13	838	3.29	0.01	18.3	622	16.4	<0.005	3.08	4.15
C0040700	0.04	0.28	3.1	1.25	1238	2.75	0.01	38.6	1034	22.6	<0.005	4.76	4.24
C0040700PD	0.04	0.25	3.0	1.24	1245	3.01	<0.01	38.3	1028	22.2	<0.005	4.63	4.40
C0040701	0.09	0.16	7.5	0.12	648	2.74	<0.01	26.0	1100	17.1	<0.005	1.46	6.14
C0040702	0.11	0.58	12.7	0.76	5185	3.16	0.03	41.7	1174	5.7	<0.005	1.19	16.94
C0040703	0.12	0.27	10.0	0.26	466	5.07	0.04	26.6	901	6.7	<0.005	0.69	12.00
C0040704	0.11	0.62	15.8	0.79	2014	5.68	0.05	27.9	841	12.3	<0.005	0.63	5.48
C0040705	0.03	1.51	13.1	1.47	1436	3.21	0.06	34.5	799	17.2	<0.005	0.76	1.37
C0040706	0.40	0.37	14.5	0.50	1278	2.79	0.03	42.4	718	33.4	<0.005	0.88	5.28
C0040707	0.18	0.05	10.3	0.09	59	3.37	0.01	8.5	909	21.0	<0.005	2.00	8.72
C0040708	0.38	0.04	13.9	0.10	3443	5.70	0.03	8.6	921	17.3	0.006	0.64	13.83
C0040709	0.32	0.14	6.6	0.06	658	5.53	0.01	15.6	370	877.7	0.009	3.43	25.68
C0040710	0.07	0.24	7.0	0.03	26	6.53	0.01	2.8	127	423.9	0.007	2.02	9.87
C0040711	0.03	0.22	10.2	0.02	23	6.38	0.03	1.6	89	53.6	0.006	0.85	6.00
C0040712	0.02	0.22	11.5	0.04	361	5.47	0.02	1.7	97	23.4	0.006	0.96	5.25
C0040713	0.09	0.21	7.5	0.16	1628	4.47	0.02	1.3	93	628.9	<0.005	1.22	20.71
C0040714	0.09	0.22	6.1	0.07	384	5.33	<0.01	1.6	73	678.5	<0.005	1.38	40.81
C0040715	3.84	0.09	5.3	0.03	71	14.18	0.13	17.4	121	14.8	<0.005	0.21	23.32
C0040716	0.05	0.21	9.8	0.10	379	6.28	0.02	1.6	70	54.8	<0.005	1.39	12.32
C0040717	0.04	0.21	11.3	0.10	433	5.91	0.02	1.2	73	31.0	<0.005	0.73	10.32

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040718	0.04	0.21	42.1	0.28	607	6.18	0.01	2.7	328	21.4	0.008	1.92	6.01
C0040719	0.03	0.26	38.6	0.31	1091	4.89	0.01	2.7	311	91.5	<0.005	2.05	9.50
C0040720	0.13	0.22	27.4	0.06	146	5.44	<0.01	2.7	255	2010.7	<0.005	4.78	364.41
C0040721	0.03	0.23	49.7	0.24	517	4.31	0.01	2.6	306	11.3	<0.005	1.99	6.91
C0040722	0.05	0.23	38.3	0.28	782	4.52	<0.01	2.6	305	362.9	<0.005	2.80	32.68
C0040723	0.12	0.22	26.0	0.19	1090	3.50	0.01	1.7	245	510.3	<0.005	2.00	33.63
C0040724	0.14	0.25	4.5	0.11	988	4.26	<0.01	2.1	176	1527.7	<0.005	2.21	55.01
C0040725	0.03	0.21	8.5	0.25	2171	5.23	0.01	1.3	83	193.8	0.008	1.20	6.58
C0040726	0.05	0.26	8.8	0.10	568	4.80	0.01	1.1	64	109.3	<0.005	2.27	7.98
C0040727	0.04	0.23	12.3	0.10	542	4.50	0.03	1.2	89	122.7	<0.005	0.77	7.15
C0040728	1.69	0.16	11.3	0.04	535	4.12	<0.01	2.0	173	>10000	<0.005	>10	2849.83
C0040729	0.49	0.30	8.2	0.83	539	32.74	0.11	57.8	719	32.3	0.060	0.61	9.29
C0040730	0.05	0.22	35.1	0.19	798	3.69	0.02	2.7	371	382.3	<0.005	1.87	13.85
C0040730PD	0.04	0.20	32.5	0.19	792	3.75	0.01	2.6	365	387.5	<0.005	1.88	13.86
C0040731	0.08	0.11	118.1	0.21	471	3.70	0.03	2.5	469	29.4	<0.005	0.69	5.93
C0040732	0.08	0.23	8.7	0.06	132	4.19	0.03	2.2	386	65.3	<0.005	0.15	28.45
C0040733	0.12	0.22	12.8	0.02	123	3.75	0.01	1.8	378	32.2	<0.005	0.21	21.65
C0040734	0.27	0.22	8.8	0.02	143	7.12	0.07	1.9	383	54.5	<0.005	0.21	44.55
C0040735	3.89	0.10	7.2	0.03	70	14.14	0.14	17.6	149	14.8	<0.005	0.24	24.54
C0040736	0.13	0.30	15.8	0.03	108	2.79	0.05	2.3	553	23.4	<0.005	0.39	25.74
C0040737	0.10	0.22	15.5	0.02	96	2.96	0.02	1.4	218	20.5	<0.005	0.26	20.67
C0040738	0.08	0.24	17.8	0.02	61	3.65	0.03	1.2	273	36.3	<0.005	0.34	21.65
C0040739	0.09	0.34	11.2	0.02	75	5.42	0.03	1.2	136	181.2	<0.005	0.39	47.25
C0040740	0.24	0.33	11.3	0.02	99	8.49	0.04	1.3	217	589.7	<0.005	0.38	116.65
C0040741	0.07	0.27	12.2	0.02	73	7.31	0.02	1.7	256	66.4	<0.005	0.26	20.60

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040742	0.08	0.25	8.5	0.02	285	11.73	0.02	2.8	238	138.3	<0.005	0.22	29.05
C0040743	0.04	0.20	11.3	0.02	452	12.15	0.01	4.0	182	36.2	<0.005	0.10	23.72
C0040744	0.03	0.14	15.6	0.04	495	4.99	0.01	1.9	174	15.3	<0.005	0.05	8.49
C0040745	0.02	0.14	17.0	0.09	166	4.70	0.04	1.4	151	14.8	<0.005	0.08	7.00
C0040746	<0.01	0.24	10.1	0.31	151	3.67	0.07	1.4	304	1.3	<0.005	0.05	1.10
C0040747	<0.01	0.21	9.5	0.31	287	4.17	0.07	1.7	298	1.6	<0.005	0.08	0.94
C0040748	0.01	0.28	10.8	0.38	500	6.23	0.06	1.9	352	1.9	<0.005	0.12	1.13
DUP C0040476													
DUP C0040525													
DUP C0040566													
DUP C0040670													
DUP C0040694													
DUP C0040727													
DUP C0040728													
DUP C0040487	0.03	0.39	9.8	0.44	402	5.49	0.08	2.5	357	20.1	<0.005	0.42	1.84
DUP C0040500	0.28	0.14	10.2	0.29	997	6.36	<0.01	3.3	501	3.9	<0.005	0.59	14.56
DUP C0040527	0.03	0.16	5.1	0.54	1088	5.10	0.03	1.8	296	48.5	<0.005	1.27	13.42
DUP C0040674	0.09	0.38	11.6	0.94	498	1.99	0.02	8.9	655	15.2	<0.005	1.21	3.85
DUP C0040744	0.03	0.14	16.0	0.04	491	5.02	0.01	1.9	174	15.3	<0.005	0.05	8.23
STD BLANK													
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
Sample ID													
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK													
STD BLANK													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD CDN-ME-1805													
STD OREAS 600b	0.09	0.27	28.6	0.05	249	5.23	0.09	4.4	229	81.5	<0.005	0.26	10.21
STD OREAS 25a	0.06	0.14	14.0	0.21	422	1.73	0.04	29.4	380	20.3	<0.005	0.05	0.21
STD OREAS 600b	0.09	0.28	29.3	0.05	249	5.18	0.09	4.1	229	83.2	<0.005	0.25	10.15
STD OREAS 25a	0.07	0.14	13.7	0.20	421	1.73	0.04	27.0	383	20.7	<0.005	0.05	0.19
STD OREAS 600b	0.08	0.26	30.1	0.05	256	5.11	0.08	4.5	227	81.5	<0.005	0.25	10.51
STD MP-1b													
STD CDN-ME-1407													
STD OXG140													
STD OXQ115													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
Granite Blank	2.2	<0.2	17.8	<0.05	2.4	0.089	<0.05	0.45	25	0.16	8.8	25
Granite Blank	2.3	<0.2	22.8	<0.05	2.3	0.087	<0.05	0.45	25	0.15	8.8	25
C0040470	6.7	0.6	10.7	0.24	3.7	0.048	0.43	0.77	10	0.20	11.8	255
C0040471	3.7	0.3	14.9	0.07	2.9	0.014	0.17	0.75	14	0.12	7.3	232
C0040472	5.3	0.4	10.1	0.10	3.0	0.007	0.32	0.95	12	0.23	8.0	338
C0040473	4.4	0.3	6.2	0.10	3.7	0.023	0.25	0.90	20	0.14	10.0	422
C0040474	7.0	0.2	13.9	0.16	4.5	0.067	0.19	0.82	18	0.11	14.8	436
C0040475	6.0	0.5	5.0	0.27	3.9	0.013	0.13	1.31	12	0.74	13.0	760
C0040476	7.2	0.5	14.1	0.08	3.4	0.023	0.16	0.76	13	0.10	9.4	272
C0040477	5.5	<0.2	4.4	<0.05	2.5	0.040	0.23	0.60	7	0.09	6.1	199
C0040478	6.5	<0.2	6.2	<0.05	3.0	0.046	0.15	0.69	9	0.09	6.7	142
C0040479	7.2	<0.2	4.8	<0.05	3.3	0.038	0.09	0.58	7	0.12	7.6	190
C0040480	6.8	<0.2	4.8	<0.05	3.1	0.078	0.13	0.58	8	0.15	10.2	90
C0040481	6.4	0.3	8.1	<0.05	3.8	0.059	0.16	1.06	8	0.09	13.1	71
C0040482	7.8	0.2	8.1	0.07	3.7	0.036	0.16	1.32	9	0.12	8.1	293
C0040483	7.4	<0.2	8.7	0.06	3.6	0.033	0.12	0.72	9	0.17	5.9	75
C0040484	5.9	0.2	14.8	1.95	2.5	0.048	0.12	0.80	7	0.22	5.4	221
C0040485	1.0	202.6	29.9	0.46	0.3	<0.005	30.18	2.70	17	0.85	3.4	>10000
C0040486	6.7	0.2	5.4	0.18	3.0	0.064	0.15	0.81	8	0.18	5.6	319
C0040487	8.3	0.4	7.2	<0.05	3.3	0.063	0.17	0.97	22	0.13	7.6	328
C0040488	6.9	0.3	5.1	0.10	3.2	0.060	0.12	0.54	11	0.11	6.7	233
C0040488PD	7.3	0.3	5.3	<0.05	3.3	0.065	0.13	0.58	12	0.11	7.0	226
C0040489	7.6	<0.2	6.0	0.10	3.0	0.064	0.19	0.61	12	0.10	6.5	243
C0040490	7.7	<0.2	4.9	0.08	3.3	0.096	0.14	0.57	10	0.12	6.3	86
C0040491	8.2	<0.2	33.2	0.44	3.0	0.102	0.14	0.68	27	0.13	8.8	102

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040492	9.0	<0.2	13.3	<0.05	2.9	0.096	0.14	0.55	13	0.15	7.2	111
C0040493	8.1	0.2	11.7	<0.05	3.2	0.088	0.16	0.57	11	0.14	8.3	96
C0040494	5.3	<0.2	22.5	<0.05	3.5	0.005	0.22	0.86	9	0.33	9.0	578
C0040495	7.3	<0.2	41.1	0.31	3.3	0.008	0.33	0.84	13	0.37	8.6	355
C0040496	6.7	<0.2	16.4	<0.05	2.7	0.067	0.19	0.60	7	0.12	5.2	278
C0040497	2.6	<0.2	41.7	<0.05	2.3	<0.005	0.32	0.61	2	0.21	6.7	166
C0040498	0.8	<0.2	8.1	<0.05	0.4	<0.005	0.13	0.32	2	0.14	2.9	316
C0040499	2.4	0.5	8.0	0.23	1.6	<0.005	0.13	0.90	4	0.16	6.3	408
C0040500	6.8	0.3	7.4	<0.05	2.9	0.014	0.40	0.99	16	0.94	8.4	268
C0040501	3.4	0.4	4.8	0.43	2.9	<0.005	0.43	2.62	6	0.36	10.8	2292
C0040502	8.8	0.5	23.9	0.44	4.7	<0.005	0.31	1.30	28	0.35	11.1	898
C0040503	3.2	0.3	14.7	0.13	6.0	<0.005	0.15	0.89	2	0.36	6.3	374
C0040504	5.0	0.3	14.7	<0.05	5.5	<0.005	0.17	1.35	5	0.50	8.9	163
C0040505	6.1	1.6	40.9	0.45	1.5	0.141	0.19	0.46	95	8.50	9.4	81
C0040506	8.7	0.2	12.2	<0.05	2.6	<0.005	0.34	1.97	12	0.37	16.6	126
C0040507	4.8	<0.2	19.2	<0.05	3.4	<0.005	0.21	3.29	7	0.46	9.6	106
C0040508	2.8	0.3	33.3	<0.05	3.8	<0.005	0.09	1.71	3	0.37	4.8	77
C0040509	3.5	0.3	20.7	<0.05	4.3	<0.005	<0.05	1.49	5	0.24	7.4	63
C0040510	7.3	<0.2	14.3	<0.05	4.6	0.010	0.06	1.60	18	0.25	12.6	84
C0040511	15.6	<0.2	12.8	<0.05	6.6	0.163	0.35	0.51	134	1.56	10.4	110
C0040512	17.4	<0.2	16.3	<0.05	6.2	0.068	0.33	2.12	83	0.37	15.4	104
C0040513	5.3	0.3	9.3	0.10	5.2	0.015	0.13	2.03	24	0.33	12.9	194
C0040514	2.9	0.2	42.9	0.44	4.3	<0.005	0.11	0.80	5	0.27	7.5	278
C0040515	11.2	0.8	51.4	8.97	2.9	<0.005	0.38	2.55	47	0.59	12.1	577
C0040516	2.4	1.9	30.1	0.56	3.4	<0.005	0.52	1.06	3	0.28	9.3	334

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040517	1.1	0.5	23.5	0.38	4.0	<0.005	0.28	0.71	<1	0.17	7.2	109
C0040518	1.4	0.5	29.5	2.06	3.9	<0.005	0.35	0.75	2	0.18	5.8	102
C0040519	3.0	0.2	22.6	0.07	4.5	<0.005	0.28	1.12	2	0.15	6.2	117
C0040520	2.1	0.5	29.4	0.08	4.0	<0.005	0.36	0.88	1	0.19	6.0	209
C0040521	1.8	0.6	18.0	0.42	3.5	<0.005	0.41	0.80	2	0.60	7.3	93
C0040522	1.5	0.6	25.5	0.32	3.3	<0.005	0.47	0.71	2	0.23	8.4	208
C0040523	3.9	0.3	24.6	0.08	3.2	<0.005	0.32	1.49	4	0.20	7.3	191
C0040524	2.3	0.3	32.8	0.05	3.9	<0.005	0.41	0.93	3	0.27	5.5	101
C0040525	4.5	0.4	34.7	0.19	1.2	0.126	1.09	0.37	61	3.47	7.7	1547
C0040526	4.4	0.3	26.0	0.10	3.4	<0.005	0.22	0.87	7	0.15	5.9	105
C0040527	2.6	0.8	34.5	4.46	4.0	<0.005	0.18	1.48	2	0.15	6.5	166
C0040528	4.0	0.3	35.5	0.10	3.6	<0.005	0.24	2.02	5	0.17	7.8	80
C0040528PD	4.0	0.3	35.2	0.08	3.7	<0.005	0.25	2.02	5	0.18	8.0	81
C0040529	4.6	0.2	10.7	0.09	3.9	0.015	0.08	2.32	8	0.09	6.9	71
C0040530	3.9	<0.2	14.9	<0.05	3.4	0.007	0.13	4.27	5	0.09	5.5	104
C0040531	4.8	<0.2	13.2	<0.05	3.6	0.020	0.21	1.67	7	0.10	4.5	103
C0040532	4.9	<0.2	25.7	<0.05	3.4	0.014	0.16	1.01	9	0.11	5.5	50
C0040533	5.8	<0.2	57.9	<0.05	3.7	<0.005	0.13	2.16	14	0.19	7.1	62
C0040534	18.0	0.2	64.5	0.11	1.9	0.087	0.62	3.25	164	0.29	9.9	73
C0040535	13.0	<0.2	61.3	<0.05	1.9	0.103	0.40	0.84	135	0.18	7.6	52
C0040536	9.3	<0.2	88.2	<0.05	3.1	0.013	0.19	1.54	44	0.12	12.2	42
C0040537	7.0	<0.2	37.4	0.05	3.3	0.012	0.68	1.10	11	0.11	9.8	33
C0040538	5.2	<0.2	51.6	0.06	3.1	<0.005	0.26	1.59	8	0.16	7.6	44
C0040539	6.1	0.2	37.4	<0.05	2.8	<0.005	0.30	1.99	8	0.10	7.2	44
C0040540	6.0	0.3	14.6	<0.05	3.7	<0.005	0.20	2.40	10	0.17	6.5	40

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040541	3.2	<0.2	22.6	<0.05	4.1	0.009	0.15	2.03	12	0.22	5.7	58
C0040542	6.8	<0.2	17.8	<0.05	3.6	<0.005	0.18	1.48	13	0.33	9.7	45
C0040543	6.6	<0.2	11.4	<0.05	4.4	<0.005	0.35	2.87	9	0.18	10.5	464
C0040544	4.5	<0.2	8.8	0.09	5.2	<0.005	0.24	3.48	5	0.19	9.3	1622
C0040545	1.1	1.4	70.6	0.06	1.4	0.010	12.03	1.61	29	12.45	2.4	23
C0040546	3.7	0.3	17.3	0.19	4.4	<0.005	0.43	3.03	4	0.16	12.5	1902
C0040547	1.7	0.9	29.9	0.34	3.8	<0.005	0.39	1.30	2	0.22	8.8	521
C0040548	2.1	0.6	28.1	0.46	3.9	<0.005	0.41	2.03	3	0.27	10.7	1010
C0040549	3.2	0.8	12.7	0.16	4.8	<0.005	0.45	5.18	4	0.29	9.5	921
C0040550	3.0	0.5	24.6	0.48	4.6	<0.005	0.24	2.36	4	0.29	6.5	362
C0040551	3.0	0.3	17.0	0.14	4.7	<0.005	0.40	1.95	3	0.25	5.6	1255
C0040552	2.2	<0.2	14.1	0.06	4.0	<0.005	1.16	1.29	2	0.28	5.0	440
C0040553	0.5	0.3	1.8	0.21	2.6	<0.005	0.67	1.23	1	0.30	2.1	1945
C0040554	0.5	0.3	2.5	0.07	2.8	<0.005	0.71	0.97	1	0.48	3.8	1724
C0040555	0.9	0.6	5.3	0.32	3.4	<0.005	1.11	2.84	3	0.36	7.4	3741
C0040556	1.7	<0.2	47.7	0.06	12.4	<0.005	0.36	3.12	6	0.14	9.6	317
C0040557	3.2	<0.2	63.2	0.12	12.2	0.009	0.44	2.72	20	0.21	9.5	397
C0040558	6.3	<0.2	88.8	0.06	12.0	0.077	0.53	1.77	60	0.14	10.6	135
C0040559	6.9	<0.2	41.3	<0.05	13.3	0.108	0.61	2.60	59	0.15	10.8	295
C0040560	1.5	<0.2	10.0	0.06	13.3	<0.005	0.37	3.81	6	0.17	8.7	521
C0040561	0.7	<0.2	9.6	0.40	17.3	<0.005	0.23	2.93	1	0.15	6.4	582
C0040562	1.0	<0.2	5.5	0.31	11.1	<0.005	0.38	2.04	4	0.23	4.7	404
C0040563	0.6	<0.2	14.4	<0.05	12.6	<0.005	0.23	2.16	<1	0.12	5.6	144
C0040564	0.7	<0.2	14.8	0.05	12.1	<0.005	0.29	1.85	<1	0.13	5.7	138
C0040565	1.0	197.2	27.9	0.50	0.4	<0.005	30.89	2.79	20	0.85	3.3	>10000

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040566	0.7	<0.2	34.6	<0.05	14.2	<0.005	0.15	2.80	1	0.08	5.7	68
C0040567	0.7	<0.2	43.6	0.07	13.8	<0.005	0.16	2.90	1	0.08	5.8	82
C0040568	0.4	<0.2	55.7	0.11	11.0	<0.005	0.17	2.03	1	0.11	4.1	71
C0040569	0.6	<0.2	47.1	<0.05	15.9	<0.005	0.20	3.21	<1	0.41	7.1	106
C0040570	0.7	<0.2	21.9	0.06	14.2	<0.005	0.25	2.14	1	0.26	6.7	1046
C0040571	0.9	<0.2	24.4	0.06	17.2	<0.005	0.23	2.65	2	0.36	7.5	6185
C0040572	2.5	0.3	59.7	0.18	47.2	0.019	0.18	2.17	17	0.13	9.8	123
C0040573	2.4	0.3	57.1	0.18	46.4	0.038	0.16	1.86	18	0.13	8.6	39
C0040574	3.1	0.3	39.5	0.36	18.2	0.028	0.24	2.82	28	0.10	6.7	32
C0040574PD	2.6	0.3	37.0	0.26	18.4	0.021	0.21	2.88	23	0.14	6.4	31
C0040575	2.8	<0.2	37.3	0.17	16.2	0.039	0.22	3.23	24	0.13	6.3	50
C0040576	0.7	0.2	22.8	0.18	28.3	<0.005	0.06	2.63	3	0.11	6.0	37
C0040577	0.7	0.2	27.0	0.37	23.8	<0.005	<0.05	3.45	3	0.14	5.9	26
C0040578	2.4	0.2	48.9	0.09	41.4	0.040	0.12	1.78	20	0.19	8.0	23
C0040579	2.7	0.3	59.9	0.08	42.3	0.051	0.11	1.39	24	0.15	7.7	18
C0040580	2.6	0.2	62.4	1.56	40.5	0.030	0.11	1.77	27	0.22	9.5	106
C0040581	4.2	0.3	32.7	0.10	1.2	0.114	1.06	0.35	58	3.39	7.3	1542
C0040661	14.2	0.2	62.3	0.09	1.2	0.040	0.61	0.29	124	0.18	11.0	78
C0040662	8.1	0.4	45.2	0.15	1.7	<0.005	3.43	0.50	37	0.49	8.2	580
C0040663	3.4	0.9	14.7	0.48	<0.2	<0.005	3.49	0.43	15	0.31	3.1	>10000
C0040664	7.9	0.6	18.0	1.42	0.9	<0.005	3.25	0.53	24	0.32	3.8	5070
C0040665	14.1	0.5	87.2	0.25	2.1	<0.005	0.94	0.74	52	0.28	10.4	210
C0040666	9.8	1.1	86.2	0.29	1.3	<0.005	0.70	0.46	33	0.18	11.3	355
C0040667	11.5	1.1	86.6	1.03	1.3	<0.005	0.70	0.55	38	0.19	11.5	257
C0040668	6.4	0.4	80.5	0.14	1.3	<0.005	0.56	0.49	13	0.18	11.0	111

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040669	13.8	0.3	69.7	0.06	1.0	<0.005	0.31	1.43	56	0.21	8.4	260
C0040670	15.5	1.4	67.0	0.17	0.9	<0.005	0.18	1.64	71	0.18	7.4	271
C0040671	11.0	1.0	63.5	0.44	1.6	<0.005	0.31	1.13	55	0.21	8.0	300
C0040672	12.2	0.5	84.1	0.28	2.5	<0.005	0.20	1.13	57	0.24	10.7	154
C0040673	7.6	0.4	48.9	0.08	3.0	<0.005	0.17	0.82	36	0.32	9.4	161
C0040674	13.5	0.5	50.6	0.59	4.0	0.049	0.16	0.49	68	0.20	13.5	57
C0040675	1.0	196.8	27.9	0.47	0.4	<0.005	30.86	2.92	19	0.89	3.3	>10000
C0040676	10.0	0.5	81.2	0.50	3.7	0.039	0.14	0.35	60	0.16	12.4	48
C0040677	11.5	0.4	42.5	0.46	3.3	0.136	0.31	0.48	82	0.11	11.1	38
C0040678	13.0	0.4	83.4	2.58	3.3	0.108	0.29	0.36	95	0.12	16.2	56
C0040679	13.9	0.2	64.3	0.75	3.2	0.121	0.30	0.72	83	0.08	16.1	50
C0040680	13.3	0.3	58.2	0.45	3.3	0.131	0.26	0.40	89	0.19	15.8	55
C0040681	11.1	0.4	29.3	0.41	3.1	0.116	0.27	0.55	78	0.15	11.8	51
C0040682	8.0	<0.2	39.5	0.06	2.6	0.068	0.33	0.49	60	0.23	9.9	103
C0040683	11.8	<0.2	47.8	0.14	3.0	0.006	0.38	0.49	55	0.41	15.5	55
C0040684	14.5	0.3	55.5	0.37	3.2	0.077	0.38	0.54	71	0.12	18.7	54
C0040685	16.5	0.3	14.9	0.12	4.2	0.099	0.25	0.64	68	0.38	26.5	65
C0040686	11.1	<0.2	12.4	0.17	3.2	<0.005	0.07	0.85	34	0.37	15.1	62
C0040687	12.3	<0.2	20.1	0.35	3.6	<0.005	0.07	1.06	37	0.18	16.0	211
C0040688	18.9	0.2	38.5	0.97	4.0	<0.005	0.09	1.43	51	0.23	22.2	397
C0040689	10.1	0.5	18.8	0.93	3.4	<0.005	0.05	1.33	27	0.20	17.2	342
C0040690	7.1	0.3	35.6	0.80	3.6	<0.005	<0.05	1.18	21	0.16	10.9	143
C0040691	12.2	0.2	6.0	0.18	2.6	0.046	0.10	0.77	23	0.42	9.2	84
C0040692	13.3	0.2	20.3	0.20	4.7	0.035	0.12	1.18	32	0.40	6.0	62
C0040693	4.8	<0.2	23.6	<0.05	6.7	<0.005	0.06	1.26	19	0.22	4.7	103

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040694	4.4	0.9	51.6	0.14	5.7	<0.005	0.15	1.16	18	0.30	4.6	82
C0040695	4.2	0.3	31.7	0.09	1.2	0.109	1.03	0.34	57	3.37	7.4	1550
C0040696	7.7	0.7	56.4	<0.05	4.7	<0.005	0.07	1.86	38	0.24	5.5	132
C0040697	9.2	0.3	47.9	0.08	4.9	<0.005	0.09	1.55	46	0.12	5.7	145
C0040698	10.5	0.7	22.8	0.28	5.1	<0.005	0.20	2.27	40	0.51	10.2	680
C0040699	5.1	1.8	43.9	0.24	2.5	<0.005	0.33	0.93	14	0.24	9.9	189
C0040700	6.5	2.3	52.2	0.43	1.7	<0.005	0.36	0.91	18	0.22	12.6	192
C0040700PD	6.4	2.4	53.3	0.62	1.7	<0.005	0.34	0.92	16	0.23	12.7	190
C0040701	11.1	0.8	10.6	0.29	2.9	<0.005	0.18	4.15	33	0.25	19.0	919
C0040702	31.4	0.6	7.2	0.47	3.1	0.058	0.31	1.69	134	1.18	18.6	1383
C0040703	16.2	0.4	6.3	0.18	2.4	0.020	0.19	2.94	66	0.78	8.9	614
C0040704	15.2	0.4	6.2	0.18	3.9	0.069	0.26	2.34	53	0.41	16.7	1240
C0040705	16.7	0.4	4.6	0.23	2.9	0.213	0.43	1.11	62	0.36	17.6	801
C0040706	13.4	0.4	3.9	0.13	3.9	0.065	0.31	3.46	40	0.54	17.3	928
C0040707	8.5	1.0	4.5	4.10	4.1	<0.005	0.08	3.82	19	0.96	18.4	346
C0040708	15.0	0.3	4.6	0.70	4.5	<0.005	0.12	4.99	27	0.29	27.7	2510
C0040709	5.4	0.8	8.8	0.19	5.0	<0.005	0.68	6.09	24	0.47	15.2	3638
C0040710	0.7	0.6	5.6	0.06	10.9	<0.005	0.28	1.49	2	0.18	4.4	619
C0040711	0.6	0.4	6.6	<0.05	12.9	<0.005	0.19	1.45	<1	0.23	5.0	96
C0040712	0.5	0.6	9.6	<0.05	12.3	<0.005	0.17	1.46	<1	0.17	5.9	291
C0040713	0.8	0.4	9.0	0.47	15.5	<0.005	0.23	1.80	<1	0.24	6.6	742
C0040714	0.5	0.6	4.9	0.15	11.7	<0.005	0.32	1.55	<1	0.15	4.0	1716
C0040715	1.0	1.5	59.1	0.11	1.3	0.008	11.28	1.55	28	13.39	2.3	23
C0040716	0.5	0.9	8.5	<0.05	12.3	<0.005	0.27	1.64	<1	0.19	4.6	110
C0040717	0.5	0.3	13.0	<0.05	11.8	<0.005	0.19	1.52	<1	0.24	5.2	50

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040718	1.2	0.6	16.0	0.21	42.4	<0.005	0.20	1.64	3	0.13	6.8	25
C0040719	1.1	0.6	18.5	0.27	40.2	<0.005	0.24	1.11	2	0.26	6.4	106
C0040720	0.7	1.2	7.1	0.08	32.6	<0.005	0.39	0.99	2	0.31	3.2	2254
C0040721	1.2	0.7	18.7	<0.05	40.5	<0.005	0.21	0.94	2	0.27	6.3	17
C0040722	1.2	1.0	24.6	1.69	37.0	<0.005	0.31	1.08	3	0.18	5.7	571
C0040723	1.4	0.4	13.6	0.10	31.0	<0.005	0.30	1.29	2	0.20	5.2	1240
C0040724	1.0	0.3	6.7	<0.05	10.3	<0.005	0.46	1.37	2	0.15	5.5	2618
C0040725	0.5	0.4	13.1	<0.05	12.1	<0.005	0.16	1.49	<1	0.13	5.6	233
C0040726	0.4	0.9	5.9	<0.05	13.9	<0.005	0.63	1.34	<1	0.18	4.9	197
C0040727	0.6	<0.2	9.8	<0.05	14.3	<0.005	0.32	1.53	<1	0.14	6.2	272
C0040728	0.5	2.1	4.2	0.23	20.4	<0.005	1.02	1.08	2	0.18	2.2	>10000
C0040729	6.3	1.5	44.0	0.47	1.6	0.137	0.20	0.48	98	8.35	9.9	77
C0040730	1.3	0.6	15.0	0.09	43.6	<0.005	0.38	1.38	3	0.29	6.0	491
C0040730PD	1.3	0.5	14.2	0.07	43.3	<0.005	0.37	1.34	3	0.26	5.9	517
C0040731	2.4	0.6	15.0	0.05	48.6	<0.005	0.33	4.02	9	0.20	11.6	106
C0040732	4.3	0.2	23.6	1.56	3.0	<0.005	1.17	1.22	10	1.98	8.4	106
C0040733	5.1	0.4	40.8	<0.05	3.6	<0.005	1.48	1.03	17	0.22	9.0	157
C0040734	5.0	0.6	36.1	<0.05	2.4	<0.005	1.50	1.74	13	0.38	7.3	148
C0040735	1.1	1.5	70.4	0.05	1.4	0.009	11.41	1.57	28	12.96	2.5	23
C0040736	4.7	0.6	46.2	0.63	4.4	<0.005	1.13	1.28	11	0.23	10.8	228
C0040737	3.1	<0.2	17.2	<0.05	4.0	<0.005	0.86	0.71	9	0.18	5.5	149
C0040738	4.2	0.2	26.3	<0.05	4.3	<0.005	0.78	0.87	15	0.19	5.1	93
C0040739	2.4	0.6	16.8	<0.05	3.0	<0.005	1.13	0.48	3	0.17	3.3	39
C0040740	2.9	0.7	36.4	<0.05	3.1	<0.005	1.23	0.74	4	0.21	5.3	68
C0040741	2.1	0.4	19.4	<0.05	3.3	<0.005	0.76	0.56	5	0.11	5.9	127

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875


To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010783

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 18-Feb-2021
Report Version: Final

	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
C0040742	1.8	0.6	24.6	0.79	2.9	<0.005	1.01	0.77	3	0.12	6.6	203
C0040743	2.7	0.4	17.7	1.05	6.1	<0.005	0.51	1.30	3	0.12	8.4	239
C0040744	2.6	<0.2	12.3	<0.05	5.6	<0.005	0.34	1.11	5	0.09	8.7	173
C0040745	3.5	0.2	15.5	<0.05	6.7	<0.005	0.26	0.89	6	0.11	7.8	115
C0040746	6.6	<0.2	13.0	<0.05	3.6	0.033	0.17	0.86	9	0.07	8.0	62
C0040747	6.6	<0.2	8.4	<0.05	3.9	0.031	0.16	0.73	9	0.08	10.5	80
C0040748	6.3	<0.2	8.0	<0.05	3.9	0.044	0.15	0.74	12	0.13	13.1	72
DUP C0040476												
DUP C0040525												
DUP C0040566												
DUP C0040670												
DUP C0040694												
DUP C0040727												
DUP C0040728												
DUP C0040487	8.3	0.3	7.3	0.06	3.4	0.063	0.17	0.99	23	0.12	7.5	326
DUP C0040500	7.1	0.3	7.5	<0.05	3.0	0.015	0.42	1.02	16	0.91	8.8	270
DUP C0040527	2.6	0.8	34.7	4.64	4.0	<0.005	0.18	1.47	2	0.14	6.6	165
DUP C0040674	13.9	0.5	51.0	0.29	4.0	0.048	0.15	0.47	67	0.19	13.4	56
DUP C0040744	2.7	<0.2	12.4	<0.05	5.7	<0.005	0.35	1.12	5	0.10	8.9	173
STD BLANK												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



YVR2010783

[illegible]

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Coarse gold may be present in some samples. Detection limit for sodium changed to 0.2% due to matrix interferences.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6As	As, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	1	0.005	0.001	0.01	0.01	0.05	0.01
Granite Blank	QC-P-BK	--		2.66								<0.05	1.20
Granite Blank	QC-P-BK	--		2.78								<0.05	1.20
C0040749	Core	3.26		2.73								<0.05	1.04
C0040750	Core	3.58		2.78								<0.05	1.07
C0040751	Core	2.80		2.70								0.06	0.86
C0040752	Core	2.91		2.78								0.13	0.78
C0040753	Core	3.68		2.83								0.09	0.91
C0040754	Core	3.11		2.75								0.27	0.83
C0040755	Pulp	0.12		2.70	3.77							52.60	1.25
C0040756	Core	3.73		2.81								0.13	1.47
C0040757	Core	3.36		2.66								0.06	1.23
C0040758	Core	3.91		2.70								<0.05	0.90
C0040759	Core	3.88		2.73								<0.05	0.95
C0040760	Core	3.30		2.73								<0.05	0.96
C0040761	Core	3.75		2.66								0.08	0.75
C0040762	Core	3.88		2.68								0.05	0.79
C0040763	Core	3.12		2.70								0.09	1.08
C0040764	Core	2.94		2.73								0.35	0.47
C0040765	Core	3.70		2.70								0.39	0.28
C0040766	Core	3.49		2.70								0.28	0.35
C0040766PD	QC-PD	--		2.73								0.30	0.37
C0040767	Core	3.44		2.78								0.09	0.42
C0040768	Core	3.31		2.70								0.24	0.37
C0040769	Core	3.44		2.70								0.32	0.42
C0040770	Core	3.54		2.66								0.06	0.61

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040771	Core	3.53		2.73								0.08	0.62
C0040772	Core	3.16		2.73								0.12	0.75
C0040773	Core	2.63		2.75								0.16	0.57
C0040774	Core	2.07		2.78								0.60	0.41
C0040775	Pulp	0.09		3.33			158		1.226	1.49	9.15	>100	0.29
C0040776	Core	3.72		2.70								0.59	0.46
C0040777	Core	3.79		2.66								0.06	0.61
C0040778	Core	3.64		2.75								<0.05	0.96
C0040779	Core	3.58		2.73								<0.05	1.29
C0040780	Core	2.99		2.56								0.07	1.21
C0040781	Core	3.70		2.70								0.13	0.66
C0040782	Core	3.80		2.70								0.09	1.46
C0040783	Core	3.16		2.70								<0.05	1.43
C0040784	Core	3.54		2.75								<0.05	0.95
C0040785	Core	3.62		2.59								<0.05	3.11
C0040786	Core	5.20		2.63								<0.05	2.23
C0040787	Core	5.81		2.63								<0.05	1.61
C0040788	Core	3.50		2.70								0.05	0.97
C0040789	Core	3.41		2.75								0.06	0.91
C0040790	Core	3.31		2.68								0.05	0.75
C0040791	Core	3.64		2.70								0.06	2.06
C0040792	Core	3.73		2.91								<0.05	3.77
C0040793	Core	3.42		2.53								<0.05	2.11
C0040794	Core	2.80		2.73								0.30	0.92
C0040795	Pulp	0.12		2.73								0.41	0.45

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040796	Core	2.95		2.70								0.08	1.06
C0040797	Core	2.93		2.70								<0.05	1.68
C0040798	Core	3.77		2.86								0.09	2.58
C0040799	Core	2.88		2.70								0.06	2.05
C0040800	Core	4.14		2.86								<0.05	3.41
C0040801	Core	3.23		2.86								<0.05	3.29
C0040802	Core	3.93		2.78								<0.05	2.89
C0040803	Core	3.75		2.56								0.06	2.26
C0040804	Core	4.41		2.63								<0.05	1.97
C0040805	Core	6.80		2.94								<0.05	2.67
C0040806	Core	8.05		2.83								0.09	2.35
C0040806PD	QC-PD	--		2.86								0.09	2.43
C0040807	Core	7.57		2.78								0.06	1.58
C0040808	Core	8.10		2.94								0.05	1.96
C0040809	Core	8.14		2.86								<0.05	1.81
C0040810	Core	7.13		2.89								0.32	1.79
C0040811	Core	8.58		2.86								0.07	1.85
C0040812	Core	6.99		2.86								0.07	2.12
C0040813	Core	6.93		3.03								<0.05	2.58
C0040814	Core	7.73		2.78								<0.05	3.76
C0040815	Pulp	0.12		2.86	3.70							51.86	1.27
C0040816	Core	7.86		2.91								0.07	2.65
C0040817	Core	7.91		2.86								0.11	3.21
C0040818	Core	7.85		2.73								0.13	3.11
C0040819	Core	7.23		2.86								0.17	3.32

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040820	Core	6.43		2.78								0.20	2.28
C0040821	Core	4.06		2.78								0.13	2.77
C0040822	Core	3.70		2.78								0.14	2.21
C0040823	Core	3.75		2.86								0.23	1.91
C0040824	Core	4.12		2.78								0.10	2.47
C0040825	Core	4.44		2.78								0.22	2.16
C0040826	Core	2.86		2.78								0.23	1.31
C0040827	Core	3.80		2.66								0.08	2.56
C0040828	Core	4.87		2.81								0.09	1.53
C0040829	Core	3.92		2.78								0.06	2.00
C0040830	Core	3.25		2.70								0.08	2.52
C0040831	Core	2.49		2.56								0.07	3.23
C0040832	Core	2.97		2.78								0.06	2.75
C0040833	Core	3.75		2.78								0.08	1.98
C0040834	Core	2.60		2.70								0.12	1.88
C0040835	Pulp	0.12		3.23			160		1.261	1.52	9.31	>100	0.33
C0040836	Core	2.92		2.75								0.08	1.60
C0040837	Core	3.35		2.73								0.08	1.87
C0040838	Core	2.75		2.86								0.13	2.12
C0040839	Core	3.42		2.63								2.03	0.55
C0040840	Core	3.45		2.89								8.22	0.50
C0040841	Core	3.93		2.94								33.44	0.43
C0040842	Core	4.49		2.68								0.15	0.44
C0040843	Core	3.51		2.78								0.79	0.47
C0040844	Core	4.38		2.70								0.40	0.32

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040845	Core	3.15		2.78								1.95	0.31
C0040846	Core	4.43		2.73								2.23	0.48
C0040847	Core	4.50		2.91								0.52	0.59
C0040848	Core	3.83		2.73								0.71	0.53
C0040849	Core	3.95		2.56								0.28	0.82
C0040850	Core	3.90		2.81								<0.05	0.91
C0040851	Core	3.18		2.63								<0.05	0.80
C0040852	Core	3.29		2.66								<0.05	0.82
C0040852PD	QC-PD	--		2.73								<0.05	0.83
C0040853	Core	5.77		2.66								<0.05	0.91
C0040854	Core	4.14		2.94	3.05							36.70	0.43
C0040855	Pulp	0.12		2.73		9.2						1.38	1.60
C0040856	Core	2.80		2.91		6.9	150	1.716				>100	0.28
C0040857	Core	3.10		2.70								72.65	0.32
C0040858	Core	3.35		3.03		20.2	875	4.221		2.49	2.31	>100	0.21
C0040859	Core	4.11		2.73								0.20	0.89
C0040860	Core	2.60		2.70								0.58	0.92
C0040861	Core	3.68		2.66								0.40	0.51
C0040862	Core	2.10		2.70								0.34	0.42
C0040863	Core	4.04		2.70								0.30	0.35
C0040864	Core	3.69		2.63								0.79	0.31
C0040865	Core	4.40		2.78								7.23	0.30
C0040866	Core	3.37		2.81								3.35	0.41
C0040867	Core	4.20		2.86								0.28	0.70
C0040868	Core	3.50		2.78								0.64	1.07

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040869	Core	3.94		2.86								1.28	0.76
C0040870	Core	3.91		2.78								1.88	0.95
C0040871	Core	4.18		2.86								0.34	0.71
C0040872	Core	3.95		2.78								0.38	0.74
C0040873	Core	3.87		2.86								0.32	0.45
C0040874	Core	2.01		2.70								0.11	0.79
C0040875	Pulp	0.12		2.70								0.39	0.36
C0040876	Core	3.78		2.70								0.11	1.16
C0040877	Core	4.74		2.59								0.09	3.02
C0040878	Core	5.95		2.50								0.06	3.52
C0040879	Core	5.33		2.70								0.14	2.67
C0040880	Core	8.26		2.66								0.11	2.35
C0040881	Core	6.22		2.30								0.47	2.86
C0040882	Core	4.63		2.27								0.07	2.30
C0040883	Core	7.73		2.54								0.10	2.37
C0040884	Core	6.77		2.63								0.78	2.02
C0040885	Core	5.51		2.44								0.10	2.05
C0040886	Core	7.48		2.50								0.10	2.25
C0040887	Core	7.40		2.78								0.79	0.69
C0040888	Core	3.16		2.63								<0.05	0.56
C0040889	Core	3.70		2.78								<0.05	0.77
C0040890	Core	3.72		2.73								0.26	0.61
C0040891	Core	3.76		2.78								2.29	0.74
C0040892	Core	3.65		2.94								5.81	0.48
C0040893	Core	4.39		2.86								13.44	0.48

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040894	Core	3.66		2.91								3.40	0.48
C0040895	Pulp	0.11		2.70	3.79							53.13	1.30
C0040896	Core	3.01		2.86	2.03							10.43	0.52
C0040896PD	QC-PD	--		2.94	1.22							10.49	0.54
C0040897	Core	3.57		2.94							1.14	17.99	0.48
C0040898	Core	4.23		2.86								8.46	0.48
C0040899	Core	4.34		2.86								3.50	0.42
C0040900	Core	3.94		2.91								2.42	0.46
C0040901	Core	3.92		2.89	2.50						1.83	35.97	0.36
C0040902	Core	4.07		2.94								4.56	0.52
C0040903	Core	4.23		2.63								0.09	2.54
C0040904	Core	4.06		2.73								0.09	3.69
C0040905	Core	3.98		2.78								1.54	1.17
C0040906	Core	3.09		2.78								0.31	1.11
C0040907	Core	4.42		2.78								1.97	0.72
C0040908	Core	7.40		2.78								0.26	1.37
C0040909	Core	8.18		2.66								0.15	1.78
C0040910	Core	7.10		2.78								1.25	1.05
C0040911	Core	5.92		2.78								1.70	0.32
C0040912	Core	6.72		2.66								2.54	0.34
C0040913	Core	3.89		2.78								3.95	0.33
C0040914	Core	5.33		2.73								5.36	0.46
C0040915	Pulp	0.12		3.37			160		1.251	1.54	9.40	>100	0.32
C0040916	Core	3.45		2.73								0.12	0.60
C0040917	Core	4.31		2.70								1.05	0.52

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040918	Core	4.70		2.83								12.86	0.25
C0040919	Core	4.50		2.89								12.26	0.25
C0040920	Core	4.38		2.86				1.807				8.26	0.25
C0040921	Core	4.16		2.81								8.38	0.29
C0040922	Core	3.81		2.86	1.24							90.60	0.36
C0040923	Core	4.16		2.78								2.54	0.32
C0040924	Core	3.95		2.78								5.08	0.42
C0040925	Core	4.41		2.75								1.98	0.32
C0040926	Core	4.64		2.78								3.64	0.35
C0040927	Core	3.50		2.78								3.84	0.36
C0040928	Core	4.90		2.81								9.11	0.40
C0040929	Core	3.75		2.78								1.59	0.38
C0040930	Pulp	0.12		2.78		9.4						1.35	1.63
C0040931	Core	4.42		2.78								1.45	0.44
C0040932	Core	4.14		2.66								14.95	0.45
C0040933	Core	4.26		2.78	2.89							2.99	0.43
C0040934	Core	4.95		2.70								3.43	0.57
C0040935	Core	3.44		2.70								0.09	0.88
C0040936	Core	3.88		2.70								0.22	0.89
C0040936PD	QC-PD	--		2.63								0.19	0.67
C0040937	Core	3.62		2.70								0.70	0.72
C0040938	Core	3.91		2.66								0.12	0.70
C0040939	Core	4.00		2.70								0.78	0.56
C0040940	Core	3.81		2.63								0.19	0.85
C0040941	Core	3.45		2.70								0.23	0.59

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0040942	Core	3.61		2.70								0.81	0.57
C0040943	Core	4.13		2.68								0.15	1.06
C0040944	Core	4.25		2.70								0.77	0.49
C0040945	Core	4.28		2.70								2.34	0.46
C0040946	Core	4.27		2.78		30.1						38.27	0.24
C0040947	Core	4.34		2.70								7.61	0.30
C0040948	Core	3.79		2.63								3.12	0.39
DUP C0040754												0.28	0.83
DUP C0040787												<0.05	1.57
DUP C0040837												0.09	1.89
DUP C0040864												0.80	0.32
DUP C0040913												3.97	0.37
DUP C0040773				2.78									
DUP C0040798				2.86									
DUP C0040829				2.78									
DUP C0040862				2.70									
DUP C0040892				2.86									
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
STD BLANK		0.01	LOR		0.01	0.9	1	0.005	0.001	0.01	0.01	0.05	0.01
STD BLANK						<0.9	<1	<0.005	<0.001	<0.01	<0.01		
STD BLANK					<0.01								
STD OREAS 25a												<0.05	6.35
STD OREAS 600b												25.98	0.59
STD OREAS 25a												<0.05	5.83
STD OREAS 600b												26.10	0.62
STD OREAS 25a												<0.05	5.86
STD MP-1b								2.267	3.061	2.13	16.79		
STD CDN-ME-1407							247						
STD OxQ115						24.9							
STD OxK160					3.55								
STD OREAS 904				2.75									
STD OREAS 904				2.78									
STD OREAS 904				2.81									
STD OREAS 904				2.70									
STD OREAS 904				2.78									

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
Granite Blank	1.4	0.001	<10	83	<0.05	0.78	<0.05	4.3	25	5.7	2.04	4.4	<0.01
Granite Blank	1.3	<0.001	<10	86	<0.05	0.79	<0.05	4.0	23	5.1	2.00	4.5	<0.01
C0040749	21.6	0.001	<10	71	0.19	0.15	0.24	3.2	23	24.2	2.59	5.9	<0.01
C0040750	8.1	0.002	<10	74	0.23	0.22	0.71	6.7	23	28.2	3.06	6.9	<0.01
C0040751	9.7	0.005	<10	27	0.18	0.14	0.65	4.7	23	22.2	2.57	6.1	<0.01
C0040752	27.1	0.016	<10	47	0.41	0.12	0.42	7.0	25	31.2	2.70	5.2	<0.01
C0040753	11.5	0.004	<10	54	0.31	0.16	0.53	5.8	24	47.7	2.57	5.8	<0.01
C0040754	13.8	0.003	<10	40	1.25	0.17	0.28	4.5	24	89.1	2.88	6.3	<0.01
C0040755	30.6	3.205	13	105	1.04	0.74	14.65	7.6	26	63.8	3.63	6.7	0.20
C0040756	6.2	0.008	<10	361	0.51	0.60	0.29	8.4	20	36.9	3.84	7.3	<0.01
C0040757	15.4	0.015	<10	67	0.54	0.24	0.47	8.2	20	28.0	3.28	6.6	<0.01
C0040758	6.1	0.003	<10	79	0.37	0.10	0.11	3.9	23	43.7	2.98	6.8	<0.01
C0040759	13.3	0.003	<10	52	0.46	0.11	0.19	5.8	24	44.6	3.15	6.7	<0.01
C0040760	43.9	0.002	<10	47	0.32	0.09	0.91	8.0	22	20.5	3.00	6.1	<0.01
C0040761	56.3	0.003	<10	16	0.73	0.08	0.43	14.9	24	55.3	2.69	5.4	<0.01
C0040762	34.3	0.002	<10	14	0.58	0.06	0.23	3.1	19	46.9	3.36	4.5	<0.01
C0040763	68.9	0.002	11	30	0.58	0.09	0.59	9.2	21	80.5	4.76	6.3	0.02
C0040764	773.0	0.008	<10	48	0.92	0.06	2.98	7.9	19	48.7	2.77	1.1	0.06
C0040765	866.0	0.038	<10	30	0.87	0.05	1.06	2.4	20	24.7	2.18	0.8	0.05
C0040766	342.5	0.009	<10	42	0.40	0.06	1.06	5.0	19	29.2	3.26	1.1	0.09
C0040766PD	345.2	0.010	11	42	0.41	0.06	1.09	5.2	19	30.9	3.26	1.1	0.09
C0040767	123.3	0.003	<10	18	0.35	0.03	0.83	3.5	22	26.0	2.34	1.1	0.04
C0040768	338.3	0.015	<10	35	0.37	0.05	1.40	3.0	24	16.0	2.42	1.1	0.08
C0040769	180.7	0.012	<10	28	0.32	0.06	1.07	5.3	19	15.9	3.09	1.1	0.05
C0040770	31.4	0.003	<10	12	0.29	0.03	0.49	6.4	19	15.6	3.38	1.8	0.25

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040771	147.9	0.005	<10	37	0.62	0.04	0.95	7.9	20	70.6	4.32	1.9	0.12
C0040772	62.9	0.005	11	25	0.56	0.07	0.55	8.5	18	90.8	4.49	2.1	0.05
C0040773	388.0	0.003	<10	34	0.82	0.04	1.53	6.3	19	61.0	3.69	1.5	0.06
C0040774	519.2	0.014	<10	38	1.39	0.06	9.40	2.7	22	44.2	2.06	1.2	0.08
C0040775	1077.5	0.187	28	<10	61.17	1.63	564.89	26.8	15	>10000	18.49	7.5	18.66
C0040776	347.1	0.012	<10	47	2.11	0.11	0.70	1.1	16	20.5	2.75	1.5	0.15
C0040777	65.6	0.002	<10	19	0.34	0.05	0.61	4.7	26	22.8	3.14	1.8	0.26
C0040778	32.5	<0.001	<10	58	0.14	0.06	0.78	4.8	23	31.1	3.03	3.6	0.04
C0040779	7.0	<0.001	<10	172	0.13	0.09	2.79	7.3	21	27.4	3.74	5.7	0.01
C0040780	14.4	0.002	<10	122	0.41	0.11	1.54	6.1	49	24.1	4.09	5.2	0.07
C0040781	22.4	0.002	<10	106	2.20	0.04	0.86	9.3	29	61.4	3.78	2.3	0.27
C0040782	18.4	0.001	<10	234	0.61	0.16	1.60	11.5	33	40.0	4.18	5.2	0.09
C0040783	23.0	<0.001	<10	134	0.26	0.13	4.46	10.4	24	35.9	4.07	5.0	0.07
C0040784	48.2	0.001	<10	159	0.32	0.08	2.81	7.5	24	20.2	2.76	2.7	0.09
C0040785	16.3	<0.001	<10	274	0.10	1.66	0.57	18.3	22	15.7	5.29	10.4	0.04
C0040786	6.3	<0.001	10	341	0.13	1.41	0.18	13.3	66	14.4	4.13	7.8	0.02
C0040787	6.2	<0.001	<10	222	0.14	0.14	0.57	7.1	27	10.9	3.14	6.3	0.02
C0040788	30.8	0.001	<10	72	0.15	0.04	2.08	6.2	22	36.4	2.96	3.3	0.04
C0040789	223.7	0.002	<10	25	0.12	0.03	2.39	6.2	21	24.1	3.01	2.3	0.25
C0040790	94.7	0.002	<10	12	0.29	0.03	0.85	2.3	21	32.8	2.35	2.1	0.04
C0040791	72.4	0.002	<10	95	0.40	0.26	9.24	16.6	22	39.4	5.53	7.2	0.03
C0040792	54.0	0.004	13	161	0.28	1.01	3.17	33.5	25	53.1	8.00	11.1	0.02
C0040793	184.8	0.001	12	80	0.23	0.78	1.60	29.6	23	19.8	6.53	6.5	0.16
C0040794	965.6	0.194	17	33	0.12	1.48	15.04	19.9	14	14.0	6.39	1.7	0.03
C0040795	438.5	0.242	12	1312	0.17	1.07	0.41	3.9	43	38.7	4.03	1.9	3.45

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040796	606.0	0.029	15	18	0.14	1.89	12.47	23.5	13	18.9	5.80	2.5	0.03
C0040797	106.8	0.002	<10	175	0.10	0.89	0.95	14.0	27	25.0	3.68	5.2	0.04
C0040798	103.0	0.002	12	316	0.23	0.86	0.46	22.8	41	56.0	6.11	9.4	0.03
C0040799	50.9	0.001	11	435	0.13	1.73	0.38	20.3	26	28.6	5.58	8.3	0.02
C0040800	8.4	0.001	13	322	0.15	1.51	0.14	19.9	39	26.4	5.69	9.6	0.02
C0040801	45.4	<0.001	11	213	0.16	1.85	0.09	14.9	24	23.7	4.72	8.7	0.02
C0040802	222.9	0.003	<10	94	0.44	0.80	0.45	21.4	18	17.6	6.37	10.0	0.02
C0040803	20.0	0.004	10	140	0.49	1.63	0.24	15.7	16	24.1	4.74	7.6	0.02
C0040804	181.3	0.014	11	83	0.60	3.16	0.80	24.7	11	33.1	5.74	7.6	0.02
C0040805	359.0	0.008	<10	78	0.31	1.47	0.81	16.4	24	37.9	3.94	8.0	0.01
C0040806	138.1	0.012	<10	95	0.79	1.37	0.34	23.4	33	103.0	4.50	8.3	0.02
C0040806PD	134.5	0.016	<10	96	0.71	1.43	0.32	23.5	34	97.2	4.57	8.3	0.01
C0040807	53.2	0.004	<10	100	0.55	1.17	0.37	16.9	26	68.7	3.51	6.0	0.01
C0040808	100.4	0.008	<10	69	0.29	1.56	0.54	17.2	25	51.7	3.68	6.5	0.01
C0040809	12.2	0.006	<10	98	0.31	1.27	0.61	13.9	30	37.4	3.47	6.9	0.02
C0040810	157.6	0.008	<10	97	0.20	1.19	0.47	15.9	59	114.0	3.24	5.8	<0.01
C0040811	21.0	0.008	<10	135	0.46	1.35	0.14	19.1	31	56.8	3.86	6.4	<0.01
C0040812	443.6	0.003	<10	198	0.52	1.18	1.59	25.7	30	99.0	5.11	7.4	<0.01
C0040813	22.1	0.002	<10	279	0.33	0.72	<0.05	24.5	27	45.3	5.30	9.0	<0.01
C0040814	281.9	0.001	11	270	0.23	0.73	1.04	25.8	37	33.1	6.30	12.5	0.02
C0040815	31.6	3.379	13	105	0.98	0.74	15.81	9.0	27	72.2	3.74	6.4	0.20
C0040816	316.6	0.006	13	210	0.29	1.38	1.28	23.8	33	50.2	5.27	9.5	0.02
C0040817	114.9	0.003	11	506	0.24	0.48	0.84	15.3	28	71.4	5.51	13.1	0.01
C0040818	17.8	0.002	11	319	0.10	0.38	0.39	11.0	27	79.1	5.17	12.6	<0.01
C0040819	172.5	0.003	13	75	0.21	0.89	0.28	16.9	25	100.2	6.05	11.7	0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0040820	128.6	0.003	11	106	0.30	0.93	0.17	11.3	21	52.6	4.93	8.9	<0.01
C0040821	304.6	0.002	14	277	0.13	1.75	0.11	16.8	27	85.5	5.27	10.3	0.01
C0040822	589.7	0.003	18	56	0.20	4.45	0.64	29.6	22	37.0	5.55	5.1	0.02
C0040823	124.6	0.004	16	79	0.23	4.06	0.60	22.8	32	96.8	4.97	4.5	0.03
C0040824	22.1	0.005	11	361	0.12	1.74	0.11	19.1	70	43.9	4.50	7.5	0.01
C0040825	68.2	0.002	13	208	0.15	2.89	0.20	19.7	66	73.7	3.89	5.6	0.03
C0040826	170.5	0.002	11	55	0.09	2.82	0.79	27.2	44	46.1	2.50	2.7	0.04
C0040827	310.1	0.003	11	307	0.07	1.83	0.08	14.6	73	29.1	4.20	6.6	<0.01
C0040828	125.0	0.002	<10	312	0.13	1.14	0.07	10.3	67	37.2	2.69	5.3	<0.01
C0040829	114.6	0.003	<10	617	0.13	0.87	<0.05	13.6	24	18.8	4.23	7.8	<0.01
C0040830	14.3	0.004	<10	594	0.15	1.07	0.23	15.4	32	25.7	4.34	9.3	<0.01
C0040831	4.9	0.012	11	473	0.14	0.88	0.06	15.3	46	25.8	4.49	9.8	<0.01
C0040832	57.3	0.009	11	406	0.14	0.63	<0.05	15.8	18	26.2	4.36	11.1	<0.01
C0040833	88.0	0.005	<10	239	0.27	0.55	0.06	17.3	35	26.0	4.23	8.0	<0.01
C0040834	100.3	0.003	<10	507	0.16	0.56	<0.05	9.1	51	44.0	2.77	6.9	<0.01
C0040835	1045.4	0.218	32	11	60.20	1.66	549.01	29.2	16	>10000	18.56	7.9	18.66
C0040836	203.3	<0.001	<10	318	0.06	0.46	0.09	8.7	64	23.8	2.76	6.1	<0.01
C0040837	397.6	0.001	<10	423	0.06	0.97	0.11	14.1	57	33.8	3.52	6.7	0.02
C0040838	568.5	0.005	13	329	0.19	1.07	0.20	17.2	52	36.0	4.50	7.8	0.04
C0040839	1438.5	0.366	12	94	0.14	1.09	3.06	8.4	23	11.1	3.18	1.4	0.09
C0040840	1461.4	0.377	17	30	0.72	1.81	3.82	17.3	22	8.6	4.79	1.3	0.19
C0040841	4125.0	0.990	12	76	26.97	2.66	7.46	7.3	20	10.2	2.83	0.9	0.07
C0040842	69.9	0.007	<10	118	0.05	2.10	0.09	3.0	29	3.9	1.22	0.9	0.10
C0040843	794.5	0.157	<10	231	0.06	1.97	0.65	4.2	21	4.8	1.56	1.0	0.09
C0040844	117.2	0.014	10	267	0.12	3.14	0.66	4.4	26	4.5	1.80	0.8	0.08

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040845	575.5	0.148	11	82	0.14	2.36	1.73	11.0	28	6.6	2.56	0.8	0.08
C0040846	631.1	0.721	10	95	1.34	2.08	2.67	12.4	24	17.1	3.06	1.3	0.11
C0040847	78.2	0.026	12	27	0.94	3.02	0.13	11.3	16	5.2	3.87	1.3	0.07
C0040848	136.8	0.103	13	59	0.71	3.78	0.24	14.1	22	2.7	4.35	1.2	0.07
C0040849	13.9	0.014	<10	92	0.45	1.49	<0.05	15.7	27	18.9	3.90	2.2	0.23
C0040850	16.3	0.011	<10	189	0.45	1.07	0.07	21.5	22	29.7	4.97	2.5	0.32
C0040851	9.8	0.004	<10	87	0.18	0.93	<0.05	10.3	20	49.0	1.46	2.0	0.25
C0040852	11.8	0.003	<10	230	0.28	2.06	<0.05	9.3	28	38.7	2.98	2.2	0.61
C0040852PD	11.7	0.003	<10	228	0.28	2.07	<0.05	9.4	29	38.6	3.00	2.2	0.59
C0040853	21.7	0.005	<10	138	0.37	1.52	0.05	24.9	44	22.9	4.47	2.5	0.64
C0040854	7009.1	2.867	<10	44	2.84	0.61	22.15	20.6	18	65.8	5.54	1.2	0.19
C0040855	37.7	8.407	<10	118	1.33	0.81	0.27	12.6	41	758.3	5.02	6.0	0.43
C0040856	>10000	7.192	<10	47	1.04	0.34	38.27	5.7	32	217.0	4.36	1.0	0.31
C0040857	1248.7	0.352	<10	64	0.54	0.15	20.23	4.5	24	187.6	2.98	0.9	0.31
C0040858	>10000	20.976	18	23	5.69	0.54	283.56	4.8	33	1570.4	8.42	1.3	2.18
C0040859	39.4	0.006	11	219	0.74	2.31	0.49	10.4	26	11.4	4.74	2.5	0.16
C0040860	25.3	0.010	24	223	1.18	1.18	3.78	7.4	16	10.9	3.81	2.2	0.15
C0040861	20.3	0.011	<10	515	0.21	1.65	3.46	7.2	23	20.9	2.57	1.3	0.14
C0040862	70.5	0.027	<10	638	0.21	1.33	1.21	2.6	26	1.8	1.26	1.0	0.03
C0040863	108.6	0.017	<10	140	0.44	0.28	1.42	3.8	27	2.7	1.56	0.9	0.05
C0040864	96.2	0.022	<10	35	0.14	0.66	3.46	2.0	26	2.5	0.81	0.8	0.03
C0040865	1651.3	0.427	<10	37	0.49	1.68	22.44	3.9	22	22.5	2.70	0.8	0.14
C0040866	1808.7	0.624	<10	35	1.16	3.60	15.98	16.6	35	21.3	4.90	1.0	0.12
C0040867	38.0	0.026	<10	162	0.97	5.04	0.22	24.5	142	18.7	5.19	1.7	0.13
C0040868	16.2	0.008	<10	146	1.24	2.92	0.64	21.6	46	78.1	5.93	2.7	0.31

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040869	171.9	0.042	<10	63	0.51	4.47	0.18	22.0	36	53.7	5.27	1.6	0.15
C0040870	468.3	0.136	<10	80	0.38	3.13	0.85	16.8	32	35.0	4.80	2.5	0.21
C0040871	39.7	0.023	<10	71	1.08	5.87	0.55	29.0	85	13.1	5.30	1.9	0.11
C0040872	54.6	0.014	<10	101	0.88	5.49	0.14	22.1	54	31.8	4.98	1.8	0.17
C0040873	29.6	0.006	<10	195	0.26	2.57	0.09	4.9	21	10.5	1.71	0.9	0.05
C0040874	3.3	0.001	<10	98	0.21	1.04	<0.05	3.2	22	2.7	1.88	1.8	0.02
C0040875	439.3	0.246	<10	1067	0.20	1.09	0.34	3.8	42	43.7	4.04	1.7	3.82
C0040876	28.5	0.006	<10	32	0.50	1.79	0.17	31.5	22	49.9	3.59	2.5	0.36
C0040877	8.6	0.006	<10	203	0.84	2.12	0.21	20.9	36	78.1	4.48	6.3	0.03
C0040878	5.7	0.005	<10	338	0.87	2.92	0.07	21.5	89	55.2	4.86	9.1	0.02
C0040879	5.4	0.013	<10	153	0.53	2.42	0.06	16.3	29	99.0	3.93	6.1	0.03
C0040880	7.6	0.026	<10	205	0.64	3.07	<0.05	22.4	54	85.9	3.85	6.3	0.02
C0040881	29.0	0.024	<10	189	0.59	4.04	0.20	23.4	84	38.4	4.85	7.4	0.03
C0040882	8.7	0.012	<10	107	0.66	3.72	0.07	18.0	70	28.5	4.52	5.3	0.02
C0040883	7.2	0.006	<10	139	0.23	3.60	0.07	12.5	31	20.2	3.86	5.7	0.06
C0040884	30.3	0.008	<10	130	0.39	2.66	0.61	8.3	12	6.4	4.47	4.9	0.06
C0040885	8.1	0.024	<10	83	0.99	3.02	0.11	17.3	45	15.5	4.31	4.8	0.07
C0040886	8.1	0.026	<10	65	1.44	4.76	0.14	39.3	88	11.2	7.05	5.3	0.08
C0040887	22.8	0.013	<10	87	0.67	2.07	0.64	19.4	64	25.5	4.43	1.2	0.15
C0040888	2.8	0.001	<10	257	0.07	0.51	<0.05	2.0	22	8.9	1.07	1.2	0.06
C0040889	4.3	0.001	<10	153	0.13	1.07	0.06	3.9	22	5.0	1.82	1.6	0.06
C0040890	79.2	0.016	<10	24	0.26	1.81	0.31	5.2	23	3.3	2.06	1.4	0.09
C0040891	311.9	0.151	15	86	0.92	1.78	7.73	17.4	15	53.0	4.80	1.9	0.09
C0040892	145.8	0.071	20	31	1.44	3.47	35.50	10.6	18	43.4	4.79	1.1	0.08
C0040893	189.2	0.067	<10	36	1.79	2.68	103.23	12.6	23	145.3	5.37	1.1	0.12

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040894	145.9	0.085	21	51	0.82	1.22	20.26	22.3	19	25.4	6.72	1.1	0.05
C0040895	29.8	3.312	<10	107	1.02	0.71	14.82	8.4	27	71.6	3.60	6.4	0.20
C0040896	174.2	1.348	11	52	6.57	1.58	79.10	12.2	14	128.4	6.37	1.3	0.16
C0040896PD	178.1	1.192	12	53	6.56	1.54	88.09	12.6	13	139.0	6.38	1.3	0.18
C0040897	316.2	0.645	10	33	12.79	3.15	134.47	11.8	13	199.5	6.38	1.5	0.41
C0040898	527.8	0.590	12	42	4.00	3.48	41.75	11.9	14	53.1	5.63	1.2	0.24
C0040899	238.4	0.154	12	41	0.54	3.91	10.61	12.1	17	22.0	4.87	1.1	0.05
C0040900	504.7	0.104	<10	48	0.49	3.58	2.72	10.8	12	11.6	3.99	1.0	0.05
C0040901	4918.6	2.302	16	32	11.06	5.01	217.08	8.6	15	205.7	6.44	1.0	0.37
C0040902	1144.8	0.210	11	47	0.43	3.46	8.43	17.4	11	59.1	5.94	1.1	0.07
C0040903	23.9	0.017	<10	62	0.39	3.44	0.18	22.4	22	10.5	5.23	5.4	0.05
C0040904	7.3	0.015	<10	209	0.27	2.80	0.08	22.4	32	55.2	5.62	7.7	0.02
C0040905	33.9	0.015	<10	47	0.41	3.51	7.33	19.7	20	86.6	5.60	2.9	0.07
C0040906	26.4	0.011	<10	40	0.56	2.75	0.16	46.4	21	69.0	6.41	3.1	0.09
C0040907	230.7	0.019	<10	36	0.25	2.43	8.07	22.2	17	68.6	4.76	1.7	0.05
C0040908	39.2	0.009	<10	65	0.22	2.27	0.26	12.5	36	47.4	3.19	4.2	0.04
C0040909	6.2	0.012	<10	76	0.39	2.82	0.11	11.8	29	34.6	3.50	4.5	0.03
C0040910	68.4	0.023	<10	114	0.36	1.09	3.79	5.4	21	11.1	2.41	2.8	0.04
C0040911	17.6	0.033	<10	64	0.46	0.25	12.95	1.0	19	18.1	0.96	0.7	0.07
C0040912	30.7	0.030	<10	74	0.49	0.31	10.99	1.5	19	13.0	1.48	0.8	0.05
C0040913	148.2	0.051	<10	65	0.82	0.87	12.33	3.4	18	20.5	2.66	0.8	0.10
C0040914	805.3	0.223	<10	62	0.68	0.75	14.05	6.3	20	19.0	2.93	1.2	0.08
C0040915	1135.0	0.383	18	11	61.63	1.72	452.01	29.0	16	>10000	18.46	7.9	18.60
C0040916	8.1	0.004	<10	85	0.38	1.60	0.14	2.1	20	9.8	1.47	1.9	0.01
C0040917	172.5	0.031	<10	59	2.17	1.21	2.75	10.3	23	54.5	2.09	1.5	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040918	333.4	0.098	19	47	5.43	1.04	5.32	6.3	24	237.7	1.28	0.8	0.05
C0040919	7695.7	0.170	28	51	7.72	2.07	20.86	8.3	16	292.7	2.85	1.1	0.12
C0040920	>10000	0.287	33	43	5.70	2.32	10.91	3.2	16	145.6	3.04	1.0	0.07
C0040921	7374.1	0.171	22	143	4.17	1.20	12.24	5.2	15	157.8	2.34	1.0	0.07
C0040922	693.5	1.118	40	62	59.63	2.48	21.18	13.0	13	50.3	2.82	1.1	0.02
C0040923	102.4	0.066	23	66	2.46	3.26	2.55	6.3	16	31.3	1.93	1.0	<0.01
C0040924	310.3	0.224	34	76	4.95	2.32	5.55	11.8	14	98.0	4.03	1.1	0.02
C0040925	474.9	0.074	21	95	0.82	0.72	0.52	1.0	24	53.1	3.06	1.1	0.09
C0040926	316.7	0.208	15	82	1.97	0.11	1.43	5.2	18	90.5	3.84	1.0	0.02
C0040927	258.1	0.273	27	66	2.67	0.11	1.74	9.8	14	167.7	4.83	1.1	0.02
C0040928	519.1	0.234	19	101	10.83	0.09	1.10	6.1	15	107.8	5.02	1.0	0.05
C0040929	718.8	0.109	16	84	1.08	0.08	0.47	2.3	19	39.9	3.55	1.2	0.09
C0040930	33.2	8.173	18	117	1.39	0.83	0.24	12.8	42	786.0	5.06	5.7	0.42
C0040931	1256.3	0.043	20	68	2.43	0.11	1.50	6.6	16	80.9	4.73	1.1	0.21
C0040932	1746.0	0.611	15	43	2.17	0.10	1.44	4.9	20	83.3	3.06	1.1	0.09
C0040933	8582.0	2.733	16	44	2.88	0.12	0.79	2.5	21	43.1	4.59	0.9	0.05
C0040934	3173.3	0.923	16	53	12.79	0.12	1.38	6.6	26	56.7	4.36	1.6	0.07
C0040935	562.7	0.036	13	15	1.04	0.11	0.34	10.2	14	47.6	3.64	2.3	0.11
C0040936	246.1	0.015	14	20	2.92	0.21	0.55	9.4	11	44.7	4.14	2.1	0.06
C0040936PD	240.4	0.014	13	18	2.92	0.21	0.57	9.2	13	45.0	4.17	1.7	0.05
C0040937	500.6	0.112	14	21	13.95	0.19	0.99	7.1	15	43.3	3.79	1.7	0.07
C0040938	404.8	0.090	11	18	1.08	0.19	0.51	4.1	13	14.9	2.66	1.9	0.07
C0040939	484.0	0.040	17	48	1.02	0.14	1.94	5.9	16	24.3	3.00	1.4	0.04
C0040940	254.8	0.010	15	22	1.62	0.20	0.59	13.6	12	37.1	5.11	2.2	0.07
C0040941	219.4	0.010	17	28	0.50	0.58	0.82	4.8	14	41.0	2.37	1.4	0.08

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0040942	282.7	0.022	21	63	1.57	2.22	1.59	5.9	15	49.9	3.54	1.1	0.04
C0040943	323.0	0.055	15	39	1.95	0.37	0.47	5.9	12	35.8	3.40	3.3	0.06
C0040944	582.7	0.036	15	99	1.05	0.14	1.19	5.0	15	29.6	2.16	1.1	0.03
C0040945	1419.1	0.165	12	82	2.21	0.17	1.44	3.7	17	27.3	1.61	1.0	0.04
C0040946	239.1	>25	10	415	422.12	0.05	0.36	1.8	41	52.3	1.50	0.6	0.17
C0040947	129.4	0.149	<10	211	9.32	0.11	0.13	2.8	30	35.0	1.66	0.6	0.03
C0040948	111.3	0.144	10	547	10.24	0.13	1.25	6.5	27	58.1	1.15	0.7	0.02
DUP C0040754	13.8	0.004	<10	40	1.25	0.17	0.29	4.7	24	92.7	2.88	6.3	<0.01
DUP C0040787	6.2	<0.001	<10	221	0.14	0.14	0.57	6.9	26	10.7	3.12	6.4	0.02
DUP C0040837	391.7	<0.001	<10	422	0.06	0.98	0.12	14.3	57	34.6	3.53	6.8	0.02
DUP C0040864	95.5	0.020	<10	35	0.14	0.66	3.41	2.0	26	2.6	0.82	0.8	0.03
DUP C0040913	157.8	0.084	<10	70	0.75	0.88	12.93	3.5	18	21.2	2.66	0.8	0.10
DUP C0040773													
DUP C0040798													
DUP C0040829													
DUP C0040862													
DUP C0040892													
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 25a	3.1	<0.001	17	59	0.30	0.15	<0.05	5.9	75	25.1	6.45	20.9	0.06
STD OREAS 600b	95.8	0.201	<10	650	5.63	0.85	2.12	2.2	27	486.8	2.08	3.5	0.12
STD OREAS 25a	2.8	0.001	13	56	0.30	0.15	<0.05	5.9	75	24.3	6.39	20.8	0.06
STD OREAS 600b	97.4	0.203	12	671	5.97	0.84	2.14	2.2	27	514.2	2.08	3.5	0.10
STD OREAS 25a	2.7	0.001	<10	57	0.30	0.16	<0.05	5.7	74	24.4	6.27	20.9	0.06
STD MP-1b													
STD CDN-ME-1407													
STD OxQ115													
STD OxK160													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
Granite Blank	0.13	6.0	0.50	512	5.50	<0.2	2.1	407	1.4	<0.005	0.01	0.07
Granite Blank	0.14	5.9	0.49	512	4.96	<0.2	1.9	406	1.4	<0.005	0.02	0.06
C0040749	0.27	9.9	0.34	177	5.02	<0.2	1.9	260	3.4	<0.005	0.05	1.65
C0040750	0.18	10.9	0.45	444	5.70	<0.2	2.2	301	1.5	<0.005	0.20	1.10
C0040751	0.13	11.0	0.31	265	4.63	<0.2	2.1	299	2.2	<0.005	0.13	0.93
C0040752	0.13	9.7	0.29	522	7.28	<0.2	1.9	282	3.4	<0.005	0.23	1.24
C0040753	0.18	10.4	0.43	325	5.17	<0.2	1.6	281	2.5	<0.005	0.25	1.63
C0040754	0.18	13.7	0.36	223	5.29	<0.2	1.3	341	7.9	<0.005	0.31	0.98
C0040755	0.10	5.4	0.59	383	9.83	<0.2	26.9	512	491.2	<0.005	0.37	56.11
C0040756	0.67	16.2	0.75	479	3.76	<0.2	2.0	897	5.0	<0.005	0.32	0.87
C0040757	0.25	14.0	0.54	507	4.36	<0.2	1.9	634	14.5	<0.005	0.07	2.14
C0040758	0.27	11.6	0.38	187	4.94	<0.2	1.2	263	1.8	<0.005	0.38	0.49
C0040759	0.24	9.8	0.39	204	4.67	<0.2	1.3	238	2.0	<0.005	0.49	2.07
C0040760	0.28	12.5	0.32	401	5.51	<0.2	1.6	198	3.0	<0.005	0.08	3.05
C0040761	0.08	16.2	0.25	111	5.62	<0.2	2.0	229	6.8	<0.005	0.62	4.66
C0040762	0.08	14.3	0.13	98	4.31	<0.2	1.2	180	3.1	<0.005	0.15	4.63
C0040763	0.15	13.5	0.39	606	33.91	<0.2	1.8	309	60.9	<0.005	0.58	5.04
C0040764	0.21	12.4	0.03	1270	5.76	<0.2	1.7	317	234.4	<0.005	0.10	26.06
C0040765	0.16	8.3	0.02	140	5.51	<0.2	1.5	204	66.7	<0.005	0.05	27.28
C0040766	0.17	10.9	0.03	598	4.51	<0.2	1.7	303	28.6	<0.005	0.09	21.68
C0040766PD	0.18	11.7	0.03	590	4.69	<0.2	1.8	303	27.4	<0.005	0.09	21.75
C0040767	0.05	9.5	0.02	428	4.35	<0.2	1.4	219	5.4	<0.005	0.03	10.66
C0040768	0.15	10.7	0.02	394	5.62	<0.2	1.5	235	12.0	<0.005	0.09	14.08
C0040769	0.13	11.6	0.03	893	4.43	<0.2	1.4	273	7.2	<0.005	0.05	10.88
C0040770	0.03	12.8	0.03	677	3.96	<0.2	1.4	350	4.1	<0.005	0.02	5.39

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040771	0.07	13.9	0.03	763	4.09	<0.2	1.6	439	5.7	<0.005	0.09	13.63
C0040772	0.11	17.2	0.04	581	4.79	<0.2	1.4	402	6.5	<0.005	0.06	14.44
C0040773	0.10	14.4	0.03	503	4.68	<0.2	1.5	290	15.1	<0.005	0.10	24.25
C0040774	0.16	8.2	0.02	48	9.19	<0.2	1.3	178	211.6	<0.005	0.67	29.39
C0040775	0.05	1.4	0.76	336	31.44	<0.2	50.1	355	>10000	0.035	>10	254.50
C0040776	0.22	10.1	0.04	65	8.85	<0.2	0.9	244	463.8	<0.005	0.23	27.23
C0040777	0.05	12.9	0.03	283	4.40	<0.2	3.6	426	5.9	<0.005	0.04	4.43
C0040778	0.24	12.7	0.15	419	3.74	<0.2	2.4	279	5.5	<0.005	0.02	1.84
C0040779	0.45	15.5	0.45	474	3.88	<0.2	1.9	240	3.1	<0.005	0.14	1.67
C0040780	0.38	10.9	0.36	557	2.92	<0.2	5.8	505	9.3	<0.005	0.03	2.66
C0040781	0.14	10.7	0.06	507	5.23	<0.2	3.1	265	10.1	<0.005	0.11	4.09
C0040782	0.46	15.8	0.49	610	5.69	<0.2	3.4	481	6.9	<0.005	0.26	3.54
C0040783	0.36	11.5	0.49	725	6.64	<0.2	2.6	279	3.6	<0.005	0.12	5.09
C0040784	0.08	8.2	0.14	464	3.89	<0.2	2.7	222	8.5	<0.005	0.09	3.83
C0040785	0.81	24.6	2.26	681	1.84	<0.2	5.5	1400	3.6	<0.005	0.23	3.92
C0040786	1.06	15.6	1.50	1162	2.69	<0.2	10.0	623	3.1	<0.005	0.09	2.31
C0040787	0.80	9.1	0.65	486	4.59	<0.2	3.7	313	1.7	<0.005	0.11	1.09
C0040788	0.22	12.3	0.15	295	5.75	<0.2	2.9	288	5.3	<0.005	0.21	5.78
C0040789	0.08	16.7	0.05	603	5.32	<0.2	2.4	325	7.5	<0.005	0.04	8.18
C0040790	0.06	15.0	0.04	80	4.09	<0.2	1.8	118	15.2	<0.005	0.06	7.54
C0040791	0.58	11.1	1.31	2257	3.01	<0.2	4.2	340	14.6	<0.005	0.40	5.09
C0040792	1.11	13.4	2.53	2078	1.96	<0.2	7.4	577	4.2	<0.005	0.67	4.27
C0040793	0.38	16.5	1.07	2508	1.26	<0.2	11.4	895	7.0	<0.005	0.22	9.15
C0040794	0.22	17.7	0.44	3835	2.56	<0.2	8.6	1318	20.2	<0.005	1.86	30.13
C0040795	0.11	7.2	0.04	69	14.01	<0.2	16.8	147	15.3	<0.005	0.24	27.50

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040796	0.18	21.4	0.63	4363	2.60	<0.2	9.2	1145	12.4	<0.005	0.82	16.95
C0040797	0.47	11.2	1.00	1703	2.71	<0.2	7.6	597	7.9	<0.005	0.10	3.19
C0040798	0.89	14.2	2.10	1329	33.78	<0.2	13.1	774	2.1	0.007	0.21	2.95
C0040799	1.06	12.2	1.73	1509	6.06	<0.2	10.6	593	4.9	0.010	0.31	1.66
C0040800	1.48	8.3	2.52	853	2.42	<0.2	11.8	567	3.0	<0.005	0.31	0.85
C0040801	0.65	2.3	1.51	763	3.16	0.3	7.3	211	3.9	<0.005	0.34	1.68
C0040802	0.65	6.0	2.07	1289	3.94	<0.2	4.0	547	12.2	<0.005	0.37	7.03
C0040803	1.02	6.8	1.30	950	2.86	<0.2	4.3	634	4.5	<0.005	1.07	3.88
C0040804	0.61	7.9	1.50	1772	1.84	<0.2	5.8	624	3.2	<0.005	0.68	3.15
C0040805	0.42	2.2	1.55	737	2.71	0.2	11.9	274	2.4	<0.005	0.19	2.81
C0040806	0.39	2.6	1.62	546	2.33	0.2	16.1	464	2.5	<0.005	0.90	1.05
C0040806PD	0.39	2.7	1.66	550	2.35	0.2	16.5	457	2.5	<0.005	0.91	1.04
C0040807	0.32	5.7	1.19	455	3.28	<0.2	9.4	735	2.6	<0.005	0.56	0.76
C0040808	0.13	2.9	1.36	480	2.42	0.2	10.4	456	2.3	<0.005	0.38	0.95
C0040809	0.59	5.1	1.54	470	2.63	<0.2	10.8	535	11.5	<0.005	0.35	0.55
C0040810	0.54	4.6	1.70	548	3.09	<0.2	17.9	500	1.7	<0.005	0.15	1.85
C0040811	0.53	4.1	1.64	490	2.43	<0.2	16.1	559	2.8	<0.005	0.90	0.66
C0040812	0.57	4.6	1.68	855	3.57	<0.2	16.5	447	3.3	<0.005	0.85	6.07
C0040813	1.59	4.6	2.00	533	2.87	<0.2	14.5	519	1.6	<0.005	0.68	0.41
C0040814	2.39	5.1	3.04	686	2.66	<0.2	16.6	481	1.6	<0.005	0.25	19.87
C0040815	0.11	6.0	0.63	401	9.93	<0.2	30.8	525	496.9	<0.005	0.38	62.35
C0040816	1.37	5.3	2.26	768	2.38	<0.2	15.5	529	15.8	<0.005	0.42	23.85
C0040817	1.92	4.3	2.96	935	3.94	<0.2	5.7	710	7.0	<0.005	0.60	15.16
C0040818	1.75	4.0	2.54	871	4.18	<0.2	4.4	681	7.0	<0.005	0.84	9.84
C0040819	1.77	2.4	2.60	1175	4.10	<0.2	5.3	480	9.7	<0.005	1.93	17.47

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040820	1.26	3.8	1.78	886	3.95	<0.2	2.3	636	8.1	<0.005	1.90	15.64
C0040821	1.07	5.9	2.06	1166	3.10	<0.2	10.0	747	6.6	<0.005	0.87	17.09
C0040822	0.31	3.1	1.48	2385	1.86	<0.2	21.9	702	25.6	<0.005	0.59	27.69
C0040823	0.27	5.2	1.29	2214	2.31	<0.2	22.2	603	36.1	<0.005	0.85	10.37
C0040824	0.87	5.1	1.72	761	2.30	<0.2	21.0	717	4.7	<0.005	0.19	3.94
C0040825	0.66	6.2	1.34	1467	3.89	<0.2	23.5	551	16.9	<0.005	0.31	9.65
C0040826	0.33	7.7	0.70	1528	2.43	<0.2	31.1	583	23.8	<0.005	0.30	10.98
C0040827	0.45	3.8	1.35	644	3.06	<0.2	19.8	655	4.6	<0.005	0.05	9.25
C0040828	0.70	5.5	1.12	498	4.06	<0.2	13.7	499	3.9	<0.005	0.10	11.32
C0040829	1.20	9.8	1.52	685	3.33	<0.2	7.1	690	2.4	<0.005	0.13	5.46
C0040830	1.16	7.5	2.01	649	2.78	<0.2	7.5	854	4.7	<0.005	0.22	3.73
C0040831	1.50	9.1	2.14	670	1.64	<0.2	7.4	781	5.0	<0.005	0.11	13.33
C0040832	1.57	8.8	2.29	701	2.38	<0.2	3.8	549	3.0	<0.005	0.19	15.22
C0040833	1.00	8.5	1.40	680	3.70	<0.2	12.2	674	2.8	<0.005	0.53	19.64
C0040834	1.09	9.4	1.57	594	5.83	<0.2	10.2	314	4.4	<0.005	0.20	17.77
C0040835	0.07	1.5	0.79	338	31.67	<0.2	53.3	346	>10000	0.036	>10	249.27
C0040836	1.06	10.6	1.34	545	3.58	<0.2	10.8	369	2.7	<0.005	0.05	16.44
C0040837	0.89	8.1	1.37	539	2.94	<0.2	14.0	648	3.2	<0.005	0.07	49.57
C0040838	0.96	9.5	1.36	799	2.30	<0.2	17.4	896	4.1	<0.005	0.18	119.98
C0040839	0.26	6.0	0.37	1407	3.65	<0.2	6.6	544	235.6	<0.005	1.99	218.89
C0040840	0.29	4.1	0.62	3207	2.83	<0.2	28.3	908	1393.3	<0.005	4.50	65.03
C0040841	0.27	6.1	1.05	2881	3.57	<0.2	8.9	393	473.4	<0.005	1.86	25.82
C0040842	0.22	13.1	0.88	871	4.47	<0.2	7.8	198	12.0	<0.005	0.31	8.03
C0040843	0.23	8.4	0.82	1370	3.26	<0.2	7.7	245	49.7	<0.005	0.84	14.62
C0040844	0.19	6.6	1.25	1943	4.12	<0.2	8.3	236	45.9	<0.005	0.50	12.65

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040845	0.17	2.6	0.88	2178	3.81	<0.2	20.4	470	95.5	<0.005	1.80	26.86
C0040846	0.15	4.7	0.73	1385	2.91	<0.2	12.4	476	104.7	<0.005	1.67	27.18
C0040847	0.18	4.8	1.14	2253	3.06	<0.2	8.5	542	13.2	<0.005	2.13	10.60
C0040848	0.17	4.7	1.56	2792	2.74	<0.2	10.0	391	27.9	<0.005	2.84	5.80
C0040849	0.07	11.3	0.61	1200	1.57	<0.2	11.3	763	10.3	<0.005	0.74	10.60
C0040850	0.07	13.2	0.48	1174	1.55	<0.2	12.9	1085	7.5	<0.005	1.01	7.89
C0040851	0.09	14.8	0.36	313	2.65	<0.2	9.0	543	6.0	<0.005	0.43	4.04
C0040852	0.05	13.8	0.72	889	2.86	<0.2	10.8	542	5.9	<0.005	0.36	17.72
C0040852PD	0.05	13.8	0.72	891	3.09	<0.2	10.9	544	5.8	<0.005	0.36	17.71
C0040853	0.07	12.1	0.65	1624	1.67	<0.2	41.2	852	9.1	<0.005	0.58	14.62
C0040854	0.27	3.3	0.16	526	3.01	<0.2	8.9	926	1601.1	<0.005	5.79	512.03
C0040855	0.29	6.9	0.85	547	31.05	<0.2	56.1	747	29.6	0.059	0.63	8.00
C0040856	0.18	2.7	0.08	314	5.31	<0.2	4.6	392	5363.3	<0.005	4.08	1253.55
C0040857	0.18	5.1	0.04	209	3.97	<0.2	4.5	308	2055.5	<0.005	3.15	284.16
C0040858	0.13	1.5	0.18	1036	5.30	<0.2	3.0	254	>10000	<0.005	8.56	2127.73
C0040859	0.05	9.9	0.80	1515	2.15	<0.2	14.9	991	27.4	<0.005	0.93	7.91
C0040860	0.07	9.1	0.47	1092	2.41	<0.2	13.9	326	51.2	<0.005	1.60	6.40
C0040861	0.09	8.1	0.69	1166	3.46	<0.2	7.0	222	15.3	<0.005	0.36	12.50
C0040862	0.19	6.9	0.53	751	4.07	<0.2	4.1	122	15.1	<0.005	0.73	6.36
C0040863	0.23	6.6	0.11	475	4.68	<0.2	3.9	199	9.2	<0.005	1.32	5.65
C0040864	0.23	10.1	0.28	452	4.20	<0.2	2.9	129	70.2	<0.005	0.45	4.43
C0040865	0.19	4.7	0.67	1962	3.93	<0.2	4.3	233	894.4	<0.005	2.40	50.72
C0040866	0.23	3.1	1.35	2661	4.14	<0.2	44.7	577	528.1	<0.005	3.92	78.88
C0040867	0.13	7.6	2.01	1878	1.36	<0.2	97.7	776	10.6	<0.005	1.03	8.81
C0040868	0.13	13.9	1.23	1508	8.43	<0.2	31.6	1313	35.9	0.010	1.40	9.62

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040869	0.29	6.2	1.61	2367	1.23	<0.2	47.9	2141	14.6	<0.005	2.11	27.97
C0040870	0.21	11.1	1.22	2385	1.71	<0.2	36.7	1299	26.8	<0.005	2.29	24.39
C0040871	0.15	7.4	2.43	1779	1.06	<0.2	89.9	954	37.6	<0.005	1.67	13.28
C0040872	0.21	8.2	2.12	1735	1.60	<0.2	56.2	1671	9.3	<0.005	1.38	20.81
C0040873	0.20	6.7	1.01	816	3.11	<0.2	8.5	370	10.8	<0.005	0.67	6.54
C0040874	0.22	8.8	0.62	291	3.67	<0.2	3.2	260	5.5	<0.005	0.61	1.95
C0040875	0.09	5.4	0.03	69	14.02	<0.2	17.3	128	14.3	<0.005	0.21	25.99
C0040876	0.14	10.1	0.87	435	1.97	<0.2	25.3	882	4.4	<0.005	1.04	13.61
C0040877	0.35	2.5	1.91	500	0.80	<0.2	29.8	1023	4.1	<0.005	0.65	5.36
C0040878	0.78	4.2	2.75	973	0.84	<0.2	44.8	1054	4.7	<0.005	0.55	7.97
C0040879	0.11	1.5	1.42	728	1.24	<0.2	21.9	1284	3.4	<0.005	1.07	14.98
C0040880	0.23	2.9	1.37	739	3.39	<0.2	38.8	1302	3.3	<0.005	0.90	4.06
C0040881	0.53	13.2	1.68	981	1.73	<0.2	41.1	1530	16.8	<0.005	0.97	8.70
C0040882	0.14	12.0	1.24	865	0.55	<0.2	40.5	1799	3.4	<0.005	1.21	10.28
C0040883	0.31	7.7	1.58	580	0.55	<0.2	20.4	1238	6.2	<0.005	0.61	7.50
C0040884	0.19	7.3	1.46	877	1.13	<0.2	11.2	525	53.3	<0.005	1.35	4.05
C0040885	0.31	12.9	1.23	763	0.92	<0.2	27.2	1257	5.9	<0.005	1.57	6.72
C0040886	0.52	13.4	1.87	1245	1.43	<0.2	69.7	962	4.9	<0.005	2.73	7.57
C0040887	0.11	8.5	0.78	928	3.10	<0.2	48.5	639	11.4	<0.005	2.46	13.69
C0040888	0.09	10.4	0.22	266	4.19	<0.2	2.6	76	9.0	<0.005	0.19	3.45
C0040889	0.07	11.3	0.43	487	4.03	<0.2	3.6	208	10.5	<0.005	0.29	3.01
C0040890	0.13	8.7	0.70	823	4.44	<0.2	5.2	347	20.8	<0.005	0.74	5.99
C0040891	0.13	3.7	0.89	2584	2.24	<0.2	11.2	480	378.1	<0.005	1.87	44.32
C0040892	0.21	2.2	1.30	3419	3.61	<0.2	4.5	351	1686.8	<0.005	3.72	18.63
C0040893	0.29	2.0	0.91	2499	5.05	<0.2	3.8	515	4385.4	0.006	5.16	36.06

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040894	0.33	2.3	0.76	2738	4.04	<0.2	5.6	524	907.4	0.005	4.40	9.45
C0040895	0.11	5.5	0.59	400	10.28	<0.2	30.2	515	490.3	<0.005	0.37	58.61
C0040896	0.33	3.3	0.79	3157	2.81	<0.2	5.0	575	1697.8	<0.005	4.18	23.11
C0040896PD	0.33	3.4	0.78	3145	2.63	<0.2	4.9	565	1719.7	<0.005	4.24	23.59
C0040897	0.25	2.9	1.09	4295	2.62	<0.2	4.6	421	3500.9	<0.005	5.11	63.21
C0040898	0.29	2.1	1.36	4201	3.20	<0.2	5.4	451	1820.3	<0.005	3.37	26.43
C0040899	0.28	2.6	1.38	3967	3.36	<0.2	4.0	423	764.6	<0.005	2.99	9.05
C0040900	0.30	2.5	1.11	3877	2.40	<0.2	6.5	567	260.1	<0.005	3.03	14.43
C0040901	0.22	1.5	1.65	6309	2.57	<0.2	8.1	123	5077.7	<0.005	5.96	120.23
C0040902	0.34	3.5	1.00	4029	2.24	<0.2	5.4	571	481.7	<0.005	5.01	22.99
C0040903	0.37	2.2	1.56	1483	1.03	<0.2	16.6	208	9.0	<0.005	2.05	7.18
C0040904	0.71	2.8	1.91	737	1.38	<0.2	19.1	290	3.6	<0.005	1.09	9.80
C0040905	0.24	5.9	1.15	2766	0.83	<0.2	13.7	610	381.8	<0.005	1.68	22.90
C0040906	0.28	5.6	1.07	2604	1.53	<0.2	29.2	357	14.9	<0.005	2.67	8.66
C0040907	0.24	4.8	0.89	3577	2.73	<0.2	17.3	360	463.5	<0.005	1.52	22.05
C0040908	0.26	4.6	1.12	975	2.79	<0.2	14.5	345	19.7	<0.005	0.75	8.86
C0040909	0.28	3.9	1.30	786	2.79	<0.2	9.9	360	7.3	<0.005	1.22	5.62
C0040910	0.44	7.9	0.66	1086	6.32	<0.2	5.7	115	186.3	<0.005	1.56	9.88
C0040911	0.22	8.2	0.09	298	5.60	<0.2	1.4	72	345.4	<0.005	0.90	10.19
C0040912	0.23	9.3	0.10	455	5.32	<0.2	1.3	99	538.8	<0.005	1.50	7.96
C0040913	0.21	10.4	0.25	2243	5.55	<0.2	1.6	157	831.4	<0.005	2.68	16.85
C0040914	0.24	24.0	0.21	855	28.43	<0.2	5.7	304	744.9	0.209	2.99	26.08
C0040915	0.06	1.1	0.75	345	31.26	<0.2	56.2	339	>10000	0.027	>10	246.23
C0040916	0.19	38.9	0.37	412	4.63	<0.2	1.7	238	12.9	<0.005	0.90	4.42
C0040917	0.22	8.2	0.46	5733	4.72	<0.2	5.4	228	292.4	<0.005	0.33	54.57

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040918	0.22	9.4	0.18	12511	5.95	<0.2	2.2	77	1324.7	<0.005	0.48	210.17
C0040919	0.23	8.3	0.34	22332	8.09	<0.2	3.3	53	3244.5	<0.005	1.69	30.40
C0040920	0.24	7.3	0.36	20622	3.89	<0.2	3.2	<10	2192.2	<0.005	1.70	28.89
C0040921	0.25	9.3	0.24	16853	6.21	<0.2	3.7	64	2054.3	<0.005	1.11	38.21
C0040922	0.22	8.6	0.35	28312	3.11	<0.2	5.2	510	1826.5	<0.005	1.49	193.77
C0040923	0.26	5.9	0.60	14064	4.82	<0.2	2.6	501	127.5	<0.005	0.89	15.50
C0040924	0.23	6.8	0.53	21801	4.69	<0.2	5.1	730	374.1	<0.005	0.69	17.67
C0040925	0.34	6.1	0.06	259	4.64	<0.2	1.5	426	348.6	<0.005	0.90	22.44
C0040926	0.32	9.3	0.04	3805	4.02	<0.2	1.4	615	216.3	<0.005	0.25	43.90
C0040927	0.30	13.0	0.03	9156	3.60	<0.2	1.7	869	217.8	<0.005	0.14	78.70
C0040928	0.28	13.6	0.03	3832	3.55	<0.2	1.5	666	616.6	<0.005	0.16	131.90
C0040929	0.32	11.0	0.03	545	3.73	<0.2	1.3	615	99.9	<0.005	0.23	37.74
C0040930	0.28	7.4	0.81	557	31.51	<0.2	55.4	700	31.3	0.062	0.61	8.25
C0040931	0.29	11.3	0.03	1681	4.42	<0.2	1.9	761	87.8	<0.005	0.17	66.05
C0040932	0.28	14.9	0.03	2050	3.77	<0.2	1.7	482	91.9	<0.005	0.09	53.17
C0040933	0.31	8.8	0.03	428	4.08	<0.2	4.5	767	58.9	<0.005	0.26	54.70
C0040934	0.26	11.3	0.03	2602	3.60	<0.2	6.8	1043	66.2	<0.005	0.20	53.01
C0040935	0.09	12.6	0.03	1263	3.29	<0.2	2.0	597	9.1	<0.005	<0.01	17.65
C0040936	0.16	14.6	0.04	1638	3.44	<0.2	1.5	915	36.5	<0.005	0.01	19.13
C0040936PD	0.14	14.2	0.04	1632	3.86	<0.2	1.5	915	37.6	<0.005	0.01	19.72
C0040937	0.18	13.0	0.04	1754	4.18	<0.2	1.4	769	106.9	<0.005	0.01	20.81
C0040938	0.17	12.7	0.03	660	3.19	<0.2	0.9	707	7.7	<0.005	0.03	9.82
C0040939	0.22	12.3	0.04	1509	3.44	<0.2	1.1	453	141.5	<0.005	0.03	17.30
C0040940	0.12	14.5	0.06	1605	3.15	<0.2	2.7	676	15.2	<0.005	0.02	26.63
C0040941	0.15	9.6	0.04	1101	2.74	<0.2	1.6	611	23.6	<0.005	0.03	32.64

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0040942	0.23	6.7	0.09	1553	2.72	<0.2	1.1	559	87.4	<0.005	0.78	16.10
C0040943	0.16	13.2	0.17	877	2.26	<0.2	1.1	704	11.3	<0.005	0.25	10.68
C0040944	0.27	5.6	0.03	1411	2.65	<0.2	1.4	391	112.2	<0.005	0.10	14.74
C0040945	0.26	2.4	0.03	625	2.59	<0.2	1.3	294	269.2	<0.005	0.13	23.38
C0040946	0.17	<0.5	0.01	370	6.66	<0.2	2.3	108	471.7	<0.005	0.16	231.91
C0040947	0.22	1.3	0.02	367	4.66	<0.2	3.4	212	244.5	<0.005	0.74	48.66
C0040948	0.23	0.6	0.03	1488	4.37	<0.2	2.0	126	76.2	<0.005	0.35	35.24
DUP C0040754	0.18	14.5	0.36	224	5.56	<0.2	1.4	342	7.9	<0.005	0.31	1.04
DUP C0040787	0.80	8.6	0.65	485	4.39	<0.2	3.6	316	1.8	<0.005	0.11	1.10
DUP C0040837	0.89	8.3	1.37	537	2.95	<0.2	14.3	651	3.3	<0.005	0.07	50.25
DUP C0040864	0.23	10.6	0.28	454	4.15	<0.2	2.9	130	71.7	<0.005	0.45	4.47
DUP C0040913	0.22	10.3	0.25	2249	5.69	<0.2	1.7	157	832.8	<0.005	2.69	16.67
DUP C0040773												
DUP C0040798												
DUP C0040829												
DUP C0040862												
DUP C0040892												
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 25a	0.14	14.6	0.22	423	1.59	<0.2	29.5	395	21.1	<0.005	0.05	0.22
STD OREAS 600b	0.27	29.2	0.05	251	5.06	<0.2	4.4	233	86.8	<0.005	0.25	10.86
STD OREAS 25a	0.13	13.6	0.21	424	1.60	<0.2	27.6	379	21.4	<0.005	0.05	0.22
STD OREAS 600b	0.28	30.5	0.05	261	5.11	<0.2	4.5	232	88.1	<0.005	0.25	10.63
STD OREAS 25a	0.13	13.6	0.20	429	1.70	<0.2	26.3	373	20.7	<0.005	0.05	0.24
STD MP-1b												
STD CDN-ME-1407												
STD OxQ115												
STD OxK160												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Granite Blank	3.0	<0.2	28.9	<0.05	2.3	0.113	<0.05	0.43	29	0.15	9.4	31
Granite Blank	3.1	<0.2	27.8	<0.05	2.2	0.116	<0.05	0.46	29	0.14	9.0	31
C0040749	6.0	<0.2	9.7	<0.05	4.2	0.053	0.15	1.00	11	0.08	11.9	86
C0040750	7.3	0.2	12.6	<0.05	4.0	0.052	0.20	1.02	19	0.10	14.8	88
C0040751	5.5	0.2	8.7	0.08	4.3	0.021	0.13	0.74	13	0.09	13.2	71
C0040752	4.8	0.5	7.7	0.27	3.6	0.029	0.10	0.96	14	0.16	12.8	68
C0040753	6.3	0.5	8.9	0.07	4.1	0.071	0.21	1.12	11	0.18	14.4	45
C0040754	6.8	0.7	7.6	0.44	4.0	0.061	0.17	1.18	10	0.14	15.7	38
C0040755	4.8	0.5	32.4	0.16	1.1	0.134	1.03	0.38	61	3.27	7.6	1461
C0040756	10.4	0.5	31.8	0.18	4.3	0.181	0.32	1.07	61	0.10	13.2	56
C0040757	8.4	0.3	13.7	0.14	4.1	0.046	0.29	0.99	38	0.09	11.8	143
C0040758	8.1	0.3	11.8	0.11	3.6	0.067	0.23	0.84	10	0.07	11.1	37
C0040759	7.0	0.3	7.1	0.08	3.6	0.056	0.24	0.94	10	0.09	11.9	39
C0040760	7.2	<0.2	5.1	0.07	3.5	0.054	0.43	1.12	11	0.05	10.1	119
C0040761	5.8	0.6	9.1	0.08	4.1	0.010	0.42	1.34	13	0.09	9.7	110
C0040762	7.4	0.4	10.8	<0.05	4.6	0.007	0.37	1.07	14	0.07	8.8	60
C0040763	6.7	0.8	13.0	0.09	4.0	0.006	0.43	0.90	14	0.08	11.0	237
C0040764	4.5	0.6	54.7	0.58	3.9	<0.005	0.50	1.37	4	0.12	11.5	270
C0040765	2.1	0.3	13.4	0.38	2.7	<0.005	0.38	0.67	2	0.16	8.7	228
C0040766	3.0	0.3	17.9	0.09	3.0	<0.005	0.74	0.96	6	0.33	8.4	194
C0040766PD	2.9	0.3	18.2	0.10	3.2	<0.005	0.73	0.94	6	0.32	8.8	194
C0040767	4.3	<0.2	8.3	0.08	3.0	<0.005	0.19	0.97	5	0.15	9.1	103
C0040768	4.0	<0.2	20.3	0.09	3.0	<0.005	0.55	0.89	4	0.14	8.7	123
C0040769	4.6	0.3	16.4	<0.05	3.6	<0.005	0.52	0.71	4	0.10	11.2	194
C0040770	8.5	<0.2	9.4	<0.05	4.2	<0.005	0.13	1.31	9	0.23	10.7	109

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040771	6.9	0.6	13.2	0.08	4.3	<0.005	0.40	1.21	12	0.17	12.3	172
C0040772	4.6	0.9	6.1	0.09	5.0	<0.005	0.42	1.05	7	0.16	11.6	140
C0040773	5.4	0.7	10.4	0.08	4.1	<0.005	0.42	0.98	7	0.14	11.2	235
C0040774	1.9	0.9	19.0	0.13	2.4	<0.005	0.45	0.53	2	0.14	7.1	358
C0040775	0.9	237.4	25.5	0.41	0.3	<0.005	27.76	2.81	17	0.86	3.2	>10000
C0040776	2.8	0.9	22.1	0.06	3.1	<0.005	0.76	0.38	3	0.19	6.5	289
C0040777	9.6	0.4	7.5	<0.05	4.2	<0.005	0.16	1.15	9	0.19	10.6	317
C0040778	6.1	0.2	6.2	<0.05	3.7	0.033	0.28	0.97	7	0.21	8.9	228
C0040779	5.8	0.3	5.2	<0.05	3.3	0.067	0.21	0.56	12	0.60	14.0	200
C0040780	6.8	0.7	9.3	0.09	3.2	0.042	0.23	0.78	25	0.38	13.7	239
C0040781	4.8	0.5	7.5	1.03	3.1	0.005	0.14	0.72	8	0.25	12.1	241
C0040782	6.9	0.5	5.5	0.10	4.3	0.063	0.25	0.63	23	0.48	16.3	274
C0040783	5.3	0.3	6.5	0.10	3.3	0.038	0.26	0.98	14	0.15	16.8	369
C0040784	5.2	0.3	3.9	0.08	4.3	0.005	0.14	0.85	11	0.09	10.7	307
C0040785	13.2	<0.2	48.2	<0.05	6.6	0.057	0.41	1.59	112	0.07	15.6	92
C0040786	12.4	<0.2	35.7	<0.05	3.8	0.115	0.37	2.01	70	0.10	13.7	51
C0040787	8.6	<0.2	6.2	<0.05	3.4	0.127	0.18	0.57	30	0.15	12.5	141
C0040788	6.1	0.2	4.4	0.05	4.2	0.021	0.30	1.05	8	0.17	13.4	378
C0040789	7.8	<0.2	5.8	<0.05	4.5	0.008	0.32	1.55	11	0.28	17.8	291
C0040790	4.0	0.4	2.4	0.12	5.7	<0.005	0.17	1.01	9	0.13	12.5	314
C0040791	15.9	0.4	10.9	0.18	4.1	0.047	0.65	1.28	82	0.07	16.9	623
C0040792	24.0	0.4	27.9	0.07	3.4	0.109	0.94	0.64	183	0.19	15.2	510
C0040793	35.3	<0.2	15.3	<0.05	3.6	0.026	0.31	0.71	173	1.16	17.8	452
C0040794	11.0	0.2	25.1	<0.05	5.0	<0.005	0.44	1.50	55	0.40	32.0	1146
C0040795	1.1	1.4	77.1	0.05	1.4	0.010	10.90	1.60	28	13.22	2.6	23

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040796	12.4	<0.2	31.9	<0.05	5.5	<0.005	0.41	1.32	61	0.31	23.6	1150
C0040797	9.1	<0.2	21.9	<0.05	3.7	0.048	0.23	0.73	62	0.09	8.9	297
C0040798	17.3	<0.2	20.5	0.07	3.4	0.123	0.35	0.69	165	0.06	11.5	216
C0040799	17.6	<0.2	36.6	<0.05	2.7	0.105	0.28	0.80	112	0.14	12.2	154
C0040800	14.7	<0.2	51.5	<0.05	2.8	0.158	0.29	0.51	177	0.06	8.0	88
C0040801	13.9	<0.2	66.6	<0.05	0.5	0.135	0.61	0.17	196	0.07	6.7	43
C0040802	16.8	0.3	18.6	0.05	1.4	0.056	0.31	0.39	130	0.29	14.4	224
C0040803	15.2	0.7	35.3	0.09	2.7	0.110	0.28	0.35	71	0.36	16.2	71
C0040804	20.3	0.8	76.5	0.20	1.1	0.056	0.33	0.30	154	1.50	23.0	201
C0040805	12.1	0.4	47.6	0.15	0.4	0.162	0.28	0.21	217	5.19	6.5	317
C0040806	12.5	1.1	31.2	0.28	0.6	0.175	0.33	0.18	160	2.52	6.9	127
C0040806PD	12.5	1.1	33.1	0.19	0.6	0.184	0.33	0.19	164	2.65	7.2	127
C0040807	9.3	0.7	19.0	0.24	1.5	0.192	0.20	0.31	99	3.36	11.4	79
C0040808	10.9	0.5	26.6	0.08	0.7	0.147	0.10	0.21	114	0.30	7.0	123
C0040809	9.9	0.3	14.4	0.16	1.4	0.203	0.24	0.31	134	0.33	8.6	116
C0040810	11.3	0.2	14.3	0.11	1.2	0.152	0.25	0.26	116	0.32	7.3	149
C0040811	9.1	0.8	15.6	0.19	1.1	0.187	0.21	0.34	115	0.48	6.6	58
C0040812	13.7	1.0	13.8	0.10	0.9	0.166	0.32	0.38	146	0.24	9.9	254
C0040813	12.9	0.9	7.3	0.08	1.1	0.259	0.66	0.24	195	0.22	7.3	46
C0040814	19.2	0.4	14.2	0.07	1.2	0.264	1.17	0.23	244	0.13	8.7	153
C0040815	4.5	0.4	36.2	0.22	1.3	0.128	1.08	0.35	60	3.68	8.3	1513
C0040816	19.4	0.7	31.8	0.05	1.3	0.225	1.00	0.26	194	0.20	10.4	204
C0040817	17.4	0.4	12.2	0.13	1.0	0.232	0.49	0.31	111	0.08	8.1	176
C0040818	15.3	0.4	8.6	<0.05	1.0	0.229	0.33	0.32	82	0.11	6.9	214
C0040819	16.9	1.5	24.1	0.26	0.6	0.244	0.62	0.29	117	0.07	4.4	222

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040820	15.3	1.4	25.5	0.23	1.2	0.189	0.48	0.58	67	0.10	5.9	109
C0040821	18.1	0.6	52.4	0.14	1.9	0.152	0.71	0.72	109	0.09	9.3	126
C0040822	13.8	<0.2	121.8	<0.05	0.8	<0.005	1.38	0.25	80	0.14	9.4	238
C0040823	10.7	0.5	112.5	0.08	2.2	<0.005	1.98	0.43	50	0.19	9.8	177
C0040824	14.9	<0.2	43.6	<0.05	1.5	0.212	0.51	0.40	109	0.16	10.7	56
C0040825	10.4	<0.2	87.8	<0.05	1.9	0.068	0.96	0.39	67	0.14	9.4	87
C0040826	8.8	<0.2	70.3	<0.05	2.2	<0.005	1.92	0.69	44	0.20	9.1	178
C0040827	11.9	<0.2	69.9	<0.05	1.4	0.119	0.22	0.38	83	0.12	6.8	67
C0040828	8.6	<0.2	36.2	<0.05	2.0	0.178	0.22	0.80	66	0.12	8.2	83
C0040829	12.5	0.2	26.3	<0.05	3.2	0.269	0.22	0.68	112	0.08	13.3	83
C0040830	12.5	<0.2	30.8	<0.05	2.6	0.279	0.34	0.76	124	0.10	10.4	54
C0040831	15.0	<0.2	18.2	<0.05	3.4	0.267	0.41	0.62	138	0.10	10.9	72
C0040832	13.0	<0.2	17.7	<0.05	3.7	0.267	0.38	0.63	114	0.12	9.4	84
C0040833	13.2	0.2	17.9	0.07	3.1	0.231	0.25	0.58	118	0.12	10.5	152
C0040834	8.0	<0.2	25.0	<0.05	4.4	0.158	0.29	0.74	55	0.11	8.4	89
C0040835	0.9	231.4	26.9	0.48	0.4	<0.005	30.55	2.88	20	0.89	3.3	>10000
C0040836	9.5	<0.2	30.1	<0.05	4.0	0.184	0.30	0.64	60	0.13	7.6	88
C0040837	11.9	<0.2	40.2	<0.05	2.4	0.190	0.62	0.47	93	0.13	8.8	169
C0040838	16.1	<0.2	37.5	<0.05	2.8	0.200	1.39	0.55	100	0.12	12.8	397
C0040839	4.2	<0.2	20.3	<0.05	2.4	<0.005	1.37	0.48	8	0.30	8.9	439
C0040840	5.4	<0.2	21.4	0.21	3.2	<0.005	2.90	1.02	13	0.37	8.1	698
C0040841	1.6	0.4	42.1	11.00	6.9	<0.005	0.63	1.55	5	0.21	9.2	717
C0040842	1.1	<0.2	45.0	<0.05	6.4	<0.005	0.50	1.67	3	0.38	4.6	53
C0040843	1.2	<0.2	43.8	<0.05	5.4	<0.005	0.63	1.76	5	0.23	4.8	110
C0040844	2.0	<0.2	58.1	<0.05	5.1	<0.005	0.45	1.20	7	0.29	7.0	101

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040845	4.0	<0.2	30.9	<0.05	1.9	<0.005	0.90	1.08	12	0.29	6.1	202
C0040846	7.5	0.3	33.2	0.59	2.1	<0.005	0.66	1.39	26	0.30	7.7	311
C0040847	6.4	<0.2	52.0	0.20	2.8	<0.005	0.74	1.33	23	0.19	11.6	91
C0040848	6.5	0.7	84.7	0.37	2.7	<0.005	0.36	0.72	18	0.20	13.0	78
C0040849	14.8	<0.2	25.6	0.08	4.1	<0.005	0.25	2.50	57	1.12	14.0	99
C0040850	22.4	0.2	16.6	0.11	3.4	<0.005	0.16	1.99	90	0.22	16.9	61
C0040851	8.0	<0.2	16.5	<0.05	4.5	0.008	0.14	1.02	32	0.21	12.2	32
C0040852	11.0	<0.2	34.3	<0.05	4.8	<0.005	0.14	1.47	44	0.20	13.5	118
C0040852PD	10.7	<0.2	34.3	<0.05	4.8	<0.005	0.15	1.32	44	0.19	13.4	119
C0040853	21.9	<0.2	24.6	0.08	3.7	<0.005	0.29	1.84	73	0.30	16.8	143
C0040854	1.8	0.7	8.2	0.84	2.1	<0.005	1.46	0.56	9	0.50	4.9	2014
C0040855	6.0	1.6	35.8	0.54	1.3	0.124	0.19	0.43	88	8.35	8.6	79
C0040856	1.1	0.3	4.3	0.16	1.4	<0.005	1.61	0.45	5	0.52	3.0	3153
C0040857	0.6	<0.2	3.4	0.08	3.1	<0.005	0.94	0.59	3	0.45	3.5	1788
C0040858	1.3	0.7	6.8	0.25	1.0	<0.005	1.72	1.13	5	0.30	3.7	>10000
C0040859	14.2	<0.2	42.9	0.19	2.8	<0.005	0.62	1.81	37	0.26	14.0	405
C0040860	8.5	0.3	27.3	0.21	3.8	<0.005	0.31	1.26	15	0.23	6.8	967
C0040861	5.9	<0.2	41.4	<0.05	3.5	<0.005	0.13	1.54	13	0.25	4.8	1086
C0040862	1.2	<0.2	26.5	<0.05	4.0	<0.005	0.36	1.25	4	0.28	3.3	172
C0040863	0.7	0.3	7.1	<0.05	4.5	<0.005	0.28	1.25	2	0.19	2.9	168
C0040864	0.5	<0.2	15.1	<0.05	5.8	<0.005	0.19	1.15	2	0.11	3.2	260
C0040865	1.4	<0.2	26.0	0.13	3.7	<0.005	0.50	1.18	3	0.15	5.3	1882
C0040866	8.0	0.5	67.3	0.39	2.4	<0.005	0.96	0.61	23	0.27	10.0	1277
C0040867	23.2	0.3	124.8	0.44	1.5	<0.005	0.21	0.47	80	0.29	16.9	93
C0040868	21.6	0.4	60.0	0.40	2.8	<0.005	0.25	0.84	99	0.39	19.2	79

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040869	15.6	<0.2	77.8	0.09	1.2	<0.005	1.38	0.46	52	0.35	17.3	66
C0040870	14.5	0.2	54.9	0.14	2.8	<0.005	1.35	1.50	57	0.35	10.8	102
C0040871	23.3	0.3	126.6	0.30	1.1	<0.005	0.31	1.94	94	0.29	14.4	78
C0040872	18.7	0.3	107.7	0.33	1.5	<0.005	0.86	1.67	70	0.34	15.4	41
C0040873	2.7	<0.2	63.4	0.06	4.5	<0.005	0.34	1.25	9	0.17	5.3	37
C0040874	1.4	<0.2	23.1	0.05	6.6	0.007	0.12	1.05	8	0.46	3.6	23
C0040875	0.9	1.3	59.5	0.08	1.3	0.009	12.08	1.52	27	13.61	2.3	22
C0040876	17.9	0.3	33.6	0.21	3.9	0.008	0.27	0.87	109	0.86	11.2	69
C0040877	9.5	0.3	47.8	0.32	0.5	0.066	0.16	0.14	84	0.17	6.5	34
C0040878	10.8	0.2	88.2	0.20	0.8	0.115	0.30	0.14	100	0.10	10.2	44
C0040879	7.5	0.6	68.6	0.17	0.4	0.036	0.10	0.08	65	0.17	4.8	23
C0040880	8.7	0.5	85.9	0.33	0.5	0.067	0.12	0.12	72	0.20	7.8	28
C0040881	14.7	0.4	106.3	0.22	2.5	0.034	0.25	0.56	80	0.78	18.1	46
C0040882	17.4	0.5	79.2	0.46	1.1	<0.005	0.10	0.08	72	0.12	21.6	33
C0040883	11.7	0.2	82.6	0.06	2.1	0.018	0.22	0.23	52	0.14	10.8	37
C0040884	7.7	0.3	85.0	0.06	3.3	0.010	0.12	0.45	24	0.10	8.7	85
C0040885	14.4	0.4	110.9	0.52	2.5	0.021	0.20	0.22	56	0.15	16.0	38
C0040886	19.8	1.1	125.6	0.98	1.7	0.043	0.24	0.66	103	0.15	25.6	59
C0040887	10.5	0.8	40.5	0.23	5.4	<0.005	0.14	1.01	55	0.35	11.4	79
C0040888	1.0	<0.2	13.8	<0.05	6.2	<0.005	0.05	1.57	4	0.21	2.7	26
C0040889	2.1	<0.2	22.6	0.07	6.3	<0.005	0.08	2.50	11	0.14	3.8	30
C0040890	2.5	<0.2	33.6	0.06	5.5	<0.005	0.91	2.86	14	0.17	5.2	41
C0040891	18.9	1.0	41.5	0.34	1.6	<0.005	0.37	5.99	80	0.45	7.3	664
C0040892	8.7	0.9	77.1	0.26	1.3	<0.005	0.40	1.81	33	0.32	9.2	2788
C0040893	4.7	1.5	53.8	0.62	1.4	<0.005	0.55	0.71	17	0.17	8.2	8019

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040894	6.7	1.8	28.8	0.17	1.5	<0.005	0.41	0.84	25	0.30	8.0	1691
C0040895	4.0	0.3	32.4	0.26	1.2	0.107	1.10	0.33	57	3.41	7.5	1590
C0040896	6.6	0.5	35.6	0.16	3.2	<0.005	0.37	0.80	25	0.43	8.9	6867
C0040896PD	6.4	0.6	34.9	0.07	3.2	<0.005	0.37	0.79	26	0.43	8.8	7647
C0040897	5.5	0.7	57.1	0.19	2.3	<0.005	0.46	1.56	23	0.41	10.2	>10000
C0040898	7.3	0.6	68.7	0.10	1.1	<0.005	0.69	1.26	27	0.58	11.5	3572
C0040899	5.9	0.7	72.2	0.25	1.2	<0.005	0.44	1.20	19	0.54	13.2	962
C0040900	6.3	0.4	68.2	0.05	1.1	<0.005	0.55	0.73	17	0.41	9.7	241
C0040901	4.1	0.4	81.5	0.27	0.3	<0.005	1.51	0.53	14	0.26	7.3	>10000
C0040902	8.2	0.8	69.1	0.13	0.7	<0.005	1.06	1.07	26	0.61	14.1	688
C0040903	19.6	0.4	94.4	0.10	0.5	<0.005	0.90	1.44	84	1.25	7.5	48
C0040904	15.7	0.4	80.3	<0.05	0.8	0.061	0.50	0.73	105	0.24	7.1	38
C0040905	22.8	0.7	76.1	0.10	1.2	<0.005	0.54	1.33	109	0.58	12.5	673
C0040906	20.9	1.0	65.5	0.09	1.1	0.012	0.43	2.63	138	0.60	12.3	52
C0040907	11.7	0.5	42.3	0.12	2.6	<0.005	0.55	2.90	72	0.44	10.0	718
C0040908	14.9	0.3	52.7	0.10	1.5	0.086	0.36	1.10	101	1.95	9.2	46
C0040909	9.6	0.5	77.5	0.14	1.4	0.028	0.25	1.75	59	12.23	8.3	29
C0040910	5.7	0.3	27.2	0.06	10.4	0.015	0.53	3.67	33	0.19	6.8	355
C0040911	0.5	0.2	6.3	<0.05	12.9	<0.005	0.16	1.53	<1	0.11	4.4	1090
C0040912	0.6	0.3	7.8	0.06	21.0	<0.005	0.17	2.95	<1	0.15	5.5	981
C0040913	1.0	0.3	15.0	0.06	25.2	<0.005	0.25	4.57	2	0.13	8.4	1154
C0040914	1.5	0.4	20.2	0.12	24.6	<0.005	0.46	5.07	4	0.20	7.0	1176
C0040915	0.9	183.3	27.6	0.38	0.3	<0.005	32.14	2.81	19	0.85	3.5	>10000
C0040916	1.3	0.3	41.0	0.11	36.0	<0.005	0.24	3.37	5	0.09	8.8	33
C0040917	4.4	0.5	53.4	0.78	6.0	<0.005	0.23	0.52	16	0.49	9.5	359

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040918	1.8	0.4	62.8	2.43	6.6	<0.005	0.25	0.59	<1	1.97	10.4	736
C0040919	3.5	1.2	112.1	2.42	8.7	<0.005	0.25	1.22	2	0.16	16.0	2403
C0040920	3.3	0.5	107.7	2.04	9.9	<0.005	0.19	1.24	<1	0.09	14.9	1367
C0040921	3.2	0.5	72.0	2.26	8.0	<0.005	0.27	1.06	2	0.27	18.0	2588
C0040922	6.0	0.9	64.5	27.73	4.7	<0.005	0.32	1.35	2	0.24	42.2	4210
C0040923	4.3	<0.2	111.5	0.76	2.7	<0.005	0.22	0.35	2	0.12	16.6	468
C0040924	6.5	0.5	157.2	1.79	3.9	<0.005	0.28	0.89	2	0.22	29.0	1471
C0040925	1.9	0.4	135.1	0.41	2.8	<0.005	0.55	0.36	<1	0.23	3.6	198
C0040926	3.2	0.7	75.6	1.24	3.7	<0.005	0.29	0.53	2	0.21	6.3	340
C0040927	5.2	0.7	54.0	1.53	4.2	<0.005	0.25	0.71	1	0.14	14.0	532
C0040928	3.8	1.3	80.3	4.14	4.3	<0.005	0.31	0.77	1	0.19	18.0	558
C0040929	2.7	0.7	79.0	0.53	3.4	<0.005	0.79	0.59	4	0.28	7.8	216
C0040930	5.9	1.6	37.6	0.43	1.4	0.135	0.17	0.46	95	8.60	8.7	77
C0040931	5.2	0.7	83.7	1.12	3.7	<0.005	1.24	0.95	3	0.45	9.5	309
C0040932	2.5	0.8	51.5	0.88	3.2	<0.005	0.80	0.66	<1	0.16	8.8	281
C0040933	3.4	0.8	60.1	1.54	3.1	<0.005	0.60	0.56	2	0.19	5.2	190
C0040934	7.6	0.8	65.0	5.72	3.8	<0.005	0.92	0.89	8	0.27	10.1	235
C0040935	10.7	0.4	6.8	0.25	4.6	<0.005	0.20	1.01	25	0.22	12.9	149
C0040936	9.1	0.5	9.6	1.29	4.3	<0.005	0.48	0.86	21	0.17	12.9	192
C0040936PD	8.9	0.5	9.4	1.24	4.3	<0.005	0.46	0.88	21	0.17	12.7	193
C0040937	7.5	0.4	11.6	6.81	3.7	<0.005	0.40	0.74	6	0.17	14.5	252
C0040938	7.8	0.5	13.1	<0.05	3.6	<0.005	0.34	0.82	15	0.17	12.6	79
C0040939	2.5	0.4	17.2	<0.05	3.4	<0.005	0.44	0.59	2	0.15	8.6	294
C0040940	11.2	0.4	12.9	0.07	3.5	<0.005	0.83	0.91	24	0.20	15.6	138
C0040941	4.8	0.2	10.6	0.22	3.2	<0.005	0.34	0.61	6	0.17	14.5	139

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Sc ppm	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
C0040942	2.5	0.6	18.7	0.62	2.7	<0.005	0.28	0.48	1	0.13	14.3	250
C0040943	7.0	0.6	23.9	0.07	4.2	<0.005	0.62	0.76	9	0.12	16.6	204
C0040944	1.5	<0.2	20.5	0.13	1.4	<0.005	0.52	0.55	2	0.16	5.5	275
C0040945	0.5	0.3	8.4	0.75	0.7	<0.005	0.38	0.47	2	0.34	3.6	130
C0040946	0.3	1.6	6.4	73.61	<0.2	<0.005	0.24	0.38	<1	1.78	0.9	80
C0040947	0.3	0.7	4.9	1.36	0.5	<0.005	0.36	0.25	<1	8.14	1.1	62
C0040948	0.3	0.6	13.5	2.31	0.2	<0.005	0.26	0.41	<1	0.52	1.8	157
DUP C0040754	6.8	0.7	7.8	0.55	4.2	0.061	0.18	1.19	10	0.16	16.6	38
DUP C0040787	8.8	<0.2	5.9	<0.05	3.2	0.126	0.18	0.57	30	0.15	11.9	141
DUP C0040837	11.9	<0.2	41.1	<0.05	2.5	0.190	0.61	0.49	94	0.13	9.1	169
DUP C0040864	0.5	<0.2	15.3	<0.05	6.0	<0.005	0.19	1.22	2	0.11	3.3	262
DUP C0040913	0.9	0.3	15.6	0.10	25.9	<0.005	0.24	4.06	2	0.13	8.9	1154
DUP C0040773												
DUP C0040798												
DUP C0040829												
DUP C0040862												
DUP C0040892												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010784

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID												
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 25a	8.8	0.8	17.8	<0.05	10.7	0.087	0.20	1.50	129	<0.05	4.6	33
STD OREAS 600b	1.2	3.1	27.1	1.94	9.7	0.030	0.47	3.09	3	2.45	7.5	332
STD OREAS 25a	8.7	0.5	17.5	<0.05	10.7	0.069	0.20	1.53	125	<0.05	4.5	30
STD OREAS 600b	1.2	3.1	26.0	1.87	9.4	0.032	0.49	3.15	3	2.55	7.7	340
STD OREAS 25a	8.3	0.4	17.4	<0.05	10.8	0.057	0.21	1.49	124	<0.05	4.5	30
STD MP-1b												
STD CDN-ME-1407												
STD OxQ115												
STD OxK160												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Coarse gold may be present in some samples.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
FAS-418	Ag, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6As	As, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
Granite Blank	QC-P-BK	--		2.63									0.07
Granite Blank	QC-P-BK	--		2.97									<0.05
C0040949	Core	3.44		2.70									1.14
C0040950	Pulp	0.12		3.61				159		1.294	1.51	9.44	>100
C0040951	Core	4.19		2.73									1.17
C0040952	Core	3.97		2.66									0.06
C0040953	Core	4.30		2.59									<0.05
C0040954	Core	4.59		2.63									<0.05
C0040955	Core	3.96		2.56									0.43
C0040956	Core	3.41		2.70									1.74
C0040957	Core	4.26		2.68									0.59
C0040958	Core	4.18		2.73									1.44
C0040959	Core	3.79		2.75									0.31
C0040960	Core	4.13		2.63									0.24
C0040961	Core	4.34		2.66									<0.05
C0040962	Core	3.49		2.63									<0.05
C0040963	Core	4.34		2.63									<0.05
C0040964	Core	3.98		2.73									0.08
C0040965	Core	3.48		2.56									0.21
C0040966	Core	4.36		2.56									0.10
C0040966PD	QC-PD	--		2.59									0.10
C0040967	Core	4.00		2.70									0.45
C0040968	Core	3.09		2.63									0.08
C0040969	Core	4.04		2.66									0.19
C0040970	Pulp	0.12		2.63									0.40

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040971	Core	3.56		2.70									1.33
C0040972	Core	4.43		2.59									0.44
C0040973	Core	3.63		2.81									0.09
C0040974	Core	4.58		2.70									0.12
C0040975	Core	3.77		2.66									0.05
C0040976	Core	4.60		2.66									0.16
C0040977	Core	4.45		2.78									<0.05
C0040978	Core	3.79		2.66									<0.05
C0040979	Core	4.15		2.70									0.06
C0040980	Core	4.10		2.70									0.32
C0040981	Core	3.96		2.63									0.07
C0040982	Core	4.65		2.53									0.16
C0040983	Core	3.77		2.63									0.21
C0040984	Core	3.31		2.63									0.53
C0040985	Core	4.73		2.68									2.02
C0040986	Core	3.82		2.78									0.18
C0040987	Core	3.34		2.70									0.19
C0040988	Core	4.13		2.63									0.21
C0040989	Core	3.55		2.70									0.29
C0040990	Pulp	0.12		2.56	3.76								54.29
C0040991	Core	3.73		2.70									0.19
C0040992	Core	4.41		2.63									0.05
C0040993	Core	4.34		2.66									0.05
C0040994	Core	3.74		2.70									0.06
C0040995	Core	3.95		2.68									0.08

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0040996	Core	4.57		2.63									0.75
C0040997	Core	3.68		2.70									3.55
C0040998	Core	4.38		2.70									3.18
C0040999	Core	5.47		2.66									0.43
C0041000	Core	4.43		2.70									0.41
C0041001	Core	3.97		2.46									0.29
C0041002	Core	4.56		2.56									0.10
C0041003	Core	3.18		2.63									<0.05
C0041004	Core	6.79		2.63									0.24
C0041005	Core	3.21		2.70									<0.05
C0041006	Core	3.61		2.63									<0.05
C0041006PD	QC-PD	--		2.63									<0.05
C0041007	Core	4.21		2.70									<0.05
C0041008	Core	4.68		2.63									0.13
C0041009	Core	4.59		2.63									0.06
C0041010	Pulp	0.12		2.70									0.41
C0041011	Core	5.09		2.63									0.21
C0041012	Core	3.42		2.78									0.38
C0041013	Core	4.35		2.70									0.34
C0041014	Core	3.92		2.63									0.24
C0041015	Core	2.50		2.63									0.22
C0041016	Core	3.30		2.50									0.07
C0041017	Core	4.98		2.63									<0.05
C0041018	Core	2.72		2.50									<0.05
C0041019	Core	4.29		2.78									0.06

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041020	Core	3.93		2.56									<0.05
C0041021	Core	3.85		2.63									<0.05
C0041022	Core	3.75		2.63									<0.05
C0041023	Core	4.23		2.56									0.11
C0041024	Core	3.98		2.46									0.07
C0041025	Core	3.80		2.56									0.08
C0041026	Core	4.53		2.56									<0.05
C0041027	Core	4.37		2.63									0.08
C0041028	Core	3.51		2.63									0.10
C0041029	Core	3.86		2.66									<0.05
C0041030	Pulp	0.12		2.70	3.85								54.32
C0041031	Core	4.60		2.63									0.10
C0041032	Core	4.21		2.63									<0.05
C0041033	Core	5.81		2.63									0.06
C0041034	Core	2.91		2.61									0.08
C0041035	Core	3.49		2.63									0.05
C0041036	Core	4.02		2.63									0.10
C0041037	Core	4.48		2.63									0.05
C0041038	Core	4.10		2.63									0.10
C0041039	Core	3.14		2.63									<0.05
C0041040	Core	3.90		2.63									0.15
C0041041	Core	3.30		2.70									0.69
C0041042	Core	3.52		2.68									0.06
C0041043	Core	5.05		2.70									<0.05
C0041044	Core	4.00		2.70									0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010785**

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041045	Core	3.42		2.63									<0.05
C0041046	Core	4.69		2.56									0.17
C0041047	Core	3.88		2.63									0.11
C0041048	Core	3.66		2.63									1.02
C0041049	Core	3.60		2.56									0.20
C0041050	Pulp	0.12		3.41				158		1.290	1.55	9.20	>100
C0041051	Core	4.55		2.73									0.18
C0041052	Core	3.94		2.70									0.06
C0041053	Core	4.10		2.76									<0.05
C0041053PD	QC-PD	--		2.55									<0.05
C0041054	Core	4.14		2.68									<0.05
C0041055	Core	4.37		2.68									<0.05
C0041056	Core	3.63		2.68									<0.05
C0041057	Core	4.20		2.70									<0.05
C0041058	Core	5.27		2.86									0.27
C0041059	Core	3.32		2.72									0.05
C0041060	Core	7.77		2.72									0.05
C0041061	Core	4.22		2.65									<0.05
C0041062	Core	3.73		2.70									<0.05
C0041063	Core	4.99		2.83									<0.05
C0041064	Core	5.12		2.80									<0.05
C0041065	Core	4.51		2.77									0.08
C0041066	Core	7.88		2.75									<0.05
C0041067	Core	8.80		2.61									0.06
C0041068	Core	9.00		2.88									0.10

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0041069	Core	8.30		2.73									0.12
C0041070	Pulp	0.11		2.72									0.40
C0041071	Core	8.29		2.63									0.05
C0041072	Core	8.36		2.65									0.05
C0041073	Core	8.49		2.68									0.06
C0041074	Core	9.48		2.68									0.06
C0041075	Core	7.62		2.65									<0.05
C0041076	Core	8.59		2.78									0.05
C0041077	Core	10.73		2.55									<0.05
C0041078	Core	9.99		2.63									<0.05
C0041079	Core	9.96		2.65									<0.05
C0041080	Core	7.92		2.63									<0.05
C0041081	Core	7.84		2.55									1.13
C0041082	Core	6.50		2.88									0.10
C0041083	Core	8.32		2.56									0.39
C0041084	Core	5.20		2.50									0.08
C0041085	Core	7.28		2.78									0.09
C0041086	Core	3.98		2.50									0.06
C0041087	Core	3.99		2.78									0.10
C0041088	Core	3.83		2.86									0.17
C0041089	Core	3.49		2.78									0.11
C0041090	Pulp	0.12		2.73	3.87								51.50
C0041091	Core	5.38		2.70									0.13
C0041092	Core	2.61		2.33									0.26
C0041093	Core	6.48		2.38									0.09

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041094	Core	7.11		2.50									0.32
C0041095	Core	6.69		2.50									0.12
C0041096	Core	9.01		2.38									0.11
C0041097	Core	6.33		2.75									0.08
C0041098	Core	9.03		2.44									0.18
C0041099	Core	7.69		2.76									0.86
C0041099PD	QC-PD	--		2.70									0.79
C0041100	Core	7.09		2.78									0.07
C0041101	Core	7.86		2.63									0.10
C0041102	Core	8.15		2.70									0.09
C0041103	Core	7.40		2.63									0.14
C0041104	Core	7.87		2.68									0.08
C0041105	Core	3.47		2.78									0.45
C0041106	Core	3.58		2.91									7.26
C0041107	Core	3.03		2.83									5.07
C0041108	Core	2.23		2.73									0.43
C0041109	Core	4.81		2.78									0.74
C0041110	Pulp	0.11		2.70		9.7							1.43
C0041111	Core	4.14		2.70									1.44
C0041112	Core	4.30		2.70									0.12
C0041113	Core	4.04		2.83									0.36
C0041114	Core	3.75		2.75									1.78
C0041115	Core	3.72		2.70									2.95
C0041116	Core	4.27		2.75									2.74
C0041117	Core	3.83		2.75									1.74

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041118	Core	4.11		2.70	1.00								71.54
C0041119	Core	4.99		2.94				294					>100
C0041120	Core	4.20		2.86				229					>100
C0041121	Core	4.39		2.81				525					>100
C0041122	Core	3.99		3.03	1.64			402					>100
C0041123	Core	2.85		3.16		8.0	1102	>1000	2.301				>100
C0041124	Core	6.32		2.78									5.24
C0041125	Core	3.94		2.75									5.42
C0041126	Core	4.35		2.66									3.01
C0041127	Core	4.35		2.70									7.51
C0041128	Core	4.10		2.70									11.41
C0041129	Core	3.59		2.70									0.27
C0041130	Pulp	0.12		2.70	3.89								52.56
C0041131	Core	4.38		2.63									0.28
C0041132	Core	3.57		2.73									0.22
C0041132PD	QC-PD	--		2.70									0.21
C0041133	Core	4.20		2.59									0.15
C0041134	Core	4.84		2.59									0.16
C0041135	Core	4.33		2.66									0.16
C0041136	Core	4.10		2.63									0.15
C0041137	Core	5.57		2.63									0.08
C0041138	Core	3.46		2.66									0.06
C0041139	Core	2.93		2.63									0.08
C0041140	Core	4.83		2.63									<0.05
C0041141	Core	2.94		2.66									<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041142	Core	4.67		2.66									<0.05
C0041143	Core	3.23		2.56									0.14
C0041144	Core	3.23		2.53									0.08
C0041145	Core	3.63		2.56									<0.05
C0041146	Core	4.13		2.63									0.06
C0041147	Core	2.60		2.68									<0.05
C0041148	Core	2.71		2.59									<0.05
DUP C0040961				2.70									
DUP C0040998				2.75									
DUP C0041042				2.63									
DUP C0041075				2.65									
DUP C0041104				2.63									
DUP C0040965													0.22
DUP C0041011													0.21
DUP C0041029													<0.05
DUP C0041112													0.10
DUP C0041145													0.09
DUP C0041122					2.15								
DUP C0041123						10.0							
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													
STD BLANK					<0.01			<1	<0.005	<0.001	<0.01	<0.01	
STD BLANK						<0.9							
STD BLANK							<50						
STD OREAS 25a													<0.05
STD OREAS 600b													26.65
STD OREAS 600b													25.16
STD OREAS 25a													<0.05
STD OREAS 600b													26.09
STD MP-1b									2.332	3.135	2.17	16.64	
STD CDN-ME-1407								245					
STD OxK160					3.61								
STD CDN-GS-20B						20.4							
STD CDN-ME-1805							2244						
STD OREAS 904				2.83									
STD OREAS 904				2.86									
STD OREAS 904				2.73									
STD OREAS 904				2.70									
STD OREAS 904				2.78									

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
Granite Blank	0.85	9.2	0.002	10	59	<0.05	0.51	<0.05	3.6	59	2.8	1.67	2.7
Granite Blank	0.94	9.7	0.002	11	62	<0.05	0.57	<0.05	3.9	63	3.2	1.76	3.7
C0040949	0.44	70.0	0.111	<10	147	6.31	0.68	1.05	6.4	71	127.6	1.01	0.7
C0040950	0.34	967.9	0.235	31	18	57.34	1.67	434.98	30.2	15	>10000	18.15	8.4
C0040951	0.45	47.4	0.020	<10	203	1.31	0.80	1.06	4.1	57	66.5	0.64	0.7
C0040952	0.39	25.4	0.003	<10	77	0.48	1.26	0.35	0.9	56	9.7	0.41	0.9
C0040953	0.37	38.9	0.004	<10	83	0.38	1.25	1.06	0.9	55	17.4	0.42	1.0
C0040954	0.36	20.7	0.002	<10	83	0.37	0.74	0.40	0.9	63	9.5	0.47	1.2
C0040955	0.49	52.5	0.012	11	96	1.00	1.93	0.74	1.3	56	9.7	0.56	1.0
C0040956	0.50	107.0	0.055	12	81	0.41	1.63	3.18	1.8	66	20.0	0.65	0.8
C0040957	0.49	92.3	0.021	11	202	0.63	1.54	1.89	1.1	49	12.7	0.50	0.8
C0040958	0.50	367.8	0.025	<10	127	10.76	1.03	3.06	1.4	58	9.8	0.82	0.9
C0040959	0.60	139.8	0.008	<10	84	0.76	0.58	1.60	1.2	55	6.3	0.38	1.2
C0040960	0.68	55.6	0.005	<10	106	0.67	0.10	1.12	1.6	51	8.4	0.38	1.1
C0040961	0.38	91.4	0.005	<10	92	0.50	0.56	0.89	1.0	62	9.0	0.51	1.1
C0040962	0.49	101.5	0.014	<10	99	0.33	1.60	1.37	1.0	62	8.4	0.42	1.4
C0040963	0.42	16.3	0.006	<10	86	0.34	0.59	0.39	1.1	59	6.3	0.60	1.8
C0040964	0.36	25.6	0.251	<10	94	2.85	0.94	0.81	1.6	55	9.9	0.68	1.3
C0040965	0.50	44.0	0.019	<10	80	0.82	0.60	0.82	1.8	67	10.3	0.68	1.6
C0040966	0.85	53.0	0.147	<10	60	2.37	0.21	0.44	3.1	45	18.5	0.91	2.2
C0040966PD	0.89	54.5	0.123	<10	60	2.45	0.22	0.45	3.0	46	18.4	0.89	2.3
C0040967	0.67	730.1	0.544	<10	56	5.07	0.26	2.09	5.4	62	33.6	1.64	1.5
C0040968	0.46	128.6	0.447	<10	50	9.74	0.18	0.71	4.6	61	30.8	1.56	1.5
C0040969	0.60	203.7	0.048	11	52	5.59	1.09	0.79	4.2	52	27.5	1.80	1.2
C0040970	0.35	420.2	0.238	10	925	0.18	1.03	0.39	4.2	41	45.0	3.79	1.5

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040971	0.46	1214.9	0.042	14	325	3.78	0.18	1.74	1.6	59	53.0	3.22	1.0
C0040972	0.61	1103.8	0.055	13	195	1.36	0.35	2.97	8.5	42	49.9	3.24	1.5
C0040973	0.65	215.8	0.025	18	84	0.61	1.23	0.88	11.8	48	30.1	3.47	1.4
C0040974	0.36	237.5	0.004	<10	38	14.97	1.86	0.88	12.7	71	94.5	3.33	0.8
C0040975	0.77	44.4	0.002	11	23	4.07	0.13	0.16	6.9	50	27.6	3.05	2.1
C0040976	0.55	505.4	0.013	12	102	1.34	0.14	0.73	5.2	64	27.7	2.77	1.1
C0040977	0.60	154.3	0.001	<10	34	0.92	0.11	0.56	7.1	59	44.8	3.08	1.5
C0040978	0.84	197.8	0.002	12	33	0.16	0.50	0.76	4.9	56	16.2	2.30	1.7
C0040979	0.92	281.2	0.014	11	28	0.29	0.17	0.42	4.2	48	16.6	2.97	2.3
C0040980	0.77	412.3	0.002	<10	35	0.56	0.72	3.40	9.0	29	16.8	3.15	1.8
C0040981	0.79	230.4	0.002	14	20	0.55	0.62	0.91	6.8	46	58.2	2.71	2.0
C0040982	0.58	144.3	0.003	14	24	0.31	0.09	0.67	7.3	73	116.9	1.87	1.4
C0040983	0.88	501.1	0.004	13	17	0.71	0.20	4.05	7.2	40	31.7	2.56	2.0
C0040984	0.70	973.4	0.015	11	19	0.66	0.27	8.58	7.2	38	30.7	3.03	1.7
C0040985	0.72	648.1	0.024	13	39	0.46	0.22	1.50	9.5	34	32.9	2.78	1.6
C0040986	0.64	338.8	0.007	11	21	0.61	0.36	0.36	7.6	20	33.3	2.89	1.5
C0040987	0.68	193.2	0.016	<10	32	0.48	0.09	0.31	8.5	28	39.9	1.90	1.5
C0040988	0.47	160.8	0.002	<10	<10	0.34	0.06	0.86	3.1	29	13.5	1.78	1.3
C0040989	0.57	272.5	0.005	19	25	0.61	0.95	2.04	15.0	37	34.9	4.28	1.5
C0040990	1.22	30.2	3.310	15	111	1.05	0.73	15.55	8.4	26	70.3	3.60	6.4
C0040991	0.46	41.5	0.007	<10	<10	0.12	0.30	0.35	5.7	25	12.4	2.81	1.4
C0040992	0.51	29.1	0.002	15	17	0.39	0.25	<0.05	4.8	23	6.6	2.85	1.4
C0040993	0.50	61.4	0.005	<10	11	0.29	0.15	0.21	7.0	25	23.2	2.66	1.5
C0040994	0.56	361.8	0.001	12	10	0.18	0.11	1.07	6.9	21	31.8	3.27	1.6
C0040995	0.50	174.7	0.002	<10	31	0.15	0.48	1.09	2.5	23	6.3	1.53	1.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0040996	0.47	382.8	0.016	14	15	0.95	0.48	5.18	4.8	24	13.9	2.54	1.3
C0040997	0.34	1460.8	0.103	13	36	1.47	0.16	12.96	3.0	21	22.1	2.25	1.1
C0040998	0.30	1416.0	0.118	16	40	1.43	0.13	4.60	1.1	32	7.2	2.02	1.2
C0040999	0.35	508.3	0.036	12	35	2.92	0.13	3.08	0.6	29	5.9	2.14	1.2
C0041000	0.56	349.4	0.003	14	42	1.00	0.11	4.96	8.7	30	19.8	2.87	1.4
C0041001	0.64	258.2	0.005	11	16	0.96	0.09	1.70	5.3	20	54.1	3.12	1.8
C0041002	0.83	105.6	0.006	14	13	0.62	0.07	0.90	6.9	66	32.6	3.09	2.2
C0041003	1.35	64.0	0.001	<10	22	0.12	0.18	1.01	7.4	63	17.7	3.16	3.6
C0041004	0.79	295.0	0.059	12	69	0.45	0.57	1.60	12.7	49	29.2	3.41	2.2
C0041005	1.16	4.9	<0.001	10	222	0.12	0.35	0.18	4.7	61	7.2	2.46	4.9
C0041006	0.75	12.8	0.001	11	34	0.10	0.28	0.06	3.4	85	6.1	1.89	3.3
C0041006PD	0.89	16.8	0.002	13	42	0.13	0.31	0.09	4.4	81	8.1	2.44	4.1
C0041007	1.06	44.1	0.009	<10	46	0.24	0.53	0.19	5.4	56	11.4	2.71	5.1
C0041008	0.70	80.1	0.013	<10	27	0.37	0.16	0.75	6.7	51	27.0	3.09	2.1
C0041009	0.62	86.5	0.003	13	25	0.45	0.14	0.25	5.9	65	34.6	2.73	2.1
C0041010	0.39	456.1	0.255	11	1009	0.18	1.05	0.40	3.9	42	40.7	4.02	1.7
C0041011	1.09	147.4	0.012	14	30	0.21	0.31	1.20	7.5	48	15.8	3.24	3.0
C0041012	0.94	270.2	0.010	13	14	0.57	0.41	1.56	11.7	48	19.0	4.26	2.3
C0041013	0.74	448.4	0.107	16	26	0.49	0.13	2.37	12.9	48	24.2	4.34	1.9
C0041014	0.77	338.3	0.040	<10	29	0.09	0.09	1.24	7.9	53	8.5	3.58	2.1
C0041015	0.84	382.3	0.014	10	25	0.48	0.08	1.22	13.2	68	29.7	3.76	2.1
C0041016	1.18	160.4	0.003	<10	15	0.31	0.13	0.40	8.7	51	18.0	3.18	3.0
C0041017	2.44	87.9	0.001	11	85	0.33	0.31	<0.05	7.1	61	15.7	4.22	7.2
C0041018	3.12	37.5	<0.001	14	161	0.11	0.58	<0.05	11.1	56	21.0	4.88	9.4
C0041019	1.20	78.0	0.002	11	28	0.13	0.16	0.23	12.1	89	13.6	4.39	3.6

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041020	0.83	122.3	0.002	<10	<10	0.22	0.12	0.46	7.6	50	17.3	3.30	2.3
C0041021	1.11	118.4	0.005	<10	<10	0.11	0.09	0.37	5.6	63	17.0	3.20	2.8
C0041022	1.05	29.0	0.001	<10	<10	0.09	0.09	0.06	6.1	51	13.6	2.92	2.8
C0041023	1.07	28.1	0.003	<10	12	0.77	0.15	0.13	6.1	57	24.2	2.90	3.0
C0041024	1.31	28.3	0.040	<10	16	0.17	0.20	0.08	9.6	65	35.9	3.68	3.8
C0041025	1.09	25.6	0.124	<10	13	0.25	0.16	0.07	6.9	55	39.2	2.53	2.8
C0041026	0.83	13.2	0.002	<10	17	0.20	0.10	0.06	4.3	37	14.8	1.70	2.1
C0041027	0.99	14.7	0.002	<10	26	0.50	0.12	0.09	5.9	68	18.1	2.86	2.8
C0041028	0.64	10.2	0.012	<10	35	0.84	0.09	<0.05	6.3	105	49.1	3.42	2.2
C0041029	1.01	7.0	0.005	<10	47	0.28	0.26	<0.05	6.1	64	12.7	3.07	4.6
C0041030	1.27	29.2	3.334	16	102	1.06	0.77	15.29	8.4	27	68.7	3.49	6.3
C0041031	1.62	89.1	0.003	<10	267	0.42	0.30	<0.05	5.6	67	16.1	3.33	7.5
C0041032	1.76	34.6	0.001	<10	217	0.39	0.38	<0.05	5.5	57	9.5	3.47	7.6
C0041033	1.31	39.2	0.001	<10	21	0.36	0.30	<0.05	6.6	60	36.1	3.25	4.9
C0041034	1.36	31.4	0.002	11	11	0.45	0.18	<0.05	5.1	54	44.5	3.70	3.4
C0041035	1.19	36.5	0.001	<10	<10	0.34	0.09	<0.05	4.5	59	40.5	2.85	3.1
C0041036	1.07	422.4	0.002	11	19	1.39	0.09	0.90	11.3	49	65.8	3.64	2.9
C0041037	0.72	847.8	0.001	<10	12	0.35	0.10	5.29	6.6	45	16.5	3.46	1.9
C0041038	0.81	589.7	0.001	<10	14	0.35	0.11	1.90	5.3	45	9.8	2.98	2.0
C0041039	0.70	749.8	<0.001	<10	16	0.15	0.11	3.96	5.4	46	7.8	2.82	1.8
C0041040	0.80	829.5	0.005	10	<10	0.31	0.15	6.17	6.5	52	16.0	3.36	2.0
C0041041	0.83	855.3	0.004	10	11	0.72	0.20	6.58	7.4	43	37.9	3.35	2.1
C0041042	1.01	573.9	0.001	<10	<10	0.35	0.15	2.09	6.1	40	10.5	3.34	2.5
C0041043	0.93	791.7	0.001	11	10	0.54	0.15	4.55	8.6	44	37.6	3.49	2.4
C0041044	0.90	832.3	<0.001	10	<10	0.83	0.23	5.46	10.6	48	37.4	3.93	2.4

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041045	0.86	531.7	0.002	<10	10	0.25	0.14	2.85	11.2	58	20.3	3.71	2.3
C0041046	0.75	593.2	0.001	<10	16	3.18	0.23	4.13	7.5	66	58.8	3.11	2.0
C0041047	0.67	691.4	0.003	<10	22	0.90	0.09	6.56	7.3	74	45.0	2.75	1.8
C0041048	0.46	700.2	0.026	10	45	4.56	0.07	5.63	3.2	82	35.9	2.08	1.2
C0041049	0.55	268.2	0.007	<10	18	0.39	0.49	1.48	6.1	80	60.4	2.15	2.0
C0041050	0.31	1078.7	0.349	25	<10	58.32	1.74	453.51	31.5	16	>10000	17.97	7.5
C0041051	0.89	283.0	0.004	<10	84	1.99	0.48	1.88	9.0	64	48.8	3.29	4.0
C0041052	0.96	52.3	0.001	<10	77	0.33	0.81	0.21	5.1	61	27.7	2.30	5.0
C0041053	0.70	6.1	0.001	<10	15	0.24	0.76	<0.05	2.6	71	13.8	1.45	3.9
C0041053PD	0.70	5.7	<0.001	<10	14	0.23	0.74	<0.05	2.6	71	12.5	1.42	3.9
C0041054	0.85	7.0	<0.001	<10	45	0.07	0.49	<0.05	2.4	62	8.6	1.38	4.7
C0041055	1.71	5.7	0.001	<10	191	0.19	0.67	<0.05	8.6	73	18.9	2.91	6.8
C0041056	3.29	86.3	0.006	13	397	0.17	1.29	<0.05	19.4	46	31.7	5.34	10.6
C0041057	2.04	17.2	0.004	<10	240	0.15	1.70	<0.05	10.2	65	18.4	3.06	6.2
C0041058	2.69	256.9	0.100	13	328	0.83	2.85	0.14	24.0	98	54.2	5.04	8.4
C0041059	1.26	72.4	0.003	<10	133	0.22	0.63	0.08	9.1	76	41.9	2.49	5.1
C0041060	1.33	18.9	0.003	<10	164	0.69	0.45	0.13	9.0	65	28.2	3.42	6.6
C0041061	1.18	9.0	0.003	<10	197	0.45	0.45	<0.05	6.2	52	9.6	2.57	5.7
C0041062	1.28	3.1	0.002	<10	177	0.81	0.74	<0.05	6.0	61	8.7	2.77	6.2
C0041063	1.54	11.7	0.002	<10	158	0.62	0.65	<0.05	7.7	63	20.6	3.41	6.8
C0041064	2.52	3.0	0.001	11	129	0.25	1.62	0.10	17.5	59	17.6	4.13	7.6
C0041065	2.55	40.3	0.003	11	212	0.42	1.94	<0.05	22.9	31	61.1	4.93	7.6
C0041066	2.36	4.1	0.002	10	183	0.11	1.30	<0.05	15.5	27	26.8	3.73	7.6
C0041067	2.88	33.6	0.003	11	173	0.42	1.40	0.07	20.5	45	41.9	5.10	9.5
C0041068	2.47	146.7	0.004	<10	194	1.12	2.19	0.06	21.1	26	42.3	4.38	9.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041069	2.34	61.8	0.003	<10	285	0.26	1.43	0.25	21.2	38	71.2	4.69	8.1
C0041070	0.43	450.8	0.232	12	1107	0.18	1.08	0.35	3.7	43	37.9	3.93	1.6
C0041071	3.40	181.5	0.011	11	254	0.22	2.44	0.11	16.9	32	35.4	4.30	9.5
C0041072	3.63	8.4	0.004	11	222	0.24	1.55	0.08	18.7	26	35.3	5.18	9.5
C0041073	3.34	24.4	0.002	12	205	0.65	0.80	<0.05	15.7	26	30.9	5.49	9.6
C0041074	2.80	6.0	0.002	12	203	0.23	0.72	0.07	14.9	24	34.2	4.72	8.9
C0041075	2.14	2.8	0.007	10	112	0.40	1.48	<0.05	16.2	18	51.0	4.05	7.4
C0041076	2.66	10.2	0.020	<10	105	0.46	2.26	<0.05	18.3	38	53.0	4.16	7.9
C0041077	2.53	30.2	0.046	<10	208	0.51	2.31	<0.05	18.6	12	40.0	4.26	7.0
C0041078	2.08	13.9	0.017	<10	306	0.29	3.34	<0.05	12.0	14	25.3	3.13	4.8
C0041079	2.44	10.5	0.005	<10	155	0.42	2.82	<0.05	7.9	15	11.1	3.06	7.8
C0041080	3.73	13.3	0.005	<10	326	0.20	3.52	<0.05	9.0	13	6.3	3.44	8.9
C0041081	3.07	29.4	0.014	14	246	0.68	4.74	3.60	18.0	8	48.4	5.30	6.9
C0041082	1.67	3.2	0.010	12	90	1.52	4.45	0.18	14.4	10	31.0	4.64	5.4
C0041083	1.65	493.0	0.027	<10	29	1.62	1.82	1.92	35.7	6	134.5	4.50	5.0
C0041084	1.80	52.1	0.007	<10	13	0.92	2.08	1.02	14.0	7	28.9	4.25	5.1
C0041085	1.39	30.7	0.003	<10	13	1.09	2.26	0.68	15.8	11	35.3	3.88	5.1
C0041086	2.60	65.6	0.006	11	16	1.09	1.01	0.43	15.6	10	45.9	5.36	6.7
C0041087	0.78	26.8	0.005	11	<10	2.26	4.89	0.13	22.1	16	64.8	4.78	2.4
C0041088	0.58	10.7	0.006	12	<10	2.91	7.24	0.07	15.4	17	12.0	5.94	1.4
C0041089	1.05	14.6	0.006	<10	13	2.58	4.28	0.10	19.3	9	18.0	5.25	2.8
C0041090	1.21	30.6	3.114	11	106	1.00	0.72	15.45	8.0	27	66.6	3.60	6.3
C0041091	2.08	12.0	0.007	<10	75	0.40	1.97	0.16	13.1	11	42.5	4.36	7.5
C0041092	1.85	14.8	0.003	10	20	0.52	1.23	0.16	16.4	5	97.1	4.93	6.2
C0041093	1.20	13.9	0.015	11	63	2.41	2.34	0.08	22.4	9	22.6	5.46	4.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041094	1.18	9.4	0.001	<10	194	1.03	3.87	0.08	14.5	13	30.2	3.60	4.1
C0041095	1.07	5.1	<0.001	<10	128	0.65	3.78	0.10	9.9	13	16.8	3.03	3.7
C0041096	1.20	7.4	0.009	<10	22	1.04	4.73	0.10	19.3	10	20.4	4.42	3.8
C0041097	1.42	2.3	0.009	<10	11	1.10	2.26	<0.05	15.5	17	3.1	3.20	4.7
C0041098	1.43	5.9	0.035	<10	<10	1.10	3.46	0.13	21.4	13	22.5	4.10	4.1
C0041099	1.47	6.8	0.021	<10	20	2.21	1.92	0.08	22.5	29	4.0	4.12	4.9
C0041099PD	1.44	6.1	0.023	<10	19	2.12	1.91	0.07	21.8	28	4.0	4.03	4.8
C0041100	1.47	2.8	0.015	10	47	1.09	1.99	<0.05	17.2	29	8.7	3.51	4.8
C0041101	1.54	4.9	0.006	11	231	0.55	3.03	0.07	16.9	22	24.4	3.88	5.1
C0041102	1.35	3.1	0.094	<10	104	1.05	2.42	<0.05	15.8	32	20.4	3.21	5.1
C0041103	1.86	3.6	0.527	<10	290	0.93	3.47	0.06	16.5	27	57.7	3.68	5.0
C0041104	1.58	16.1	0.025	11	21	1.95	2.35	0.06	27.1	33	13.2	5.24	4.0
C0041105	0.75	71.1	0.041	15	39	1.02	3.99	0.11	23.8	25	13.4	5.42	1.8
C0041106	0.75	390.9	0.046	16	41	0.91	2.98	45.42	26.9	27	14.3	6.34	1.9
C0041107	0.33	379.9	0.199	17	39	0.65	3.53	22.89	14.7	16	29.3	5.04	0.8
C0041108	0.80	35.6	0.008	12	19	0.93	4.80	0.17	20.9	26	24.2	5.16	2.2
C0041109	0.71	14.0	0.008	16	20	1.71	4.39	0.14	23.0	13	8.5	6.26	1.6
C0041110	1.56	33.3	8.268	15	117	1.38	0.81	0.27	12.4	41	779.0	5.06	5.5
C0041111	0.68	301.3	0.108	11	23	0.96	2.34	3.48	13.8	21	28.2	4.05	1.7
C0041112	0.91	7.4	0.004	12	55	0.62	2.95	0.28	11.5	27	4.1	4.26	2.4
C0041113	0.89	219.0	0.082	12	88	4.99	2.64	0.38	16.1	26	8.5	5.00	2.7
C0041114	0.36	60.3	0.024	<10	187	0.32	0.51	2.93	1.7	19	9.6	1.14	0.8
C0041115	0.33	61.7	0.029	<10	98	1.94	0.43	2.13	1.9	19	4.1	1.60	0.8
C0041116	0.34	52.0	0.028	<10	61	0.72	0.40	11.67	1.5	21	20.4	1.27	0.8
C0041117	0.29	30.4	0.013	<10	55	0.83	0.42	15.99	0.9	21	17.7	1.45	0.7

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041118	0.30	2364.6	1.031	15	55	2.88	0.84	33.28	1.3	25	205.5	2.40	0.8
C0041119	0.31	1573.1	0.886	17	36	16.43	0.34	18.13	2.3	25	598.3	6.49	0.9
C0041120	0.33	4429.1	0.949	13	65	3.55	0.19	12.88	2.1	26	428.8	3.98	1.0
C0041121	0.31	3155.4	0.927	18	35	17.23	0.22	6.79	1.9	28	1082.8	7.59	0.9
C0041122	0.29	4321.1	2.152	20	29	20.66	0.11	102.49	2.1	30	635.7	8.96	1.0
C0041123	0.21	>10000	8.222	25	11	414.95	0.50	100.00	1.4	34	1969.7	14.38	0.8
C0041124	1.07	258.5	0.131	17	47	2.56	1.52	15.32	6.6	16	16.1	3.90	2.9
C0041125	0.42	31.3	0.013	12	99	3.28	1.27	7.37	1.2	25	17.9	1.02	1.0
C0041126	0.35	11.3	0.005	<10	64	3.71	1.22	2.34	0.6	25	6.4	0.61	0.7
C0041127	0.37	1810.4	0.406	14	92	0.40	1.07	30.27	2.0	23	20.3	1.98	0.8
C0041128	0.33	184.3	0.024	11	65	1.97	1.55	26.85	1.5	23	6.6	1.19	0.7
C0041129	0.62	8.1	0.003	12	329	0.26	1.74	0.61	2.0	25	3.6	0.95	1.7
C0041130	1.30	29.2	3.240	16	113	0.99	0.72	15.88	8.4	27	67.4	3.60	6.7
C0041131	0.69	6.0	0.005	<10	229	0.32	1.37	0.52	1.6	25	3.8	1.09	1.9
C0041132	0.98	5.7	0.005	12	54	0.45	1.60	0.20	5.5	22	3.2	2.64	2.9
C0041132PD	1.00	6.2	0.004	13	52	0.44	1.69	0.21	5.9	22	4.2	2.75	2.9
C0041133	0.45	2.5	0.002	<10	38	0.17	0.97	0.16	0.6	26	2.3	0.46	1.0
C0041134	0.42	2.2	0.002	<10	40	0.14	0.80	0.23	0.6	26	2.3	0.48	0.9
C0041135	0.47	6.5	0.004	<10	99	0.28	1.62	0.22	3.0	29	3.2	1.54	1.4
C0041136	0.40	2.3	0.001	<10	402	0.20	0.76	0.13	1.4	30	3.3	0.75	1.2
C0041137	0.55	33.1	0.048	<10	75	0.94	0.13	0.22	2.3	27	8.7	0.88	1.4
C0041138	0.41	10.0	0.042	<10	69	0.85	0.10	0.09	1.1	23	10.8	0.72	1.8
C0041139	1.16	9.5	0.015	11	117	0.30	0.22	0.16	6.8	23	39.9	2.40	4.6
C0041140	0.61	7.8	0.007	<10	78	0.53	0.27	0.19	3.0	25	12.4	1.19	2.5
C0041141	0.34	3.2	0.007	<10	71	0.23	0.09	0.14	0.5	20	4.8	0.50	1.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041142	0.33	3.4	0.028	<10	74	0.26	0.10	0.08	0.5	23	8.1	0.54	1.4
C0041143	0.32	33.7	0.240	<10	190	2.00	0.07	0.05	1.6	27	5.4	1.17	1.1
C0041144	0.71	30.8	0.025	<10	56	0.36	0.15	0.08	0.7	14	3.4	0.61	2.0
C0041145	0.55	11.7	0.011	<10	55	0.15	0.17	<0.05	0.4	20	2.7	0.54	2.0
C0041146	0.60	10.5	0.011	<10	46	0.16	0.21	<0.05	0.4	15	3.1	0.54	2.2
C0041147	0.44	8.1	0.012	<10	64	0.17	0.15	<0.05	0.4	26	3.9	0.56	1.8
C0041148	0.51	14.6	0.051	<10	69	0.74	0.19	0.05	0.4	19	6.8	0.46	1.4
DUP C0040961													
DUP C0040998													
DUP C0041042													
DUP C0041075													
DUP C0041104													
DUP C0040965	0.52	44.5	0.020	<10	84	0.79	0.59	0.76	1.8	72	10.4	0.68	1.7
DUP C0041011	1.15	148.0	0.011	<10	30	0.22	0.31	1.16	7.2	52	15.4	3.25	3.2
DUP C0041029	0.96	7.0	0.001	<10	47	0.29	0.27	<0.05	6.1	62	12.5	3.12	4.4
DUP C0041112	0.92	7.9	0.001	11	55	0.65	2.90	0.29	11.9	26	4.4	4.20	2.6
DUP C0041145	0.55	12.2	0.009	<10	54	0.16	0.17	<0.05	0.4	20	2.7	0.54	2.1
DUP C0041122													
DUP C0041123													
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK													
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 25a	5.77	2.9	<0.001	16	54	0.30	0.15	<0.05	5.5	73	24.6	5.79	20.2
STD OREAS 600b	0.59	98.1	0.198	<10	656	5.96	0.83	2.03	2.2	27	507.8	2.11	3.6
STD OREAS 600b	0.60	95.3	0.198	<10	667	5.74	0.86	2.04	2.2	27	508.7	2.05	3.3
STD OREAS 25a	5.89	3.0	<0.001	16	56	0.30	0.15	<0.05	5.8	74	24.3	6.06	20.4
STD OREAS 600b	0.61	99.7	0.201	<10	671	6.08	0.85	2.03	2.1	28	511.1	2.12	3.6
STD MP-1b													
STD CDN-ME-1407													
STD OXK160													
STD CDN-GS-20B													
STD CDN-ME-1805													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
Granite Blank	<0.01	0.09	6.1	0.41	413	1.72	0.10	2.9	373	1.1	<0.005	0.02	0.16
Granite Blank	<0.01	0.10	6.7	0.45	449	2.25	0.11	3.1	390	1.6	<0.005	0.02	0.14
C0040949	0.10	0.26	1.1	0.04	468	1.62	<0.01	2.8	164	52.2	<0.005	0.49	24.66
C0040950	17.97	0.07	1.8	0.73	338	33.59	0.01	55.7	330	>10000	0.027	>10	204.19
C0040951	0.04	0.29	1.1	0.04	333	1.63	<0.01	2.3	106	166.8	<0.005	0.45	9.07
C0040952	0.02	0.18	2.1	0.12	294	1.20	0.05	2.4	117	13.5	<0.005	0.07	1.41
C0040953	0.01	0.18	3.4	0.07	128	1.13	0.06	2.5	117	45.4	<0.005	0.16	4.00
C0040954	<0.01	0.13	4.9	0.05	90	1.26	0.08	2.7	115	14.0	<0.005	0.11	2.26
C0040955	<0.01	0.23	6.0	0.04	872	1.27	0.04	5.0	116	16.1	<0.005	0.03	10.76
C0040956	0.01	0.32	4.1	0.06	2109	1.48	<0.01	5.1	134	92.5	<0.005	0.15	34.76
C0040957	0.02	0.27	3.7	0.04	804	1.67	<0.01	2.8	98	63.0	<0.005	0.16	6.81
C0040958	0.03	0.30	4.8	0.03	393	2.01	<0.01	2.9	259	56.2	<0.005	0.10	8.42
C0040959	0.02	0.22	4.1	0.03	418	1.67	<0.01	2.4	101	34.0	<0.005	0.04	3.18
C0040960	0.01	0.22	5.0	0.05	659	1.37	0.01	2.1	91	26.0	<0.005	<0.01	3.77
C0040961	<0.01	0.13	5.0	0.03	79	1.37	0.09	2.5	100	67.4	<0.005	0.13	2.36
C0040962	0.01	0.19	6.1	0.06	227	1.56	0.06	2.4	125	91.9	<0.005	0.15	5.13
C0040963	<0.01	0.11	5.8	0.14	105	13.13	0.10	2.4	177	28.2	0.022	0.15	1.71
C0040964	<0.01	0.14	8.0	0.12	122	1.27	0.09	2.3	207	43.0	<0.005	0.19	1.62
C0040965	<0.01	0.16	7.4	0.09	164	1.96	0.09	3.0	168	48.7	<0.005	0.07	2.23
C0040966	0.03	0.13	10.9	0.09	391	1.24	0.03	2.8	214	18.0	<0.005	0.02	7.12
C0040966PD	0.03	0.13	10.8	0.10	384	1.32	0.03	2.8	213	19.3	<0.005	0.02	6.74
C0040967	0.02	0.20	9.3	0.04	448	1.39	0.02	3.0	281	259.1	<0.005	0.53	10.20
C0040968	0.06	0.15	8.3	0.04	310	1.92	0.07	2.8	274	15.2	0.006	0.05	6.37
C0040969	0.02	0.21	7.5	0.04	1089	1.75	0.01	2.6	378	48.4	<0.005	0.22	13.50
C0040970	3.97	0.09	5.0	0.03	71	13.93	0.03	18.1	107	14.5	<0.005	0.19	25.35

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040971	0.08	0.36	7.7	0.02	114	2.74	0.02	3.7	523	238.8	<0.005	0.38	35.78
C0040972	0.20	0.32	15.0	0.04	1274	3.33	0.01	7.3	760	53.9	<0.005	0.08	27.92
C0040973	0.07	0.34	15.6	0.22	1322	2.50	<0.01	7.2	1049	15.1	<0.005	0.21	14.64
C0040974	0.07	0.27	5.6	0.22	879	4.42	<0.01	6.4	222	39.2	<0.005	0.41	15.02
C0040975	0.18	0.14	11.0	0.03	765	2.95	<0.01	4.1	403	7.4	<0.005	0.06	12.02
C0040976	0.05	0.26	12.6	0.04	1035	3.12	<0.01	5.4	333	32.9	<0.005	0.06	11.13
C0040977	0.16	0.17	9.6	0.03	648	2.88	<0.01	5.6	336	23.6	<0.005	0.07	15.64
C0040978	0.02	0.19	10.8	0.16	595	1.80	0.02	2.9	330	27.8	<0.005	0.31	8.17
C0040979	0.02	0.16	14.8	0.08	381	1.47	0.02	2.5	278	26.2	<0.005	0.12	6.94
C0040980	0.07	0.13	12.0	0.33	832	1.22	<0.01	3.9	503	320.0	<0.005	0.73	10.64
C0040981	0.06	0.10	13.1	0.24	683	1.98	<0.01	3.7	362	52.1	<0.005	0.35	22.14
C0040982	0.09	0.09	7.8	0.02	723	2.63	<0.01	4.1	223	15.9	<0.005	0.06	36.35
C0040983	0.04	0.12	14.3	0.06	448	1.97	<0.01	2.9	330	201.1	<0.005	0.54	19.16
C0040984	0.08	0.17	12.7	0.10	945	2.47	<0.01	3.0	310	588.1	<0.005	0.57	21.97
C0040985	0.04	0.14	12.5	0.04	1120	2.59	<0.01	3.1	286	100.2	<0.005	0.15	18.83
C0040986	0.04	0.18	10.5	0.11	874	5.29	<0.01	2.4	235	18.5	<0.005	0.45	16.38
C0040987	0.02	0.10	15.6	0.03	519	5.82	<0.01	2.1	119	11.1	<0.005	0.07	8.87
C0040988	0.02	0.06	20.7	0.02	353	5.82	<0.01	3.8	98	59.9	<0.005	0.03	6.15
C0040989	0.05	0.14	9.4	0.25	1262	3.83	<0.01	33.6	382	123.0	<0.005	0.33	11.59
C0040990	0.21	0.10	5.7	0.64	391	10.01	0.09	31.4	511	507.3	<0.005	0.37	58.24
C0040991	0.06	0.03	7.5	0.24	754	6.19	<0.01	2.2	182	31.0	<0.005	0.48	5.96
C0040992	0.05	0.04	7.8	0.17	793	5.35	<0.01	1.7	246	5.2	<0.005	0.51	4.19
C0040993	0.08	0.03	10.0	0.12	601	5.98	<0.01	2.1	267	9.0	<0.005	0.19	5.95
C0040994	0.12	0.02	11.5	0.03	560	5.03	<0.01	1.9	248	17.3	<0.005	0.07	16.71
C0040995	0.03	0.08	5.3	0.13	497	4.09	<0.01	1.9	147	45.6	<0.005	0.06	6.62

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0040996	0.10	0.11	6.6	0.16	1031	4.47	<0.01	1.6	290	370.2	<0.005	0.56	14.16
C0040997	0.35	0.22	6.3	0.03	231	3.84	<0.01	1.4	137	1389.0	<0.005	1.04	49.09
C0040998	0.16	0.18	9.7	0.03	136	6.10	0.01	1.9	104	1062.2	<0.005	0.62	58.94
C0040999	0.09	0.26	8.5	0.03	62	5.13	0.02	1.7	107	59.1	<0.005	0.30	18.93
C0041000	0.07	0.11	8.3	0.03	1239	5.23	<0.01	2.2	269	25.1	<0.005	0.10	15.31
C0041001	0.04	0.11	10.1	0.03	221	4.39	<0.01	1.3	268	17.8	<0.005	0.04	20.49
C0041002	0.12	0.09	12.5	0.03	376	3.80	<0.01	2.8	312	85.8	<0.005	0.08	6.76
C0041003	0.06	0.11	15.9	0.16	463	4.39	<0.01	2.8	315	5.7	<0.005	0.03	5.90
C0041004	0.04	0.21	8.4	0.23	1030	4.16	0.02	2.7	229	74.5	<0.005	0.72	12.52
C0041005	<0.01	0.42	9.3	0.61	384	1.45	0.09	2.7	256	1.5	<0.005	0.16	1.26
C0041006	<0.01	0.17	12.2	0.23	325	1.72	0.08	3.4	180	3.4	<0.005	0.09	1.85
C0041006PD	<0.01	0.21	14.0	0.29	441	2.15	0.08	3.1	243	3.9	<0.005	0.12	2.36
C0041007	0.01	0.17	12.2	0.30	555	2.18	0.05	2.4	277	2.9	<0.005	0.28	5.37
C0041008	0.03	0.15	12.1	0.09	449	2.48	0.05	2.9	299	32.8	<0.005	0.31	5.79
C0041009	0.01	0.17	12.3	0.07	343	2.45	0.06	3.0	270	7.2	<0.005	0.30	4.74
C0041010	3.84	0.09	6.1	0.03	70	13.81	0.04	17.1	133	14.5	<0.005	0.22	25.48
C0041011	0.07	0.18	15.7	0.17	724	4.26	0.02	2.6	311	73.5	<0.005	0.11	6.89
C0041012	0.07	0.16	12.6	0.16	1005	7.27	<0.01	3.7	303	48.7	<0.005	0.16	8.91
C0041013	0.06	0.21	13.9	0.04	1328	6.67	<0.01	3.7	359	28.4	<0.005	0.09	12.72
C0041014	0.06	0.22	11.8	0.04	807	3.04	<0.01	2.7	339	6.9	<0.005	0.23	6.08
C0041015	0.04	0.12	11.4	0.04	1076	3.14	<0.01	4.7	288	12.3	<0.005	0.03	11.16
C0041016	0.06	0.10	16.4	0.08	551	2.83	<0.01	3.1	283	8.9	<0.005	0.01	3.66
C0041017	0.05	0.60	8.3	0.61	397	3.62	0.01	2.9	241	5.9	<0.005	0.01	7.02
C0041018	0.01	0.64	13.4	1.10	329	2.34	0.01	3.0	442	4.3	<0.005	0.02	3.99
C0041019	0.10	0.18	10.2	0.28	830	6.33	<0.01	3.6	279	1.8	<0.005	0.16	2.94

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041020	0.35	0.06	11.4	0.03	405	2.29	<0.01	3.3	426	3.6	<0.005	0.17	3.07
C0041021	0.31	0.03	12.9	0.03	402	2.41	<0.01	2.8	282	2.4	<0.005	0.18	2.89
C0041022	0.32	0.02	13.8	0.04	387	2.71	<0.01	2.2	270	2.5	<0.005	0.10	2.27
C0041023	0.08	0.08	15.0	0.07	384	1.88	<0.01	2.6	310	12.0	<0.005	0.09	5.35
C0041024	0.10	0.04	18.6	0.15	367	3.64	0.02	3.0	273	2.7	<0.005	0.17	6.95
C0041025	0.07	0.04	14.0	0.06	438	1.43	<0.01	2.8	397	6.2	<0.005	0.02	10.22
C0041026	0.07	0.03	8.8	0.03	355	1.22	<0.01	2.1	277	6.7	<0.005	0.02	3.71
C0041027	0.15	0.06	12.0	0.06	451	2.19	<0.01	3.4	300	6.1	<0.005	0.02	3.49
C0041028	0.05	0.11	7.1	0.08	206	3.90	0.02	4.1	220	3.4	<0.005	0.25	6.33
C0041029	0.01	0.17	11.6	0.39	621	3.11	0.07	2.6	323	2.4	0.008	0.51	1.57
C0041030	0.21	0.11	5.9	0.60	394	9.94	0.09	30.9	510	504.8	<0.005	0.37	56.47
C0041031	<0.01	0.40	10.2	0.64	318	2.19	0.07	2.9	385	2.3	<0.005	0.71	22.04
C0041032	<0.01	0.49	9.5	0.70	377	2.60	0.06	2.8	466	1.9	<0.005	0.39	4.03
C0041033	0.04	0.09	15.0	0.43	512	2.98	0.04	2.6	365	3.3	<0.005	0.81	6.91
C0041034	0.08	0.04	10.9	0.13	224	3.08	<0.01	2.3	401	4.3	<0.005	0.05	5.70
C0041035	0.09	0.04	13.8	0.06	336	2.89	<0.01	2.3	312	5.1	<0.005	0.02	5.52
C0041036	0.11	0.05	14.2	0.04	724	2.85	<0.01	2.6	324	5.4	<0.005	0.05	17.10
C0041037	0.06	0.05	9.4	0.03	459	2.57	<0.01	3.0	307	3.5	<0.005	0.06	7.63
C0041038	0.10	0.07	11.4	0.03	468	2.25	<0.01	2.7	328	3.5	<0.005	0.03	4.43
C0041039	0.05	0.10	11.1	0.03	413	2.27	<0.01	3.0	331	4.5	<0.005	0.06	3.43
C0041040	0.05	0.11	11.9	0.04	817	2.76	<0.01	2.8	314	6.1	<0.005	0.27	9.29
C0041041	0.09	0.11	13.5	0.06	1442	2.21	<0.01	2.6	310	21.1	<0.005	0.30	17.91
C0041042	0.03	0.06	15.1	0.07	815	1.74	<0.01	2.3	280	5.6	<0.005	0.11	7.37
C0041043	0.10	0.09	14.9	0.05	1548	2.24	<0.01	2.6	371	5.1	<0.005	0.28	15.05
C0041044	0.08	0.08	12.7	0.07	1356	2.57	<0.01	3.1	326	10.7	<0.005	0.27	14.58

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041045	0.14	0.07	13.8	0.06	855	2.94	<0.01	3.4	312	3.6	<0.005	0.09	7.35
C0041046	0.06	0.10	11.6	0.07	1006	2.80	<0.01	5.0	264	31.8	<0.005	0.10	19.60
C0041047	0.04	0.15	9.2	0.03	1252	3.16	<0.01	4.2	181	34.8	<0.005	0.20	20.75
C0041048	0.04	0.19	12.0	0.03	379	2.72	<0.01	4.2	119	199.2	<0.005	0.17	25.58
C0041049	0.01	0.11	9.8	0.21	945	2.02	0.07	3.4	160	7.6	<0.005	0.63	9.45
C0041050	19.72	0.06	1.7	0.83	357	36.58	<0.01	61.6	354	>10000	0.034	>10	254.89
C0041051	0.02	0.23	12.7	0.38	723	1.85	0.08	3.3	459	19.8	<0.005	0.71	3.49
C0041052	<0.01	0.24	12.4	0.64	392	1.25	0.10	3.0	451	8.6	<0.005	0.39	2.38
C0041053	0.02	0.10	13.5	0.50	308	2.04	0.10	3.2	263	3.5	<0.005	0.27	0.68
C0041053PD	0.02	0.10	12.1	0.51	298	2.03	0.10	3.2	250	3.6	<0.005	0.26	0.61
C0041054	0.01	0.26	9.0	0.59	210	1.84	0.11	2.7	85	1.9	<0.005	0.09	0.28
C0041055	0.01	0.74	8.5	1.38	442	2.18	0.12	5.0	499	2.3	<0.005	0.26	0.70
C0041056	0.01	1.41	16.6	2.43	538	1.78	0.12	9.1	999	1.6	<0.005	0.17	2.72
C0041057	0.01	0.69	9.0	1.26	470	1.68	0.16	7.1	622	2.7	<0.005	0.15	1.43
C0041058	0.02	0.91	17.9	2.33	883	1.21	0.13	22.1	818	3.5	<0.005	0.61	6.50
C0041059	0.01	0.45	9.2	0.75	391	3.21	0.07	5.2	193	1.9	<0.005	0.47	3.54
C0041060	0.01	0.58	10.9	0.75	474	2.90	0.10	3.9	265	1.6	<0.005	0.64	1.36
C0041061	0.01	0.53	8.7	0.72	401	1.92	0.09	2.9	229	1.0	<0.005	0.34	0.59
C0041062	<0.01	0.49	8.6	0.82	462	1.89	0.12	3.4	359	5.4	<0.005	0.45	0.39
C0041063	<0.01	0.62	10.3	1.16	491	1.74	0.15	3.6	480	1.7	<0.005	0.89	0.56
C0041064	<0.01	0.64	10.8	2.09	732	3.33	0.29	13.3	733	1.6	<0.005	0.30	0.71
C0041065	<0.01	0.77	10.9	2.11	721	4.83	0.17	7.4	550	2.6	<0.005	0.84	6.40
C0041066	<0.01	0.62	22.6	1.90	431	3.10	0.21	5.7	1461	1.7	<0.005	0.19	1.42
C0041067	<0.01	0.77	20.6	2.52	668	4.75	0.15	10.9	670	4.0	<0.005	0.49	4.00
C0041068	<0.01	0.63	10.3	1.80	691	2.19	0.09	7.5	949	4.4	<0.005	0.63	6.79

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041069	0.01	0.70	11.5	1.93	656	4.11	0.12	8.9	745	2.9	<0.005	0.32	10.43
C0041070	3.75	0.10	6.4	0.03	71	13.58	0.04	16.7	146	13.7	<0.005	0.23	24.27
C0041071	0.02	0.73	8.2	2.15	609	2.87	0.14	10.7	516	5.2	<0.005	0.19	18.03
C0041072	0.01	1.13	3.8	2.39	507	3.25	0.18	6.8	488	5.9	<0.005	0.55	2.75
C0041073	<0.01	1.36	5.0	2.56	455	6.12	0.20	3.7	642	1.6	<0.005	1.20	0.35
C0041074	<0.01	1.13	5.6	2.48	431	4.02	0.10	4.0	623	2.3	<0.005	0.68	0.40
C0041075	<0.01	0.60	4.0	1.61	547	3.06	0.21	5.6	605	2.0	<0.005	0.60	0.43
C0041076	0.01	0.35	3.6	1.74	555	2.55	0.25	8.7	407	2.6	<0.005	0.57	3.46
C0041077	0.02	0.67	3.9	1.76	632	1.63	0.05	8.8	340	2.1	<0.005	0.47	5.14
C0041078	0.01	0.34	3.3	1.49	721	1.19	0.10	7.4	364	1.8	<0.005	0.24	1.75
C0041079	<0.01	0.27	3.8	1.90	639	1.38	0.07	5.7	348	2.3	<0.005	0.16	0.95
C0041080	<0.01	0.87	4.5	2.54	805	0.75	0.03	6.6	452	3.1	<0.005	0.09	1.75
C0041081	0.09	0.36	7.3	2.53	1075	1.07	0.01	4.4	629	405.8	<0.005	0.98	5.87
C0041082	0.04	0.52	8.7	2.18	666	1.72	<0.01	3.0	751	9.8	<0.005	1.21	4.44
C0041083	0.14	0.24	7.6	1.00	386	1.38	<0.01	7.4	999	92.0	<0.005	2.05	16.38
C0041084	0.06	0.08	10.3	1.12	312	1.52	<0.01	3.1	688	47.0	<0.005	0.63	18.53
C0041085	0.03	0.09	9.9	1.10	285	2.77	<0.01	2.9	669	27.8	<0.005	0.95	14.38
C0041086	0.03	0.12	10.3	1.24	194	3.15	<0.01	2.8	609	12.2	0.005	0.67	21.43
C0041087	0.02	0.05	6.8	1.86	590	4.04	<0.01	5.1	435	6.0	0.007	2.00	20.15
C0041088	0.01	0.04	4.8	2.67	896	2.62	<0.01	4.0	464	6.9	<0.005	3.51	5.60
C0041089	0.08	0.07	7.0	1.67	965	1.66	<0.01	3.7	686	6.4	<0.005	2.43	6.15
C0041090	0.21	0.11	5.3	0.59	396	9.69	0.09	28.5	503	500.6	<0.005	0.38	59.89
C0041091	0.03	0.30	5.0	1.27	668	1.52	0.08	3.2	720	7.2	<0.005	0.62	4.74
C0041092	0.02	0.12	5.9	1.03	691	0.72	0.02	2.7	884	6.3	<0.005	1.21	14.13
C0041093	0.09	0.10	6.2	1.10	979	0.97	0.02	5.3	370	4.6	<0.005	2.11	3.73

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041094	0.06	0.14	5.8	1.49	857	1.32	0.02	6.8	254	4.2	<0.005	0.66	1.69
C0041095	0.04	0.13	6.4	1.36	839	1.60	0.02	5.5	291	4.0	<0.005	0.18	1.25
C0041096	0.01	0.12	6.7	1.77	1171	1.00	0.03	10.1	488	3.2	<0.005	0.75	1.68
C0041097	<0.01	0.09	2.6	1.39	609	1.71	0.17	10.5	426	2.1	<0.005	0.59	0.57
C0041098	0.03	0.12	5.2	1.26	1152	0.76	0.04	17.0	522	4.8	<0.005	0.79	1.93
C0041099	<0.01	0.08	3.6	1.33	758	1.39	0.12	20.0	625	9.5	<0.005	1.14	0.85
C0041099PD	<0.01	0.08	3.5	1.32	747	1.16	0.12	19.4	639	8.9	<0.005	1.08	0.83
C0041100	<0.01	0.09	4.5	1.24	633	1.74	0.18	17.6	624	3.0	<0.005	0.79	0.92
C0041101	<0.01	0.28	12.5	1.47	894	1.14	0.07	15.1	1425	3.2	<0.005	0.62	2.92
C0041102	<0.01	0.16	6.2	1.20	627	2.55	0.12	15.3	529	2.9	<0.005	0.75	1.98
C0041103	0.02	0.40	8.5	1.40	712	2.10	0.07	13.9	809	2.9	<0.005	0.84	6.46
C0041104	0.12	0.12	5.4	1.16	503	2.88	0.02	31.2	590	5.1	0.013	3.20	6.41
C0041105	0.23	0.18	5.6	1.41	1628	4.90	<0.01	21.3	555	7.7	0.030	2.39	9.58
C0041106	0.32	0.22	5.4	1.13	3135	2.90	<0.01	25.2	500	1152.5	0.013	3.80	23.38
C0041107	0.10	0.19	2.1	1.17	5994	3.50	<0.01	4.8	413	1131.4	<0.005	4.76	35.61
C0041108	0.23	0.11	8.2	1.79	1780	2.73	<0.01	4.9	774	15.2	0.006	2.31	8.78
C0041109	0.03	0.15	6.6	1.75	1194	3.65	<0.01	10.7	448	14.9	0.018	5.11	5.28
C0041110	0.44	0.27	7.3	0.78	545	31.94	0.12	51.8	675	30.1	0.063	0.64	8.96
C0041111	0.13	0.11	7.8	0.83	1256	10.05	<0.01	7.4	434	112.7	0.018	2.16	20.74
C0041112	0.10	0.23	5.9	1.12	1511	1.82	<0.01	11.7	463	15.1	<0.005	1.26	4.90
C0041113	0.29	0.33	4.5	1.19	1992	3.94	<0.01	15.0	263	16.3	0.006	2.03	18.24
C0041114	0.06	0.19	14.7	0.19	670	4.74	<0.01	1.6	146	120.1	0.005	1.03	18.71
C0041115	0.07	0.20	21.1	0.16	819	5.22	<0.01	1.7	203	331.7	0.006	1.58	53.63
C0041116	0.06	0.20	18.6	0.14	490	6.62	<0.01	1.6	173	294.4	0.023	1.22	30.56
C0041117	0.05	0.20	9.6	0.15	374	5.44	<0.01	1.3	115	272.3	0.021	1.46	39.86

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041118	0.16	0.22	8.1	0.26	887	5.15	<0.01	1.8	96	790.6	0.009	2.30	330.85
C0041119	0.28	0.21	9.3	0.08	128	5.73	<0.01	2.1	123	776.6	<0.005	6.98	620.75
C0041120	0.23	0.22	16.3	0.05	69	4.81	<0.01	2.1	196	733.4	<0.005	4.03	430.64
C0041121	0.33	0.21	10.8	0.04	67	5.56	<0.01	2.2	200	1211.1	<0.005	8.12	1031.81
C0041122	0.32	0.20	9.9	0.04	144	5.93	<0.01	2.3	140	5702.0	0.008	9.80	770.94
C0041123	0.98	0.15	4.3	0.06	221	5.82	<0.01	2.6	61	6621.6	<0.005	>10	2805.66
C0041124	0.10	0.49	7.7	0.64	1443	2.74	0.01	6.0	692	556.6	<0.005	3.67	22.44
C0041125	0.03	0.27	9.7	0.43	1535	4.81	<0.01	2.0	99	692.4	<0.005	0.67	13.32
C0041126	0.01	0.25	9.8	0.20	962	5.46	<0.01	1.5	60	174.4	<0.005	0.35	5.66
C0041127	0.06	0.26	5.2	0.35	1949	5.36	<0.01	2.5	159	1074.4	<0.005	1.86	39.64
C0041128	0.04	0.25	4.9	0.29	2062	4.72	<0.01	2.0	113	2825.1	<0.005	1.09	13.69
C0041129	0.02	0.32	9.3	0.36	863	4.75	0.03	2.3	114	35.3	<0.005	0.61	2.97
C0041130	0.21	0.12	5.5	0.65	399	10.29	0.09	31.6	540	480.6	<0.005	0.37	55.51
C0041131	0.01	0.29	10.9	0.43	237	6.19	0.02	2.5	140	25.7	0.016	0.81	1.94
C0041132	0.02	0.44	9.5	0.68	458	3.99	0.02	4.2	269	36.4	<0.005	2.33	2.30
C0041132PD	0.02	0.45	9.2	0.70	484	3.84	0.03	4.2	280	38.4	<0.005	2.43	2.49
C0041133	<0.01	0.18	9.5	0.16	203	6.00	0.03	1.4	48	10.7	<0.005	0.22	0.99
C0041134	<0.01	0.17	7.7	0.13	176	5.42	0.03	1.6	31	16.0	<0.005	0.26	1.07
C0041135	<0.01	0.20	40.5	0.38	276	5.09	0.05	2.6	304	13.9	<0.005	1.31	0.97
C0041136	<0.01	0.16	19.0	0.16	153	5.67	0.05	2.0	106	9.9	<0.005	0.49	0.72
C0041137	0.06	0.11	5.9	0.03	286	3.90	0.01	2.5	363	25.7	<0.005	<0.01	7.76
C0041138	0.01	0.11	2.0	0.06	122	3.80	0.07	1.6	172	5.0	<0.005	<0.01	1.67
C0041139	<0.01	0.47	5.2	0.67	486	3.75	0.10	1.9	374	4.1	<0.005	0.18	1.29
C0041140	<0.01	0.15	2.5	0.24	441	3.90	0.09	2.0	297	6.0	<0.005	<0.01	1.78
C0041141	<0.01	0.11	0.7	0.04	241	3.30	0.08	1.2	126	6.4	<0.005	<0.01	0.99

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041142	<0.01	0.10	0.5	0.06	171	3.99	0.08	1.4	123	4.7	<0.005	<0.01	0.82
C0041143	0.01	0.13	1.1	0.03	76	5.06	0.06	1.5	131	6.9	<0.005	0.05	1.49
C0041144	0.02	0.08	1.0	0.11	197	2.60	0.03	1.0	142	9.6	<0.005	<0.01	9.85
C0041145	0.01	0.08	0.5	0.14	92	3.25	0.07	1.1	138	3.9	<0.005	<0.01	2.75
C0041146	<0.01	0.07	0.7	0.16	105	2.70	0.05	0.9	133	4.7	<0.005	<0.01	3.29
C0041147	<0.01	0.09	0.7	0.10	71	4.33	0.08	1.4	171	3.8	<0.005	<0.01	2.05
C0041148	<0.01	0.10	1.7	0.12	152	3.27	0.05	1.1	140	4.6	<0.005	<0.01	4.42
DUP C0040961													
DUP C0040998													
DUP C0041042													
DUP C0041075													
DUP C0041104													
DUP C0040965	<0.01	0.17	7.5	0.09	163	1.98	0.10	3.0	167	46.8	<0.005	0.07	2.24
DUP C0041011	0.05	0.18	15.5	0.18	727	4.13	0.02	2.6	310	75.8	<0.005	0.11	6.64
DUP C0041029	<0.01	0.17	10.8	0.39	627	3.13	0.07	2.7	322	2.4	0.008	0.52	1.54
DUP C0041112	0.10	0.23	5.9	1.10	1492	1.90	<0.01	12.1	457	15.5	<0.005	1.23	4.90
DUP C0041145	<0.01	0.08	0.5	0.14	92	3.31	0.07	1.1	136	4.9	<0.005	<0.01	2.85
DUP C0041122													
DUP C0041123													
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
Sample ID													
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK													
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 25a	0.06	0.13	13.0	0.19	416	1.62	0.04	25.9	379	20.9	<0.005	0.05	0.19
STD OREAS 600b	0.09	0.26	30.6	0.05	254	4.97	0.10	4.5	226	84.7	<0.005	0.26	10.29
STD OREAS 600b	0.09	0.27	29.6	0.05	254	5.05	0.10	4.4	238	81.9	<0.005	0.25	10.09
STD OREAS 25a	0.05	0.14	13.6	0.20	425	1.57	0.04	29.4	380	20.6	<0.005	0.05	0.19
STD OREAS 600b	0.09	0.27	30.0	0.05	265	5.05	0.10	4.3	236	87.4	<0.005	0.25	10.25
STD MP-1b													
STD CDN-ME-1407													
STD OXK160													
STD CDN-GS-20B													
STD CDN-ME-1805													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Granite Blank	1.8	<0.2	20.6	<0.05	2.5	0.080	<0.05	0.35	23	0.49	8.7	26
Granite Blank	2.6	<0.2	22.3	<0.05	2.5	0.091	<0.05	0.45	25	0.50	9.3	29
C0040949	0.6	1.4	7.2	2.65	0.5	<0.005	0.20	0.40	2	8.00	3.7	110
C0040950	0.9	184.8	31.0	0.23	0.4	<0.005	28.82	2.62	18	0.90	3.9	>10000
C0040951	0.2	0.8	31.3	0.55	0.7	<0.005	0.24	0.59	<1	0.69	1.7	103
C0040952	0.4	<0.2	78.4	0.19	0.8	<0.005	0.12	1.02	2	0.53	2.1	42
C0040953	0.3	<0.2	97.9	0.05	1.4	<0.005	0.13	1.26	1	0.51	2.1	97
C0040954	0.6	<0.2	57.7	<0.05	1.9	<0.005	0.10	1.53	3	0.44	2.2	55
C0040955	0.5	<0.2	93.9	0.28	1.8	<0.005	0.17	0.66	1	0.57	3.1	177
C0040956	0.3	<0.2	78.9	0.06	1.9	<0.005	0.28	0.62	1	0.77	3.8	279
C0040957	0.3	<0.2	94.5	0.11	1.7	<0.005	0.27	0.82	<1	0.44	3.4	158
C0040958	0.6	<0.2	73.8	0.81	1.9	<0.005	0.32	0.99	2	0.55	3.5	181
C0040959	0.3	<0.2	44.0	0.10	1.6	<0.005	0.22	0.50	<1	0.46	2.6	141
C0040960	0.3	<0.2	7.7	0.07	1.7	<0.005	0.20	0.40	<1	0.48	2.2	144
C0040961	0.5	0.3	43.5	<0.05	1.8	<0.005	0.12	1.08	2	0.53	2.3	114
C0040962	0.4	<0.2	130.0	<0.05	2.2	<0.005	0.21	1.38	1	0.50	2.7	164
C0040963	0.8	<0.2	49.7	<0.05	2.0	0.012	0.08	1.58	7	0.44	2.0	50
C0040964	0.6	<0.2	75.6	0.56	3.0	<0.005	0.18	1.79	5	0.49	2.9	84
C0040965	0.9	<0.2	42.1	0.14	2.7	<0.005	0.15	1.12	6	0.69	3.1	116
C0040966	1.3	<0.2	14.1	0.35	3.8	<0.005	0.26	0.87	6	0.50	4.2	140
C0040966PD	1.4	<0.2	15.0	0.36	3.8	<0.005	0.25	0.69	6	0.48	4.2	140
C0040967	1.6	0.6	11.4	1.23	3.5	<0.005	0.52	0.65	2	1.83	7.6	257
C0040968	2.0	0.3	12.7	2.32	2.9	<0.005	0.37	0.77	4	278.61	7.8	209
C0040969	2.3	0.3	21.0	1.17	2.9	<0.005	0.54	0.54	2	3.47	8.0	245
C0040970	0.9	1.4	55.7	0.12	1.3	0.007	11.37	1.49	27	13.61	2.3	25

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040971	2.8	1.1	25.6	0.40	3.3	<0.005	0.72	0.74	<1	0.75	4.3	399
C0040972	5.1	0.7	16.3	0.14	4.6	<0.005	1.51	1.72	10	0.66	10.9	398
C0040973	4.9	0.4	25.1	0.07	4.2	<0.005	2.28	0.88	14	3.53	13.9	190
C0040974	2.7	1.4	29.4	7.25	2.7	<0.005	0.41	0.68	3	0.66	12.6	258
C0040975	6.4	0.5	8.8	0.10	4.1	<0.005	0.64	0.93	12	0.47	14.9	53
C0040976	3.3	0.4	8.9	0.55	4.2	<0.005	0.44	0.75	10	0.58	14.2	179
C0040977	5.3	0.5	5.7	0.16	3.2	<0.005	0.50	0.96	22	0.52	14.1	177
C0040978	3.1	<0.2	12.3	<0.05	3.2	<0.005	0.39	0.77	3	0.47	7.0	143
C0040979	4.3	<0.2	7.7	0.08	4.2	<0.005	0.60	0.88	4	0.44	8.2	126
C0040980	7.5	<0.2	13.3	<0.05	4.3	<0.005	0.44	0.73	9	0.33	10.1	556
C0040981	5.7	0.5	12.2	<0.05	4.7	<0.005	0.55	0.75	7	0.42	15.2	279
C0040982	3.5	0.3	6.4	<0.05	3.0	<0.005	0.40	0.64	9	0.59	8.4	213
C0040983	5.2	0.6	5.1	<0.05	4.5	<0.005	0.46	0.94	15	0.38	11.7	384
C0040984	3.6	0.8	8.0	<0.05	4.1	<0.005	0.58	0.85	9	0.55	11.1	822
C0040985	4.0	0.4	9.0	0.06	3.9	<0.005	0.77	0.85	12	10.59	11.4	285
C0040986	3.4	0.5	8.4	0.10	4.1	<0.005	0.60	0.66	10	0.24	10.3	103
C0040987	2.9	0.2	4.4	0.15	5.2	<0.005	0.21	0.67	5	0.33	11.2	99
C0040988	3.6	<0.2	3.4	<0.05	8.0	<0.005	0.15	0.82	3	0.20	11.6	301
C0040989	8.2	0.5	15.6	0.06	3.1	<0.005	0.51	0.85	26	0.28	10.1	414
C0040990	4.3	0.4	35.1	0.20	1.2	0.107	1.05	0.34	58	3.54	7.6	1497
C0040991	6.0	<0.2	6.7	<0.05	3.7	<0.005	0.26	0.73	5	0.27	6.6	57
C0040992	5.2	<0.2	5.9	<0.05	3.7	<0.005	0.33	0.70	6	0.20	7.9	27
C0040993	6.4	0.2	4.4	0.10	3.7	<0.005	0.39	0.93	6	0.37	9.2	65
C0040994	7.8	0.6	3.6	0.07	3.9	<0.005	0.28	1.26	8	0.27	10.5	286
C0040995	2.6	0.3	7.3	<0.05	2.1	<0.005	0.25	0.56	5	0.13	5.6	181

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0040996	4.2	0.4	7.9	<0.05	3.1	<0.005	0.37	0.79	3	0.19	8.2	649
C0040997	1.3	0.8	23.7	<0.05	2.6	<0.005	1.00	0.58	1	0.22	4.5	787
C0040998	1.2	0.5	31.7	0.06	2.5	<0.005	1.01	0.52	1	0.19	4.2	368
C0040999	1.0	0.3	57.3	0.05	3.0	<0.005	1.03	0.39	<1	0.17	3.3	171
C0041000	3.3	0.4	20.7	<0.05	3.6	<0.005	0.61	1.03	3	0.16	9.9	494
C0041001	4.1	0.3	9.4	<0.05	4.0	<0.005	0.39	1.22	4	0.17	5.7	397
C0041002	5.5	0.4	7.6	<0.05	4.0	<0.005	0.23	1.28	6	0.56	8.2	349
C0041003	6.7	<0.2	6.2	<0.05	4.0	0.006	0.15	1.32	5	0.54	12.4	306
C0041004	5.0	0.5	12.4	0.12	3.1	<0.005	0.44	0.87	14	0.46	9.3	287
C0041005	5.0	<0.2	14.6	<0.05	3.0	0.071	0.28	0.58	30	0.38	4.9	39
C0041006	3.9	<0.2	10.9	<0.05	3.6	0.011	0.22	0.53	10	0.51	6.5	44
C0041006PD	5.2	<0.2	12.3	<0.05	4.0	0.020	0.26	0.60	11	0.44	8.0	51
C0041007	5.7	<0.2	26.4	<0.05	3.6	0.030	0.54	0.82	8	0.41	11.5	67
C0041008	4.3	0.4	7.2	0.07	4.1	<0.005	0.31	0.81	7	0.39	8.1	185
C0041009	4.0	0.5	6.0	<0.05	3.9	<0.005	0.41	0.83	5	0.45	7.5	110
C0041010	1.0	1.3	65.9	0.10	1.3	0.008	11.03	1.48	28	13.93	2.3	24
C0041011	5.2	0.4	8.4	<0.05	4.4	<0.005	0.35	1.07	6	0.47	9.8	260
C0041012	5.8	0.5	7.1	0.21	3.6	<0.005	0.26	1.44	6	0.49	10.9	376
C0041013	4.9	0.4	8.4	0.21	3.6	<0.005	0.42	1.15	7	0.44	11.4	345
C0041014	4.7	0.2	7.4	<0.05	3.6	<0.005	0.31	1.18	8	0.47	9.1	213
C0041015	4.2	<0.2	12.6	<0.05	3.3	<0.005	0.15	1.26	10	0.60	14.0	321
C0041016	4.9	<0.2	5.4	<0.05	4.5	<0.005	0.19	1.45	6	0.39	14.5	215
C0041017	5.8	<0.2	15.1	<0.05	3.2	0.057	1.13	0.82	7	0.45	12.4	72
C0041018	7.8	<0.2	20.4	0.05	3.2	0.072	0.42	0.67	29	0.38	15.4	79
C0041019	5.1	0.3	3.6	0.08	3.6	0.013	0.20	1.13	7	0.59	11.6	175

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041020	8.2	0.5	3.1	<0.05	4.2	<0.005	0.06	1.14	15	0.50	15.5	197
C0041021	7.2	0.7	2.3	<0.05	4.2	<0.005	0.06	1.09	7	0.64	14.4	186
C0041022	7.4	0.2	2.2	<0.05	4.1	<0.005	0.06	1.22	6	0.56	12.4	107
C0041023	7.3	0.4	3.9	0.13	4.4	<0.005	0.14	0.94	11	0.39	16.1	174
C0041024	7.6	0.5	6.4	<0.05	4.6	<0.005	0.45	1.33	7	0.49	19.0	168
C0041025	6.6	0.4	4.0	0.05	5.3	<0.005	0.13	1.02	8	0.46	16.7	132
C0041026	3.9	<0.2	3.0	<0.05	3.3	<0.005	0.05	0.81	7	0.31	13.7	95
C0041027	5.8	<0.2	3.8	<0.05	4.2	<0.005	0.32	1.17	9	0.47	17.0	73
C0041028	3.8	0.7	14.4	<0.05	2.7	<0.005	0.28	0.53	9	0.71	9.7	30
C0041029	6.0	<0.2	7.8	<0.05	3.6	0.022	0.23	0.94	12	0.43	17.5	25
C0041030	4.4	0.4	36.5	0.25	1.2	0.114	1.04	0.35	60	3.48	7.8	1559
C0041031	6.9	<0.2	82.5	0.06	3.7	0.062	1.41	0.91	19	0.45	15.7	26
C0041032	7.9	<0.2	29.7	<0.05	3.1	0.075	0.79	0.72	22	0.42	14.8	34
C0041033	5.8	0.3	9.1	<0.05	4.2	0.009	1.72	1.17	9	0.46	26.7	24
C0041034	6.4	0.2	6.3	<0.05	5.2	<0.005	1.01	1.46	8	0.51	20.7	32
C0041035	6.3	0.3	7.3	0.05	5.2	<0.005	0.43	1.41	5	0.46	19.4	68
C0041036	5.8	0.7	4.0	0.71	4.3	<0.005	0.20	1.59	7	0.41	25.7	296
C0041037	6.0	0.3	3.0	<0.05	3.2	<0.005	0.08	1.54	9	0.43	12.8	505
C0041038	6.3	0.5	2.7	0.08	3.6	<0.005	0.09	1.33	8	0.80	9.2	335
C0041039	4.8	0.6	2.7	<0.05	3.8	<0.005	0.07	1.32	5	0.44	11.1	617
C0041040	5.3	0.3	3.4	<0.05	3.6	<0.005	0.18	1.35	5	0.43	11.4	752
C0041041	6.2	0.7	5.6	0.19	4.3	<0.005	0.29	1.34	6	0.46	13.7	816
C0041042	6.9	0.2	4.1	<0.05	4.2	<0.005	0.19	1.49	6	0.42	10.0	420
C0041043	6.6	0.7	3.3	0.15	4.1	<0.005	0.13	1.60	6	0.39	13.2	829
C0041044	6.8	0.8	4.2	0.35	4.2	<0.005	0.11	1.47	6	0.43	16.3	864

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041045	7.3	0.3	2.9	<0.05	4.1	<0.005	0.09	1.34	8	0.48	13.4	566
C0041046	4.4	0.7	5.3	1.65	3.5	<0.005	0.20	1.15	8	0.53	14.0	547
C0041047	3.3	0.6	4.8	0.68	3.2	<0.005	0.20	0.92	5	0.65	16.3	642
C0041048	2.1	0.5	23.9	3.26	2.4	<0.005	0.37	0.65	3	0.73	11.1	402
C0041049	3.4	0.4	10.7	0.05	4.5	<0.005	0.37	1.02	4	0.59	10.3	254
C0041050	1.0	203.1	31.1	0.58	0.4	<0.005	30.81	2.80	17	0.89	3.6	>10000
C0041051	5.5	0.6	16.8	0.69	4.0	0.020	0.34	0.82	20	0.48	13.3	398
C0041052	6.8	0.3	23.1	0.08	3.6	0.039	0.45	0.83	20	0.38	14.5	60
C0041053	5.4	<0.2	19.4	0.06	4.4	0.008	0.12	0.73	6	0.41	18.4	16
C0041053PD	5.5	<0.2	18.6	0.05	4.4	0.009	0.11	0.71	6	0.44	18.8	15
C0041054	5.0	<0.2	11.5	<0.05	4.3	0.034	0.12	0.59	10	0.38	9.3	19
C0041055	5.9	<0.2	20.3	<0.05	4.3	0.092	0.27	0.99	60	0.46	8.4	35
C0041056	14.7	<0.2	40.9	0.05	3.9	0.202	0.51	0.94	178	0.31	9.2	86
C0041057	10.5	<0.2	61.3	<0.05	2.8	0.121	0.25	0.95	97	0.30	6.8	37
C0041058	16.0	0.4	115.1	0.29	5.1	0.152	0.56	1.15	135	0.29	9.2	84
C0041059	7.0	0.4	15.4	<0.05	3.2	0.064	0.25	0.64	37	0.52	11.3	56
C0041060	9.3	0.4	12.9	0.19	3.5	0.088	0.21	0.63	30	0.39	15.2	51
C0041061	6.3	<0.2	11.0	0.07	2.6	0.089	0.11	0.45	39	0.40	7.7	32
C0041062	8.4	<0.2	17.9	0.25	3.0	0.101	0.12	0.54	39	0.36	10.1	33
C0041063	10.1	0.4	16.7	0.18	3.9	0.125	0.22	0.61	59	0.43	12.8	41
C0041064	14.8	<0.2	23.3	0.07	2.7	0.163	0.24	0.62	146	0.16	8.6	61
C0041065	14.1	0.4	29.7	0.14	2.3	0.179	0.26	0.52	143	0.17	7.9	56
C0041066	9.0	<0.2	34.0	<0.05	6.1	0.142	0.21	1.41	131	0.22	9.5	35
C0041067	12.5	0.2	27.0	0.08	3.7	0.159	0.36	0.98	151	0.23	7.5	56
C0041068	13.1	0.7	30.6	0.44	2.2	0.125	0.32	0.65	151	0.32	8.5	49

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041069	12.2	0.4	33.1	0.08	3.3	0.152	0.47	0.76	132	0.23	9.8	92
C0041070	1.0	1.3	66.8	0.08	1.2	0.009	11.17	1.53	31	12.44	2.4	23
C0041071	10.7	0.2	88.0	0.18	2.4	0.123	0.34	0.75	174	0.36	5.4	89
C0041072	14.4	0.4	42.6	0.09	1.0	0.163	0.30	0.36	199	0.15	6.5	46
C0041073	17.2	1.0	21.1	0.26	1.6	0.193	0.28	0.33	130	0.22	7.8	35
C0041074	15.1	1.1	18.3	0.15	1.4	0.189	0.34	0.33	154	0.23	9.3	38
C0041075	12.5	0.5	26.4	0.08	1.0	0.275	0.24	0.28	189	0.47	10.2	34
C0041076	11.9	0.5	68.0	0.16	0.8	0.187	0.22	0.36	236	4.82	6.5	34
C0041077	14.4	0.4	58.0	0.13	0.9	0.082	0.61	0.23	206	1.60	9.7	27
C0041078	10.1	<0.2	69.1	0.08	0.7	0.085	0.28	0.15	169	0.61	8.9	26
C0041079	12.6	<0.2	113.9	0.13	0.8	0.065	0.14	0.19	167	0.29	10.2	29
C0041080	11.0	<0.2	114.1	0.07	1.4	0.104	0.30	0.25	178	0.22	10.7	26
C0041081	13.8	0.4	163.5	0.16	1.4	0.030	0.40	0.34	127	0.49	18.0	262
C0041082	19.2	0.2	119.4	0.30	1.9	0.055	0.28	0.20	124	0.83	17.4	65
C0041083	27.1	1.0	66.4	0.28	1.5	0.014	1.07	0.37	196	1.56	18.0	249
C0041084	21.9	0.4	75.0	0.18	2.0	<0.005	1.41	0.63	100	1.28	25.8	181
C0041085	19.1	0.8	67.3	0.36	2.3	<0.005	0.66	0.93	83	0.56	16.1	139
C0041086	17.0	0.8	41.1	0.31	2.9	<0.005	1.28	0.50	75	0.28	17.1	106
C0041087	18.4	1.7	141.5	0.48	1.4	<0.005	0.53	0.37	90	0.66	17.2	42
C0041088	18.6	0.7	204.7	0.56	1.0	<0.005	0.24	0.47	70	0.48	17.8	32
C0041089	21.9	0.5	126.0	0.53	1.5	0.005	0.21	0.28	81	1.17	21.1	39
C0041090	4.3	0.3	32.4	0.15	1.1	0.124	1.02	0.33	58	3.39	7.6	1549
C0041091	13.7	0.3	42.4	0.11	1.4	0.085	0.22	0.30	98	0.31	15.9	54
C0041092	14.7	0.5	50.3	0.08	1.9	0.009	0.35	0.27	78	0.31	17.9	53
C0041093	19.0	0.6	69.1	0.76	1.7	0.007	0.10	0.23	110	0.37	16.1	40

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041094	9.8	0.3	119.9	0.54	1.8	0.009	0.11	0.30	66	0.66	11.1	30
C0041095	8.7	<0.2	103.8	0.14	2.0	0.010	0.10	0.31	52	0.19	13.2	27
C0041096	15.5	0.3	122.7	0.37	1.0	0.009	0.11	0.10	79	1.22	25.3	31
C0041097	12.1	<0.2	47.5	0.39	0.7	0.076	0.05	0.17	91	0.26	9.7	26
C0041098	12.2	0.3	76.4	0.57	0.9	0.014	0.12	0.14	80	0.25	16.3	38
C0041099	11.5	0.4	35.6	1.33	1.0	0.058	0.06	0.20	93	0.16	9.6	41
C0041099PD	11.2	0.4	35.2	1.16	1.0	0.055	0.06	0.19	92	0.15	9.4	41
C0041100	11.4	<0.2	42.1	0.33	1.1	0.067	0.06	0.31	91	0.21	10.0	33
C0041101	10.2	<0.2	124.5	0.20	4.4	0.055	0.11	1.01	77	0.10	13.4	42
C0041102	9.9	0.3	70.2	0.39	2.9	0.075	0.08	0.54	80	0.46	10.4	34
C0041103	8.4	0.3	149.6	0.32	3.5	0.085	0.19	0.80	76	0.29	12.9	32
C0041104	24.8	0.6	76.7	0.59	1.1	0.010	0.16	0.30	117	0.57	14.4	36
C0041105	17.1	0.4	72.1	0.29	1.3	<0.005	0.59	1.08	97	0.56	15.0	60
C0041106	19.3	0.5	60.2	0.13	1.2	<0.005	1.09	0.91	69	0.50	14.1	2723
C0041107	5.9	0.8	52.9	0.20	0.7	<0.005	0.87	0.39	17	0.55	10.4	1700
C0041108	20.4	0.7	89.3	0.21	1.9	<0.005	0.33	0.29	102	0.92	16.1	54
C0041109	12.9	1.9	75.2	0.33	1.0	<0.005	0.22	0.48	78	0.26	9.8	38
C0041110	5.7	2.0	35.3	0.53	1.4	0.145	0.18	0.48	92	8.40	8.9	82
C0041111	10.4	0.8	40.8	0.22	3.6	<0.005	0.53	3.33	47	0.34	9.7	233
C0041112	19.0	0.3	44.7	0.16	1.5	0.008	0.27	2.42	72	0.24	10.6	51
C0041113	20.7	0.3	40.4	2.22	1.1	0.012	1.93	1.99	111	0.47	9.2	73
C0041114	0.9	0.2	11.8	0.11	17.3	<0.005	0.31	1.65	2	0.19	5.4	236
C0041115	0.7	0.3	10.8	0.42	29.5	<0.005	0.47	1.30	2	0.32	5.0	208
C0041116	0.6	0.2	12.5	0.06	19.6	<0.005	0.27	1.30	1	0.25	4.3	825
C0041117	0.4	<0.2	9.7	<0.05	17.8	<0.005	0.28	1.44	<1	0.15	4.1	1201

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041118	0.9	<0.2	20.7	<0.05	12.9	<0.005	0.57	2.15	2	0.20	4.4	2018
C0041119	0.5	0.4	7.0	0.16	22.1	<0.005	0.93	2.07	2	0.21	3.5	1066
C0041120	0.4	<0.2	5.6	0.08	28.3	<0.005	0.84	1.83	2	0.20	4.3	801
C0041121	0.5	0.4	5.4	0.21	26.6	<0.005	0.74	1.41	1	0.19	3.9	257
C0041122	0.5	0.5	3.3	0.19	19.9	<0.005	0.62	1.34	2	0.15	2.7	6900
C0041123	0.4	1.4	8.5	2.30	8.8	<0.005	1.49	1.58	2	0.17	2.0	6165
C0041124	8.4	0.4	35.9	0.15	6.4	0.014	1.09	3.63	43	0.26	12.3	1150
C0041125	1.2	<0.2	26.8	0.10	11.6	<0.005	0.24	2.04	5	0.20	8.5	432
C0041126	0.5	<0.2	26.0	<0.05	11.7	<0.005	0.20	1.99	<1	0.15	8.7	150
C0041127	0.9	0.2	17.6	<0.05	10.4	<0.005	0.26	2.09	2	0.20	9.0	2175
C0041128	0.6	<0.2	23.4	0.06	11.3	<0.005	0.23	1.54	1	0.11	6.8	1691
C0041129	1.6	<0.2	64.3	<0.05	13.3	0.006	0.23	2.55	12	0.20	7.3	53
C0041130	4.6	0.3	32.7	0.24	1.3	0.116	1.09	0.34	63	3.41	7.9	1531
C0041131	2.0	<0.2	39.1	<0.05	12.3	0.006	0.17	2.84	13	0.09	6.2	44
C0041132	4.0	0.8	60.9	0.11	11.6	0.013	0.32	2.57	25	0.14	7.6	29
C0041132PD	4.0	0.9	61.6	0.08	11.6	0.014	0.33	2.65	27	0.13	7.8	30
C0041133	0.5	<0.2	33.6	<0.05	13.4	<0.005	0.08	2.96	<1	0.08	6.2	15
C0041134	0.5	<0.2	27.3	<0.05	13.5	<0.005	0.09	2.82	<1	0.07	4.1	20
C0041135	1.2	0.3	101.9	0.14	42.4	<0.005	0.11	2.04	6	0.07	7.0	21
C0041136	0.8	<0.2	50.5	<0.05	20.0	<0.005	0.06	2.45	3	0.08	4.5	12
C0041137	2.8	<0.2	6.2	0.17	2.2	<0.005	0.15	0.51	11	1.20	6.0	70
C0041138	1.0	<0.2	16.0	0.26	0.7	<0.005	0.10	0.49	7	0.46	2.6	35
C0041139	7.2	0.2	18.5	0.09	1.7	0.085	0.21	0.56	25	0.42	9.7	68
C0041140	2.8	<0.2	20.0	<0.05	0.8	0.033	0.10	0.48	21	0.30	4.1	81
C0041141	0.6	<0.2	16.9	<0.05	0.3	<0.005	0.05	0.29	3	0.41	1.4	49

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041142	0.7	<0.2	19.2	<0.05	0.3	<0.005	<0.05	0.27	4	0.75	1.3	36
C0041143	0.8	0.3	16.5	0.61	0.3	<0.005	0.05	0.35	4	1.71	1.5	24
C0041144	0.5	<0.2	12.1	0.05	0.3	<0.005	0.06	0.25	3	0.36	2.1	36
C0041145	0.7	<0.2	20.4	<0.05	0.3	<0.005	<0.05	0.28	5	0.48	1.5	25
C0041146	0.7	<0.2	19.5	<0.05	0.3	<0.005	<0.05	0.26	5	0.76	1.6	29
C0041147	0.7	<0.2	20.8	<0.05	0.5	<0.005	<0.05	0.27	5	0.21	1.8	19
C0041148	0.4	<0.2	18.3	0.17	0.6	<0.005	0.05	0.26	2	1.15	1.5	21
DUP C0040961												
DUP C0040998												
DUP C0041042												
DUP C0041075												
DUP C0041104												
DUP C0040965	0.9	<0.2	43.6	0.14	2.7	<0.005	0.16	1.09	6	0.72	3.1	115
DUP C0041011	5.4	0.4	8.1	<0.05	4.3	<0.005	0.37	1.12	6	0.43	9.6	258
DUP C0041029	5.8	<0.2	7.8	<0.05	3.4	0.022	0.23	0.91	12	0.45	16.8	26
DUP C0041112	19.9	0.3	45.9	0.13	1.5	0.008	0.29	2.55	70	0.20	10.9	50
DUP C0041145	0.7	<0.2	20.3	<0.05	0.5	<0.005	<0.05	0.28	5	0.46	1.5	25
DUP C0041122												
DUP C0041123												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010785

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK												
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 25a	8.7	0.5	17.1	<0.05	10.2	0.045	0.19	1.49	121	<0.05	4.3	31
STD OREAS 600b	1.2	3.1	27.2	1.93	9.9	0.029	0.47	3.11	2	2.41	7.7	344
STD OREAS 600b	1.2	3.1	26.5	2.00	9.2	0.032	0.51	3.15	3	2.38	7.6	335
STD OREAS 25a	8.5	0.6	18.0	<0.05	10.2	0.063	0.20	1.46	124	<0.05	4.3	33
STD OREAS 600b	1.2	3.0	26.4	2.10	10.2	0.033	0.48	3.23	3	2.57	7.6	337
STD MP-1b												
STD CDN-ME-1407												
STD OXK160												
STD CDN-GS-20B												
STD CDN-ME-1805												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												

***Please refer to the cover page for comments
regarding this test report. ***

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Coarse gold may be present in some samples.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6As	As, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	1	0.005	0.001	0.01	0.01	0.05	0.01
Granite Blank	QC-P-BK	--		2.68								<0.05	1.06
Granite Blank	QC-P-BK	--		2.63								<0.05	0.98
C0041149	Core	3.26		2.70								<0.05	0.99
C0041150	Core	2.97		2.63								<0.05	0.56
C0041151	Core	2.70		2.38								0.07	0.83
C0041152	Core	2.67		2.25	2.55							0.11	1.00
C0041153	Core	2.90		2.61								<0.05	0.51
C0041154	Core	2.51		2.70								0.75	0.51
C0041155	Pulp	0.11		2.70								0.39	0.39
C0041156	Core	3.57		2.44		8.8						3.13	0.51
C0041157	Core	3.74		2.68								0.47	0.47
C0041158	Core	3.59		2.63								0.38	0.37
C0041159	Core	4.08		2.70								0.46	0.37
C0041160	Core	3.47		2.63								<0.05	0.50
C0041161	Core	3.70		2.63								<0.05	0.66
C0041162	Core	5.67		2.59								<0.05	0.47
C0041163	Core	5.63		2.63								<0.05	0.91
C0041164	Core	2.98		2.70								<0.05	1.25
C0041165	Core	3.79		2.56								<0.05	1.20
C0041166	Core	3.22		2.63								<0.05	0.98
C0041166PD	QC-PD	--		2.70								<0.05	0.99
C0041167	Core	4.51		2.59								<0.05	0.81
C0041168	Core	3.97		2.63								0.06	1.09
C0041169	Core	4.18		2.66								<0.05	0.79
C0041170	Core	3.09		2.68								<0.05	0.93

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041171	Core	3.95		2.70								0.05	1.01
C0041172	Core	3.42		2.66								<0.05	1.41
C0041173	Core	4.63		2.70								0.06	1.51
C0041174	Core	4.32		2.70								0.74	0.46
C0041175	Pulp	0.12		3.45			160		1.250	1.55	9.31	>100	0.30
C0041176	Core	3.66		2.68								0.15	0.97
C0041177	Core	3.34		2.70								0.09	1.60
C0041178	Core	4.26		2.75								0.10	1.06
C0041179	Core	3.96		2.70								0.06	1.39
C0041180	Core	4.02		2.59								<0.05	1.25
C0041181	Core	4.19		2.56								0.15	1.14
C0041182	Core	3.16		2.70								0.20	0.50
C0041183	Core	2.93		2.61								<0.05	1.00
C0041184	Core	3.25		2.66								<0.05	0.73
C0041185	Core	4.37		2.66								<0.05	1.05
C0041186	Core	3.50		2.68								<0.05	1.07
C0041187	Core	3.64		2.70								<0.05	1.09
C0041188	Core	2.46		2.59								<0.05	0.93
C0041189	Core	3.43		2.66								1.62	1.19
C0041190	Core	2.71		2.63								0.08	0.83
C0041191	Core	4.31		2.63								0.05	1.00
C0041192	Core	3.87		2.70								0.48	0.60
C0041193	Core	3.91		2.73								3.97	0.42
C0041194	Core	2.42		2.68	3.82							16.05	0.36
C0041195	Pulp	0.12		2.70	3.57							51.98	1.31

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041196	Core	4.09		2.66	1.17							4.47	0.54
C0041197	Core	5.80		2.68								0.60	0.64
C0041198	Core	3.68		2.70								0.29	0.57
C0041199	Core	4.36		2.66								0.09	0.61
C0041200	Core	4.66		2.73								0.12	0.70
C0041201	Core	5.24		2.63								0.07	0.71
C0041202	Core	4.25		2.68								<0.05	0.78
C0041203	Core	3.76		2.55								0.05	0.83
C0041204	Core	3.56		2.53								0.06	0.92
C0041205	Core	3.76		2.46								0.12	1.37
C0041206	Core	3.47		2.62								0.07	1.37
C0041207	Core	3.55		2.50								<0.05	1.35
C0041208	Core	2.83		2.63								0.08	1.03
C0041208PD	QC-PD	--		2.66								0.08	0.63
C0041209	Core	4.47		2.66								<0.05	0.43
C0041210	Core	3.64		2.70								<0.05	0.47
C0041211	Core	3.22		2.66								0.08	0.58
C0041212	Core	3.88		2.63								0.05	0.35
C0041213	Core	3.46		2.66								<0.05	0.33
C0041214	Core	3.74		2.63								0.10	0.99
C0041215	Pulp	0.12		2.73								0.40	0.39
C0041216	Core	3.40		2.44								0.11	0.46
C0041217	Core	3.19		2.52								0.13	0.61
C0041218	Core	3.36		2.44								<0.05	0.66
C0041219	Core	4.33		2.63								<0.05	0.57

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	1	0.005	0.001	0.01	0.01	0.05	0.01
C0041220	Core	4.04		2.73								<0.05	0.77
C0041221	Core	4.08		2.73								<0.05	0.88
C0041222	Core	3.02		2.75								<0.05	1.61
C0041223	Core	3.38		2.73								<0.05	0.84
C0041224	Core	4.33		2.78								<0.05	1.16
C0041225	Core	4.58		2.66								<0.05	0.88
C0041226	Core	4.54		2.75								<0.05	1.37
C0041227	Core	3.82		2.70								<0.05	1.28
C0041228	Core	3.94		2.63								<0.05	0.36
C0041229	Core	4.21		2.66								<0.05	0.76
C0041230	Core	7.72		2.89								<0.05	0.95
C0041231	Core	7.21		2.70								<0.05	2.25
C0041232	Core	9.75		2.73								0.05	1.40
C0041233	Core	8.69		2.75								0.05	0.68
C0041234	Core	9.02		2.66								<0.05	0.93
C0041235	Pulp	0.12		2.73		9.2						1.40	1.65
C0041236	Core	7.99		2.81								0.13	0.60
C0041237	Core	8.72		2.61								0.16	1.03
C0041238	Core	5.30		2.70								<0.05	1.09
C0041239	Core	4.79		2.63								<0.05	0.92
C0041240	Core	5.85		2.73								<0.05	2.53
C0041241	Core	4.43		2.78								<0.05	2.33
C0041242	Core	5.29		2.63								0.09	2.65
C0041243	Core	7.01		2.46								0.16	2.33
C0041244	Core	NR		NR								NR	NR

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	1	0.005	0.001	0.01	0.01	0.05	0.01
C0041245	Core	4.29		2.66								0.06	2.41
C0041246	Core	3.75		2.66								<0.05	3.26
C0041247	Core	5.00		2.94								<0.05	3.47
C0041248	Core	4.58		2.73								0.12	3.62
C0041249	Core	3.81		2.63								0.10	4.31
C0041250	Core	4.16		2.70								0.07	2.32
C0041250PD	QC-PD	--		2.70								0.07	2.23
C0041251	Core	7.85		2.78								0.08	2.98
C0041252	Core	8.12		2.66								0.06	2.18
C0041253	Core	8.20		2.70								<0.05	2.26
C0041254	Core	9.15		2.66								<0.05	2.41
C0041255	Pulp	0.11		2.66	3.70							51.99	1.24
C0041256	Core	5.73		2.73								0.07	1.60
C0041257	Core	8.61		2.81								<0.05	2.12
C0041258	Core	8.47		2.78								0.11	1.64
C0041259	Core	8.21		2.56								0.18	2.70
C0041260	Core	7.39		2.73								0.12	2.13
C0041261	Core	5.25		2.70								0.54	2.95
C0041262	Core	8.65		2.73								0.28	3.21
C0041263	Core	8.26		2.59								0.51	2.94
C0041264	Core	7.68		2.52								0.09	3.48
C0041265	Core	4.01		2.63								0.60	3.05
C0041266	Core	4.08		2.63								0.17	1.32
C0041267	Core	4.43		2.97								2.96	0.80
C0041268	Core	4.14		2.54								0.10	2.88

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041269	Core	7.00		2.44								0.06	3.52
C0041270	Core	7.92		2.56								0.08	1.67
C0041271	Core	8.60		2.91								0.07	2.05
C0041272	Core	7.01		2.61								0.08	1.55
C0041273	Core	7.55		2.56								0.08	1.27
C0041274	Core	8.36		2.33								0.05	1.53
C0041275	Pulp	0.12		3.54			160		1.250	1.55	9.30	>100	0.32
C0041276	Core	6.57		2.38								0.14	2.10
C0041277	Core	8.40		2.56								0.14	1.68
C0041278	Core	8.42		2.22								0.16	1.54
C0041279	Core	9.56		2.61								0.21	3.18
C0041280	Core	6.24		2.59								13.49	1.34
C0041281	Core	6.74		2.44								0.62	1.83
C0041282	Core	9.08		2.66								1.60	1.36
C0041283	Core	3.11		2.86								2.35	0.61
C0041284	Core	3.80		2.94								11.75	0.43
C0041285	Core	4.62		3.03	4.13						1.29	34.84	0.43
C0041286	Core	4.47		2.81								4.59	0.52
C0041287	Core	4.50		2.86								3.03	0.47
C0041288	Core	4.10		2.78								1.38	0.66
C0041289	Core	4.17		2.86								0.92	0.87
C0041290	Core	3.57		2.86								0.26	1.11
C0041291	Core	3.29		2.75								0.28	0.98
C0041292	Core	4.70		2.86								0.78	1.34
C0041293	Core	4.80		2.86								6.02	0.79

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041294	Core	3.98		2.73								3.05	0.53
C0041295	Pulp	0.12		2.78		9.4						1.42	1.70
C0041296	Core	4.74		2.70								4.24	0.52
C0041297	Core	4.17		2.78								0.74	0.49
C0041298	Core	3.57		2.70								0.82	0.48
C0041298PD	QC-PD	--		2.63								0.86	0.51
C0041299	Core	3.22		2.70	1.94							50.10	0.31
C0041300	Core	5.45		2.86		8.5						62.31	0.44
C0041301	Core	3.89		2.68								0.42	0.64
C0041302	Core	4.28		2.78								3.94	0.58
C0041303	Core	6.38		2.75								2.54	0.70
C0041304	Core	4.84		3.03		25.4	206	1.162				>100	0.40
C0041305	Core	2.39		2.78								4.02	0.44
C0041306	Core	4.22		2.70								0.62	0.43
C0041307	Core	5.25		2.59								0.44	0.47
C0041308	Core	4.64		2.70								0.43	0.49
C0041309	Core	4.74		2.59								0.22	0.70
C0041310	Core	5.30		2.68								0.11	0.68
C0041311	Core	3.81		2.63								0.16	0.76
C0041312	Core	4.19		2.59								0.16	0.59
C0041313	Core	5.50		2.70								0.16	0.62
C0041314	Core	4.22		2.63								0.34	0.59
C0041315	Pulp	0.11		2.75								0.41	0.42
C0041316	Core	4.57		2.70								0.14	0.54
C0041317	Core	8.14		2.61								0.18	0.73

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041318	Core	6.46		2.68								0.11	1.22
C0041319	Core	7.16		2.66								0.15	1.00
C0041320	Core	7.68		2.66								0.28	0.56
C0041321	Core	8.39		2.63								0.13	0.74
C0041322	Core	4.18		2.70								9.52	0.60
C0041323	Core	3.52		2.53								1.09	0.50
C0041324	Core	3.22		2.59								0.30	0.52
C0041325	Core	4.28		2.63								0.07	0.73
C0041326	Core	3.99		2.63								0.05	1.04
C0041327	Core	3.52		2.63								0.05	1.09
C0041328	Core	5.14		2.66								0.38	1.00
C0041329	Core	4.15		2.63								0.06	0.67
C0041330	Pulp	0.12		2.73								0.38	0.39
C0041331	Core	3.59		2.59								4.42	0.48
C0041332	Core	3.70		2.68								0.05	0.58
C0041333	Core	5.44		2.70								0.07	1.21
C0041334	Core	4.14		2.63								0.07	0.73
C0041335	Core	3.92		2.63								0.06	0.44
C0041336	Core	4.78		2.70								2.15	0.34
C0041337	Core	4.86		2.70								2.82	0.36
C0041338	Core	3.32		2.70	1.21							6.02	0.43
C0041339	Core	4.04		2.78								16.70	0.41
C0041340	Core	3.94		2.81								2.32	0.41
C0041340PD	QC-PD	--		2.78								2.26	0.39
C0041341	Core	4.71		2.78								1.41	0.44

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041342	Core	3.71		2.56								0.18	0.86
C0041343	Core	3.28		2.44								<0.05	1.56
C0041344	Core	3.70		2.66								0.06	1.20
C0041345	Core	5.28		2.50								0.12	0.72
C0041346	Core	2.68		2.66								0.20	0.98
C0041347	Core	3.75		2.61								0.10	0.57
C0041348	Core	3.95		2.63								1.22	0.43
DUP C0041171												0.07	1.02
DUP C0041211												0.08	0.58
DUP C0041242												0.10	2.75
DUP C0041268												0.09	2.84
DUP C0041332												<0.05	0.59
DUP C0041179				2.70									
DUP C0041191				2.59									
DUP C0041250				2.63									
DUP C0041283				2.86									
DUP C0041317				2.63									
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
STD BLANK						<0.9							
STD BLANK					<0.01								
STD BLANK							<1	<0.005	<0.001	<0.01	<0.01		
STD OREAS 600b												26.26	0.59
STD OREAS 25a												<0.05	5.56
STD OREAS 600b												26.28	0.61
STD OREAS 25a												<0.05	6.37
STD OREAS 600b												26.29	0.62
STD OxQ115						25.42							
STD OxK160					3.73								
STD MP-1b							50	2.256	3.147	2.17	16.85		
STD CDN-ME-1407							245						
STD OREAS 904				2.78									
STD OREAS 904				2.86									
STD OREAS 904				2.70									
STD OREAS 904				2.75									
STD OREAS 904				2.73									

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
Granite Blank	1.2	0.002	<10	99	<0.05	0.62	<0.05	3.5	26	2.1	1.78	3.8	<0.01
Granite Blank	1.0	<0.001	<10	96	<0.05	0.61	<0.05	3.2	25	2.4	1.73	3.8	<0.01
C0041149	1.0	<0.001	<10	97	<0.05	0.61	<0.05	3.2	25	2.3	1.74	3.7	<0.01
C0041150	4.0	0.004	<10	122	0.36	0.18	<0.05	0.5	25	7.3	0.55	1.9	<0.01
C0041151	15.3	0.010	<10	71	0.73	0.34	0.06	0.7	17	9.1	0.57	2.4	0.02
C0041152	11.1	1.119	<10	51	6.06	0.57	0.09	1.1	14	7.3	0.51	3.4	0.01
C0041153	4.9	0.009	<10	103	0.25	0.18	<0.05	0.5	23	5.5	0.54	1.7	<0.01
C0041154	27.0	0.960	<10	84	10.64	0.13	0.10	22.9	26	19.2	0.68	1.6	0.03
C0041155	445.4	0.249	11	1104	0.20	1.06	0.40	3.8	45	40.1	3.93	1.8	4.14
C0041156	12.8	10.561	<10	96	77.06	0.17	0.19	10.7	25	9.6	0.51	1.3	0.02
C0041157	32.1	0.027	<10	271	0.35	0.11	0.43	1.6	26	8.4	0.70	1.1	0.03
C0041158	84.7	0.016	<10	175	0.48	0.10	1.34	2.5	19	15.8	0.80	0.9	0.03
C0041159	527.7	0.076	<10	813	0.33	0.08	1.82	3.0	23	11.0	1.36	0.8	0.03
C0041160	9.1	0.004	<10	194	0.35	0.40	0.20	1.9	18	9.4	0.60	1.1	0.01
C0041161	3.9	0.003	<10	89	0.22	0.40	0.08	2.2	20	7.9	0.76	2.2	<0.01
C0041162	3.8	0.004	<10	97	0.51	0.62	0.06	1.5	28	4.1	0.98	2.4	<0.01
C0041163	29.2	0.011	<10	105	0.32	0.25	0.09	2.9	24	17.3	1.74	4.9	<0.01
C0041164	32.4	0.002	<10	70	0.42	0.34	0.13	4.9	21	39.4	2.67	7.1	<0.01
C0041165	48.1	0.002	<10	48	0.37	0.33	0.26	4.0	21	29.4	2.65	6.9	<0.01
C0041166	22.2	0.002	<10	47	0.44	0.30	0.16	3.5	22	31.6	2.19	5.6	<0.01
C0041166PD	22.2	0.002	<10	49	0.44	0.30	0.16	3.6	22	33.3	2.17	5.7	<0.01
C0041167	26.7	0.003	<10	36	0.25	0.20	0.15	3.1	30	14.0	2.11	4.9	<0.01
C0041168	49.6	0.003	<10	55	0.29	0.21	0.56	4.3	18	23.9	2.51	4.2	0.04
C0041169	14.9	0.004	<10	23	0.35	0.24	0.11	3.0	26	19.0	2.42	4.5	<0.01
C0041170	7.0	0.006	<10	34	0.32	0.29	0.08	3.3	23	25.5	2.16	5.3	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041171	9.6	0.004	<10	61	0.45	0.30	0.26	4.1	28	45.3	2.65	5.7	<0.01
C0041172	4.5	0.002	<10	65	0.25	0.51	0.19	3.1	27	17.2	2.36	6.0	<0.01
C0041173	3.8	0.004	<10	79	0.39	0.47	0.27	5.4	31	14.4	2.25	5.5	<0.01
C0041174	41.5	0.009	<10	59	54.29	0.09	0.31	2.7	29	77.0	1.78	1.5	0.04
C0041175	1104.6	0.419	27	19	59.66	1.77	505.00	29.6	17	>10000	18.43	7.9	20.04
C0041176	24.3	0.003	<10	41	0.81	0.20	1.49	8.9	31	57.5	2.73	3.0	0.04
C0041177	11.8	0.005	<10	61	1.06	0.42	1.63	10.5	34	59.6	3.46	5.6	0.02
C0041178	13.9	0.008	<10	63	0.64	0.27	0.25	5.0	83	16.8	2.22	4.5	0.02
C0041179	16.2	0.003	<10	61	0.77	0.59	0.45	9.6	77	10.7	2.90	5.2	0.01
C0041180	10.9	0.005	<10	1240	0.19	0.47	0.29	7.0	95	13.6	2.53	6.5	0.01
C0041181	12.9	0.009	12	88	0.54	0.29	0.23	6.1	78	90.9	2.79	4.9	<0.01
C0041182	63.6	0.008	10	49	3.15	0.17	0.17	3.4	156	156.2	3.80	2.6	0.02
C0041183	114.4	0.004	<10	51	0.33	0.14	0.59	5.5	73	19.4	2.02	3.7	<0.01
C0041184	19.3	0.001	10	108	0.19	0.12	0.21	4.2	77	17.9	1.88	3.4	<0.01
C0041185	19.3	0.002	10	95	0.16	0.24	0.28	6.2	68	3.3	2.45	5.4	<0.01
C0041186	20.9	<0.001	11	71	0.10	0.22	0.29	7.1	71	4.8	2.63	6.0	<0.01
C0041187	47.0	0.002	<10	38	0.15	0.25	0.27	7.1	72	11.7	2.55	5.7	<0.01
C0041188	60.6	0.001	<10	25	0.11	0.14	0.68	4.9	71	10.0	1.77	5.1	<0.01
C0041189	112.1	<0.001	<10	67	0.14	0.23	0.67	8.1	90	12.5	1.93	5.4	<0.01
C0041190	47.0	0.004	<10	14	0.54	0.12	0.96	8.6	65	24.0	2.45	5.3	<0.01
C0041191	13.9	0.007	<10	26	0.26	0.11	0.13	7.8	72	13.0	2.26	5.2	<0.01
C0041192	28.7	0.042	<10	16	1.31	0.09	0.51	7.3	78	169.9	2.48	3.4	<0.01
C0041193	699.3	0.643	<10	48	1.61	0.06	0.81	1.8	86	26.7	2.17	1.4	0.05
C0041194	1142.5	3.897	<10	53	2.37	0.09	1.19	0.7	85	16.8	1.73	1.2	0.10
C0041195	31.1	3.215	15	112	1.00	0.74	14.56	8.3	27	70.4	3.61	6.6	0.21

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0041196	1034.8	1.226	12	49	2.00	0.09	8.57	6.0	69	52.5	2.68	1.3	0.10
C0041197	481.2	0.097	11	342	0.51	0.06	6.69	8.0	60	30.8	2.17	1.6	0.06
C0041198	174.8	0.021	11	63	0.59	0.27	0.66	4.3	64	26.7	2.24	1.2	0.04
C0041199	83.9	0.003	12	33	0.38	1.00	0.37	4.4	43	22.0	1.99	1.2	0.03
C0041200	153.2	0.002	11	43	0.88	0.87	0.29	6.7	40	31.0	2.86	1.5	0.03
C0041201	89.5	0.002	<10	31	0.33	0.71	0.49	5.1	50	16.1	2.20	1.5	0.05
C0041202	27.1	0.001	<10	15	0.51	0.15	0.24	5.5	54	6.7	2.19	1.9	0.07
C0041203	47.2	0.002	<10	13	0.39	0.11	0.11	6.8	51	23.5	2.97	2.6	0.11
C0041204	152.3	0.001	<10	20	0.19	0.11	0.20	9.1	51	16.7	2.90	2.7	0.17
C0041205	156.0	0.003	<10	46	0.14	0.21	0.27	5.7	58	43.5	3.71	4.9	0.01
C0041206	94.3	0.001	<10	55	0.08	0.22	0.41	9.4	57	20.6	4.28	4.1	0.02
C0041207	516.2	<0.001	<10	67	0.10	0.19	0.54	7.2	49	13.7	4.08	4.1	0.06
C0041208	771.6	0.001	10	37	0.46	0.11	1.25	12.9	54	15.3	3.81	2.6	0.18
C0041208PD	762.9	0.001	<10	35	0.40	0.11	1.24	12.4	17	14.6	3.77	1.7	0.16
C0041209	399.1	0.001	<10	16	1.08	0.09	0.87	7.4	24	20.3	3.34	1.5	0.08
C0041210	472.2	<0.001	10	13	0.06	0.09	0.66	8.8	20	11.4	3.86	1.5	0.29
C0041211	879.9	<0.001	12	31	0.27	0.09	0.58	13.7	21	14.3	4.34	2.4	0.18
C0041212	678.6	<0.001	<10	<10	0.09	0.08	0.39	6.1	20	5.9	3.11	1.1	0.65
C0041213	528.3	0.002	<10	<10	0.17	0.06	0.17	5.9	21	14.8	3.21	1.1	0.48
C0041214	247.0	0.006	12	39	0.38	0.16	0.12	8.1	11	34.0	4.24	3.3	0.10
C0041215	444.8	0.246	10	1119	0.20	1.06	0.38	3.8	43	40.6	4.02	1.7	4.04
C0041216	267.0	0.008	<10	33	0.47	0.09	0.11	5.5	16	25.7	3.22	1.6	0.13
C0041217	333.4	0.003	<10	16	0.59	0.10	0.26	6.4	16	19.3	3.22	1.7	0.09
C0041218	411.8	0.002	<10	16	0.15	0.12	0.36	6.5	15	8.4	2.68	1.6	0.12
C0041219	195.2	0.003	<10	18	0.54	0.13	0.16	5.1	18	5.1	3.32	1.7	0.09

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0041220	27.2	0.001	<10	72	0.20	0.22	0.05	5.2	22	7.2	3.09	5.4	0.02
C0041221	30.4	0.001	<10	167	0.13	0.35	0.14	5.5	19	10.9	3.14	4.8	0.02
C0041222	162.0	<0.001	12	272	<0.05	1.04	0.79	7.4	54	6.5	3.84	7.3	<0.01
C0041223	264.2	0.001	10	183	0.09	0.93	0.61	5.6	34	11.0	3.21	4.3	0.01
C0041224	1.9	<0.001	<10	120	0.09	0.35	<0.05	4.8	22	8.4	2.64	6.2	<0.01
C0041225	35.9	0.001	<10	88	0.11	0.24	0.16	4.8	21	10.9	2.74	5.9	<0.01
C0041226	34.5	<0.001	<10	431	0.09	0.37	0.07	6.4	39	6.6	2.95	6.2	<0.01
C0041227	125.8	0.002	<10	600	0.15	0.17	0.25	8.2	16	16.5	3.50	7.1	<0.01
C0041228	24.5	<0.001	<10	22	0.09	0.88	<0.05	2.7	20	3.9	2.27	2.3	0.02
C0041229	30.0	0.001	<10	24	0.15	0.37	0.09	3.4	18	6.6	2.14	5.0	<0.01
C0041230	64.5	0.001	<10	35	0.17	0.44	0.11	4.5	17	3.6	2.47	5.3	<0.01
C0041231	168.7	0.003	11	362	0.13	0.57	0.45	12.5	26	25.8	3.94	9.2	<0.01
C0041232	148.9	0.002	<10	262	0.21	0.77	0.79	11.4	30	21.1	3.08	5.8	0.03
C0041233	29.7	0.003	<10	133	1.14	0.59	0.06	7.2	16	27.5	3.22	4.3	0.03
C0041234	46.1	0.002	<10	156	0.13	0.39	0.28	4.7	19	8.8	2.42	5.1	<0.01
C0041235	34.3	8.854	16	123	1.38	0.81	0.24	12.9	41	778.9	4.96	5.7	0.46
C0041236	64.1	0.007	<10	55	0.84	1.09	0.61	8.1	72	15.4	2.91	3.2	0.01
C0041237	475.7	0.121	16	114	0.37	1.17	1.08	11.5	78	63.9	6.18	4.1	<0.01
C0041238	8.4	0.002	<10	96	0.17	0.32	0.07	4.1	75	15.4	2.23	4.0	<0.01
C0041239	12.6	0.002	<10	95	<0.05	0.16	0.09	3.4	86	24.6	1.75	3.5	<0.01
C0041240	13.5	0.002	12	216	0.09	1.14	0.13	14.9	45	21.2	4.29	8.8	<0.01
C0041241	15.6	0.002	11	156	0.20	1.41	0.26	14.5	70	20.4	3.71	7.9	<0.01
C0041242	207.1	0.002	11	154	0.20	1.06	0.95	20.5	55	44.9	4.49	8.0	<0.01
C0041243	744.8	0.005	11	154	3.65	1.63	3.40	12.9	63	36.6	4.61	7.2	0.02
C0041244	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0041245	258.9	0.004	13	184	0.78	0.87	2.82	23.3	54	48.5	5.05	8.4	<0.01
C0041246	58.7	0.005	14	141	0.24	2.04	1.39	13.7	49	35.1	4.19	9.5	<0.01
C0041247	29.8	0.001	13	123	0.19	1.39	1.61	19.3	47	52.2	5.35	10.1	<0.01
C0041248	100.4	0.002	16	155	0.22	1.46	1.47	30.8	54	84.4	6.59	10.3	<0.01
C0041249	19.6	0.002	15	168	0.19	1.60	1.16	24.1	50	53.1	7.21	13.1	<0.01
C0041250	3.5	0.001	12	183	0.16	0.60	0.13	7.9	65	24.5	3.68	8.3	<0.01
C0041250PD	3.5	0.001	11	184	0.15	0.58	0.13	8.0	70	24.0	3.58	8.2	<0.01
C0041251	3.4	0.001	16	193	0.20	0.54	0.07	15.4	63	30.4	5.40	10.1	<0.01
C0041252	5.8	0.001	13	183	0.81	0.86	0.13	14.5	68	31.5	4.36	8.7	<0.01
C0041253	12.8	0.003	14	114	0.24	1.11	<0.05	18.4	40	33.4	4.98	8.4	<0.01
C0041254	11.0	0.002	12	241	0.35	1.42	<0.05	15.3	44	24.0	4.01	7.9	<0.01
C0041255	31.2	2.995	14	106	1.06	0.71	15.37	8.3	26	68.9	3.49	6.4	0.21
C0041256	10.1	0.005	13	33	0.20	1.84	0.06	11.7	30	23.9	2.62	6.0	<0.01
C0041257	15.5	0.002	13	80	0.57	2.31	0.05	19.1	41	41.9	4.34	8.2	<0.01
C0041258	39.5	0.007	13	98	0.42	1.53	0.19	17.6	29	59.4	4.69	7.3	<0.01
C0041259	132.7	0.009	15	186	0.43	2.70	0.65	18.9	33	61.2	4.82	7.6	0.07
C0041260	42.6	0.004	15	271	0.23	2.49	0.62	17.3	27	56.3	4.26	7.1	0.13
C0041261	139.4	0.018	15	239	0.27	3.53	1.08	20.2	30	72.5	5.13	7.5	0.04
C0041262	72.7	0.013	17	262	0.37	4.03	0.26	21.0	32	41.4	5.16	8.3	0.03
C0041263	192.5	0.044	16	209	0.55	4.33	2.63	25.2	41	45.1	5.57	6.5	0.06
C0041264	36.8	0.003	13	172	0.33	3.36	0.06	20.7	44	40.7	5.13	9.9	0.02
C0041265	2068.6	0.011	18	66	0.97	2.80	0.40	32.7	19	281.3	6.89	6.1	0.05
C0041266	734.6	0.004	17	31	0.65	2.49	0.11	30.1	22	37.4	7.20	3.0	0.08
C0041267	978.6	0.270	21	37	0.62	3.24	1.96	22.7	26	39.0	5.80	1.8	0.08
C0041268	37.3	0.021	13	152	0.92	4.81	0.10	14.7	20	42.0	4.28	8.5	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041269	61.4	0.021	14	116	0.50	4.42	0.06	21.4	34	45.9	5.12	9.1	<0.01
C0041270	14.9	0.018	11	70	0.58	4.42	<0.05	13.3	19	23.8	3.39	4.9	0.02
C0041271	12.1	0.006	10	107	0.70	1.79	<0.05	13.6	25	26.4	3.10	6.5	<0.01
C0041272	17.7	0.020	<10	55	1.05	2.21	<0.05	14.0	29	31.6	3.25	5.0	0.01
C0041273	21.9	0.045	12	14	1.62	3.88	0.07	19.2	35	26.0	4.45	4.0	0.05
C0041274	23.4	0.031	14	<10	1.83	2.67	0.07	21.9	21	19.9	5.01	4.7	0.12
C0041275	1035.6	0.206	30	<10	61.04	1.66	471.37	29.4	15	>10000	17.60	8.2	19.17
C0041276	30.6	0.060	15	97	4.45	2.80	0.13	27.1	22	33.8	5.90	7.2	0.05
C0041277	28.1	0.312	15	66	3.00	3.40	0.05	36.5	22	20.4	5.66	5.5	0.06
C0041278	16.8	0.017	12	40	0.63	4.79	0.05	19.6	23	55.4	3.88	3.6	0.02
C0041279	60.2	0.031	18	191	1.06	2.50	0.08	29.4	37	65.1	6.75	9.8	0.06
C0041280	158.0	0.059	16	79	1.99	2.61	50.43	12.2	20	99.0	4.24	3.9	0.23
C0041281	44.7	0.009	14	65	1.05	1.94	0.97	29.6	35	50.7	5.15	5.5	0.18
C0041282	1167.4	0.052	15	34	1.32	2.83	7.46	27.7	34	37.3	5.65	3.4	0.26
C0041283	2668.2	0.134	19	50	0.95	2.81	2.17	21.9	24	10.1	5.17	1.4	0.15
C0041284	7216.5	0.433	20	32	0.71	1.73	34.13	21.0	45	21.1	7.08	1.1	0.16
C0041285	9365.3	3.782	20	32	1.78	0.55	197.50	12.7	83	142.3	7.44	1.3	0.41
C0041286	1373.0	0.356	18	50	0.35	3.11	9.29	13.3	51	10.1	4.46	1.3	0.15
C0041287	518.2	0.217	16	52	0.61	2.98	2.19	11.2	60	8.4	3.48	1.2	0.08
C0041288	579.1	0.081	19	41	1.04	3.40	0.15	25.3	47	63.0	4.83	1.5	0.09
C0041289	72.6	0.008	19	65	0.85	3.49	0.11	31.3	38	81.6	5.28	2.1	0.15
C0041290	24.5	0.005	17	98	0.70	3.57	0.10	27.6	26	87.1	6.15	2.5	0.17
C0041291	45.4	0.009	17	207	0.50	4.03	0.07	14.6	24	34.6	4.33	2.5	0.08
C0041292	313.9	0.090	21	37	1.67	2.85	0.19	29.5	20	107.8	6.89	3.5	0.15
C0041293	1861.8	0.450	19	41	1.75	2.01	15.78	24.5	38	44.9	6.74	2.1	0.15

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041294	981.9	0.213	<10	95	0.58	0.45	10.54	3.2	77	18.1	2.11	1.3	0.07
C0041295	36.2	8.633	18	126	1.36	0.86	0.27	13.4	42	787.8	5.09	5.9	0.44
C0041296	187.9	0.143	<10	59	3.11	0.18	3.83	2.9	65	9.2	1.85	1.4	0.11
C0041297	122.2	0.048	11	77	0.24	0.18	0.24	3.4	79	7.4	2.29	1.3	0.06
C0041298	247.7	0.049	10	61	0.25	0.90	3.26	2.9	63	13.2	1.35	1.2	0.06
C0041298PD	244.3	0.047	10	65	0.28	0.91	3.22	2.9	57	13.6	1.33	1.3	0.06
C0041299	2829.6	2.184	<10	49	2.19	0.42	85.49	1.5	119	104.5	2.25	1.1	0.26
C0041300	6286.2	7.104	14	19	30.17	0.55	33.61	2.7	102	880.5	4.62	1.3	0.49
C0041301	33.1	0.016	<10	211	0.30	1.03	0.44	2.9	57	12.3	1.37	1.5	0.02
C0041302	106.6	0.333	13	80	3.43	0.87	5.05	3.7	87	87.8	2.65	1.5	0.09
C0041303	71.8	0.040	11	124	1.65	0.55	3.23	2.9	69	22.1	1.67	1.7	0.04
C0041304	>10000	22.568	24	<10	133.78	0.04	46.29	1.2	109	838.7	11.91	1.2	0.21
C0041305	106.5	0.066	11	78	1.88	0.45	29.54	1.0	86	34.2	1.19	1.0	0.07
C0041306	14.7	0.012	<10	55	0.25	0.15	3.19	1.3	61	5.6	0.54	0.9	0.03
C0041307	5.2	0.008	<10	76	0.27	0.21	0.95	1.9	61	2.8	0.68	1.1	0.02
C0041308	5.6	0.007	<10	228	0.24	0.22	0.73	1.3	51	4.6	0.60	1.1	0.02
C0041309	4.9	0.005	<10	343	0.25	0.58	0.33	1.5	43	4.8	0.77	1.6	0.03
C0041310	2.4	0.005	<10	436	0.23	0.84	0.32	1.0	62	2.2	0.72	1.8	<0.01
C0041311	7.7	0.004	<10	554	0.46	0.94	0.34	1.5	49	2.2	0.77	1.9	0.04
C0041312	25.7	0.011	<10	424	0.28	0.88	0.40	1.4	43	1.8	0.85	1.4	0.04
C0041313	8.4	0.005	<10	310	0.25	1.29	0.55	2.2	39	2.4	0.94	1.5	0.02
C0041314	9.3	0.006	<10	427	0.47	1.12	0.92	2.1	39	2.6	0.86	1.6	0.04
C0041315	452.9	0.251	12	817	0.19	1.04	0.37	4.0	44	41.0	3.97	1.8	4.09
C0041316	2.9	0.004	<10	126	0.25	1.11	0.29	1.4	58	1.9	0.67	1.3	0.02
C0041317	51.4	0.004	<10	103	0.96	0.21	0.39	6.3	94	19.7	1.72	3.8	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041318	14.9	0.003	<10	265	6.46	0.33	0.28	12.6	84	16.0	2.75	6.5	0.02
C0041319	14.7	0.005	<10	171	2.65	0.49	0.68	6.8	53	3.9	1.90	5.2	<0.01
C0041320	21.0	0.004	<10	120	2.29	0.32	1.27	3.6	58	7.3	1.48	2.4	<0.01
C0041321	57.9	0.006	<10	136	1.15	0.19	1.41	10.2	60	15.4	2.83	3.0	0.03
C0041322	205.1	0.052	12	919	13.30	0.11	5.27	7.8	56	82.3	2.16	1.3	0.22
C0041323	365.1	0.011	<10	1094	5.47	0.14	2.15	3.5	79	17.9	1.36	1.0	0.08
C0041324	30.4	0.002	<10	53	81.84	0.56	0.27	4.1	71	8.8	1.48	2.1	0.01
C0041325	19.9	0.003	<10	75	1.38	0.70	0.29	5.6	52	4.9	1.78	3.8	<0.01
C0041326	18.0	0.003	<10	91	0.93	0.68	0.08	5.8	60	16.0	1.97	5.6	<0.01
C0041327	16.3	0.002	<10	148	0.44	0.32	0.12	5.4	77	18.2	1.99	5.2	<0.01
C0041328	110.8	0.005	13	105	1.19	1.07	2.46	10.4	50	14.2	2.92	3.2	<0.01
C0041329	51.0	0.002	<10	93	0.07	0.41	1.62	3.4	69	4.2	1.08	1.4	<0.01
C0041330	447.7	0.257	14	776	0.18	1.03	0.41	3.8	42	39.8	3.94	1.7	3.93
C0041331	41.3	0.012	<10	86	2.13	0.35	1.08	4.3	76	17.8	1.36	1.1	0.01
C0041332	12.5	0.002	<10	62	0.07	0.41	0.19	3.3	69	2.3	1.12	1.6	0.02
C0041333	8.6	0.002	<10	294	0.12	0.38	1.16	7.4	68	9.1	1.94	4.4	0.01
C0041334	15.8	0.002	<10	84	0.06	0.58	0.91	4.7	78	4.4	1.56	2.3	0.01
C0041335	29.5	0.002	<10	57	<0.05	0.66	0.84	4.2	84	2.7	1.40	1.6	0.03
C0041336	606.2	0.349	<10	142	0.10	0.04	6.00	5.7	91	19.5	1.98	0.8	0.08
C0041337	478.0	0.266	10	127	0.12	0.04	10.39	4.1	88	33.5	1.73	0.8	0.07
C0041338	496.2	1.207	11	409	0.18	0.06	14.50	10.7	80	51.1	2.01	0.9	0.10
C0041339	373.0	0.328	<10	145	0.08	0.04	8.38	0.7	94	66.7	1.07	1.0	0.09
C0041340	483.3	0.101	11	157	0.52	0.06	4.77	1.0	83	21.7	2.08	0.9	0.05
C0041340PD	465.2	0.100	11	150	0.51	0.06	4.78	1.0	78	21.2	2.00	0.9	0.04
C0041341	759.0	0.093	14	235	0.32	0.14	24.56	10.1	81	11.2	2.17	1.0	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041342	187.9	0.010	13	133	0.36	0.39	7.24	15.2	41	26.5	2.61	2.1	0.06
C0041343	16.0	0.002	<10	68	0.59	0.72	0.71	7.9	54	11.4	2.43	3.9	0.04
C0041344	64.5	0.002	<10	38	0.90	0.50	2.03	7.7	60	9.6	2.04	2.4	0.02
C0041345	126.4	0.003	11	63	0.93	0.96	4.70	13.1	71	10.9	2.32	1.6	0.05
C0041346	192.9	0.009	11	263	0.36	0.38	7.54	2.4	105	25.0	1.14	1.6	0.01
C0041347	64.0	0.002	<10	126	0.19	0.99	11.08	4.2	56	5.4	1.07	1.1	0.03
C0041348	375.9	0.004	<10	244	0.09	0.37	23.24	6.4	59	47.9	1.40	0.9	0.02
DUP C0041171	9.7	0.022	<10	61	0.48	0.30	0.25	4.0	28	45.0	2.63	5.6	<0.01
DUP C0041211	879.4	<0.001	<10	31	0.27	0.09	0.58	13.6	21	14.2	4.33	2.4	0.18
DUP C0041242	209.6	0.002	13	155	0.20	1.09	0.91	20.9	58	45.6	4.57	8.3	0.02
DUP C0041268	37.0	0.017	12	148	0.92	4.69	0.11	14.9	19	42.5	4.18	8.6	0.01
DUP C0041332	12.2	0.003	<10	64	0.06	0.42	0.19	3.1	73	2.2	1.14	1.5	0.01
DUP C0041179													
DUP C0041191													
DUP C0041250													
DUP C0041283													
DUP C0041317													
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 600b	97.7	0.194	<10	673	5.99	0.83	2.06	2.1	28	507.9	2.08	3.4	0.08
STD OREAS 25a	2.8	0.001	15	58	0.30	0.15	<0.05	5.5	73	24.1	6.02	20.0	0.06
STD OREAS 600b	98.4	0.204	<10	646	6.11	0.84	2.05	2.2	28	515.2	2.07	3.6	0.09
STD OREAS 25a	2.6	0.001	16	62	0.29	0.16	<0.05	5.9	78	24.3	6.25	20.7	0.07
STD OREAS 600b	100.7	0.206	<10	624	6.08	0.84	2.15	2.2	27	511.9	2.09	3.7	0.09
STD OXQ115													
STD OXK160													
STD MP-1b													
STD CDN-ME-1407													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
Granite Blank	0.15	6.7	0.45	456	4.78	0.24	2.0	393	1.5	<0.005	0.02	0.11
Granite Blank	0.14	6.9	0.42	450	4.48	0.22	1.7	385	1.5	<0.005	0.01	0.07
C0041149	0.14	6.9	0.42	452	4.46	0.22	1.7	390	1.5	<0.005	0.01	0.07
C0041150	0.10	2.0	0.14	68	3.98	0.10	1.2	116	3.3	<0.005	<0.01	3.60
C0041151	0.10	4.5	0.28	135	2.55	0.05	1.0	106	4.3	<0.005	<0.01	5.96
C0041152	0.05	8.5	0.45	296	2.02	0.01	0.8	74	6.4	<0.005	<0.01	6.39
C0041153	0.10	2.2	0.11	55	3.83	0.10	1.4	118	4.0	<0.005	<0.01	3.21
C0041154	0.10	6.5	0.11	201	4.09	0.04	2.2	168	7.0	<0.005	<0.01	7.83
C0041155	0.10	6.8	0.03	72	14.13	0.03	16.8	144	15.0	<0.005	0.24	27.08
C0041156	0.11	2.9	0.14	487	4.94	0.03	3.4	85	7.2	<0.005	<0.01	4.44
C0041157	0.14	4.3	0.03	779	3.72	<0.01	8.7	147	23.7	<0.005	<0.01	7.01
C0041158	0.21	4.3	0.03	1814	3.91	<0.01	2.0	130	25.4	<0.005	<0.01	11.34
C0041159	0.24	5.8	0.03	1902	4.37	<0.01	1.5	156	107.4	<0.005	0.11	12.88
C0041160	0.17	5.4	0.03	193	5.44	<0.01	1.3	156	8.6	<0.005	0.08	4.81
C0041161	0.14	8.4	0.08	152	3.47	0.04	1.2	405	5.5	<0.005	<0.01	3.04
C0041162	0.19	6.6	0.17	164	4.26	0.09	2.0	224	4.0	<0.005	0.08	0.89
C0041163	0.27	8.9	0.45	318	3.82	0.13	2.5	355	3.6	<0.005	<0.01	8.00
C0041164	0.31	10.1	0.76	281	4.55	0.20	1.6	494	2.7	<0.005	0.20	9.96
C0041165	0.30	12.2	0.73	339	5.43	0.14	1.6	504	5.9	<0.005	0.03	13.81
C0041166	0.23	12.0	0.51	259	3.96	0.18	1.4	360	4.8	<0.005	0.23	6.81
C0041166PD	0.23	12.1	0.51	254	4.14	0.19	1.4	361	4.7	<0.005	0.22	7.19
C0041167	0.21	12.7	0.33	240	5.46	0.14	1.6	318	2.1	<0.005	0.10	3.57
C0041168	0.22	15.5	0.25	676	3.76	0.03	2.8	334	5.9	<0.005	0.05	6.31
C0041169	0.18	14.5	0.31	340	4.22	0.10	1.6	350	2.9	<0.005	0.14	5.22
C0041170	0.29	13.4	0.47	287	5.70	0.12	2.1	391	2.9	<0.005	0.24	2.29

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041171	0.25	13.5	0.50	278	5.85	0.11	1.9	357	5.2	<0.005	0.31	2.17
C0041172	0.32	12.0	0.56	455	5.59	0.15	1.9	316	2.6	<0.005	0.11	1.31
C0041173	0.35	9.1	0.41	639	5.96	0.15	2.7	294	2.1	<0.005	0.10	1.67
C0041174	0.21	8.2	0.07	392	12.03	0.02	2.5	237	43.1	<0.005	0.09	12.73
C0041175	0.07	1.6	0.80	373	36.18	<0.01	58.5	357	>10000	0.037	>10	248.42
C0041176	0.22	9.0	0.19	1735	6.44	0.01	6.5	340	11.5	<0.005	0.02	9.64
C0041177	0.35	8.4	0.77	790	6.90	0.02	6.1	399	3.7	0.008	0.16	2.84
C0041178	0.28	10.0	0.35	257	3.25	0.06	4.8	282	6.4	<0.005	0.19	2.28
C0041179	0.34	8.2	0.75	879	3.13	0.07	9.4	574	2.6	<0.005	0.40	1.80
C0041180	0.60	13.7	0.75	699	1.60	0.10	5.9	1031	2.9	<0.005	0.13	0.78
C0041181	0.39	8.4	0.49	394	3.05	0.08	4.8	422	1.5	<0.005	0.32	1.00
C0041182	0.07	3.4	0.11	199	3.32	<0.01	7.0	198	3.3	<0.005	0.11	7.30
C0041183	0.29	11.2	0.27	535	1.63	0.08	3.7	186	3.5	<0.005	0.03	2.53
C0041184	0.33	6.2	0.28	305	1.87	0.10	3.5	201	2.4	<0.005	0.02	1.09
C0041185	0.42	12.1	0.57	425	1.77	0.10	3.5	279	1.7	<0.005	0.09	0.92
C0041186	0.32	10.2	0.70	364	2.51	0.12	3.7	306	0.8	<0.005	0.07	0.53
C0041187	0.27	8.3	0.71	449	2.38	0.10	3.9	274	1.2	<0.005	0.08	0.91
C0041188	0.18	9.4	0.52	338	2.56	0.12	3.7	170	1.4	<0.005	0.07	2.99
C0041189	0.30	11.8	0.66	773	2.07	0.09	15.8	159	1.7	<0.005	0.01	3.65
C0041190	0.08	12.0	0.40	249	7.54	0.09	3.8	295	2.0	<0.005	0.74	4.11
C0041191	0.21	9.0	0.58	435	2.26	0.11	3.1	200	1.5	<0.005	0.17	2.61
C0041192	0.13	10.3	0.23	156	59.52	0.11	3.4	243	3.5	0.024	0.76	3.69
C0041193	0.19	10.4	0.02	89	7.71	0.08	3.2	187	82.4	<0.005	0.32	44.72
C0041194	0.30	8.3	0.03	86	3.39	<0.01	3.2	157	1350.2	<0.005	0.28	132.70
C0041195	0.12	5.4	0.64	403	9.60	0.09	31.0	538	489.8	<0.005	0.38	56.54

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041196	0.28	9.4	0.03	1858	3.20	<0.01	2.8	270	830.4	<0.005	0.22	57.30
C0041197	0.25	7.2	0.02	2146	2.06	0.01	2.6	223	123.5	<0.005	0.13	15.68
C0041198	0.25	6.6	0.09	923	4.03	<0.01	3.5	159	25.6	<0.005	0.60	11.38
C0041199	0.14	5.6	0.32	1094	2.08	<0.01	2.3	183	5.5	<0.005	0.42	9.50
C0041200	0.20	10.1	0.20	999	1.20	<0.01	2.6	660	18.7	<0.005	0.28	11.25
C0041201	0.18	9.9	0.28	668	1.57	<0.01	2.9	211	4.2	<0.005	0.38	7.33
C0041202	0.10	11.6	0.06	490	1.51	<0.01	3.3	258	4.4	<0.005	0.11	2.51
C0041203	0.11	13.8	0.04	571	4.12	<0.01	3.0	338	3.4	<0.005	0.12	6.33
C0041204	0.09	15.6	0.07	943	2.03	<0.01	2.5	281	4.6	<0.005	0.12	7.37
C0041205	0.23	16.1	0.27	327	6.30	0.02	3.0	331	2.4	<0.005	0.02	3.30
C0041206	0.17	16.5	0.29	708	4.03	0.02	3.3	336	2.4	<0.005	0.02	4.63
C0041207	0.22	16.1	0.26	493	1.95	0.01	2.8	329	4.9	<0.005	<0.01	4.45
C0041208	0.10	15.9	0.08	1091	2.33	0.01	3.2	283	11.4	<0.005	0.01	11.98
C0041208PD	0.07	14.6	0.07	1094	4.09	<0.01	1.9	283	11.4	<0.005	0.01	12.29
C0041209	0.09	11.2	0.07	380	5.22	<0.01	2.5	298	7.0	<0.005	0.19	6.10
C0041210	0.08	9.9	0.07	678	4.63	<0.01	2.1	287	4.1	<0.005	0.03	4.58
C0041211	0.16	11.9	0.11	1303	4.79	<0.01	3.2	282	6.2	<0.005	<0.01	6.65
C0041212	0.02	11.7	0.02	683	4.39	<0.01	1.8	300	2.8	<0.005	<0.01	6.23
C0041213	0.02	9.6	0.02	554	4.20	<0.01	1.7	277	2.9	<0.005	<0.01	5.49
C0041214	0.18	11.3	0.19	506	3.87	<0.01	1.3	341	4.5	<0.005	0.21	10.06
C0041215	0.10	5.7	0.03	72	13.71	0.04	16.6	131	15.1	<0.005	0.22	26.96
C0041216	0.07	16.4	0.04	853	3.43	<0.01	1.3	469	12.2	<0.005	0.04	11.00
C0041217	0.05	11.9	0.06	848	3.50	<0.01	1.5	417	17.8	<0.005	0.02	5.84
C0041218	0.04	13.8	0.05	796	3.05	<0.01	1.8	419	4.7	<0.005	0.02	7.11
C0041219	0.09	11.0	0.09	337	4.93	0.01	1.6	342	4.5	<0.005	0.44	4.55

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041220	0.28	10.6	0.45	317	4.21	0.05	1.4	342	1.2	<0.005	0.18	1.68
C0041221	0.49	7.3	0.55	525	5.30	0.04	1.7	318	1.6	<0.005	0.27	1.71
C0041222	1.07	8.8	1.33	1110	3.70	0.04	6.6	398	2.9	<0.005	0.09	3.58
C0041223	0.38	8.6	0.74	780	6.47	0.03	5.6	384	5.1	0.005	0.12	6.06
C0041224	0.57	8.6	0.77	380	4.21	0.05	1.7	228	0.6	<0.005	0.09	0.19
C0041225	0.43	10.1	0.65	370	4.32	0.05	1.5	223	1.5	<0.005	0.13	0.30
C0041226	0.93	10.9	0.98	534	3.99	0.07	3.8	498	1.0	<0.005	0.10	0.28
C0041227	0.80	8.9	0.80	609	4.40	0.06	2.3	386	1.2	<0.005	0.26	0.43
C0041228	0.10	13.4	0.43	471	3.61	0.04	1.2	198	1.4	<0.005	0.09	1.07
C0041229	0.07	9.5	0.58	349	3.02	0.06	1.5	304	1.1	<0.005	0.21	0.69
C0041230	0.25	7.1	0.82	463	2.78	0.07	1.4	538	0.9	<0.005	0.26	0.64
C0041231	1.20	15.0	1.88	448	2.07	0.11	5.1	1082	2.0	<0.005	0.21	1.62
C0041232	0.65	14.5	1.19	593	2.47	0.09	6.3	708	2.7	0.006	0.31	2.47
C0041233	0.38	9.8	0.53	457	3.51	0.05	1.5	265	2.7	<0.005	0.85	0.68
C0041234	0.54	8.1	0.58	439	4.91	0.06	1.5	177	1.6	0.006	0.24	1.18
C0041235	0.29	7.6	0.83	539	32.63	0.11	55.9	688	30.8	0.063	0.62	8.72
C0041236	0.23	8.0	0.58	553	2.45	0.08	7.8	280	9.7	<0.005	1.05	5.02
C0041237	0.39	3.2	1.08	1332	2.82	0.03	4.9	96	8.5	<0.005	1.41	8.13
C0041238	0.41	3.1	0.52	377	2.32	0.07	3.1	14	4.7	<0.005	0.31	0.62
C0041239	0.34	4.2	0.46	254	1.91	0.07	4.0	27	2.1	<0.005	0.17	1.09
C0041240	0.78	20.0	1.80	504	1.22	0.24	6.5	1307	1.7	<0.005	0.23	1.52
C0041241	0.61	13.2	1.88	645	1.14	0.24	10.8	876	1.5	<0.005	0.26	3.58
C0041242	0.52	10.3	1.61	651	1.25	0.11	10.4	622	2.7	<0.005	0.26	8.94
C0041243	0.37	11.2	1.47	607	1.59	0.04	8.2	493	8.3	<0.005	0.07	5.62
C0041244	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041245	0.97	7.3	1.88	683	2.88	0.13	9.9	380	3.2	<0.005	0.97	2.35
C0041246	0.68	2.5	1.66	720	1.34	0.36	9.2	318	6.5	<0.005	0.39	1.42
C0041247	1.07	2.4	2.02	554	1.40	0.28	6.2	448	6.2	<0.005	0.53	0.68
C0041248	1.19	4.4	2.47	612	3.31	0.16	6.5	550	3.0	<0.005	1.32	1.50
C0041249	1.85	5.6	3.32	779	2.88	0.10	5.9	608	3.7	0.010	1.26	0.81
C0041250	1.07	4.0	1.84	356	4.96	0.13	4.3	694	2.3	0.013	0.90	0.15
C0041250PD	1.04	4.0	1.70	345	4.94	0.13	4.6	666	2.2	0.014	0.85	0.14
C0041251	1.37	4.0	2.48	492	1.79	0.12	6.3	524	1.5	0.006	1.10	0.13
C0041252	0.91	5.3	1.82	499	1.29	0.15	5.9	600	2.8	<0.005	0.68	0.42
C0041253	0.54	5.1	1.52	555	0.93	0.18	4.7	805	1.4	<0.005	0.76	1.88
C0041254	0.81	3.9	1.66	541	0.78	0.25	8.2	463	2.2	<0.005	0.43	1.14
C0041255	0.10	5.3	0.59	385	10.00	0.09	31.6	511	488.9	<0.005	0.36	57.55
C0041256	0.16	2.1	1.37	452	0.53	0.20	9.6	559	2.8	<0.005	0.20	0.82
C0041257	0.43	4.8	1.92	624	0.51	0.18	15.6	632	2.0	<0.005	0.42	0.85
C0041258	0.41	7.2	1.47	656	0.55	0.18	8.8	816	4.3	<0.005	0.95	1.97
C0041259	0.15	5.6	1.17	914	1.45	0.06	4.5	979	24.5	<0.005	1.13	11.06
C0041260	0.13	4.7	1.10	789	0.72	0.12	8.2	867	20.0	<0.005	0.57	6.85
C0041261	0.23	6.1	1.38	1489	1.65	0.04	7.2	960	73.0	<0.005	1.11	9.95
C0041262	0.19	4.4	1.48	1388	1.01	0.04	12.3	791	16.6	<0.005	0.94	5.52
C0041263	0.39	4.8	1.71	1576	2.58	0.02	22.2	484	144.3	<0.005	0.82	8.96
C0041264	0.52	10.0	2.18	1069	1.80	0.04	16.4	574	4.0	<0.005	0.41	5.16
C0041265	0.24	5.0	1.47	711	2.57	<0.01	18.1	566	12.7	<0.005	1.05	50.97
C0041266	0.18	5.4	1.37	1357	1.09	<0.01	17.8	567	8.2	<0.005	0.67	21.93
C0041267	0.33	2.8	1.19	2835	0.81	<0.01	13.3	509	180.5	<0.005	4.87	25.75
C0041268	0.31	4.9	2.06	922	0.45	0.03	8.1	385	7.5	<0.005	0.46	4.62

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041269	0.56	3.7	2.03	994	0.56	0.02	11.1	279	4.1	<0.005	0.58	7.56
C0041270	0.26	5.0	1.90	737	0.52	0.04	6.9	451	2.2	<0.005	0.34	4.03
C0041271	0.42	2.1	1.38	451	0.46	0.18	8.9	298	1.5	<0.005	0.39	1.56
C0041272	0.18	7.5	1.00	626	0.59	0.06	6.8	731	3.0	<0.005	0.70	2.89
C0041273	0.07	8.8	1.28	939	0.85	0.03	7.2	884	2.8	<0.005	1.31	4.88
C0041274	0.06	8.4	1.21	896	0.51	0.03	7.2	995	2.8	<0.005	1.03	3.85
C0041275	0.05	1.5	0.74	340	34.87	<0.01	59.4	327	>10000	0.038	>10	226.53
C0041276	0.61	6.7	1.80	927	0.42	0.03	14.2	697	5.6	<0.005	1.64	1.45
C0041277	0.35	5.1	1.66	1086	0.42	0.03	17.6	456	3.3	<0.005	1.53	2.60
C0041278	0.22	5.6	1.18	1420	2.21	0.01	15.4	805	3.3	<0.005	0.54	21.37
C0041279	0.95	5.2	1.93	852	2.00	0.03	22.5	467	7.7	<0.005	1.50	11.09
C0041280	0.25	18.5	1.11	1592	1.03	<0.01	10.0	824	2185.5	<0.005	1.10	28.56
C0041281	0.36	6.8	1.16	1178	0.52	<0.01	27.1	515	70.9	<0.005	0.63	16.09
C0041282	0.21	4.4	1.41	1763	0.47	<0.01	26.5	435	164.9	<0.005	1.25	25.37
C0041283	0.29	1.8	0.97	3097	1.86	<0.01	18.8	298	63.9	<0.005	4.60	34.86
C0041284	0.27	1.8	0.53	4086	1.63	<0.01	13.8	435	1411.9	<0.005	7.67	78.52
C0041285	0.27	0.7	0.15	780	2.16	<0.01	12.7	207	6034.9	0.007	8.67	198.87
C0041286	0.28	1.1	1.26	3622	1.59	<0.01	14.4	265	484.7	0.006	4.31	35.90
C0041287	0.27	1.6	1.15	3866	2.83	<0.01	9.9	343	344.6	0.021	3.12	29.19
C0041288	0.38	2.3	1.19	3254	1.37	<0.01	7.4	508	21.9	<0.005	4.13	31.76
C0041289	0.34	3.4	1.44	1933	4.12	<0.01	6.4	540	10.7	0.021	2.82	32.07
C0041290	0.16	4.2	1.89	1908	1.14	<0.01	6.4	548	8.8	0.007	1.89	39.20
C0041291	0.25	4.4	1.68	1899	1.03	<0.01	4.3	642	7.9	<0.005	1.21	17.25
C0041292	0.25	3.2	1.13	2193	0.63	<0.01	5.6	609	21.3	<0.005	4.31	52.75
C0041293	0.32	2.0	0.71	2442	1.80	<0.01	8.4	434	634.3	0.011	6.52	69.61

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041294	0.29	8.4	0.17	793	2.44	<0.01	2.7	103	447.2	0.006	2.23	29.11
C0041295	0.29	7.8	0.82	549	32.49	0.11	59.2	705	31.3	0.063	0.63	8.67
C0041296	0.24	27.2	0.07	146	2.04	<0.01	3.5	233	376.7	<0.005	1.96	31.40
C0041297	0.27	29.4	0.06	110	2.27	<0.01	3.9	288	24.3	0.009	2.45	16.17
C0041298	0.26	27.4	0.34	1205	2.18	<0.01	2.9	183	144.5	0.006	1.16	15.78
C0041298PD	0.26	28.6	0.34	1201	2.17	<0.01	2.8	189	163.5	0.006	1.15	16.44
C0041299	0.17	12.7	0.16	871	3.66	<0.01	4.5	91	7419.3	0.010	2.50	509.18
C0041300	0.28	24.5	0.19	1257	1.95	<0.01	4.7	197	1564.0	<0.005	4.91	467.09
C0041301	0.32	62.2	0.36	1372	3.12	0.01	2.8	225	20.9	0.016	0.99	7.66
C0041302	0.35	38.1	0.29	1024	3.56	<0.01	4.8	338	205.0	0.027	2.72	26.33
C0041303	0.29	40.0	0.18	762	1.30	<0.01	3.6	275	200.9	<0.005	1.60	26.16
C0041304	0.25	4.9	0.03	46	2.42	<0.01	4.3	37	3074.7	0.010	>10	555.34
C0041305	0.29	9.8	0.15	799	3.50	<0.01	3.9	77	465.0	0.008	1.24	30.38
C0041306	0.27	10.8	0.06	265	2.79	<0.01	2.2	70	58.1	0.020	0.47	5.92
C0041307	0.30	12.2	0.09	310	2.60	<0.01	2.3	57	66.2	0.008	0.62	4.53
C0041308	0.31	16.7	0.09	245	1.95	<0.01	2.1	84	37.1	0.005	0.54	4.80
C0041309	0.23	21.1	0.18	552	4.31	<0.01	2.1	101	23.1	0.030	0.39	4.32
C0041310	0.21	24.1	0.24	388	2.29	0.05	2.5	103	25.2	0.006	0.35	3.72
C0041311	0.24	37.5	0.26	490	3.26	0.02	2.2	165	29.1	0.005	0.40	3.98
C0041312	0.27	27.9	0.29	630	2.98	<0.01	1.9	133	31.7	0.009	0.56	5.76
C0041313	0.27	31.8	0.40	762	3.20	<0.01	1.8	183	24.7	0.010	0.41	4.65
C0041314	0.27	33.5	0.30	894	2.62	<0.01	2.0	212	50.6	0.008	0.45	5.02
C0041315	0.09	6.5	0.03	72	14.02	0.03	18.1	141	15.3	<0.005	0.23	26.27
C0041316	0.24	21.7	0.21	390	2.63	0.04	2.2	109	29.6	<0.005	0.31	3.18
C0041317	0.17	11.4	0.48	347	1.67	0.09	8.0	431	5.8	<0.005	0.11	1.00

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041318	0.46	14.6	1.00	522	1.16	0.10	11.8	812	9.9	<0.005	0.09	1.46
C0041319	0.34	15.2	0.75	492	1.05	0.08	6.0	885	25.4	<0.005	0.10	1.34
C0041320	0.24	9.5	0.16	736	0.96	0.06	6.7	637	55.0	<0.005	0.03	2.78
C0041321	0.16	12.2	0.17	1052	0.87	0.04	8.7	572	17.3	<0.005	0.07	6.80
C0041322	0.25	10.4	0.04	1777	1.10	0.01	5.0	421	202.2	<0.005	0.18	56.13
C0041323	0.28	8.6	0.04	1048	1.52	0.01	5.3	414	196.6	<0.005	0.18	26.72
C0041324	0.12	11.0	0.30	422	1.11	0.05	5.2	301	81.8	<0.005	0.27	4.95
C0041325	0.26	12.4	0.60	368	0.86	0.08	4.4	818	11.2	<0.005	0.43	2.97
C0041326	0.40	16.1	0.97	601	0.97	0.09	9.1	642	6.9	<0.005	0.17	2.33
C0041327	0.52	24.0	0.72	1012	1.32	0.10	5.6	653	6.3	<0.005	0.11	1.45
C0041328	0.32	8.7	0.75	1610	0.79	0.03	21.8	688	77.1	<0.005	0.24	12.56
C0041329	0.20	12.2	0.12	526	1.34	<0.01	5.3	247	6.1	<0.005	<0.01	7.24
C0041330	0.09	5.7	0.03	71	13.74	0.03	17.4	132	14.8	<0.005	0.22	25.06
C0041331	0.23	8.8	0.19	722	1.33	0.01	5.6	148	72.1	<0.005	0.20	3.38
C0041332	0.25	11.5	0.26	257	1.38	0.02	4.4	239	2.3	<0.005	0.03	1.96
C0041333	0.49	12.5	0.52	374	2.38	0.05	5.5	365	2.6	<0.005	0.06	2.13
C0041334	0.42	15.3	0.36	363	1.54	<0.01	5.2	343	4.3	<0.005	0.11	1.56
C0041335	0.23	13.8	0.47	664	1.63	<0.01	5.4	159	4.0	<0.005	0.05	5.19
C0041336	0.26	10.1	0.03	1294	1.64	<0.01	5.7	149	578.3	<0.005	0.14	150.24
C0041337	0.28	10.8	0.03	1295	1.47	<0.01	5.1	188	494.6	<0.005	0.09	135.78
C0041338	0.26	11.4	0.03	2701	1.29	<0.01	7.1	292	871.0	<0.005	0.06	145.96
C0041339	0.30	11.1	0.03	68	1.38	<0.01	3.8	290	3270.1	<0.005	0.16	254.68
C0041340	0.31	11.5	0.03	103	1.31	<0.01	3.9	380	328.5	<0.005	0.10	104.77
C0041340PD	0.29	11.3	0.03	100	1.31	<0.01	3.9	361	316.5	<0.005	0.10	102.22
C0041341	0.30	10.1	0.05	3593	1.68	<0.01	5.7	519	168.2	<0.005	0.34	41.76

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
C0041342	0.16	12.4	0.11	3910	0.83	<0.01	7.3	754	21.5	<0.005	0.59	28.47
C0041343	0.22	10.9	0.56	824	3.60	0.03	7.5	455	7.7	0.008	0.48	7.57
C0041344	0.11	9.4	0.31	853	1.03	0.01	7.9	398	5.8	<0.005	0.36	17.82
C0041345	0.14	8.8	0.36	1937	1.02	<0.01	14.6	633	12.6	<0.005	0.95	35.61
C0041346	0.58	9.3	0.20	562	1.78	<0.01	5.7	155	45.3	<0.005	0.53	52.20
C0041347	0.18	12.5	0.38	1086	1.08	<0.01	3.9	161	10.6	<0.005	0.24	18.87
C0041348	0.20	8.7	0.15	1458	1.24	<0.01	5.3	170	232.3	<0.005	0.15	83.24
DUP C0041171	0.25	13.5	0.50	274	5.75	0.11	1.9	356	5.2	<0.005	0.30	2.25
DUP C0041211	0.16	11.7	0.11	1302	4.60	<0.01	3.1	280	6.2	<0.005	<0.01	6.67
DUP C0041242	0.52	10.3	1.64	668	1.26	0.12	10.6	627	2.8	<0.005	0.26	8.96
DUP C0041268	0.30	5.0	2.01	887	0.46	0.03	8.2	375	7.3	<0.005	0.45	4.51
DUP C0041332	0.25	11.2	0.27	262	1.30	0.02	4.4	242	2.5	<0.005	0.03	1.96
DUP C0041179												
DUP C0041191												
DUP C0041250												
DUP C0041283												
DUP C0041317												
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 600b	0.26	28.8	0.05	257	4.91	0.09	4.4	234	84.5	<0.005	0.26	10.04
STD OREAS 25a	0.13	12.7	0.20	420	1.51	0.04	27.0	373	20.8	<0.005	0.05	0.20
STD OREAS 600b	0.28	29.4	0.05	258	4.99	0.09	4.4	235	87.3	<0.005	0.26	10.70
STD OREAS 25a	0.14	13.5	0.22	435	1.73	0.04	27.5	396	21.2	<0.005	0.05	0.25
STD OREAS 600b	0.27	29.8	0.05	254	5.09	0.09	4.5	227	85.2	<0.005	0.25	10.61
STD OXQ115												
STD OXK160												
STD MP-1b												
STD CDN-ME-1407												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID												
Granite Blank	3.0	<0.2	23.9	<0.05	2.5	0.091	<0.05	0.49	27	0.14	9.5	27
Granite Blank	3.0	<0.2	22.7	<0.05	2.4	0.095	<0.05	0.50	26	0.14	9.4	26
C0041149	2.9	<0.2	22.4	<0.05	2.5	0.095	<0.05	0.49	26	0.14	9.4	26
C0041150	0.7	<0.2	22.9	0.06	1.7	0.007	<0.05	0.39	6	1.43	1.7	13
C0041151	0.6	<0.2	21.2	0.12	1.6	<0.005	0.06	0.28	6	0.60	2.5	16
C0041152	0.6	<0.2	27.9	1.60	1.5	<0.005	<0.05	0.34	4	0.18	3.7	21
C0041153	0.6	<0.2	22.1	0.05	1.7	<0.005	0.06	0.32	5	0.12	1.7	11
C0041154	1.1	<0.2	13.0	3.15	1.7	<0.005	0.05	0.42	6	2.55	2.9	23
C0041155	1.0	1.2	68.2	<0.05	1.3	0.009	10.79	1.61	30	13.64	2.4	24
C0041156	0.3	<0.2	11.4	14.12	1.2	<0.005	0.10	0.39	2	4.89	2.1	21
C0041157	0.7	<0.2	9.6	<0.05	1.5	<0.005	0.28	0.49	1	1.29	3.7	79
C0041158	0.4	<0.2	13.9	<0.05	1.4	<0.005	0.42	0.70	1	0.22	3.2	182
C0041159	0.7	<0.2	18.1	<0.05	1.5	<0.005	0.35	1.14	<1	0.28	4.6	175
C0041160	0.3	<0.2	7.2	0.06	1.8	<0.005	0.12	0.36	<1	0.15	5.4	44
C0041161	0.7	<0.2	17.7	<0.05	3.1	<0.005	0.09	0.68	7	0.13	3.3	21
C0041162	1.2	<0.2	29.8	0.13	2.4	0.008	0.13	0.83	8	0.10	3.7	18
C0041163	4.0	<0.2	21.3	0.05	2.7	0.041	0.22	0.89	16	0.14	10.2	30
C0041164	7.7	0.4	18.3	0.05	3.2	0.065	0.32	1.34	11	0.18	16.3	37
C0041165	7.9	0.3	16.9	<0.05	3.4	0.052	0.39	1.12	8	0.18	19.6	43
C0041166	6.3	0.4	16.5	<0.05	3.8	0.060	0.25	1.47	11	0.12	16.9	42
C0041166PD	6.2	0.3	17.8	<0.05	3.9	0.058	0.25	1.44	11	0.13	17.1	41
C0041167	6.3	<0.2	10.0	<0.05	3.8	0.041	0.30	1.35	8	0.07	12.5	37
C0041168	8.2	0.3	11.2	<0.05	3.6	0.026	0.47	1.25	14	0.20	19.3	71
C0041169	6.9	0.2	8.4	<0.05	4.9	0.033	0.55	1.03	10	0.07	21.5	30
C0041170	7.5	0.3	11.1	<0.05	4.6	0.080	0.22	1.08	9	0.12	24.8	29

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041171	6.9	0.6	12.4	<0.05	4.2	0.067	0.21	1.17	10	0.11	27.2	37
C0041172	6.5	<0.2	15.1	<0.05	3.4	0.073	0.15	0.72	7	0.09	21.7	42
C0041173	5.4	<0.2	14.9	<0.05	3.4	0.054	0.17	0.58	7	0.22	19.1	51
C0041174	2.2	0.7	10.0	50.93	2.9	<0.005	0.29	0.63	3	0.14	10.0	61
C0041175	0.9	209.0	28.7	0.78	0.3	<0.005	28.50	2.72	18	0.92	3.5	>10000
C0041176	6.8	0.7	11.3	0.22	3.1	0.017	0.47	1.05	19	0.12	17.2	166
C0041177	6.4	0.6	16.2	0.21	2.6	0.065	0.23	0.73	34	0.21	18.5	118
C0041178	4.0	0.3	13.6	0.09	4.0	0.045	0.12	0.76	10	0.67	12.2	60
C0041179	5.3	0.4	23.2	<0.05	2.4	0.105	0.14	0.56	43	0.64	15.0	85
C0041180	6.3	<0.2	54.7	<0.05	4.7	0.109	0.22	0.94	31	0.49	14.7	82
C0041181	7.3	0.3	11.1	<0.05	3.1	0.093	0.16	0.58	16	0.63	15.0	75
C0041182	2.2	1.4	17.0	0.38	0.6	0.010	0.34	1.11	17	1.36	6.6	79
C0041183	5.1	<0.2	9.2	<0.05	5.3	0.036	0.21	0.87	21	0.48	10.2	132
C0041184	5.5	<0.2	10.6	<0.05	3.0	0.051	0.16	0.59	25	0.43	8.8	68
C0041185	7.7	<0.2	15.1	<0.05	4.4	0.051	0.18	0.82	33	0.40	14.8	67
C0041186	8.2	<0.2	12.2	<0.05	3.8	0.059	0.15	0.65	43	0.41	11.2	51
C0041187	6.8	<0.2	11.7	<0.05	3.5	0.048	0.18	0.64	37	0.48	10.9	61
C0041188	5.2	<0.2	7.7	<0.05	3.8	0.034	0.62	1.03	21	0.41	9.3	99
C0041189	6.4	<0.2	11.2	<0.05	5.0	0.053	0.63	0.90	26	4.17	15.0	102
C0041190	5.7	0.7	7.0	0.06	4.1	0.008	0.66	0.85	8	0.46	14.5	72
C0041191	6.4	<0.2	6.5	<0.05	4.6	0.026	0.42	0.59	7	0.46	14.5	45
C0041192	4.5	1.0	15.0	0.68	3.8	0.016	0.39	0.78	15	2.12	10.2	44
C0041193	1.9	0.5	45.9	0.28	3.1	<0.005	0.63	0.52	5	1.19	4.7	120
C0041194	2.2	0.4	61.5	0.42	2.4	<0.005	0.68	0.57	1	0.64	3.5	198
C0041195	4.8	0.3	34.8	0.23	1.2	0.117	1.08	0.34	59	3.41	7.8	1539

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041196	2.5	1.3	43.4	0.57	3.9	<0.005	0.61	1.03	<1	0.52	7.3	599
C0041197	3.1	0.7	37.5	0.40	2.7	<0.005	0.67	0.95	3	0.44	7.2	407
C0041198	2.6	0.6	15.4	0.11	2.9	<0.005	0.52	0.61	3	0.50	5.8	112
C0041199	3.0	0.4	20.4	<0.05	3.0	<0.005	0.48	0.68	7	0.33	6.4	85
C0041200	4.3	0.5	14.5	0.44	4.0	<0.005	0.45	0.86	15	0.32	10.4	129
C0041201	2.8	0.3	12.0	<0.05	3.5	<0.005	0.51	0.72	7	0.41	9.5	114
C0041202	4.8	0.2	4.1	<0.05	3.9	<0.005	0.23	0.87	9	0.43	10.4	146
C0041203	7.8	<0.2	3.0	<0.05	4.1	<0.005	0.18	1.01	6	0.53	11.6	68
C0041204	7.0	<0.2	5.4	<0.05	4.9	<0.005	0.19	1.10	5	0.68	12.3	106
C0041205	7.3	<0.2	7.2	<0.05	4.1	0.020	0.12	0.98	8	0.80	12.4	212
C0041206	5.5	<0.2	9.3	<0.05	3.7	0.011	0.13	1.27	7	0.75	15.4	312
C0041207	6.4	<0.2	7.1	<0.05	4.4	0.022	0.16	1.24	12	0.75	15.8	288
C0041208	6.5	0.2	7.5	0.12	4.0	<0.005	0.19	1.74	8	0.51	15.6	591
C0041208PD	6.1	0.2	7.1	0.17	3.8	<0.005	0.18	1.70	7	0.25	14.9	583
C0041209	5.4	0.4	3.2	0.46	3.4	<0.005	0.09	1.15	8	0.18	13.2	375
C0041210	6.8	<0.2	3.0	<0.05	3.6	0.005	0.09	1.45	9	0.26	12.3	439
C0041211	10.3	<0.2	6.9	0.05	3.7	0.018	0.17	1.80	16	0.48	14.4	499
C0041212	6.8	<0.2	3.7	<0.05	3.4	<0.005	0.06	1.48	6	0.61	13.0	374
C0041213	7.0	<0.2	3.0	<0.05	3.3	<0.005	<0.05	1.18	6	0.38	11.5	248
C0041214	7.6	0.5	10.1	0.11	3.1	0.016	0.20	1.14	12	0.26	13.1	187
C0041215	1.0	1.2	63.9	0.06	1.3	0.009	11.56	1.56	28	13.95	2.4	24
C0041216	6.6	<0.2	22.9	0.14	4.4	<0.005	0.06	1.23	11	0.38	16.7	229
C0041217	7.2	<0.2	7.4	0.08	3.9	<0.005	0.07	1.36	7	0.37	18.4	292
C0041218	6.7	<0.2	7.3	<0.05	4.4	<0.005	0.06	1.40	7	0.28	19.8	357
C0041219	5.8	0.4	11.0	0.07	4.7	<0.005	<0.05	0.78	9	0.40	12.3	186

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041220	6.7	<0.2	6.4	<0.05	3.7	0.038	0.05	0.51	8	0.17	12.2	40
C0041221	6.8	<0.2	10.3	<0.05	2.5	0.063	0.10	0.63	9	0.14	9.1	84
C0041222	10.9	<0.2	25.0	<0.05	3.0	0.111	0.23	0.53	25	0.13	8.9	310
C0041223	7.5	<0.2	24.9	<0.05	2.5	0.039	0.12	0.53	14	0.09	8.6	244
C0041224	7.0	<0.2	10.4	<0.05	3.1	0.074	0.09	0.64	8	0.10	7.2	26
C0041225	6.9	<0.2	8.7	<0.05	3.5	0.058	0.06	0.55	8	0.08	10.6	73
C0041226	6.8	<0.2	16.2	<0.05	3.8	0.129	0.16	0.68	29	0.10	10.4	87
C0041227	7.0	<0.2	16.2	<0.05	3.2	0.108	0.16	0.54	22	0.10	10.8	216
C0041228	5.1	<0.2	29.0	<0.05	4.1	0.013	<0.05	0.58	6	0.14	21.2	38
C0041229	5.3	<0.2	11.6	<0.05	5.1	0.028	<0.05	0.48	8	0.10	22.6	65
C0041230	7.1	<0.2	16.6	<0.05	3.7	0.050	0.07	0.46	12	0.10	18.9	89
C0041231	9.1	<0.2	20.4	<0.05	5.5	0.161	0.41	1.16	104	0.28	9.6	222
C0041232	7.4	0.3	18.4	0.06	4.7	0.108	0.39	1.10	64	0.14	9.6	222
C0041233	7.6	0.5	18.6	0.48	3.1	0.055	0.21	0.57	13	0.07	10.2	50
C0041234	7.1	<0.2	11.9	0.05	3.0	0.090	0.16	0.51	22	0.09	6.3	101
C0041235	6.3	1.5	39.8	0.54	1.5	0.133	0.18	0.46	91	8.60	9.5	79
C0041236	6.6	0.3	33.0	0.23	3.7	0.020	0.12	0.62	19	0.47	10.5	92
C0041237	6.3	0.4	35.9	0.05	2.2	0.028	0.25	0.42	27	0.49	8.2	280
C0041238	3.9	<0.2	12.0	0.09	3.2	0.040	0.14	0.26	9	0.47	3.4	39
C0041239	5.1	<0.2	7.2	<0.05	3.3	0.045	0.15	0.40	13	0.48	3.5	37
C0041240	8.9	<0.2	44.9	<0.05	6.1	0.143	0.27	1.58	110	0.27	9.3	70
C0041241	11.1	<0.2	33.9	<0.05	3.7	0.165	0.51	0.92	122	0.41	9.7	83
C0041242	12.5	<0.2	34.0	<0.05	3.7	0.084	0.43	0.88	112	0.41	11.3	290
C0041243	10.7	<0.2	66.2	1.55	2.9	0.029	0.14	0.76	81	0.55	14.5	861
C0041244	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041245	9.3	0.8	31.6	0.33	2.6	0.136	0.56	0.70	135	0.49	9.2	459
C0041246	12.8	0.3	82.4	0.11	0.5	0.150	0.25	0.27	193	0.49	7.7	207
C0041247	13.4	0.2	42.9	0.06	0.6	0.175	0.23	0.36	213	0.35	6.6	128
C0041248	14.6	1.1	27.6	0.13	1.3	0.159	0.34	0.30	141	0.42	7.3	105
C0041249	18.0	1.0	35.5	0.21	1.5	0.207	0.44	0.32	147	0.40	8.4	120
C0041250	13.3	0.9	17.9	0.14	2.3	0.146	0.17	0.34	78	0.63	8.9	48
C0041250PD	12.9	0.9	17.3	0.32	2.3	0.139	0.16	0.34	75	0.66	9.1	46
C0041251	17.5	0.9	14.4	0.22	1.6	0.174	0.22	0.26	129	0.45	8.7	42
C0041252	12.6	0.7	21.9	0.35	1.8	0.181	0.23	0.34	124	0.45	10.2	50
C0041253	12.8	0.2	27.0	<0.05	1.5	0.176	0.43	0.35	146	0.40	12.9	33
C0041254	12.6	0.3	32.7	0.11	1.1	0.227	0.36	0.39	185	0.36	7.6	39
C0041255	4.3	0.3	34.4	0.17	1.2	0.108	1.10	0.34	56	3.52	7.8	1489
C0041256	12.4	0.2	27.1	0.07	0.5	0.151	0.14	0.16	137	1.03	9.3	27
C0041257	16.8	0.5	31.2	0.13	1.1	0.196	0.27	0.25	151	1.21	12.7	36
C0041258	12.2	0.4	25.9	<0.05	1.5	0.171	0.39	0.35	114	0.36	11.5	44
C0041259	12.2	0.6	114.7	<0.05	1.2	0.019	1.34	0.27	64	0.32	12.7	104
C0041260	13.6	0.4	134.6	<0.05	1.0	0.058	1.27	0.25	102	0.26	12.2	102
C0041261	11.4	0.5	182.0	<0.05	1.3	0.014	1.01	0.29	70	0.37	14.1	195
C0041262	17.0	0.4	236.5	0.06	0.9	0.019	0.76	0.24	108	0.32	12.6	67
C0041263	18.4	0.5	84.3	0.13	1.0	0.018	0.60	0.28	120	0.41	13.0	530
C0041264	19.3	0.8	104.7	0.06	2.3	0.067	0.72	0.43	159	0.36	15.6	49
C0041265	20.8	1.6	83.0	0.41	1.2	0.009	0.86	0.24	131	0.35	12.9	78
C0041266	22.5	0.5	59.9	0.16	1.1	<0.005	0.61	0.26	132	0.79	11.8	54
C0041267	10.4	0.5	57.0	0.10	0.8	<0.005	2.32	0.36	46	0.97	12.2	166
C0041268	16.9	0.4	141.8	0.35	0.9	0.023	0.54	0.27	127	0.92	16.5	35

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041269	15.7	0.4	96.6	0.14	0.7	0.029	0.87	0.14	174	0.99	11.9	32
C0041270	13.1	0.2	114.2	0.16	1.1	0.024	0.23	0.40	102	0.59	14.3	25
C0041271	9.3	0.4	37.5	0.21	0.6	0.173	0.24	0.16	161	5.84	7.7	28
C0041272	10.5	0.4	46.8	0.27	2.0	0.040	0.27	0.38	72	0.53	14.8	28
C0041273	14.3	0.8	109.0	0.34	1.6	0.005	0.15	0.31	68	0.79	27.1	28
C0041274	16.0	0.5	68.1	0.35	1.8	0.005	0.29	0.31	64	1.60	24.3	44
C0041275	1.0	214.0	28.7	0.48	0.3	<0.005	30.15	2.79	16	0.92	3.5	>10000
C0041276	22.2	1.0	69.3	1.58	1.3	0.044	0.29	0.19	128	1.03	21.7	55
C0041277	21.9	0.7	79.5	0.94	1.0	0.023	0.28	0.16	130	0.61	19.8	42
C0041278	17.4	0.3	85.6	0.15	1.0	0.007	0.20	0.14	93	0.61	17.0	32
C0041279	20.8	0.9	77.8	0.16	1.2	0.092	0.83	0.56	169	0.66	12.1	49
C0041280	8.5	<0.2	58.3	0.07	4.3	0.017	0.42	1.34	59	0.66	7.9	4000
C0041281	25.8	0.8	46.2	0.32	1.2	0.025	0.40	0.40	131	0.65	16.7	117
C0041282	25.9	1.0	60.7	0.45	1.0	0.009	0.37	0.81	139	0.89	13.5	621
C0041283	9.7	0.5	37.2	0.25	0.6	<0.005	1.64	1.09	38	0.47	8.9	204
C0041284	4.5	1.3	21.9	0.27	0.7	<0.005	1.13	0.92	18	0.77	8.2	2626
C0041285	2.3	0.7	7.7	0.12	0.4	<0.005	1.26	0.44	13	0.88	1.9	>10000
C0041286	5.0	0.2	42.0	0.13	0.5	<0.005	1.53	1.07	22	0.94	6.2	759
C0041287	5.1	0.4	43.3	0.20	0.5	<0.005	1.13	0.95	19	0.77	7.1	249
C0041288	9.0	1.8	58.1	0.13	1.1	<0.005	1.35	0.57	33	0.94	11.1	49
C0041289	13.8	2.0	62.2	0.25	1.4	<0.005	0.56	0.40	53	0.69	11.2	55
C0041290	18.9	1.9	65.3	0.06	1.5	<0.005	0.35	0.59	105	0.56	11.5	70
C0041291	16.9	0.5	79.9	0.10	2.1	<0.005	0.54	0.67	70	0.72	13.1	42
C0041292	27.4	1.4	50.3	0.37	1.0	<0.005	2.60	0.71	158	1.23	14.4	51
C0041293	7.7	1.1	40.3	0.24	1.3	<0.005	1.39	0.84	35	0.77	6.9	1137

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041294	1.5	0.7	8.4	0.13	5.1	<0.005	0.39	1.11	2	0.68	5.5	828
C0041295	6.2	1.6	40.6	0.56	1.5	0.145	0.19	0.48	95	8.81	9.5	81
C0041296	0.9	0.5	6.6	<0.05	29.9	<0.005	0.64	1.73	3	0.72	4.4	336
C0041297	0.6	0.5	6.8	0.08	40.1	<0.005	0.55	1.03	3	1.11	3.3	26
C0041298	1.1	0.2	28.1	<0.05	19.3	<0.005	0.50	2.49	3	1.04	5.9	266
C0041298PD	1.1	0.2	29.9	0.05	19.4	<0.005	0.50	2.55	3	0.98	6.0	270
C0041299	0.5	0.3	10.0	<0.05	11.1	<0.005	0.74	1.53	2	1.23	2.4	6255
C0041300	0.8	0.4	14.1	0.25	29.1	<0.005	1.51	1.69	3	0.91	4.7	2382
C0041301	1.2	<0.2	28.9	0.05	30.1	<0.005	0.39	2.41	3	0.43	8.8	88
C0041302	1.3	0.3	19.9	0.16	44.1	<0.005	0.48	1.84	4	0.70	7.3	457
C0041303	1.6	0.2	19.2	0.11	36.3	<0.005	0.45	2.44	5	0.54	6.8	275
C0041304	0.4	0.8	2.1	0.58	9.8	<0.005	0.61	0.93	2	0.86	2.1	3099
C0041305	0.5	<0.2	7.8	<0.05	14.2	<0.005	0.32	1.82	<1	0.66	5.3	2375
C0041306	0.4	<0.2	9.4	<0.05	12.6	<0.005	0.26	1.40	<1	0.49	4.1	296
C0041307	0.5	<0.2	10.4	<0.05	14.1	<0.005	0.25	1.51	<1	0.51	4.8	124
C0041308	0.5	<0.2	11.4	<0.05	17.4	<0.005	0.25	1.52	<1	0.45	6.0	114
C0041309	0.9	<0.2	18.6	<0.05	17.9	<0.005	0.21	2.76	1	0.38	8.4	184
C0041310	1.2	<0.2	32.5	<0.05	19.0	<0.005	0.14	4.42	3	0.49	8.1	47
C0041311	1.5	<0.2	37.8	0.13	24.0	<0.005	0.30	3.94	4	0.42	10.1	62
C0041312	1.2	<0.2	27.2	<0.05	18.1	<0.005	0.34	3.26	2	0.41	9.2	67
C0041313	1.3	<0.2	35.9	<0.05	22.1	<0.005	0.26	2.14	2	0.39	9.4	118
C0041314	1.4	<0.2	33.7	0.05	21.3	<0.005	0.33	3.91	3	0.63	10.4	187
C0041315	1.0	1.4	68.9	0.11	1.5	0.009	11.94	1.60	28	14.10	2.5	23
C0041316	0.9	<0.2	46.5	0.05	19.6	<0.005	0.15	4.35	2	0.48	8.6	45
C0041317	6.7	<0.2	8.6	0.56	4.3	0.024	0.30	0.62	53	0.86	9.4	51

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041318	13.8	0.2	10.1	2.89	3.5	0.097	0.30	0.41	87	0.41	12.4	76
C0041319	7.7	<0.2	16.1	1.13	3.3	0.040	0.16	0.40	50	0.37	12.5	101
C0041320	5.2	<0.2	14.3	0.98	3.1	0.007	0.21	0.39	14	0.38	10.4	170
C0041321	11.3	0.2	7.7	0.69	3.5	0.010	0.36	0.50	28	0.36	10.3	207
C0041322	4.2	0.3	11.3	7.27	3.0	<0.005	0.86	0.55	5	0.46	9.7	464
C0041323	2.6	0.2	11.0	2.52	3.0	<0.005	0.58	0.27	2	0.59	8.6	335
C0041324	6.0	0.5	19.0	44.30	3.5	<0.005	0.16	0.30	8	0.48	6.9	85
C0041325	8.2	0.2	30.0	0.80	3.2	0.017	0.20	0.48	39	0.39	11.1	89
C0041326	10.0	<0.2	27.8	0.39	4.0	0.060	0.18	0.46	39	0.37	14.7	71
C0041327	8.4	<0.2	13.2	0.18	3.7	0.087	0.21	0.47	31	0.49	13.0	65
C0041328	9.1	<0.2	41.0	0.50	3.1	0.015	0.27	0.40	19	0.32	9.6	574
C0041329	1.1	<0.2	12.1	<0.05	8.5	<0.005	0.12	0.72	4	0.43	4.9	232
C0041330	1.0	1.3	62.2	<0.05	1.4	0.008	11.74	1.54	28	13.87	2.4	24
C0041331	1.2	<0.2	22.4	1.85	6.3	<0.005	0.15	0.61	4	0.52	3.8	267
C0041332	1.8	<0.2	24.1	<0.05	7.5	0.006	0.08	1.14	9	0.51	3.8	91
C0041333	2.7	<0.2	19.8	<0.05	6.2	0.050	0.17	0.83	37	0.43	4.0	214
C0041334	2.6	<0.2	18.0	<0.05	7.7	0.019	0.14	0.92	16	0.50	5.1	169
C0041335	1.6	<0.2	23.1	<0.05	7.8	<0.005	0.13	0.95	8	0.52	4.5	234
C0041336	1.0	<0.2	10.4	<0.05	6.9	<0.005	0.59	1.05	2	0.68	4.2	638
C0041337	1.0	0.4	15.1	0.15	7.5	<0.005	0.55	0.87	2	0.67	4.5	686
C0041338	1.7	0.3	25.9	0.16	7.5	<0.005	0.72	1.80	4	0.71	7.1	1112
C0041339	0.8	<0.2	13.6	0.07	6.2	<0.005	0.56	1.91	2	0.71	2.1	201
C0041340	1.1	1.2	15.4	0.16	4.9	<0.005	0.64	0.95	2	0.66	3.7	342
C0041340PD	1.0	1.2	15.2	0.14	4.9	<0.005	0.62	0.91	2	0.65	3.7	331
C0041341	2.0	0.9	20.8	0.09	6.0	<0.005	0.79	0.93	3	0.64	17.7	1008

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID												
C0041342	5.9	0.6	9.6	<0.05	5.2	<0.005	0.29	1.13	16	0.36	15.5	1360
C0041343	4.2	0.4	21.1	0.23	5.5	0.020	0.14	1.43	13	0.38	6.7	589
C0041344	2.8	0.3	13.6	0.58	5.9	<0.005	0.14	1.23	8	0.42	6.6	783
C0041345	7.0	0.4	19.8	0.36	5.5	<0.005	0.16	0.89	25	0.42	9.8	831
C0041346	0.7	0.3	8.1	0.08	8.2	<0.005	0.55	0.59	2	0.74	6.3	253
C0041347	0.9	<0.2	17.7	0.05	8.8	<0.005	0.30	2.06	3	0.42	6.6	623
C0041348	0.8	<0.2	11.0	<0.05	7.5	<0.005	0.28	1.20	3	0.46	9.0	1014
DUP C0041171	6.7	0.5	12.2	0.06	4.1	0.067	0.20	1.15	10	0.14	26.9	38
DUP C0041211	10.3	<0.2	6.7	<0.05	3.7	0.018	0.17	1.79	16	0.50	14.3	500
DUP C0041242	13.4	<0.2	35.1	<0.05	3.7	0.089	0.44	0.87	116	0.42	11.7	292
DUP C0041268	17.0	0.4	139.0	0.27	0.9	0.022	0.53	0.27	124	0.88	16.9	34
DUP C0041332	1.7	<0.2	23.2	<0.05	7.4	0.006	0.08	1.13	9	0.50	3.7	93
DUP C0041179												
DUP C0041191												
DUP C0041250												
DUP C0041283												
DUP C0041317												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010786

Project Name: Charlotte
Job Received Date: 20-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 600b	1.1	3.0	26.1	1.85	10.1	0.031	0.49	3.09	2	2.49	7.6	356
STD OREAS 25a	8.8	0.5	17.7	<0.05	10.0	0.057	0.20	1.48	121	<0.05	4.6	29
STD OREAS 600b	1.2	3.0	27.2	2.05	10.0	0.030	0.50	3.18	3	2.51	7.9	348
STD OREAS 25a	8.4	0.5	17.6	<0.05	10.3	0.072	0.20	1.47	125	<0.05	4.4	32
STD OREAS 600b	1.3	3.3	27.0	1.98	10.2	0.033	0.51	3.22	3	2.68	8.2	344
STD OXQ115												
STD OXK160												
STD MP-1b												
STD CDN-ME-1407												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
FAS-418	Ag, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6As	As, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01			0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
Granite Blank	QC-P-BK	--		2.63									<0.05
Granite Blank	QC-P-BK	--		2.73									<0.05
C0041349	Core	3.94		2.89									0.08
C0041350	Pulp	0.12		3.48				160		1.263	1.52	9.21	>100
C0041351	Core	3.57		2.70									0.16
C0041352	Core	4.50		2.70									0.43
C0041353	Core	3.71		2.81									0.20
C0041354	Core	3.11		2.78									1.04
C0041355	Core	4.25		2.78	4.37								76.66
C0041356	Core	4.49		2.63	2.98								19.93
C0041357	Core	2.84		2.68									3.04
C0041358	Core	4.38		2.78									6.04
C0041359	Core	3.99		2.78									1.66
C0041360	Core	3.57		2.78									3.52
C0041361	Core	2.96		2.78									0.93
C0041362	Core	3.45		2.52									0.12
C0041363	Core	5.47		2.70									0.13
C0041364	Core	6.18		2.73									0.09
C0041365	Core	3.91		2.75									0.94
C0041366	Core	4.49		2.78									0.14
C0041366PD	QC-PD	--		2.81									0.13
C0041367	Core	4.78		2.70									0.13
C0041368	Core	3.72		2.63									0.13
C0041369	Core	4.19		2.41									0.13
C0041370	Pulp	0.12		2.75	3.81								51.64

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041371	Core	5.12		2.73									0.22
C0041372	Core	4.53		2.70									1.65
C0041373	Core	4.32		2.78									2.27
C0041374	Core	5.07		2.70									2.01
C0041375	Core	3.27		2.68									1.28
C0041376	Core	4.47		2.68									3.59
C0041377	Core	4.85		2.78									2.60
C0041378	Core	6.30		2.70									0.48
C0041379	Core	4.18		2.66									0.22
C0041380	Core	3.83		2.50									0.10
C0041381	Core	3.84		2.66									0.13
C0041382	Core	3.68		2.72									0.52
C0041383	Core	3.85		2.80									0.78
C0041384	Core	3.46		2.48									0.20
C0041385	Core	4.42		2.94									1.46
C0041386	Core	4.85		2.52									0.51
C0041387	Core	4.09		2.94									13.20
C0041388	Core	4.34		2.70									1.44
C0041389	Core	5.18		2.83									1.43
C0041390	Pulp	0.12		2.70		9.8							1.40
C0041391	Core	4.22		2.88									1.09
C0041392	Core	5.20		2.66									6.72
C0041393	Core	4.26		2.75									3.32
C0041394	Core	4.26		2.75									1.33
C0041395	Core	4.87		2.61									0.86

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0041396	Core	4.50		2.83									0.75
C0041397	Core	4.29		2.78									0.19
C0041398	Core	4.53		2.75									0.19
C0041399	Core	5.25		2.78									0.19
C0041400	Core	3.27		2.66									0.11
C0041401	Core	4.55		2.73									0.43
C0041402	Core	3.79		2.80									0.25
C0041403	Core	4.18		2.53									0.43
C0041404	Core	3.74		2.78									1.43
C0041405	Core	4.04		2.70									1.07
C0041406	Core	4.37		2.70									0.09
C0041406PD	QC-PD	--		2.70									0.10
C0041407	Core	4.45		2.73									<0.05
C0041408	Core	4.91		2.81									<0.05
C0041409	Core	3.73		2.63									<0.05
C0041410	Pulp	0.12		2.78									0.43
C0041411	Core	3.94		2.70									<0.05
C0041412	Core	3.84		2.66									<0.05
C0041413	Core	4.41		2.78									<0.05
C0041414	Core	4.06		2.73									0.87
C0041415	Core	5.98		2.63									9.57
C0041416	Core	5.15		2.94									16.60
C0041417	Core	4.06		2.86	2.79								3.24
C0041418	Core	5.28		2.86	1.73								11.12
C0041419	Core	6.16		2.86									2.19

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041420	Core	5.42		2.91									2.07
C0041421	Core	5.79		2.78									0.88
C0041422	Core	3.55		2.78									0.20
C0041423	Core	5.22		2.63									0.08
C0041424	Core	6.35		2.33									0.10
C0041425	Core	7.84		2.66									0.25
C0041426	Core	10.40		2.61									0.22
C0041427	Core	10.32		2.56									0.07
C0041428	Core	9.85		2.75									0.09
C0041429	Core	9.93		2.78									0.07
C0041430	Pulp	0.12		3.37				162		1.253	1.51	9.16	>100
C0041431	Core	9.68		2.68									0.21
C0041432	Core	7.73		2.73									1.59
C0041433	Core	8.91		2.78									0.11
C0041434	Core	9.61		2.59									0.17
C0041435	Core	9.01		2.89									0.17
C0041436	Core	7.95		2.76									0.31
C0041437	Core	8.20		2.75									0.71
C0041438	Core	9.42		2.81									2.43
C0041439	Core	3.74		2.73									0.13
C0041440	Core	4.97		2.83									0.12
C0041441	Core	3.67		2.61									0.09
C0041442	Core	4.49		2.59									0.08
C0041443	Core	3.09		2.78									0.11
C0041444	Core	9.95		2.75									0.41

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01			0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0041445	Core	8.75		2.68									0.07
C0041446	Core	10.95		2.77									0.07
C0041447	Core	11.47		2.68									0.11
C0041448	Core	6.52		2.73									0.08
C0041448PD	QC-PD	--		2.73									0.08
C0041449	Core	7.54		3.00									0.14
C0041450	Pulp	0.12		2.68	3.76								53.07
C0041451	Core	7.81		2.86									0.12
C0041452	Core	8.39		2.54									0.09
C0041453	Core	5.47		2.75									0.10
C0041454	Core	5.87		2.88									3.47
C0041455	Core	5.81		2.75									0.83
C0041456	Core	5.69		2.70									0.20
C0041457	Core	5.62		2.88									0.45
C0041458	Core	3.44		3.06									1.23
C0041459	Core	5.39		2.63									0.86
C0041460	Core	6.66		2.86									0.81
C0041461	Core	3.92		2.63									0.35
C0041462	Core	5.63		2.83									0.34
C0041463	Core	4.54		2.91									0.63
C0041464	Core	6.09		2.86									0.62
C0041465	Core	3.71		2.78									0.92
C0041466	Core	4.38		2.78									1.42
C0041467	Core	4.88		2.86									7.81
C0041468	Core	5.64		2.78									7.25

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01			0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0041469	Core	6.65		2.86									2.20
C0041470	Pulp	0.12		2.70		9.2							1.43
C0041471	Core	5.77		3.00									3.65
C0041472	Core	5.13		2.78									2.15
C0041473	Core	5.32		2.91									0.88
C0041474	Core	4.67		2.81									0.10
C0041475	Core	5.40		2.86									0.09
C0041476	Core	4.09		2.89									0.09
C0041477	Core	4.26		2.83									0.07
C0041478	Core	4.33		2.86									0.07
C0041479	Core	2.87		2.91									0.05
C0041480	Core	3.75		2.83									0.07
C0041481	Core	5.20		2.86									0.08
C0041482	Core	5.12		2.78									0.06
C0041483	Core	4.28		2.73									0.40
C0041484	Pulp	0.12		2.75									0.39
C0041485	Core	3.30		2.35									28.44
C0041486	Core	3.31		2.63									0.20
C0041487	Core	2.51		2.44									0.32
C0041488	Core	2.64		2.59									0.22
C0041489	Core	3.92		2.86									0.10
C0041490	Core	3.88		2.66									0.26
C0041491	Core	3.86		2.56									0.14
C0041492	Core	3.05		2.50									0.11
C0041493	Core	3.40		2.68									0.14

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm
		0.01	LOR		0.01	0.9	50	1	0.005	0.001	0.01	0.01	0.05
C0041494	Core	3.33		2.65									1.23
C0041495	Pulp	0.12		3.33				162		1.253	1.52	9.21	>100
C0041496	Core	2.41		2.70	4.34								5.08
C0041497	Core	3.11		2.78									2.40
C0041498	Core	3.67		2.63									0.13
C0041499	Core	3.83		2.63									0.10
C0041500	Core	3.15		2.78									0.17
C0041500PD	QC-PD	--		2.78									0.17
C0041501	Core	3.96		2.78									0.30
C0041502	Core	3.53		2.63									1.12
C0041503	Core	3.64		2.59									0.40
C0041504	Core	4.43		2.86									0.10
C0041505	Core	4.17		2.73									0.39
C0041506	Core	3.94		2.70									3.68
C0041507	Core	4.50		2.86									1.44
C0041508	Core	3.23		2.59									2.38
C0041509	Core	3.30		2.68									3.20
C0041510	Core	4.78		2.68	3.84			108					>100
C0041511	Core	3.64		2.70									2.67
C0041512	Core	4.33		2.70									3.06
C0041513	Core	3.51		2.61									9.48
C0041514	Core	3.28		2.66									5.58
C0041515	Pulp	0.12		2.86	3.78								51.17
C0041516	Core	2.75		2.94	2.43			356			10.71		>100
C0041517	Core	3.27		2.59	3.76			159			1.30		>100

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041518	Core	3.57		2.73								4.09	0.69
C0041519	Core	2.99		2.63									0.54
C0041520	Core	2.35		2.78									0.60
C0041521	Core	3.97		2.33									0.18
C0041522	Core	4.88		2.40									0.14
C0041523	Core	4.56		2.73									0.11
C0041524	Core	3.38		2.78									0.06
C0041525	Core	3.83		2.73									0.10
C0041526	Core	3.94		2.78									0.09
C0041527	Core	3.93		2.59									0.10
C0041528	Core	4.28		2.66									0.11
C0041529	Core	3.93		2.40									0.21
C0041530	Core	3.44		2.44									0.39
C0041531	Core	3.61		2.59									3.01
C0041532	Core	7.51		2.44									0.60
C0041533	Core	6.93		2.53									1.56
C0041534	Core	8.13		2.83									0.12
C0041535	Pulp	0.12		2.66									0.40
C0041536	Core	7.03		2.78									0.21
C0041536PD	QC-PD	--		2.94									0.16
C0041537	Core	8.08		2.86									0.16
C0041538	Core	7.43		2.78									0.07
C0041539	Core	7.98		2.86									0.07
C0041540	Core	8.47		2.70									0.33
C0041541	Core	9.55		2.59									0.16

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
C0041542	Core	5.57		2.63									0.84
C0041543	Core	6.90		2.70									0.75
C0041544	Core	6.69		2.66	3.10			218					>100
C0041545	Core	6.34		2.91		19.7	968	>1000	1.766		1.89		>100
C0041546	Core	6.95		2.56									41.54
C0041547	Core	2.82		2.89									5.40
C0041548	Core	3.03		2.78	0.97								25.49
DUP C0041352													0.41
DUP C0041396													0.74
DUP C0041437													0.69
DUP C0041479													0.06
DUP C0041493													0.19
DUP C0041383				2.73									
DUP C0041405				2.86									
DUP C0041464				2.81									
DUP C0041469				2.91									
DUP C0041533				2.63									
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													<0.05
STD BLANK													<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05
STD BLANK													
STD BLANK					<0.01			<1	<0.005	<0.001	<0.01	<0.01	
STD BLANK						<0.9							
STD BLANK							<50						
STD OREAS 600b													25.87
STD OREAS 25a													<0.05
STD OREAS 600b													26.40
STD OREAS 25a													<0.05
STD OREAS 600b													25.70
STD OREAS 904				2.81									
STD OREAS 904				2.78									
STD OREAS 904				2.80									
STD OREAS 904				2.83									
STD OREAS 904				2.78									
STD MP-1b									2.387	3.057	2.18	17.27	
STD CDN-ME-1407								243					
STD OxK160					3.64								
STD OxQ115						25.9							
STD CDN-ME-1805							2266						

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
Granite Blank	1.11	1.2	<0.001	<10	104	<0.05	0.65	<0.05	3.7	31	4.2	1.88	3.8
Granite Blank	0.96	0.9	<0.001	<10	84	<0.05	0.62	<0.05	3.3	30	2.7	1.83	3.6
C0041349	0.58	195.3	<0.001	<10	183	0.13	0.20	26.27	7.3	24	22.7	1.15	1.1
C0041350	0.33	1077.7	0.289	30	18	55.58	1.74	485.13	30.6	16	>10000	18.11	7.8
C0041351	0.42	102.2	0.004	<10	98	0.17	0.88	34.71	5.2	28	19.0	1.24	0.9
C0041352	0.44	305.6	0.201	<10	166	<0.05	0.52	28.96	5.5	31	19.0	1.24	0.8
C0041353	0.54	644.4	0.013	<10	159	0.06	0.18	41.76	7.8	29	63.3	1.49	0.8
C0041354	0.62	1048.5	0.211	11	184	0.49	0.16	49.28	10.7	40	126.7	2.57	0.9
C0041355	0.40	5444.3	4.298	<10	346	0.24	0.09	48.46	1.4	36	421.6	1.99	1.1
C0041356	0.61	1048.5	2.608	<10	978	0.41	0.14	12.25	1.3	24	206.2	2.08	2.3
C0041357	0.27	230.4	0.090	<10	135	0.18	0.06	2.50	0.4	27	8.6	1.01	1.1
C0041358	0.29	248.2	0.093	<10	229	0.50	0.05	1.17	0.4	24	20.7	1.10	1.0
C0041359	0.32	227.0	0.043	<10	119	0.99	0.07	1.17	1.3	21	14.1	1.39	0.9
C0041360	0.32	285.2	0.197	14	477	0.85	0.07	1.17	1.2	26	10.6	1.84	1.1
C0041361	1.01	566.3	0.101	17	128	0.49	0.15	3.52	22.3	22	106.4	6.10	2.2
C0041362	1.56	214.7	0.007	13	66	0.37	0.25	12.05	30.7	26	129.4	5.51	3.8
C0041363	1.71	292.5	0.004	12	216	0.29	0.38	5.93	24.6	24	76.2	6.06	6.6
C0041364	1.33	349.4	0.004	17	89	0.98	1.80	5.39	24.9	19	37.1	6.22	3.4
C0041365	0.73	316.4	0.068	18	127	1.18	0.17	26.66	17.0	18	43.9	4.85	1.9
C0041366	1.01	233.1	0.006	15	18	0.69	1.00	11.71	27.0	22	47.9	6.14	2.6
C0041366PD	1.07	234.5	0.005	14	18	0.69	1.00	11.54	27.2	22	47.3	6.13	2.8
C0041367	0.88	297.8	0.004	17	35	0.38	3.59	6.67	22.4	16	49.0	5.55	2.4
C0041368	0.93	161.6	0.008	16	18	0.43	3.45	5.53	29.3	21	63.5	5.46	2.9
C0041369	2.65	656.8	0.009	14	79	0.35	1.56	2.02	25.0	21	39.2	6.68	5.6
C0041370	1.19	30.4	3.170	13	110	0.95	0.76	14.30	8.2	27	64.4	3.57	6.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041371	0.97	407.5	0.007	20	21	0.21	3.09	51.59	41.3	12	58.3	5.60	2.3
C0041372	1.17	390.6	0.080	38	108	0.19	1.71	81.66	51.7	11	89.9	6.50	1.5
C0041373	0.40	797.4	0.184	15	117	0.31	0.16	11.42	7.1	9	24.8	4.73	1.1
C0041374	0.30	278.5	0.193	<10	116	0.36	0.07	6.55	0.7	20	3.6	1.17	0.8
C0041375	0.37	599.6	0.050	13	78	0.59	0.11	2.29	7.3	15	16.8	4.20	0.9
C0041376	0.32	477.2	0.091	13	86	3.71	0.11	1.48	3.5	20	6.0	2.78	0.9
C0041377	0.45	455.3	0.036	23	65	2.23	1.39	4.95	19.2	15	64.7	5.88	1.0
C0041378	0.64	78.7	0.003	19	22	1.10	3.39	3.90	16.4	21	52.3	5.29	1.5
C0041379	1.28	132.2	0.004	15	57	0.53	3.44	3.31	25.9	19	191.8	6.05	4.4
C0041380	1.97	127.6	0.003	11	128	0.68	2.01	1.44	20.2	27	62.9	5.03	5.5
C0041381	1.77	59.2	0.004	14	143	2.02	2.71	1.02	24.1	29	70.1	5.76	5.9
C0041382	1.43	89.2	0.007	15	24	1.51	3.75	2.57	19.8	17	75.9	5.06	3.7
C0041383	0.86	117.5	0.013	15	59	0.74	3.92	1.70	19.6	17	70.5	3.79	2.1
C0041384	3.72	32.4	0.004	14	158	1.36	1.97	0.29	34.8	17	101.1	7.65	9.2
C0041385	0.59	44.3	0.012	20	58	1.18	4.34	2.28	26.3	16	64.2	5.37	1.3
C0041386	1.48	39.0	0.003	13	39	0.46	3.19	0.77	22.3	11	70.8	4.20	4.3
C0041387	0.46	329.9	0.396	21	47	1.90	1.44	69.98	38.3	22	166.2	8.39	1.2
C0041388	0.47	167.9	0.052	13	66	0.23	1.00	7.76	7.3	21	16.0	2.79	1.1
C0041389	0.52	1780.2	0.132	16	62	0.52	0.78	0.82	19.4	21	8.3	5.08	1.0
C0041390	1.65	34.8	8.562	16	128	1.34	0.86	0.25	13.1	41	778.5	5.05	5.7
C0041391	0.45	2215.3	0.153	18	55	0.69	0.57	0.25	18.8	19	27.1	5.92	1.0
C0041392	0.50	3412.1	0.146	21	54	3.10	2.05	11.34	26.7	15	130.2	7.49	1.0
C0041393	0.51	1191.2	0.076	24	56	2.82	1.80	7.58	26.2	18	93.4	7.59	1.2
C0041394	0.70	553.3	0.051	24	78	1.04	1.39	7.17	25.5	15	66.9	6.55	1.8
C0041395	0.69	216.0	0.016	17	105	0.99	2.38	12.55	19.1	18	25.1	4.29	1.6

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041396	1.61	214.9	0.009	17	123	1.63	2.11	20.10	22.6	13	76.7	5.77	5.0
C0041397	2.59	220.1	0.004	<10	147	0.51	0.80	6.03	20.2	17	47.8	5.12	7.7
C0041398	2.10	62.2	0.006	12	65	1.93	1.19	4.43	16.1	25	108.9	4.23	6.5
C0041399	2.05	85.3	0.016	14	44	3.09	0.64	6.07	21.0	22	39.4	6.69	10.0
C0041400	2.96	400.2	0.010	14	113	1.81	0.52	4.44	13.3	41	23.8	6.26	10.0
C0041401	1.27	2276.6	0.015	15	145	0.77	0.69	15.58	11.6	19	26.0	4.01	3.1
C0041402	0.62	122.9	0.004	12	49	0.46	1.33	16.25	4.6	25	11.8	2.37	1.3
C0041403	0.52	101.3	0.013	13	55	0.35	1.70	10.20	2.4	37	8.5	2.10	1.1
C0041404	0.44	428.2	0.082	13	71	0.50	0.60	11.65	3.7	38	6.8	2.82	1.0
C0041405	0.45	421.2	0.059	12	52	0.31	1.26	11.63	2.4	33	8.3	2.33	0.8
C0041406	0.67	58.8	0.003	<10	36	0.44	0.85	14.03	2.9	32	4.9	1.73	1.5
C0041406PD	0.78	71.5	0.002	<10	43	0.50	0.94	14.61	3.5	40	5.1	2.06	1.7
C0041407	1.19	14.8	0.002	<10	168	0.64	0.89	3.14	4.7	41	3.5	2.52	4.2
C0041408	0.98	30.0	0.002	<10	161	0.61	0.77	3.94	6.3	51	3.0	2.52	3.8
C0041409	1.23	25.4	0.001	<10	154	0.59	0.39	6.45	3.1	30	3.7	2.25	6.0
C0041410	0.39	455.3	0.243	13	1091	0.19	1.11	0.44	4.0	43	43.6	4.00	1.8
C0041411	1.04	16.3	0.002	<10	139	0.94	0.69	7.70	5.0	26	4.3	2.69	4.8
C0041412	1.42	39.0	0.002	10	116	0.53	0.90	15.83	6.1	23	7.6	3.30	5.3
C0041413	0.97	46.2	0.002	<10	72	0.84	0.96	22.82	4.0	24	11.9	2.71	2.4
C0041414	0.64	257.3	0.093	11	93	0.62	0.31	12.03	2.8	26	15.5	2.85	0.9
C0041415	0.68	966.5	0.221	17	56	6.39	0.40	9.72	18.8	17	57.3	6.15	2.8
C0041416	0.67	1931.9	0.512	22	52	12.62	0.58	10.85	25.7	20	93.3	8.20	3.7
C0041417	0.62	3793.0	3.089	20	38	1.98	3.51	2.38	21.6	20	31.7	5.76	2.1
C0041418	0.73	4318.5	1.836	23	25	0.33	4.96	0.33	30.7	19	49.6	6.55	3.6
C0041419	0.64	1097.0	0.744	23	58	0.25	4.78	3.12	19.4	20	21.9	4.99	3.4

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041420	0.59	653.1	0.424	21	52	0.30	4.24	3.99	18.3	17	19.2	5.40	3.1
C0041421	0.53	111.9	0.045	17	46	0.50	2.72	12.06	9.9	25	4.5	3.25	2.4
C0041422	1.06	7.5	0.007	13	45	1.37	2.06	1.23	24.4	26	34.3	4.27	3.4
C0041423	3.91	6.6	0.005	14	106	0.46	2.29	0.11	29.2	36	28.0	7.12	10.5
C0041424	3.13	6.4	0.005	13	73	0.36	2.80	0.17	22.5	26	30.1	5.42	8.1
C0041425	2.67	7.7	0.009	13	183	0.18	2.32	0.30	22.9	41	87.8	4.94	8.1
C0041426	2.56	6.0	0.008	14	396	0.23	2.37	0.20	23.6	24	130.1	6.48	9.5
C0041427	2.77	9.0	0.005	12	269	0.21	2.82	0.13	26.3	20	79.8	5.62	9.6
C0041428	2.61	5.7	0.006	13	271	0.28	2.12	0.11	24.3	27	59.2	5.66	9.1
C0041429	2.06	11.9	0.007	15	64	0.82	2.45	0.14	26.0	25	44.0	6.45	8.6
C0041430	0.36	1116.0	0.241	32	15	56.86	1.74	495.97	29.5	17	>10000	18.29	8.5
C0041431	2.04	27.0	0.013	15	41	1.09	2.80	0.34	28.3	18	79.0	5.58	6.4
C0041432	2.30	76.6	0.027	19	99	0.84	2.90	1.45	17.4	28	44.2	5.58	6.4
C0041433	2.57	13.2	0.006	14	131	1.38	2.86	0.10	26.4	48	39.0	5.79	10.2
C0041434	2.30	7.8	0.004	15	142	0.77	2.45	0.19	26.7	20	96.9	6.10	8.1
C0041435	2.31	3.1	0.006	13	233	0.73	1.52	0.11	17.9	23	92.9	5.22	9.2
C0041436	1.82	4.6	0.005	13	139	1.66	1.73	0.08	10.9	23	56.2	3.27	6.0
C0041437	2.89	139.3	0.030	20	136	0.51	2.00	1.35	26.5	12	134.5	7.10	9.1
C0041438	2.17	2064.3	0.309	18	77	0.85	3.21	14.88	20.4	16	47.7	6.60	5.6
C0041439	2.62	4.4	0.004	14	117	0.28	3.43	0.11	19.4	23	53.6	6.02	8.3
C0041440	0.76	7.0	0.003	12	15	0.27	3.08	0.13	17.3	16	45.6	4.98	2.5
C0041441	2.27	4.0	0.004	13	222	0.45	1.68	0.11	22.2	19	45.0	6.05	9.0
C0041442	2.28	4.5	0.005	16	147	0.74	2.14	0.08	21.4	14	32.4	5.02	7.8
C0041443	1.10	3.4	0.005	11	17	0.57	2.09	0.06	12.0	9	14.7	2.97	3.1
C0041444	1.57	4.7	0.002	13	66	0.39	3.36	0.06	10.6	15	3.8	2.68	4.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041445	2.79	4.2	0.004	14	54	0.42	2.50	0.06	18.6	22	28.1	5.51	9.5
C0041446	1.91	3.8	0.002	13	132	0.39	1.62	0.05	19.3	27	39.1	5.11	8.2
C0041447	1.92	4.8	0.003	14	104	0.55	1.65	0.07	21.2	42	38.4	5.37	8.3
C0041448	1.95	3.2	0.002	13	230	0.37	1.26	0.08	23.9	25	69.2	5.06	8.3
C0041448PD	1.91	2.9	0.002	11	216	0.37	1.24	0.07	23.2	24	68.6	4.99	8.1
C0041449	1.88	1.7	0.003	11	209	0.41	1.10	0.07	24.1	25	83.8	5.20	7.6
C0041450	1.23	29.1	2.841	10	105	0.97	0.76	14.35	8.2	26	67.9	3.59	6.4
C0041451	2.20	1.2	0.004	10	357	0.39	0.93	<0.05	20.4	27	51.0	5.40	8.5
C0041452	2.99	3.7	0.003	<10	312	0.37	1.87	0.08	20.8	24	61.1	5.65	8.5
C0041453	2.54	13.1	0.001	14	97	0.24	2.37	<0.05	22.2	35	34.2	6.24	6.9
C0041454	0.52	321.4	0.008	13	44	0.82	2.84	31.86	18.1	20	602.9	5.42	1.4
C0041455	0.54	144.5	0.006	11	73	0.71	1.85	1.08	20.6	12	68.3	5.90	1.3
C0041456	2.46	14.1	0.005	14	108	0.72	1.78	0.15	24.8	6	90.6	7.51	8.4
C0041457	0.71	30.7	0.010	12	30	0.63	2.86	0.65	24.6	12	134.6	7.01	2.0
C0041458	0.48	142.9	0.012	13	53	0.67	2.06	2.48	21.9	20	208.0	6.49	1.1
C0041459	0.47	144.7	0.009	13	49	0.51	2.65	2.38	13.8	12	104.9	6.40	1.2
C0041460	0.65	30.5	0.005	10	80	0.57	1.88	0.60	10.3	16	136.4	4.99	1.7
C0041461	1.00	6.4	0.005	<10	26	1.09	0.75	0.15	11.6	9	221.9	5.51	3.4
C0041462	0.92	12.0	0.007	<10	16	1.56	2.06	0.14	15.9	11	226.0	6.72	3.4
C0041463	0.68	46.3	0.007	11	25	0.73	2.83	1.04	16.7	24	147.6	4.96	1.6
C0041464	0.64	55.2	0.009	10	30	0.45	2.59	0.70	19.5	14	94.0	5.40	1.5
C0041465	0.59	51.2	0.013	12	32	0.40	3.72	0.47	20.5	11	90.6	5.69	1.6
C0041466	0.53	98.3	0.049	11	48	0.39	3.81	1.01	21.4	11	89.2	5.41	1.3
C0041467	0.49	578.1	0.126	13	35	0.81	3.60	31.10	25.1	11	220.7	6.40	1.2
C0041468	0.44	1303.2	0.383	11	42	0.39	2.14	34.47	16.2	18	58.5	5.11	1.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041469	0.39	813.3	0.325	18	35	0.39	4.02	2.72	13.6	19	21.4	5.62	0.9
C0041470	1.54	33.0	7.705	14	116	1.33	0.81	0.23	12.7	38	770.3	4.91	5.5
C0041471	0.43	2106.1	0.344	14	49	0.47	1.49	18.33	27.1	15	56.2	7.96	1.0
C0041472	0.48	415.0	0.306	14	64	0.57	1.82	7.24	26.0	20	72.5	5.50	1.1
C0041473	0.57	113.5	0.031	15	69	0.52	2.62	0.47	21.5	14	51.3	6.42	1.5
C0041474	2.18	3.3	0.004	16	362	0.30	1.31	0.08	20.2	18	60.0	6.57	9.2
C0041475	2.39	7.2	0.007	14	244	1.07	1.32	0.05	22.6	18	25.4	7.08	10.4
C0041476	2.02	5.1	0.004	<10	146	0.59	1.52	0.22	16.7	21	35.1	5.14	7.9
C0041477	2.38	1.2	0.001	13	334	0.26	0.79	<0.05	13.8	18	37.5	5.76	9.8
C0041478	1.74	0.9	0.001	12	429	0.17	0.96	0.05	12.8	26	36.2	4.44	7.9
C0041479	1.91	0.6	0.001	<10	247	0.17	1.53	0.10	9.9	18	26.1	3.80	7.6
C0041480	2.01	1.0	0.001	11	471	0.22	1.16	0.06	13.9	19	37.1	5.19	8.5
C0041481	1.64	1.3	0.002	12	209	0.26	1.45	0.10	12.7	22	40.2	4.91	6.6
C0041482	1.99	12.7	<0.001	13	359	0.18	1.64	0.06	13.0	24	30.7	5.26	7.8
C0041483	1.55	48.7	0.008	14	143	37.62	2.72	0.09	16.9	29	22.9	6.00	6.2
C0041484	0.37	433.2	0.273	12	1130	0.19	1.05	0.36	3.7	43	38.2	3.95	1.7
C0041485	2.11	476.6	0.045	13	127	1.69	0.49	3.35	16.0	58	125.7	4.70	4.9
C0041486	2.07	169.3	0.008	12	90	0.65	1.11	0.69	13.3	46	55.3	3.84	5.5
C0041487	1.45	803.6	0.007	14	148	0.90	0.39	2.36	26.5	35	60.0	4.65	3.5
C0041488	1.63	619.2	0.010	11	108	1.16	0.91	1.78	14.8	57	69.2	4.11	4.7
C0041489	1.95	110.1	0.004	<10	88	0.33	1.74	1.24	21.7	56	34.5	3.44	5.2
C0041490	2.23	387.6	0.011	15	155	6.83	0.99	5.60	36.2	73	90.9	4.27	8.0
C0041491	2.27	462.6	0.012	13	48	12.46	0.97	3.17	24.9	68	42.7	4.09	7.5
C0041492	1.99	255.0	0.005	15	60	1.93	0.75	3.80	34.5	53	40.3	4.54	6.1
C0041493	0.58	502.8	0.005	<10	75	0.31	0.08	3.27	13.3	25	25.5	1.69	1.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041494	0.57	562.8	0.017	13	78	0.70	0.10	3.25	11.1	22	40.6	2.53	1.2
C0041495	0.32	1022.0	0.322	27	16	59.61	1.67	468.57	29.6	16	>10000	17.72	7.9
C0041496	0.33	2658.8	4.495	11	1140	1.42	0.07	3.76	5.7	33	47.2	3.20	0.8
C0041497	0.56	2044.8	0.096	15	131	1.19	0.10	5.52	15.7	25	64.9	4.94	1.1
C0041498	0.96	679.6	0.013	12	166	0.36	0.09	8.66	40.5	21	83.4	3.71	1.8
C0041499	0.65	322.5	0.005	<10	175	0.96	0.07	2.33	10.3	23	41.2	2.80	1.4
C0041500	0.68	267.0	0.007	<10	109	0.60	0.05	1.46	5.6	24	75.2	3.39	1.6
C0041500PD	0.66	274.2	0.007	<10	107	0.54	0.05	1.43	5.6	20	76.7	3.42	1.4
C0041501	0.39	369.0	0.166	<10	285	1.05	0.04	1.79	3.4	31	30.1	2.82	1.2
C0041502	0.51	672.1	0.123	14	336	0.48	0.08	1.94	5.3	26	40.2	4.60	1.5
C0041503	2.12	330.9	0.027	14	166	1.90	0.72	1.60	9.0	35	59.5	4.59	5.2
C0041504	2.34	268.7	0.005	13	53	1.75	1.37	2.77	12.5	65	40.0	4.63	6.6
C0041505	2.52	613.1	0.007	14	67	5.35	0.93	4.55	9.6	64	56.0	6.06	9.9
C0041506	2.81	1050.0	0.009	18	107	3.57	0.70	7.36	8.1	80	52.6	6.86	11.5
C0041507	2.75	848.1	0.008	14	201	0.58	1.06	6.68	9.0	85	67.2	4.93	8.3
C0041508	1.31	1130.6	0.033	10	118	0.77	0.26	10.34	3.0	36	59.4	3.13	3.1
C0041509	0.47	1184.0	0.486	11	270	0.71	0.12	10.48	1.0	29	40.2	2.57	1.3
C0041510	0.33	6058.3	3.800	15	338	0.45	0.08	11.58	0.3	29	75.6	2.57	1.3
C0041511	0.37	379.8	0.118	12	464	0.28	0.07	0.90	0.3	27	26.2	1.39	1.6
C0041512	0.38	240.5	0.082	12	378	0.22	0.07	0.95	0.4	28	36.6	1.62	1.8
C0041513	0.30	726.1	0.618	10	237	0.24	0.06	1.14	0.4	37	34.3	1.32	1.2
C0041514	0.34	598.9	0.844	19	220	0.23	0.13	1.12	0.4	31	24.9	3.56	1.6
C0041515	1.31	29.7	3.105	14	117	1.01	0.80	14.91	8.0	28	64.1	3.66	6.1
C0041516	0.35	2775.0	2.534	12	145	1.86	0.07	32.60	0.3	37	776.2	2.72	1.8
C0041517	1.27	5993.1	4.051	15	146	0.60	0.18	34.25	5.2	18	588.5	6.61	2.4

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041518	1.04	3055.8	0.037	26	56	0.25	0.28	392.31	76.4	17	876.1	7.84	2.7
C0041519	1.50	2840.9	0.019	14	22	0.27	0.16	17.20	20.0	20	481.9	6.45	2.7
C0041520	0.99	1011.7	0.021	15	14	0.68	0.92	10.66	26.5	15	108.7	5.17	2.2
C0041521	3.26	1757.1	0.008	17	200	0.18	1.77	4.29	24.4	12	79.9	7.00	9.3
C0041522	3.20	1508.5	0.050	14	319	0.22	1.24	2.27	28.6	20	52.6	6.46	10.4
C0041523	1.87	342.6	0.181	13	121	0.50	1.42	0.33	27.8	27	67.4	4.13	7.0
C0041524	1.94	227.9	0.066	11	240	0.22	1.70	0.37	18.5	38	45.0	3.90	7.2
C0041525	2.63	60.1	0.113	13	259	0.45	1.56	0.22	21.9	17	66.6	5.00	9.0
C0041526	1.87	208.1	0.010	11	309	0.18	1.45	0.16	14.6	24	41.2	4.00	7.2
C0041527	2.83	26.2	0.004	14	273	0.13	1.57	0.18	17.1	23	43.4	4.24	9.0
C0041528	2.84	5.6	0.005	13	286	0.18	2.76	0.08	16.8	19	46.9	4.51	8.4
C0041529	1.85	10.9	0.005	14	125	0.39	4.55	0.19	20.6	14	58.2	4.40	5.9
C0041530	1.86	13.9	0.007	13	72	0.54	5.19	0.98	29.6	25	53.5	4.96	5.4
C0041531	1.44	15.9	0.015	11	71	0.58	2.90	13.87	18.3	19	63.9	3.92	4.0
C0041532	3.72	7.1	0.007	14	262	0.19	2.83	3.29	22.9	26	70.7	5.93	11.1
C0041533	2.82	11.4	0.010	15	108	0.65	2.12	6.42	21.0	17	57.5	5.61	7.4
C0041534	2.78	5.5	0.006	15	166	0.29	1.52	0.21	17.7	30	65.5	5.19	9.4
C0041535	0.44	471.9	0.280	12	1291	0.19	1.04	0.38	3.7	45	39.6	3.99	2.0
C0041536	1.87	29.0	0.005	16	58	0.44	1.57	0.09	14.1	22	23.2	5.02	7.4
C0041536PD	2.23	21.1	0.006	15	62	0.48	1.50	0.10	16.4	23	29.2	5.63	9.2
C0041537	2.29	30.8	0.010	17	128	0.41	1.49	0.33	19.6	17	57.0	6.38	9.9
C0041538	2.33	123.5	0.004	15	179	0.41	1.05	1.68	17.3	24	41.9	5.50	8.9
C0041539	2.29	283.4	0.006	14	134	0.50	1.32	3.94	16.7	18	26.9	5.32	8.6
C0041540	2.31	349.7	0.007	14	194	0.43	1.39	4.03	16.8	19	44.7	4.89	7.2
C0041541	2.21	578.3	0.008	13	202	0.25	0.59	7.16	12.6	19	35.0	5.04	8.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
C0041542	0.94	873.9	0.034	12	96	0.51	0.49	44.93	10.4	18	58.2	4.33	2.6
C0041543	0.52	995.9	0.024	<10	133	0.27	0.15	15.56	2.9	27	64.6	2.52	1.4
C0041544	0.34	3790.5	3.630	11	115	0.36	0.08	7.57	0.4	31	438.9	2.03	1.9
C0041545	0.30	>10000	22.185	15	119	0.43	0.15	122.46	0.4	34	2172.9	3.20	2.2
C0041546	0.21	578.6	0.702	12	198	4.05	0.06	3.94	0.6	35	34.9	1.93	2.0
C0041547	0.27	310.8	0.279	12	174	0.40	0.05	1.12	0.6	27	14.9	1.35	1.5
C0041548	0.27	590.7	1.011	16	307	0.42	0.04	3.77	0.4	28	32.8	1.95	1.7
DUP C0041352	0.43	303.8	0.202	<10	165	<0.05	0.52	28.93	5.5	31	19.0	1.24	0.8
DUP C0041396	1.55	220.4	0.009	17	115	1.61	2.17	19.70	22.5	14	76.6	5.80	4.8
DUP C0041437	2.88	138.8	0.030	18	130	0.49	2.00	1.32	26.3	11	135.7	7.13	9.0
DUP C0041479	1.87	0.6	0.002	<10	243	0.17	1.51	0.09	9.8	18	26.1	3.76	7.4
DUP C0041493	0.59	519.4	0.007	<10	76	0.31	0.09	3.23	13.4	25	25.6	1.72	1.3
DUP C0041383													
DUP C0041405													
DUP C0041464													
DUP C0041469													
DUP C0041533													
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1
STD BLANK	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Al %	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm
Sample ID	0.01	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1
STD BLANK													
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 600b	0.64	98.5	0.199	<10	713	5.62	0.85	1.95	2.2	27	520.3	2.08	3.4
STD OREAS 25a	5.82	2.7	0.001	15	60	0.29	0.16	<0.05	5.6	73	24.5	6.22	20.1
STD OREAS 600b	0.63	99.9	0.209	10	699	6.05	0.85	2.09	2.3	27	514.5	2.14	3.6
STD OREAS 25a	6.03	3.1	0.001	15	64	0.30	0.15	<0.05	5.6	78	24.7	6.18	21.3
STD OREAS 600b	0.64	96.5	0.197	<10	665	5.94	0.83	2.04	2.1	27	512.7	2.06	3.4
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD MP-1b													
STD CDN-ME-1407													
STD OxK160													
STD OxQ115													
STD CDN-ME-1805													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
Granite Blank	0.02	0.18	6.2	0.46	475	5.74	0.25	2.6	388	1.2	<0.005	0.02	0.09
Granite Blank	0.01	0.15	6.0	0.41	431	5.40	0.20	2.0	389	1.1	<0.005	<0.01	0.06
C0041349	0.01	0.19	9.8	0.09	1742	3.87	0.02	3.7	152	35.6	<0.005	0.08	38.59
C0041350	17.90	0.07	1.4	0.79	348	35.45	<0.01	59.1	349	>10000	0.027	>10	240.57
C0041351	<0.01	0.21	8.9	0.38	1575	11.37	0.01	3.2	164	55.5	<0.005	0.20	16.08
C0041352	0.02	0.26	9.5	0.26	1646	7.42	0.02	3.7	154	139.3	<0.005	0.05	42.45
C0041353	0.02	0.28	10.5	0.09	1665	6.51	0.02	6.9	212	124.3	<0.005	0.15	83.51
C0041354	0.05	0.27	10.8	0.05	1341	5.29	0.02	17.4	496	146.9	<0.005	0.53	152.61
C0041355	0.67	0.26	5.4	0.04	210	6.19	0.03	3.1	191	4729.7	<0.005	0.64	2035.52
C0041356	0.22	0.22	8.6	0.09	116	4.72	0.06	2.6	354	1433.0	<0.005	0.17	126.98
C0041357	0.08	0.21	11.4	0.03	50	5.06	0.02	1.8	50	105.1	<0.005	0.12	22.34
C0041358	0.24	0.26	4.5	0.03	40	4.36	0.02	1.6	77	870.5	<0.005	0.24	22.84
C0041359	0.15	0.24	4.7	0.04	58	4.12	0.01	3.0	120	535.2	<0.005	0.15	29.84
C0041360	0.18	0.21	5.5	0.04	80	4.70	0.05	3.3	82	854.0	<0.005	0.11	29.29
C0041361	0.19	0.26	7.6	0.09	538	3.02	0.02	24.5	488	132.5	<0.005	0.07	39.79
C0041362	0.08	0.20	12.0	0.25	2407	3.04	<0.01	25.9	753	21.2	<0.005	0.34	12.36
C0041363	0.16	0.74	10.5	0.82	1940	2.57	0.03	18.7	875	11.1	<0.005	0.38	29.31
C0041364	0.14	0.28	10.6	0.75	2425	2.88	0.01	18.2	868	43.4	<0.005	1.03	44.63
C0041365	0.18	0.21	8.5	0.09	3222	4.55	0.02	10.9	500	52.3	<0.005	0.44	42.72
C0041366	0.15	0.09	9.2	0.49	4170	2.54	<0.01	18.4	930	23.6	<0.005	1.01	26.08
C0041366PD	0.15	0.09	9.4	0.48	4114	2.37	<0.01	18.3	927	23.8	<0.005	1.01	26.12
C0041367	0.12	0.18	6.5	1.31	3381	2.16	<0.01	16.2	856	23.7	<0.005	0.97	32.30
C0041368	0.18	0.13	7.1	1.25	3471	1.15	<0.01	21.8	858	20.9	<0.005	0.52	17.60
C0041369	0.10	0.16	4.9	0.93	905	1.54	0.01	29.6	662	21.8	<0.005	0.75	18.31
C0041370	0.19	0.11	5.2	0.61	394	9.94	0.10	30.1	520	462.9	<0.005	0.37	52.74

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041371	0.15	0.22	6.0	1.07	7856	1.52	<0.01	25.7	826	45.5	<0.005	0.79	27.24
C0041372	0.11	0.58	3.8	0.61	13072	2.03	0.02	27.2	807	171.5	<0.005	1.19	38.53
C0041373	0.07	0.36	2.7	0.06	159	1.46	0.02	8.9	520	137.7	<0.005	0.42	37.18
C0041374	0.09	0.25	7.5	0.03	65	3.44	0.02	1.4	88	191.8	<0.005	0.25	16.03
C0041375	0.06	0.24	7.4	0.05	222	2.63	0.01	6.4	391	60.6	<0.005	0.13	27.11
C0041376	0.09	0.28	5.2	0.04	99	3.76	0.01	4.3	282	127.2	<0.005	0.27	19.30
C0041377	0.06	0.31	3.5	0.65	5473	2.52	0.01	12.3	691	109.8	<0.005	0.66	18.52
C0041378	0.06	0.25	6.1	1.52	4452	3.36	<0.01	11.2	487	30.8	<0.005	0.44	13.07
C0041379	0.06	0.23	6.7	1.36	2430	2.20	0.01	17.0	706	46.0	<0.005	0.85	10.74
C0041380	0.03	0.32	6.5	1.20	1178	4.29	0.04	15.9	629	38.0	<0.005	0.66	6.39
C0041381	<0.01	0.34	7.0	1.92	1657	2.30	0.11	20.1	643	5.6	<0.005	0.55	3.36
C0041382	<0.01	0.14	5.0	1.58	2216	2.48	0.01	10.2	707	14.6	<0.005	1.04	9.16
C0041383	0.02	0.33	4.5	1.35	2358	3.52	0.01	11.6	736	18.7	<0.005	0.76	14.24
C0041384	<0.01	0.49	5.2	1.36	1291	1.58	0.02	22.5	797	15.0	<0.005	1.21	7.54
C0041385	0.02	0.32	3.8	1.49	4910	3.32	0.01	15.6	707	91.0	<0.005	1.90	9.68
C0041386	0.02	0.25	6.2	1.09	2520	2.63	0.01	14.1	654	28.1	<0.005	0.81	11.49
C0041387	0.09	0.26	1.8	0.76	4167	7.14	0.01	12.8	512	3106.1	<0.005	6.36	23.24
C0041388	0.04	0.29	2.2	0.42	2054	3.98	0.01	4.6	614	286.0	<0.005	1.47	5.21
C0041389	0.07	0.30	2.1	0.40	1776	3.95	0.02	4.1	1152	38.8	<0.005	3.78	14.04
C0041390	0.42	0.29	7.6	0.81	559	33.12	0.13	55.6	704	30.7	0.048	0.63	8.34
C0041391	0.04	0.28	2.0	0.62	2788	3.37	0.01	5.4	545	56.8	<0.005	3.05	10.49
C0041392	0.07	0.28	2.3	1.12	5427	3.15	0.01	4.5	762	1139.8	<0.005	2.82	18.38
C0041393	0.02	0.29	3.4	0.97	4776	3.70	0.01	5.2	658	155.9	<0.005	3.55	7.93
C0041394	0.02	0.37	4.2	0.59	4424	2.61	0.02	6.0	844	60.0	<0.005	3.33	5.98
C0041395	0.02	0.37	4.9	0.66	2758	3.63	0.02	3.6	791	40.5	<0.005	3.08	6.40

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041396	0.01	0.46	7.5	0.99	2527	2.80	0.02	5.3	607	25.2	<0.005	2.66	9.67
C0041397	<0.01	0.51	3.9	0.93	962	5.05	0.04	8.7	699	7.4	0.006	0.74	12.00
C0041398	<0.01	0.25	3.1	0.63	706	12.48	0.11	4.1	730	3.0	0.010	1.95	4.49
C0041399	<0.01	0.38	6.5	1.48	689	4.89	0.14	4.3	864	2.9	<0.005	5.43	4.20
C0041400	<0.01	0.40	5.3	1.35	397	2.55	0.06	8.3	853	4.6	<0.005	2.72	12.96
C0041401	0.03	0.28	9.3	0.33	1480	3.79	0.02	3.8	711	17.7	<0.005	1.78	20.52
C0041402	0.01	0.25	8.6	0.42	1314	4.80	<0.01	3.0	321	15.1	<0.005	1.49	9.28
C0041403	<0.01	0.29	9.4	0.54	1994	6.88	0.01	3.3	193	30.9	<0.005	1.30	7.30
C0041404	0.03	0.27	5.7	0.18	1128	7.17	0.01	5.0	241	130.8	<0.005	2.41	9.15
C0041405	0.02	0.23	4.5	0.39	1797	6.34	<0.01	3.4	188	131.7	<0.005	2.01	6.44
C0041406	<0.01	0.16	8.3	0.31	789	5.98	<0.01	4.2	144	7.3	<0.005	0.75	4.67
C0041406PD	<0.01	0.19	9.5	0.35	895	7.13	<0.01	5.0	162	8.7	<0.005	0.92	5.21
C0041407	<0.01	0.45	10.4	0.79	566	5.68	0.06	4.9	354	5.8	<0.005	1.09	1.76
C0041408	<0.01	0.23	7.8	0.70	580	4.26	0.07	7.5	316	3.9	<0.005	0.96	1.69
C0041409	<0.01	0.41	11.0	0.79	467	6.03	0.10	3.3	287	3.7	<0.005	0.58	1.10
C0041410	4.02	0.10	6.1	0.03	74	14.80	0.13	17.3	136	16.1	<0.005	0.23	25.94
C0041411	<0.01	0.29	13.1	0.65	512	5.27	0.09	2.9	702	2.6	<0.005	1.44	1.07
C0041412	<0.01	0.37	11.0	0.75	871	4.77	0.08	4.2	711	3.7	<0.005	1.24	1.95
C0041413	<0.01	0.30	9.1	0.53	526	4.34	0.05	4.0	421	5.2	<0.005	1.91	2.22
C0041414	0.03	0.23	4.3	0.13	330	6.17	0.01	4.0	311	49.1	<0.005	1.95	15.59
C0041415	0.09	0.28	3.2	0.14	390	3.37	0.01	4.2	760	234.7	<0.005	7.00	79.60
C0041416	0.14	0.33	1.9	0.19	588	4.97	0.01	9.2	705	341.4	<0.005	9.27	105.20
C0041417	0.11	0.29	2.4	1.38	4078	5.48	0.01	13.0	523	82.6	<0.005	5.30	47.35
C0041418	0.20	0.34	2.5	2.10	4285	3.61	<0.01	22.3	507	31.5	<0.005	5.86	64.18
C0041419	0.10	0.34	3.0	1.91	6434	3.23	0.01	17.8	791	29.5	<0.005	4.36	31.37

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041420	0.03	0.28	2.8	1.70	5469	4.35	0.01	9.7	705	62.2	<0.005	5.01	28.95
C0041421	0.05	0.24	7.5	0.95	3422	6.47	<0.01	5.5	481	85.0	<0.005	2.80	9.99
C0041422	0.03	0.24	7.2	0.88	1157	3.58	<0.01	13.8	469	13.3	<0.005	2.54	5.19
C0041423	<0.01	0.50	4.2	2.16	665	2.91	0.07	26.4	592	8.3	<0.005	1.78	6.37
C0041424	<0.01	0.27	5.6	1.44	542	1.31	0.03	18.8	632	9.0	<0.005	1.37	11.96
C0041425	0.02	0.71	4.9	1.83	898	2.30	0.11	23.4	753	17.5	<0.005	0.53	11.18
C0041426	<0.01	1.04	5.7	2.49	1233	2.09	0.08	16.0	722	13.2	<0.005	0.73	7.47
C0041427	<0.01	0.95	4.5	2.00	747	1.82	0.07	15.8	632	4.4	<0.005	1.03	12.50
C0041428	<0.01	1.12	5.2	2.36	899	1.84	0.12	16.3	701	3.2	<0.005	0.81	6.29
C0041429	<0.01	1.06	6.9	2.24	819	2.71	0.06	14.2	666	9.3	<0.005	3.17	5.72
C0041430	18.02	0.08	1.6	0.82	358	33.82	<0.01	56.9	364	>10000	0.028	>10	242.18
C0041431	0.11	0.34	8.4	1.25	641	2.12	0.01	13.6	910	25.3	<0.005	4.09	11.33
C0041432	0.04	0.50	4.4	1.66	1738	2.35	0.05	16.9	692	167.3	<0.005	3.31	9.11
C0041433	<0.01	0.65	5.9	2.22	855	3.88	0.10	21.9	710	6.5	<0.005	2.37	2.88
C0041434	0.03	0.66	6.8	1.63	1039	3.74	0.05	15.0	713	7.2	<0.005	1.84	15.81
C0041435	<0.01	0.95	7.8	1.80	891	4.16	0.17	10.3	659	3.7	<0.005	1.06	4.19
C0041436	0.02	0.38	5.3	0.93	455	4.22	0.10	5.7	601	8.3	<0.005	1.68	6.67
C0041437	0.10	0.48	6.5	1.50	2139	1.20	0.02	14.1	795	67.2	<0.005	2.20	17.71
C0041438	0.11	0.40	5.9	1.58	1913	3.38	0.02	11.4	725	304.0	<0.005	3.72	17.10
C0041439	0.07	0.45	8.3	1.79	1274	1.24	0.02	12.2	675	8.7	<0.005	1.10	3.37
C0041440	0.10	0.07	7.6	1.24	1109	2.15	<0.01	10.4	527	16.1	<0.005	1.48	3.06
C0041441	0.07	1.05	9.5	1.90	842	0.93	0.03	14.0	776	6.8	<0.005	1.40	3.72
C0041442	0.07	0.78	12.8	1.59	537	1.64	0.02	9.1	858	6.2	<0.005	2.13	3.84
C0041443	0.05	0.11	28.1	0.59	308	2.55	<0.01	4.2	864	2.8	<0.005	2.39	2.53
C0041444	<0.01	0.36	13.8	1.45	533	3.40	0.11	4.1	733	19.1	<0.005	1.89	2.82

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041445	0.01	0.89	8.0	2.14	735	3.95	0.06	10.8	831	3.7	<0.005	2.21	5.55
C0041446	<0.01	1.06	6.0	1.96	688	3.64	0.09	12.9	730	4.0	<0.005	1.82	3.33
C0041447	<0.01	0.82	7.2	1.87	745	2.00	0.07	15.7	761	2.7	<0.005	2.09	4.89
C0041448	<0.01	0.74	5.8	1.73	687	2.60	0.17	12.5	713	2.2	<0.005	1.15	1.47
C0041448PD	<0.01	0.73	5.9	1.71	675	2.54	0.17	12.6	705	2.2	<0.005	1.15	1.43
C0041449	0.02	0.74	5.4	1.72	689	2.81	0.12	12.7	678	2.2	<0.005	1.39	0.66
C0041450	0.21	0.11	5.4	0.59	389	9.28	0.09	28.0	496	467.3	<0.005	0.35	49.49
C0041451	<0.01	1.31	5.0	2.02	696	2.84	0.12	11.2	642	1.9	<0.005	0.89	0.43
C0041452	0.01	1.02	4.6	2.00	725	1.35	0.05	14.5	668	5.4	<0.005	0.98	8.91
C0041453	0.03	0.49	5.2	1.98	1205	3.07	0.02	16.5	564	4.9	<0.005	1.19	4.13
C0041454	0.86	0.25	5.0	1.16	2241	8.08	<0.01	8.9	527	1511.4	0.006	2.37	214.97
C0041455	0.09	0.34	4.7	0.98	2470	6.98	<0.01	8.9	717	103.6	<0.005	2.07	26.61
C0041456	0.04	0.51	6.1	1.42	854	1.27	0.01	2.9	654	9.1	<0.005	2.11	5.03
C0041457	0.05	0.22	5.9	1.19	1402	5.83	<0.01	5.1	491	52.1	<0.005	3.08	10.96
C0041458	0.40	0.31	4.0	1.02	1721	4.02	<0.01	4.5	585	159.3	<0.005	3.01	62.63
C0041459	0.31	0.30	5.8	1.36	1969	6.57	<0.01	2.1	587	58.8	0.005	1.66	42.85
C0041460	0.16	0.30	8.7	0.86	1568	5.81	<0.01	2.5	697	46.4	0.006	1.38	42.66
C0041461	0.17	0.15	14.4	0.41	702	15.54	<0.01	1.8	845	5.2	0.027	2.46	23.70
C0041462	0.28	0.08	11.6	0.90	1203	12.22	<0.01	3.0	786	7.6	0.021	2.54	42.43
C0041463	0.25	0.17	5.0	1.13	1839	6.25	<0.01	17.8	581	39.1	0.008	1.84	47.77
C0041464	0.16	0.19	5.4	1.29	2126	3.21	<0.01	14.4	601	42.3	<0.005	1.24	36.65
C0041465	0.09	0.26	4.2	1.68	3280	1.76	<0.01	12.8	471	25.7	<0.005	1.36	29.50
C0041466	0.06	0.28	3.9	1.64	3970	2.23	<0.01	11.4	590	98.7	<0.005	1.41	25.23
C0041467	0.17	0.28	3.1	1.37	4025	2.80	<0.01	12.5	452	1025.7	<0.005	4.16	62.06
C0041468	0.26	0.23	1.9	0.68	3052	4.26	<0.01	10.7	422	1107.3	<0.005	5.00	55.80

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041469	0.02	0.26	1.9	1.20	6469	6.91	<0.01	11.5	396	335.2	0.006	4.47	18.49
C0041470	0.42	0.26	7.4	0.76	519	30.59	0.10	50.2	650	29.8	0.058	0.57	8.69
C0041471	0.14	0.25	1.7	0.45	2302	3.84	0.01	4.4	575	276.3	<0.005	7.51	29.56
C0041472	0.09	0.27	3.0	0.75	3852	3.05	0.01	13.8	787	190.4	<0.005	3.12	17.42
C0041473	0.05	0.26	4.5	1.16	3584	2.95	<0.01	3.0	555	23.8	<0.005	2.12	11.42
C0041474	<0.01	1.05	4.0	1.67	798	3.75	0.12	2.9	537	2.5	<0.005	0.63	1.23
C0041475	<0.01	1.34	5.5	2.01	684	7.11	0.09	3.2	571	2.3	0.005	1.96	0.62
C0041476	<0.01	0.46	4.7	1.45	604	6.17	0.15	2.7	731	17.6	<0.005	1.37	0.33
C0041477	<0.01	1.29	5.5	1.90	516	3.27	0.12	2.0	819	2.9	<0.005	1.64	0.46
C0041478	<0.01	0.57	8.2	1.31	479	5.11	0.18	2.1	857	2.3	<0.005	0.75	0.23
C0041479	<0.01	0.29	5.7	0.97	519	4.87	0.24	1.6	847	2.9	<0.005	0.48	0.13
C0041480	<0.01	0.75	6.3	1.39	546	7.43	0.19	2.2	885	2.3	<0.005	1.18	0.07
C0041481	<0.01	0.34	6.1	1.01	543	8.16	0.20	2.1	909	3.3	<0.005	1.49	0.11
C0041482	0.01	0.69	6.4	1.18	580	4.46	0.15	2.3	918	2.3	<0.005	0.71	0.94
C0041483	<0.01	0.50	5.7	1.57	747	7.66	0.07	4.1	702	32.2	<0.005	3.32	1.53
C0041484	3.98	0.10	6.2	0.03	70	13.70	0.03	16.3	139	14.8	<0.005	0.22	25.27
C0041485	0.38	0.19	6.5	0.66	379	4.47	0.01	29.6	644	210.9	<0.005	0.01	167.88
C0041486	0.02	0.15	3.1	1.02	336	1.60	0.12	21.5	1144	6.2	<0.005	0.01	17.32
C0041487	0.25	0.30	8.3	0.29	827	1.29	0.05	32.1	622	8.1	<0.005	0.30	106.87
C0041488	0.06	0.18	5.5	0.78	375	1.55	0.11	22.8	951	6.0	<0.005	0.11	53.63
C0041489	<0.01	0.21	1.7	1.36	1085	1.56	0.24	29.1	1079	2.0	<0.005	<0.01	6.13
C0041490	<0.01	0.15	3.7	1.55	4415	2.18	0.11	39.6	1120	10.2	<0.005	<0.01	16.54
C0041491	<0.01	0.17	3.5	1.49	2276	1.25	0.10	35.9	1197	4.5	<0.005	<0.01	22.60
C0041492	0.02	0.16	7.4	0.99	4295	2.06	0.06	44.5	971	2.5	<0.005	<0.01	18.52
C0041493	0.02	0.16	17.7	0.08	2440	4.39	0.05	10.0	219	29.8	<0.005	<0.01	53.40

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041494	0.02	0.26	16.1	0.07	2007	3.90	<0.01	10.2	377	561.6	<0.005	0.08	60.07
C0041495	19.11	0.07	1.7	0.80	344	35.78	<0.01	57.7	351	>10000	0.027	>10	238.67
C0041496	0.98	0.21	10.2	0.03	355	6.99	0.01	5.5	181	599.1	<0.005	0.22	124.20
C0041497	0.07	0.26	12.0	0.05	1503	3.78	0.01	13.7	310	100.7	<0.005	0.10	102.94
C0041498	0.04	0.15	16.6	0.08	4404	5.14	0.02	22.1	384	26.9	<0.005	<0.01	48.39
C0041499	0.04	0.21	18.3	0.06	865	19.25	0.01	12.7	444	11.9	<0.005	0.11	28.43
C0041500	0.07	0.16	17.9	0.03	155	5.02	<0.01	12.6	508	10.0	<0.005	0.11	45.57
C0041500PD	0.07	0.16	17.1	0.03	152	4.41	<0.01	12.4	520	10.2	<0.005	0.10	45.72
C0041501	0.04	0.36	14.4	0.02	97	8.29	<0.01	9.2	444	12.0	<0.005	0.43	43.17
C0041502	0.08	0.62	12.9	0.04	103	5.11	0.02	12.7	637	20.7	<0.005	0.92	52.07
C0041503	0.02	0.26	5.3	0.87	232	1.64	0.09	17.6	843	32.0	<0.005	0.28	28.20
C0041504	<0.01	0.21	2.7	1.45	418	1.97	0.19	25.4	1045	3.7	<0.005	0.08	36.42
C0041505	<0.01	0.20	4.4	1.45	328	1.04	0.21	22.5	1118	7.8	<0.005	0.32	70.32
C0041506	0.02	0.26	7.4	1.82	339	2.03	0.15	24.2	1302	39.5	<0.005	0.29	102.84
C0041507	0.02	0.59	3.7	1.69	405	1.35	0.13	27.9	1676	18.0	<0.005	0.10	67.82
C0041508	0.03	0.27	15.2	0.35	91	3.04	0.06	11.5	705	84.4	<0.005	0.22	319.78
C0041509	0.05	0.41	14.7	0.07	69	4.24	0.02	3.6	368	80.7	<0.005	0.46	191.99
C0041510	0.17	0.47	8.9	0.03	29	4.76	0.01	3.5	324	1444.3	<0.005	0.88	895.44
C0041511	0.03	0.42	14.3	0.03	90	5.00	0.01	1.6	162	156.3	<0.005	0.45	31.65
C0041512	0.03	0.48	17.6	0.03	122	4.91	0.01	1.5	129	61.6	<0.005	0.55	29.92
C0041513	0.07	0.34	16.1	0.03	63	6.96	<0.01	2.2	151	310.6	<0.005	0.34	58.31
C0041514	0.06	0.73	12.9	0.05	35	5.42	0.01	2.0	304	1056.6	<0.005	1.13	276.83
C0041515	0.20	0.12	6.2	0.66	412	9.98	0.10	29.5	572	483.7	<0.005	0.38	56.69
C0041516	0.56	0.42	7.2	0.03	46	7.49	<0.01	1.7	1245	>10000	<0.005	2.14	1496.49
C0041517	0.81	0.33	7.0	0.09	548	2.97	<0.01	10.7	1320	>10000	<0.005	0.61	742.22

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041518	0.36	0.16	7.1	0.18	12539	1.56	<0.01	42.0	735	38.5	<0.005	0.30	83.00
C0041519	0.21	0.14	9.2	0.06	739	2.35	<0.01	20.7	771	35.5	<0.005	0.39	44.44
C0041520	0.29	0.10	8.7	0.39	3854	2.35	<0.01	13.8	487	62.7	<0.005	1.06	38.38
C0041521	0.03	0.48	7.6	1.55	1098	1.70	0.02	14.8	1146	7.7	<0.005	0.56	45.67
C0041522	0.02	0.83	6.5	1.93	1073	1.52	0.04	14.9	693	4.8	<0.005	0.40	31.99
C0041523	<0.01	0.43	4.1	1.27	641	2.89	0.13	13.2	699	4.9	<0.005	0.83	9.54
C0041524	<0.01	0.65	5.7	1.33	973	2.35	0.13	13.1	713	2.3	<0.005	0.23	8.76
C0041525	<0.01	0.85	4.1	1.65	874	1.65	0.12	13.6	701	3.6	<0.005	0.50	5.37
C0041526	<0.01	0.48	7.1	1.17	735	3.11	0.12	9.2	578	2.3	<0.005	0.38	14.56
C0041527	<0.01	0.92	7.2	1.84	925	2.05	0.08	10.9	714	3.4	<0.005	0.32	6.93
C0041528	<0.01	0.76	5.8	1.80	1137	1.94	0.09	11.0	558	3.5	<0.005	0.45	7.82
C0041529	0.03	0.54	7.1	1.62	1429	1.46	0.01	10.6	698	11.9	<0.005	1.31	29.69
C0041530	0.11	0.36	7.4	1.98	1642	1.89	<0.01	17.7	625	95.9	<0.005	2.00	33.11
C0041531	0.21	0.16	6.1	1.28	1012	2.16	<0.01	12.7	528	800.4	<0.005	1.45	22.76
C0041532	0.01	0.86	5.5	2.30	2077	1.29	0.03	15.4	710	100.0	<0.005	0.95	29.79
C0041533	0.01	0.58	5.9	1.52	1332	1.94	0.02	12.1	585	486.4	<0.005	2.20	15.33
C0041534	<0.01	1.10	4.8	1.93	746	3.27	0.13	11.8	656	13.2	<0.005	1.34	4.07
C0041535	3.74	0.09	6.9	0.03	71	13.01	0.04	16.1	151	15.2	<0.005	0.26	28.51
C0041536	<0.01	0.79	4.3	1.30	709	4.27	0.14	3.4	785	6.8	<0.005	2.35	1.87
C0041536PD	<0.01	0.93	4.5	1.48	725	4.27	0.16	3.7	889	5.5	<0.005	2.20	1.98
C0041537	<0.01	0.81	3.3	1.79	854	3.30	0.16	2.9	614	3.9	<0.005	1.96	2.98
C0041538	<0.01	0.82	3.0	1.67	614	4.01	0.17	4.3	578	2.8	<0.005	1.47	5.99
C0041539	<0.01	0.48	4.5	1.46	989	2.87	0.17	3.8	699	3.9	<0.005	1.48	12.98
C0041540	0.02	0.50	3.7	1.00	821	3.43	0.12	3.5	783	72.2	<0.005	1.24	14.28
C0041541	<0.01	0.69	3.6	1.11	710	2.95	0.06	3.6	787	27.1	<0.005	1.06	12.75

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
C0041542	0.04	0.29	10.7	0.23	1124	3.17	0.01	1.9	789	165.9	<0.005	2.27	14.52
C0041543	0.04	0.28	8.4	0.06	301	4.57	<0.01	1.9	355	184.6	<0.005	0.45	74.32
C0041544	0.22	0.33	8.9	0.03	53	4.95	<0.01	1.6	278	3494.9	<0.005	0.42	472.14
C0041545	0.87	0.32	4.6	0.02	95	4.88	<0.01	1.6	363	>10000	<0.005	0.89	5116.17
C0041546	0.08	0.39	7.0	0.02	43	5.48	<0.01	1.7	163	2784.3	<0.005	0.60	265.66
C0041547	0.06	0.34	7.1	0.02	35	4.08	<0.01	1.3	177	914.6	<0.005	0.35	175.82
C0041548	0.23	0.46	7.0	0.02	37	4.57	<0.01	1.4	154	1553.9	<0.005	0.75	395.23
DUP C0041352	0.05	0.26	9.6	0.25	1642	7.25	0.02	3.8	152	139.6	<0.005	0.05	42.81
DUP C0041396	<0.01	0.46	7.4	1.01	2570	2.75	0.02	5.2	626	25.0	<0.005	2.72	9.68
DUP C0041437	0.08	0.48	6.3	1.49	2144	1.20	0.02	14.1	795	65.8	<0.005	2.21	17.96
DUP C0041479	<0.01	0.28	5.5	0.97	513	4.88	0.23	1.6	840	2.9	<0.005	0.48	0.17
DUP C0041493	0.02	0.16	18.2	0.08	2497	4.54	0.05	10.1	230	30.4	<0.005	<0.01	53.82
DUP C0041383													
DUP C0041405													
DUP C0041464													
DUP C0041469													
DUP C0041533													
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Hg ppm 0.01	IMS-128 K % 0.01	IMS-128 La ppm 0.5	IMS-128 Mg % 0.01	IMS-128 Mn ppm 5	IMS-128 Mo ppm 0.05	IMS-128 Na % 0.01	IMS-128 Ni ppm 0.1	IMS-128 P ppm 10	IMS-128 Pb ppm 0.2	IMS-128 Re ppm 0.005	IMS-128 S % 0.01	IMS-128 Sb ppm 0.05
STD BLANK													
STD BLANK													
STD BLANK													
STD BLANK													
STD OREAS 600b	0.08	0.30	27.0	0.05	254	5.08	0.11	4.4	231	83.0	<0.005	0.26	9.72
STD OREAS 25a	0.06	0.14	12.9	0.21	438	1.64	0.04	27.6	384	20.3	<0.005	0.05	0.20
STD OREAS 600b	0.09	0.29	30.2	0.05	262	5.20	0.11	4.5	242	85.8	<0.005	0.27	10.44
STD OREAS 25a	0.06	0.14	13.7	0.21	430	1.66	0.04	29.6	371	21.4	<0.005	0.05	0.25
STD OREAS 600b	0.08	0.30	31.2	0.05	254	5.04	0.11	4.2	239	86.5	<0.005	0.25	10.42
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD MP-1b													
STD CDN-ME-1407													
STD OxK160													
STD OxQ115													
STD CDN-ME-1805													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Granite Blank	2.5	<0.2	22.5	<0.05	2.4	0.086	<0.05	0.58	27	0.13	9.8	28
Granite Blank	2.3	<0.2	21.2	<0.05	2.3	0.090	<0.05	0.44	26	0.13	9.4	25
C0041349	0.5	<0.2	6.4	0.05	5.6	<0.005	0.16	1.15	2	0.06	8.0	1154
C0041350	0.8	186.8	29.0	0.61	0.4	<0.005	26.56	2.54	19	0.85	3.7	>10000
C0041351	0.5	<0.2	29.8	<0.05	5.7	<0.005	0.20	0.84	2	0.08	8.5	1330
C0041352	0.3	<0.2	16.2	0.06	6.2	<0.005	0.24	1.12	1	0.10	9.1	1372
C0041353	0.5	0.5	4.4	0.07	7.6	<0.005	0.32	1.67	2	0.15	12.5	1724
C0041354	3.7	0.4	18.7	0.14	4.6	<0.005	0.63	3.37	8	0.18	21.2	1555
C0041355	1.0	0.5	81.3	0.05	3.2	<0.005	1.43	1.34	4	0.16	3.7	482
C0041356	3.8	0.3	73.8	0.12	6.4	<0.005	0.74	0.91	15	0.23	3.0	326
C0041357	0.5	0.2	15.6	0.09	2.1	<0.005	0.56	0.21	4	0.24	2.3	64
C0041358	0.8	0.4	27.6	0.14	1.4	<0.005	0.92	0.18	7	0.28	1.3	50
C0041359	1.3	0.3	17.4	0.39	2.1	<0.005	1.44	0.23	7	0.24	2.0	176
C0041360	1.2	0.3	9.6	0.42	1.7	<0.005	1.08	0.26	7	0.20	2.0	209
C0041361	19.4	0.3	15.6	0.13	1.9	0.007	0.87	1.71	87	0.35	14.4	1353
C0041362	22.4	0.3	9.6	0.13	2.2	0.022	0.32	1.76	87	0.24	22.0	1810
C0041363	21.4	0.3	7.2	0.09	2.9	0.143	0.44	0.75	139	0.87	21.0	900
C0041364	17.9	0.4	31.2	0.09	2.7	0.033	0.32	1.04	122	0.34	18.0	1319
C0041365	9.7	0.9	12.3	0.31	2.9	<0.005	1.33	1.12	46	1.09	12.2	1319
C0041366	21.2	0.3	17.4	0.21	2.3	<0.005	0.18	1.01	111	0.34	18.3	2000
C0041366PD	21.3	0.3	17.7	0.18	2.4	<0.005	0.18	1.02	111	0.34	18.5	1979
C0041367	20.7	0.3	66.5	0.08	1.5	<0.005	1.04	0.74	110	0.24	17.7	996
C0041368	26.4	<0.2	63.7	0.06	1.3	<0.005	0.35	0.87	157	0.21	16.7	1265
C0041369	16.6	0.2	37.3	<0.05	1.4	<0.005	0.89	0.98	108	0.15	12.3	1150
C0041370	4.0	0.3	33.0	0.24	1.1	0.109	0.98	0.33	62	3.39	7.6	1449

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041371	18.3	<0.2	56.0	0.08	1.3	<0.005	1.29	1.01	88	0.21	25.4	4295
C0041372	8.5	<0.2	28.6	0.10	1.2	0.013	1.17	1.19	40	0.33	31.7	6277
C0041373	2.6	<0.2	86.1	0.09	0.8	<0.005	1.68	0.61	19	0.24	3.6	674
C0041374	1.4	<0.2	27.9	0.05	2.1	<0.005	1.02	0.18	4	0.30	1.6	158
C0041375	4.1	<0.2	34.4	0.11	2.5	<0.005	1.05	0.83	18	0.19	5.2	550
C0041376	1.8	0.3	42.1	0.50	1.6	<0.005	1.85	0.42	12	0.25	2.3	510
C0041377	5.8	0.3	42.7	0.23	1.1	<0.005	1.32	0.47	33	0.33	14.0	811
C0041378	10.7	<0.2	48.7	<0.05	1.7	<0.005	0.54	0.60	69	0.19	13.9	634
C0041379	20.0	0.2	67.3	0.10	1.6	0.017	0.41	0.71	154	0.25	15.4	759
C0041380	12.5	0.3	43.2	0.08	2.6	0.040	0.43	1.03	104	0.14	12.0	710
C0041381	20.6	0.3	99.6	0.20	1.0	0.056	0.42	0.67	146	0.41	11.4	426
C0041382	15.3	0.7	115.2	0.36	1.2	<0.005	0.52	0.59	103	0.14	12.8	455
C0041383	10.6	0.3	81.9	0.12	1.0	<0.005	0.58	0.38	61	0.22	14.6	282
C0041384	23.8	0.4	50.7	0.28	1.4	0.033	0.65	2.57	163	0.12	13.0	541
C0041385	10.5	0.6	79.3	0.13	1.0	<0.005	0.80	0.38	45	0.27	16.1	583
C0041386	17.7	0.3	55.2	0.07	1.6	<0.005	0.46	1.19	100	0.15	17.2	406
C0041387	5.6	2.7	18.5	0.25	1.2	<0.005	0.74	0.33	28	0.24	7.1	6488
C0041388	2.5	<0.2	15.2	<0.05	1.9	<0.005	0.68	0.41	11	0.22	5.9	846
C0041389	3.6	0.3	10.5	0.47	1.2	<0.005	1.56	0.22	18	0.29	4.2	158
C0041390	6.4	1.6	39.0	0.51	1.4	0.130	0.17	0.46	93	8.35	9.6	81
C0041391	5.0	0.4	8.9	0.62	0.9	<0.005	0.84	0.09	23	0.20	2.7	66
C0041392	9.0	0.3	21.6	0.53	0.9	<0.005	1.00	0.18	33	0.33	9.3	1060
C0041393	8.2	0.2	26.3	0.72	1.1	<0.005	0.42	0.29	32	0.23	10.3	1075
C0041394	6.7	0.6	18.6	0.44	1.3	<0.005	0.56	0.58	34	0.22	11.7	2021
C0041395	7.5	0.7	53.9	0.20	1.6	<0.005	0.53	0.33	25	0.35	15.7	1277

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041396	14.2	0.8	36.9	0.42	1.4	0.024	0.39	0.48	80	0.29	22.3	2235
C0041397	9.3	0.3	19.8	0.10	0.9	0.114	0.26	0.35	78	0.19	12.8	2309
C0041398	6.4	0.4	22.9	0.92	0.6	0.101	0.21	0.26	68	0.23	10.0	868
C0041399	13.5	1.4	17.1	1.08	1.6	0.074	0.28	0.43	86	0.21	16.2	882
C0041400	9.9	0.5	27.4	0.27	1.8	0.050	0.30	0.64	44	0.20	17.2	1514
C0041401	5.7	0.5	12.0	0.19	2.6	0.005	0.41	0.67	14	0.20	20.8	1951
C0041402	2.6	0.4	15.9	0.06	3.4	<0.005	0.28	0.62	4	0.17	12.3	606
C0041403	1.3	0.4	21.5	0.09	4.1	<0.005	0.28	0.42	1	0.21	12.3	465
C0041404	1.3	0.2	7.2	<0.05	4.6	<0.005	0.47	0.42	2	0.19	8.0	797
C0041405	1.2	0.3	15.8	0.08	3.1	<0.005	0.32	0.36	1	0.18	10.0	605
C0041406	2.0	0.2	12.5	<0.05	3.6	<0.005	0.12	0.38	2	0.13	8.6	920
C0041406PD	2.3	0.3	13.9	<0.05	3.9	<0.005	0.14	0.43	3	0.16	10.0	1116
C0041407	4.5	0.4	29.1	0.12	4.1	0.033	0.22	0.92	20	0.16	9.2	660
C0041408	5.0	0.3	23.8	0.20	3.6	0.031	0.11	0.68	24	0.17	8.2	987
C0041409	4.1	0.2	21.3	0.28	4.4	0.036	0.15	0.66	13	0.14	10.4	797
C0041410	1.0	1.5	66.2	0.06	1.4	0.009	11.48	1.63	28	13.81	2.6	26
C0041411	3.5	0.5	24.1	0.29	4.5	0.026	0.12	0.80	23	0.25	12.7	945
C0041412	3.2	0.3	40.7	0.08	3.7	0.039	0.18	0.85	28	0.18	13.0	1624
C0041413	2.7	0.6	22.7	0.16	3.7	0.009	0.17	0.71	9	0.14	9.0	1295
C0041414	1.4	0.6	22.4	0.16	2.9	<0.005	0.35	0.95	4	0.74	6.5	1028
C0041415	2.8	0.9	8.1	0.57	2.3	<0.005	1.69	1.17	17	0.84	4.5	801
C0041416	4.3	1.0	11.6	1.02	1.0	<0.005	2.42	0.58	24	1.22	4.1	923
C0041417	8.8	1.0	57.6	0.28	0.8	<0.005	2.14	0.96	35	1.00	10.1	431
C0041418	12.9	1.5	90.1	0.15	0.7	<0.005	5.90	1.33	53	0.82	10.6	287
C0041419	7.9	0.4	72.2	<0.05	1.5	<0.005	2.79	0.96	32	0.46	12.1	295

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041420	6.6	0.7	58.5	<0.05	1.4	<0.005	1.75	1.08	33	0.48	11.0	398
C0041421	3.6	0.6	43.5	<0.05	3.2	<0.005	0.79	0.73	12	0.38	11.8	816
C0041422	16.2	0.8	33.2	0.66	2.7	0.017	0.21	0.63	103	0.42	12.7	1120
C0041423	18.1	0.6	42.9	0.15	1.0	0.098	0.23	3.22	169	0.16	11.7	250
C0041424	17.1	0.6	63.8	0.10	1.4	0.033	0.20	0.42	123	0.10	13.7	110
C0041425	13.2	0.2	41.6	<0.05	1.1	0.192	0.23	0.39	160	0.21	14.5	130
C0041426	17.9	0.3	61.4	0.06	1.2	0.145	0.41	0.22	182	0.09	13.5	95
C0041427	17.5	0.4	75.8	0.06	0.9	0.106	0.52	0.29	197	0.10	10.1	55
C0041428	15.5	<0.2	57.7	<0.05	1.2	0.135	0.56	0.69	204	0.12	11.2	59
C0041429	17.0	0.9	57.9	0.26	1.5	0.118	0.54	1.01	167	0.09	11.6	60
C0041430	0.8	190.5	26.6	0.41	0.3	<0.005	27.69	2.52	23	0.85	3.4	>10000
C0041431	17.0	1.3	54.2	0.25	1.7	0.016	0.31	1.31	123	0.23	15.0	140
C0041432	10.8	0.7	52.3	0.18	1.2	0.079	0.47	0.99	113	0.29	13.2	230
C0041433	16.7	0.8	61.7	0.33	1.4	0.111	0.35	1.56	197	0.59	12.8	98
C0041434	19.0	0.7	61.9	0.16	1.4	0.100	0.35	0.62	185	0.29	16.5	72
C0041435	14.5	0.2	43.9	0.15	2.2	0.173	0.41	0.50	162	0.13	16.0	56
C0041436	4.9	0.4	41.4	0.35	1.3	0.052	0.27	0.58	67	0.28	6.7	28
C0041437	21.6	0.5	44.8	0.12	1.4	0.038	0.55	0.58	175	0.26	13.5	182
C0041438	12.7	0.8	53.9	0.12	1.6	0.017	0.47	0.93	102	0.25	12.8	1304
C0041439	17.7	0.5	63.8	0.08	1.8	0.057	0.25	0.72	168	0.20	14.2	70
C0041440	12.9	0.6	53.4	0.10	2.2	0.005	0.10	0.91	99	0.35	13.3	53
C0041441	18.9	0.7	31.6	0.17	2.1	0.167	0.48	0.91	157	0.29	15.2	57
C0041442	14.8	0.9	44.8	0.10	4.0	0.114	0.39	0.86	121	0.24	14.4	43
C0041443	9.2	1.2	46.6	0.18	7.9	<0.005	0.16	0.49	69	0.24	12.3	20
C0041444	5.6	0.9	120.9	0.07	6.1	0.011	0.36	0.64	54	0.13	9.6	14

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041445	14.7	0.9	76.3	0.11	2.8	0.125	0.39	0.88	134	0.15	15.3	40
C0041446	13.3	0.8	38.4	0.12	1.4	0.177	0.42	0.75	137	0.12	12.3	42
C0041447	15.3	0.8	40.4	0.06	1.7	0.133	0.39	0.36	151	0.16	16.1	47
C0041448	10.5	0.5	22.6	<0.05	1.4	0.228	0.28	0.51	189	0.18	11.7	46
C0041448PD	10.4	0.6	22.9	0.12	1.4	0.223	0.28	0.49	187	0.18	11.3	45
C0041449	12.7	0.6	21.5	0.10	1.3	0.195	0.36	0.40	172	0.15	11.8	43
C0041450	4.7	0.3	33.0	0.13	1.2	0.125	1.02	0.36	58	2.78	8.0	1521
C0041451	14.5	0.3	22.8	<0.05	1.2	0.259	0.50	0.32	189	0.07	10.8	52
C0041452	16.1	0.4	45.3	0.06	1.0	0.174	0.45	0.28	149	0.06	11.9	61
C0041453	20.2	0.6	63.7	0.06	1.4	0.039	0.43	1.01	122	0.13	8.8	99
C0041454	7.6	0.9	48.2	0.86	1.6	<0.005	0.67	0.65	34	0.27	10.3	3941
C0041455	10.1	0.9	30.0	0.17	1.1	<0.005	0.78	0.75	38	0.21	10.9	194
C0041456	24.9	0.9	48.0	0.16	1.6	0.066	0.32	1.52	144	0.30	12.5	67
C0041457	16.3	1.2	46.7	0.14	1.5	<0.005	0.38	0.74	73	0.27	13.4	110
C0041458	7.8	1.2	32.5	0.20	1.2	<0.005	1.05	0.46	34	0.25	10.9	370
C0041459	7.6	0.7	41.4	0.08	0.8	<0.005	0.87	0.44	29	0.21	12.6	396
C0041460	11.3	0.7	29.1	0.06	1.2	<0.005	0.55	0.77	34	0.34	15.3	109
C0041461	22.3	0.9	13.3	0.10	1.9	0.013	0.20	0.40	69	0.52	12.4	64
C0041462	29.4	0.7	38.0	0.13	1.8	0.006	0.14	1.14	116	0.41	20.9	80
C0041463	15.3	0.7	48.1	0.19	1.2	<0.005	0.39	1.03	82	0.36	12.2	215
C0041464	15.0	0.4	46.5	0.08	1.0	<0.005	0.61	1.56	86	0.49	12.3	172
C0041465	14.1	0.5	75.1	0.05	0.8	<0.005	0.75	0.71	70	0.24	14.0	132
C0041466	12.3	0.4	83.5	0.07	0.7	<0.005	0.58	0.82	62	0.32	14.3	159
C0041467	10.1	0.9	60.3	0.16	0.8	<0.005	0.90	0.73	44	0.36	12.5	2666
C0041468	4.8	0.6	29.4	0.11	0.9	<0.005	0.82	0.59	17	0.39	7.7	2526

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041469	4.7	0.5	61.9	<0.05	0.6	<0.005	0.49	0.20	15	0.27	8.1	265
C0041470	6.1	1.4	36.3	0.44	1.4	0.138	0.18	0.46	88	7.45	9.4	79
C0041471	4.9	0.7	21.0	0.15	0.9	<0.005	1.38	0.27	15	0.44	6.7	1860
C0041472	7.0	0.7	28.5	<0.05	1.3	<0.005	0.90	0.21	26	0.47	10.1	745
C0041473	13.8	0.6	56.1	0.09	1.1	<0.005	0.86	0.29	56	0.41	12.9	95
C0041474	19.7	0.2	45.7	0.09	0.9	0.200	0.38	0.26	165	0.07	14.1	70
C0041475	21.3	0.9	32.3	0.24	1.0	0.253	0.51	0.42	185	2.32	17.2	61
C0041476	12.9	0.6	23.2	0.11	0.9	0.208	0.21	0.42	121	0.41	16.3	82
C0041477	15.8	0.6	16.5	<0.05	1.2	0.292	0.52	0.60	107	0.25	15.8	53
C0041478	12.7	0.3	16.1	<0.05	1.8	0.205	0.25	0.80	88	0.42	15.1	42
C0041479	12.2	0.2	23.0	<0.05	1.3	0.167	0.11	0.56	72	0.20	16.1	41
C0041480	15.3	0.4	19.9	0.06	1.3	0.228	0.34	0.60	107	0.19	18.1	48
C0041481	12.6	0.5	23.4	0.06	1.5	0.152	0.17	0.54	77	0.22	17.1	43
C0041482	15.0	0.3	33.4	<0.05	1.5	0.165	0.27	0.72	91	0.14	18.7	62
C0041483	12.2	1.2	56.9	16.72	1.6	0.101	0.26	0.72	86	1.03	12.1	47
C0041484	1.0	1.3	63.8	0.12	1.3	0.008	10.93	1.56	27	13.02	2.4	24
C0041485	20.7	0.7	24.5	0.94	2.5	0.006	0.42	1.44	91	0.65	10.3	336
C0041486	15.1	0.4	17.0	0.27	0.8	0.096	0.16	0.51	115	0.24	9.4	183
C0041487	24.6	0.5	63.3	0.25	1.2	0.007	2.24	0.51	85	0.16	10.5	233
C0041488	19.4	0.4	37.8	0.60	0.9	0.069	0.48	0.55	103	0.14	8.6	262
C0041489	14.1	<0.2	21.5	0.09	0.2	0.178	0.45	0.23	116	0.10	8.0	223
C0041490	17.6	<0.2	27.9	3.38	0.5	0.086	1.20	0.45	148	0.15	10.1	429
C0041491	19.2	0.2	22.0	6.59	0.6	0.087	0.44	0.39	156	0.09	10.6	505
C0041492	17.0	<0.2	25.6	0.88	1.8	0.054	0.61	0.34	123	0.10	15.5	655
C0041493	1.8	<0.2	9.6	0.20	9.5	<0.005	0.93	0.63	5	0.09	4.9	405

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041494	2.0	<0.2	24.0	0.51	8.7	<0.005	0.84	0.65	5	0.09	6.4	676
C0041495	0.8	195.9	30.9	0.57	0.4	<0.005	28.26	2.82	17	0.87	3.8	>10000
C0041496	1.9	0.6	24.6	1.19	4.6	<0.005	1.87	0.62	4	0.29	3.7	543
C0041497	4.2	0.3	17.4	0.75	7.4	<0.005	1.07	1.04	9	0.20	7.5	872
C0041498	6.1	0.3	12.8	0.07	6.8	<0.005	0.44	1.65	24	0.12	13.9	1168
C0041499	3.9	0.4	13.5	0.63	6.7	<0.005	0.24	1.13	15	0.14	6.8	551
C0041500	7.7	0.5	13.8	0.34	7.1	<0.005	0.21	1.23	32	0.11	7.2	679
C0041500PD	7.5	0.5	13.1	0.28	6.5	<0.005	0.20	1.19	32	0.11	6.9	700
C0041501	3.4	0.5	31.8	0.85	6.2	<0.005	0.48	0.71	12	0.12	4.9	322
C0041502	5.5	0.9	69.4	0.35	4.9	<0.005	1.09	0.60	18	0.15	3.5	482
C0041503	13.7	0.5	51.3	1.11	2.4	0.132	0.34	0.80	96	0.19	4.4	453
C0041504	14.3	0.6	32.8	2.71	0.4	0.217	0.15	0.43	136	0.13	7.7	447
C0041505	18.0	1.3	81.5	2.88	0.6	0.186	0.23	0.69	179	0.12	8.9	607
C0041506	19.6	1.1	69.7	2.16	0.9	0.102	0.46	1.34	196	0.14	10.4	784
C0041507	18.1	0.4	33.8	0.12	0.7	0.225	0.46	1.82	160	0.17	13.6	667
C0041508	8.5	0.3	40.4	0.23	5.1	0.008	0.44	1.63	40	0.11	9.3	677
C0041509	4.8	0.3	42.9	0.36	9.5	<0.005	0.81	1.08	11	0.14	3.2	296
C0041510	1.8	0.5	53.6	0.17	4.6	<0.005	1.76	0.63	6	0.21	1.0	181
C0041511	1.7	0.5	23.8	0.15	6.1	<0.005	0.85	0.25	6	0.19	1.5	32
C0041512	0.9	0.4	30.7	0.08	9.4	<0.005	1.03	0.23	5	0.29	1.7	33
C0041513	1.7	0.5	17.8	0.12	5.5	<0.005	0.70	0.42	5	0.16	2.0	75
C0041514	1.4	0.5	62.1	0.06	4.3	<0.005	2.33	0.25	8	0.16	1.6	119
C0041515	4.3	0.3	36.7	0.26	1.2	0.118	1.02	0.37	59	3.32	8.0	1598
C0041516	1.0	3.2	40.4	0.87	4.1	<0.005	4.94	2.93	9	0.71	1.6	184
C0041517	10.6	0.6	85.9	0.20	5.2	<0.005	1.92	6.24	45	0.27	7.6	2885

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041518	25.2	0.7	33.3	0.06	2.2	<0.005	0.74	1.35	129	0.38	38.1	>10000
C0041519	25.2	1.3	35.8	0.13	3.4	<0.005	0.54	2.40	102	0.38	15.2	2395
C0041520	13.4	1.0	21.7	0.33	2.5	<0.005	0.36	0.70	75	0.24	16.4	2784
C0041521	19.6	<0.2	45.7	<0.05	3.0	0.050	0.52	0.55	134	0.16	16.9	1288
C0041522	16.7	0.3	40.0	0.09	1.6	0.148	0.44	0.30	149	0.14	14.6	817
C0041523	11.2	0.5	20.0	0.07	1.1	0.156	0.25	0.26	117	0.31	10.6	54
C0041524	10.1	<0.2	26.1	0.07	1.6	0.215	0.21	0.30	117	0.22	12.1	69
C0041525	14.0	0.3	23.9	0.11	1.0	0.233	0.31	0.51	177	0.18	10.8	66
C0041526	12.2	0.3	64.1	0.05	2.1	0.141	0.18	0.38	106	0.18	12.1	108
C0041527	12.8	<0.2	33.1	0.07	2.0	0.183	0.27	0.85	123	0.15	12.6	131
C0041528	13.5	<0.2	65.3	<0.05	1.4	0.156	0.26	0.63	131	0.10	13.0	65
C0041529	19.4	0.3	102.6	0.11	1.3	0.053	0.38	0.29	132	0.35	18.7	72
C0041530	16.6	0.7	127.0	0.14	1.2	0.028	0.33	0.39	123	0.23	20.2	108
C0041531	14.4	0.4	73.6	0.15	1.7	0.010	0.21	0.87	95	0.38	11.5	1075
C0041532	18.3	0.4	60.2	0.08	1.1	0.110	0.36	0.57	155	0.11	15.7	356
C0041533	14.5	0.8	46.2	0.22	1.7	0.080	0.26	1.08	116	0.14	13.4	611
C0041534	15.5	0.6	24.3	0.08	1.2	0.246	0.22	0.32	140	0.15	13.5	76
C0041535	1.1	1.5	74.8	<0.05	1.4	0.010	11.01	1.63	28	14.93	2.6	24
C0041536	12.0	0.9	36.8	0.20	1.3	0.153	0.18	0.29	90	0.14	13.4	58
C0041536PD	15.3	0.7	34.4	0.14	1.2	0.199	0.21	0.32	107	0.15	15.5	61
C0041537	17.4	0.5	26.3	0.09	0.8	0.232	0.21	0.22	148	0.14	13.2	96
C0041538	15.5	0.5	21.0	0.14	0.7	0.247	0.21	0.33	131	0.16	11.8	248
C0041539	14.0	0.5	21.5	0.19	1.1	0.201	0.15	0.35	119	0.20	13.8	532
C0041540	9.1	0.6	30.0	0.07	0.6	0.196	0.17	0.34	84	0.36	11.4	545
C0041541	10.2	0.3	21.2	<0.05	1.2	0.172	0.21	0.30	52	0.22	12.4	1052

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041542	8.0	0.7	20.8	0.15	2.9	0.018	0.21	0.65	18	0.29	18.7	4618
C0041543	2.6	0.4	26.8	<0.05	3.3	<0.005	0.52	0.72	5	0.31	5.5	2016
C0041544	1.2	0.4	90.6	0.06	3.4	<0.005	1.22	0.82	3	0.34	2.3	210
C0041545	1.3	0.8	52.4	0.08	2.7	<0.005	1.58	2.18	3	0.34	1.0	507
C0041546	0.4	0.5	65.0	<0.05	3.3	<0.005	1.22	0.53	3	0.35	0.8	31
C0041547	0.4	0.4	47.5	<0.05	2.3	<0.005	1.18	0.35	3	0.30	0.7	60
C0041548	0.7	0.5	35.4	0.05	2.6	<0.005	1.37	0.99	3	0.30	0.9	62
DUP C0041352	0.3	<0.2	16.3	<0.05	6.2	<0.005	0.24	1.09	1	0.09	9.0	1373
DUP C0041396	13.8	0.8	36.8	0.31	1.4	0.024	0.38	0.47	80	0.30	21.8	2318
DUP C0041437	21.2	0.5	44.1	0.12	1.3	0.038	0.54	0.57	175	0.30	12.9	183
DUP C0041479	12.0	0.2	22.6	<0.05	1.3	0.162	0.11	0.54	71	0.19	15.8	41
DUP C0041493	1.8	<0.2	9.7	0.22	9.7	<0.005	0.94	0.63	5	0.09	5.0	425
DUP C0041383												
DUP C0041405												
DUP C0041464												
DUP C0041469												
DUP C0041533												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010787

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID												
STD BLANK												
STD BLANK												
STD BLANK												
STD BLANK												
STD OREAS 600b	1.2	2.9	26.0	1.82	9.6	0.030	0.45	2.94	3	2.50	7.5	332
STD OREAS 25a	8.9	0.5	17.6	<0.05	10.1	0.059	0.18	1.46	124	<0.05	4.5	31
STD OREAS 600b	1.2	3.3	27.1	2.01	10.2	0.036	0.50	3.22	3	2.55	7.9	344
STD OREAS 25a	8.8	0.7	18.1	<0.05	10.6	0.079	0.20	1.54	123	0.06	4.7	33
STD OREAS 600b	1.2	2.9	26.4	2.13	10.2	0.030	0.48	3.24	2	2.39	7.8	347
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD OREAS 904												
STD MP-1b												
STD CDN-ME-1407												
STD OxK160												
STD OxQ115												
STD CDN-ME-1805												

***Please refer to the cover page for comments
regarding this test report. ***

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Number of Samples: 82
Report Version: Final

COMMENTS:

Coarse gold may be present in some samples.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific gravity on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6As	As, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	ICF-6Ag Ag ppm	ICF-6As As %	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	1	0.005	0.001	0.01	0.01	0.05	0.01
Granite Blank	QC-P-BK	--		2.66								0.10	0.94
Granite Blank	QC-P-BK	--		2.70								0.07	0.97
C0041549	Core	3.57		2.81								45.10	0.32
C0041550	Core	3.01		2.66								1.92	0.44
C0041551	Core	3.23		2.63								0.86	0.41
C0041552	Core	3.98		2.70								0.86	0.54
C0041553	Core	4.30		2.66								0.28	0.76
C0041554	Core	4.19		2.70								0.28	1.00
C0041555	Pulp	0.12		2.66		10.2						1.37	1.67
C0041556	Core	3.27		2.63								0.18	1.13
C0041557	Core	3.69		2.75								0.19	1.21
C0041558	Core	3.98		2.73								0.21	0.99
C0041559	Core	4.06		2.78								0.37	0.83
C0041560	Core	4.38		2.78								1.18	0.65
C0041561	Core	3.30		2.81								0.30	0.92
C0041562	Core	3.69		2.86								0.43	0.69
C0041563	Core	2.85		2.73								2.88	0.61
C0041564	Core	3.81		2.73								2.22	0.62
C0041565	Core	4.73		2.86								1.68	0.68
C0041566	Core	3.98		2.78								0.65	0.49
C0041566PD	QC-PD	--		2.73								0.63	0.49
C0041567	Core	3.96		2.86								0.23	0.73
C0041568	Core	3.82		2.78								0.15	0.84
C0041569	Core	3.55		2.73								0.31	0.67
C0041570	Core	4.03		2.78								0.75	0.51

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041571	Core	4.35		2.73								4.26	0.61
C0041572	Core	3.59		2.73								1.04	0.43
C0041573	Core	4.17		2.81	2.62		113					>100	0.35
C0041574	Core	4.18		2.86		8.2		2.596				50.28	0.42
C0041575	Pulp	0.12		2.76								0.43	0.47
C0041576	Core	4.34		2.73								0.81	0.46
C0041577	Core	4.45		2.70								0.56	0.53
C0041578	Core	4.05		2.66								0.16	0.61
C0041579	Core	2.74		2.78								0.29	0.58
C0041580	Core	4.49		2.81								0.86	0.50
C0041581	Core	4.28		2.78								0.42	0.55
C0041582	Core	4.09		2.81								1.13	0.46
C0041583	Core	4.15		2.73								0.73	0.55
C0041584	Core	3.79		2.70								0.07	0.57
C0041585	Core	3.94		2.66								0.06	0.71
C0041586	Core	5.41		2.81								2.29	0.60
C0041587	Core	5.41		2.86								4.97	0.49
C0041588	Core	4.58		2.78								3.95	0.50
C0041589	Core	5.52		2.81								21.72	0.37
C0041590	Core	4.55		3.03								2.37	0.36
C0041591	Core	3.28		2.70								2.53	0.42
C0041592	Core	4.24		2.89								2.13	0.42
C0041593	Core	4.92		2.89	4.49			1.682				10.68	0.36
C0041594	Core	4.65		3.03								3.08	0.43
C0041595	Pulp	0.12		2.73		9.9						1.39	1.66

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041596	Core	5.29		2.94		7.0						3.17	0.45
C0041597	Core	5.21		2.76								21.62	0.42
C0041598	Core	3.22		2.70								7.59	0.42
C0041599	Core	6.84		2.81								2.47	0.45
C0041600	Core	4.04		2.70								0.55	0.64
C0041601	Core	5.05		2.50								0.71	0.75
C0041602	Core	6.13		2.68								7.19	0.46
C0041603	Core	5.15		2.63								12.49	0.48
C0041604	Core	3.08		2.72	2.31			1.116				14.15	0.43
C0041605	Core	6.25		2.70	2.71		345					>100	0.40
C0041606	Core	5.77		2.63								5.49	0.39
C0041607	Core	4.48		2.86								63.84	0.43
C0041608	Core	5.25		2.78	0.99		102					>100	0.44
C0041608PD	QC-PD	--		2.86	1.23		149					>100	0.47
C0041609	Core	4.64		2.83								39.99	0.45
C0041610	Core	4.77		2.86	1.67		146					>100	0.39
C0041611	Core	6.54		2.86	1.33							4.16	0.42
C0041612	Core	5.04		2.73								12.12	0.42
C0041613	Core	4.95		2.68								11.78	0.44
C0041614	Core	4.81		2.78								3.81	0.39
C0041615	Pulp	0.12		2.89	3.67							50.72	1.36
C0041616	Core	5.58		2.89								6.82	0.40
C0041617	Core	5.93		3.13								4.70	0.44
C0041618	Core	5.52		3.03								9.11	0.32
C0041619	Core	4.40		2.97								6.63	0.44

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041620	Core	4.08		2.97								4.42	0.48
C0041621	Core	4.51		2.86								6.54	0.37
C0041622	Core	4.20		2.89								13.78	0.40
C0041623	Core	4.82		2.97		8.9	569	1.401			3.55	>100	0.24
C0041624	Core	3.95		2.86	0.93							6.82	0.31
C0041625	Core	3.99		2.89	0.90							7.49	0.42
C0041626	Core	3.47		2.81								13.24	0.26
C0041627	Core	3.66		2.86								7.38	0.26
C0041628	Core	3.78		2.86								3.82	0.35
C0041629	Core	6.64		2.81								8.33	0.34
C0041630	Pulp	0.12		3.57			161		1.296	1.53	9.46	>100	0.35
DUP C0041564												2.22	0.61
DUP C0041584												0.08	0.55
DUP C0041566				2.73									
DUP C0041586				2.76									
STD BLANK												<0.05	<0.01
STD BLANK												<0.5	<0.01
STD BLANK					<0.01		<1	<0.005	<0.001	<0.01	<0.01		
STD BLANK						<0.9							
STD OREAS 600b												27.07	0.62

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	ICF-6Ag Ag ppm 1	ICF-6As As % 0.005	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
STD OREAS 25a												<0.05	6.18
STD OREAS 904				2.68									
STD OREAS 904				2.86									
STD MP-1b								2.289	3.099	2.15	16.92		
STD CDN-ME-1407							244						
STD OxK160					3.65								
STD OxQ115						25.8							



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
Granite Blank	1.5	0.004	<10	67	<0.05	0.66	<0.05	3.6	68	2.4	1.80	4.2	<0.01
Granite Blank	1.3	0.002	<10	73	<0.05	0.66	<0.05	3.6	71	2.8	1.79	4.1	<0.01
C0041549	851.5	0.280	11	195	1.21	0.05	20.02	0.6	111	130.6	1.43	1.7	0.34
C0041550	234.2	0.187	12	183	0.57	0.06	0.32	0.6	86	9.5	1.40	1.7	0.03
C0041551	77.7	0.085	12	171	0.86	0.09	0.14	0.2	58	5.2	1.14	1.4	0.02
C0041552	180.0	0.223	10	100	0.57	0.09	0.50	1.0	65	15.1	1.44	1.3	0.04
C0041553	282.6	0.008	<10	54	0.44	0.08	1.14	1.2	41	29.6	2.03	1.3	0.01
C0041554	458.5	0.007	<10	72	0.49	0.12	8.32	1.6	60	47.2	2.04	1.2	<0.01
C0041555	35.5	8.310	16	125	1.32	0.86	0.28	13.2	41	780.3	5.14	5.6	0.45
C0041556	314.2	0.004	10	52	0.41	0.61	18.13	4.4	52	24.8	2.68	1.5	0.02
C0041557	374.8	0.004	12	151	0.59	1.09	14.39	6.7	43	14.4	3.53	2.4	0.01
C0041558	308.0	0.006	10	142	0.59	0.80	8.75	6.1	48	35.7	2.87	1.9	0.06
C0041559	783.6	0.086	<10	172	0.36	0.13	5.16	1.8	64	63.4	3.04	1.7	0.04
C0041560	540.2	0.037	<10	219	0.26	0.10	4.07	1.6	51	37.7	2.20	1.4	0.05
C0041561	629.7	0.069	10	143	0.18	0.06	2.77	4.4	67	52.1	3.28	1.1	0.03
C0041562	369.9	0.013	<10	117	0.28	1.14	7.61	4.4	86	20.9	2.51	1.3	0.04
C0041563	206.7	0.098	12	52	2.13	0.67	6.61	6.2	109	14.7	3.07	1.4	0.05
C0041564	756.2	0.189	11	76	1.27	0.16	12.86	4.9	73	10.8	3.01	1.2	0.06
C0041565	481.0	0.078	11	54	1.99	0.22	8.30	7.5	89	10.2	3.66	1.4	0.02
C0041566	340.6	0.111	12	101	0.63	0.83	4.52	3.7	93	6.2	2.69	1.0	0.03
C0041566PD	314.0	0.096	<10	104	0.60	0.83	4.28	3.6	92	5.8	2.56	1.0	0.03
C0041567	91.3	0.006	<10	82	1.35	0.49	2.73	2.8	53	6.9	2.21	1.1	0.01
C0041568	112.0	0.003	<10	85	3.81	1.08	10.12	4.1	60	9.2	2.45	1.7	0.03
C0041569	129.9	0.014	10	81	0.98	0.52	16.22	4.0	64	11.3	2.71	1.1	0.04
C0041570	83.9	0.011	<10	71	0.49	1.01	5.61	2.6	80	7.8	2.26	1.0	0.22

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041571	59.6	0.021	<10	55	1.18	0.38	9.75	3.7	61	10.6	3.04	1.0	0.02
C0041572	146.3	0.059	<10	67	0.35	0.71	8.31	2.6	78	7.1	2.19	0.8	0.03
C0041573	8096.9	2.690	<10	67	0.48	0.10	49.10	2.7	129	198.6	2.86	0.9	0.15
C0041574	>10000	7.788	11	55	0.33	0.18	88.43	2.8	43	122.6	5.28	1.3	0.15
C0041575	462.4	0.252	<10	1121	0.19	1.08	0.40	3.9	44	39.3	4.04	1.9	3.98
C0041576	69.5	0.024	<10	68	0.57	1.27	1.11	3.2	37	6.0	2.55	0.9	0.03
C0041577	112.8	0.014	<10	110	0.70	1.22	2.39	3.5	31	5.2	2.23	1.0	0.03
C0041578	193.8	0.025	10	152	0.48	0.77	25.68	4.8	36	6.7	2.58	1.2	0.06
C0041579	377.6	0.161	<10	30	0.69	0.87	4.04	2.9	30	9.7	1.96	1.0	0.10
C0041580	113.8	0.013	11	83	1.87	1.11	1.10	3.5	35	5.0	2.88	1.1	0.04
C0041581	83.9	0.011	<10	128	0.51	1.48	0.63	4.4	31	7.4	2.20	1.1	0.02
C0041582	91.7	0.017	<10	81	0.93	0.36	6.46	9.0	36	6.2	2.94	0.9	0.04
C0041583	146.1	0.016	16	82	0.67	1.30	2.77	10.1	35	10.6	2.96	1.2	0.05
C0041584	47.0	0.001	12	145	1.78	1.73	1.72	3.8	36	4.9	2.27	1.3	0.02
C0041585	113.6	0.001	<10	41	2.70	1.32	6.11	2.8	28	5.4	1.44	1.3	0.03
C0041586	701.3	0.174	16	66	0.70	0.83	49.71	12.3	37	9.0	3.72	1.1	0.08
C0041587	377.2	0.139	21	34	1.38	0.76	9.07	12.4	30	7.1	6.68	1.0	0.13
C0041588	210.6	0.059	15	50	2.29	0.27	14.10	10.7	35	7.7	4.00	0.9	0.18
C0041589	276.3	0.125	11	49	3.46	0.25	27.11	5.2	39	56.1	3.11	1.0	0.08
C0041590	247.6	0.069	21	28	1.69	0.19	1.92	10.8	43	10.2	8.95	1.0	0.04
C0041591	59.5	0.038	17	69	4.96	1.11	0.75	8.9	37	8.6	3.25	1.0	0.02
C0041592	392.6	0.141	16	52	2.35	0.73	2.95	9.5	38	9.8	4.51	1.0	0.08
C0041593	>10000	4.661	19	35	1.40	0.18	77.16	8.5	40	43.2	7.21	1.1	0.17
C0041594	1741.1	0.498	20	31	1.27	0.20	9.02	13.5	25	9.0	8.54	1.1	0.10
C0041595	36.2	8.645	17	122	1.37	0.85	0.27	13.3	41	774.4	5.08	5.8	0.44

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041596	220.3	5.004	19	39	1.51	0.16	2.40	11.7	31	10.4	7.23	1.0	0.11
C0041597	135.6	0.023	13	64	2.02	0.20	1.77	8.1	41	60.4	3.72	1.0	0.07
C0041598	78.4	0.030	15	62	1.04	0.50	2.70	6.3	35	26.5	3.28	1.0	0.05
C0041599	103.2	0.083	16	47	0.85	1.26	1.94	6.8	32	15.0	3.80	1.0	0.03
C0041600	71.8	0.006	16	41	1.82	2.06	0.20	7.4	24	24.9	3.99	1.3	0.03
C0041601	53.0	0.009	16	59	0.64	1.76	0.43	6.5	21	26.4	3.44	1.4	0.03
C0041602	376.0	0.120	19	35	1.72	1.78	5.92	6.7	35	20.8	5.27	1.1	0.03
C0041603	718.9	0.135	17	41	0.63	1.39	6.74	6.8	32	26.1	4.54	1.0	0.03
C0041604	>10000	2.249	17	42	1.21	0.17	43.82	7.3	39	52.4	7.02	1.2	0.10
C0041605	6149.4	2.754	18	24	0.51	0.89	84.23	5.2	39	494.2	6.33	1.2	0.28
C0041606	1109.3	0.821	20	18	0.78	2.66	5.40	6.1	27	18.2	6.64	0.9	0.03
C0041607	4083.1	0.834	19	22	0.70	1.79	16.37	8.1	25	84.5	5.82	1.0	0.08
C0041608	2620.1	1.233	18	41	1.51	0.98	51.11	7.6	30	161.3	6.00	1.0	0.14
C0041608PD	3254.5	1.105	20	35	1.60	0.97	68.93	8.3	34	235.0	7.27	1.2	0.18
C0041609	1533.0	0.412	19	41	0.65	0.85	27.30	8.3	34	70.1	6.03	1.0	0.08
C0041610	6447.2	1.888	21	36	1.10	0.46	20.41	7.9	33	262.3	7.97	0.9	0.16
C0041611	7311.9	1.341	22	29	0.76	0.20	11.00	9.8	37	16.6	10.07	1.0	0.13
C0041612	2633.0	0.474	18	40	0.95	0.56	2.75	7.1	33	26.4	5.84	1.0	0.06
C0041613	2394.6	0.559	17	39	4.56	0.59	1.98	5.0	34	37.0	4.61	1.0	0.06
C0041614	181.5	0.100	15	52	1.45	0.46	9.63	5.3	37	20.7	4.68	0.9	0.06
C0041615	29.0	3.190	16	113	0.96	0.81	14.44	7.8	27	67.2	3.71	6.1	0.19
C0041616	703.7	0.268	22	36	8.08	1.14	10.99	6.0	31	16.8	7.93	0.9	0.05
C0041617	353.0	0.158	25	34	3.92	2.66	4.66	12.5	27	22.9	8.11	1.0	0.04
C0041618	1130.7	0.400	14	22	3.49	0.50	26.28	5.8	33	25.5	5.80	0.9	0.07
C0041619	573.0	0.278	19	26	2.97	0.30	15.52	13.2	27	20.1	9.22	1.1	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0041620	144.2	0.023	18	40	2.46	0.31	6.93	15.5	26	19.7	7.75	1.0	0.04
C0041621	156.3	0.030	12	54	3.07	0.54	30.26	6.2	35	92.6	3.42	0.9	0.10
C0041622	116.3	0.040	15	41	4.09	1.49	5.90	12.3	26	59.6	5.05	1.0	0.07
C0041623	>10000	13.025	14	27	0.67	0.48	489.56	5.6	36	716.3	6.74	1.6	1.17
C0041624	2171.9	1.027	<10	63	0.82	1.83	9.02	5.5	45	15.9	3.02	0.9	0.10
C0041625	1885.8	1.019	11	29	1.78	0.32	15.28	6.2	39	23.3	4.23	1.2	0.33
C0041626	682.0	0.205	10	29	0.35	0.78	17.37	4.1	37	19.9	3.15	0.8	0.26
C0041627	1214.7	0.394	11	48	0.42	2.16	19.00	3.9	37	34.0	2.94	0.8	0.28
C0041628	853.2	0.061	11	54	0.79	0.32	11.15	6.1	36	46.9	3.21	0.8	0.08
C0041629	2355.6	0.154	<10	51	0.46	0.42	23.79	5.2	43	45.2	2.24	0.9	0.12
C0041630	1083.0	0.209	26	15	62.29	1.71	478.13	28.1	16	>10000	18.29	8.4	18.94
DUP C0041564	758.2	0.193	<10	73	1.29	0.16	12.77	5.0	75	10.0	3.03	1.2	0.06
DUP C0041584	48.6	0.002	11	139	1.81	1.69	1.83	4.1	34	5.1	2.21	1.2	0.02
DUP C0041566													
DUP C0041586													
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK													
STD BLANK													
STD OREAS 600b	99.2	0.205	<10	664	5.96	0.86	2.18	2.2	27	504.3	2.12	3.5	0.09

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
STD OREAS 25a	2.9	0.002	18	60	0.29	0.16	<0.05	5.9	75	24.8	6.21	21.0	0.06
STD OREAS 904													
STD OREAS 904													
STD MP-1b													
STD CDN-ME-1407													
STD OxK160													
STD OxQ115													



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05	0.1
Granite Blank	0.10	6.1	0.43	422	1.93	0.13	3.2	394	2.3	<0.005	0.03	0.39	3.2
Granite Blank	0.11	6.5	0.43	418	1.89	0.14	3.5	387	1.9	<0.005	0.02	0.21	3.3
C0041549	0.31	4.4	0.02	31	2.32	<0.01	3.3	486	7936.7	<0.005	0.60	870.62	1.1
C0041550	0.45	6.4	0.03	28	1.67	0.02	2.9	142	269.5	<0.005	0.35	91.44	0.6
C0041551	0.44	4.6	0.04	37	1.27	0.02	2.0	100	156.1	<0.005	0.37	17.64	0.9
C0041552	0.44	8.9	0.04	43	2.99	0.01	2.3	180	36.8	<0.005	0.34	40.09	0.9
C0041553	0.33	6.8	0.04	47	2.38	0.01	2.2	285	12.5	<0.005	0.51	47.10	1.4
C0041554	0.37	6.9	0.05	129	1.54	0.02	4.5	476	20.1	<0.005	0.79	82.59	1.6
C0041555	0.28	7.1	0.82	542	31.79	0.12	54.0	705	31.0	0.062	0.64	8.74	5.8
C0041556	0.29	5.9	0.32	1035	2.07	0.02	6.7	237	8.7	<0.005	0.95	27.59	1.6
C0041557	0.33	10.6	0.50	1073	1.76	0.02	6.8	681	8.5	<0.005	1.47	20.18	2.2
C0041558	0.39	15.1	0.25	889	2.53	0.02	4.0	1043	13.6	<0.005	1.59	21.26	2.6
C0041559	0.42	10.9	0.05	77	1.51	0.02	3.6	614	39.0	<0.005	0.47	94.15	2.6
C0041560	0.40	12.0	0.05	56	1.14	0.03	3.0	409	61.2	<0.005	0.43	44.00	1.8
C0041561	0.33	6.1	0.04	103	1.93	0.02	8.7	287	17.7	<0.005	1.47	10.34	1.7
C0041562	0.27	5.3	0.23	1876	1.61	0.02	6.3	237	26.6	<0.005	1.76	11.58	2.2
C0041563	0.29	5.4	0.23	1284	3.25	0.01	8.0	282	307.8	<0.005	3.26	42.63	2.6
C0041564	0.32	6.2	0.05	114	2.13	0.01	6.1	423	221.5	<0.005	3.26	92.50	1.2
C0041565	0.37	4.9	0.07	433	1.50	<0.01	10.4	461	128.9	<0.005	3.84	65.21	2.1
C0041566	0.31	5.4	0.32	2102	2.66	0.01	4.9	294	30.3	<0.005	2.32	26.52	1.5
C0041566PD	0.31	5.6	0.32	2066	2.62	0.01	4.9	295	28.3	<0.005	2.20	25.21	1.5
C0041567	0.19	5.3	0.20	532	1.59	0.01	3.7	195	15.6	<0.005	2.19	16.60	0.8
C0041568	0.22	8.1	0.35	738	1.97	0.01	3.7	471	8.9	<0.005	1.92	20.65	1.8
C0041569	0.26	5.1	0.20	580	1.59	0.01	4.7	222	17.3	<0.005	2.61	18.90	1.4
C0041570	0.29	3.8	0.44	1094	2.08	0.01	4.4	260	20.8	<0.005	2.10	23.72	1.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05	0.1
C0041571	0.25	4.0	0.17	360	1.91	0.01	4.9	132	120.0	<0.005	3.36	11.84	1.0
C0041572	0.26	3.9	0.31	906	2.21	0.01	5.4	116	74.0	<0.005	2.14	35.83	0.8
C0041573	0.22	2.7	0.05	146	2.51	0.01	6.2	82	1739.4	<0.005	2.89	584.52	0.5
C0041574	0.27	3.4	0.08	377	6.73	0.01	4.4	115	1506.0	<0.005	4.79	558.19	0.7
C0041575	0.11	7.0	0.04	69	13.51	0.13	16.3	156	15.2	<0.005	0.26	26.02	1.1
C0041576	0.29	4.5	0.49	1833	7.02	0.01	5.8	174	51.3	<0.005	2.40	15.69	0.9
C0041577	0.26	4.8	0.44	1355	6.10	0.02	2.8	237	27.5	<0.005	1.90	14.37	1.7
C0041578	0.18	5.5	0.31	1866	5.82	0.02	4.5	173	7.5	<0.005	1.35	12.53	2.6
C0041579	0.12	4.2	0.32	1211	4.73	<0.01	3.7	99	9.0	<0.005	1.58	9.94	1.6
C0041580	0.29	4.9	0.44	1116	8.30	0.01	4.5	177	19.3	<0.005	2.65	7.34	1.4
C0041581	0.28	6.7	0.50	1089	4.75	0.02	5.9	347	29.2	<0.005	1.86	4.84	2.1
C0041582	0.29	5.8	0.13	713	8.70	0.01	7.5	345	111.2	<0.005	2.91	7.95	1.1
C0041583	0.30	6.6	0.45	2131	7.62	<0.01	7.1	360	26.4	<0.005	2.55	10.83	4.7
C0041584	0.21	4.7	0.62	934	7.15	<0.01	4.1	293	8.3	<0.005	1.50	5.73	2.1
C0041585	0.16	7.8	0.44	804	4.82	<0.01	2.9	330	6.9	<0.005	0.45	11.05	2.8
C0041586	0.28	2.3	0.30	1491	3.77	<0.01	14.5	322	484.3	<0.005	3.05	35.38	5.5
C0041587	0.31	3.9	0.24	1392	4.37	<0.01	12.5	738	804.7	<0.005	7.19	26.58	2.1
C0041588	0.25	5.0	0.09	696	9.88	<0.01	23.6	411	237.8	0.008	3.89	31.37	2.5
C0041589	0.21	9.1	0.08	443	10.12	<0.01	10.2	311	1291.8	0.005	3.25	272.61	1.1
C0041590	0.21	4.2	0.05	148	9.81	<0.01	40.6	478	290.7	0.006	9.93	44.78	1.1
C0041591	0.25	6.6	0.39	1778	12.00	<0.01	36.7	554	104.8	0.013	3.30	31.92	2.6
C0041592	0.23	3.9	0.24	1357	17.79	<0.01	25.1	429	189.4	0.010	4.77	31.54	2.0
C0041593	0.22	4.5	0.05	195	11.89	<0.01	16.0	386	1784.3	<0.005	7.44	513.26	0.8
C0041594	0.28	6.1	0.04	73	5.53	<0.01	5.6	614	708.9	<0.005	9.59	80.84	0.9
C0041595	0.28	7.0	0.81	545	31.67	0.11	55.0	717	31.5	0.061	0.64	8.03	6.0

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05	0.1
C0041596	0.26	6.0	0.04	35	5.96	<0.01	8.7	498	256.3	<0.005	8.11	33.17	0.8
C0041597	0.25	6.7	0.04	63	11.85	<0.01	26.4	620	181.8	0.007	3.97	48.51	1.2
C0041598	0.26	8.4	0.14	557	7.55	<0.01	15.2	629	207.4	0.005	3.37	37.98	1.4
C0041599	0.25	6.7	0.42	1519	7.93	<0.01	11.8	454	183.6	<0.005	3.80	27.32	2.7
C0041600	0.20	10.5	0.69	1801	4.36	<0.01	4.5	434	19.2	<0.005	3.75	15.48	5.9
C0041601	0.19	8.5	0.59	1424	4.28	<0.01	4.4	484	84.4	<0.005	3.41	15.87	5.4
C0041602	0.27	4.9	0.53	2785	7.52	<0.01	4.5	370	594.1	<0.005	5.44	27.50	3.4
C0041603	0.28	6.4	0.41	1987	9.38	<0.01	9.1	522	662.3	0.005	4.68	38.49	2.9
C0041604	0.27	4.9	0.05	155	8.62	<0.01	6.6	352	2640.9	<0.005	7.39	376.24	1.4
C0041605	0.27	4.4	0.28	1317	6.78	<0.01	4.7	329	5037.0	<0.005	6.89	416.19	1.8
C0041606	0.27	4.2	0.79	4185	4.91	<0.01	4.7	408	442.4	<0.005	6.90	13.37	3.1
C0041607	0.27	4.0	0.56	2365	4.60	<0.01	4.7	470	1867.0	<0.005	6.09	61.89	3.3
C0041608	0.29	3.6	0.29	1513	5.84	<0.01	5.4	480	1426.9	<0.005	6.61	117.01	2.5
C0041608PD	0.30	3.3	0.29	1475	6.32	<0.01	5.9	484	2152.5	<0.005	8.02	166.03	2.6
C0041609	0.28	3.5	0.27	1155	6.04	<0.01	5.7	518	1409.6	<0.005	6.63	84.63	2.2
C0041610	0.26	2.8	0.14	764	5.68	<0.01	6.1	442	880.8	<0.005	8.63	239.16	1.3
C0041611	0.27	2.8	0.04	68	7.23	<0.01	11.0	656	459.6	<0.005	>10	44.42	0.9
C0041612	0.26	6.1	0.15	692	9.67	<0.01	14.2	710	81.1	0.007	6.28	30.10	1.3
C0041613	0.25	7.3	0.18	1437	7.05	<0.01	9.6	424	69.8	<0.005	4.62	35.22	2.5
C0041614	0.24	5.4	0.13	1010	15.19	<0.01	14.7	431	670.1	0.006	5.01	43.63	1.2
C0041615	0.12	5.1	0.63	413	9.08	0.10	27.8	551	495.9	<0.005	0.39	51.01	4.2
C0041616	0.26	3.9	0.35	2693	7.28	<0.01	8.4	659	1012.0	<0.005	8.73	55.02	2.9
C0041617	0.29	2.9	0.82	5268	5.50	<0.01	8.1	711	586.4	<0.005	8.66	30.76	4.7
C0041618	0.21	1.4	0.14	1004	8.87	<0.01	6.1	362	1892.4	<0.005	6.15	62.14	1.6
C0041619	0.24	2.6	0.05	100	5.66	<0.01	11.2	899	1206.6	<0.005	>10	31.13	1.3

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05	0.1
C0041620	0.25	3.4	0.05	84	5.27	<0.01	12.0	923	472.6	<0.005	8.41	21.59	1.4
C0041621	0.20	6.5	0.15	1102	9.02	<0.01	15.4	426	1431.3	0.007	3.59	105.07	1.9
C0041622	0.22	4.7	0.44	2724	6.83	<0.01	9.3	686	408.4	<0.005	5.23	44.33	4.7
C0041623	0.14	1.3	0.04	645	6.80	<0.01	10.0	329	9716.9	<0.005	7.66	919.17	0.7
C0041624	0.16	2.1	0.04	719	8.08	<0.01	7.5	228	484.4	<0.005	2.79	45.54	0.7
C0041625	0.13	4.6	0.07	448	7.21	<0.01	23.0	280	994.0	<0.005	4.40	48.70	1.7
C0041626	0.11	4.1	0.21	1324	9.05	<0.01	15.9	250	1094.4	<0.005	3.02	64.43	1.6
C0041627	0.14	2.3	0.42	2398	7.98	<0.01	12.1	289	944.2	<0.005	2.52	180.19	2.7
C0041628	0.20	4.3	0.03	169	9.42	<0.01	19.7	484	366.9	0.007	3.27	61.53	0.6
C0041629	0.19	5.0	0.03	158	10.88	<0.01	27.7	315	642.1	0.008	2.14	140.67	0.6
C0041630	0.07	1.5	0.79	348	33.23	<0.01	54.3	348	>10000	0.034	>10	227.62	1.0
DUP C0041564	0.32	6.2	0.05	114	2.11	0.01	6.2	426	222.4	<0.005	3.28	95.02	1.2
DUP C0041584	0.20	4.8	0.61	911	7.43	<0.01	4.4	288	8.4	<0.005	1.46	5.98	2.2
DUP C0041566													
DUP C0041586													
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1
STD BLANK													
STD BLANK													
STD OREAS 600b	0.27	29.0	0.05	255	5.02	0.11	4.3	230	86.2	<0.005	0.26	10.72	1.2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm	IMS-128 Sc ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005	0.01	0.05	0.1
STD OREAS 25a	0.14	13.0	0.21	430	1.58	0.04	29.1	396	21.3	<0.005	0.05	0.22	8.5
STD OREAS 904													
STD OREAS 904													
STD MP-1b													
STD CDN-ME-1407													
STD OxK160													
STD OxQ115													



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:**YVR2010906**

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
Granite Blank	<0.2	22.3	<0.05	2.2	0.110	<0.05	0.48	27	0.54	9.4	26
Granite Blank	<0.2	23.6	<0.05	2.3	0.111	<0.05	0.48	27	0.58	9.8	26
C0041549	0.9	56.7	0.13	5.4	<0.005	1.29	3.09	3	1.51	1.0	268
C0041550	0.5	78.5	0.20	3.1	<0.005	0.85	0.19	3	1.00	1.1	35
C0041551	0.5	45.9	0.08	4.0	<0.005	0.82	0.16	2	0.57	1.0	12
C0041552	0.7	31.5	0.17	3.9	<0.005	0.70	0.39	4	0.65	2.0	189
C0041553	0.6	24.9	0.06	4.9	<0.005	0.39	0.76	3	0.53	3.0	336
C0041554	0.6	96.0	0.11	4.9	<0.005	0.31	0.98	3	0.55	6.4	452
C0041555	1.6	39.3	0.46	1.5	0.137	0.18	0.46	94	8.37	9.2	77
C0041556	0.4	20.0	0.14	4.4	<0.005	0.26	0.95	3	0.46	9.5	1647
C0041557	0.5	15.6	<0.05	6.0	<0.005	0.31	0.90	10	0.44	12.6	2104
C0041558	0.6	38.4	0.10	6.2	<0.005	0.39	1.70	13	0.39	10.2	989
C0041559	0.4	108.4	0.06	5.2	<0.005	0.70	2.17	8	0.57	7.3	621
C0041560	0.6	54.4	0.06	5.0	<0.005	0.64	1.26	5	0.57	5.9	432
C0041561	0.6	6.7	0.06	4.7	<0.005	0.28	1.05	3	0.82	8.9	706
C0041562	0.4	18.9	<0.05	3.0	<0.005	0.40	0.95	2	0.93	7.9	842
C0041563	0.6	8.8	0.24	3.1	<0.005	0.70	0.48	4	1.00	5.5	902
C0041564	0.7	13.1	0.18	3.6	<0.005	0.62	0.40	4	0.82	4.2	504
C0041565	0.8	9.9	0.23	3.4	<0.005	0.66	0.46	6	0.74	4.8	776
C0041566	0.5	12.5	0.08	3.3	<0.005	0.50	0.41	2	0.79	6.6	1510
C0041566PD	0.2	12.4	0.08	3.3	<0.005	0.49	0.41	2	0.79	6.5	1453
C0041567	0.9	29.0	0.49	3.8	<0.005	0.22	0.39	2	0.41	3.7	475
C0041568	0.5	35.4	0.22	3.5	<0.005	0.28	0.72	7	0.53	7.2	1080
C0041569	0.7	12.2	0.19	2.9	<0.005	0.45	0.41	3	0.59	4.9	733
C0041570	0.5	16.5	<0.05	1.7	<0.005	0.35	0.51	<1	0.86	4.6	458

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041571	1.1	7.0	0.13	2.7	<0.005	0.28	0.27	<1	0.60	2.8	319
C0041572	0.4	13.2	<0.05	1.7	<0.005	0.37	0.41	<1	0.68	2.9	603
C0041573	0.4	3.5	<0.05	2.0	<0.005	0.70	0.20	<1	1.02	1.2	2919
C0041574	0.4	4.9	0.11	3.2	<0.005	0.84	0.27	<1	0.17	2.2	5596
C0041575	1.5	75.1	0.11	1.4	0.009	10.84	1.60	29	12.91	2.6	26
C0041576	0.5	16.5	<0.05	2.5	<0.005	0.39	0.34	1	0.21	4.6	142
C0041577	0.4	19.4	<0.05	2.4	<0.005	0.38	0.38	2	0.23	5.5	425
C0041578	0.3	12.6	<0.05	2.1	<0.005	0.41	0.58	2	0.22	6.5	2042
C0041579	0.4	11.2	0.06	2.5	<0.005	1.27	0.50	3	0.26	4.5	446
C0041580	0.9	16.5	0.10	3.2	<0.005	0.65	0.38	2	0.50	5.7	188
C0041581	0.4	20.4	<0.05	3.6	<0.005	0.36	0.17	4	0.24	7.1	140
C0041582	1.1	4.3	<0.05	3.8	<0.005	0.36	1.35	3	0.77	4.3	729
C0041583	0.6	18.4	0.06	2.8	<0.005	0.56	0.47	9	0.27	6.5	418
C0041584	0.6	25.0	0.10	2.7	<0.005	0.25	0.63	6	0.28	5.8	327
C0041585	<0.2	18.0	<0.05	3.3	<0.005	0.18	0.55	6	0.14	7.2	731
C0041586	0.4	19.2	0.09	1.3	<0.005	0.89	0.48	11	0.25	6.7	1339
C0041587	0.7	12.2	0.09	3.0	<0.005	1.82	0.50	7	0.26	5.4	928
C0041588	1.9	18.3	0.30	2.2	<0.005	0.84	0.59	8	0.42	5.2	638
C0041589	1.0	4.1	0.09	5.5	<0.005	0.65	0.56	3	0.32	3.5	2128
C0041590	2.8	3.3	0.36	1.8	<0.005	0.59	0.49	6	0.40	3.3	142
C0041591	2.5	14.6	0.28	2.5	<0.005	0.35	0.61	8	0.47	5.5	115
C0041592	2.6	10.1	0.41	2.7	<0.005	0.67	0.44	6	0.33	4.1	190
C0041593	1.8	3.1	0.41	2.9	<0.005	1.32	0.30	6	0.43	2.6	4568
C0041594	2.4	3.2	0.26	6.6	<0.005	1.79	0.36	6	0.22	3.6	642
C0041595	1.8	36.6	0.44	1.4	0.131	0.18	0.46	92	8.32	9.7	79

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

Sample ID	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041596	2.2	2.8	0.51	5.2	<0.005	1.08	0.37	5	0.27	3.7	194
C0041597	3.0	3.0	0.26	3.2	<0.005	0.68	0.50	6	0.29	3.4	127
C0041598	1.4	6.2	0.15	4.5	<0.005	0.50	0.65	4	0.25	5.4	311
C0041599	1.6	17.2	0.14	4.2	<0.005	0.39	0.79	5	0.32	7.8	344
C0041600	1.6	25.5	0.56	2.8	<0.005	0.47	0.82	15	0.32	14.7	229
C0041601	1.2	21.7	0.73	2.5	<0.005	0.45	0.65	16	0.28	8.8	77
C0041602	1.6	20.9	0.64	1.8	<0.005	0.44	0.61	7	0.26	8.5	528
C0041603	1.6	16.8	0.48	2.6	<0.005	0.34	0.66	7	0.32	6.9	532
C0041604	1.4	2.7	0.64	2.3	<0.005	0.79	0.40	7	0.35	3.4	3167
C0041605	1.3	9.9	0.39	2.1	<0.005	0.45	0.38	5	0.25	4.4	5904
C0041606	0.7	27.7	0.91	1.6	<0.005	0.34	0.39	5	0.19	10.0	443
C0041607	1.2	17.4	0.41	1.3	<0.005	0.35	0.31	7	0.21	9.4	1172
C0041608	1.6	11.8	0.19	1.1	<0.005	0.36	0.30	6	0.24	5.6	3435
C0041608PD	1.7	10.9	0.30	1.1	<0.005	0.39	0.32	7	0.26	5.7	4853
C0041609	1.6	10.3	0.46	1.2	<0.005	0.49	0.32	6	0.42	3.6	1958
C0041610	1.7	4.9	0.73	1.1	<0.005	1.40	0.26	6	0.29	2.0	1434
C0041611	2.0	2.6	0.27	1.6	<0.005	1.86	0.32	8	0.32	1.9	805
C0041612	2.3	7.2	0.29	4.8	<0.005	0.49	0.75	6	0.27	4.3	274
C0041613	2.1	6.8	0.47	2.7	<0.005	0.61	0.58	6	0.43	4.7	344
C0041614	1.5	5.4	0.11	5.0	<0.005	0.59	0.94	5	0.29	4.2	966
C0041615	0.4	31.5	0.13	1.1	0.122	0.99	0.34	61	3.20	7.8	1524
C0041616	1.9	11.2	1.74	2.2	<0.005	0.48	0.57	7	0.26	4.8	932
C0041617	2.3	23.5	0.82	0.8	<0.005	0.67	0.42	11	0.39	8.2	437
C0041618	1.8	6.4	1.47	0.7	<0.005	0.58	0.27	4	0.21	1.7	2176
C0041619	3.1	4.4	1.90	0.9	<0.005	0.47	0.23	7	0.28	1.8	1317

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
C0041620	3.2	5.0	1.02	1.6	<0.005	0.48	0.28	9	0.21	1.6	708
C0041621	1.7	7.9	0.49	3.8	<0.005	0.43	0.88	5	0.39	3.7	2873
C0041622	2.5	21.6	0.79	2.2	<0.005	0.57	0.72	9	0.44	5.9	522
C0041623	0.9	5.0	0.25	1.2	<0.005	1.71	0.32	4	0.17	1.2	>10000
C0041624	1.0	21.2	0.39	0.9	<0.005	0.89	0.46	4	0.27	2.9	734
C0041625	1.4	7.2	0.24	1.8	<0.005	3.10	0.79	6	0.29	3.5	1490
C0041626	1.1	13.0	0.11	1.8	<0.005	1.47	0.58	5	0.42	4.3	1561
C0041627	1.4	20.2	0.09	1.3	<0.005	1.69	0.82	7	0.49	5.0	1748
C0041628	2.1	4.5	0.11	1.6	<0.005	0.55	0.58	5	0.71	3.0	1013
C0041629	1.8	6.6	0.06	1.9	<0.005	0.69	0.71	7	0.52	3.1	2104
C0041630	198.3	27.6	0.43	0.3	<0.005	29.71	2.92	20	0.84	3.2	>10000
DUP C0041564	0.6	13.2	0.14	3.6	<0.005	0.62	0.41	3	0.85	4.2	506
DUP C0041584	0.5	25.8	0.10	2.8	<0.005	0.25	0.64	5	0.28	5.9	318
DUP C0041566											
DUP C0041586											
STD BLANK	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK											
STD BLANK											
STD OREAS 600b	3.1	27.3	1.97	10.3	0.032	0.48	3.20	3	2.47	7.8	336

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2010906

Project Name: Charlotte
Job Received Date: 26-Oct-2020
Job Report Date: 24-Feb-2021
Report Version: Final

	IMS-128 Se ppm	IMS-128 Sr ppm	IMS-128 Te ppm	IMS-128 Th ppm	IMS-128 Ti %	IMS-128 Tl ppm	IMS-128 U ppm	IMS-128 V ppm	IMS-128 W ppm	IMS-128 Y ppm	IMS-128 Zn ppm
Sample ID	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
STD OREAS 25a	0.6	17.1	<0.05	10.2	0.067	0.20	1.49	123	<0.05	4.6	31
STD OREAS 904											
STD OREAS 904											
STD MP-1b											
STD CDN-ME-1407											
STD OxK160											
STD OxQ115											

**MSALABS**

MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Number of Samples: 200
Report Version: Final

COMMENTS:

Coarse gold and silver may be present in some samples.
Detection limit for sodium changed to 0.2% due to matrix interferences.

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information that can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm
PLG-100	Log Sample - No preparation required

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
SPG-411	Specific Gravity by weight on pulp
FAS-211	Au, Fire Assay, 30g fusion, AAS, Ore Grade
FAS-415	Au, Fire Assay, 30g fusion, Gravimetric
FAS-418	Ag, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-128	Multi-Element (39 elements), 20g, 3:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
Granite Blank	QC-P-BK	--		2.70								<0.05	1.03
Granite Blank	QC-P-BK	--		2.75								<0.05	0.99
C0041631	Core	9.11		2.62								0.50	0.73
C0041632	Core	4.21		2.58								0.31	0.64
C0041633	Core	3.11		2.61								<0.05	1.13
C0041634	Core	3.85		2.63								<0.05	1.21
C0041635	Core	2.88		2.63								0.07	1.39
C0041636	Core	4.59		2.54								<0.05	1.37
C0041637	Core	3.44		2.62								<0.05	0.98
C0041638	Core	4.41		2.47								<0.05	1.02
C0041639	Core	3.93		2.61								0.07	1.24
C0041640	Core	1.38		2.59								<0.05	0.62
C0041641	Core	3.24		2.56								0.10	0.60
C0041642	Core	3.72		2.66								<0.05	1.27
C0041643	Core	3.33		2.59								1.93	0.52
C0041644	Core	3.57		2.63								0.06	0.38
C0041645	Pulp	0.13		2.94	3.88							52.66	1.28
C0041646	Core	4.01		2.63								0.25	0.32
C0041647	Core	2.66		2.63								0.08	0.48
C0041648	Core	4.07		2.48								0.06	0.84
C0041648PD	QC-PD	--		2.56								0.08	0.90
C0041649	Core	4.40		2.63								<0.05	1.25
C0041650	Core	2.58		2.70								<0.05	1.22
C0041651	Core	3.79		2.63								<0.05	1.97
C0041652	Core	3.44		2.63								<0.05	0.81

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
C0041653	Core	3.29		2.68								<0.05	1.29
C0041654	Core	3.45		2.75								0.09	0.78
C0041655	Core	3.33		2.63								<0.05	1.51
C0041656	Core	3.50		2.56								<0.05	0.74
C0041657	Core	3.53		2.63								<0.05	0.31
C0041658	Core	3.90		2.70								<0.05	0.28
C0041659	Core	2.41		2.63								<0.05	0.34
C0041660	Core	3.20		2.50								0.08	0.86
C0041661	Core	2.82		2.44								0.13	0.79
C0041662	Core	2.70		2.70								0.15	2.03
C0041663	Core	3.25		2.63	3.11							13.47	0.86
C0041664	Core	3.12		2.68								15.08	0.54
C0041665	Pulp	0.13		3.54				158	1.241	1.51	9.23	>100	0.35
C0041666	Core	2.08		2.73								3.46	0.78
C0041667	Core	2.79		2.83								1.45	1.09
C0041668	Core	3.74		2.73								1.84	0.99
C0041669	Core	2.79		2.50								0.21	2.29
C0041670	Core	2.99		2.62								0.13	1.91
C0041671	Core	2.77		2.59								0.26	1.63
C0041672	Core	3.35		2.63								0.87	0.83
C0041673	Core	3.53		2.63								0.31	0.65
C0041674	Core	3.27		2.52								0.17	1.63
C0041675	Core	2.69		2.68								0.31	1.50
C0041676	Core	2.89		2.50								0.12	3.22
C0041677	Core	2.42		2.59								0.23	1.68

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041678	Core	3.14		2.62								1.24	1.37
C0041679	Core	3.77		2.40								0.86	2.00
C0041680	Core	4.78		2.63								0.22	1.69
C0041681	Core	2.74		2.66								0.13	1.74
C0041682	Core	3.66		2.61								0.11	2.06
C0041683	Core	3.37		2.66								7.55	0.76
C0041684	Core	4.35		2.62								10.42	0.96
C0041685	Pulp	0.12		2.70								0.45	0.45
C0041686	Core	2.44		2.73								0.15	1.47
C0041687	Core	2.58		2.59								0.76	0.78
C0041688	Core	3.28		2.56	1.03							6.31	0.49
C0041688PD	QC-PD	--		2.66	1.01							6.40	0.52
C0041689	Core	2.93		2.70	1.40							29.80	0.36
C0041690	Core	2.13		2.50								3.58	0.97
C0041691	Core	3.03		2.61								4.62	0.99
C0041692	Core	3.19		2.63								6.74	0.49
C0041693	Core	2.30		2.66								4.39	0.61
C0041694	Core	5.07		2.68								0.17	1.81
C0041695	Core	3.36		2.63								0.19	1.83
C0041696	Core	4.26		2.63								0.27	2.57
C0041697	Core	4.16		2.63								0.21	2.72
C0041698	Core	4.30		2.75								0.20	1.69
C0041699	Core	2.50		2.78								0.18	1.19
C0041700	Core	4.57		2.70								0.23	2.69
C0041701	Core	5.03		2.78								0.14	2.73

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
C0041702	Core	3.30		2.78								0.13	2.99
C0041703	Core	4.46		2.70								0.15	1.86
C0041704	Core	3.06		2.63								0.26	1.96
C0041705	Pulp	0.13		2.63	3.81							51.59	1.32
C0041706	Core	3.93		2.63								0.19	2.58
C0041707	Core	4.07		2.70								0.48	1.95
C0041708	Core	4.43		2.63								0.69	1.21
C0041709	Core	3.49		2.38								0.40	2.64
C0041710	Core	4.22		2.63	1.68							2.36	0.56
C0041711	Core	2.92		2.70								15.05	0.60
C0041712	Core	3.91		3.00	1.33							17.67	0.55
C0041713	Core	3.72		2.86	0.95							15.79	0.54
C0041714	Core	2.86		2.70								13.19	0.63
C0041715	Core	2.88		2.75								3.23	0.09
C0041716	Core	5.33		2.86		5.2		277				>100	0.62
C0041717	Core	1.72		2.86	1.35							53.23	0.67
C0041718	Core	3.11		4.00		17.2	2211	>1000		18.68	3.32	>100	0.36
C0041719	Core	3.85		3.03		11.4		399		1.47		>100	0.62
C0041720	Core	3.37		2.75								3.68	0.49
C0041721	Core	4.79		2.78								6.10	0.34
C0041722	Core	3.79		2.63								0.90	0.47
C0041723	Core	2.58		2.63								0.91	0.53
C0041724	Core	3.64		2.68								0.75	0.48
C0041725	Pulp	0.13		3.57				158	1.257	1.52	9.29	>100	0.33
C0041726	Core	3.23		2.70								1.44	0.35

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	SPG-411 SG	FAS-211 Au ppm	FAS-415 Au ppm	FAS-418 Ag ppm	ICF-6Ag Ag ppm	ICF-6Cu Cu %	ICF-6Pb Pb %	ICF-6Zn Zn %	IMS-128 Ag ppm	IMS-128 Al %
		0.01	LOR		0.01	0.9	50	1	0.001	0.01	0.01	0.05	0.01
C0041727	Core	3.46		2.56								1.21	0.37
C0041728	Core	2.91		2.68								0.94	0.37
C0041729	Core	3.77		2.56								1.31	0.40
C0041730	Core	4.50		2.70								6.25	0.44
C0041731	Core	3.50		2.78								20.15	0.67
C0041732	Core	3.87		2.70								4.33	0.46
C0041733	Core	2.85		2.70								1.85	0.54
C0041734	Core	4.72		2.78								22.92	0.83
C0041735	Core	3.15		2.63								10.90	0.67
C0041736	Core	3.49		2.70								0.66	0.68
C0041737	Core	3.02		2.75								0.44	1.46
C0041738	Core	4.16		2.66								1.66	0.66
C0041739	Core	3.55		2.63								0.21	0.82
C0041740	Core	4.46		2.54								0.26	1.71
C0041741	Core	3.70		2.56								0.18	2.31
C0041742	Core	4.70		2.54								0.27	2.20
C0041743	Core	3.58		2.86	3.17			322				>100	0.53
C0041744	Core	4.18		2.86								4.94	0.56
C0041745	Pulp	0.13		2.70								0.41	0.38
C0041746	Core	3.14		2.70								1.38	0.64
C0041747	Core	3.85		2.70								1.40	0.66
C0041748	Core	4.83		2.63								0.45	0.89
C0041748PD	QC-PD	--		2.63								0.49	0.81
C0041749	Core	3.98		2.70								5.46	0.55
C0041750	Core	3.11		2.63								0.90	0.42

***Please refer to the cover page for comments regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041751	Core	3.91		2.56								0.69	0.44
C0041752	Core	4.81		2.63								0.20	0.68
C0041753	Core	3.81		2.44								0.07	0.72
C0041754	Core	3.69		2.56								0.08	0.58
C0041755	Core	3.77		2.63								0.08	0.69
C0041756	Core	3.94		2.70								0.05	0.70
C0041757	Core	3.62		2.70								0.08	0.96
C0041758	Core	4.06		2.63								0.05	1.02
C0041759	Core	3.82		2.59								0.09	0.97
C0041760	Core	3.95		2.70								0.13	0.86
C0041761	Core	3.17		2.61								0.22	0.52
C0041762	Core	4.40		2.63								0.23	0.79
C0041763	Core	3.20		2.70								0.09	1.10
C0041764	Core	4.45		2.63								0.10	1.27
C0041765	Pulp	0.12		2.78	3.83							52.20	1.22
C0041766	Core	4.04		2.70								0.08	1.05
C0041767	Core	4.04		2.66								0.06	0.77
C0041768	Core	3.20		2.68								0.08	1.36
C0041769	Core	3.94		2.70								0.08	0.91
C0041770	Core	4.26		2.63								0.12	0.58
C0041771	Core	3.42		3.06								1.16	0.26
C0041772	Core	4.82		2.78								0.62	0.44
C0041773	Core	4.51		2.78								0.26	0.48
C0041774	Core	4.12		2.78								0.21	0.50
C0041775	Core	4.17		2.73								0.17	0.59

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041776	Core	4.02		2.75								0.15	0.48
C0041777	Core	4.22		2.70								0.11	0.73
C0041778	Core	3.98		2.56								0.15	0.82
C0041779	Core	4.15		2.78								0.67	0.48
C0041780	Core	2.73		2.86								0.60	0.49
C0041781	Core	4.74		2.70								0.81	0.38
C0041782	Core	3.84		2.70								0.20	0.62
C0041783	Core	3.76		2.78								0.44	0.44
C0041784	Core	4.15		2.78								0.53	0.49
C0041785	Pulp	0.13		3.45				157	1.248	1.51	9.24	>100	0.32
C0041786	Core	4.58		2.76								0.39	0.44
C0041787	Core	3.60		2.78								0.52	0.49
C0041788	Core	3.97		2.76								0.68	0.45
C0041788PD	QC-PD	--		2.86								0.64	0.43
C0041789	Core	4.27		2.81								1.96	0.45
C0041790	Core	3.95		2.86								0.69	0.44
C0041791	Core	4.16		2.86								1.33	0.48
C0041792	Core	3.92		2.83								0.66	0.50
C0041793	Core	4.42		2.73								0.38	0.49
C0041794	Core	3.91		2.78								0.77	0.50
C0041795	Core	3.58		2.75								0.47	0.59
C0041796	Core	3.59		2.78								0.08	0.83
C0041797	Core	3.66		2.66								0.41	0.92
C0041798	Core	4.25		2.78								1.39	0.71
C0041799	Core	5.40		2.86								1.61	0.68

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041800	Core	3.98		2.75								0.86	0.46
C0041801	Core	4.44		2.59								0.79	0.34
C0041802	Core	4.32		2.70	1.77							13.68	0.32
C0041803	Core	4.26		2.78								2.40	0.36
C0041804	Core	5.20		2.78								0.18	0.74
C0041805	Pulp	0.12		2.86		9.8						1.37	1.49
C0041806	Core	4.51		2.78								2.08	0.50
C0041807	Core	4.23		2.70								0.49	0.49
C0041808	Core	4.63		2.63	4.38			149				>100	0.46
C0041809	Core	4.20		2.78								1.94	0.45
C0041810	Core	4.50		2.56								1.82	0.40
C0041811	Core	3.28		2.70								1.17	0.37
C0041812	Core	4.41		2.70	2.00							11.78	0.32
C0041813	Core	4.80		2.70								1.29	0.42
C0041814	Core	3.79		2.63								0.13	0.63
C0041815	Core	3.49		2.63								0.21	0.66
C0041816	Core	4.56		2.63								0.36	0.30
C0041817	Core	4.11		2.56								0.17	0.40
C0041818	Core	4.21		2.70								1.63	0.36
C0041819	Core	4.07		2.78								0.39	0.37
C0041820	Core	2.87		2.63								0.23	0.52
C0041821	Core	4.83		2.63								0.24	0.42
C0041822	Core	5.32		2.68								1.02	0.39
C0041823	Core	3.97		2.56								4.62	0.31
C0041824	Core	3.71		2.61								<0.05	0.85

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
C0041825	Pulp	0.12		2.63	3.81							52.74	1.23
C0041826	Core	4.06		2.63								0.07	1.14
C0041827	Core	3.86		2.70								0.06	1.11
C0041828	Core	4.30		2.54								0.11	1.28
C0041828PD	QC-PD	--		2.56								0.10	1.23
C0041829	Core	4.48		2.78								0.49	0.61
C0041830	Core	4.10		2.70								2.77	0.31
DUP C0041647												0.08	0.44
DUP C0041688												6.35	0.55
DUP C0041713												15.33	0.59
DUP C0041734												22.98	0.86
DUP C0041770												0.11	0.58
DUP C0041635				2.61									
DUP C0041683				2.63									
DUP C0041730				2.70									
DUP C0041786				2.73									
DUP C0041816				2.63									
DUP C0041645					3.79								
DUP C0041716						4.8							
DUP C0041718							2221						
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	SPG-411 SG	FAS-211 Au ppm 0.01	FAS-415 Au ppm 0.9	FAS-418 Ag ppm 50	ICF-6Ag Ag ppm 1	ICF-6Cu Cu % 0.001	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-128 Ag ppm 0.05	IMS-128 Al % 0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK												<0.05	<0.01
STD BLANK					<0.01	<0.9							
STD BLANK							<50						
STD BLANK								<1	<0.001	<0.01	<0.01		
STD OREAS 600b												26.91	0.59
STD OREAS 25a												<0.05	5.86
STD OREAS 600b												26.07	0.62
STD OREAS 25a												<0.05	6.03
STD OREAS 600b												26.67	0.60
STD OREAS 904				2.69									
STD OREAS 904				2.81									
STD OREAS 904				2.63									
STD OREAS 904				2.63									
STD OREAS 904				2.86									
STD Ox129					0.21								
STD OxQ115						25.7							
STD CDN-ME-1805							2250						
STD MP-1b								48	3.055	2.10	16.56		
STD CDN-ME-1407								248					

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
Granite Blank	1.2	<0.001	<10	84	<0.05	0.62	<0.05	3.8	46	4.2	2.11	3.7	<0.01
Granite Blank	1.0	<0.001	<10	79	<0.05	0.61	<0.05	3.7	43	3.9	2.07	3.8	<0.01
C0041631	227.7	0.015	15	1018	1.75	0.18	1.14	9.7	67	36.9	2.59	1.9	0.11
C0041632	349.7	0.041	13	253	0.16	0.16	1.50	6.6	52	10.3	1.96	1.6	0.16
C0041633	17.5	<0.001	<10	146	0.09	0.42	0.16	4.5	57	4.0	2.10	5.5	0.04
C0041634	3.2	0.001	<10	221	0.09	0.23	0.06	4.3	59	15.9	2.13	5.8	<0.01
C0041635	58.5	0.005	<10	101	0.08	0.17	0.26	5.7	42	7.5	2.05	5.8	0.11
C0041636	36.9	0.002	<10	152	0.14	0.17	0.15	7.3	41	15.3	2.81	6.0	0.15
C0041637	9.7	0.002	<10	143	0.05	0.13	0.09	4.3	82	7.2	2.09	4.9	<0.01
C0041638	27.9	0.004	<10	107	<0.05	0.12	0.16	3.5	79	6.1	1.40	4.0	0.02
C0041639	84.8	0.005	<10	118	0.13	0.19	0.27	13.9	107	13.5	3.02	3.9	0.12
C0041640	26.9	0.001	<10	46	0.09	0.07	0.05	2.7	60	14.8	0.83	1.8	0.03
C0041641	89.5	0.003	<10	71	0.12	0.16	0.15	3.1	54	9.1	0.94	1.4	0.04
C0041642	13.7	0.002	<10	512	0.14	0.37	<0.05	4.7	56	3.4	2.02	4.0	0.01
C0041643	72.7	0.007	11	558	3.88	0.47	1.64	4.6	67	13.3	1.86	0.8	0.03
C0041644	48.2	0.002	<10	214	0.08	0.34	0.17	2.3	86	3.1	0.98	0.9	0.03
C0041645	29.7	3.181	13	108	1.00	0.80	14.87	8.1	27	72.9	3.68	6.4	0.21
C0041646	420.7	0.121	<10	73	0.12	0.06	0.59	2.7	82	5.1	1.12	0.9	0.06
C0041647	149.3	0.009	<10	174	0.13	0.07	0.33	4.2	84	6.0	1.25	1.4	0.04
C0041648	110.8	0.003	<10	163	0.10	0.08	0.27	4.4	60	6.6	1.24	2.9	0.01
C0041648PD	107.5	0.003	<10	165	0.10	0.08	0.29	4.5	66	6.9	1.25	3.1	0.01
C0041649	6.2	<0.001	<10	139	0.05	0.09	0.06	3.4	84	4.3	1.46	5.0	<0.01
C0041650	16.1	0.002	<10	91	<0.05	0.07	0.18	2.6	77	3.5	1.15	4.5	<0.01
C0041651	6.7	<0.001	<10	287	<0.05	0.47	<0.05	8.6	67	5.4	2.31	7.1	<0.01
C0041652	1.4	<0.001	<10	166	<0.05	0.30	0.07	1.9	63	5.7	1.05	3.1	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041653	21.1	0.001	<10	122	0.11	0.15	0.41	7.2	63	15.0	1.92	4.8	<0.01
C0041654	25.4	0.004	<10	103	0.43	0.09	0.41	4.5	60	13.2	1.95	2.8	<0.01
C0041655	21.0	0.001	<10	196	0.16	0.17	0.47	6.4	89	9.9	1.88	5.6	<0.01
C0041656	10.9	0.002	<10	150	0.17	0.18	0.33	3.7	76	9.3	1.41	3.0	<0.01
C0041657	3.4	0.001	<10	44	0.10	0.44	0.34	2.2	18	4.4	1.02	1.3	<0.01
C0041658	24.5	0.001	<10	86	0.19	0.19	0.65	1.5	61	4.5	0.83	0.7	<0.01
C0041659	28.4	0.002	<10	153	0.29	0.02	0.13	1.0	76	8.6	1.34	1.1	<0.01
C0041660	202.6	0.006	<10	303	0.44	0.11	1.74	3.4	57	16.5	2.30	2.4	0.02
C0041661	74.0	0.010	<10	129	0.50	0.06	0.34	3.6	42	30.3	2.16	1.8	0.02
C0041662	356.9	0.018	10	153	0.92	0.91	1.37	12.4	48	105.3	5.09	6.8	0.02
C0041663	7147.1	3.170	17	186	1.77	0.23	3.39	6.1	60	103.2	6.72	3.2	0.24
C0041664	640.6	0.166	15	248	4.03	0.09	0.87	1.7	40	31.0	3.14	2.0	0.07
C0041665	1092.3	0.214	26	17	57.49	1.68	514.08	31.6	16	>10000	18.41	8.0	18.37
C0041666	709.9	0.211	20	143	5.00	0.12	0.78	11.1	25	155.8	6.62	1.9	0.06
C0041667	324.0	0.035	22	48	2.92	0.24	8.84	33.8	29	308.9	6.06	1.5	0.16
C0041668	626.1	0.035	15	158	3.02	0.13	3.10	20.5	22	150.0	5.49	1.4	0.07
C0041669	364.5	0.014	11	279	0.80	0.40	3.27	21.7	26	124.3	5.91	6.2	0.05
C0041670	294.3	0.015	16	101	1.34	1.02	8.69	48.6	21	95.7	6.48	4.6	0.07
C0041671	319.2	0.011	14	135	2.05	0.45	12.65	38.0	34	98.1	5.58	3.3	0.07
C0041672	664.6	0.056	12	226	1.16	0.13	3.24	10.6	28	38.4	3.99	1.4	0.05
C0041673	389.8	0.027	<10	259	0.59	0.08	3.01	4.2	49	25.5	2.79	1.1	0.03
C0041674	650.6	0.015	12	198	2.68	0.17	7.76	21.7	115	109.4	8.23	4.0	0.21
C0041675	1162.4	0.010	12	237	1.66	0.15	24.49	26.8	95	230.9	7.94	3.7	0.31
C0041676	834.1	0.005	12	257	0.88	0.41	13.11	19.8	418	40.6	7.67	11.6	0.02
C0041677	1386.0	0.007	10	106	1.11	0.30	10.65	10.0	196	62.5	5.51	7.7	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0041678	1049.1	0.014	<10	98	1.79	0.33	7.43	5.4	26	120.3	4.43	7.1	0.02
C0041679	1079.0	0.016	<10	142	2.68	0.41	8.48	10.3	33	151.0	5.55	6.7	0.15
C0041680	1038.2	0.012	<10	93	0.68	0.46	7.13	7.1	33	70.8	3.27	5.3	0.02
C0041681	1524.9	0.003	12	18	1.28	0.29	36.60	36.9	46	107.4	6.16	3.6	0.32
C0041682	2328.0	0.005	12	11	0.60	0.37	38.94	31.6	33	200.1	6.04	2.4	0.19
C0041683	2037.8	0.292	14	149	2.00	0.12	44.15	4.5	45	169.3	3.73	1.6	0.20
C0041684	2233.3	0.574	<10	484	0.50	0.15	39.05	7.3	47	150.4	3.82	1.6	0.15
C0041685	447.6	0.244	<10	1217	0.18	1.03	0.34	4.1	43	42.6	4.03	1.9	3.87
C0041686	1883.5	0.019	<10	44	0.23	0.34	77.10	9.0	39	84.2	2.11	1.6	0.07
C0041687	1053.6	0.406	<10	678	0.17	0.12	3.95	1.3	59	85.6	1.54	1.4	0.08
C0041688	1284.8	1.049	<10	361	0.21	0.10	3.40	1.7	68	27.2	2.50	1.7	0.08
C0041688PD	1312.1	1.108	11	453	0.20	0.10	3.40	1.7	67	27.8	2.50	1.8	0.09
C0041689	1007.7	1.689	11	242	0.26	0.05	8.24	0.7	71	98.6	2.10	1.9	0.21
C0041690	2599.5	0.127	13	24	0.34	0.21	31.02	3.8	27	158.1	5.26	3.0	0.41
C0041691	2154.7	0.405	17	58	0.16	0.20	11.23	7.9	22	83.6	8.03	1.8	0.31
C0041692	886.2	0.598	<10	316	0.26	0.11	3.34	1.7	31	36.6	2.40	1.6	0.27
C0041693	1458.0	0.390	11	46	0.20	0.13	6.26	4.3	40	30.5	3.97	1.8	0.65
C0041694	489.2	0.005	16	144	0.34	2.47	17.11	26.8	31	76.7	6.26	5.7	0.08
C0041695	351.5	0.004	<10	149	0.42	1.64	5.04	17.9	44	105.1	4.97	7.0	0.01
C0041696	239.6	0.006	10	292	0.27	1.54	4.97	22.1	52	109.1	4.72	8.2	<0.01
C0041697	345.2	0.009	14	175	0.47	2.18	0.59	24.0	48	99.1	5.77	10.0	0.02
C0041698	32.6	0.008	13	175	0.53	2.57	0.20	17.7	42	85.0	4.99	6.6	0.04
C0041699	25.3	0.008	16	185	0.31	6.03	5.99	23.8	46	86.3	6.59	3.8	0.16
C0041700	196.2	0.010	12	266	0.32	2.32	6.72	24.3	42	101.7	5.79	8.5	0.03
C0041701	52.5	0.004	13	375	0.24	1.71	0.46	23.1	44	98.2	5.22	9.0	0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
C0041702	58.8	0.002	13	476	0.15	1.36	0.67	23.2	44	91.9	5.73	9.8	<0.01
C0041703	45.5	0.003	11	247	0.30	2.02	3.37	17.5	37	64.9	4.84	6.3	0.01
C0041704	13.1	0.007	14	141	0.66	3.43	2.91	18.7	39	62.2	5.69	6.4	0.01
C0041705	30.2	3.271	12	121	0.98	0.80	15.24	8.1	27	68.7	3.59	6.5	0.20
C0041706	243.1	0.009	13	264	0.34	2.14	1.10	19.4	28	56.7	6.27	9.8	<0.01
C0041707	80.2	0.006	18	128	0.60	3.00	1.55	22.1	30	35.5	6.00	6.8	0.02
C0041708	340.7	0.010	16	59	0.56	3.06	4.89	22.1	29	56.1	5.49	2.6	0.01
C0041709	750.6	0.024	18	152	0.54	1.81	17.32	25.6	26	53.4	7.20	6.7	0.02
C0041710	4394.6	2.402	21	56	0.59	2.21	8.25	17.5	67	23.1	6.22	1.2	0.07
C0041711	5115.6	0.978	14	78	0.39	0.30	7.37	12.9	63	28.9	3.78	1.4	0.05
C0041712	5361.7	1.495	16	44	0.64	0.26	52.11	16.7	79	65.6	5.72	1.2	0.07
C0041713	5309.8	1.113	16	45	0.37	0.23	66.95	13.8	56	96.0	5.94	1.2	0.14
C0041714	2111.6	0.673	21	54	0.90	0.19	11.20	11.7	47	24.7	5.02	1.4	0.10
C0041715	304.9	0.127	<10	<10	0.32	0.03	12.43	1.7	153	20.3	0.99	0.3	0.03
C0041716	9472.2	7.024	18	45	0.47	0.20	102.45	15.9	70	395.4	6.37	1.6	0.34
C0041717	6265.8	1.412	18	32	2.28	0.22	31.68	16.9	56	110.5	6.69	1.6	0.12
C0041718	>10000	15.999	22	21	129.00	0.06	581.59	5.3	73	9654.5	14.70	2.0	1.22
C0041719	>10000	10.052	17	39	0.98	0.18	167.64	8.2	70	1316.2	6.96	1.8	0.36
C0041720	184.4	0.124	13	55	0.74	0.12	28.60	8.6	68	12.8	3.07	1.1	0.08
C0041721	332.0	0.343	13	96	0.38	0.05	10.81	4.4	95	25.9	2.78	1.3	0.18
C0041722	187.9	0.085	10	120	0.17	0.05	1.94	2.0	80	11.6	1.45	1.2	0.03
C0041723	269.1	0.093	11	153	0.37	0.08	0.91	1.1	94	16.4	1.60	1.5	0.03
C0041724	651.9	0.089	11	109	0.29	0.08	3.28	0.8	81	16.3	1.69	1.3	0.03
C0041725	1077.6	0.207	28	14	59.83	1.73	515.86	29.3	16	>10000	18.06	8.1	18.87
C0041726	146.1	0.092	<10	136	0.48	0.06	1.02	0.7	116	8.2	0.87	1.3	0.03

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
Sample ID													
C0041727	261.9	0.116	11	120	0.38	0.06	1.41	1.0	104	9.8	1.29	1.3	0.03
C0041728	126.1	0.091	<10	154	0.35	0.05	0.89	0.6	79	7.3	0.96	1.3	0.02
C0041729	88.0	0.027	11	177	0.62	0.05	2.70	0.4	67	6.4	0.90	1.4	0.02
C0041730	95.0	0.036	10	113	0.56	0.04	2.66	2.4	80	20.8	2.12	1.2	0.06
C0041731	455.2	0.290	13	122	1.81	1.11	87.48	3.1	68	93.8	2.46	1.1	0.20
C0041732	575.7	0.855	18	83	0.59	3.66	31.48	2.0	63	22.4	1.88	0.8	0.06
C0041733	169.4	0.086	11	110	0.86	0.40	22.86	2.6	76	30.2	2.20	0.9	0.06
C0041734	339.5	0.190	12	113	0.52	0.58	43.66	4.8	72	181.7	2.70	1.1	0.07
C0041735	289.5	0.328	13	86	0.38	0.47	56.98	2.8	72	111.9	2.21	0.9	0.10
C0041736	337.0	0.066	10	115	0.49	0.12	9.12	6.4	66	30.0	2.98	1.1	0.06
C0041737	436.6	0.013	11	115	0.59	0.16	3.83	4.0	44	53.2	2.17	1.3	0.03
C0041738	200.2	0.057	13	51	1.45	1.80	9.54	13.1	30	41.4	4.01	1.4	0.11
C0041739	69.9	0.005	16	131	0.50	5.36	0.26	20.1	23	59.6	5.30	1.9	0.12
C0041740	22.9	0.005	14	150	0.28	1.77	0.76	25.2	33	116.4	6.28	5.4	0.17
C0041741	8.3	0.003	12	89	0.55	1.66	0.98	20.6	50	76.4	6.12	8.1	0.01
C0041742	48.2	0.005	13	101	0.70	1.72	5.53	18.7	29	54.1	6.15	7.2	0.10
C0041743	3711.7	2.114	17	27	3.29	0.41	71.46	13.8	60	598.6	5.86	1.5	0.54
C0041744	124.6	0.043	19	44	0.48	1.99	0.71	16.9	51	33.9	5.43	1.3	0.06
C0041745	445.7	0.274	<10	927	0.18	1.06	0.37	3.8	41	41.1	3.95	1.7	4.00
C0041746	54.8	0.012	12	32	0.30	1.33	0.34	5.1	45	17.4	2.53	1.4	0.06
C0041747	85.1	0.030	14	47	0.65	2.17	0.59	11.8	42	30.5	4.26	1.4	0.06
C0041748	75.5	0.022	16	67	0.63	1.83	1.10	14.2	65	24.7	3.82	2.3	0.07
C0041748PD	77.8	0.022	15	65	0.67	1.83	1.06	13.4	58	23.4	3.95	2.1	0.06
C0041749	48.8	0.035	14	54	24.89	1.17	0.68	10.2	76	10.4	4.29	1.1	0.03
C0041750	351.5	0.048	10	71	0.39	1.50	4.29	2.5	74	9.4	1.56	0.9	0.04

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041751	35.7	0.007	<10	78	1.73	1.00	1.24	2.4	69	5.9	1.78	0.9	0.03
C0041752	41.1	0.005	<10	73	3.14	0.84	1.44	4.5	50	12.6	2.47	1.3	0.03
C0041753	16.3	0.002	<10	73	0.80	0.65	1.43	3.7	52	10.3	1.97	1.5	0.04
C0041754	13.4	0.002	<10	68	0.73	0.71	0.80	4.2	57	6.7	2.17	1.1	0.03
C0041755	4.5	0.001	<10	49	1.54	1.58	0.12	4.5	55	6.5	2.75	2.0	0.02
C0041756	2.8	0.001	<10	98	0.64	0.95	0.05	3.0	55	4.3	2.08	1.4	0.02
C0041757	4.1	0.003	<10	78	3.94	1.54	0.17	5.6	42	7.9	2.50	2.2	0.01
C0041758	3.0	0.002	<10	42	1.05	1.04	<0.05	8.0	52	8.9	3.00	3.5	0.02
C0041759	3.6	0.003	<10	40	1.20	1.17	0.08	5.3	13	17.9	3.06	2.7	0.02
C0041760	6.4	0.002	<10	50	0.70	1.17	0.43	5.4	20	21.8	3.06	2.3	0.04
C0041761	4.1	0.003	<10	29	1.35	1.35	0.73	6.9	17	15.3	2.63	1.2	0.03
C0041762	4.9	0.003	<10	68	2.57	1.63	0.65	6.0	21	21.5	3.18	2.2	0.03
C0041763	2.3	0.002	<10	118	1.04	0.98	0.07	5.2	20	26.4	3.44	5.5	0.01
C0041764	2.7	0.002	<10	210	1.10	1.34	0.09	4.2	24	24.7	3.16	5.7	0.01
C0041765	29.6	3.188	13	102	1.02	0.73	15.46	7.7	26	66.5	3.51	6.2	0.22
C0041766	2.3	0.002	<10	221	0.98	1.29	0.06	4.2	19	11.8	3.03	5.0	<0.01
C0041767	2.4	0.002	<10	227	0.74	0.97	<0.05	2.1	25	12.8	1.74	3.4	<0.01
C0041768	3.5	0.003	<10	191	0.25	1.18	0.08	3.7	19	25.6	3.03	6.2	0.02
C0041769	20.1	0.003	<10	202	0.25	0.87	0.08	4.4	26	35.3	2.35	3.5	0.02
C0041770	12.1	0.002	<10	250	0.21	0.72	0.44	3.5	22	15.0	1.53	1.5	0.01
C0041771	74.0	0.027	19	17	0.67	1.99	1.38	32.0	35	15.0	9.59	0.6	0.05
C0041772	48.0	0.004	10	45	0.34	1.66	0.90	5.1	17	12.8	2.84	1.0	<0.01
C0041773	7.3	0.002	<10	139	0.35	2.04	0.66	3.8	23	5.1	2.10	1.1	<0.01
C0041774	6.8	0.003	<10	226	0.26	2.13	0.66	3.8	18	9.3	2.29	1.3	<0.01
C0041775	11.5	0.006	11	206	0.25	2.18	0.28	4.7	21	18.5	2.88	1.4	0.02

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041776	4.0	0.002	<10	225	0.24	1.47	0.40	4.1	11	8.6	1.87	1.2	<0.01
C0041777	3.7	0.002	<10	54	0.23	1.33	0.40	2.0	10	8.2	2.23	1.4	<0.01
C0041778	3.1	0.002	<10	28	0.20	1.04	0.61	2.4	8	9.4	2.02	1.4	<0.01
C0041779	17.3	0.006	11	120	0.52	2.01	1.18	4.4	9	7.0	2.31	1.1	<0.01
C0041780	14.5	0.007	12	74	0.71	3.37	1.87	3.8	10	9.2	3.37	1.0	<0.01
C0041781	10.4	0.004	12	119	0.48	2.54	2.55	3.6	14	7.3	2.84	0.8	<0.01
C0041782	8.0	0.003	<10	108	0.45	1.77	0.71	6.5	8	19.7	2.73	1.4	<0.01
C0041783	6.6	0.002	12	53	0.59	1.74	2.88	6.8	11	5.8	3.52	1.0	<0.01
C0041784	14.5	0.005	13	37	0.80	2.06	2.86	10.2	8	7.4	3.97	1.1	<0.01
C0041785	1108.4	0.163	31	<10	61.03	1.71	516.90	29.5	17	>10000	18.32	7.7	18.90
C0041786	27.9	0.014	12	68	0.71	0.54	0.97	13.1	8	7.3	3.50	1.0	0.02
C0041787	33.1	0.011	12	75	0.85	2.18	2.77	11.6	7	50.2	4.17	1.1	0.01
C0041788	18.0	0.006	13	80	0.68	1.99	0.90	13.7	8	85.9	3.67	1.1	0.03
C0041788PD	18.2	0.006	11	75	0.68	1.96	0.94	13.6	7	82.8	3.75	1.0	0.02
C0041789	21.7	0.005	14	87	0.54	3.41	1.65	8.9	7	273.8	3.49	1.0	0.09
C0041790	25.3	0.010	12	71	0.47	1.56	1.26	8.2	14	14.0	3.62	1.0	0.03
C0041791	46.6	0.234	12	59	0.69	1.04	4.68	10.4	14	11.5	4.32	1.2	0.02
C0041792	24.4	0.012	11	83	0.63	1.78	0.59	4.8	25	7.8	3.19	1.2	0.01
C0041793	7.9	0.005	<10	146	0.23	2.25	0.46	2.5	17	7.9	2.31	1.1	0.02
C0041794	33.2	0.016	13	79	0.49	2.05	0.95	3.9	23	14.2	2.74	1.2	<0.01
C0041795	7.7	0.008	12	51	0.55	1.79	0.56	5.5	15	15.7	2.91	1.3	<0.01
C0041796	4.8	0.003	<10	38	0.91	1.24	0.16	15.0	14	17.1	4.19	2.2	0.06
C0041797	14.2	0.007	<10	26	0.58	0.91	0.62	12.3	11	151.3	3.53	2.2	0.18
C0041798	22.1	0.021	13	47	0.76	1.64	3.48	11.8	10	59.8	4.46	1.7	0.05
C0041799	82.8	0.082	15	52	1.12	1.51	3.04	11.9	15	62.1	5.38	1.6	0.06

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041800	63.8	0.009	12	51	0.84	0.83	1.97	8.6	17	12.1	4.33	1.2	0.03
C0041801	216.6	0.051	<10	75	0.21	0.12	1.08	2.7	30	6.0	1.87	0.8	0.05
C0041802	5477.9	2.638	<10	65	0.27	0.07	13.59	2.7	19	30.3	2.43	0.9	0.08
C0041803	1699.4	0.272	<10	93	2.30	0.58	2.35	3.2	28	9.3	2.35	0.9	0.05
C0041804	18.1	<0.001	<10	23	1.84	1.68	0.06	13.8	11	23.1	4.27	2.0	0.06
C0041805	32.0	8.330	16	112	1.37	0.78	0.27	12.8	41	777.8	4.94	5.6	0.44
C0041806	125.1	0.022	<10	24	1.47	1.11	3.73	7.8	18	20.7	3.35	1.3	0.07
C0041807	13.6	<0.001	<10	55	0.26	1.93	0.29	4.2	15	8.5	2.54	1.1	0.02
C0041808	120.6	3.894	<10	60	0.19	0.77	4.80	2.9	29	249.4	1.60	0.9	0.08
C0041809	272.7	0.055	11	48	0.25	2.92	1.32	6.9	19	14.1	3.17	1.2	0.02
C0041810	938.4	0.136	10	32	0.17	1.96	5.22	5.0	27	12.0	2.41	1.0	0.02
C0041811	589.7	0.184	15	35	0.24	1.27	1.81	6.0	16	6.4	4.36	1.0	0.09
C0041812	>10000	2.217	13	48	0.17	0.64	10.88	4.5	35	22.3	4.00	1.0	0.10
C0041813	142.6	0.018	16	59	0.35	1.04	1.42	9.1	20	10.5	3.43	1.1	0.02
C0041814	16.6	<0.001	10	92	0.34	1.16	0.26	7.4	28	6.1	2.44	2.0	0.02
C0041815	40.6	<0.001	<10	84	0.26	1.98	0.24	5.4	21	11.0	2.48	2.2	0.04
C0041816	18.7	<0.001	<10	63	0.13	0.76	1.92	3.3	31	7.2	1.33	0.7	0.02
C0041817	30.2	<0.001	11	70	0.13	1.59	0.28	3.3	22	6.5	1.70	1.1	0.02
C0041818	157.6	<0.001	11	70	0.31	1.54	1.87	2.9	28	9.3	2.30	0.9	0.03
C0041819	47.6	<0.001	11	68	0.25	1.17	1.11	3.8	25	7.2	2.34	0.9	0.01
C0041820	19.1	<0.001	<10	48	0.38	0.72	2.33	3.7	24	11.2	2.12	1.1	0.02
C0041821	46.4	<0.001	11	56	0.25	1.06	0.28	4.0	18	11.2	2.17	1.1	0.02
C0041822	25.8	0.870	<10	85	0.19	0.52	1.27	4.8	28	10.6	1.71	1.0	0.02
C0041823	361.5	0.014	<10	53	0.41	1.43	5.90	7.1	21	14.2	2.60	0.8	0.04
C0041824	2.9	<0.001	<10	136	0.28	0.54	0.10	4.5	24	7.1	2.43	3.9	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 As ppm	IMS-128 Au ppm	IMS-128 B ppm	IMS-128 Ba ppm	IMS-128 Bi ppm	IMS-128 Ca %	IMS-128 Cd ppm	IMS-128 Co ppm	IMS-128 Cr ppm	IMS-128 Cu ppm	IMS-128 Fe %	IMS-128 Ga ppm	IMS-128 Hg ppm
Sample ID	0.2	0.001	10	10	0.05	0.01	0.05	0.1	1	0.2	0.01	0.1	0.01
C0041825	27.2	3.213	13	106	1.01	0.77	15.06	7.9	27	64.6	3.59	6.4	0.22
C0041826	2.0	<0.001	<10	146	0.25	0.45	<0.05	6.8	20	17.0	2.88	5.9	<0.01
C0041827	2.2	<0.001	<10	97	0.37	0.43	0.06	6.9	25	14.8	3.05	5.8	<0.01
C0041828	6.7	<0.001	<10	98	0.48	1.98	<0.05	7.0	15	29.8	3.03	3.9	<0.01
C0041828PD	5.6	<0.001	<10	85	0.48	1.99	0.05	6.8	14	31.2	2.98	3.8	0.01
C0041829	433.9	0.050	<10	60	0.16	2.19	1.77	4.0	26	11.5	2.20	1.7	0.02
C0041830	2665.2	0.245	12	65	0.09	1.49	8.12	3.3	33	13.4	3.19	0.9	0.03
DUP C0041647	148.5	0.007	<10	169	0.12	0.07	0.34	4.1	76	5.8	1.24	1.3	0.04
DUP C0041688	1285.4	1.070	10	368	0.21	0.10	3.30	1.8	74	30.2	2.52	1.9	0.08
DUP C0041713	5135.2	0.906	19	52	0.37	0.22	65.67	13.6	54	93.6	5.90	1.4	0.14
DUP C0041734	334.9	0.193	14	118	0.53	0.57	43.71	4.9	77	180.1	2.69	1.2	0.06
DUP C0041770	12.1	0.002	<10	235	0.21	0.73	0.43	3.4	22	15.1	1.55	1.6	0.01
DUP C0041635													
DUP C0041683													
DUP C0041730													
DUP C0041786													
DUP C0041816													
DUP C0041645													
DUP C0041716													
DUP C0041718													
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 As ppm 0.2	IMS-128 Au ppm 0.001	IMS-128 B ppm 10	IMS-128 Ba ppm 10	IMS-128 Bi ppm 0.05	IMS-128 Ca % 0.01	IMS-128 Cd ppm 0.05	IMS-128 Co ppm 0.1	IMS-128 Cr ppm 1	IMS-128 Cu ppm 0.2	IMS-128 Fe % 0.01	IMS-128 Ga ppm 0.1	IMS-128 Hg ppm 0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.05	<0.1	<1	<0.2	<0.01	<0.1	<0.01
STD BLANK													
STD BLANK													
STD OREAS 600b	97.8	0.209	<10	661	5.95	0.87	2.02	2.2	27	497.5	2.11	3.4	0.09
STD OREAS 25a	2.9	0.002	11	55	0.29	0.15	<0.05	5.7	73	24.3	6.23	20.7	0.07
STD OREAS 600b	98.6	0.208	<10	677	5.68	0.84	2.04	2.1	26	491.7	2.04	3.5	0.09
STD OREAS 25a	2.6	0.002	13	57	0.30	0.16	<0.05	5.6	75	24.6	6.22	20.8	0.07
STD OREAS 600b	90.5	0.206	<10	660	5.91	0.82	2.06	2.1	27	484.3	2.07	3.5	0.07
STD OREAS 904													
STD OREAS 904													
STD OREAS 904													
STD OxC129													
STD OxC115													
STD CDN-ME-1805													
STD MP-1b													
STD CDN-ME-1407													

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
Granite Blank	0.16	6.4	0.43	432	8.93	0.2	2.4	419	1.5	<0.005	0.01	0.08
Granite Blank	0.14	6.3	0.42	427	8.20	<0.2	2.3	414	1.4	<0.005	0.01	0.07
C0041631	0.33	12.6	0.10	1305	1.12	<0.2	22.3	528	33.1	<0.005	0.02	12.39
C0041632	0.26	14.8	0.04	1784	1.06	<0.2	8.6	493	8.0	<0.005	<0.01	15.62
C0041633	0.60	14.7	0.69	565	1.18	<0.2	4.3	491	4.7	<0.005	0.11	1.86
C0041634	0.66	12.3	0.62	372	1.10	0.2	3.7	367	3.0	<0.005	0.15	0.49
C0041635	0.63	15.6	0.62	664	1.05	<0.2	4.8	503	5.5	<0.005	<0.01	3.92
C0041636	0.74	13.5	0.61	443	1.09	<0.2	5.6	590	7.1	<0.005	<0.01	3.04
C0041637	0.49	16.4	0.39	299	1.46	<0.2	4.5	392	11.6	<0.005	<0.01	1.02
C0041638	0.56	15.0	0.50	330	1.52	<0.2	4.9	268	2.8	<0.005	<0.01	1.85
C0041639	0.31	12.0	0.27	844	0.97	<0.2	18.4	623	4.2	<0.005	<0.01	4.32
C0041640	0.14	18.7	0.10	170	1.36	<0.2	3.8	118	5.7	<0.005	<0.01	1.84
C0041641	0.18	13.8	0.08	337	1.06	<0.2	3.8	174	6.1	<0.005	<0.01	4.06
C0041642	0.85	15.8	0.89	349	0.96	<0.2	3.9	317	2.8	<0.005	0.18	1.35
C0041643	0.36	11.0	0.18	1003	1.28	<0.2	4.3	251	244.2	<0.005	0.08	3.78
C0041644	0.29	14.7	0.08	475	1.44	<0.2	4.5	234	6.1	<0.005	0.03	2.62
C0041645	0.12	5.7	0.62	395	9.74	<0.2	31.0	526	466.0	<0.005	0.37	56.29
C0041646	0.25	13.0	0.02	841	1.53	<0.2	4.7	169	14.4	<0.005	0.06	13.54
C0041647	0.31	15.1	0.08	880	1.54	<0.2	5.9	254	3.5	<0.005	<0.01	6.71
C0041648	0.62	16.2	0.55	862	1.08	<0.2	5.0	247	4.3	<0.005	<0.01	7.78
C0041648PD	0.66	16.6	0.56	843	1.25	<0.2	5.0	244	4.2	<0.005	<0.01	7.49
C0041649	0.83	14.0	1.04	224	1.36	<0.2	5.4	196	1.8	<0.005	0.01	0.48
C0041650	0.81	13.8	1.04	323	1.61	<0.2	4.2	160	2.2	<0.005	<0.01	0.58
C0041651	1.48	11.3	1.59	304	1.21	<0.2	6.0	404	2.8	<0.005	0.06	0.87
C0041652	0.49	11.2	0.57	149	1.23	<0.2	3.5	123	1.6	<0.005	0.11	0.31

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041653	0.73	14.2	0.97	408	1.19	<0.2	7.1	438	3.1	<0.005	0.06	1.30
C0041654	0.40	14.7	0.35	259	1.35	<0.2	4.3	379	24.6	<0.005	0.08	1.54
C0041655	0.87	11.1	1.13	559	1.47	<0.2	8.2	329	2.3	<0.005	0.12	1.10
C0041656	0.23	10.0	0.37	232	1.43	<0.2	4.1	240	3.8	<0.005	0.15	0.79
C0041657	0.12	7.8	0.32	284	2.89	<0.2	2.1	72	2.8	<0.005	0.27	0.51
C0041658	0.18	10.2	0.09	224	3.81	<0.2	3.6	81	4.5	<0.005	0.09	1.69
C0041659	0.25	9.2	0.06	58	12.43	<0.2	4.2	110	1.5	<0.005	0.10	1.92
C0041660	0.38	11.5	0.28	97	1.65	<0.2	8.5	347	4.4	<0.005	0.21	10.00
C0041661	0.23	11.5	0.10	68	1.28	<0.2	6.3	394	6.7	<0.005	0.18	7.48
C0041662	0.44	3.1	1.29	319	0.40	<0.2	23.6	852	3.4	<0.005	0.29	17.10
C0041663	0.74	5.0	0.15	192	0.88	<0.2	15.9	823	932.5	<0.005	1.17	359.96
C0041664	0.81	5.8	0.05	157	1.88	<0.2	2.9	423	1586.6	<0.005	1.06	298.41
C0041665	0.07	1.5	0.79	341	34.07	<0.2	58.4	351	>10000	0.035	>10	257.05
C0041666	0.71	7.7	0.07	592	1.10	<0.2	22.4	1037	177.1	<0.005	0.78	113.42
C0041667	0.63	7.2	0.09	5534	0.68	<0.2	46.4	917	38.3	<0.005	1.15	100.76
C0041668	0.40	7.4	0.07	1019	1.00	<0.2	32.2	1297	248.3	<0.005	0.35	69.63
C0041669	0.56	9.2	0.74	1068	1.90	<0.2	21.3	1348	10.7	<0.005	0.66	30.91
C0041670	0.27	10.5	0.60	6260	0.74	<0.2	34.9	1310	6.0	<0.005	2.24	32.93
C0041671	0.31	14.3	0.23	4115	1.35	<0.2	30.1	1576	8.6	<0.005	1.18	54.84
C0041672	0.48	10.0	0.07	172	3.83	<0.2	13.2	696	75.6	<0.005	0.39	150.36
C0041673	0.38	10.0	0.04	72	3.21	<0.2	8.1	480	20.6	<0.005	0.37	66.64
C0041674	0.53	9.2	0.24	474	4.95	<0.2	50.5	1307	9.7	<0.005	0.89	106.01
C0041675	0.39	10.8	0.14	668	2.65	<0.2	53.1	1112	13.2	<0.005	0.75	239.88
C0041676	0.71	6.2	2.71	271	0.93	<0.2	102.2	854	9.7	<0.005	0.79	32.51
C0041677	0.24	12.0	0.89	181	1.17	<0.2	45.4	1473	37.7	<0.005	0.41	114.63

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041678	0.31	11.9	0.63	104	0.73	<0.2	12.6	1586	40.8	<0.005	0.52	74.12
C0041679	0.30	11.0	0.55	90	0.87	<0.2	15.3	1394	14.9	<0.005	0.58	42.58
C0041680	0.23	5.4	0.65	183	0.81	<0.2	14.9	969	6.9	<0.005	0.06	21.97
C0041681	0.08	13.4	0.10	1270	1.16	<0.2	43.5	1317	6.1	<0.005	0.49	39.80
C0041682	0.06	9.6	0.10	2565	0.91	<0.2	46.3	2008	45.6	<0.005	0.36	201.21
C0041683	0.43	6.7	0.03	158	0.82	<0.2	19.5	720	761.1	<0.005	0.40	193.98
C0041684	0.28	7.2	0.07	435	0.95	<0.2	20.7	430	222.8	<0.005	0.29	118.04
C0041685	0.10	6.5	0.03	68	13.73	<0.2	16.8	144	14.8	<0.005	0.24	25.89
C0041686	0.14	7.9	0.09	1405	2.02	<0.2	16.2	976	31.5	<0.005	0.35	204.70
C0041687	0.31	12.8	0.04	39	1.76	<0.2	6.1	636	48.8	<0.005	0.23	187.27
C0041688	0.36	13.2	0.04	59	2.82	<0.2	5.8	304	1176.0	<0.005	0.29	291.38
C0041688PD	0.37	14.2	0.05	59	2.74	<0.2	5.7	308	1243.8	<0.005	0.29	293.97
C0041689	0.59	7.3	0.02	30	1.57	<0.2	2.7	188	1775.6	<0.005	0.78	301.89
C0041690	0.46	5.3	0.04	90	0.59	<0.2	5.1	686	139.1	<0.005	0.52	111.31
C0041691	0.43	3.9	0.06	255	0.70	<0.2	8.7	999	50.6	<0.005	0.52	169.16
C0041692	0.36	3.6	0.05	48	0.77	<0.2	2.5	270	730.4	<0.005	0.39	282.66
C0041693	0.38	4.5	0.05	102	1.52	<0.2	5.4	399	352.5	<0.005	0.32	296.75
C0041694	0.50	7.0	1.81	2703	0.43	<0.2	17.4	711	7.4	<0.005	0.72	33.20
C0041695	0.74	8.6	1.53	1223	0.71	<0.2	10.3	608	5.1	<0.005	1.40	22.02
C0041696	1.13	6.8	1.98	1590	0.86	<0.2	16.5	466	12.5	<0.005	0.78	21.04
C0041697	0.91	5.7	2.38	1308	0.79	<0.2	18.6	610	12.7	<0.005	1.62	10.86
C0041698	0.74	7.5	2.23	1292	0.85	<0.2	11.0	770	5.2	<0.005	1.52	7.89
C0041699	0.30	8.2	2.85	2433	1.06	<0.2	19.2	658	16.4	<0.005	0.96	19.80
C0041700	0.99	5.0	2.25	1500	1.16	<0.2	17.6	604	18.4	<0.005	1.04	13.66
C0041701	1.26	4.1	2.03	915	0.97	<0.2	14.2	680	2.9	<0.005	0.72	2.73

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041702	1.63	4.2	2.30	1109	0.74	<0.2	15.4	694	2.6	<0.005	0.61	1.90
C0041703	0.87	4.3	1.71	1168	0.97	<0.2	10.8	539	4.9	<0.005	1.01	5.60
C0041704	0.34	8.0	1.61	1729	0.68	<0.2	9.1	683	6.6	<0.005	1.92	9.57
C0041705	0.12	5.8	0.63	394	10.14	<0.2	29.4	526	493.8	<0.005	0.38	56.04
C0041706	0.65	5.4	1.60	1098	0.55	<0.2	4.1	881	3.3	<0.005	0.86	12.40
C0041707	0.30	4.6	1.61	1601	0.75	<0.2	5.6	722	7.5	<0.005	2.29	9.08
C0041708	0.38	5.1	0.67	2133	0.83	<0.2	6.1	756	6.0	<0.005	1.97	33.87
C0041709	0.50	5.0	1.04	2211	0.84	<0.2	9.6	747	13.0	<0.005	2.34	78.01
C0041710	0.35	3.1	0.63	3196	1.27	<0.2	5.2	697	34.6	<0.005	5.64	43.67
C0041711	0.38	3.4	0.05	477	2.07	<0.2	3.5	748	515.5	<0.005	3.56	148.95
C0041712	0.36	3.0	0.06	407	1.66	<0.2	4.3	592	2759.1	<0.005	6.44	266.21
C0041713	0.34	2.2	0.04	84	0.96	<0.2	3.5	755	1927.9	<0.005	6.89	266.81
C0041714	0.39	3.6	0.05	38	0.81	<0.2	2.7	596	1001.9	<0.005	5.63	144.50
C0041715	0.04	<0.5	0.01	199	3.30	<0.2	5.4	57	426.0	<0.005	0.92	34.85
C0041716	0.37	2.2	0.04	98	1.38	<0.2	4.7	668	4928.7	<0.005	7.39	479.43
C0041717	0.41	2.7	0.04	44	0.98	<0.2	5.9	758	3487.0	<0.005	7.74	269.22
C0041718	0.16	1.7	0.02	322	1.19	<0.2	4.2	410	>10000	<0.005	>10	>10000
C0041719	0.36	2.7	0.03	108	1.32	<0.2	3.2	916	>10000	<0.005	7.43	1368.95
C0041720	0.30	4.4	0.03	44	1.28	<0.2	3.4	562	556.5	<0.005	3.40	123.37
C0041721	0.34	3.8	0.02	38	1.50	<0.2	3.5	142	1184.4	<0.005	2.74	188.43
C0041722	0.33	4.6	0.03	26	1.52	<0.2	3.6	150	322.3	<0.005	1.10	130.10
C0041723	0.38	8.3	0.04	47	1.66	<0.2	4.0	178	143.6	<0.005	0.66	209.48
C0041724	0.31	8.9	0.04	61	1.56	<0.2	3.3	199	79.7	<0.005	0.15	100.01
C0041725	0.07	1.5	0.80	342	35.76	<0.2	56.1	358	>10000	0.036	>10	253.43
C0041726	0.32	9.0	0.03	30	1.76	<0.2	4.0	105	325.2	<0.005	0.23	29.18

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041727	0.31	7.6	0.03	45	1.71	<0.2	3.8	129	283.8	<0.005	0.35	42.44
C0041728	0.31	9.6	0.03	27	1.40	<0.2	3.1	103	105.6	<0.005	0.23	27.77
C0041729	0.37	9.4	0.03	21	1.48	<0.2	2.3	96	152.5	<0.005	0.27	26.16
C0041730	0.31	6.7	0.03	31	1.43	<0.2	3.4	103	430.3	<0.005	2.17	70.84
C0041731	0.28	2.9	0.37	3918	2.06	<0.2	4.0	260	4197.3	<0.005	2.38	628.66
C0041732	0.19	3.0	1.13	9358	1.52	<0.2	3.5	105	906.3	<0.005	1.74	206.44
C0041733	0.28	4.7	0.15	1180	1.99	<0.2	4.1	216	356.7	<0.005	1.96	20.73
C0041734	0.34	5.9	0.21	2995	1.80	<0.2	5.3	276	6071.6	<0.005	2.13	65.30
C0041735	0.28	4.7	0.18	1297	2.41	<0.2	5.3	161	2446.0	<0.005	2.25	71.13
C0041736	0.31	6.6	0.06	702	1.51	<0.2	11.1	234	119.4	<0.005	2.04	22.42
C0041737	0.40	4.9	0.08	105	2.97	<0.2	9.2	439	156.8	<0.005	1.83	37.89
C0041738	0.26	3.1	0.65	1403	1.01	<0.2	7.8	348	82.5	<0.005	3.20	26.55
C0041739	0.29	6.1	2.10	1787	1.41	<0.2	12.4	570	15.9	<0.005	1.59	17.56
C0041740	0.46	7.4	1.55	1571	1.11	<0.2	15.5	692	14.1	<0.005	1.54	22.28
C0041741	0.95	6.1	2.06	1106	1.96	<0.2	12.8	664	5.4	<0.005	2.17	7.27
C0041742	0.59	8.0	1.24	1361	0.94	<0.2	7.1	729	15.3	<0.005	1.90	20.92
C0041743	0.31	2.4	0.14	488	1.65	<0.2	4.9	423	7852.7	<0.005	6.97	690.55
C0041744	0.39	3.1	0.71	2834	3.16	<0.2	6.3	606	76.9	<0.005	5.92	19.99
C0041745	0.09	6.0	0.03	68	13.39	<0.2	15.6	133	15.1	<0.005	0.23	28.71
C0041746	0.28	6.9	0.47	1026	1.08	<0.2	2.0	409	13.2	<0.005	2.49	8.13
C0041747	0.37	5.6	0.77	1728	3.45	<0.2	2.8	641	26.0	<0.005	4.43	12.31
C0041748	0.35	8.1	0.57	1137	1.35	<0.2	16.0	993	15.2	<0.005	3.44	9.72
C0041748PD	0.35	7.7	0.57	1197	1.21	<0.2	14.2	958	16.4	<0.005	3.71	9.72
C0041749	0.39	4.3	0.36	1200	3.84	<0.2	5.8	533	102.0	<0.005	4.76	15.85
C0041750	0.30	7.7	0.48	1887	1.44	<0.2	3.1	205	26.9	<0.005	1.40	6.29

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041751	0.31	5.2	0.36	833	5.60	<0.2	3.1	174	25.1	<0.005	1.84	3.20
C0041752	0.19	7.1	0.29	441	1.78	<0.2	4.8	215	15.4	<0.005	2.54	4.14
C0041753	0.16	6.1	0.21	340	2.10	<0.2	5.0	173	9.2	<0.005	1.86	3.06
C0041754	0.23	7.9	0.27	276	3.89	<0.2	5.1	194	8.1	<0.005	2.22	2.18
C0041755	0.30	11.3	0.55	310	3.39	<0.2	3.2	230	7.2	<0.005	2.25	2.18
C0041756	0.27	6.4	0.38	165	4.40	<0.2	2.8	193	9.8	<0.005	2.01	1.33
C0041757	0.22	12.9	0.43	292	4.91	<0.2	2.7	525	9.8	<0.005	2.25	2.23
C0041758	0.37	7.1	0.52	194	1.51	<0.2	3.9	406	4.8	<0.005	2.49	1.84
C0041759	0.16	12.3	0.42	196	2.98	<0.2	2.0	752	8.1	<0.005	2.66	2.90
C0041760	0.20	12.4	0.45	370	4.21	<0.2	1.8	721	14.8	<0.005	2.35	2.95
C0041761	0.14	9.0	0.41	404	5.98	<0.2	2.1	571	29.3	<0.005	2.12	3.76
C0041762	0.21	11.8	0.57	393	6.15	<0.2	2.3	661	31.8	<0.005	2.36	4.41
C0041763	0.39	14.0	0.63	381	3.39	<0.2	3.7	707	5.4	<0.005	1.44	2.35
C0041764	0.39	9.9	0.74	486	4.29	<0.2	2.0	733	5.8	<0.005	0.94	2.68
C0041765	0.11	5.7	0.61	383	9.34	<0.2	27.3	526	491.5	<0.005	0.38	60.75
C0041766	0.48	13.0	0.80	437	4.15	<0.2	2.3	616	4.3	<0.005	0.99	1.53
C0041767	0.29	6.2	0.56	179	5.26	<0.2	2.4	210	7.7	<0.005	0.86	1.88
C0041768	0.39	13.5	0.70	371	3.38	<0.2	2.0	735	6.1	<0.005	0.84	3.50
C0041769	0.21	11.3	0.45	367	11.24	<0.2	4.1	475	4.6	<0.005	0.80	8.75
C0041770	0.11	7.2	0.26	298	4.10	<0.2	2.1	449	14.9	<0.005	0.96	2.38
C0041771	0.18	2.5	0.86	2113	89.74	<0.2	27.6	112	195.3	0.019	>10	6.06
C0041772	0.28	7.5	0.65	893	3.93	<0.2	3.8	750	50.5	<0.005	2.70	3.57
C0041773	0.27	9.1	0.79	715	4.55	<0.2	4.6	815	25.0	<0.005	1.65	2.13
C0041774	0.30	10.4	0.66	903	3.57	<0.2	2.5	769	46.7	<0.005	1.16	3.15
C0041775	0.31	11.9	0.66	967	3.89	<0.2	2.1	824	38.4	<0.005	0.95	4.40

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041776	0.28	8.1	0.45	451	2.00	<0.2	1.7	617	44.9	<0.005	1.17	2.45
C0041777	0.14	4.1	0.57	375	1.95	<0.2	2.7	138	18.7	<0.005	1.19	2.08
C0041778	0.09	4.0	0.47	666	1.53	<0.2	2.4	129	35.8	<0.005	1.02	2.21
C0041779	0.30	5.7	0.59	858	1.94	<0.2	1.9	772	374.7	<0.005	1.50	2.98
C0041780	0.26	5.4	1.04	1165	2.08	<0.2	1.7	659	186.6	<0.005	2.36	2.55
C0041781	0.18	4.4	0.90	1203	3.50	<0.2	1.8	145	190.0	<0.005	2.05	2.26
C0041782	0.21	10.4	0.57	563	1.66	<0.2	1.7	806	27.8	<0.005	2.22	4.29
C0041783	0.22	4.5	0.66	523	7.72	<0.2	1.8	508	107.8	<0.005	3.39	1.86
C0041784	0.31	7.9	0.85	882	2.67	<0.2	4.3	748	79.2	<0.005	4.16	3.74
C0041785	0.07	1.5	0.81	350	35.50	<0.2	58.0	368	>10000	0.032	>10	257.30
C0041786	0.26	8.7	0.18	336	4.76	<0.2	4.3	702	26.0	<0.005	3.84	4.06
C0041787	0.30	7.6	0.71	1279	2.20	<0.2	4.3	723	14.9	<0.005	4.09	9.93
C0041788	0.29	9.2	0.62	1250	2.28	<0.2	4.2	741	10.3	<0.005	3.48	10.61
C0041788PD	0.28	8.9	0.61	1223	2.09	<0.2	4.2	740	10.3	<0.005	3.57	12.18
C0041789	0.29	10.2	1.15	2078	2.04	<0.2	3.6	749	27.4	<0.005	2.87	35.20
C0041790	0.29	7.5	0.46	1109	3.35	<0.2	4.5	746	119.4	<0.005	3.54	4.64
C0041791	0.31	5.7	0.30	703	3.59	<0.2	4.5	693	416.7	<0.005	4.45	3.78
C0041792	0.30	7.0	0.57	1106	4.95	<0.2	3.2	416	142.8	<0.005	2.69	2.43
C0041793	0.23	6.4	0.75	1338	8.96	<0.2	2.4	107	55.7	<0.005	1.40	1.93
C0041794	0.29	5.6	0.63	1360	4.16	<0.2	2.2	511	151.5	<0.005	2.18	3.55
C0041795	0.20	8.1	0.57	1146	3.26	<0.2	2.8	318	54.5	<0.005	2.41	4.20
C0041796	0.19	22.2	0.32	486	3.22	<0.2	4.7	797	6.3	<0.005	4.02	4.96
C0041797	0.17	21.9	0.24	651	2.65	<0.2	4.4	830	49.6	<0.005	2.87	62.00
C0041798	0.25	18.3	0.53	1277	4.20	<0.2	4.4	768	466.2	<0.005	3.48	15.70
C0041799	0.32	9.2	0.52	1469	3.44	<0.2	4.5	739	462.0	<0.005	5.02	20.48

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041800	0.26	5.8	0.27	826	3.30	<0.2	3.4	565	108.1	<0.005	4.62	5.12
C0041801	0.22	4.5	0.04	80	5.33	<0.2	2.4	232	32.3	<0.005	1.86	5.60
C0041802	0.17	4.2	0.02	42	3.21	<0.2	2.8	88	606.0	<0.005	2.34	49.13
C0041803	0.18	5.1	0.20	263	4.63	<0.2	2.6	116	231.5	<0.005	2.14	16.69
C0041804	0.16	12.7	0.56	528	2.26	<0.2	4.0	735	6.0	<0.005	4.29	6.36
C0041805	0.25	6.6	0.81	537	29.22	<0.2	51.1	690	30.2	0.058	0.62	8.02
C0041806	0.18	5.9	0.38	921	3.51	<0.2	2.8	463	249.6	<0.005	3.45	11.31
C0041807	0.13	5.9	0.72	776	4.54	<0.2	2.8	366	43.9	<0.005	2.20	3.93
C0041808	0.15	6.0	0.28	413	10.77	<0.2	2.2	126	1250.9	<0.005	1.44	227.38
C0041809	0.21	6.5	0.94	1912	9.91	<0.2	2.3	364	80.7	<0.005	2.44	7.97
C0041810	0.21	3.2	0.69	1289	13.82	<0.2	2.3	336	84.8	<0.005	1.93	11.56
C0041811	0.23	2.5	0.46	1062	2.76	<0.2	2.4	409	108.8	<0.005	4.51	10.77
C0041812	0.22	3.3	0.08	412	5.92	<0.2	2.7	230	956.5	<0.005	3.63	130.27
C0041813	0.28	8.2	0.33	1755	7.71	<0.2	2.6	450	122.7	<0.005	3.32	6.77
C0041814	0.27	7.2	0.39	331	6.48	<0.2	1.9	403	33.2	<0.005	2.04	1.93
C0041815	0.30	4.6	0.59	968	4.74	<0.2	2.2	484	13.5	<0.005	1.86	2.35
C0041816	0.21	3.5	0.24	771	7.60	<0.2	1.7	220	45.9	<0.005	1.06	2.08
C0041817	0.22	5.1	0.47	1141	3.64	<0.2	1.8	307	17.0	<0.005	0.98	1.88
C0041818	0.25	5.6	0.44	1678	8.12	<0.2	2.0	174	626.1	<0.005	1.89	4.20
C0041819	0.26	4.5	0.34	1373	4.14	<0.2	2.1	213	85.3	<0.005	2.09	2.10
C0041820	0.14	6.7	0.22	565	4.88	<0.2	2.6	161	69.6	<0.005	1.94	2.35
C0041821	0.20	6.1	0.33	1079	3.27	<0.2	1.8	453	25.7	<0.005	2.01	2.32
C0041822	0.20	5.6	0.14	461	4.68	<0.2	1.7	439	351.2	<0.005	1.59	2.26
C0041823	0.17	3.4	0.33	1389	4.97	<0.2	2.4	168	2981.6	<0.005	2.47	7.66
C0041824	0.48	5.4	0.58	162	4.14	<0.2	2.0	225	9.0	<0.005	1.46	0.84

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
C0041825	0.10	5.6	0.61	397	8.96	<0.2	26.5	508	501.9	<0.005	0.36	57.02
C0041826	0.60	10.0	0.88	249	4.05	<0.2	2.6	459	4.7	<0.005	1.22	0.55
C0041827	0.59	7.4	0.91	176	4.09	<0.2	2.5	472	3.0	<0.005	1.88	0.61
C0041828	0.40	5.7	1.02	246	8.84	<0.2	2.5	362	8.5	<0.005	2.61	1.91
C0041828PD	0.39	5.5	1.00	240	9.67	<0.2	2.5	360	7.9	<0.005	2.57	1.89
C0041829	0.21	4.1	0.47	501	4.61	<0.2	2.7	145	82.0	<0.005	1.78	4.14
C0041830	0.21	3.8	0.50	3152	5.49	<0.2	2.5	109	116.4	<0.005	3.00	13.17
DUP C0041647	0.29	15.0	0.08	879	1.41	<0.2	5.7	254	3.5	<0.005	<0.01	6.51
DUP C0041688	0.38	13.9	0.05	59	2.94	<0.2	6.1	306	1175.9	<0.005	0.29	287.43
DUP C0041713	0.35	2.5	0.04	83	0.93	<0.2	3.4	743	1901.0	<0.005	6.82	253.00
DUP C0041734	0.35	6.4	0.21	2993	1.87	<0.2	5.4	272	6036.4	<0.005	2.11	62.03
DUP C0041770	0.11	7.0	0.26	301	4.09	<0.2	2.1	458	14.9	<0.005	0.97	2.31
DUP C0041635												
DUP C0041683												
DUP C0041730												
DUP C0041786												
DUP C0041816												
DUP C0041645												
DUP C0041716												
DUP C0041718												
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 K %	IMS-128 La ppm	IMS-128 Mg %	IMS-128 Mn ppm	IMS-128 Mo ppm	IMS-128 Na %	IMS-128 Ni ppm	IMS-128 P ppm	IMS-128 Pb ppm	IMS-128 Re ppm	IMS-128 S %	IMS-128 Sb ppm
Sample ID	0.01	0.5	0.01	5	0.05	0.2	0.1	10	0.2	0.005	0.01	0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK	<0.01	<0.5	<0.01	<5	<0.05	<0.2	<0.1	<10	<0.2	<0.005	<0.01	<0.05
STD BLANK												
STD BLANK												
STD OREAS 600b	0.28	29.1	0.05	252	5.03	<0.2	4.4	232	82.8	<0.005	0.26	10.40
STD OREAS 25a	0.13	12.9	0.20	416	1.70	<0.2	26.4	384	20.4	<0.005	0.05	0.24
STD OREAS 600b	0.28	29.4	0.05	248	5.14	<0.2	4.2	230	82.9	<0.005	0.26	10.22
STD OREAS 25a	0.14	14.4	0.22	424	1.48	<0.2	27.4	393	21.1	<0.005	0.05	0.19
STD OREAS 600b	0.27	28.7	0.05	252	5.14	<0.2	4.3	234	85.1	<0.005	0.25	10.33
STD OREAS 904												
STD OREAS 904												
STD OxC129												
STD OxC115												
STD CDN-ME-1805												
STD MP-1b												
STD CDN-ME-1407												

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Granite Blank	2.7	<0.2	22.9	<0.05	2.4	0.097	<0.05	0.47	28	0.15	9.2	26
Granite Blank	2.7	<0.2	22.1	<0.05	2.3	0.099	<0.05	0.46	28	0.14	9.1	25
C0041631	6.8	<0.2	16.3	0.81	5.4	<0.005	0.60	0.64	25	0.81	7.5	264
C0041632	4.1	<0.2	10.2	<0.05	5.7	<0.005	1.18	0.89	13	0.60	9.4	320
C0041633	4.8	<0.2	12.3	<0.05	5.0	0.068	0.34	0.72	19	0.38	8.0	78
C0041634	4.8	<0.2	12.0	<0.05	4.1	0.112	0.16	0.71	23	0.37	6.5	45
C0041635	6.1	<0.2	7.0	<0.05	5.1	0.100	0.23	0.74	22	0.39	7.6	156
C0041636	8.1	<0.2	5.8	<0.05	4.7	0.131	0.20	0.90	37	0.32	7.7	136
C0041637	4.3	<0.2	5.4	<0.05	5.9	0.082	0.12	1.18	22	0.51	6.0	75
C0041638	2.4	<0.2	6.0	<0.05	7.0	0.060	0.18	0.69	13	0.55	4.6	84
C0041639	13.5	<0.2	7.6	<0.05	5.4	0.026	0.20	0.65	76	0.28	9.1	170
C0041640	1.6	<0.2	4.0	<0.05	8.1	0.007	0.07	0.85	6	0.33	4.5	59
C0041641	1.3	<0.2	4.7	<0.05	7.7	<0.005	0.13	0.74	4	0.47	5.7	99
C0041642	2.4	<0.2	14.9	<0.05	7.7	0.039	0.24	0.61	14	0.38	5.4	49
C0041643	0.7	<0.2	16.2	0.41	9.5	<0.005	0.25	0.71	2	0.48	8.4	250
C0041644	0.7	<0.2	9.4	<0.05	7.2	<0.005	0.21	0.51	3	0.60	5.6	79
C0041645	4.5	0.3	35.4	0.20	1.2	0.121	1.02	0.36	62	3.34	7.6	1555
C0041646	0.7	<0.2	5.2	<0.05	6.5	<0.005	0.34	0.75	2	0.72	4.7	151
C0041647	0.8	<0.2	7.6	<0.05	7.7	<0.005	0.25	0.62	4	0.60	5.3	162
C0041648	1.0	<0.2	7.5	<0.05	8.1	0.029	0.22	0.53	5	0.48	5.5	120
C0041648PD	1.1	<0.2	7.9	<0.05	8.3	0.030	0.22	0.54	5	0.49	5.6	118
C0041649	2.1	<0.2	6.0	<0.05	7.3	0.054	0.18	0.45	13	0.50	4.9	43
C0041650	1.3	<0.2	4.1	<0.05	7.0	0.043	0.22	0.62	7	0.50	3.7	74
C0041651	6.9	<0.2	16.9	<0.05	5.5	0.188	0.33	0.76	55	0.43	5.1	41
C0041652	1.1	<0.2	9.4	<0.05	5.8	0.041	0.12	0.97	8	0.46	3.0	30

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041653	4.6	<0.2	6.4	<0.05	6.7	0.077	0.23	1.12	28	0.41	6.9	117
C0041654	1.3	0.2	14.3	0.22	6.0	0.011	0.17	1.22	20	0.40	3.9	126
C0041655	3.8	<0.2	8.7	0.06	6.3	0.072	0.29	0.92	29	0.50	5.7	126
C0041656	2.2	<0.2	10.7	<0.05	6.0	0.039	0.10	1.23	21	0.47	3.9	80
C0041657	0.9	<0.2	14.9	0.07	6.2	<0.005	0.07	1.32	4	<0.05	3.1	64
C0041658	0.6	<0.2	9.5	<0.05	6.4	<0.005	0.12	0.82	2	0.46	2.7	108
C0041659	0.8	0.3	5.4	0.06	6.2	<0.005	0.14	0.72	3	0.63	1.7	103
C0041660	4.3	0.4	49.3	0.19	6.0	0.012	0.28	1.12	19	0.44	3.6	253
C0041661	3.3	0.6	22.4	0.33	5.4	<0.005	0.26	0.91	16	0.31	4.3	208
C0041662	17.7	0.8	38.3	0.37	0.6	0.223	0.39	1.72	123	0.32	8.0	299
C0041663	16.6	1.0	149.5	0.97	1.4	0.005	2.91	1.17	58	0.43	4.7	390
C0041664	4.9	1.6	89.5	2.71	1.1	<0.005	2.45	0.47	15	0.59	2.4	91
C0041665	1.1	200.2	29.8	0.49	0.4	<0.005	29.97	2.65	19	0.89	3.5	>10000
C0041666	7.7	1.8	43.8	3.84	1.3	<0.005	1.84	0.43	43	0.56	6.5	559
C0041667	14.0	1.2	68.6	1.43	1.0	<0.005	3.24	0.34	40	0.70	16.4	982
C0041668	14.2	0.7	68.8	1.40	1.3	<0.005	1.24	0.63	46	0.42	13.6	804
C0041669	17.7	0.7	18.5	0.37	2.0	0.066	0.46	0.67	138	0.26	13.0	1047
C0041670	19.7	1.7	25.8	0.66	1.7	0.024	0.30	0.95	156	0.28	25.4	2481
C0041671	17.9	3.4	39.8	0.63	2.1	0.007	0.73	1.44	98	0.26	24.5	2912
C0041672	6.7	1.0	74.2	0.72	4.2	<0.005	0.76	1.77	15	0.32	6.8	579
C0041673	3.1	0.6	14.9	0.40	6.4	<0.005	0.44	1.09	8	0.58	5.5	406
C0041674	32.7	2.1	42.2	1.64	1.1	0.016	0.48	1.61	132	0.58	10.2	1279
C0041675	30.6	2.2	30.7	0.71	1.0	0.008	0.50	1.28	169	0.34	16.8	1594
C0041676	27.1	1.7	31.2	0.32	1.2	0.055	0.43	0.40	166	0.15	12.0	1048
C0041677	16.5	1.9	25.2	0.57	2.6	0.006	0.32	0.59	111	0.21	16.6	864

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041678	11.4	1.0	35.8	0.99	2.0	0.011	0.35	0.59	98	0.23	14.4	518
C0041679	17.8	2.4	32.1	2.23	2.2	0.014	0.26	0.77	137	0.25	13.5	770
C0041680	8.3	0.5	8.6	0.37	1.9	0.080	0.17	0.78	85	0.31	12.0	527
C0041681	31.0	1.0	4.0	0.61	3.2	0.010	0.37	0.86	140	0.29	27.4	1401
C0041682	26.8	1.1	4.9	0.19	2.4	0.007	0.24	1.24	159	0.45	32.4	2475
C0041683	7.3	1.8	59.7	1.22	1.2	<0.005	3.62	0.87	40	0.54	6.5	692
C0041684	7.6	1.7	39.3	0.15	2.6	<0.005	1.47	0.94	28	0.47	7.5	1477
C0041685	1.1	1.3	70.9	0.06	1.5	0.009	11.87	1.56	29	13.70	2.5	23
C0041686	4.9	<0.2	19.6	0.08	4.1	<0.005	0.28	1.28	22	0.40	17.6	3475
C0041687	2.8	0.4	105.9	0.08	5.7	<0.005	0.70	1.04	9	0.52	5.7	279
C0041688	1.7	0.7	24.6	0.08	5.1	<0.005	1.39	0.49	10	0.70	2.8	508
C0041688PD	1.9	0.7	25.2	0.09	5.1	<0.005	1.46	0.52	11	0.69	2.9	503
C0041689	1.6	0.4	10.1	0.08	2.6	<0.005	2.79	0.68	11	0.84	1.1	144
C0041690	14.6	0.2	60.8	<0.05	2.0	<0.005	4.87	1.50	61	0.76	4.9	1143
C0041691	11.7	<0.2	27.0	<0.05	1.5	<0.005	2.99	1.42	66	0.48	4.6	1498
C0041692	5.7	<0.2	40.1	0.08	1.2	<0.005	2.47	0.45	23	0.72	2.0	332
C0041693	6.7	<0.2	66.3	<0.05	1.3	<0.005	3.07	0.82	27	0.70	3.8	608
C0041694	26.7	0.2	66.3	<0.05	1.6	0.039	1.03	0.64	145	0.37	14.5	1904
C0041695	15.3	0.5	38.3	0.14	2.4	0.087	0.45	0.54	102	0.37	13.2	961
C0041696	14.7	0.3	33.9	0.12	1.9	0.152	0.45	0.43	128	0.30	12.0	1564
C0041697	18.1	0.4	49.7	<0.05	1.4	0.128	0.49	0.35	163	0.37	13.8	339
C0041698	16.4	0.4	65.2	0.06	1.7	0.066	0.42	0.30	108	0.28	10.9	197
C0041699	16.7	0.2	143.3	<0.05	1.1	0.027	0.28	0.52	124	0.40	19.1	1352
C0041700	18.1	0.3	46.6	0.06	1.1	0.142	0.35	0.46	180	0.34	10.6	1691
C0041701	16.3	0.4	26.0	0.06	1.0	0.242	0.39	0.27	183	0.30	12.7	377

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041702	18.3	0.3	27.3	<0.05	1.0	0.291	0.42	0.26	203	0.26	12.7	556
C0041703	12.1	0.4	46.5	<0.05	1.3	0.144	0.29	0.52	130	0.25	10.6	753
C0041704	15.1	0.4	76.8	0.12	2.2	0.021	0.24	1.28	88	0.24	12.1	1408
C0041705	4.6	0.3	34.1	0.25	1.2	0.120	1.04	0.36	61	3.30	7.7	1549
C0041706	18.9	0.2	63.5	0.14	1.2	0.124	0.27	0.55	133	0.22	13.1	867
C0041707	13.2	0.4	87.6	0.22	1.3	0.007	0.43	0.79	102	0.22	11.1	927
C0041708	9.3	0.4	79.0	0.16	1.2	<0.005	0.49	1.06	54	0.26	14.3	2559
C0041709	16.5	0.5	40.8	0.14	1.3	0.041	0.48	2.29	97	0.25	15.2	4782
C0041710	5.0	0.3	14.5	<0.05	0.9	<0.005	0.91	0.19	14	0.61	12.4	1379
C0041711	3.5	0.2	4.4	0.06	1.0	<0.005	1.14	0.36	10	0.58	4.6	450
C0041712	2.2	0.5	3.9	0.07	0.9	<0.005	0.81	0.35	8	0.71	3.4	4054
C0041713	2.0	<0.2	4.2	0.08	1.0	<0.005	1.31	0.28	9	1.10	4.5	4990
C0041714	2.8	0.3	6.5	0.10	0.9	<0.005	1.34	0.41	11	0.57	2.3	740
C0041715	0.4	<0.2	3.7	<0.05	<0.2	<0.005	0.11	<0.05	1	1.10	<0.5	926
C0041716	2.4	0.4	4.0	0.09	1.1	<0.005	1.37	0.40	10	0.70	3.3	7108
C0041717	2.1	0.3	2.6	0.05	1.0	<0.005	1.50	0.60	11	0.56	3.9	2677
C0041718	1.0	5.8	6.6	2.38	0.3	<0.005	2.85	3.62	5	0.70	1.3	>10000
C0041719	4.0	0.6	9.9	0.11	1.4	<0.005	1.22	1.50	6	0.67	3.6	8290
C0041720	2.8	0.4	22.8	0.13	1.5	<0.005	0.60	0.54	4	0.64	3.2	1225
C0041721	1.1	0.3	21.0	<0.05	1.7	<0.005	1.25	0.65	4	0.75	1.0	816
C0041722	1.3	<0.2	35.3	0.06	3.1	<0.005	0.47	0.30	3	0.87	1.6	175
C0041723	1.5	0.2	45.0	0.11	3.6	<0.005	0.66	0.34	3	0.87	2.3	236
C0041724	1.3	<0.2	20.1	0.06	4.3	<0.005	0.42	0.51	2	0.68	2.6	381
C0041725	1.1	201.5	27.5	0.66	0.4	<0.005	30.64	2.83	19	0.89	3.3	>10000
C0041726	0.6	0.3	33.1	0.11	3.9	<0.005	0.60	0.19	2	0.86	1.1	61

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041727	0.7	0.4	27.5	0.18	3.7	<0.005	0.58	0.17	2	0.80	1.3	174
C0041728	0.6	0.2	34.4	0.08	3.8	<0.005	0.48	0.20	1	0.68	1.3	129
C0041729	0.6	0.2	44.3	0.10	3.1	<0.005	0.77	0.15	2	0.53	1.0	61
C0041730	0.9	0.3	19.7	0.13	3.6	<0.005	0.51	0.33	2	0.63	1.2	98
C0041731	1.7	0.4	25.2	0.22	2.8	<0.005	0.89	0.83	3	0.61	5.1	5453
C0041732	1.2	0.2	57.1	0.06	1.9	<0.005	0.31	0.52	2	0.62	9.2	1985
C0041733	1.1	0.5	9.7	0.27	3.6	<0.005	0.42	0.42	2	0.67	5.3	1305
C0041734	2.2	0.5	13.9	0.25	3.8	<0.005	0.49	0.94	4	0.67	9.9	3417
C0041735	1.4	0.4	7.0	0.09	3.2	<0.005	0.43	0.57	2	0.64	5.9	3751
C0041736	1.8	0.6	24.8	0.06	4.7	<0.005	0.52	0.82	6	0.78	5.1	763
C0041737	2.4	0.5	22.4	0.09	3.8	<0.005	0.54	1.78	6	0.47	5.5	616
C0041738	5.7	0.8	39.0	0.16	1.7	<0.005	1.01	0.51	23	0.40	8.5	1222
C0041739	17.6	0.4	129.5	0.08	1.2	<0.005	1.03	0.53	79	0.29	14.6	169
C0041740	23.1	0.5	45.8	0.08	1.7	0.039	0.54	0.66	144	0.38	13.2	360
C0041741	17.0	0.7	55.6	0.16	1.3	0.121	0.49	0.44	137	0.35	11.1	297
C0041742	21.6	0.3	39.0	0.13	1.8	0.061	0.36	0.70	96	0.47	14.9	1057
C0041743	3.3	1.5	5.1	0.23	1.0	<0.005	1.53	0.26	14	0.65	3.3	5630
C0041744	4.8	1.3	22.5	0.21	1.7	<0.005	0.84	0.30	12	0.61	7.6	75
C0041745	1.0	1.4	60.2	0.13	1.3	0.009	11.72	1.58	28	13.39	2.4	22
C0041746	3.4	0.4	17.2	<0.05	2.8	<0.005	0.47	0.38	4	0.43	8.7	91
C0041747	3.9	1.1	25.4	0.22	2.2	<0.005	0.67	0.32	6	0.50	10.2	82
C0041748	10.9	0.7	30.3	0.12	3.1	<0.005	0.87	0.68	24	0.32	11.7	293
C0041748PD	9.9	0.7	28.8	0.11	3.0	<0.005	0.86	0.64	21	0.32	11.7	261
C0041749	2.4	1.3	11.1	0.23	2.7	<0.005	0.60	0.47	4	0.66	9.0	88
C0041750	1.4	<0.2	16.0	0.06	3.1	<0.005	0.39	0.40	1	0.69	6.9	476

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041751	0.9	0.4	11.8	<0.05	3.5	<0.005	0.30	0.30	1	0.68	5.5	124
C0041752	2.1	1.0	14.5	0.22	3.4	<0.005	0.28	0.37	5	0.47	6.5	253
C0041753	2.0	0.7	13.3	0.10	3.1	<0.005	0.20	0.36	5	0.45	6.5	284
C0041754	1.3	0.7	11.4	0.08	3.5	<0.005	0.21	0.32	3	0.54	5.4	195
C0041755	3.8	0.7	29.2	<0.05	4.7	<0.005	0.28	0.84	9	0.51	12.1	58
C0041756	2.4	0.6	18.0	<0.05	3.8	<0.005	0.21	0.41	7	0.50	5.3	18
C0041757	3.1	0.5	31.7	0.08	4.6	<0.005	0.18	0.91	9	0.40	9.6	113
C0041758	5.8	0.7	39.1	<0.05	2.9	0.033	0.22	0.45	18	0.39	6.4	31
C0041759	3.8	0.6	24.0	0.15	5.2	0.009	0.13	0.68	17	0.15	9.9	38
C0041760	5.1	0.4	22.7	<0.05	4.7	0.014	0.18	0.57	18	0.20	11.2	291
C0041761	3.1	0.7	22.2	0.07	4.4	<0.005	0.16	0.63	8	0.22	8.2	270
C0041762	3.6	0.6	31.3	0.22	4.3	<0.005	0.20	0.71	13	0.15	11.0	131
C0041763	5.8	<0.2	36.4	0.16	4.3	0.082	0.19	0.81	40	0.47	12.3	41
C0041764	4.4	<0.2	51.1	0.08	3.3	0.084	0.18	0.64	39	0.46	10.9	45
C0041765	4.2	0.3	31.4	0.27	1.2	0.109	1.05	0.35	58	3.21	7.3	1540
C0041766	5.2	<0.2	41.7	0.12	4.1	0.080	0.19	0.84	36	0.72	12.4	36
C0041767	3.5	0.2	28.5	<0.05	3.5	0.023	0.15	0.77	6	0.17	5.8	18
C0041768	4.2	<0.2	44.8	0.07	4.6	0.067	0.18	1.11	35	0.11	12.0	35
C0041769	5.1	0.4	22.0	0.07	3.9	0.026	0.14	0.61	23	0.13	8.8	76
C0041770	4.0	0.3	16.1	<0.05	3.6	<0.005	0.13	0.45	11	0.14	6.5	78
C0041771	1.2	4.8	37.2	0.17	1.6	<0.005	0.99	0.22	5	0.33	4.2	116
C0041772	1.2	0.6	37.3	0.11	3.7	<0.005	0.35	0.86	4	0.32	7.9	118
C0041773	2.0	0.5	45.7	<0.05	4.0	<0.005	0.24	0.90	6	0.18	9.0	93
C0041774	1.9	0.3	37.5	<0.05	4.7	<0.005	0.34	1.27	6	0.15	10.1	229
C0041775	1.7	<0.2	38.2	<0.05	5.2	<0.005	0.48	2.35	9	0.11	10.5	127

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041776	2.0	0.6	29.8	0.07	4.5	<0.005	0.34	1.01	4	0.07	6.8	119
C0041777	2.7	0.5	30.4	0.07	3.4	<0.005	0.16	0.68	2	0.08	4.4	110
C0041778	2.5	0.4	24.3	0.07	3.0	<0.005	0.10	0.76	2	0.14	5.1	374
C0041779	1.9	0.4	41.0	0.15	4.7	<0.005	0.53	0.86	5	0.23	8.4	259
C0041780	1.6	0.6	74.1	0.15	3.4	<0.005	0.28	0.78	5	0.18	8.2	315
C0041781	1.8	0.8	54.8	0.05	2.8	<0.005	0.18	0.50	1	1.15	8.5	700
C0041782	3.4	1.1	31.9	0.16	4.2	<0.005	0.29	0.94	10	0.13	7.0	233
C0041783	2.0	1.3	37.9	0.10	3.4	<0.005	0.20	0.42	6	0.22	6.5	302
C0041784	2.1	1.7	46.6	0.40	4.9	<0.005	0.27	0.59	7	0.22	9.5	149
C0041785	1.0	201.2	29.0	0.62	0.4	<0.005	30.26	2.81	20	0.90	3.2	>10000
C0041786	1.6	1.9	11.2	0.43	5.5	<0.005	0.32	0.43	6	0.20	4.4	111
C0041787	2.4	1.2	44.7	0.15	6.1	<0.005	0.47	0.43	9	0.12	9.3	150
C0041788	2.8	1.1	35.8	0.18	7.7	<0.005	0.37	0.85	8	0.12	8.8	65
C0041788PD	2.7	1.1	33.8	0.18	7.9	<0.005	0.35	0.88	8	0.13	8.7	64
C0041789	4.5	1.2	61.6	0.24	6.3	<0.005	0.34	0.67	12	0.12	11.5	183
C0041790	2.2	0.9	29.4	0.16	6.4	<0.005	0.50	0.49	8	0.12	6.9	179
C0041791	2.0	1.1	21.7	0.39	5.4	<0.005	0.33	0.49	8	0.15	5.1	447
C0041792	2.1	0.6	31.5	0.30	4.2	<0.005	0.35	0.43	4	0.14	5.5	108
C0041793	2.2	0.4	37.0	0.05	3.3	<0.005	0.25	0.49	3	0.21	6.3	105
C0041794	1.6	0.7	36.9	0.20	4.5	<0.005	0.43	0.46	3	0.23	7.5	129
C0041795	2.5	0.7	30.3	0.43	5.1	<0.005	0.24	0.46	9	0.11	6.2	139
C0041796	4.9	1.1	25.1	0.29	10.1	<0.005	0.25	0.73	23	0.13	8.6	134
C0041797	6.4	1.3	19.2	0.31	9.8	<0.005	0.23	0.68	28	0.12	8.0	264
C0041798	5.5	1.4	31.8	0.14	8.0	<0.005	0.31	0.65	29	0.12	9.0	362
C0041799	4.1	1.8	25.6	0.19	6.5	<0.005	0.40	0.64	19	0.14	7.5	401

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
C0041800	2.8	1.3	16.8	0.20	5.2	<0.005	0.46	0.42	10	0.16	5.5	164
C0041801	0.6	0.2	5.4	0.05	4.2	<0.005	0.71	0.28	1	0.15	2.6	109
C0041802	0.6	0.4	4.3	<0.05	3.8	<0.005	0.31	0.49	1	0.17	1.5	1001
C0041803	1.0	0.4	13.3	<0.05	3.8	<0.005	0.29	0.61	2	0.16	2.7	197
C0041804	6.9	2.2	28.5	0.55	6.9	<0.005	0.22	0.66	37	0.18	7.1	21
C0041805	5.7	1.5	36.0	0.52	1.5	0.117	0.18	0.45	89	8.43	8.2	76
C0041806	4.2	1.5	24.0	0.30	3.8	<0.005	0.37	0.94	12	0.45	5.2	315
C0041807	2.9	1.0	31.5	<0.05	3.3	<0.005	0.17	0.90	6	0.27	5.2	32
C0041808	1.0	0.6	14.7	<0.05	3.3	<0.005	0.17	0.49	2	0.22	2.8	254
C0041809	4.6	0.8	38.6	<0.05	3.3	<0.005	0.30	1.14	7	0.35	7.0	101
C0041810	2.9	0.4	28.3	<0.05	2.1	<0.005	0.31	0.68	5	0.27	5.0	369
C0041811	1.7	0.8	18.6	<0.05	3.0	<0.005	0.77	0.69	4	0.29	4.0	137
C0041812	0.8	0.7	11.4	<0.05	2.7	<0.005	0.70	0.50	3	0.30	2.9	873
C0041813	1.8	1.1	17.9	<0.05	4.0	<0.005	0.37	0.80	3	0.48	7.3	371
C0041814	2.4	0.8	33.1	<0.05	3.5	0.008	0.30	1.16	9	0.13	5.4	42
C0041815	3.8	0.5	35.3	<0.05	3.3	0.007	0.40	0.86	8	0.21	6.0	44
C0041816	0.8	0.5	13.6	<0.05	3.8	<0.005	0.27	0.51	<1	0.18	4.0	167
C0041817	3.0	0.3	27.5	<0.05	3.0	<0.005	0.27	0.73	4	0.12	5.3	45
C0041818	1.4	0.7	28.2	<0.05	3.0	<0.005	0.38	0.46	2	0.24	5.1	165
C0041819	1.4	0.6	26.5	<0.05	3.3	<0.005	0.38	0.44	2	0.25	5.7	101
C0041820	1.4	0.7	14.1	0.07	3.5	<0.005	0.23	0.32	1	0.15	3.0	219
C0041821	1.7	0.8	21.6	0.05	4.2	<0.005	0.30	0.62	3	0.27	4.7	30
C0041822	0.8	0.7	12.5	0.10	4.1	<0.005	0.33	0.51	2	0.27	3.7	107
C0041823	1.0	1.1	20.4	0.17	2.6	<0.005	0.35	0.55	2	0.31	4.0	470
C0041824	5.2	0.6	19.1	<0.05	2.7	0.060	0.25	0.57	15	0.18	2.8	25

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT:	YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
Sample ID												
C0041825	4.4	0.3	35.5	0.17	1.3	0.117	1.06	0.36	61	3.32	7.4	1496
C0041826	8.2	0.4	16.2	0.07	3.2	0.119	0.23	0.73	35	0.66	5.9	25
C0041827	9.2	0.6	11.6	<0.05	2.8	0.087	0.28	0.39	38	0.20	6.1	18
C0041828	5.4	0.8	33.4	<0.05	2.7	0.032	0.24	0.84	22	0.30	4.4	12
C0041828PD	5.3	0.7	34.0	0.09	2.6	0.031	0.23	0.85	21	0.29	4.4	11
C0041829	2.9	0.5	31.2	<0.05	2.5	0.007	0.17	0.72	5	0.28	3.9	128
C0041830	1.6	0.3	24.5	<0.05	3.6	<0.005	0.24	0.37	1	0.17	4.1	585
DUP C0041647	0.8	<0.2	7.6	<0.05	7.8	<0.005	0.24	0.62	3	0.56	5.3	162
DUP C0041688	1.9	0.8	25.0	0.11	5.0	<0.005	1.44	0.50	11	0.73	3.0	519
DUP C0041713	2.1	<0.2	4.2	<0.05	1.0	<0.005	1.32	0.27	9	1.04	4.5	4919
DUP C0041734	2.2	0.5	14.0	0.11	3.8	<0.005	0.51	0.93	4	0.70	9.8	3399
DUP C0041770	4.0	0.3	15.9	0.09	3.6	<0.005	0.13	0.46	12	0.14	6.4	79
DUP C0041635												
DUP C0041683												
DUP C0041730												
DUP C0041786												
DUP C0041816												
DUP C0041645												
DUP C0041716												
DUP C0041718												
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2

***Please refer to the cover page for comments
regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological - Charlotte**
488-625 Howe Street
Vancouver, BC, V6C 2T6
Canada

TEST REPORT: YVR2110124

Project Name: Charlotte
Job Received Date: 09-Nov-2020
Job Report Date: 09-Feb-2021
Report Version: Final

Sample ID	IMS-128 Sc ppm 0.1	IMS-128 Se ppm 0.2	IMS-128 Sr ppm 0.5	IMS-128 Te ppm 0.05	IMS-128 Th ppm 0.2	IMS-128 Ti % 0.005	IMS-128 Tl ppm 0.05	IMS-128 U ppm 0.05	IMS-128 V ppm 1	IMS-128 W ppm 0.05	IMS-128 Y ppm 0.5	IMS-128 Zn ppm 2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK												
STD BLANK												
STD OREAS 600b	1.2	3.1	26.6	1.96	9.4	0.031	0.48	3.07	3	2.48	7.4	350
STD OREAS 25a	8.6	0.5	16.9	<0.05	10.8	0.059	0.20	1.48	126	<0.05	4.4	29
STD OREAS 600b	1.2	3.0	25.1	1.82	9.7	0.030	0.48	3.09	2	2.45	7.4	345
STD OREAS 25a	8.7	0.5	17.2	<0.05	10.6	0.069	0.20	1.53	126	<0.05	4.5	31
STD OREAS 600b	1.2	2.9	26.3	1.86	10.0	0.031	0.49	3.27	3	2.43	7.3	335
STD OREAS 904												
STD OREAS 904												
STD OxC129												
STD OxC115												
STD CDN-ME-1805												
STD MP-1b												
STD CDN-ME-1407												

***Please refer to the cover page for comments
regarding this test report. ***