



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 27, 2019
Report Date: July 11, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000114.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-22
P.O. Number
Number of Samples: 29

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|--|--------------|---------------|-----|
| DY060 | 29 | Dry at 60C | | | WHI |
| SS80 | 29 | Dry at 60C sieve 100g to -80 mesh | | | WHI |
| AQ201 | 29 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 15 | Completed | VAN |
| DISPL | 29 | Disposal of pulps | | | VAN |
| SHP01 | 29 | Per sample shipping charges for branch shipments | | | VAN |

ADDITIONAL COMMENTS


GEORGE ARCALA
Instrumentation Shift Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 11, 2019

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000114.1

| | Method | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.001 |
| 1509047 | Soil | 0.4 | 7.3 | 18.0 | 37 | 0.2 | 6.8 | 2.2 | 62 | 1.03 | 3.7 | 0.9 | 6.0 | 2.0 | 11 | <0.1 | 0.2 | 0.1 | 14 | 0.10 | 0.029 |
| 1509048 | Soil | 0.6 | 8.9 | 15.4 | 31 | <0.1 | 5.9 | 2.1 | 56 | 0.88 | 3.9 | 0.7 | 4.9 | 1.2 | 10 | 0.1 | 0.2 | <0.1 | 16 | 0.09 | 0.021 |
| 1509049 | Soil | 0.5 | 6.8 | 16.7 | 35 | 0.1 | 6.2 | 2.3 | 64 | 0.97 | 4.5 | 0.9 | 8.6 | 2.1 | 11 | 0.1 | 0.2 | <0.1 | 16 | 0.11 | 0.031 |
| 1509050 | Soil | 0.5 | 8.3 | 18.7 | 39 | 0.2 | 6.7 | 2.1 | 62 | 1.09 | 5.6 | 1.0 | 6.9 | 1.2 | 11 | <0.1 | 0.2 | 0.1 | 17 | 0.11 | 0.034 |
| 1517352 | Soil | 0.6 | 19.3 | 11.9 | 50 | <0.1 | 21.6 | 11.1 | 243 | 2.55 | 6.9 | 0.6 | 1.4 | 4.8 | 22 | <0.1 | 0.8 | 0.1 | 52 | 0.22 | 0.018 |
| 1517353 | Soil | 0.5 | 19.3 | 12.8 | 50 | <0.1 | 15.4 | 7.3 | 273 | 2.18 | 48.4 | 0.9 | 25.9 | 6.7 | 21 | <0.1 | 1.9 | 0.1 | 36 | 0.20 | 0.022 |
| 1517354 | Soil | 0.4 | 14.1 | 12.6 | 43 | <0.1 | 12.8 | 5.5 | 162 | 1.58 | 6.0 | 0.8 | 9.2 | 4.7 | 17 | <0.1 | 0.4 | 0.1 | 30 | 0.21 | 0.034 |
| 1517355 | Soil | 0.5 | 15.1 | 12.9 | 47 | <0.1 | 13.5 | 5.9 | 202 | 1.89 | 6.0 | 0.7 | 15.2 | 4.1 | 18 | <0.1 | 0.5 | 0.1 | 34 | 0.20 | 0.028 |
| 1517356 | Soil | 0.3 | 8.5 | 11.2 | 26 | <0.1 | 7.2 | 3.2 | 85 | 0.95 | 3.3 | 0.7 | 2.8 | 3.7 | 10 | <0.1 | 0.3 | 0.1 | 21 | 0.10 | 0.017 |
| 1517357 | Soil | 0.6 | 14.4 | 20.3 | 46 | 0.1 | 12.3 | 5.0 | 138 | 1.55 | 5.4 | 1.2 | 4.9 | 7.2 | 16 | 0.1 | 0.5 | 0.2 | 31 | 0.18 | 0.025 |
| 1517358 | Soil | 0.6 | 17.8 | 31.2 | 48 | 0.2 | 20.3 | 6.0 | 139 | 1.58 | 5.1 | 2.3 | 13.0 | 8.7 | 19 | 0.1 | 0.6 | 0.2 | 32 | 0.22 | 0.027 |
| 1517359 | Soil | 0.6 | 11.6 | 21.1 | 51 | 0.2 | 16.1 | 5.4 | 117 | 1.77 | 6.8 | 1.4 | 5.3 | 8.3 | 16 | 0.2 | 0.5 | 0.2 | 35 | 0.19 | 0.039 |
| 1517360 | Soil | 0.3 | 8.8 | 18.5 | 42 | 0.1 | 12.5 | 3.7 | 84 | 1.46 | 5.0 | 1.2 | 3.8 | 5.1 | 15 | 0.1 | 0.4 | 0.2 | 26 | 0.17 | 0.031 |
| 1517361 | Soil | 0.5 | 10.9 | 17.4 | 38 | 0.2 | 10.9 | 4.1 | 95 | 1.51 | 5.7 | 1.5 | 1.9 | 1.9 | 19 | 0.2 | 0.3 | 0.1 | 22 | 0.18 | 0.048 |
| 1517362 | Soil | 0.5 | 7.5 | 15.9 | 45 | 0.1 | 9.1 | 3.5 | 121 | 1.56 | 6.3 | 1.0 | 4.5 | 3.2 | 14 | 0.1 | 0.3 | 0.2 | 32 | 0.14 | 0.038 |
| 1517363 | Soil | 0.3 | 5.6 | 16.7 | 44 | <0.1 | 7.8 | 2.3 | 64 | 1.04 | 3.0 | 1.2 | 9.8 | 4.9 | 10 | <0.1 | 0.3 | 0.1 | 17 | 0.08 | 0.019 |
| 1517364 | Soil | 0.3 | 7.6 | 12.1 | 44 | <0.1 | 7.4 | 3.4 | 106 | 1.14 | 4.3 | 1.8 | 4.9 | 4.5 | 12 | 0.2 | 0.3 | 0.1 | 15 | 0.11 | 0.025 |
| 1517365 | Soil | 0.6 | 5.1 | 11.7 | 35 | <0.1 | 4.9 | 2.8 | 201 | 1.18 | 5.7 | 0.7 | 3.0 | 3.6 | 8 | 0.2 | 0.3 | 0.2 | 31 | 0.07 | 0.020 |
| 1517366 | Soil | 0.4 | 6.3 | 10.7 | 39 | <0.1 | 6.0 | 2.8 | 79 | 1.06 | 4.3 | 1.1 | 12.4 | 3.6 | 9 | 0.2 | 0.2 | 0.1 | 21 | 0.09 | 0.024 |
| 1517367 | Soil | 0.6 | 11.4 | 31.7 | 50 | 0.2 | 8.0 | 3.0 | 76 | 1.23 | 4.8 | 1.8 | 8.9 | 2.1 | 11 | 0.3 | 0.3 | 0.1 | 19 | 0.10 | 0.029 |
| 1517368 | Soil | 0.7 | 14.5 | 46.3 | 55 | 0.1 | 9.2 | 3.4 | 88 | 1.34 | 4.0 | 1.8 | 7.0 | 1.1 | 10 | 0.4 | 0.3 | 0.2 | 23 | 0.09 | 0.030 |
| 1517369 | Soil | 0.5 | 9.3 | 22.3 | 71 | <0.1 | 7.2 | 3.3 | 120 | 1.26 | 4.5 | 1.1 | 17.5 | 7.3 | 9 | 0.2 | 0.2 | 0.1 | 18 | 0.09 | 0.023 |
| 1517370 | Soil | 0.3 | 5.8 | 16.5 | 29 | 0.1 | 3.9 | 1.8 | 63 | 0.57 | 1.8 | 1.6 | 1.7 | 1.3 | 9 | 0.3 | 0.2 | <0.1 | 7 | 0.08 | 0.024 |
| 1517371 | Soil | 0.5 | 29.6 | 34.3 | 37 | 0.3 | 8.8 | 2.9 | 66 | 1.20 | 3.8 | 2.9 | 2.6 | 2.2 | 13 | 0.5 | 0.2 | 0.2 | 19 | 0.10 | 0.025 |
| 1517372 | Soil | 0.4 | 9.2 | 22.6 | 38 | <0.1 | 6.0 | 2.6 | 84 | 0.99 | 3.5 | 2.1 | 1.1 | 8.0 | 9 | 0.2 | 0.3 | 0.2 | 17 | 0.08 | 0.018 |
| 1517373 | Soil | 0.5 | 8.0 | 20.3 | 36 | <0.1 | 6.4 | 2.6 | 68 | 0.99 | 3.6 | 1.4 | 2.9 | 6.4 | 10 | 0.1 | 0.3 | 0.2 | 19 | 0.09 | 0.021 |
| 1517374 | Soil | 0.8 | 12.2 | 19.9 | 44 | 0.2 | 7.8 | 3.4 | 138 | 1.36 | 4.8 | 1.3 | 0.7 | 3.1 | 10 | 0.4 | 0.3 | 0.2 | 29 | 0.10 | 0.030 |
| 1517375 | Soil | 0.7 | 7.9 | 18.5 | 42 | 0.1 | 7.7 | 3.5 | 135 | 1.39 | 5.7 | 1.1 | 0.8 | 3.4 | 10 | 0.3 | 0.3 | 0.2 | 31 | 0.11 | 0.024 |
| 1517376 | Soil | 0.6 | 13.7 | 15.1 | 47 | <0.1 | 10.0 | 4.3 | 127 | 1.53 | 5.6 | 1.1 | 0.9 | 3.5 | 12 | 0.2 | 0.3 | 0.2 | 27 | 0.14 | 0.034 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 11, 2019

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000114.1

| Method Analyte Unit MDL | | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|----------------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Ti | S | Ga | Se |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| 1509047 | Soil | 15 | 16 | 0.27 | 118 | 0.017 | 1 | 0.80 | 0.006 | 0.04 | 0.1 | 0.03 | 1.2 | <0.1 | <0.05 | 3 | <0.5 |
| 1509048 | Soil | 15 | 13 | 0.24 | 111 | 0.017 | <1 | 0.72 | 0.004 | 0.04 | 0.2 | 0.03 | 1.0 | <0.1 | <0.05 | 3 | <0.5 |
| 1509049 | Soil | 15 | 13 | 0.27 | 106 | 0.020 | 1 | 0.72 | 0.005 | 0.05 | 0.2 | 0.03 | 1.2 | <0.1 | <0.05 | 3 | <0.5 |
| 1509050 | Soil | 14 | 15 | 0.27 | 118 | 0.018 | 1 | 0.85 | 0.005 | 0.05 | 0.1 | 0.04 | 1.1 | <0.1 | <0.05 | 3 | <0.5 |
| 1517352 | Soil | 16 | 40 | 0.97 | 197 | 0.101 | 2 | 2.07 | 0.007 | 0.09 | 0.2 | 0.01 | 4.9 | 0.1 | <0.05 | 6 | <0.5 |
| 1517353 | Soil | 20 | 26 | 0.59 | 275 | 0.067 | 1 | 1.38 | 0.008 | 0.08 | 0.2 | 0.02 | 5.1 | 0.1 | <0.05 | 4 | <0.5 |
| 1517354 | Soil | 17 | 27 | 0.61 | 165 | 0.054 | <1 | 1.41 | 0.007 | 0.05 | 0.1 | 0.02 | 2.8 | <0.1 | <0.05 | 4 | <0.5 |
| 1517355 | Soil | 21 | 25 | 0.53 | 269 | 0.045 | <1 | 1.44 | 0.007 | 0.06 | 0.1 | 0.01 | 3.5 | <0.1 | <0.05 | 4 | <0.5 |
| 1517356 | Soil | 13 | 14 | 0.30 | 99 | 0.032 | <1 | 0.77 | 0.004 | 0.04 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | 3 | <0.5 |
| 1517357 | Soil | 20 | 24 | 0.55 | 190 | 0.052 | <1 | 1.53 | 0.007 | 0.05 | 0.1 | 0.02 | 2.8 | <0.1 | <0.05 | 4 | <0.5 |
| 1517358 | Soil | 29 | 40 | 0.70 | 277 | 0.055 | 1 | 1.88 | 0.007 | 0.06 | <0.1 | 0.02 | 3.8 | <0.1 | <0.05 | 5 | <0.5 |
| 1517359 | Soil | 24 | 33 | 0.61 | 205 | 0.051 | <1 | 1.77 | 0.008 | 0.05 | 0.1 | 0.03 | 3.3 | <0.1 | <0.05 | 5 | <0.5 |
| 1517360 | Soil | 19 | 26 | 0.49 | 175 | 0.039 | 1 | 1.56 | 0.008 | 0.04 | 0.1 | 0.04 | 2.7 | <0.1 | <0.05 | 4 | <0.5 |
| 1517361 | Soil | 23 | 20 | 0.37 | 231 | 0.029 | <1 | 1.21 | 0.008 | 0.07 | 0.1 | 0.03 | 2.1 | <0.1 | <0.05 | 4 | <0.5 |
| 1517362 | Soil | 20 | 19 | 0.37 | 130 | 0.036 | <1 | 1.20 | 0.006 | 0.07 | 0.1 | 0.03 | 2.4 | <0.1 | <0.05 | 4 | <0.5 |
| 1517363 | Soil | 23 | 16 | 0.49 | 88 | 0.025 | <1 | 1.25 | 0.004 | 0.04 | <0.1 | 0.02 | 1.7 | <0.1 | <0.05 | 4 | <0.5 |
| 1517364 | Soil | 24 | 10 | 0.30 | 181 | 0.026 | <1 | 0.84 | 0.004 | 0.07 | <0.1 | 0.02 | 2.1 | <0.1 | <0.05 | 3 | <0.5 |
| 1517365 | Soil | 22 | 11 | 0.14 | 179 | 0.030 | <1 | 0.78 | 0.005 | 0.08 | 0.1 | 0.01 | 1.2 | <0.1 | <0.05 | 4 | <0.5 |
| 1517366 | Soil | 21 | 11 | 0.24 | 115 | 0.029 | <1 | 0.76 | 0.004 | 0.06 | <0.1 | 0.01 | 1.5 | <0.1 | <0.05 | 3 | <0.5 |
| 1517367 | Soil | 22 | 14 | 0.28 | 195 | 0.022 | 1 | 1.02 | 0.005 | 0.07 | <0.1 | 0.04 | 1.7 | <0.1 | <0.05 | 3 | <0.5 |
| 1517368 | Soil | 20 | 16 | 0.27 | 183 | 0.022 | <1 | 1.13 | 0.006 | 0.07 | 0.1 | 0.03 | 1.3 | <0.1 | <0.05 | 4 | <0.5 |
| 1517369 | Soil | 24 | 12 | 0.35 | 124 | 0.040 | <1 | 1.00 | 0.004 | 0.10 | <0.1 | 0.01 | 1.7 | 0.2 | <0.05 | 3 | <0.5 |
| 1517370 | Soil | 28 | 6 | 0.16 | 260 | 0.013 | <1 | 0.58 | 0.004 | 0.09 | <0.1 | 0.02 | 0.8 | 0.1 | <0.05 | 2 | <0.5 |
| 1517371 | Soil | 29 | 15 | 0.20 | 456 | 0.025 | <1 | 1.07 | 0.007 | 0.07 | 0.1 | 0.03 | 1.8 | <0.1 | <0.05 | 4 | <0.5 |
| 1517372 | Soil | 37 | 11 | 0.23 | 180 | 0.031 | <1 | 0.86 | 0.004 | 0.08 | <0.1 | 0.02 | 1.7 | <0.1 | <0.05 | 3 | <0.5 |
| 1517373 | Soil | 32 | 12 | 0.21 | 173 | 0.037 | <1 | 0.96 | 0.005 | 0.08 | <0.1 | 0.02 | 1.6 | <0.1 | <0.05 | 3 | <0.5 |
| 1517374 | Soil | 28 | 25 | 0.36 | 214 | 0.025 | <1 | 1.09 | 0.006 | 0.08 | 0.1 | 0.02 | 2.3 | <0.1 | <0.05 | 4 | <0.5 |
| 1517375 | Soil | 28 | 19 | 0.30 | 212 | 0.034 | <1 | 1.06 | 0.005 | 0.08 | 0.1 | 0.01 | 2.0 | <0.1 | <0.05 | 4 | <0.5 |
| 1517376 | Soil | 21 | 22 | 0.37 | 173 | 0.044 | <1 | 1.21 | 0.005 | 0.07 | 0.1 | 0.02 | 2.3 | <0.1 | <0.05 | 4 | <0.5 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 11, 2019

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI19000114.1

| | Method Analyte Unit MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|-----------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | |
| 1517352 | Soil | 0.6 | 19.3 | 11.9 | 50 | <0.1 | 21.6 | 11.1 | 243 | 2.55 | 6.9 | 0.6 | 1.4 | 4.8 | 22 | <0.1 | 0.8 | 0.1 | 52 | 0.22 |
| REP 1517352 | QC | 0.7 | 19.7 | 12.0 | 53 | <0.1 | 21.4 | 11.8 | 245 | 2.61 | 7.5 | 0.7 | 2.2 | 5.2 | 23 | <0.1 | 0.8 | 0.1 | 53 | 0.22 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | 14.6 | 149.9 | 133.6 | 335 | 1.6 | 79.3 | 14.0 | 1030 | 3.04 | 39.9 | 2.5 | 59.4 | 8.0 | 66 | 2.3 | 7.8 | 10.8 | 49 | 1.06 |
| STD OREAS262 | Standard | 0.7 | 116.9 | 55.6 | 142 | 0.4 | 63.3 | 26.6 | 508 | 3.14 | 32.5 | 1.2 | 59.6 | 9.7 | 33 | 0.6 | 4.7 | 1.0 | 22 | 2.86 |
| STD DS11 Expected | | 14.6 | 149 | 138 | 345 | 1.71 | 77.7 | 14.2 | 1055 | 3.1 | 42.8 | 2.59 | 79 | 7.65 | 67.3 | 2.37 | 8.74 | 12.2 | 50 | 1.063 |
| STD OREAS262 Expected | | 0.68 | 118 | 56 | 154 | 0.45 | 62 | 26.9 | 530 | 3.284 | 35.8 | 1.22 | 65 | 9.33 | 36 | 0.61 | 5.06 | 1.03 | 22.5 | 2.98 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 11, 2019

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI19000114.1

| | Method Analyte Unit MDL | AQ201 | | | | | | | | | | | | | | | | |
|-----------------------|----------------------------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|
| | | AQ201 La | AQ201 Cr | AQ201 Mg | AQ201 Ba | AQ201 Ti | AQ201 B | AQ201 Al | AQ201 Na | AQ201 K | AQ201 W | AQ201 Hg | AQ201 Sc | AQ201 Ti | AQ201 S | AQ201 Ga | AQ201 Se | AQ201 Te |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | |
| 1517352 | Soil | 16 | 40 | 0.97 | 197 | 0.101 | 2 | 2.07 | 0.007 | 0.09 | 0.2 | 0.01 | 4.9 | 0.1 | <0.05 | 6 | <0.5 | <0.2 |
| REP 1517352 | QC | 16 | 42 | 0.97 | 204 | 0.108 | 1 | 2.06 | 0.007 | 0.09 | 0.2 | 0.02 | 4.8 | 0.2 | <0.05 | 6 | <0.5 | <0.2 |
| Reference Materials | | | | | | | | | | | | | | | | | | |
| STD DS11 | Standard | 19 | 61 | 0.84 | 350 | 0.093 | 7 | 1.20 | 0.075 | 0.40 | 2.9 | 0.24 | 3.5 | 4.9 | 0.27 | 5 | 2.0 | 4.4 |
| STD OREAS262 | Standard | 16 | 44 | 1.13 | 232 | 0.003 | 5 | 1.38 | 0.065 | 0.31 | 0.2 | 0.15 | 3.3 | 0.4 | 0.24 | 4 | <0.5 | 0.2 |
| STD DS11 Expected | | 18.6 | 61.5 | 0.85 | 385 | 0.0976 | | 1.1795 | 0.0762 | 0.4 | 2.9 | 0.26 | 3.4 | 4.9 | 0.2835 | 5.1 | 2.2 | 4.56 |
| STD OREAS262 Expected | | 15.9 | 41.7 | 1.17 | 248 | 0.0027 | 4 | 1.3 | 0.071 | 0.312 | 0.2 | 0.17 | 3.24 | 0.47 | 0.253 | 3.73 | 0.4 | 0.23 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |