



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 07, 2019
Report Date: June 22, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000040.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-10
P.O. Number
Number of Samples: 24

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	24	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA430	24	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	24	Environmental disposal charge-Fire assay lead waste			VAN
AQ251_EXT	24	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	24	Per sample shipping charges for branch shipments			VAN
FA530	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000040.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
1798085	Rock		1.70	0.676	0.15	1.32	3.36	4.0	143	0.6	0.4	55	0.39	1.1	0.2	50.5	3.3	1.0	0.04	0.36	<0.02	<1		
1798086	Rock		2.05	1.377	0.16	0.91	4.98	3.5	432	0.7	0.5	51	0.54	2.4	0.3	1619.1	3.2	1.9	0.13	0.23	0.04	<1		
1798087	Rock		1.48	0.265	0.13	0.92	0.99	3.9	59	0.5	0.2	82	0.28	0.1	<0.1	3.5	0.8	0.8	0.05	0.19	<0.02	<1		
1798088	Rock		1.36	0.014	0.14	1.63	4.33	5.5	194	0.9	1.1	112	0.41	0.6	0.2	6.4	2.2	1.0	0.06	0.56	<0.02	<1		
1798089	Rock		1.30	0.354	0.21	1.60	14.37	7.8	164	1.5	0.9	71	0.62	2.6	0.8	126.2	7.5	1.8	0.09	0.41	0.13	2		
1798090	Rock		1.54	0.017	0.12	0.82	5.30	4.1	42	0.6	0.3	48	0.35	0.4	0.2	1.8	2.4	0.6	0.04	0.15	0.03	<1		
1798091	Rock		0.71	0.061	0.38	5.07	84.32	151.5	228	3.3	2.9	679	1.64	6.9	2.9	40.9	23.8	15.7	0.76	0.80	0.14	4		
1798092	Rock		1.06	0.007	0.13	0.75	2.61	2.9	70	0.6	0.3	52	0.33	0.9	0.1	4.1	1.4	0.7	0.02	0.21	<0.02	<1		
1798093	Rock		0.86	0.027	0.15	1.26	4.41	5.4	88	0.5	0.5	70	0.41	1.1	0.2	22.8	1.4	0.8	0.04	0.19	0.03	<1		
1798094	Rock		1.17	0.008	0.16	1.74	4.78	8.6	112	0.8	0.7	95	0.40	1.1	0.2	3.9	1.3	0.7	0.04	0.26	<0.02	<1		
1798095	Rock		0.72	0.008	0.18	1.17	3.82	5.9	52	0.8	0.6	77	0.41	0.7	0.2	6.7	2.6	0.7	0.02	0.23	<0.02	<1		
1798096	Rock		1.14	0.006	0.13	1.80	2.98	8.3	146	0.8	0.5	110	0.38	0.8	0.2	<0.2	2.5	0.8	0.04	0.41	<0.02	<1		
1798097	Rock		1.47	0.311	0.17	2.01	9.35	10.9	135	1.1	1.0	119	0.68	3.8	0.7	177.9	5.3	1.7	0.12	0.49	0.09	<1		
1798098	Rock		0.97	0.146	0.12	1.24	4.04	4.9	146	1.0	0.8	55	0.59	2.8	0.6	272.8	5.2	1.4	0.11	0.35	0.06	<1		
1798099	Rock		3.03	0.070	0.17	1.27	2.76	4.7	91	0.8	0.4	65	0.43	0.8	0.3	81.4	3.8	0.9	0.03	0.23	<0.02	<1		
1798100	Rock		1.41	>10	0.36	5.79	482.92	42.8	11335	4.2	3.2	120	2.09	12.4	3.2	11597.7	13.9	5.5	0.41	1.19	17.89	3		
1798101	Rock		1.57	1.663	0.16	1.38	48.40	11.0	1149	1.3	0.7	91	0.82	3.1	0.8	1389.2	14.9	3.3	0.15	0.35	2.19	<1		
1798102	Rock		1.70	0.015	0.15	1.42	5.08	8.8	82	0.9	0.6	135	0.47	1.2	0.3	5.2	2.9	1.0	0.04	0.23	0.06	<1		
1798103	Rock		1.37	<0.005	0.19	1.10	2.25	3.1	28	0.6	0.3	64	0.37	1.0	0.2	5.9	1.6	0.7	0.01	0.14	0.03	<1		
1798104	Rock		1.29	0.006	0.16	2.42	3.68	12.5	113	0.9	0.7	253	0.47	1.5	0.2	4.5	2.6	0.7	0.05	0.32	<0.02	<1		
1798105	Rock		2.54	0.530	0.32	3.03	3.94	13.1	538	2.0	1.3	132	0.68	1.4	0.7	1148.0	3.9	8.0	0.15	0.53	<0.02	2		
1798106	Rock		0.42	9.052	0.18	2.16	5.72	3.0	1418	0.6	0.2	42	0.64	3.9	0.2	7995.7	0.4	0.8	0.18	0.73	0.08	<1		
1798107	Rock		0.76	2.739	0.15	0.94	0.91	1.1	135	0.5	0.1	36	0.33	0.5	0.1	365.6	1.8	<0.5	<0.01	0.08	<0.02	<1		
1798108	Rock		0.58	>10	0.13	1.66	10.46	1.6	2022	0.5	0.1	36	0.35	0.9	<0.1	17364.4	0.3	<0.5	0.02	0.44	0.80	<1		



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000040.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
1798085	Rock	<0.01	0.002	10.7	1.5	0.02	77.0	<0.001	<1	0.15	0.017	0.10	0.1	0.4	0.03	<0.02	8	<0.1	<0.02	0.4	0.35
1798086	Rock	<0.01	0.003	9.3	1.7	0.01	75.4	<0.001	1	0.12	0.016	0.08	0.2	0.4	<0.02	<0.02	7	<0.1	<0.02	0.4	0.44
1798087	Rock	<0.01	<0.001	4.1	1.2	0.03	32.5	<0.001	<1	0.10	0.003	0.04	0.2	0.3	<0.02	<0.02	<5	<0.1	<0.02	0.2	0.36
1798088	Rock	<0.01	0.002	10.9	1.9	0.05	49.2	<0.001	<1	0.16	0.006	0.06	0.2	0.6	<0.02	<0.02	17	<0.1	<0.02	0.4	0.39
1798089	Rock	0.01	0.005	24.9	2.0	0.03	104.0	0.002	<1	0.23	0.015	0.14	0.2	0.7	0.04	<0.02	5	<0.1	<0.02	0.6	0.54
1798090	Rock	<0.01	0.002	8.6	1.6	0.03	82.0	<0.001	<1	0.13	0.006	0.11	0.1	0.4	0.02	<0.02	11	<0.1	<0.02	0.3	0.19
1798091	Rock	0.14	0.012	113.9	2.6	0.82	345.2	0.003	1	1.42	0.023	0.31	0.2	4.2	0.13	<0.02	25	0.3	<0.02	5.6	2.30
1798092	Rock	<0.01	<0.001	3.3	1.5	0.03	50.4	<0.001	<1	0.12	0.005	0.06	0.1	0.4	<0.02	<0.02	<5	<0.1	<0.02	0.4	0.35
1798093	Rock	<0.01	0.001	4.6	1.7	0.04	49.0	<0.001	<1	0.14	0.003	0.07	0.1	0.5	<0.02	<0.02	<5	0.1	<0.02	0.4	0.53
1798094	Rock	<0.01	<0.001	3.8	1.9	0.04	39.0	<0.001	<1	0.14	0.003	0.05	0.2	0.5	<0.02	<0.02	<5	<0.1	<0.02	0.4	0.69
1798095	Rock	<0.01	0.002	10.9	1.9	0.03	48.9	<0.001	<1	0.14	0.007	0.06	0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	0.5	0.61
1798096	Rock	<0.01	0.002	12.7	1.8	0.07	58.6	<0.001	<1	0.19	0.007	0.07	0.1	0.4	<0.02	<0.02	9	<0.1	0.02	0.7	0.49
1798097	Rock	<0.01	0.003	17.1	2.0	0.06	88.8	<0.001	<1	0.28	0.042	0.11	0.2	0.7	0.04	<0.02	<5	<0.1	0.10	0.9	1.45
1798098	Rock	<0.01	0.003	15.2	2.1	0.03	115.6	0.001	<1	0.20	0.014	0.13	0.1	0.5	0.03	<0.02	<5	<0.1	0.05	0.6	0.57
1798099	Rock	<0.01	0.002	15.5	1.9	0.03	82.5	<0.001	<1	0.16	0.007	0.10	0.1	0.3	0.02	<0.02	<5	<0.1	0.04	0.6	0.43
1798100	Rock	0.05	0.012	26.2	8.8	0.14	193.3	0.002	2	0.47	0.040	0.19	0.3	1.3	0.05	<0.02	38	1.0	0.60	1.9	1.23
1798101	Rock	0.01	0.010	84.5	1.9	0.08	114.9	0.001	<1	0.34	0.032	0.17	0.1	0.6	0.05	<0.02	11	<0.1	0.09	1.5	1.52
1798102	Rock	<0.01	0.002	9.1	2.4	0.07	74.8	<0.001	<1	0.25	0.009	0.09	0.1	0.6	0.03	<0.02	<5	<0.1	<0.02	0.8	0.57
1798103	Rock	<0.01	0.001	6.5	1.8	0.02	57.1	<0.001	<1	0.11	0.006	0.07	0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	0.4	0.33
1798104	Rock	<0.01	0.002	14.8	1.8	0.08	52.4	<0.001	<1	0.24	0.004	0.05	0.2	0.7	<0.02	<0.02	<5	<0.1	<0.02	0.7	1.08
1798105	Rock	0.07	0.008	9.4	5.2	0.14	175.9	0.011	<1	0.35	0.021	0.16	0.3	1.0	0.05	<0.02	15	<0.1	<0.02	1.1	0.68
1798106	Rock	<0.01	0.001	0.6	1.8	<0.01	23.8	<0.001	<1	0.02	0.002	0.01	0.2	0.1	<0.02	<0.02	19	0.1	0.10	<0.1	0.17
1798107	Rock	<0.01	0.001	5.2	1.5	<0.01	19.1	<0.001	<1	0.06	0.008	0.04	0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.2	0.24
1798108	Rock	<0.01	<0.001	<0.5	1.5	<0.01	5.8	<0.001	<1	0.01	<0.001	<0.01	0.1	<0.1	<0.02	<0.02	53	<0.1	<0.02	<0.1	0.10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000040.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1798085	Rock	<0.1	<0.02	<0.02	4.1	<0.1	<0.05	0.9	2.26	19.7	<0.02	<1	<0.1	0.6	<10	<2	
1798086	Rock	<0.1	0.03	<0.02	3.4	<0.1	<0.05	0.8	1.77	16.3	<0.02	<1	<0.1	0.4	<10	<2	
1798087	Rock	<0.1	<0.02	<0.02	1.8	<0.1	<0.05	0.7	1.14	7.6	<0.02	<1	<0.1	1.2	<10	<2	
1798088	Rock	<0.1	0.03	<0.02	2.8	<0.1	<0.05	0.8	1.69	23.9	<0.02	<1	<0.1	1.8	<10	<2	
1798089	Rock	<0.1	0.06	0.02	5.7	0.1	<0.05	2.0	3.81	45.3	<0.02	<1	<0.1	1.2	<10	<2	
1798090	Rock	<0.1	<0.02	<0.02	4.2	<0.1	<0.05	0.8	1.43	15.3	<0.02	<1	0.2	0.7	<10	<2	
1798091	Rock	<0.1	0.18	0.04	15.9	0.6	<0.05	7.0	26.97	166.4	0.07	<1	1.0	25.4	<10	<2	
1798092	Rock	<0.1	0.03	<0.02	2.9	<0.1	<0.05	0.8	1.54	6.6	<0.02	<1	<0.1	1.0	<10	<2	
1798093	Rock	<0.1	<0.02	<0.02	3.3	<0.1	<0.05	0.8	2.64	7.9	<0.02	<1	<0.1	1.3	<10	<2	
1798094	Rock	<0.1	0.03	<0.02	2.8	<0.1	<0.05	0.7	2.10	7.0	<0.02	<1	<0.1	1.6	<10	<2	
1798095	Rock	<0.1	0.04	<0.02	3.2	0.1	<0.05	0.9	2.46	21.5	<0.02	<1	<0.1	1.2	<10	<2	
1798096	Rock	<0.1	0.03	<0.02	4.0	0.1	<0.05	0.8	3.38	22.5	<0.02	<1	0.1	2.3	<10	<2	
1798097	Rock	<0.1	0.04	<0.02	6.4	0.1	<0.05	1.4	5.50	30.7	<0.02	1	0.1	2.0	<10	<2	
1798098	Rock	<0.1	0.05	<0.02	6.5	0.1	<0.05	1.4	3.94	28.3	<0.02	2	<0.1	1.2	<10	<2	
1798099	Rock	<0.1	0.03	<0.02	4.4	0.1	<0.05	1.2	2.68	29.6	<0.02	<1	<0.1	1.1	<10	<2	
1798100	Rock	<0.1	0.08	0.09	7.4	0.3	<0.05	2.0	6.67	48.3	<0.02	<1	0.5	4.2	<10	<2	12.6
1798101	Rock	<0.1	0.05	<0.02	8.2	0.1	<0.05	2.0	6.67	152.9	<0.02	<1	0.2	2.2	<10	<2	
1798102	Rock	<0.1	0.03	<0.02	4.6	0.1	<0.05	1.2	2.46	17.8	<0.02	<1	0.2	2.8	<10	<2	
1798103	Rock	<0.1	<0.02	<0.02	3.3	<0.1	<0.05	0.6	2.84	9.1	<0.02	<1	0.1	0.9	<10	<2	
1798104	Rock	<0.1	0.04	<0.02	3.0	<0.1	<0.05	1.5	2.52	29.8	<0.02	<1	0.2	3.1	<10	<2	
1798105	Rock	<0.1	0.04	0.15	6.5	0.2	<0.05	0.9	3.03	17.9	<0.02	<1	0.3	3.1	<10	<2	
1798106	Rock	<0.1	<0.02	0.05	0.7	<0.1	<0.05	0.3	0.31	1.2	<0.02	<1	<0.1	0.3	<10	<2	
1798107	Rock	<0.1	0.06	<0.02	1.6	<0.1	<0.05	1.4	0.71	9.5	<0.02	<1	<0.1	0.3	<10	<2	
1798108	Rock	<0.1	<0.02	0.03	0.4	<0.1	<0.05	0.3	0.10	0.9	<0.02	<1	<0.1	0.1	<10	<2	48.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000040.1

	Method Analyte Unit MDL	WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Core Reject Duplicates																					
1798108	Rock	0.58	>10	0.13	1.66	10.46	1.6	2022	0.5	0.1	36	0.35	0.9	<0.1	17364.4	0.3	<0.5	0.02	0.44	0.80	<1
DUP 1798108	QC		1.041	0.12	1.62	9.90	1.6	432	0.5	0.1	33	0.31	2.3	<0.1	931.9	0.2	<0.5	0.02	0.45	0.74	<1
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard			11.30	4376.28	196.00	1748.3	2647	153.9	26.0	750	3.65	131.3	4.2	231.1	17.0	62.4	6.54	4.07	28.61	71
STD DS11	Standard			14.54	152.12	142.80	335.4	1679	79.1	13.9	994	3.14	42.9	2.9	77.8	8.7	72.1	2.38	8.20	12.69	52
STD OREAS262	Standard			0.60	119.35	59.09	146.2	447	63.4	27.8	524	3.30	35.8	1.4	56.4	10.1	37.4	0.62	3.86	1.11	24
STD OREAS262	Standard			0.63	119.18	56.50	150.3	460	64.5	27.1	492	3.18	37.3	1.2	65.4	10.3	37.7	0.65	5.92	1.06	21
STD OXC145	Standard		0.217																		
STD OXH139	Standard		1.312																		
STD OXN134	Standard		7.620																		
STD OXQ114	Standard																				
STD SP49	Standard																				
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD DS11 Expected				14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50
STD BVGEO01 Expected				11.2	4415	187	1712	2530	163	25	706	3.7	121	3.67	219	13.6	55	6.5	3.39	25.6	73
STD OREAS262 Expected				0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank			<0.01	<0.01	<0.01	<0.1	3	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1
BLK	Blank			<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1
BLK	Blank																				
Prep Wash																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000040.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
Core Reject Duplicates																					
1798108	Rock	<0.01	<0.001	<0.5	1.5	<0.01	5.8	<0.001	<1	0.01	<0.001	<0.01	0.1	<0.1	<0.02	<0.02	53	<0.1	<0.02	<0.1	0.10
DUP 1798108	QC	<0.01	<0.001	<0.5	1.6	<0.01	5.7	<0.001	<1	0.01	<0.001	<0.01	0.1	<0.1	<0.02	<0.02	<5	<0.1	0.03	<0.1	0.11
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	1.29	0.079	28.2	187.0	1.28	299.8	0.263	4	2.38	0.188	0.85	5.3	6.4	0.61	0.64	95	4.7	1.11	7.4	7.46
STD DS11	Standard	1.08	0.069	19.1	61.0	0.85	365.9	0.095	7	1.21	0.074	0.40	2.8	3.3	4.53	0.28	259	2.7	4.57	4.8	2.74
STD OREAS262	Standard	2.96	0.040	17.9	44.4	1.19	241.8	0.003	4	1.39	0.070	0.32	<0.1	3.5	0.43	0.25	162	0.5	0.29	3.9	2.35
STD OREAS262	Standard	2.86	0.043	18.0	41.7	1.15	250.6	0.003	3	1.35	0.067	0.31	0.2	3.4	0.44	0.25	144	0.2	0.25	3.7	2.86
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD SP49	Standard																				
STD OXN134 Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260	2.2	4.56	5.1	2.88
STD BVGEO01 Expected		1.3219	0.0727	25.9	171	1.3175	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6739	100	5.09	1.1	7.37	7.36
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170	0.4	0.23	3.73	2.8
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02
BLK	Blank																				
Prep Wash																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000040.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Core Reject Duplicates																
1798108 Rock	<0.1	<0.02	0.03	0.4	<0.1	<0.05	0.3	0.10	0.9	<0.02	<1	<0.1	0.1	<10	<2	48.9
DUP 1798108 QC	<0.1	<0.02	<0.02	0.4	<0.1	<0.05	0.2	0.11	0.7	<0.02	<1	<0.1	0.2	<10	<2	
Reference Materials																
STD AGPROOF Standard																
STD BVGEO01 Standard	0.2	0.34	0.20	96.4	6.6	<0.05	8.8	15.62	56.2	0.51	3	0.6	20.6	170	203	
STD DS11 Standard	<0.1	0.08	1.51	32.1	1.7	<0.05	2.7	7.59	37.4	0.21	46	0.7	22.6	101	165	
STD OREAS262 Standard	<0.1	0.23	<0.02	17.6	0.6	<0.05	8.5	10.32	34.2	0.04	<1	0.9	16.6	<10	<2	
STD OREAS262 Standard	<0.1	0.25	<0.02	18.8	0.6	<0.05	9.1	11.02	34.3	0.03	1	1.0	16.1	10	2	
STD OXC145 Standard																
STD OXH139 Standard																
STD OXN134 Standard																
STD OXQ114 Standard																33.6
STD SP49 Standard																18.3
STD OXN134 Expected																
STD OXC145 Expected																
STD OXH139 Expected																
STD DS11 Expected	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD BVGEO01 Expected	0.15	0.32	0.3	95	5.64		9.1	14.5	53	0.45	4	0.69	21.4	134	182	
STD OREAS262 Expected		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD AGPROOF Expected																0
STD SP49 Expected																18.34
STD OXQ114 Expected																35.2
BLK Blank																
BLK Blank																
BLK Blank	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK Blank	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK Blank																<0.9
Prep Wash																



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000040.1

		WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
ROCK-WHI	Prep Blank		0.011	0.70	7.54	1.35	31.4	32	1.3	4.7	506	1.93	1.0	0.5	5.1	2.9	30.1	0.01	0.03	0.02	32
ROCK-WHI	Prep Blank		<0.005	0.99	3.81	1.33	27.8	34	1.0	4.5	452	1.86	0.8	0.5	<0.2	2.6	23.8	0.03	0.04	0.02	30



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000040.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
ROCK-WHI	Prep Blank	0.70	0.041	6.8	2.8	0.52	70.1	0.090	<1	1.01	0.094	0.09	<0.1	4.0	<0.02	<0.02	10	<0.1	<0.02	3.6	0.17
ROCK-WHI	Prep Blank	0.66	0.039	7.0	1.8	0.45	94.1	0.085	3	0.99	0.115	0.11	0.2	3.2	<0.02	0.03	<5	<0.1	0.03	3.5	0.16



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 22, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000040.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
ROCK-WHI	Prep Blank	<0.1	0.15	0.12	2.2	0.2	<0.05	3.2	8.87	13.2	<0.02	<1	0.2	2.0	<10	<2	
ROCK-WHI	Prep Blank	<0.1	0.11	0.15	2.3	0.4	<0.05	3.5	8.60	13.5	<0.02	<1	0.2	2.2	<10	<2	