



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List

Receiving Lab: Canada-Whitehorse

Received: July 04, 2019

Report Date: August 01, 2019

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000155.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-24
P.O. Number
Number of Samples: 14

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	14	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA430	14	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	14	Environmental disposal charge-Fire assay lead waste			VAN
AQ251_EXT	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	14	Per sample shipping charges for branch shipments			VAN
FA530	3	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000155.1

	Method Analyte Unit MDL	WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
1798161	Rock	2.45	0.018	0.25	3.70	17.59	14.3	303	1.3	0.9	173	0.56	3.9	0.9	9.9	9.9	4.2	0.30	0.23	0.20	1
1798162	Rock	1.97	0.073	0.20	1.86	114.45	2.1	3150	0.9	0.4	44	0.39	1.2	0.1	79.8	0.4	2.0	0.08	0.67	4.81	<1
1798163	Rock	1.52	0.022	0.31	9.58	7.74	11.7	159	1.4	0.6	167	0.54	2.3	0.3	15.3	1.1	2.5	0.29	0.37	0.04	<1
1798164	Rock	1.85	>10	0.27	2.42	23.23	6.9	2035	1.0	0.4	69	0.50	2.1	0.8	9437.7	5.2	6.4	0.05	0.53	0.49	<1
1798165	Rock	2.37	0.606	0.25	1.42	30.55	1.5	439	0.7	0.5	39	0.44	2.8	0.2	556.0	0.5	6.4	0.02	0.32	0.21	<1
1798166	Rock	1.39	0.027	0.25	1.37	9.26	3.8	137	0.6	0.2	50	0.52	3.8	0.2	15.8	1.7	7.4	0.08	0.35	0.09	<1
1798167	Rock	1.03	0.031	0.25	1.11	2.75	3.0	77	0.7	0.2	49	0.54	3.8	0.2	17.6	1.7	6.4	0.07	0.33	<0.02	<1
1798168	Rock	1.22	>10	0.67	2.44	1773.53	1.6	19236	1.0	1.0	26	0.69	12.9	0.1	30649.3	0.5	3.9	0.24	1.16	23.30	<1
1798169	Rock	0.77	1.949	0.27	4.48	16.12	14.9	266	1.2	0.5	119	0.84	4.6	0.5	539.4	3.7	5.2	0.21	0.53	0.09	<1
1798170	Rock	1.14	0.099	0.20	1.77	16.22	6.5	189	0.8	0.3	63	0.50	1.7	0.2	110.4	1.3	2.1	0.08	0.36	0.21	<1
1798171	Rock	1.24	0.018	0.21	1.18	2.72	3.6	42	0.6	0.1	41	0.39	0.9	0.2	8.2	1.2	1.7	0.05	0.25	<0.02	<1
1798172	Rock	0.78	0.052	0.17	1.42	3.38	4.1	80	0.8	0.2	47	0.45	1.1	0.2	74.3	1.4	2.1	0.10	0.33	0.04	<1
1798173	Rock	1.17	>10	0.88	33.05	1361.59	9.6	29947	1.8	1.9	178	0.79	7.4	1.9	24761.8	5.4	5.5	0.17	1.99	49.98	<1
1798174	Rock	2.15	0.185	0.81	3.06	4286.86	3.1	26522	0.4	0.1	42	0.36	0.3	0.2	187.0	0.4	3.1	0.32	2.31	37.62	<1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000155.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
1798161	Rock	0.03	0.012	29.3	1.9	0.05	495.0	0.002	4	0.35	0.031	0.29	0.1	1.0	0.09	<0.02	<5	0.3	<0.02	1.2	0.63
1798162	Rock	<0.01	0.001	1.2	1.3	<0.01	129.4	<0.001	2	0.04	0.002	0.03	<0.1	0.2	<0.02	0.06	<5	0.7	0.21	0.2	0.09
1798163	Rock	0.02	0.005	4.2	1.9	0.04	132.1	<0.001	1	0.16	0.009	0.06	<0.1	0.8	<0.02	<0.02	<5	<0.1	<0.02	0.6	0.60
1798164	Rock	<0.01	0.006	13.2	1.4	0.03	138.5	<0.001	2	0.19	0.022	0.12	<0.1	0.5	0.03	<0.02	<5	0.3	0.05	0.5	0.45
1798165	Rock	<0.01	0.004	2.0	1.5	<0.01	1348.5	<0.001	<1	0.05	0.001	0.03	<0.1	<0.1	<0.02	0.11	<5	0.5	<0.02	0.1	0.07
1798166	Rock	<0.01	0.007	8.1	1.6	0.01	166.9	<0.001	2	0.09	0.005	0.06	<0.1	0.1	<0.02	0.04	<5	<0.1	<0.02	0.3	0.35
1798167	Rock	<0.01	0.009	6.4	1.2	0.01	98.1	<0.001	1	0.12	0.006	0.08	<0.1	0.2	0.02	0.03	<5	<0.1	0.02	0.2	0.42
1798168	Rock	<0.01	0.001	<0.5	1.4	<0.01	495.9	<0.001	4	0.01	0.003	0.01	<0.1	<0.1	<0.02	0.29	22	6.9	0.79	<0.1	0.03
1798169	Rock	0.04	0.010	7.8	1.6	0.08	142.5	<0.001	4	0.31	0.009	0.13	0.1	0.7	0.04	<0.02	<5	<0.1	<0.02	0.8	0.93
1798170	Rock	<0.01	0.004	2.5	1.3	0.03	60.6	<0.001	2	0.10	0.002	0.04	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.38
1798171	Rock	<0.01	0.004	2.1	1.2	0.01	65.9	<0.001	2	0.08	0.005	0.05	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.31
1798172	Rock	<0.01	0.005	1.8	1.3	0.02	83.4	<0.001	3	0.12	0.003	0.06	<0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	0.4	0.44
1798173	Rock	0.03	0.014	20.3	1.9	0.04	203.4	0.001	3	0.17	0.014	0.07	<0.1	0.5	0.03	0.03	25	5.6	2.06	0.5	0.36
1798174	Rock	<0.01	0.001	1.4	1.4	0.01	157.9	<0.001	3	0.04	0.005	0.02	<0.1	<0.1	<0.02	0.06	5	12.9	0.41	0.2	0.07



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000155.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1798161	Rock	<0.1	0.32	0.05	14.8	0.2	<0.05	12.9	4.85	57.4	<0.02	<1	0.3	2.3	<10	<2	
1798162	Rock	<0.1	0.04	<0.02	1.4	<0.1	<0.05	1.7	0.39	2.4	<0.02	<1	0.2	0.2	<10	<2	
1798163	Rock	<0.1	0.09	<0.02	3.0	0.1	<0.05	3.6	2.50	7.7	<0.02	<1	<0.1	1.4	<10	<2	
1798164	Rock	<0.1	0.11	0.15	6.1	<0.1	<0.05	4.9	2.36	22.8	<0.02	2	<0.1	1.3	<10	<2	10.3
1798165	Rock	<0.1	<0.02	<0.02	1.1	<0.1	<0.05	0.7	1.22	3.1	<0.02	<1	<0.1	0.2	<10	<2	
1798166	Rock	<0.1	0.03	<0.02	2.7	<0.1	<0.05	1.8	0.98	10.3	<0.02	<1	<0.1	0.3	<10	<2	
1798167	Rock	<0.1	0.05	<0.02	3.2	<0.1	<0.05	2.2	1.02	8.6	<0.02	<1	<0.1	0.2	<10	<2	
1798168	Rock	<0.1	<0.02	<0.02	0.4	<0.1	<0.05	0.8	0.32	0.7	<0.02	<1	<0.1	<0.1	<10	2	62.9
1798169	Rock	<0.1	0.11	0.02	5.7	0.1	<0.05	4.8	2.30	15.9	<0.02	<1	0.1	2.3	<10	<2	
1798170	Rock	<0.1	0.03	<0.02	2.3	<0.1	<0.05	2.1	1.08	5.1	<0.02	<1	<0.1	0.6	<10	<2	
1798171	Rock	<0.1	0.08	<0.02	2.1	<0.1	<0.05	2.4	0.75	3.7	<0.02	<1	<0.1	0.5	<10	<2	
1798172	Rock	<0.1	0.04	<0.02	2.7	<0.1	<0.05	2.2	0.96	3.3	<0.02	<1	<0.1	0.7	<10	<2	
1798173	Rock	<0.1	0.10	0.05	3.4	<0.1	<0.05	4.1	6.26	41.6	<0.02	<1	0.2	1.2	50	<2	28.1
1798174	Rock	<0.1	0.03	<0.02	1.2	<0.1	<0.05	1.4	0.41	2.6	<0.02	<1	<0.1	0.4	<10	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000155.1

	Method Analyte Unit MDL	WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
Pulp Duplicates																					
1798162	Rock	1.97	0.073	0.20	1.86	114.45	2.1	3150	0.9	0.4	44	0.39	1.2	0.1	79.8	0.4	2.0	0.08	0.67	4.81	<1
REP 1798162	QC			0.18	1.85	110.85	2.0	3004	0.6	0.4	44	0.40	1.2	0.1	108.6	0.4	1.8	0.06	0.69	4.71	<1
1798164	Rock	1.85	>10	0.27	2.42	23.23	6.9	2035	1.0	0.4	69	0.50	2.1	0.8	9437.7	5.2	6.4	0.05	0.53	0.49	<1
REP 1798164	QC																				
1798168	Rock	1.22	>10	0.67	2.44	1773.53	1.6	19236	1.0	1.0	26	0.69	12.9	0.1	30649.3	0.5	3.9	0.24	1.16	23.30	<1
REP 1798168	QC		>10																		
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard			15.33	138.03	141.86	326.2	1707	76.3	13.7	1040	3.12	42.9	2.9	82.6	8.6	68.2	2.55	9.56	12.60	48
STD OREAS256	Standard		7.506																		
STD OREAS253	Standard		1.198																		
STD OREAS262	Standard			0.61	116.01	54.47	146.7	456	59.7	25.8	504	3.19	35.3	1.1	64.6	9.1	34.0	0.56	5.57	1.01	22
STD OXC145	Standard		0.205																		
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD OREAS256 Expected			7.66																		
STD OXC145 Expected			0.212																		
STD OREAS253 Expected			1.22																		
STD DS11 Expected				14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50
STD OREAS262 Expected				0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank		<0.005																		
BLK	Blank		0.010																		
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000155.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
Pulp Duplicates																					
1798162	Rock	<0.01	0.001	1.2	1.3	<0.01	129.4	<0.001	2	0.04	0.002	0.03	<0.1	0.2	<0.02	0.06	<5	0.7	0.21	0.2	0.09
REP 1798162	QC	<0.01	0.001	1.1	1.4	<0.01	133.9	<0.001	3	0.04	0.002	0.03	<0.1	0.3	<0.02	0.06	<5	0.7	0.18	0.2	0.09
1798164	Rock	<0.01	0.006	13.2	1.4	0.03	138.5	<0.001	2	0.19	0.022	0.12	<0.1	0.5	0.03	<0.02	<5	0.3	0.05	0.5	0.45
REP 1798164	QC																				
1798168	Rock	<0.01	0.001	<0.5	1.4	<0.01	495.9	<0.001	4	0.01	0.003	0.01	<0.1	<0.1	<0.02	0.29	22	6.9	0.79	<0.1	0.03
REP 1798168	QC																				
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard	1.07	0.071	20.3	58.6	0.85	403.1	0.095	11	1.25	0.074	0.40	3.0	3.3	5.25	0.27	296	1.8	4.75	4.6	3.09
STD OREAS256	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	3.01	0.038	16.5	39.4	1.17	238.7	0.002	2	1.37	0.066	0.33	0.2	2.8	0.43	0.25	137	0.6	0.17	4.3	2.85
STD OXC145	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD OREAS256 Expected																					
STD OXC145 Expected																					
STD OREAS253 Expected																					
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260	2.2	4.56	5.1	2.88
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170	0.4	0.23	3.73	2.8
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000155.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																	
1798162	Rock	<0.1	0.04	<0.02	1.4	<0.1	<0.05	1.7	0.39	2.4	<0.02	<1	0.2	0.2	<10	<2	
REP 1798162	QC	<0.1	0.04	<0.02	1.3	<0.1	<0.05	1.2	0.40	2.3	<0.02	<1	<0.1	0.2	<10	<2	
1798164	Rock	<0.1	0.11	0.15	6.1	<0.1	<0.05	4.9	2.36	22.8	<0.02	2	<0.1	1.3	<10	<2	10.3
REP 1798164	QC																6.3
1798168	Rock	<0.1	<0.02	<0.02	0.4	<0.1	<0.05	0.8	0.32	0.7	<0.02	<1	<0.1	<0.1	<10	2	62.9
REP 1798168	QC																
Reference Materials																	
STD AGPROOF	Standard																<0.9
STD DS11	Standard	<0.1	0.07	1.69	34.7	2.1	<0.05	4.4	9.16	44.3	0.27	51	0.5	22.9	99	189	
STD OREAS256	Standard																
STD OREAS253	Standard																
STD OREAS262	Standard	<0.1	0.24	<0.02	18.6	0.5	<0.05	10.7	10.15	34.5	0.03	2	0.9	16.2	<10	<2	
STD OXC145	Standard																
STD OXQ114	Standard																35.2
STD OXQ114	Standard																35.3
STD SP49	Standard																17.9
STD SP49	Standard																18.4
STD OREAS256 Expected																	
STD OXC145 Expected																	
STD OREAS253 Expected																	
STD DS11 Expected		0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected			0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD AGPROOF Expected																	0
STD SP49 Expected																	18.34
STD OXQ114 Expected																	35.2
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000155.1

		WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.69	4.02	2.00	31.3	12	0.8	3.4	494	1.88	1.3	0.5	0.6	2.4	27.7	0.03	0.04	<0.02	24
ROCK-WHI	Prep Blank		0.006	0.78	3.94	1.27	24.7	9	1.0	3.5	482	1.93	0.4	0.4	1.5	2.0	22.9	<0.01	0.05	<0.02	26



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000155.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.71	0.038	7.3	2.1	0.46	64.2	0.086	3	1.01	0.092	0.09	0.1	3.2	<0.02	<0.02	<5	<0.1	<0.02	4.1	0.20
ROCK-WHI	Prep Blank	0.72	0.036	5.5	2.9	0.45	58.4	0.075	4	0.96	0.085	0.08	<0.1	2.7	<0.02	<0.02	<5	<0.1	<0.02	3.9	0.20



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000155.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
BLK	Blank																<0.9
BLK	Blank																<0.9
Prep Wash																	
ROCK-WHI	Prep Blank	<0.1	0.13	0.31	2.6	0.4	<0.05	3.8	9.12	14.4	<0.02	<1	0.1	2.0	<10	<2	
ROCK-WHI	Prep Blank	<0.1	0.14	0.22	2.1	0.3	<0.05	3.2	8.32	11.7	<0.02	<1	0.2	1.7	<10	<2	