



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 22, 2019
Report Date: August 10, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000244.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-32
P.O. Number
Number of Samples: 21

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	21	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA430	21	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	21	Environmental disposal charge-Fire assay lead waste			VAN
AQ251_EXT	21	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	21	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000244.1

	Method	WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
1798455	Rock	2.96	0.211	0.18	2.19	18.91	7.5	338	0.7	0.5	48	0.33	1.9	1.6	555.7	13.6	3.1	0.07	0.27	0.11	<1
1798456	Rock	4.69	0.016	0.15	2.00	26.05	8.0	172	0.7	0.4	35	0.25	1.5	1.9	10.0	14.4	3.5	0.06	0.24	0.15	<1
1798457	Rock	3.12	0.045	0.13	2.10	14.24	5.5	190	0.6	0.3	34	0.25	1.2	1.5	208.3	14.9	4.4	0.06	0.25	0.09	<1
1798458	Rock	3.78	0.394	0.20	1.77	16.52	5.9	617	0.7	0.4	54	0.41	1.6	1.2	246.9	13.2	2.5	0.07	0.26	0.14	<1
1798459	Rock	3.95	0.231	0.25	2.99	32.29	10.1	214	1.0	0.9	70	0.44	1.9	2.1	159.1	11.3	3.2	0.05	0.30	0.65	<1
1798460	Rock	4.34	0.239	0.09	2.03	14.31	5.3	92	0.6	0.5	42	0.38	0.8	1.3	0.9	9.8	2.3	0.03	0.14	0.09	<1
1798461	Rock	5.03	0.028	0.18	1.95	35.44	9.4	340	0.3	0.3	143	0.36	1.1	1.4	224.1	15.9	2.8	0.08	0.17	0.19	<1
1798462	Rock	4.38	1.473	0.14	2.02	80.69	4.4	2321	0.5	0.3	45	0.46	1.5	1.2	472.4	12.0	4.0	0.05	0.32	0.40	<1
1798463	Rock	4.05	0.082	0.18	2.81	43.02	5.4	2567	0.8	0.7	40	0.47	1.6	1.6	70.6	14.1	3.5	0.04	0.25	0.23	<1
1798464	Rock	4.92	2.646	0.16	2.06	48.53	4.2	3582	0.6	0.3	31	0.42	2.0	1.2	1789.3	9.0	5.5	0.03	0.26	0.27	<1
1798465	Rock	3.65	0.233	0.15	1.60	32.40	4.4	1638	0.5	0.2	30	0.39	1.0	1.2	304.8	11.1	2.3	0.02	0.18	0.08	<1
1798466	Rock	4.63	0.086	0.12	2.05	29.64	7.6	486	0.7	0.6	37	0.39	1.8	1.5	47.7	15.4	2.9	0.06	0.24	0.08	<1
1798467	Rock	4.91	0.012	0.11	1.79	20.53	4.3	170	0.6	0.4	34	0.34	1.1	1.2	23.6	13.2	2.9	0.04	0.15	0.08	<1
1798468	Rock	5.11	0.026	0.09	1.22	15.92	4.0	504	0.5	0.3	33	0.36	1.2	1.1	25.3	11.2	3.1	0.05	0.18	0.04	<1
1798469	Rock	5.23	2.177	0.22	1.63	79.22	4.0	6542	0.7	0.3	35	0.54	1.9	1.2	14017.1	9.4	5.5	0.06	0.35	0.62	<1
1798470	Rock	3.59	1.189	0.23	1.87	236.00	5.5	6899	1.0	0.4	42	0.57	2.4	1.5	1172.4	12.0	7.6	0.09	0.44	1.22	<1
1798471	Rock	3.96	0.010	0.20	1.86	21.23	6.4	225	0.6	0.3	68	0.36	1.2	1.5	8.4	13.3	3.5	0.05	0.21	0.12	<1
1798472	Rock	3.83	0.590	0.18	2.56	42.63	6.2	1702	0.8	0.3	61	0.53	2.8	1.5	762.0	11.3	2.4	0.09	0.42	0.34	<1
1798473	Rock	3.60	<0.005	0.14	1.21	14.06	5.5	69	0.6	0.3	43	0.29	1.0	1.2	1.8	13.6	2.5	0.02	0.13	0.10	<1
1798474	Rock	5.40	<0.005	0.07	1.06	12.01	4.1	52	0.4	0.2	37	0.24	0.7	0.9	<0.2	13.0	2.4	0.01	0.14	0.12	<1
1798475	Rock	4.32	0.006	0.21	1.43	31.45	8.3	179	0.5	0.3	85	0.34	0.8	1.3	123.8	14.3	2.9	0.03	0.17	0.41	<1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000244.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
1798455	Rock	0.01	0.005	34.9	2.2	0.04	138.7	<0.001	<1	0.25	0.044	0.17	<0.1	0.5	0.04	<0.02	<5	<0.1	0.12	0.9	0.14
1798456	Rock	0.01	0.004	38.9	1.9	0.04	157.7	0.001	<1	0.26	0.044	0.17	<0.1	0.5	0.08	<0.02	10	<0.1	0.08	1.0	0.14
1798457	Rock	0.01	0.005	33.7	1.9	0.03	219.5	<0.001	2	0.24	0.048	0.17	<0.1	0.5	0.04	<0.02	<5	<0.1	0.05	0.8	0.11
1798458	Rock	<0.01	0.004	28.7	3.0	0.04	187.5	<0.001	<1	0.24	0.033	0.19	<0.1	0.5	0.04	<0.02	<5	<0.1	0.40	0.8	0.08
1798459	Rock	0.02	0.004	32.7	5.0	0.04	134.9	<0.001	<1	0.25	0.042	0.15	0.2	0.5	0.03	<0.02	6	<0.1	0.06	0.9	0.20
1798460	Rock	0.01	0.004	26.5	4.4	0.03	109.7	<0.001	<1	0.21	0.041	0.14	<0.1	0.4	0.06	<0.02	7	<0.1	0.03	0.8	0.14
1798461	Rock	0.01	0.005	31.7	3.0	0.06	206.7	<0.001	<1	0.30	0.019	0.22	<0.1	0.6	0.04	<0.02	13	<0.1	0.17	0.9	0.10
1798462	Rock	<0.01	0.004	28.6	3.4	0.03	435.2	<0.001	1	0.25	0.031	0.19	<0.1	0.5	0.03	<0.02	<5	<0.1	1.23	0.8	0.09
1798463	Rock	0.01	0.004	33.4	3.9	0.04	354.3	<0.001	1	0.27	0.035	0.22	<0.1	0.5	0.06	<0.02	<5	<0.1	1.30	1.1	0.11
1798464	Rock	<0.01	0.004	23.0	4.0	0.02	298.9	<0.001	<1	0.19	0.037	0.14	<0.1	0.4	0.02	<0.02	<5	<0.1	1.75	0.7	0.12
1798465	Rock	<0.01	0.003	28.3	3.5	0.02	115.6	<0.001	<1	0.21	0.039	0.15	<0.1	0.4	0.03	<0.02	<5	<0.1	0.92	0.8	0.11
1798466	Rock	0.01	0.004	36.5	3.2	0.03	145.6	<0.001	<1	0.27	0.048	0.19	<0.1	0.6	0.06	<0.02	5	<0.1	0.28	1.0	0.14
1798467	Rock	0.01	0.004	33.7	3.2	0.03	133.9	<0.001	<1	0.25	0.045	0.17	<0.1	0.5	0.05	<0.02	<5	<0.1	0.09	0.9	0.14
1798468	Rock	<0.01	0.003	28.1	3.2	0.03	178.4	<0.001	<1	0.21	0.043	0.14	<0.1	0.4	0.03	<0.02	6	<0.1	0.26	0.7	0.11
1798469	Rock	<0.01	0.003	23.1	3.9	0.02	372.3	<0.001	<1	0.19	0.040	0.13	<0.1	0.4	0.03	0.04	<5	<0.1	1.94	0.8	0.11
1798470	Rock	<0.01	0.003	23.7	3.2	0.03	578.1	<0.001	<1	0.22	0.033	0.17	<0.1	0.4	0.04	0.10	<5	0.5	3.29	0.8	0.12
1798471	Rock	0.02	0.004	32.6	4.3	0.05	240.3	<0.001	<1	0.27	0.028	0.20	<0.1	0.5	0.04	<0.02	<5	<0.1	0.13	1.0	0.12
1798472	Rock	<0.01	0.004	28.3	4.4	0.03	156.6	<0.001	<1	0.24	0.045	0.17	<0.1	0.5	0.02	<0.02	<5	<0.1	0.64	0.9	0.11
1798473	Rock	<0.01	0.003	27.0	3.8	0.03	161.0	<0.001	<1	0.23	0.032	0.18	<0.1	0.4	0.04	<0.02	<5	<0.1	<0.02	0.9	0.11
1798474	Rock	<0.01	0.003	29.8	2.7	0.03	171.7	<0.001	<1	0.23	0.032	0.19	<0.1	0.4	0.03	<0.02	<5	<0.1	<0.02	0.8	0.10
1798475	Rock	0.01	0.004	26.3	3.6	0.05	195.5	<0.001	<1	0.27	0.023	0.20	<0.1	0.5	0.03	<0.02	6	<0.1	0.03	1.0	0.10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000244.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1798455	Rock	<0.1	0.57	0.05	7.4	0.2	<0.05	10.7	7.99	66.1	<0.02	<1	0.3	1.8	<10	3
1798456	Rock	<0.1	0.50	0.04	7.0	0.1	<0.05	13.7	9.62	70.5	<0.02	<1	0.3	1.8	<10	<2
1798457	Rock	<0.1	0.50	0.03	7.0	0.1	<0.05	9.6	7.23	62.3	<0.02	<1	0.2	1.9	<10	<2
1798458	Rock	<0.1	0.40	0.11	6.4	0.2	<0.05	7.1	5.11	57.3	<0.02	<1	0.3	1.6	<10	<2
1798459	Rock	<0.1	0.57	0.03	6.6	<0.1	<0.05	14.6	9.73	54.2	<0.02	<1	0.2	1.9	<10	<2
1798460	Rock	<0.1	0.45	0.02	6.3	0.1	<0.05	11.2	6.01	47.6	<0.02	<1	0.1	1.4	<10	<2
1798461	Rock	<0.1	0.46	0.02	5.8	0.2	<0.05	11.5	5.49	58.9	<0.02	<1	<0.1	2.1	<10	<2
1798462	Rock	<0.1	0.35	<0.02	5.9	0.1	<0.05	7.2	5.57	48.0	<0.02	<1	0.3	1.3	<10	<2
1798463	Rock	<0.1	0.54	0.03	9.1	0.2	<0.05	15.7	7.74	62.7	<0.02	<1	0.3	1.8	<10	<2
1798464	Rock	<0.1	0.37	<0.02	6.1	<0.1	<0.05	7.9	4.58	41.2	<0.02	<1	0.2	1.1	12	<2
1798465	Rock	<0.1	0.48	<0.02	6.4	0.1	<0.05	8.7	5.53	51.8	<0.02	<1	<0.1	1.3	<10	<2
1798466	Rock	<0.1	0.60	<0.02	8.4	0.2	<0.05	13.8	7.11	69.8	<0.02	<1	0.2	1.4	12	<2
1798467	Rock	<0.1	0.44	0.02	7.0	0.1	<0.05	12.4	6.28	64.5	<0.02	<1	0.3	1.6	<10	2
1798468	Rock	<0.1	0.43	<0.02	6.0	0.1	<0.05	10.4	5.35	50.8	<0.02	<1	0.2	1.4	<10	<2
1798469	Rock	<0.1	0.36	<0.02	5.3	0.1	<0.05	6.8	4.50	39.3	<0.02	1	0.2	1.0	<10	<2
1798470	Rock	<0.1	0.43	<0.02	7.2	0.2	<0.05	9.1	5.81	42.4	<0.02	<1	0.1	1.3	<10	<2
1798471	Rock	<0.1	0.33	<0.02	6.7	0.1	<0.05	9.6	6.60	64.6	<0.02	<1	0.1	1.9	<10	<2
1798472	Rock	<0.1	0.50	0.02	7.0	0.1	<0.05	11.1	5.78	54.5	<0.02	<1	0.3	1.6	<10	<2
1798473	Rock	<0.1	0.50	0.03	6.7	0.1	<0.05	13.4	6.25	57.1	<0.02	<1	0.2	1.6	<10	<2
1798474	Rock	<0.1	0.41	0.03	6.4	0.1	<0.05	11.5	5.26	58.1	<0.02	<1	0.2	1.3	<10	<2
1798475	Rock	<0.1	0.53	<0.02	6.0	<0.1	<0.05	13.9	5.27	61.0	<0.02	<1	0.2	1.8	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000244.1

	Method Analyte Unit MDL	WGHT	FA430	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1
Pulp Duplicates																						
1798461	Rock	5.03	0.028	0.18	1.95	35.44	9.4	340	0.3	0.3	143	0.36	1.1	1.4	224.1	15.9	2.8	0.08	0.17	0.19	<1	
REP 1798461	QC	0.029																				
1798475	Rock	4.32	0.006	0.21	1.43	31.45	8.3	179	0.5	0.3	85	0.34	0.8	1.3	123.8	14.3	2.9	0.03	0.17	0.41	<1	
REP 1798475	QC	<0.005																				
Reference Materials																						
STD DS11	Standard	14.83		155.38	140.93	344.6	1767	81.9	14.0	1018	3.11	42.4	2.8	108.6	7.9	67.3	2.43	8.60	12.94	51		
STD OREAS262	Standard	0.70		120.11	59.68	159.7	482	63.8	27.9	563	3.30	36.5	1.3	66.5	9.9	35.6	0.68	5.26	1.17	23		
STD OXC145	Standard	0.211																				
STD OXH139	Standard	1.303																				
STD OXN134	Standard	7.513																				
STD DS11 Expected		14.6		149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50		
STD OREAS262 Expected		0.68		118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5		
STD OXC145 Expected		0.212																				
STD OXH139 Expected		1.312																				
STD OXN134 Expected		7.667																				
BLK	Blank	<0.01		0.03	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1		
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
Prep Wash																						
ROCK-WHI	Prep Blank	<0.005		0.78	1.87	1.13	30.2	9	0.7	3.5	504	1.75	1.0	0.4	<0.2	2.6	22.9	0.02	0.04	<0.02	24	
ROCK-WHI	Prep Blank	<0.005		0.89	2.17	1.08	28.5	6	0.8	3.7	467	1.75	1.0	0.5	<0.2	2.4	22.0	0.02	0.02	<0.02	24	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000244.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02
Pulp Duplicates																					
1798461	Rock	0.01	0.005	31.7	3.0	0.06	206.7	<0.001	<1	0.30	0.019	0.22	<0.1	0.6	0.04	<0.02	13	<0.1	0.17	0.9	0.10
REP 1798461	QC																				
1798475	Rock	0.01	0.004	26.3	3.6	0.05	195.5	<0.001	<1	0.27	0.023	0.20	<0.1	0.5	0.03	<0.02	6	<0.1	0.03	1.0	0.10
REP 1798475	QC																				
Reference Materials																					
STD DS11	Standard	1.04	0.067	18.1	62.2	0.85	369.0	0.092	7	1.20	0.075	0.40	2.8	3.1	5.05	0.27	263	2.3	4.70	4.9	2.81
STD OREAS262	Standard	2.86	0.039	17.0	43.0	1.20	268.0	0.003	3	1.35	0.071	0.31	0.2	3.0	0.48	0.25	176	0.4	0.23	4.0	2.86
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260	2.2	4.56	5.1	2.88
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170	0.4	0.23	3.73	2.8
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OXN134 Expected																					
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.61	0.039	6.3	3.2	0.44	60.7	0.076	2	0.91	0.092	0.09	<0.1	2.8	<0.02	<0.02	<5	<0.1	<0.02	3.8	0.16
ROCK-WHI	Prep Blank	0.57	0.043	6.4	2.8	0.43	56.6	0.066	2	0.83	0.086	0.09	<0.1	2.8	<0.02	<0.02	5	<0.1	<0.02	3.6	0.21



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000244.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																
1798461	Rock	<0.1	0.46	0.02	5.8	0.2	<0.05	11.5	5.49	58.9	<0.02	<1	<0.1	2.1	<10	<2
REP 1798461	QC															
1798475	Rock	<0.1	0.53	<0.02	6.0	<0.1	<0.05	13.9	5.27	61.0	<0.02	<1	0.2	1.8	<10	<2
REP 1798475	QC															
Reference Materials																
STD DS11	Standard	0.1	0.09	1.55	35.6	1.9	<0.05	3.4	8.12	39.1	0.22	47	0.6	25.3	102	191
STD OREAS262	Standard	<0.1	0.26	<0.02	19.1	0.6	<0.05	10.0	11.45	34.1	0.05	<1	1.3	19.4	<10	3
STD OXC145	Standard															
STD OXH139	Standard															
STD OXN134	Standard															
STD DS11 Expected		0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected			0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXC145 Expected																
STD OXH139 Expected																
STD OXN134 Expected																
BLK	Blank	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank															
BLK	Blank															
Prep Wash																
ROCK-WHI	Prep Blank	<0.1	0.12	0.19	2.2	0.3	<0.05	3.3	8.79	12.4	0.03	<1	0.1	2.0	<10	<2
ROCK-WHI	Prep Blank	<0.1	0.14	0.15	2.1	0.3	<0.05	3.4	9.08	12.7	<0.02	<1	0.2	2.2	<10	<2