



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: May 23, 2019
Report Date: June 06, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-01
P.O. Number
Number of Samples: 52

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	52	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	52	Split samples by riffle splitter			WHI
PUL85	52	Pulverize to 85% passing 200 mesh			WHI
SLBHP	52	Sort, label and box pulps			WHI
FS631	52	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	52	Analysis sample split/packet			WHI
Split -150	52	Analysis sample split/packet			WHI
EN002	52	Environmental disposal charge-Fire assay lead waste			VAN
FS631	50	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	52	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	52	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828001	Drill Core	2.25	422	0.021	0.02	<0.17	20.77	1.01	14.37	19.48	61.1	8392	3.9	1.8	90	1.21	9.8	1.3	19.6	10.8	5.9
1828002	Drill Core	4.90	486	<0.005	<0.01	<0.17	24.69	0.56	3.56	13.31	52.5	294	1.4	0.9	63	0.96	3.0	1.2	<0.2	9.0	8.1
1828003	Drill Core	3.62	508	<0.005	<0.01	<0.17	18.46	0.61	4.33	15.97	48.6	365	1.3	1.0	65	1.07	8.1	1.2	<0.2	9.5	8.8
1828004	Drill Core	4.95	487	<0.005	<0.01	<0.17	30.78	0.48	3.21	14.04	34.0	225	1.1	0.6	55	0.76	3.5	1.0	<0.2	9.0	7.0
1828005	Drill Core	5.69	533	0.017	0.02	<0.17	36.14	0.56	2.96	20.27	24.4	438	0.9	0.5	44	0.68	4.4	0.9	22.9	8.2	3.6
1828006	Drill Core	4.70	505	<0.005	<0.01	<0.17	36.56	0.57	2.54	19.36	33.0	252	0.8	0.7	62	0.74	2.2	1.6	<0.2	8.6	42.2
1828007	Drill Core	4.32	437	<0.005	<0.01	<0.17	39.29	0.56	1.83	15.91	29.1	267	0.7	0.4	44	0.71	4.5	1.1	<0.2	9.4	12.3
1828008	Drill Core	3.63	364	0.010	0.02	<0.17	28.52	0.59	4.90	37.53	35.3	628	1.0	0.6	57	0.90	9.6	1.1	59.6	9.3	9.1
1828009	Drill Core	2.49	389	0.051	0.05	<0.17	31.29	0.67	1.77	16.16	12.6	1805	1.0	0.3	71	0.80	2.3	0.4	35.6	3.9	2.2
1828010	Drill Core	2.52	509	<0.005	<0.01	<0.17	39.34	0.37	1.15	11.90	16.3	163	0.6	0.5	97	0.47	3.6	1.9	1.4	8.2	41.9
1828011	Drill Core	3.62	365	0.972	2.36	25.13	20.89	1.14	4.03	24.95	16.8	1469	1.0	0.5	71	0.92	3.7	1.1	1778.7	5.7	3.4
1828012	Drill Core	4.55	486	<0.005	<0.01	<0.17	36.43	1.38	2.32	16.79	32.8	291	0.9	0.7	66	0.71	2.9	1.5	1.9	9.5	11.7
1828013	Drill Core	5.00	481	0.062	0.06	<0.17	40.98	1.43	4.44	29.41	31.6	636	0.7	0.7	137	0.93	4.9	1.2	49.6	8.6	36.9
1828014	Drill Core	2.19	425	0.011	0.01	<0.17	29.29	3.51	11.68	11.56	30.5	294	0.5	0.5	190	1.14	4.4	0.9	12.4	9.2	108.0
1828015	Drill Core	2.37	484	0.092	0.10	0.21	24.29	0.80	2.67	7.32	19.3	356	0.4	0.4	94	0.65	2.9	1.1	95.4	8.6	56.4
1828016	Drill Core	1.84	428	0.130	0.16	0.56	30.61	1.57	2.94	11.88	31.6	402	0.9	0.4	79	0.93	3.3	0.9	70.8	7.7	5.7
1828017	Drill Core	5.56	409	0.026	0.02	<0.17	39.83	2.00	2.00	14.78	32.3	193	0.8	0.5	85	0.78	4.7	1.5	10.7	8.6	24.0
1828018	Drill Core	2.11	424	0.176	0.21	0.70	26.97	0.82	2.64	83.75	35.2	1084	1.0	0.5	71	0.89	5.8	0.9	181.9	6.5	3.9
1828019	Drill Core	1.74	423	0.012	0.01	<0.17	40.46	0.68	2.62	27.53	39.5	341	0.6	0.7	50	0.78	6.0	1.9	10.4	10.1	8.5
1828020	Rock Pulp	0.13	88	0.453				2.46	439.56	19.96	48.6	286	601.1	27.2	443	2.60	19.4	0.6	418.7	2.0	58.4
1828021	Drill Core	3.10	447	0.068	0.06	<0.17	26.19	1.19	2.54	43.62	70.5	450	1.1	0.9	90	0.94	7.6	1.9	44.8	10.5	8.7
1828022	Drill Core	1.99	495	0.012	0.01	<0.17	29.50	0.75	4.67	27.77	40.6	304	0.6	0.5	62	0.65	5.1	1.2	9.5	9.0	6.1
1828023	Drill Core	3.83	475	<0.005	<0.01	<0.17	32.34	0.86	2.92	29.94	40.7	371	0.6	0.5	61	0.71	9.0	1.3	5.4	10.0	6.8
1828024	Drill Core	5.01	425	<0.005	<0.01	<0.17	30.15	0.60	2.22	14.87	23.3	199	0.8	0.5	78	0.64	9.9	1.2	2.8	9.5	18.2
1828025	Drill Core	3.86	489	0.406	0.75	6.85	26.42	5.88	2.54	16.63	46.8	550	0.6	0.5	140	0.92	5.6	1.3	382.1	9.7	25.2
1828026	Drill Core	4.18	486	0.017	0.02	<0.17	22.73	3.49	4.14	15.11	45.6	257	0.7	0.7	162	0.95	20.9	2.1	14.3	11.0	25.0
1828027	Drill Core	4.72	447	0.020	0.02	<0.17	23.02	12.49	4.74	20.05	34.8	1643	0.6	0.4	154	0.62	4.7	1.6	16.7	9.0	20.1
1828028	Drill Core	2.28	435	0.724	1.65	18.13	23.17	5.48	3.25	7.92	25.5	762	0.7	0.9	121	0.69	2.1	1.2	950.0	6.8	13.9
1828029	Drill Core	2.27	428	0.029	0.06	0.47	27.41	1.04	3.13	13.74	29.0	474	0.6	0.4	50	0.62	3.6	1.4	16.4	7.7	5.4
1828030	Drill Core	4.06	529	0.016	0.01	<0.17	31.28	1.00	2.44	13.39	45.6	266	0.5	0.3	101	0.69	2.9	1.9	5.4	8.0	19.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828001	Drill Core	0.11	0.64	0.06	3	0.05	0.010	37.4	3.9	0.15	577.4	0.003	2	0.70	0.029	0.37	18.3	3.0	0.09	<0.02	45			
1828002	Drill Core	0.12	0.22	0.07	<1	0.04	0.007	31.3	2.3	0.13	645.6	0.001	3	0.62	0.039	0.34	0.2	3.3	0.08	<0.02	31			
1828003	Drill Core	0.09	0.54	0.08	<1	0.03	0.007	28.9	2.2	0.09	664.7	0.001	2	0.55	0.029	0.32	0.3	3.2	0.11	<0.02	46			
1828004	Drill Core	0.08	0.33	0.07	<1	0.02	0.007	29.0	2.3	0.04	602.2	0.001	2	0.44	0.038	0.32	0.2	2.6	0.08	<0.02	13			
1828005	Drill Core	0.09	0.37	0.05	<1	0.01	0.005	26.8	2.1	0.05	573.0	<0.001	2	0.43	0.022	0.34	0.1	1.6	0.08	<0.02	45			
1828006	Drill Core	0.22	0.37	0.08	<1	0.32	0.006	33.7	1.7	0.06	656.3	0.001	2	0.50	0.035	0.35	<0.1	3.1	0.07	0.04	19			
1828007	Drill Core	0.09	0.34	0.09	<1	0.03	0.007	11.5	1.7	0.07	799.3	0.002	2	0.55	0.036	0.39	<0.1	3.3	0.10	<0.02	39			
1828008	Drill Core	0.12	0.61	0.09	<1	0.03	0.006	25.6	2.0	0.06	735.5	0.002	3	0.59	0.044	0.40	0.1	3.1	0.11	<0.02	67			
1828009	Drill Core	0.07	0.37	0.03	<1	<0.01	0.003	12.5	3.1	0.02	266.7	<0.001	1	0.24	0.027	0.18	<0.1	0.8	0.04	<0.02	55			
1828010	Drill Core	0.10	0.26	0.08	<1	0.39	0.005	30.2	1.3	0.04	409.6	0.001	2	0.44	0.050	0.33	<0.1	1.9	0.14	0.06	47			
1828011	Drill Core	0.05	0.42	0.10	<1	<0.01	0.004	17.8	2.9	0.03	369.4	<0.001	2	0.37	0.025	0.29	0.2	1.3	0.06	0.12	94			
1828012	Drill Core	0.20	0.19	0.08	<1	0.07	0.007	34.7	1.6	0.07	555.0	0.002	2	0.55	0.035	0.41	<0.1	2.8	0.09	<0.02	41			
1828013	Drill Core	0.42	0.53	0.14	<1	0.51	0.005	23.2	1.5	0.07	610.4	0.001	2	0.51	0.025	0.41	0.1	2.3	0.07	0.14	45			
1828014	Drill Core	0.24	0.42	0.07	<1	1.76	0.005	28.2	1.9	0.11	609.2	0.001	2	0.52	0.017	0.38	0.1	2.8	0.07	0.14	30			
1828015	Drill Core	0.13	0.28	0.06	<1	0.50	0.005	23.5	1.3	0.04	561.7	0.001	2	0.45	0.050	0.38	<0.1	1.7	0.07	0.14	55			
1828016	Drill Core	0.08	0.28	0.03	<1	0.04	0.004	23.2	3.8	0.07	556.7	0.001	2	0.43	0.027	0.33	0.1	1.7	0.06	0.02	48			
1828017	Drill Core	0.38	0.22	0.07	<1	0.36	0.006	27.9	2.2	0.09	475.0	0.001	2	0.49	0.020	0.42	0.1	2.0	0.06	0.03	26			
1828018	Drill Core	0.17	0.58	0.50	<1	0.01	0.005	19.0	2.8	0.05	358.8	0.001	1	0.39	0.028	0.34	0.2	1.4	0.05	<0.02	46			
1828019	Drill Core	0.11	0.26	0.22	<1	0.03	0.007	28.4	1.5	0.13	747.3	0.002	2	0.68	0.041	0.49	<0.1	2.3	0.07	<0.02	17			
1828020	Rock Pulp	0.20	0.33	0.31	52	1.32	0.031	4.2	102.9	1.80	75.9	0.083	3	2.06	0.189	0.14	1.3	2.7	0.08	0.19	21			
1828021	Drill Core	0.22	0.43	0.30	<1	0.05	0.007	34.9	1.6	0.20	423.0	0.001	2	0.69	0.008	0.44	0.2	2.4	0.06	<0.02	26			
1828022	Drill Core	0.12	0.26	0.15	<1	0.03	0.006	28.8	1.5	0.11	466.4	0.001	2	0.60	0.028	0.45	0.1	1.9	0.07	<0.02	22			
1828023	Drill Core	0.08	0.32	0.11	<1	0.02	0.007	30.9	1.3	0.09	670.9	0.001	2	0.67	0.017	0.54	0.1	2.1	0.09	<0.02	39			
1828024	Drill Core	0.17	0.21	0.16	<1	0.20	0.007	29.2	1.6	0.07	630.7	0.001	2	0.60	0.028	0.45	<0.1	2.4	0.08	<0.02	28			
1828025	Drill Core	0.56	0.29	0.13	<1	0.24	0.007	27.2	1.4	0.12	600.0	0.001	2	0.58	0.022	0.44	0.1	2.5	0.08	0.04	41			
1828026	Drill Core	0.43	0.31	0.12	<1	0.34	0.007	32.9	1.6	0.09	603.9	0.001	2	0.65	0.018	0.51	<0.1	2.8	0.10	<0.02	26			
1828027	Drill Core	0.21	0.20	0.04	<1	0.20	0.008	31.0	1.3	0.04	578.5	0.002	1	0.48	0.049	0.43	<0.1	2.5	0.07	0.03	48			
1828028	Drill Core	0.25	0.24	<0.02	<1	0.15	0.004	25.2	1.8	0.02	271.4	0.001	2	0.40	0.035	0.40	0.1	1.3	0.07	0.07	68			
1828029	Drill Core	0.05	0.24	<0.02	<1	0.02	0.006	20.0	1.3	0.03	332.0	0.002	1	0.45	0.047	0.45	0.1	1.9	0.07	<0.02	78			
1828030	Drill Core	0.26	0.24	<0.02	<1	0.24	0.006	28.0	1.3	0.04	440.7	0.003	<1	0.43	0.040	0.43	<0.1	2.4	0.08	0.02	59			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828001	Drill Core	<0.1	<0.02	2.2	0.62	<0.1	0.03	0.07	11.2	0.7	<0.05	1.7	13.81	72.4	0.03	2	0.2	5.2	<10
1828002	Drill Core	<0.1	0.02	2.0	0.45	<0.1	0.03	<0.02	9.9	0.4	<0.05	0.8	12.56	59.9	<0.02	<1	0.2	4.7	<10
1828003	Drill Core	<0.1	<0.02	1.8	0.66	<0.1	0.02	0.03	10.2	0.3	<0.05	0.7	16.63	59.7	0.03	<1	0.1	3.1	<10
1828004	Drill Core	<0.1	<0.02	1.5	0.39	<0.1	<0.02	0.03	9.7	0.3	<0.05	0.6	16.15	58.6	0.02	<1	0.3	1.3	<10
1828005	Drill Core	<0.1	<0.02	1.3	0.28	<0.1	<0.02	0.02	9.0	0.2	<0.05	0.6	8.68	53.1	<0.02	1	0.2	1.9	<10
1828006	Drill Core	<0.1	<0.02	1.7	0.38	<0.1	0.04	0.03	9.2	0.3	<0.05	0.9	36.47	64.2	0.02	<1	0.2	2.2	<10
1828007	Drill Core	<0.1	<0.02	1.8	0.40	<0.1	0.03	0.03	10.7	0.4	<0.05	0.8	7.68	22.8	0.03	<1	0.2	2.5	<10
1828008	Drill Core	<0.1	<0.02	2.0	0.43	<0.1	0.03	<0.02	11.9	0.4	<0.05	0.8	10.89	50.8	0.03	<1	0.3	2.8	<10
1828009	Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.02	<0.02	5.4	0.2	<0.05	0.6	2.23	24.2	<0.02	<1	0.2	1.0	<10
1828010	Drill Core	<0.1	<0.02	1.5	0.19	<0.1	0.03	<0.02	9.2	0.2	<0.05	1.0	12.01	57.9	<0.02	1	0.3	2.0	<10
1828011	Drill Core	<0.1	0.11	1.2	0.28	<0.1	0.03	0.02	7.6	0.4	<0.05	0.8	3.39	33.5	<0.02	2	0.2	1.3	<10
1828012	Drill Core	<0.1	<0.02	1.9	0.35	<0.1	0.02	0.02	10.7	0.3	<0.05	0.8	16.46	64.8	0.02	1	0.4	2.6	<10
1828013	Drill Core	<0.1	0.02	1.7	0.32	<0.1	0.02	0.02	10.1	0.2	<0.05	0.9	11.24	44.1	0.02	1	0.4	2.1	<10
1828014	Drill Core	<0.1	<0.02	1.9	0.34	<0.1	0.03	<0.02	9.1	0.3	<0.05	0.9	14.65	54.4	0.03	<1	0.3	2.6	<10
1828015	Drill Core	<0.1	<0.02	1.3	0.38	<0.1	0.02	<0.02	9.5	0.2	<0.05	0.7	8.20	44.9	<0.02	1	0.4	1.3	<10
1828016	Drill Core	<0.1	0.04	1.4	0.36	<0.1	0.02	<0.02	7.8	0.3	<0.05	0.9	4.76	43.9	<0.02	<1	0.2	1.8	<10
1828017	Drill Core	<0.1	<0.02	1.5	0.31	<0.1	0.03	<0.02	9.1	0.3	<0.05	1.0	10.81	54.5	0.02	<1	0.2	2.1	<10
1828018	Drill Core	<0.1	0.10	1.3	0.34	<0.1	0.06	<0.02	8.5	0.3	<0.05	1.9	4.68	36.6	<0.02	<1	0.2	1.4	<10
1828019	Drill Core	<0.1	<0.02	2.1	0.45	<0.1	0.05	<0.02	10.7	0.3	<0.05	2.1	9.00	54.9	<0.02	<1	0.4	3.3	<10
1828020	Rock Pulp	0.4	0.20	4.2	0.61	<0.1	0.07	<0.02	5.8	0.4	<0.05	1.5	3.09	8.8	<0.02	5	<0.1	8.0	288
1828021	Drill Core	<0.1	<0.02	2.0	0.76	<0.1	0.07	<0.02	10.1	0.2	<0.05	2.5	10.04	70.4	0.02	<1	0.5	5.2	<10
1828022	Drill Core	<0.1	<0.02	1.8	0.28	<0.1	0.06	<0.02	10.5	0.5	<0.05	1.7	9.11	55.6	<0.02	<1	0.3	3.4	<10
1828023	Drill Core	<0.1	<0.02	1.8	0.47	<0.1	0.03	<0.02	13.0	0.3	<0.05	1.1	9.90	62.5	<0.02	<1	0.2	3.1	<10
1828024	Drill Core	<0.1	<0.02	2.0	0.33	<0.1	0.05	<0.02	10.7	0.6	<0.05	1.1	15.07	57.0	<0.02	<1	0.2	2.7	<10
1828025	Drill Core	<0.1	<0.02	1.8	0.25	<0.1	0.03	<0.02	10.4	0.3	<0.05	1.3	8.37	51.9	0.02	<1	0.2	3.7	<10
1828026	Drill Core	<0.1	<0.02	2.0	0.42	<0.1	0.03	0.03	13.2	0.4	<0.05	1.2	13.08	61.7	0.03	<1	0.3	3.8	<10
1828027	Drill Core	<0.1	<0.02	1.7	0.39	<0.1	0.05	0.03	14.4	0.3	<0.05	1.7	11.86	59.2	0.03	<1	0.3	1.4	<10
1828028	Drill Core	<0.1	<0.02	1.4	0.34	<0.1	0.08	<0.02	13.5	0.2	<0.05	2.6	4.99	48.8	<0.02	<1	0.3	0.8	<10
1828029	Drill Core	<0.1	<0.02	1.6	0.44	<0.1	0.07	0.04	16.2	0.3	<0.05	2.5	7.26	39.3	<0.02	<1	0.3	0.9	<10
1828030	Drill Core	0.2	<0.02	1.6	0.46	<0.1	0.09	0.04	16.1	0.2	<0.05	2.5	13.93	54.1	0.02	2	0.2	1.3	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828031	Drill Core	4.37	524	0.011	0.01	<0.17	25.55	1.06	4.48	12.97	37.2	506	0.4	0.4	144	0.50	5.1	1.1	4.1	8.3	26.2
1828032	Drill Core	2.13	509	0.185	0.26	1.70	24.72	1.91	5.72	24.94	38.1	1211	0.6	0.3	66	0.82	6.1	1.1	238.5	6.1	4.8
1828033	Drill Core	2.43	449	0.023	0.02	<0.17	25.29	0.54	2.65	7.30	22.6	290	0.4	0.2	206	0.47	1.6	0.8	14.8	6.5	23.4
1828034	Drill Core	1.91	497	0.114	0.13	0.27	36.41	0.41	4.71	18.23	59.3	481	0.6	0.3	110	0.48	2.5	0.7	381.1	7.5	5.4
1828035	Drill Core	2.83	486	0.020	0.02	<0.17	42.74	0.69	8.74	16.02	32.5	564	1.8	0.9	104	0.63	4.9	0.8	13.7	7.8	7.7
1828036	Drill Core	4.91	476	0.039	0.04	<0.17	36.54	1.05	8.73	12.32	21.7	529	2.2	1.2	101	0.78	6.4	1.0	30.1	7.9	5.9
1828037	Drill Core	3.41	440	0.041	0.04	<0.17	29.47	0.57	3.33	15.35	27.8	301	0.7	0.4	79	0.61	6.0	0.7	25.7	8.0	3.9
1828038	Drill Core	4.61	427	0.008	<0.01	<0.17	23.96	0.57	2.21	10.31	21.9	142	0.6	0.4	101	0.60	2.9	0.7	5.0	9.0	6.7
1828039	Drill Core	2.48	480	0.007	<0.01	<0.17	30.45	0.60	1.31	9.01	15.0	132	0.4	0.2	130	0.47	1.2	0.6	3.3	8.8	14.2
1828040	Rock Pulp	0.12	90	<0.005				2.14	89.97	3.41	33.2	119	4.1	7.9	335	2.42	1.2	0.8	6.3	3.5	66.4
1828041	Drill Core	4.63	406	<0.005	<0.01	<0.17	24.80	0.45	1.57	8.69	13.8	129	0.4	0.2	107	0.43	1.0	0.7	1.0	8.0	6.7
1828042	Drill Core	1.79	430	0.129	0.13	<0.17	32.46	0.65	2.22	118.87	25.5	1029	0.7	0.2	71	0.69	4.3	0.5	350.3	5.0	3.1
1828043	Drill Core	3.66	409	0.014	0.01	<0.17	30.44	0.46	1.55	13.63	18.1	459	0.7	0.3	88	0.50	4.2	0.6	115.8	7.6	3.2
1828044	Drill Core	1.22	497	0.014	0.08	0.98	33.52	0.46	2.19	5.64	8.5	182	0.5	0.2	149	0.50	0.7	0.5	13.8	5.5	16.1
1828045	Drill Core	3.44	433	0.009	<0.01	<0.17	34.78	0.59	4.16	7.02	18.2	252	0.5	0.2	293	0.48	0.8	0.9	9.7	7.7	37.9
1828046	Drill Core	3.19	517	0.024	0.02	<0.17	36.66	0.86	2.92	13.14	26.6	911	0.6	0.2	175	0.62	1.9	0.6	45.2	7.6	8.9
1828047	Drill Core	2.36	456	0.005	<0.01	<0.17	36.63	0.75	1.89	10.40	20.0	152	0.3	0.2	265	0.47	1.0	0.6	2.7	7.9	34.2
1828048	Drill Core	2.53	474	0.006	<0.01	<0.17	38.96	0.93	1.30	9.25	19.8	200	0.2	0.2	247	0.48	0.8	0.8	15.5	7.3	59.5
1828049	Drill Core	4.30	412	0.008	<0.01	<0.17	23.31	0.63	2.29	8.59	22.3	191	0.3	0.2	182	0.45	1.0	0.8	7.0	8.1	26.6
1828050	Drill Core	2.45	457	0.018	0.02	<0.17	32.53	0.54	3.16	11.31	86.1	263	0.4	0.1	127	0.49	1.4	1.1	13.8	8.4	25.9
1828051	Drill Core	2.65	427	0.009	<0.01	<0.17	33.82	0.57	2.58	6.15	35.3	244	0.6	0.2	71	0.57	1.5	1.0	5.7	8.6	9.8
1828052	Drill Core	2.10	466	0.037	0.04	<0.17	23.30	0.81	4.26	3.88	16.1	1092	0.6	0.2	131	0.63	1.6	0.8	75.3	7.7	34.3



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828031	Drill Core	0.42	0.29	0.02	<1	0.41	0.006	27.6	1.1	0.03	431.3	0.002	1	0.39	0.044	0.41	<0.1	1.6	0.09	0.07	31
1828032	Drill Core	0.10	0.56	0.04	<1	0.07	0.004	18.6	1.8	0.03	317.4	0.001	2	0.42	0.018	0.49	0.1	1.0	0.08	0.12	65
1828033	Drill Core	0.23	0.17	<0.02	<1	0.47	0.004	23.8	1.4	0.03	341.3	0.001	2	0.46	0.020	0.51	<0.1	0.9	0.07	<0.02	13
1828034	Drill Core	0.34	0.21	0.05	<1	0.06	0.007	27.3	1.3	0.06	314.6	0.001	2	0.52	0.014	0.52	0.1	1.2	0.08	<0.02	9
1828035	Drill Core	0.24	0.38	0.11	<1	0.04	0.013	27.6	1.4	0.06	378.6	0.002	1	0.54	0.023	0.52	0.2	1.3	0.09	<0.02	12
1828036	Drill Core	0.14	0.24	0.22	<1	0.05	0.016	20.7	1.7	0.07	378.9	0.003	1	0.56	0.009	0.58	0.1	1.3	0.09	0.04	<5
1828037	Drill Core	0.06	0.35	0.03	<1	0.02	0.007	24.6	1.9	0.06	299.6	0.002	2	0.45	0.027	0.44	0.2	1.1	0.06	<0.02	<5
1828038	Drill Core	0.11	0.19	<0.02	<1	0.05	0.007	30.8	1.8	0.05	312.9	0.002	2	0.47	0.029	0.50	<0.1	1.1	0.07	<0.02	<5
1828039	Drill Core	0.14	0.12	0.06	<1	0.19	0.007	31.9	1.7	0.05	273.2	0.002	<1	0.45	0.036	0.47	<0.1	1.1	0.06	<0.02	<5
1828040	Rock Pulp	0.07	0.11	0.04	81	0.81	0.065	6.6	9.6	0.69	114.5	0.093	2	1.42	0.152	0.20	2.9	2.2	0.04	<0.02	<5
1828041	Drill Core	0.13	0.11	0.09	<1	0.09	0.006	30.2	1.7	0.03	293.0	0.001	1	0.42	0.034	0.46	<0.1	1.2	0.05	<0.02	<5
1828042	Drill Core	0.14	0.27	0.34	<1	<0.01	0.003	15.5	2.7	0.02	453.4	<0.001	2	0.31	0.017	0.33	0.2	0.9	0.04	0.05	20
1828043	Drill Core	0.07	0.20	<0.02	<1	0.01	0.005	28.5	2.0	0.03	365.2	0.001	2	0.46	0.021	0.48	0.6	1.2	0.07	<0.02	13
1828044	Drill Core	0.05	0.14	0.04	<1	0.30	0.004	20.2	2.3	0.02	184.2	<0.001	2	0.29	0.022	0.31	0.2	0.8	0.04	<0.02	7
1828045	Drill Core	0.14	0.15	<0.02	<1	0.74	0.005	27.2	1.4	0.04	323.4	0.002	1	0.43	0.043	0.44	1.0	1.4	0.06	0.04	14
1828046	Drill Core	0.23	0.64	0.02	<1	0.15	0.005	22.1	1.9	0.03	388.3	0.001	2	0.41	0.024	0.43	0.4	1.2	0.06	0.11	30
1828047	Drill Core	0.13	0.16	<0.02	<1	0.56	0.005	26.8	1.4	0.05	340.2	0.002	2	0.47	0.028	0.48	0.1	1.3	0.06	0.03	9
1828048	Drill Core	0.17	0.16	<0.02	<1	0.92	0.004	21.2	1.3	0.05	300.0	0.001	2	0.45	0.032	0.45	0.1	1.3	0.06	0.08	36
1828049	Drill Core	0.08	0.17	<0.02	<1	0.46	0.005	28.6	1.3	0.03	403.7	0.002	1	0.45	0.035	0.49	0.1	1.4	0.06	0.03	9
1828050	Drill Core	0.34	0.25	<0.02	<1	0.37	0.006	26.2	1.4	0.02	405.3	0.002	<1	0.36	0.051	0.37	<0.1	1.6	0.05	0.10	31
1828051	Drill Core	0.11	0.18	<0.02	<1	0.06	0.007	29.7	2.2	0.03	476.7	0.002	2	0.45	0.037	0.46	0.1	2.0	0.06	0.11	17
1828052	Drill Core	0.23	0.16	<0.02	<1	0.38	0.004	21.9	2.2	0.02	450.3	0.001	3	0.41	0.039	0.41	2.5	1.5	0.06	0.22	17



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000015.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828031	Drill Core	<0.1	<0.02	1.5	0.25	<0.1	0.13	0.03	13.8	0.2	<0.05	3.6	9.14	52.5	<0.02	<1	0.2	1.1	<10
1828032	Drill Core	0.1	<0.02	1.3	0.33	<0.1	0.16	0.03	15.6	0.2	<0.05	5.1	3.51	35.8	<0.02	<1	0.3	1.0	<10
1828033	Drill Core	<0.1	<0.02	1.2	0.28	<0.1	0.18	<0.02	14.5	0.1	<0.05	5.6	4.66	45.7	<0.02	2	0.3	0.7	<10
1828034	Drill Core	<0.1	<0.02	1.5	0.44	<0.1	0.18	0.03	16.4	0.4	<0.05	6.4	7.62	53.0	<0.02	<1	0.2	1.2	<10
1828035	Drill Core	<0.1	<0.02	1.6	0.53	<0.1	0.23	0.03	16.9	0.2	<0.05	9.3	7.79	52.5	<0.02	<1	0.3	1.5	<10
1828036	Drill Core	<0.1	<0.02	1.5	0.39	<0.1	0.20	0.03	18.3	0.4	<0.05	8.8	7.85	42.7	<0.02	<1	0.3	1.9	<10
1828037	Drill Core	<0.1	<0.02	1.5	0.38	<0.1	0.17	0.05	14.6	0.3	<0.05	6.3	5.13	48.1	<0.02	<1	0.2	1.2	<10
1828038	Drill Core	<0.1	<0.02	1.6	0.42	<0.1	0.21	0.04	16.9	0.2	<0.05	7.4	8.18	58.6	<0.02	<1	0.2	1.3	<10
1828039	Drill Core	<0.1	<0.02	1.6	0.37	<0.1	0.15	0.04	15.9	0.4	<0.05	5.6	8.71	59.8	<0.02	<1	0.3	1.0	<10
1828040	Rock Pulp	<0.1	<0.02	4.3	0.31	<0.1	0.06	0.08	6.6	0.3	<0.05	1.5	4.32	13.8	<0.02	<1	<0.1	6.3	<10
1828041	Drill Core	<0.1	<0.02	1.5	0.34	<0.1	0.20	0.03	15.0	0.4	<0.05	6.6	6.55	57.0	<0.02	<1	0.3	0.6	<10
1828042	Drill Core	0.1	0.04	1.1	0.33	<0.1	0.22	0.03	11.5	0.2	<0.05	7.0	2.66	30.0	<0.02	<1	0.2	0.6	<10
1828043	Drill Core	<0.1	<0.02	1.6	0.34	<0.1	0.25	0.03	16.0	0.2	<0.05	8.0	4.51	55.8	<0.02	<1	0.3	0.8	<10
1828044	Drill Core	<0.1	<0.02	1.0	0.30	<0.1	0.10	0.02	10.5	0.3	<0.05	3.5	4.15	39.0	<0.02	<1	0.3	0.5	<10
1828045	Drill Core	<0.1	<0.02	1.4	0.36	<0.1	0.07	0.04	16.7	0.2	<0.05	2.2	9.41	52.7	<0.02	<1	0.3	0.8	<10
1828046	Drill Core	<0.1	<0.02	1.5	0.35	<0.1	0.07	0.03	15.5	0.3	<0.05	2.7	4.83	44.1	<0.02	<1	0.3	0.9	<10
1828047	Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.07	0.05	17.0	0.2	<0.05	1.9	8.02	52.2	<0.02	<1	0.3	0.9	<10
1828048	Drill Core	<0.1	<0.02	1.6	0.34	<0.1	0.05	0.03	16.4	0.2	<0.05	1.7	5.44	41.5	<0.02	<1	0.3	0.9	<10
1828049	Drill Core	<0.1	<0.02	1.7	0.35	<0.1	0.07	0.04	19.0	0.3	<0.05	2.1	9.42	56.3	<0.02	<1	0.4	0.7	<10
1828050	Drill Core	<0.1	<0.02	1.4	0.26	<0.1	0.08	0.04	12.8	0.2	<0.05	2.7	8.00	50.3	0.02	<1	0.2	0.7	<10
1828051	Drill Core	<0.1	<0.02	1.8	0.32	<0.1	0.09	0.03	16.3	0.3	<0.05	2.7	6.23	56.8	0.02	<1	0.4	0.7	<10
1828052	Drill Core	0.1	<0.02	1.5	0.30	<0.1	0.07	<0.02	14.1	0.3	<0.05	2.6	4.33	41.9	<0.02	<1	0.3	0.7	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000015.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1828007	Drill Core	4.32	437	<0.005	<0.01	<0.17	39.29	0.56	1.83	15.91	29.1	267	0.7	0.4	44	0.71	4.5	1.1	<0.2	9.4	12.3	
REP 1828007	QC	<0.005																				
1828022	Drill Core	1.99	495	0.012	0.01	<0.17	29.50	0.75	4.67	27.77	40.6	304	0.6	0.5	62	0.65	5.1	1.2	9.5	9.0	6.1	
REP 1828022	QC							0.80	4.40	28.03	40.8	316	0.7	0.5	62	0.65	5.1	1.3	8.7	9.1	6.2	
1828047	Drill Core	2.36	456	0.005	<0.01	<0.17	36.63	0.75	1.89	10.40	20.0	152	0.3	0.2	265	0.47	1.0	0.6	2.7	7.9	34.2	
REP 1828047	QC							0.80	1.91	10.91	20.8	153	0.3	0.2	272	0.47	1.1	0.7	1.7	8.4	34.7	
Core Reject Duplicates																						
1828015	Drill Core	2.37	484	0.092	0.10	0.21	24.29	0.80	2.67	7.32	19.3	356	0.4	0.4	94	0.65	2.9	1.1	95.4	8.6	56.4	
DUP 1828015	QC	391		0.093	0.09	<0.17	23.39	0.91	2.65	8.87	19.6	408	0.4	0.5	100	0.70	3.1	1.2	73.5	9.2	61.1	
1828049	Drill Core	4.30	412	0.008	<0.01	<0.17	23.31	0.63	2.29	8.59	22.3	191	0.3	0.2	182	0.45	1.0	0.8	7.0	8.1	26.6	
DUP 1828049	QC	426		0.010	<0.01	<0.17	40.18	0.62	2.33	8.58	21.7	188	0.4	0.2	176	0.44	1.1	0.8	8.7	8.2	25.6	
Reference Materials																						
STD BVGEO01	Standard							10.69	4265.86	182.24	1740.2	2373	156.0	24.6	732	3.55	117.3	3.8	217.0	16.6	57.2	
STD DS11	Standard							14.63	155.53	142.00	342.2	1761	83.1	14.3	1053	3.11	43.0	2.7	88.6	8.3	68.4	
STD OREAS262	Standard							0.66	114.33	54.56	143.3	434	60.3	26.0	524	3.12	36.8	1.2	72.9	11.1	35.8	
STD OREAS262	Standard							0.64	118.23	56.57	147.3	447	64.0	26.9	519	3.23	34.5	1.2	60.5	9.3	34.6	
STD OXC145	Standard	0.209																				
STD OXC145	Standard	0.209																				
STD OXH139	Standard	1.334																				
STD OXH139	Standard	1.285																				
STD OXN134	Standard	7.704																				
STD OXN134	Standard	7.614																				
STD OXQ90	Standard					25.26	30.13															
STD OXQ90	Standard					25.29	29.54															
STD OXQ90	Standard					25.11	29.31															
STD OXQ90	Standard					24.89	30.13															
STD OXQ90	Standard					25.07	30.19															
STD OXQ90 Expected						24.88																



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000015.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828007	Drill Core	0.09	0.34	0.09	<1	0.03	0.007	11.5	1.7	0.07	799.3	0.002	2	0.55	0.036	0.39	<0.1	3.3	0.10	<0.02	39
REP 1828007	QC																				
1828022	Drill Core	0.12	0.26	0.15	<1	0.03	0.006	28.8	1.5	0.11	466.4	0.001	2	0.60	0.028	0.45	0.1	1.9	0.07	<0.02	22
REP 1828022	QC	0.10	0.24	0.15	<1	0.03	0.006	28.6	1.4	0.11	479.5	0.001	1	0.60	0.028	0.46	0.1	1.9	0.07	<0.02	33
1828047	Drill Core	0.13	0.16	<0.02	<1	0.56	0.005	26.8	1.4	0.05	340.2	0.002	2	0.47	0.028	0.48	0.1	1.3	0.06	0.03	9
REP 1828047	QC	0.13	0.17	<0.02	<1	0.56	0.005	27.1	1.4	0.06	342.1	0.002	1	0.46	0.028	0.48	0.1	1.4	0.06	0.03	7
Core Reject Duplicates																					
1828015	Drill Core	0.13	0.28	0.06	<1	0.50	0.005	23.5	1.3	0.04	561.7	0.001	2	0.45	0.050	0.38	<0.1	1.7	0.07	0.14	55
DUP 1828015	QC	0.14	0.27	0.08	<1	0.52	0.005	25.3	1.5	0.05	640.5	0.002	3	0.54	0.058	0.42	0.1	2.0	0.07	0.14	61
1828049	Drill Core	0.08	0.17	<0.02	<1	0.46	0.005	28.6	1.3	0.03	403.7	0.002	1	0.45	0.035	0.49	0.1	1.4	0.06	0.03	9
DUP 1828049	QC	0.10	0.17	<0.02	<1	0.45	0.005	27.7	1.4	0.03	382.5	0.002	1	0.42	0.033	0.47	0.1	1.4	0.06	0.03	7
Reference Materials																					
STD BVGEO01	Standard	6.33	3.64	25.18	71	1.34	0.080	26.6	178.9	1.29	232.0	0.224	4	2.37	0.184	0.86	5.0	6.0	0.60	0.63	91
STD DS11	Standard	2.39	8.39	11.97	47	1.04	0.071	18.4	63.1	0.85	386.8	0.099	6	1.19	0.071	0.40	3.1	3.2	4.82	0.27	302
STD OREAS262	Standard	0.64	6.06	1.03	21	3.02	0.042	17.0	40.9	1.16	246.5	0.002	4	1.37	0.066	0.31	0.2	3.3	0.45	0.24	145
STD OREAS262	Standard	0.65	4.84	1.06	21	3.02	0.039	15.4	42.7	1.18	236.1	0.003	4	1.28	0.067	0.30	0.2	3.0	0.43	0.26	164
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000015.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828007	Drill Core	<0.1	<0.02	1.8	0.40	<0.1	0.03	0.03	10.7	0.4	<0.05	0.8	7.68	22.8	0.03	<1	0.2	2.5	<10	<2
REP 1828007	QC																			
1828022	Drill Core	<0.1	<0.02	1.8	0.28	<0.1	0.06	<0.02	10.5	0.5	<0.05	1.7	9.11	55.6	<0.02	<1	0.3	3.4	<10	<2
REP 1828022	QC	<0.1	<0.02	1.8	0.25	<0.1	0.04	0.02	10.4	0.5	<0.05	1.8	9.05	56.8	<0.02	<1	0.3	3.0	<10	<2
1828047	Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.07	0.05	17.0	0.2	<0.05	1.9	8.02	52.2	<0.02	<1	0.3	0.9	<10	<2
REP 1828047	QC	<0.1	<0.02	1.5	0.30	<0.1	0.05	0.05	17.5	0.2	<0.05	2.0	7.99	53.3	<0.02	<1	0.4	0.9	<10	<2
Core Reject Duplicates																				
1828015	Drill Core	<0.1	<0.02	1.3	0.38	<0.1	0.02	<0.02	9.5	0.2	<0.05	0.7	8.20	44.9	<0.02	1	0.4	1.3	<10	<2
DUP 1828015	QC	<0.1	<0.02	1.8	0.41	<0.1	0.02	<0.02	10.9	0.2	<0.05	0.7	8.47	48.1	<0.02	1	0.3	1.4	<10	<2
1828049	Drill Core	<0.1	<0.02	1.7	0.35	<0.1	0.07	0.04	19.0	0.3	<0.05	2.1	9.42	56.3	<0.02	<1	0.4	0.7	<10	<2
DUP 1828049	QC	<0.1	<0.02	1.6	0.34	<0.1	0.06	0.04	18.2	0.2	<0.05	2.0	9.08	53.7	<0.02	<1	0.3	0.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	1.06	7.6	7.40	0.2	0.31	0.22	95.1	5.7	<0.05	8.0	14.70	55.0	0.50	5	0.7	21.6	131	175
STD DS11	Standard	2.2	4.80	4.9	2.88	<0.1	0.07	1.51	34.5	1.6	<0.05	3.1	7.69	37.9	0.22	51	0.6	23.3	108	165
STD OREAS262	Standard	0.4	0.23	4.3	3.11	<0.1	0.24	<0.02	20.2	0.6	<0.05	9.9	10.64	34.3	0.04	1	1.0	18.0	<10	<2
STD OREAS262	Standard	0.2	0.19	3.6	2.60	<0.1	0.23	<0.02	17.3	0.4	<0.05	9.0	10.24	30.6	0.04	<1	0.7	17.6	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000015.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001 Expected								11.2	4502	187	1712	2530	163	25	706	3.7	121	3.67	214	13.6	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		469	0.007	<0.01	<0.17	42.92	0.96	3.64	2.74	28.2	48	1.9	3.7	443	1.96	1.7	0.5	1.2	2.8	18.8
ROCK-WHI	Prep Blank		393	<0.005	<0.01	<0.17	43.49	0.94	3.76	1.56	33.9	16	2.2	4.5	574	2.20	1.3	0.4	<0.2	2.5	19.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 06, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000015.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD BVGEO01 Expected		6.25	3.39	24.3	73	1.3219	0.0727	25.9	171	1.3175	260	0.2128	6.7	2.2628	0.1924	0.8669	5.3	5.97	0.62	0.6739	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.10	0.02	23	0.57	0.039	5.7	3.3	0.43	41.7	0.072	3	0.80	0.049	0.05	0.1	2.4	<0.02	<0.02	13
ROCK-WHI	Prep Blank	0.03	0.04	<0.02	31	0.68	0.043	6.0	4.3	0.52	49.4	0.096	2	0.92	0.057	0.06	0.1	3.0	<0.02	<0.02	9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 06, 2019

Page:

2 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000015.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD BVGE001 Expected		5.09	1.1	7.65	7.36	0.15	0.32	0.3	95	5.64		10.2	14.5	53	0.45	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.25	0.1	0.12	0.19	1.7	0.4	<0.05	2.4	8.00	11.2	<0.02	<1	0.2	2.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.22	<0.1	0.15	0.20	1.9	0.4	<0.05	2.8	8.51	12.1	<0.02	<1	<0.1	2.6	<10