



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: May 28, 2019  
Report Date: June 07, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000020.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-02  
P.O. Number  
Number of Samples: 125

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	120	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	125	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	125	Analysis sample split/packet			WHI
Split -150	125	Analysis sample split/packet			WHI
EN002	125	Environmental disposal charge-Fire assay lead waste			VAN
FS631	122	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	125	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	125	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 2 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828053	Drill Core	2.99	467	0.032	0.03	<0.17	23.39	0.76	7.65	7.91	40.7	582	1.9	4.3	125	1.70	8.6	0.8	15.7	5.1	13.2
1828054	Drill Core	3.59	421	0.047	0.05	<0.17	27.44	0.90	7.08	6.90	37.3	276	1.7	4.0	113	1.80	28.7	0.9	85.6	5.8	9.6
1828055	Drill Core	1.60	452	4.881	9.33	98.79	21.41	1.04	11.71	12.39	31.8	3895	1.8	3.7	100	1.90	15.2	0.9	10570.3	5.1	10.6
1828056	Drill Core	2.80	438	0.711	1.44	11.36	30.11	1.00	7.26	10.20	38.6	899	1.8	4.2	111	1.94	13.6	0.9	856.1	6.2	13.8
1828057	Drill Core	2.35	458	0.021	0.02	<0.17	25.00	0.70	7.80	9.82	46.4	347	2.2	4.1	130	1.76	7.4	0.6	8.9	5.5	11.6
1828058	Drill Core	3.95	380	0.126	0.15	0.50	23.84	0.89	8.67	53.16	93.0	576	3.3	4.9	206	2.66	18.6	0.9	69.3	6.4	16.7
1828059	Drill Core	4.31	435	0.007	<0.01	<0.17	25.18	0.72	4.99	4.49	84.9	230	2.2	4.6	207	2.49	4.0	0.8	2.3	7.2	15.4
1828060	Core DUP		463	<0.005	<0.01	<0.17	22.84	0.64	4.76	4.27	84.2	227	2.4	4.4	210	2.49	3.7	0.8	1.4	6.9	15.4
1828061	Drill Core	4.92	519	<0.005	<0.01	<0.17	25.60	0.63	4.56	5.57	52.4	119	2.1	4.2	203	2.20	3.1	0.8	1.1	6.1	50.1
1828062	Drill Core	4.70	487	<0.005	<0.01	<0.17	31.56	0.78	6.57	5.05	52.4	105	1.9	4.1	271	1.99	3.5	0.9	0.3	6.2	99.5
1828063	Drill Core	5.05	519	<0.005	<0.01	<0.17	26.07	0.63	4.10	4.79	43.1	93	1.6	3.7	225	1.68	3.5	0.9	<0.2	4.7	84.4
1828064	Drill Core	4.70	524	0.006	<0.01	<0.17	24.97	0.54	2.86	5.18	45.6	448	1.8	4.0	245	2.09	4.0	0.8	1.6	5.3	65.2
1828065	Drill Core	5.29	530	<0.005	<0.01	<0.17	25.33	0.63	2.18	6.14	44.8	147	1.9	4.2	191	1.96	4.6	0.8	0.4	6.4	55.8
1828066	Drill Core	5.45	490	<0.005	<0.01	<0.17	23.41	0.94	7.03	8.06	31.9	145	1.4	2.7	219	1.41	12.6	1.3	<0.2	7.6	77.1
1828067	Drill Core	5.38	474	<0.005	<0.01	<0.17	39.16	0.84	5.44	7.22	37.1	163	2.7	4.9	313	1.65	16.8	1.9	0.8	6.3	108.0
1828068	Drill Core	5.26	525	<0.005	<0.01	<0.17	29.38	0.88	2.95	7.66	40.1	98	1.4	3.9	235	1.65	3.7	1.9	5.0	6.2	118.6
1828069	Drill Core	2.77	409	0.006	<0.01	<0.17	34.49	0.98	4.17	7.16	41.6	116	1.5	4.3	207	1.91	3.3	3.1	3.4	6.0	165.4
1828070	Drill Core	2.60	473	0.010	<0.01	<0.17	23.69	0.70	4.29	7.92	31.9	555	0.9	2.8	251	1.42	4.2	0.9	11.8	5.8	166.0
1828071	Drill Core	2.31	459	0.100	0.09	<0.17	28.69	1.20	4.35	8.34	32.2	410	1.4	4.0	271	1.47	3.8	1.1	57.6	5.5	110.0
1828072	Drill Core	4.83	488	0.021	0.02	<0.17	34.67	1.16	2.72	9.77	31.2	170	1.0	2.5	354	1.13	6.2	1.1	19.4	7.0	125.1
1828073	Drill Core	4.91	466	<0.005	<0.01	<0.17	39.52	0.42	2.05	11.30	37.5	128	0.8	0.9	185	1.02	5.8	1.3	4.1	10.6	25.5
1828074	Drill Core	4.89	527	0.014	0.01	<0.17	36.60	0.48	3.93	10.18	39.2	141	1.1	1.9	222	1.05	2.9	1.2	4.6	9.2	26.1
1828075	Drill Core	4.72	482	0.143	0.21	1.02	34.27	0.75	3.81	10.70	47.3	343	1.3	2.9	370	1.30	5.7	1.2	72.0	8.0	60.4
1828076	Drill Core	2.92	528	0.029	0.03	<0.17	46.56	0.46	2.47	10.34	38.1	273	1.0	1.3	232	1.42	6.1	0.9	16.0	10.3	51.4
1828077	Drill Core	3.88	400	<0.005	<0.01	<0.17	48.50	1.53	4.67	12.18	43.9	303	1.8	4.1	229	1.48	7.1	1.3	3.2	8.4	24.1
1828078	Drill Core	4.83	500	<0.005	<0.01	<0.17	22.72	1.17	2.91	10.99	39.4	289	1.3	2.0	213	1.35	8.1	1.2	2.2	9.7	24.5
1828079	Drill Core	4.49	489	0.007	<0.01	<0.17	22.56	0.61	2.91	10.33	29.2	153	0.8	0.8	228	0.89	3.0	1.2	4.0	10.3	24.2
1828080	Rock	0.22	157	<0.005	<0.01	<0.17	23.73	0.95	1.58	0.87	2.4	11	2.1	0.6	144	1.30	1.0	0.1	0.8	1.2	1.6
1828081	Drill Core	3.80	377	0.243	0.44	2.01	42.88	0.57	9.19	5.74	18.7	2016	0.8	0.7	153	1.10	5.3	1.1	424.4	10.2	20.9
1828082	Drill Core	3.05	413	0.080	0.09	<0.17	30.73	0.39	3.11	8.62	34.0	387	0.9	0.8	84	1.35	5.6	2.0	165.1	10.0	14.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 2 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828053	Drill Core	0.24	0.49	0.03	8	0.17	0.046	16.2	2.7	0.20	469.4	0.006	2	0.89	0.024	0.42	0.7	4.3	0.09	<0.02	24			
1828054	Drill Core	0.26	0.68	0.02	7	0.14	0.050	19.6	2.9	0.13	575.5	0.004	2	0.90	0.020	0.53	0.1	3.9	0.11	<0.02	35			
1828055	Drill Core	0.25	0.83	0.05	6	0.12	0.044	16.8	3.0	0.16	448.9	0.003	1	0.75	0.032	0.38	0.3	3.4	0.08	<0.02	76			
1828056	Drill Core	0.37	0.61	<0.02	7	0.15	0.051	18.5	2.6	0.19	669.2	0.003	2	0.89	0.016	0.46	0.1	3.5	0.11	<0.02	28			
1828057	Drill Core	0.27	0.50	<0.02	7	0.14	0.046	17.1	3.5	0.21	493.6	0.002	2	0.94	0.012	0.43	0.2	3.1	0.09	<0.02	34			
1828058	Drill Core	0.42	0.91	<0.02	12	0.19	0.055	20.2	4.3	0.27	543.0	0.004	1	1.14	0.036	0.39	0.4	6.0	0.10	<0.02	47			
1828059	Drill Core	0.19	0.52	<0.02	15	0.19	0.059	23.4	3.6	0.42	493.8	0.006	1	1.23	0.059	0.36	0.2	9.8	0.07	<0.02	53			
1828060	Core DUP	0.20	0.51	<0.02	14	0.19	0.058	23.6	3.7	0.42	496.2	0.007	2	1.24	0.059	0.36	0.2	10.5	0.06	<0.02	54			
1828061	Drill Core	0.19	0.97	<0.02	16	0.57	0.053	18.8	3.5	0.41	469.7	0.017	2	1.08	0.029	0.48	0.1	9.2	0.23	<0.02	10			
1828062	Drill Core	0.30	0.52	<0.02	15	1.11	0.054	20.2	3.3	0.41	554.6	0.012	2	1.05	0.037	0.49	<0.1	10.7	0.13	<0.02	<5			
1828063	Drill Core	0.17	0.25	<0.02	13	1.03	0.052	13.9	2.7	0.39	623.3	0.059	1	0.90	0.039	0.44	<0.1	8.2	0.10	<0.02	<5			
1828064	Drill Core	0.21	0.30	<0.02	14	0.89	0.051	15.0	3.1	0.47	684.1	0.033	2	0.98	0.028	0.48	<0.1	9.1	0.11	<0.02	12			
1828065	Drill Core	0.34	0.64	<0.02	14	0.68	0.049	20.7	2.9	0.45	490.3	0.019	2	1.00	0.026	0.54	0.2	10.4	0.19	<0.02	10			
1828066	Drill Core	0.32	0.62	0.04	7	1.15	0.039	24.2	2.5	0.19	441.4	0.006	2	0.69	0.038	0.46	<0.1	6.2	0.12	<0.02	16			
1828067	Drill Core	0.36	0.51	0.07	10	1.31	0.051	20.6	3.1	0.25	592.4	0.017	1	0.84	0.033	0.51	0.1	7.9	0.17	<0.02	14			
1828068	Drill Core	0.22	0.59	0.04	12	1.46	0.047	19.5	2.6	0.37	505.6	0.013	2	0.93	0.028	0.48	0.2	8.6	0.13	<0.02	16			
1828069	Drill Core	0.15	0.39	0.03	14	1.71	0.051	18.7	3.0	0.50	448.6	0.010	1	1.10	0.042	0.51	<0.1	8.3	0.10	<0.02	<5			
1828070	Drill Core	0.24	1.16	0.03	7	1.72	0.047	14.8	1.9	0.39	477.3	0.005	1	0.77	0.020	0.51	<0.1	4.8	0.09	0.05	10			
1828071	Drill Core	0.37	0.92	<0.02	6	1.05	0.044	13.3	2.4	0.27	581.8	0.003	3	0.70	0.021	0.50	0.2	3.6	0.08	0.18	27			
1828072	Drill Core	0.32	0.40	0.02	4	1.34	0.031	20.8	1.8	0.14	576.3	0.004	1	0.57	0.033	0.44	0.2	2.9	0.07	0.05	19			
1828073	Drill Core	0.26	0.42	<0.02	3	0.48	0.011	30.6	2.1	0.07	275.6	0.009	<1	0.46	0.020	0.40	<0.1	2.5	0.08	<0.02	16			
1828074	Drill Core	0.20	0.43	<0.02	5	0.56	0.020	25.5	1.9	0.09	249.5	0.007	<1	0.49	0.018	0.37	<0.1	3.6	0.07	0.05	12			
1828075	Drill Core	0.31	0.45	<0.02	5	1.11	0.028	21.3	2.0	0.14	281.2	0.005	<1	0.62	0.010	0.45	0.1	3.6	0.07	0.09	14			
1828076	Drill Core	0.20	0.41	<0.02	4	0.75	0.011	26.2	1.1	0.13	277.0	0.004	<1	0.67	0.023	0.43	0.1	2.6	0.06	0.17	15			
1828077	Drill Core	0.21	0.54	<0.02	9	0.49	0.035	26.0	2.4	0.14	323.4	0.008	<1	0.77	0.030	0.53	0.1	5.4	0.09	0.08	17			
1828078	Drill Core	0.40	0.67	<0.02	6	0.54	0.021	28.0	2.0	0.11	289.2	0.011	<1	0.58	0.026	0.40	<0.1	3.9	0.10	0.07	19			
1828079	Drill Core	0.35	0.34	<0.02	3	0.73	0.010	29.7	2.0	0.05	286.6	0.009	<1	0.46	0.012	0.43	<0.1	2.1	0.09	0.03	13			
1828080	Rock	<0.01	0.05	<0.02	1	0.04	0.002	1.7	5.8	0.02	13.3	0.003	<1	0.07	0.008	0.02	<0.1	0.2	<0.02	<0.02	<5			
1828081	Drill Core	0.17	1.01	<0.02	2	0.31	0.010	26.7	2.2	0.05	622.8	0.003	1	0.56	0.014	0.47	0.2	1.8	0.08	0.18	22			
1828082	Drill Core	0.05	0.43	<0.02	4	0.05	0.014	22.4	2.1	0.09	246.2	0.005	<1	0.62	0.022	0.41	0.1	2.8	0.07	0.02	29			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 2 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828053	Drill Core	<0.1	<0.02	2.8	0.46	<0.1	0.02	<0.02	15.4	0.6	<0.05	0.5	9.06	34.5	0.02	<1	0.2	5.3	<10	<2			
1828054	Drill Core	<0.1	<0.02	2.2	0.48	<0.1	0.03	<0.02	17.7	0.3	<0.05	0.5	9.82	39.8	<0.02	<1	0.2	4.5	<10	<2			
1828055	Drill Core	0.2	0.04	2.1	0.46	<0.1	<0.02	<0.02	13.2	0.3	<0.05	0.8	8.12	33.5	<0.02	<1	0.2	4.3	<10	<2			
1828056	Drill Core	0.3	0.02	2.3	0.55	<0.1	<0.02	<0.02	15.6	0.2	<0.05	0.9	8.95	36.6	<0.02	<1	0.3	4.6	<10	<2			
1828057	Drill Core	<0.1	<0.02	2.5	0.90	<0.1	<0.02	<0.02	15.8	0.2	<0.05	0.5	7.05	33.7	<0.02	<1	0.2	6.6	<10	<2			
1828058	Drill Core	<0.1	<0.02	3.8	1.28	<0.1	0.04	<0.02	15.2	0.2	<0.05	1.2	12.05	39.9	0.02	<1	0.3	8.9	<10	<2			
1828059	Drill Core	<0.1	<0.02	4.1	0.58	<0.1	<0.02	<0.02	12.5	0.5	<0.05	0.5	10.97	44.8	0.04	<1	0.2	15.4	<10	<2			
1828060	Core DUP	<0.1	<0.02	4.1	0.59	<0.1	<0.02	<0.02	12.6	0.4	<0.05	0.5	10.78	45.1	0.05	<1	0.3	16.2	<10	<2			
1828061	Drill Core	<0.1	<0.02	4.1	2.61	<0.1	<0.02	<0.02	25.4	0.4	<0.05	0.6	12.88	36.2	0.04	<1	0.3	8.5	<10	<2			
1828062	Drill Core	<0.1	<0.02	4.2	1.28	<0.1	<0.02	<0.02	18.7	0.5	<0.05	0.5	14.77	39.9	0.04	<1	0.4	8.2	<10	<2			
1828063	Drill Core	<0.1	<0.02	3.3	0.95	<0.1	0.03	0.10	15.7	0.4	<0.05	0.4	12.23	27.0	0.04	<1	0.2	5.5	<10	<2			
1828064	Drill Core	<0.1	<0.02	3.4	1.42	<0.1	0.02	0.04	16.9	0.3	<0.05	0.5	13.50	30.2	0.03	<1	0.3	6.7	<10	<2			
1828065	Drill Core	<0.1	<0.02	3.3	2.41	<0.1	0.03	<0.02	22.6	0.3	<0.05	0.7	14.70	40.7	0.03	<1	0.2	6.7	<10	<2			
1828066	Drill Core	0.2	<0.02	2.0	1.37	<0.1	0.04	<0.02	16.7	0.2	<0.05	1.2	17.76	47.7	0.02	<1	0.3	2.8	<10	<2			
1828067	Drill Core	0.1	0.03	2.6	1.49	<0.1	0.15	<0.02	20.3	0.2	<0.05	4.0	15.60	41.4	0.02	2	0.3	4.8	<10	<2			
1828068	Drill Core	0.1	<0.02	2.8	1.23	<0.1	0.07	<0.02	16.9	0.3	<0.05	2.4	10.05	38.2	0.04	1	0.2	6.6	<10	<2			
1828069	Drill Core	<0.1	<0.02	3.5	0.57	<0.1	0.06	<0.02	15.9	0.2	<0.05	2.1	8.55	38.0	<0.02	5	0.3	8.8	<10	<2			
1828070	Drill Core	<0.1	<0.02	1.9	0.42	<0.1	0.10	<0.02	15.4	0.2	<0.05	3.5	6.67	29.4	<0.02	<1	0.2	4.0	<10	<2			
1828071	Drill Core	0.1	<0.02	2.0	0.59	<0.1	0.19	<0.02	15.1	0.2	<0.05	6.5	8.73	27.1	<0.02	<1	0.4	3.5	<10	<2			
1828072	Drill Core	<0.1	<0.02	1.8	0.49	<0.1	0.23	<0.02	13.8	0.2	<0.05	6.4	9.13	41.1	<0.02	<1	0.3	2.4	<10	<2			
1828073	Drill Core	<0.1	<0.02	2.5	0.57	<0.1	0.33	0.03	13.4	0.4	<0.05	7.9	15.94	58.4	<0.02	<1	0.2	1.7	<10	<2			
1828074	Drill Core	0.1	<0.02	2.2	0.43	<0.1	0.31	<0.02	12.1	0.4	<0.05	7.6	10.05	49.3	0.03	<1	0.3	2.2	<10	<2			
1828075	Drill Core	<0.1	<0.02	2.5	0.36	<0.1	0.29	<0.02	14.9	0.3	<0.05	7.7	8.01	42.5	<0.02	<1	0.4	3.0	<10	<2			
1828076	Drill Core	0.2	<0.02	3.3	0.41	<0.1	0.21	<0.02	14.9	0.4	<0.05	4.7	7.93	50.9	<0.02	<1	0.3	3.7	<10	<2			
1828077	Drill Core	0.2	<0.02	3.3	0.57	<0.1	0.34	<0.02	19.5	0.4	<0.05	8.9	11.44	50.7	<0.02	<1	0.5	3.7	<10	<2			
1828078	Drill Core	0.2	<0.02	2.8	0.83	<0.1	0.27	<0.02	17.8	0.5	<0.05	7.0	15.98	53.7	0.02	<1	0.3	4.0	<10	<2			
1828079	Drill Core	<0.1	<0.02	2.2	0.49	<0.1	0.23	0.04	16.4	0.4	<0.05	5.5	14.88	56.8	<0.02	<1	0.3	2.3	<10	<2			
1828080	Rock	<0.1	<0.02	0.4	0.10	<0.1	0.11	0.02	1.1	<0.1	<0.05	2.3	0.94	3.5	<0.02	<1	<0.1	1.3	<10	<2			
1828081	Drill Core	<0.1	<0.02	2.5	0.44	<0.1	0.16	<0.02	16.8	0.3	<0.05	3.9	7.08	51.5	0.03	<1	0.3	1.7	<10	<2			
1828082	Drill Core	<0.1	<0.02	3.1	0.62	<0.1	0.19	<0.02	15.1	0.4	<0.05	4.7	7.88	44.2	<0.02	<1	0.3	4.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 3 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828083	Drill Core	5.71	458	<0.005	<0.01	<0.17	46.02	0.36	1.58	9.71	35.5	185	1.1	1.1	95	1.25	3.3	1.4	0.5	10.2	11.4
1828084	Drill Core	2.32	472	<0.005	<0.01	<0.17	32.30	0.34	0.94	11.41	31.2	113	0.8	0.6	100	1.00	2.6	1.0	<0.2	10.5	15.0
1828085	Drill Core	4.87	497	0.009	<0.01	<0.17	46.23	0.34	2.05	9.27	29.0	199	0.6	0.6	96	0.97	2.8	1.2	3.6	10.0	14.5
1828086	Drill Core	2.92	536	0.075	0.07	<0.17	34.09	0.44	9.56	4.20	15.5	1965	0.7	0.5	70	0.69	4.1	0.6	72.7	8.4	5.9
1828087	Drill Core	1.86	504	0.042	0.04	<0.17	48.25	0.43	8.21	6.61	29.2	1717	0.7	0.7	91	0.93	4.6	1.1	50.7	9.2	6.7
1828088	Drill Core	4.65	461	0.190	0.20	0.37	35.22	0.96	4.26	10.37	31.6	528	1.2	1.1	87	1.12	10.9	1.1	207.3	9.8	7.6
1828089	Drill Core	2.77	465	0.573	0.62	1.06	46.17	0.75	4.96	6.82	18.1	558	0.8	0.4	59	1.12	6.7	1.3	448.3	8.4	10.4
1828090	Drill Core	1.88	409	0.050	0.05	<0.17	29.94	0.65	4.52	8.92	36.8	409	1.0	0.9	76	1.14	10.2	1.9	38.4	10.5	9.8
1828091	Drill Core	2.07	520	0.740	1.38	7.99	45.68	0.71	3.61	8.08	9.6	949	0.7	0.3	58	1.06	3.4	0.9	1373.6	8.5	27.5
1828092	Drill Core	3.57	399	1.507	4.52	34.32	36.66	0.61	4.04	4.17	13.1	966	0.6	0.4	53	0.92	3.4	1.6	1610.8	8.0	15.5
1828093	Drill Core	4.46	477	0.007	<0.01	<0.17	35.69	0.42	1.52	7.48	29.3	169	1.0	0.8	111	0.86	4.1	1.5	4.2	9.2	9.9
1828094	Drill Core	2.31	522	0.125	0.13	<0.17	42.81	0.37	6.14	6.08	14.8	283	0.6	0.5	80	0.64	7.1	0.9	122.4	7.9	8.3
1828095	Drill Core	2.04	507	0.093	0.09	<0.17	49.91	0.28	1.30	7.40	7.3	131	0.5	0.3	102	0.52	2.0	1.3	118.2	7.3	44.4
1828096	Drill Core	2.58	544	<0.005	<0.01	<0.17	22.02	0.28	2.20	8.11	12.4	104	0.5	0.4	88	0.58	3.6	1.4	<0.2	8.5	24.4
1828097	Drill Core	4.22	440	<0.005	<0.01	<0.17	34.41	0.27	1.55	7.28	14.0	82	0.5	0.4	105	0.59	2.4	1.5	<0.2	8.2	38.5
1828098	Drill Core	2.82	525	0.007	<0.01	<0.17	37.59	0.29	2.09	6.09	9.5	76	0.5	0.4	88	0.55	1.2	0.9	<0.2	7.2	24.4
1828099	Drill Core	3.27	409	0.011	<0.01	<0.17	27.31	0.34	0.78	4.57	6.6	56	0.6	0.3	92	0.51	0.9	0.7	<0.2	7.7	27.6
1828100	Rock Pulp	0.11	88	7.420	I.S.	I.S.	I.S.	9.36	182.63	18.97	74.0	853	13.6	11.2	597	4.74	14.5	0.9	7305.5	2.7	80.5
1828101	Drill Core	1.70	478	0.006	<0.01	<0.17	28.93	0.38	1.56	6.27	7.7	93	0.6	0.3	106	0.61	2.2	0.5	<0.2	6.8	21.5
1828102	Drill Core	2.13	452	0.013	0.01	<0.17	27.82	0.52	2.39	8.53	9.9	262	0.6	0.9	148	0.70	8.2	0.7	6.9	8.2	43.8
1828103	Drill Core	1.93	393	<0.005	<0.01	<0.17	33.71	0.53	0.67	5.86	7.1	103	0.5	0.2	136	0.55	0.4	0.6	<0.2	6.1	69.7
1828104	Drill Core	2.52	510	<0.005	<0.01	<0.17	40.73	0.38	1.77	4.37	7.5	91	0.6	0.3	92	0.58	0.7	0.5	<0.2	4.5	34.6
1828105	Drill Core	2.46	465	0.005	<0.01	<0.17	45.41	0.24	3.05	15.94	10.4	199	0.5	0.5	166	0.40	0.7	0.8	<0.2	5.6	50.3
1828106	Drill Core	5.03	496	<0.005	<0.01	<0.17	27.94	0.34	4.17	7.59	13.1	188	0.6	1.1	150	0.48	30.0	1.1	2.0	6.3	45.0
1828107	Drill Core	2.38	434	0.013	0.01	<0.17	28.96	1.42	5.17	17.53	43.5	402	2.1	3.1	111	1.33	6.3	1.0	6.8	7.4	23.9
1828108	Drill Core	3.15	478	0.115	0.11	<0.17	31.07	1.36	9.20	12.31	44.9	2045	1.8	2.7	135	1.30	4.2	0.8	51.0	6.2	69.1
1828109	Drill Core	3.42	443	<0.005	<0.01	<0.17	28.32	0.56	5.59	9.44	72.7	292	1.2	1.1	85	1.27	2.0	0.8	2.2	8.1	36.4
1828110	Drill Core	4.79	462	<0.005	<0.01	<0.17	29.28	1.01	5.12	15.56	65.8	266	0.9	0.7	110	1.14	2.8	1.4	1.0	9.0	71.1
1828111	Drill Core	5.08	492	<0.005	<0.01	<0.17	37.64	1.78	4.10	11.77	65.0	212	0.5	0.6	97	1.03	1.1	1.9	0.3	8.6	81.6
1828112	Drill Core	2.46	504	<0.005	<0.01	<0.17	42.60	3.83	4.68	10.99	81.7	226	0.6	0.7	109	0.99	1.0	3.1	0.3	9.2	83.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 3 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828083	Drill Core	0.09	0.39	<0.02	6	0.10	0.012	28.7	2.4	0.10	257.3	0.010	<1	0.62	0.021	0.44	<0.1	2.9	0.10	<0.02	16			
1828084	Drill Core	0.05	0.29	<0.02	4	0.18	0.011	31.2	1.8	0.08	257.5	0.011	<1	0.49	0.029	0.40	<0.1	2.9	0.10	<0.02	18			
1828085	Drill Core	0.04	0.37	<0.02	4	0.16	0.011	28.1	1.6	0.07	222.8	0.006	<1	0.46	0.019	0.37	<0.1	2.6	0.07	<0.02	11			
1828086	Drill Core	0.08	0.55	<0.02	2	0.04	0.011	24.4	1.8	0.05	317.6	0.002	2	0.39	0.015	0.35	0.2	1.6	0.06	0.08	19			
1828087	Drill Core	0.08	0.51	<0.02	4	0.06	0.012	21.8	2.0	0.06	265.7	0.003	2	0.49	0.027	0.38	<0.1	2.4	0.07	0.10	26			
1828088	Drill Core	0.09	0.63	<0.02	4	0.04	0.012	30.8	2.5	0.06	255.4	0.002	2	0.51	0.019	0.37	0.3	2.4	0.07	<0.02	21			
1828089	Drill Core	0.05	0.36	0.03	4	0.03	0.012	26.3	2.3	0.04	317.6	0.002	2	0.48	0.027	0.39	<0.1	1.6	0.07	0.06	21			
1828090	Drill Core	0.06	0.45	0.03	5	0.04	0.014	27.0	2.1	0.07	243.5	0.003	1	0.60	0.025	0.37	<0.1	2.7	0.06	<0.02	23			
1828091	Drill Core	0.01	0.32	0.05	2	0.01	0.012	23.6	2.3	0.02	295.3	0.001	2	0.35	0.015	0.37	0.1	1.1	0.06	0.10	37			
1828092	Drill Core	0.02	0.30	<0.02	3	<0.01	0.010	25.6	2.3	0.02	283.6	0.002	1	0.39	0.021	0.37	<0.1	1.5	0.06	0.05	19			
1828093	Drill Core	0.10	0.31	<0.02	3	0.08	0.011	30.2	2.2	0.05	260.2	0.002	1	0.51	0.029	0.37	<0.1	2.1	0.06	<0.02	26			
1828094	Drill Core	0.12	0.23	<0.02	2	0.08	0.010	24.2	1.6	0.02	276.2	0.002	1	0.37	0.034	0.33	<0.1	1.3	0.05	0.09	11			
1828095	Drill Core	0.06	0.12	<0.02	2	0.53	0.008	22.5	1.5	0.02	264.0	0.002	2	0.37	0.046	0.36	<0.1	1.1	0.06	0.08	19			
1828096	Drill Core	0.04	0.19	<0.02	2	0.32	0.011	25.7	1.5	0.02	263.0	0.003	<1	0.41	0.062	0.39	<0.1	1.4	0.06	<0.02	16			
1828097	Drill Core	0.03	0.18	<0.02	2	0.52	0.011	26.6	1.5	0.03	283.7	0.003	<1	0.46	0.045	0.46	<0.1	1.3	0.06	<0.02	6			
1828098	Drill Core	0.05	0.12	<0.02	2	0.36	0.009	23.2	1.7	0.02	286.1	0.002	<1	0.43	0.042	0.44	<0.1	1.1	0.06	0.05	5			
1828099	Drill Core	0.03	0.09	<0.02	2	0.38	0.009	23.5	2.1	0.01	243.7	0.001	<1	0.32	0.060	0.36	<0.1	1.0	0.05	<0.02	10			
1828100	Rock Pulp	0.20	5.08	0.54	123	1.00	0.062	7.9	17.8	0.85	124.0	0.135	2	1.93	0.196	0.24	4.4	4.3	0.06	<0.02	201			
1828101	Drill Core	0.03	0.12	<0.02	2	0.29	0.008	21.7	2.1	0.02	310.7	0.001	2	0.41	0.050	0.43	<0.1	1.0	0.06	<0.02	7			
1828102	Drill Core	0.06	0.19	<0.02	2	0.45	0.010	23.3	2.3	0.02	331.7	0.001	1	0.39	0.033	0.43	<0.1	1.1	0.06	0.06	8			
1828103	Drill Core	0.05	0.08	<0.02	2	0.62	0.008	19.1	2.0	0.02	285.6	0.002	<1	0.37	0.054	0.40	<0.1	0.9	0.06	<0.02	8			
1828104	Drill Core	0.03	0.10	<0.02	1	0.25	0.008	15.1	2.3	0.01	192.2	0.001	1	0.28	0.059	0.26	<0.1	0.9	0.04	<0.02	<5			
1828105	Drill Core	0.08	0.12	<0.02	3	0.60	0.023	20.4	1.5	0.01	296.9	0.003	1	0.40	0.081	0.36	0.1	1.5	0.05	<0.02	7			
1828106	Drill Core	0.10	0.27	<0.02	3	0.76	0.019	21.2	1.6	0.02	475.5	0.003	<1	0.40	0.086	0.27	0.1	2.0	0.05	0.03	29			
1828107	Drill Core	0.34	1.25	0.06	6	0.22	0.024	23.5	2.2	0.16	746.1	0.002	3	0.83	0.020	0.40	0.4	4.2	0.12	0.08	205			
1828108	Drill Core	0.32	0.77	0.06	6	0.60	0.023	19.5	2.7	0.37	1020.0	0.002	3	0.97	0.016	0.42	0.4	3.0	0.12	0.12	70			
1828109	Drill Core	0.07	0.51	0.08	3	0.21	0.008	30.9	2.3	0.45	994.6	0.001	2	1.02	0.017	0.35	0.2	3.7	0.10	0.04	96			
1828110	Drill Core	0.33	0.68	0.09	3	0.78	0.006	31.7	2.0	0.28	1071.9	0.001	3	0.88	0.024	0.41	0.1	4.3	0.14	0.05	133			
1828111	Drill Core	0.19	0.44	0.05	2	0.73	0.006	30.5	1.5	0.42	708.3	0.001	2	0.85	0.033	0.37	<0.1	4.2	0.09	0.06	23			
1828112	Drill Core	0.34	0.61	0.05	2	0.70	0.007	31.3	1.7	0.40	880.0	0.001	2	0.89	0.039	0.43	0.2	5.1	0.12	0.07	108			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 3 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828083	Drill Core	<0.1	<0.02	3.1	1.00	<0.1	0.17	<0.02	21.5	0.5	<0.05	4.4	14.69	55.6	0.03	<1	0.3	4.0	<10	<2			
1828084	Drill Core	<0.1	<0.02	2.7	0.77	<0.1	0.20	0.03	20.0	0.4	<0.05	4.4	18.40	58.2	0.03	<1	0.3	2.6	<10	<2			
1828085	Drill Core	<0.1	<0.02	2.5	0.58	<0.1	0.12	<0.02	16.4	0.3	<0.05	3.9	13.28	54.5	0.03	<1	0.3	2.2	<10	<2			
1828086	Drill Core	0.1	<0.02	1.5	0.38	<0.1	0.20	0.04	13.1	0.3	<0.05	6.8	4.02	50.5	<0.02	<1	0.3	1.4	<10	<2			
1828087	Drill Core	<0.1	<0.02	2.2	0.43	<0.1	0.24	0.04	15.7	0.3	<0.05	8.4	7.22	46.1	0.03	<1	0.4	2.4	<10	<2			
1828088	Drill Core	<0.1	<0.02	2.5	0.63	<0.1	0.33	0.03	14.6	0.3	<0.05	10.5	10.21	63.5	0.02	<1	0.4	2.3	<10	<2			
1828089	Drill Core	0.7	<0.02	2.2	0.45	<0.1	0.27	0.02	13.9	0.3	<0.05	9.2	4.64	52.5	<0.02	<1	0.3	1.6	<10	<2			
1828090	Drill Core	0.2	<0.02	2.9	0.67	<0.1	0.35	<0.02	14.9	0.4	<0.05	12.6	7.44	54.3	0.02	<1	0.4	4.1	<10	<2			
1828091	Drill Core	1.5	<0.02	1.3	0.56	<0.1	0.21	<0.02	11.0	0.4	<0.05	8.8	2.31	46.0	<0.02	<1	0.3	0.6	<10	<2			
1828092	Drill Core	0.4	<0.02	1.8	0.61	<0.1	0.25	<0.02	13.5	0.3	<0.05	8.6	4.29	50.7	<0.02	<1	0.3	0.9	<10	<2			
1828093	Drill Core	<0.1	<0.02	2.3	0.49	<0.1	0.21	<0.02	15.3	0.3	<0.05	7.2	10.00	60.2	0.02	<1	0.3	2.4	<10	<2			
1828094	Drill Core	<0.1	<0.02	1.4	0.43	<0.1	0.13	<0.02	13.0	0.3	<0.05	5.5	6.32	48.9	<0.02	<1	0.3	0.9	<10	<2			
1828095	Drill Core	<0.1	<0.02	1.2	0.36	<0.1	0.13	<0.02	14.7	0.1	<0.05	4.2	7.27	44.6	<0.02	<1	0.3	0.8	<10	<2			
1828096	Drill Core	<0.1	<0.02	1.4	0.53	<0.1	0.11	0.02	19.2	0.2	<0.05	3.7	13.18	52.9	<0.02	<1	0.3	1.5	<10	<2			
1828097	Drill Core	0.1	<0.02	1.5	0.48	<0.1	0.13	0.03	19.8	0.2	<0.05	3.6	17.25	52.8	<0.02	<1	0.4	1.2	<10	<2			
1828098	Drill Core	<0.1	<0.02	1.4	0.49	<0.1	0.13	0.02	16.8	0.2	<0.05	3.5	10.64	45.8	<0.02	<1	0.3	0.9	<10	<2			
1828099	Drill Core	<0.1	<0.02	1.1	0.49	<0.1	0.15	<0.02	15.1	0.2	<0.05	4.2	6.54	45.7	<0.02	<1	0.3	0.6	<10	<2			
1828100	Rock Pulp	0.1	0.16	5.2	0.73	0.1	0.10	0.10	8.8	1.7	<0.05	2.0	5.67	16.8	0.05	2	0.1	7.3	<10	<2			
1828101	Drill Core	<0.1	<0.02	1.3	0.52	<0.1	0.15	<0.02	16.6	0.2	<0.05	4.2	4.54	43.0	<0.02	<1	0.3	0.8	<10	<2			
1828102	Drill Core	<0.1	<0.02	1.3	0.59	<0.1	0.09	<0.02	17.4	0.2	<0.05	3.2	5.58	46.0	<0.02	<1	0.2	1.0	<10	<2			
1828103	Drill Core	<0.1	<0.02	1.4	0.72	<0.1	0.10	<0.02	17.4	0.3	<0.05	2.9	5.44	38.4	<0.02	<1	0.3	0.8	<10	<2			
1828104	Drill Core	<0.1	<0.02	1.0	0.56	<0.1	0.10	<0.02	11.2	0.2	<0.05	3.5	5.22	30.6	<0.02	<1	0.2	0.7	<10	<2			
1828105	Drill Core	<0.1	<0.02	1.3	0.43	<0.1	0.13	<0.02	13.2	0.2	<0.05	4.5	5.84	38.8	<0.02	<1	0.4	0.7	<10	<2			
1828106	Drill Core	<0.1	<0.02	1.3	0.52	<0.1	0.07	0.02	9.4	0.3	<0.05	2.4	13.34	42.0	<0.02	<1	0.2	0.8	<10	<2			
1828107	Drill Core	0.6	<0.02	3.0	1.56	<0.1	0.04	<0.02	13.3	0.5	<0.05	2.1	13.06	48.1	0.03	<1	0.3	5.2	<10	<2			
1828108	Drill Core	<0.1	<0.02	2.8	0.71	<0.1	0.03	<0.02	13.6	0.4	<0.05	1.7	7.79	38.2	<0.02	<1	0.3	8.2	<10	<2			
1828109	Drill Core	<0.1	<0.02	3.4	1.09	0.1	0.04	<0.02	11.3	0.5	<0.05	1.2	11.32	62.4	0.04	<1	0.3	13.2	<10	<2			
1828110	Drill Core	<0.1	<0.02	3.0	0.95	<0.1	0.04	0.03	13.8	0.5	<0.05	1.4	17.00	64.3	0.04	<1	0.2	6.6	<10	<2			
1828111	Drill Core	<0.1	<0.02	2.7	0.74	<0.1	0.05	0.03	10.2	0.4	<0.05	1.1	15.80	60.9	0.04	<1	0.3	10.3	<10	<2			
1828112	Drill Core	<0.1	<0.02	3.2	0.94	<0.1	0.04	0.03	13.4	0.5	<0.05	1.3	18.83	65.8	0.05	<1	0.3	10.4	<10	<2			





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828113	Drill Core	2.21	456	<0.005	<0.01	<0.17	36.34	2.24	2.75	13.30	59.6	241	0.4	0.4	184	0.96	2.5	3.4	<0.2	8.6	130.7
1828114	Drill Core	2.51	401	<0.005	<0.01	<0.17	44.50	3.04	1.91	10.54	48.1	141	0.4	0.2	100	0.83	0.3	3.2	<0.2	8.5	85.4
1828115	Drill Core	2.61	513	<0.005	<0.01	<0.17	39.67	3.57	2.61	14.45	48.4	244	0.4	0.6	98	0.80	1.0	5.3	<0.2	8.4	83.4
1828116	Drill Core	4.99	458	<0.005	<0.01	<0.17	41.72	2.75	3.52	13.03	42.8	279	0.3	0.4	104	0.98	2.4	3.0	<0.2	8.4	114.1
1828117	Drill Core	4.99	489	<0.005	<0.01	<0.17	31.12	1.89	3.59	14.05	43.4	237	0.4	0.4	103	0.89	2.2	1.3	<0.2	7.4	142.8
1828118	Drill Core	3.06	500	<0.005	<0.01	<0.17	40.24	20.97	12.94	52.40	150.6	884	0.6	1.2	76	0.75	4.3	4.2	<0.2	6.9	110.5
1828119	Drill Core	2.52	523	<0.005	<0.01	<0.17	34.68	8.63	18.57	146.75	202.4	2207	0.4	0.6	84	0.82	3.7	2.9	0.9	7.6	102.2
1828120	Rock Pulp	0.12	91	0.475	I.S.	I.S.	I.S.	2.40	432.00	19.16	51.2	282	591.6	27.0	447	2.53	20.1	0.6	453.0	1.7	60.9
1828121	Drill Core	3.54	409	0.126	0.12	<0.17	34.03	4.06	4.26	25.66	52.4	341	0.5	0.3	122	0.96	1.9	2.6	14.8	9.0	106.2
1828122	Drill Core	2.23	404	0.094	0.11	0.27	44.71	1.26	2.61	12.11	55.1	357	0.6	0.6	127	0.89	2.8	2.2	219.3	9.1	94.4
1828123	Drill Core	3.20	519	0.018	0.02	<0.17	37.68	0.74	4.10	16.11	63.2	583	0.4	0.5	96	0.88	5.8	3.9	42.7	8.6	128.3
1828124	Drill Core	4.50	419	<0.005	<0.01	<0.17	42.04	0.54	3.66	12.38	54.7	191	0.4	0.5	121	0.98	2.3	2.6	1.4	8.8	191.1
1828125	Drill Core	2.80	544	0.007	<0.01	<0.17	41.63	0.52	10.00	10.06	35.1	948	0.6	0.5	70	0.88	3.5	0.8	3.1	9.6	71.9
1828126	Drill Core	2.53	506	<0.005	<0.01	<0.17	32.11	0.32	3.52	6.85	32.2	245	0.4	0.3	58	0.70	0.8	1.3	2.3	5.8	73.2
1828127	Drill Core	4.74	457	<0.005	<0.01	<0.17	36.73	0.48	2.55	9.77	37.4	224	0.4	0.3	84	0.70	3.2	1.2	<0.2	6.0	67.4
1828128	Drill Core	4.86	458	<0.005	<0.01	<0.17	35.09	0.59	3.99	10.57	42.8	233	0.3	0.4	119	0.90	2.8	3.8	0.7	8.4	91.2
1828129	Drill Core	2.23	415	<0.005	<0.01	<0.17	48.43	0.55	2.46	13.29	37.0	178	0.3	0.4	120	0.60	3.0	3.0	0.9	8.7	119.5
1828130	Drill Core	2.49	472	0.375	1.10	8.51	41.85	0.64	8.28	114.90	30.7	3945	0.6	0.3	97	0.67	2.8	1.0	455.8	4.5	67.7
1828131	Drill Core	4.90	473	0.028	0.03	<0.17	42.49	0.81	1.90	12.14	28.9	190	0.3	0.4	96	0.61	2.6	2.7	7.7	8.8	99.5
1828132	Drill Core	4.99	468	<0.005	<0.01	<0.17	46.08	0.57	2.09	12.07	34.8	167	0.3	0.5	121	0.92	2.1	3.2	1.3	10.8	110.3
1828133	Drill Core	5.34	490	<0.005	<0.01	<0.17	38.24	0.45	2.54	10.23	33.7	180	0.3	0.5	85	0.69	3.2	2.5	1.0	7.0	65.2
1828134	Drill Core	4.54	456	0.013	0.01	<0.17	38.21	0.99	3.05	20.13	35.5	374	0.4	0.4	131	0.78	2.1	2.3	8.8	8.7	116.8
1828135	Drill Core	4.35	454	0.026	0.02	<0.17	44.69	0.49	3.68	17.07	30.7	696	0.5	0.3	97	0.60	2.8	1.0	26.5	8.2	45.3
1828136	Drill Core	1.32	461	0.026	0.02	<0.17	31.56	0.66	3.76	8.98	24.2	1007	0.6	0.6	71	0.71	3.9	1.0	19.4	9.0	28.8
1828137	Drill Core	2.70	431	0.180	0.33	1.46	50.10	0.65	2.70	11.29	27.9	405	0.6	0.4	148	0.85	3.0	0.8	158.2	7.5	99.3
1828138	Drill Core	4.17	409	<0.005	<0.01	<0.17	36.08	0.57	2.91	12.89	39.3	207	0.6	0.4	157	0.88	2.0	1.7	0.4	8.8	108.5
1828139	Drill Core	2.44	540	0.006	<0.01	<0.17	43.45	0.60	3.39	14.32	28.3	322	0.6	0.6	132	0.71	3.3	2.3	4.8	8.3	82.5
1828140	Rock Pulp	0.11	90	<0.005	I.S.	I.S.	I.S.	2.34	89.27	3.62	37.0	163	4.6	8.5	389	2.62	1.0	0.9	2.5	4.2	81.7
1828141	Drill Core	2.31	502	0.417	0.58	2.20	44.46	2.59	1.81	14.58	26.7	589	0.4	0.4	140	0.62	1.9	1.6	503.8	6.7	98.0
1828142	Drill Core	2.66	460	<0.005	<0.01	<0.17	27.85	0.66	1.22	10.81	37.1	136	0.4	0.3	147	0.67	3.3	2.5	<0.2	8.5	77.8





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828113	Drill Core	0.27	0.36	0.03	2	1.72	0.006	32.2	1.4	0.48	728.0	0.001	2	0.76	0.029	0.44	<0.1	6.5	0.11	0.07	26
1828114	Drill Core	0.25	0.25	0.03	2	0.98	0.006	31.4	1.5	0.42	790.2	0.001	2	0.88	0.042	0.48	0.1	5.9	0.12	<0.02	9
1828115	Drill Core	0.26	0.21	0.09	2	1.04	0.005	29.9	1.4	0.35	636.1	0.001	1	0.70	0.029	0.44	<0.1	4.2	0.09	0.08	21
1828116	Drill Core	0.69	0.28	0.09	2	1.15	0.006	36.5	1.5	0.41	757.2	0.001	2	0.89	0.023	0.50	0.1	4.4	0.11	0.07	8
1828117	Drill Core	0.58	0.40	0.06	2	1.22	0.005	25.0	1.3	0.36	724.6	0.001	2	0.72	0.024	0.45	<0.1	3.3	0.10	0.08	17
1828118	Drill Core	2.54	1.21	0.12	2	1.02	0.005	21.8	1.1	0.31	736.6	0.002	2	0.76	0.033	0.51	<0.1	2.9	0.10	0.11	192
1828119	Drill Core	2.14	4.17	0.16	2	0.89	0.005	23.6	1.3	0.36	724.7	0.001	3	0.65	0.013	0.48	<0.1	2.9	0.10	0.08	395
1828120	Rock Pulp	0.20	0.37	0.29	53	1.32	0.032	4.2	101.2	1.79	83.0	0.073	3	2.03	0.193	0.16	1.4	3.4	0.10	0.18	31
1828121	Drill Core	0.42	0.52	0.12	<1	0.98	0.005	19.8	1.7	0.40	749.1	0.001	4	0.72	0.013	0.50	0.1	2.8	0.10	0.14	89
1828122	Drill Core	0.33	0.43	0.06	<1	0.85	0.005	19.2	1.6	0.24	759.4	0.001	3	0.73	0.035	0.49	0.1	2.9	0.10	0.16	69
1828123	Drill Core	0.38	0.76	0.06	<1	1.05	0.005	20.6	1.1	0.17	549.7	<0.001	3	0.56	0.040	0.37	<0.1	2.5	0.08	0.23	60
1828124	Drill Core	0.25	0.34	0.03	<1	1.47	0.006	25.9	1.4	0.19	734.7	0.001	3	0.85	0.061	0.45	0.1	3.5	0.09	0.12	26
1828125	Drill Core	0.15	0.33	<0.02	<1	0.68	0.007	30.2	2.0	0.07	583.4	0.001	1	0.57	0.050	0.33	1.7	3.2	0.07	0.14	21
1828126	Drill Core	0.18	0.29	0.04	<1	0.55	0.006	16.4	1.3	0.06	572.0	0.004	2	0.55	0.069	0.28	0.2	3.1	0.05	0.12	24
1828127	Drill Core	0.16	0.36	0.05	<1	0.60	0.006	17.0	1.2	0.10	581.6	0.003	2	0.65	0.063	0.33	0.1	3.2	0.07	0.07	18
1828128	Drill Core	0.32	0.43	0.05	<1	1.00	0.005	26.5	1.3	0.14	674.7	0.002	2	0.74	0.052	0.37	0.1	3.9	0.08	0.09	21
1828129	Drill Core	0.23	0.24	0.06	<1	1.10	0.005	25.8	1.0	0.09	710.5	0.001	3	0.71	0.075	0.43	0.1	3.3	0.09	0.09	89
1828130	Drill Core	0.38	4.92	0.31	<1	0.64	0.003	15.3	2.1	0.07	424.8	<0.001	2	0.40	0.023	0.29	<0.1	1.5	0.06	0.09	96
1828131	Drill Core	0.24	0.20	0.04	<1	0.84	0.004	26.2	1.1	0.12	743.4	0.001	2	0.70	0.038	0.47	<0.1	2.6	0.10	0.13	51
1828132	Drill Core	0.18	0.30	0.06	<1	1.22	0.007	30.7	1.2	0.20	949.7	0.002	2	0.92	0.040	0.51	0.1	4.8	0.12	0.11	32
1828133	Drill Core	0.18	0.30	0.07	<1	0.67	0.007	21.3	1.1	0.15	659.5	0.004	<1	0.67	0.053	0.39	<0.1	3.8	0.11	0.10	21
1828134	Drill Core	0.31	0.33	0.11	<1	1.65	0.005	27.3	1.3	0.17	746.6	0.001	2	0.77	0.040	0.45	<0.1	4.2	0.09	0.11	33
1828135	Drill Core	0.12	0.47	0.07	<1	0.51	0.006	27.6	1.2	0.06	575.7	0.001	2	0.57	0.071	0.34	0.1	3.3	0.08	0.08	57
1828136	Drill Core	0.09	0.38	0.08	<1	0.25	0.006	28.4	1.7	0.06	766.1	0.001	3	0.57	0.047	0.40	0.9	2.6	0.09	0.13	101
1828137	Drill Core	0.26	0.18	0.06	<1	1.01	0.004	19.2	1.9	0.07	543.8	0.001	2	0.55	0.041	0.38	0.1	2.4	0.08	0.24	81
1828138	Drill Core	0.23	0.34	0.08	<1	0.81	0.006	28.9	1.7	0.09	729.4	0.002	2	0.60	0.062	0.33	<0.1	4.6	0.07	0.10	35
1828139	Drill Core	0.20	0.24	0.07	<1	0.78	0.005	26.0	1.2	0.10	602.3	0.001	2	0.60	0.045	0.38	<0.1	3.5	0.07	0.08	39
1828140	Rock Pulp	0.06	0.11	0.05	97	0.92	0.061	6.9	9.6	0.76	127.3	0.107	2	1.69	0.182	0.22	3.2	2.9	0.05	<0.02	<5
1828141	Drill Core	0.22	0.23	0.07	<1	1.07	0.005	19.1	1.3	0.10	1175.5	0.001	3	0.56	0.029	0.42	0.1	2.2	0.06	0.12	69
1828142	Drill Core	0.25	0.25	0.05	<1	0.77	0.006	26.7	1.4	0.09	578.9	0.002	1	0.57	0.054	0.37	<0.1	4.0	0.07	0.06	33



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 4 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828113	Drill Core	<0.1	<0.02	2.7	0.99	<0.1	0.03	0.02	13.3	0.4	<0.05	1.4	18.64	65.8	0.06	<1	0.3	6.9	<10
1828114	Drill Core	<0.1	<0.02	3.3	1.08	<0.1	0.05	0.03	14.9	0.5	<0.05	1.3	18.11	63.1	0.05	<1	0.3	7.3	<10
1828115	Drill Core	<0.1	<0.02	2.3	0.63	<0.1	0.04	0.04	12.9	0.3	<0.05	1.1	16.12	60.9	0.03	<1	0.3	5.5	<10
1828116	Drill Core	<0.1	<0.02	2.7	0.86	<0.1	0.03	0.05	14.5	0.4	<0.05	0.9	23.03	74.6	0.04	<1	0.3	9.4	<10
1828117	Drill Core	<0.1	<0.02	2.4	0.61	0.1	<0.02	0.05	13.7	0.4	<0.05	0.6	11.57	49.9	0.03	<1	0.3	5.3	<10
1828118	Drill Core	<0.1	<0.02	1.9	0.48	<0.1	0.04	0.06	14.0	0.3	<0.05	1.3	12.91	45.7	0.03	<1	0.2	3.3	<10
1828119	Drill Core	0.1	<0.02	1.7	0.51	<0.1	0.05	0.03	13.5	0.3	<0.05	1.6	10.95	48.0	<0.02	<1	0.3	3.1	<10
1828120	Rock Pulp	0.8	0.14	4.5	0.65	<0.1	0.06	0.03	6.2	0.5	<0.05	1.1	3.38	9.3	<0.02	2	0.1	9.0	286
1828121	Drill Core	<0.1	<0.02	2.0	0.42	<0.1	0.02	0.04	13.4	0.7	<0.05	0.4	6.10	40.1	0.03	<1	0.3	3.3	<10
1828122	Drill Core	<0.1	<0.02	2.4	0.43	<0.1	0.02	0.03	13.4	0.5	<0.05	0.4	7.01	38.5	0.04	<1	0.4	2.8	<10
1828123	Drill Core	0.2	<0.02	1.8	0.43	<0.1	<0.02	0.03	11.0	0.3	<0.05	0.4	33.81	41.9	0.02	<1	0.2	3.0	<10
1828124	Drill Core	<0.1	<0.02	3.0	0.70	<0.1	0.02	<0.02	13.9	0.4	<0.05	0.5	13.89	51.0	0.03	<1	0.4	8.3	<10
1828125	Drill Core	0.1	<0.02	2.0	0.91	<0.1	0.02	<0.02	11.2	0.5	<0.05	0.5	15.53	59.3	0.02	<1	0.3	4.4	<10
1828126	Drill Core	<0.1	<0.02	2.1	0.63	<0.1	<0.02	0.10	8.9	0.5	<0.05	0.4	18.68	32.6	0.03	<1	0.2	2.6	<10
1828127	Drill Core	<0.1	<0.02	2.5	0.88	<0.1	0.02	0.06	10.1	0.4	<0.05	0.4	16.09	33.7	0.02	<1	0.2	3.9	<10
1828128	Drill Core	<0.1	<0.02	2.4	0.62	<0.1	<0.02	0.05	11.1	0.5	<0.05	0.5	36.86	51.8	0.04	<1	0.2	6.1	<10
1828129	Drill Core	<0.1	<0.02	2.4	0.31	<0.1	<0.02	0.03	12.4	0.4	<0.05	0.5	12.94	51.5	0.03	<1	0.3	4.1	<10
1828130	Drill Core	<0.1	<0.02	1.3	0.25	<0.1	0.03	<0.02	8.0	0.2	<0.05	0.9	4.50	30.8	<0.02	<1	0.1	2.5	<10
1828131	Drill Core	<0.1	<0.02	2.0	0.34	<0.1	<0.02	<0.02	12.4	0.4	<0.05	0.6	7.90	51.0	<0.02	<1	0.2	4.3	<10
1828132	Drill Core	<0.1	<0.02	3.1	0.61	<0.1	0.02	<0.02	15.4	0.5	<0.05	0.6	17.90	60.9	0.04	<1	0.3	9.8	<10
1828133	Drill Core	<0.1	<0.02	2.2	0.53	<0.1	0.03	0.06	11.8	0.4	<0.05	0.6	19.90	41.1	0.03	<1	0.2	4.8	<10
1828134	Drill Core	<0.1	<0.02	2.5	0.63	<0.1	0.03	0.02	13.3	0.5	<0.05	0.5	16.99	53.4	0.04	<1	0.3	7.3	<10
1828135	Drill Core	0.2	<0.02	2.2	0.52	<0.1	<0.02	<0.02	10.2	0.5	<0.05	0.6	14.72	54.2	0.04	<1	0.3	2.5	<10
1828136	Drill Core	<0.1	<0.02	1.9	0.51	<0.1	0.03	<0.02	12.1	0.3	<0.05	0.6	8.06	57.2	0.03	<1	0.3	2.5	<10
1828137	Drill Core	<0.1	<0.02	1.9	0.32	<0.1	0.02	<0.02	10.9	0.3	<0.05	0.6	6.69	37.4	<0.02	<1	0.3	2.6	<10
1828138	Drill Core	<0.1	<0.02	2.7	0.65	<0.1	<0.02	<0.02	9.6	0.7	<0.05	0.5	18.27	54.3	0.04	1	0.3	5.3	<10
1828139	Drill Core	<0.1	<0.02	2.0	0.39	<0.1	<0.02	0.02	10.2	0.4	<0.05	0.4	13.77	51.4	0.03	<1	0.2	4.0	<10
1828140	Rock Pulp	<0.1	<0.02	4.8	0.32	<0.1	0.05	0.06	7.1	0.3	<0.05	0.7	4.82	15.1	<0.02	<1	<0.1	6.7	<10
1828141	Drill Core	<0.1	<0.02	1.7	0.35	<0.1	<0.02	<0.02	11.2	0.3	<0.05	0.4	7.07	37.6	<0.02	<1	0.2	3.1	<10
1828142	Drill Core	<0.1	<0.02	2.4	0.60	<0.1	0.03	<0.02	10.4	0.4	<0.05	0.8	19.82	53.4	0.03	<1	0.3	4.1	<10



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828143	Drill Core	2.64	553	<0.005	<0.01	<0.17	41.26	0.69	1.62	12.39	42.5	140	0.3	0.3	130	0.60	8.4	2.2	<0.2	6.7	83.6
1828144	Drill Core	4.56	514	0.011	<0.01	<0.17	44.43	1.52	1.78	11.06	30.3	176	0.4	0.4	108	0.66	2.9	2.2	3.6	8.4	80.1
1828145	Drill Core	1.67	398	<0.005	<0.01	<0.17	32.09	1.25	0.77	11.56	32.7	98	0.3	0.2	110	0.64	1.8	2.4	<0.2	7.0	84.7
1828146	Drill Core	2.52	549	<0.005	<0.01	<0.17	36.71	1.58	1.83	14.78	35.1	164	0.3	0.2	101	0.57	4.3	2.6	0.4	8.4	65.1
1828147	Drill Core	4.32	492	0.008	<0.01	<0.17	47.67	1.30	1.81	8.75	24.8	126	0.4	0.3	118	0.63	1.3	1.7	8.7	9.0	68.2
1828148	Drill Core	4.06	505	<0.005	<0.01	<0.17	41.60	1.82	1.00	6.73	29.8	85	0.4	0.4	110	0.92	3.0	1.7	<0.2	9.5	109.1
1828149	Drill Core	4.45	471	<0.005	<0.01	<0.17	47.03	1.62	1.50	10.45	34.8	384	0.5	0.4	91	0.80	1.7	1.5	<0.2	9.4	99.0
1828150	Drill Core	4.55	529	<0.005	<0.01	<0.17	48.82	0.74	0.86	9.62	26.3	102	0.4	0.4	99	0.70	8.7	1.9	<0.2	9.7	82.9
1828151	Drill Core	2.63	413	<0.005	<0.01	<0.17	44.65	11.12	2.05	15.62	44.4	247	0.4	0.5	125	0.95	2.7	2.9	<0.2	12.0	119.5
1828152	Drill Core	1.76	454	0.014	0.02	<0.17	48.21	2.71	2.27	12.41	23.8	315	0.6	0.4	216	0.86	2.8	0.9	13.9	6.6	130.0
1828153	Drill Core	3.63	437	0.018	0.05	0.37	40.85	3.26	1.82	21.73	39.2	237	0.4	0.3	250	0.71	17.2	2.5	123.1	8.6	147.7
1828154	Drill Core	1.87	441	0.010	<0.01	<0.17	38.50	1.45	1.32	15.15	42.0	222	0.3	0.4	251	0.93	1.1	1.8	13.6	9.9	193.6
1828155	Drill Core	2.16	462	0.039	0.06	0.23	47.65	1.29	1.46	8.03	19.6	361	0.5	0.3	180	0.68	1.2	0.8	107.6	7.7	107.1
1828156	Drill Core	4.27	542	0.008	<0.01	<0.17	43.32	0.79	1.39	11.65	19.9	299	0.4	0.3	90	0.52	3.6	1.1	1.5	8.3	62.9
1828157	Drill Core	2.19	440	0.005	<0.01	<0.17	19.99	0.60	1.03	7.00	12.7	329	0.6	0.2	106	0.52	1.1	0.9	<0.2	8.6	39.7
1828158	Drill Core	2.03	463	<0.005	<0.01	<0.17	47.16	0.94	1.18	5.20	21.3	250	0.6	0.3	79	0.60	4.2	1.4	<0.2	9.7	19.0
1828159	Drill Core	4.95	431	<0.005	<0.01	<0.17	46.31	0.79	1.00	7.42	25.2	122	0.6	0.3	148	0.75	2.7	1.2	<0.2	9.0	42.1
1828160	Core DUP		540	<0.005	<0.01	<0.17	27.32	0.76	0.95	7.79	27.4	126	0.8	0.4	156	0.74	3.0	1.3	<0.2	9.5	43.8
1828161	Drill Core	4.55	414	0.006	<0.01	<0.17	42.65	0.73	1.17	6.04	23.5	109	0.6	0.3	84	0.62	2.0	1.0	0.6	9.6	19.5
1828162	Drill Core	2.68	483	<0.005	<0.01	<0.17	37.78	0.58	0.55	3.99	19.2	72	0.6	0.2	216	0.50	1.0	1.0	<0.2	9.1	56.0
1828163	Drill Core	4.64	397	<0.005	<0.01	<0.17	25.02	0.40	1.38	5.11	19.6	131	0.6	0.3	117	0.62	2.5	1.0	<0.2	9.1	25.0
1828164	Drill Core	3.32	457	<0.005	<0.01	<0.17	22.83	0.45	1.39	5.82	21.1	144	0.7	0.5	84	0.60	2.2	1.0	<0.2	9.1	18.2
1828165	Drill Core	3.11	468	<0.005	<0.01	<0.17	41.99	0.59	0.98	9.24	15.8	119	0.6	0.4	115	0.56	1.0	0.9	<0.2	8.6	32.9
1828166	Drill Core	4.90	467	0.006	<0.01	<0.17	28.09	0.73	1.29	8.73	12.4	180	0.6	0.3	171	0.53	1.5	1.3	<0.2	8.8	48.9
1828167	Drill Core	2.46	494	<0.005	<0.01	<0.17	28.44	1.16	4.99	10.47	31.2	214	0.6	0.4	121	0.99	2.7	0.8	0.7	10.4	23.1
1828168	Drill Core	1.98	405	<0.005	<0.01	<0.17	17.74	0.93	1.42	8.76	27.8	140	0.6	0.4	105	0.96	2.3	1.1	<0.2	10.0	20.6
1828169	Drill Core	4.81	459	<0.005	<0.01	<0.17	37.19	0.86	1.87	10.28	32.0	204	0.8	0.4	114	0.83	11.2	2.3	<0.2	10.6	34.8
1828170	Drill Core	4.18	481	0.007	<0.01	<0.17	38.08	3.76	4.39	13.26	41.5	821	0.6	0.4	157	0.86	1.4	1.7	1.0	9.8	50.4
1828171	Drill Core	4.17	397	0.017	0.02	<0.17	26.83	2.74	3.92	10.00	22.2	531	0.4	0.4	206	0.67	2.3	1.5	9.1	8.2	50.7
1828172	Drill Core	2.01	393	0.009	<0.01	<0.17	33.62	0.61	3.67	7.93	22.2	266	0.4	0.2	109	0.71	4.1	0.7	2.7	9.1	23.3



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828143	Drill Core	0.22	0.22	0.07	<1	0.60	0.007	18.9	0.9	0.08	428.2	0.005	1	0.50	0.044	0.34	<0.1	4.0	0.06	0.07	12
1828144	Drill Core	0.16	0.23	0.09	<1	0.70	0.006	26.7	1.2	0.09	552.8	0.001	3	0.58	0.040	0.40	<0.1	3.7	0.12	0.09	31
1828145	Drill Core	0.18	0.24	0.06	<1	0.80	0.006	22.8	1.3	0.09	583.5	0.002	1	0.56	0.048	0.39	<0.1	3.8	0.09	0.02	19
1828146	Drill Core	0.24	0.25	0.08	<1	0.72	0.006	27.3	1.1	0.08	439.7	0.002	1	0.57	0.043	0.42	<0.1	4.1	0.11	0.03	23
1828147	Drill Core	0.20	0.24	0.04	<1	0.88	0.006	28.6	1.2	0.08	487.4	0.001	2	0.54	0.053	0.39	<0.1	3.5	0.08	0.08	52
1828148	Drill Core	0.18	0.33	0.06	<1	0.90	0.006	29.6	1.3	0.14	545.7	0.001	3	0.66	0.049	0.36	<0.1	4.9	0.09	0.08	61
1828149	Drill Core	0.11	0.32	0.06	<1	0.88	0.006	29.9	1.2	0.16	815.8	0.001	3	0.72	0.034	0.43	0.5	5.1	0.09	0.06	72
1828150	Drill Core	0.10	0.36	0.04	<1	0.80	0.007	32.7	1.1	0.14	621.5	0.001	3	0.66	0.050	0.41	0.1	5.0	0.10	0.06	50
1828151	Drill Core	0.25	0.29	0.07	<1	1.26	0.007	32.7	1.1	0.27	654.0	0.003	2	0.99	0.024	0.65	0.1	4.8	0.13	0.06	15
1828152	Drill Core	0.14	0.17	0.05	<1	1.54	0.004	15.6	2.0	0.13	717.5	0.001	2	0.53	0.015	0.39	0.3	1.9	0.06	0.14	26
1828153	Drill Core	0.35	0.19	0.14	<1	1.71	0.004	22.3	1.4	0.13	571.3	0.001	2	0.65	0.028	0.50	0.1	2.6	0.08	0.18	72
1828154	Drill Core	0.25	0.26	0.18	<1	1.52	0.006	28.7	1.2	0.32	1125.3	0.001	3	0.95	0.012	0.60	0.2	3.9	0.11	0.05	42
1828155	Drill Core	0.11	0.18	0.16	<1	1.06	0.003	21.8	1.4	0.13	1521.2	<0.001	2	0.53	0.026	0.40	<0.1	2.1	0.06	0.11	62
1828156	Drill Core	0.14	0.20	0.48	<1	0.59	0.007	29.7	1.2	0.05	453.7	0.001	3	0.38	0.041	0.36	0.1	3.2	0.06	0.06	84
1828157	Drill Core	0.04	0.16	0.49	<1	0.54	0.006	27.3	1.4	0.04	314.3	0.001	3	0.41	0.051	0.40	<0.1	2.8	0.06	<0.02	33
1828158	Drill Core	0.04	0.21	0.45	<1	0.35	0.007	30.9	1.2	0.04	242.8	0.001	3	0.40	0.041	0.37	<0.1	3.9	0.07	0.02	25
1828159	Drill Core	0.09	0.20	0.10	<1	0.55	0.006	28.9	1.2	0.06	246.2	0.001	2	0.48	0.046	0.39	<0.1	4.4	0.06	0.03	32
1828160	Core DUP	0.09	0.22	0.10	<1	0.59	0.006	31.1	1.2	0.06	238.9	0.001	2	0.45	0.041	0.37	<0.1	4.4	0.06	0.03	43
1828161	Drill Core	0.06	0.18	0.06	<1	0.18	0.006	32.0	1.1	0.05	256.5	0.001	2	0.47	0.044	0.42	<0.1	3.8	0.06	0.04	23
1828162	Drill Core	0.05	0.12	0.05	<1	1.39	0.005	30.4	1.1	0.05	219.4	0.001	2	0.40	0.029	0.39	<0.1	3.3	0.06	<0.02	26
1828163	Drill Core	0.04	0.16	0.05	<1	0.48	0.006	29.0	1.3	0.05	288.7	0.001	2	0.48	0.040	0.45	<0.1	3.3	0.06	0.03	25
1828164	Drill Core	0.02	0.15	0.05	<1	0.16	0.006	31.0	1.2	0.05	315.8	0.001	2	0.44	0.033	0.40	<0.1	2.9	0.06	0.03	19
1828165	Drill Core	0.02	0.13	0.10	<1	0.35	0.006	30.0	1.3	0.05	338.4	0.001	2	0.44	0.032	0.43	<0.1	2.2	0.06	<0.02	25
1828166	Drill Core	0.05	0.17	0.12	<1	0.65	0.005	26.1	1.1	0.04	630.2	0.001	2	0.45	0.056	0.43	0.1	1.8	0.06	0.08	27
1828167	Drill Core	0.14	0.28	0.08	<1	0.21	0.006	29.0	1.3	0.08	317.5	0.001	2	0.55	0.039	0.43	<0.1	3.2	0.06	0.12	29
1828168	Drill Core	0.06	0.20	0.05	<1	0.17	0.007	31.3	1.3	0.10	286.2	0.003	2	0.61	0.037	0.47	<0.1	4.5	0.08	0.04	21
1828169	Drill Core	0.17	0.29	0.06	<1	0.41	0.008	32.9	1.3	0.09	363.4	0.005	2	0.58	0.032	0.50	0.1	4.8	0.10	0.02	13
1828170	Drill Core	0.57	0.39	0.15	<1	0.50	0.007	32.3	1.4	0.08	347.3	0.002	2	0.56	0.025	0.47	<0.1	4.7	0.06	0.04	39
1828171	Drill Core	0.21	0.33	0.14	<1	0.91	0.005	27.0	1.4	0.05	296.1	0.002	1	0.44	0.033	0.43	<0.1	2.6	0.06	0.05	34
1828172	Drill Core	0.04	0.18	<0.02	<1	0.29	0.007	29.3	1.1	0.06	336.2	0.002	2	0.54	0.055	0.48	0.1	2.4	0.07	0.09	37



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 5 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828143	Drill Core	<0.1	<0.02	2.2	0.63	<0.1	0.03	0.09	9.4	0.4	<0.05	0.7	18.31	37.0	0.02	<1	0.4	3.0	<10	<2			
1828144	Drill Core	<0.1	<0.02	2.3	0.78	<0.1	<0.02	<0.02	11.2	0.4	<0.05	0.5	15.87	52.0	0.03	<1	0.3	3.4	<10	<2			
1828145	Drill Core	<0.1	<0.02	2.1	0.76	<0.1	<0.02	0.02	10.8	0.4	<0.05	0.6	16.48	44.6	0.02	<1	0.3	3.2	<10	<2			
1828146	Drill Core	<0.1	<0.02	2.2	0.72	<0.1	0.03	0.03	12.4	0.5	<0.05	0.8	18.86	53.8	0.03	<1	0.3	3.8	<10	<2			
1828147	Drill Core	<0.1	<0.02	2.0	0.53	<0.1	0.03	0.03	10.5	0.3	<0.05	0.7	16.38	56.3	0.03	<1	0.3	3.8	<10	<2			
1828148	Drill Core	<0.1	<0.02	3.1	0.96	<0.1	0.03	0.04	10.0	0.5	<0.05	0.6	17.18	58.3	0.04	<1	0.4	5.5	<10	<2			
1828149	Drill Core	<0.1	<0.02	2.8	0.88	<0.1	0.05	<0.02	10.6	0.5	<0.05	0.7	16.60	58.5	0.03	<1	0.3	6.1	<10	<2			
1828150	Drill Core	<0.1	<0.02	2.6	1.28	<0.1	0.03	<0.02	10.8	0.5	<0.05	0.7	24.44	63.9	0.04	<1	0.4	4.4	<10	<2			
1828151	Drill Core	<0.1	<0.02	3.1	0.86	<0.1	0.04	0.04	17.6	0.5	<0.05	1.1	12.97	66.4	0.04	<1	0.4	8.2	<10	<2			
1828152	Drill Core	<0.1	<0.02	1.6	0.58	<0.1	0.03	<0.02	9.9	0.3	<0.05	0.8	7.10	30.8	<0.02	<1	0.3	3.4	<10	<2			
1828153	Drill Core	<0.1	<0.02	1.8	0.58	<0.1	0.03	<0.02	13.8	0.3	<0.05	1.0	8.36	44.2	0.03	<1	0.3	3.1	<10	<2			
1828154	Drill Core	<0.1	<0.02	2.8	1.12	<0.1	0.03	<0.02	17.3	0.5	<0.05	0.8	11.13	57.2	0.03	<1	0.5	6.7	<10	<2			
1828155	Drill Core	<0.1	<0.02	1.7	0.47	<0.1	0.04	<0.02	11.5	0.2	<0.05	0.9	5.66	42.5	<0.02	<1	0.4	2.8	61	<2			
1828156	Drill Core	<0.1	<0.02	1.6	0.49	<0.1	0.04	0.04	13.5	0.4	<0.05	1.1	11.75	57.3	0.04	<1	0.3	1.7	<10	<2			
1828157	Drill Core	<0.1	<0.02	1.8	0.62	<0.1	0.07	0.04	15.4	0.8	<0.05	1.5	12.51	54.9	0.03	<1	0.5	2.4	<10	<2			
1828158	Drill Core	<0.1	<0.02	1.9	0.67	<0.1	0.06	0.03	15.4	0.4	<0.05	1.5	13.32	60.2	0.03	<1	0.4	3.2	<10	<2			
1828159	Drill Core	<0.1	<0.02	2.3	0.50	<0.1	0.04	<0.02	15.0	0.3	<0.05	1.3	13.38	57.3	0.04	<1	0.4	3.8	<10	<2			
1828160	Core DUP	<0.1	<0.02	2.3	0.54	<0.1	0.07	0.02	14.7	0.3	<0.05	1.4	13.68	60.8	0.02	<1	0.3	3.9	<10	<2			
1828161	Drill Core	<0.1	<0.02	2.1	0.44	<0.1	0.05	<0.02	14.7	0.3	<0.05	1.2	11.65	63.2	0.04	<1	0.4	3.4	<10	<2			
1828162	Drill Core	<0.1	<0.02	1.7	0.38	<0.1	0.09	<0.02	13.8	0.3	<0.05	2.0	14.11	58.6	<0.02	<1	0.4	2.4	<10	<2			
1828163	Drill Core	<0.1	<0.02	2.0	0.46	<0.1	0.08	<0.02	15.1	0.3	<0.05	1.8	13.00	57.3	0.03	<1	0.3	2.6	<10	<2			
1828164	Drill Core	<0.1	<0.02	1.9	0.48	<0.1	0.08	<0.02	14.0	0.4	<0.05	1.9	13.06	61.7	0.03	<1	0.4	2.1	<10	<2			
1828165	Drill Core	<0.1	<0.02	1.8	0.49	<0.1	0.08	<0.02	15.1	0.3	<0.05	1.8	11.21	58.2	<0.02	<1	0.4	2.0	<10	<2			
1828166	Drill Core	<0.1	<0.02	1.5	0.57	<0.1	0.09	<0.02	15.2	0.3	<0.05	1.9	10.11	51.5	<0.02	<1	0.4	2.0	<10	<2			
1828167	Drill Core	<0.1	<0.02	2.3	0.42	<0.1	0.05	<0.02	15.9	0.3	<0.05	1.9	8.87	56.6	0.02	<1	0.2	4.0	<10	<2			
1828168	Drill Core	<0.1	<0.02	2.9	0.58	<0.1	0.08	0.02	18.3	0.5	<0.05	2.3	13.87	62.0	0.03	<1	0.5	3.6	<10	<2			
1828169	Drill Core	<0.1	<0.02	2.7	0.95	<0.1	0.13	0.06	21.8	0.5	<0.05	2.8	22.70	64.5	0.04	<1	0.4	3.0	<10	<2			
1828170	Drill Core	<0.1	<0.02	2.8	0.34	<0.1	0.07	<0.02	17.3	0.7	<0.05	2.3	15.00	63.7	0.03	2	0.4	2.9	<10	<2			
1828171	Drill Core	<0.1	<0.02	1.8	0.25	<0.1	0.08	<0.02	14.6	0.5	<0.05	2.1	11.85	54.7	<0.02	<1	0.3	1.6	<10	<2			
1828172	Drill Core	<0.1	<0.02	2.2	0.42	<0.1	0.07	0.03	19.1	0.3	<0.05	1.8	8.63	57.4	0.02	<1	0.4	2.2	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: June 07, 2019

Page: 6 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828173	Drill Core	2.10	460	0.112	0.18	0.76	47.28	0.87	2.45	5.59	26.7	221	0.4	0.3	145	0.63	3.3	0.6	23.0	6.8	49.0
1828174	Drill Core	3.82	579	0.011	0.01	<0.17	48.78	0.77	3.37	10.95	32.9	265	0.6	0.3	92	0.54	1.6	3.4	<0.2	8.8	27.0
1828175	Drill Core	3.68	456	0.007	<0.01	<0.17	44.63	0.82	4.19	11.15	30.1	271	0.5	0.4	197	0.75	1.9	1.0	3.0	8.5	52.6
1828176	Drill Core	4.03	478	<0.005	<0.01	<0.17	47.94	0.84	2.73	15.45	36.7	315	0.4	0.2	176	0.69	2.4	3.8	0.6	8.5	38.4
1828177	Drill Core	4.58	503	0.008	<0.01	<0.17	44.81	0.79	2.36	9.64	36.1	202	0.4	0.3	225	0.78	4.1	2.3	6.1	8.8	45.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: June 07, 2019

Page: 6 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828173	Drill Core	0.16	0.16	<0.02	<1	0.55	0.005	21.6	1.2	0.04	313.2	0.001	2	0.47	0.038	0.44	<0.1	1.7	0.06	0.15	30
1828174	Drill Core	0.09	0.48	<0.02	<1	0.34	0.007	30.2	1.3	0.04	305.8	0.002	1	0.39	0.036	0.40	<0.1	2.5	0.07	0.06	24
1828175	Drill Core	0.15	0.22	<0.02	<1	0.84	0.007	28.0	1.3	0.06	250.9	0.001	2	0.50	0.036	0.41	0.1	2.7	0.07	0.08	57
1828176	Drill Core	0.18	0.20	0.03	<1	0.65	0.006	28.5	1.1	0.05	316.3	0.002	2	0.48	0.037	0.43	<0.1	2.9	0.07	0.04	37
1828177	Drill Core	0.13	0.20	<0.02	<1	0.70	0.006	26.4	1.2	0.06	374.9	0.002	1	0.53	0.039	0.45	<0.1	2.6	0.07	0.10	36





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 6 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000020.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828173	Drill Core	<0.1	<0.02	1.6	0.46	<0.1	0.06	<0.02	16.4	0.2	<0.05	1.2	5.32	42.6	<0.02	<1	0.4	1.4	<10
1828174	Drill Core	<0.1	<0.02	1.8	0.31	<0.1	0.09	<0.02	15.9	0.2	<0.05	2.5	11.45	57.9	0.02	1	0.3	1.4	<10
1828175	Drill Core	0.1	<0.02	1.9	0.67	<0.1	0.06	<0.02	16.0	0.3	<0.05	1.8	11.38	53.9	0.03	<1	0.3	2.5	<10
1828176	Drill Core	<0.1	<0.02	1.8	0.68	<0.1	0.06	<0.02	17.2	0.3	<0.05	1.9	13.17	54.7	0.03	<1	0.4	2.0	<10
1828177	Drill Core	<0.1	<0.02	1.9	0.45	<0.1	0.06	<0.02	17.2	0.3	<0.05	1.5	9.68	51.2	0.04	<1	0.3	2.3	<10



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 07, 2019

Page:

1 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1828053	Drill Core	2.99	467	0.032	0.03	<0.17	23.39	0.76	7.65	7.91	40.7	582	1.9	4.3	125	1.70	8.6	0.8	15.7	5.1	13.2
REP 1828053	QC	0.020																			
1828080	Rock	0.22	157	<0.005	<0.01	<0.17	23.73	0.95	1.58	0.87	2.4	11	2.1	0.6	144	1.30	1.0	0.1	0.8	1.2	1.6
REP 1828080	QC							0.93	1.53	0.84	2.1	11	1.9	0.5	146	1.30	0.9	0.1	0.3	1.2	1.5
1828113	Drill Core	2.21	456	<0.005	<0.01	<0.17	36.34	2.24	2.75	13.30	59.6	241	0.4	0.4	184	0.96	2.5	3.4	<0.2	8.6	130.7
REP 1828113	QC	<0.005																			
1828115	Drill Core	2.61	513	<0.005	<0.01	<0.17	39.67	3.57	2.61	14.45	48.4	244	0.4	0.6	98	0.80	1.0	5.3	<0.2	8.4	83.4
REP 1828115	QC							3.63	2.60	15.20	50.4	248	0.4	0.6	106	0.81	1.1	5.6	<0.2	8.7	85.8
1828126	Drill Core	2.53	506	<0.005	<0.01	<0.17	32.11	0.32	3.52	6.85	32.2	245	0.4	0.3	58	0.70	0.8	1.3	2.3	5.8	73.2
REP 1828126	QC	<0.005																			
1828150	Drill Core	4.55	529	<0.005	<0.01	<0.17	48.82	0.74	0.86	9.62	26.3	102	0.4	0.4	99	0.70	8.7	1.9	<0.2	9.7	82.9
REP 1828150	QC							0.76	0.90	9.45	26.4	99	0.4	0.4	100	0.70	9.1	1.9	<0.2	10.0	82.2
1828168	Drill Core	1.98	405	<0.005	<0.01	<0.17	17.74	0.93	1.42	8.76	27.8	140	0.6	0.4	105	0.96	2.3	1.1	<0.2	10.0	20.6
REP 1828168	QC	<0.005																			
1828174	Drill Core	3.82	579	0.011	0.01	<0.17	48.78	0.77	3.37	10.95	32.9	265	0.6	0.3	92	0.54	1.6	3.4	<0.2	8.8	27.0
REP 1828174	QC							0.82	3.65	11.17	30.8	252	0.4	0.3	95	0.57	1.7	3.6	1.5	9.2	27.4
Core Reject Duplicates																					
1828065	Drill Core	5.29	530	<0.005	<0.01	<0.17	25.33	0.63	2.18	6.14	44.8	147	1.9	4.2	191	1.96	4.6	0.8	0.4	6.4	55.8
DUP 1828065	QC	430		<0.005	<0.01	<0.17	20.71	0.70	2.32	6.41	47.8	142	1.9	4.4	206	2.05	5.0	0.8	0.2	6.7	57.1
1828099	Drill Core	3.27	409	0.011	<0.01	<0.17	27.31	0.34	0.78	4.57	6.6	56	0.6	0.3	92	0.51	0.9	0.7	<0.2	7.7	27.6
DUP 1828099	QC	467		0.007	<0.01	<0.17	30.68	0.28	0.69	5.41	8.0	68	0.6	0.3	106	0.49	1.3	0.8	<0.2	8.3	32.6
1828133	Drill Core	5.34	490	<0.005	<0.01	<0.17	38.24	0.45	2.54	10.23	33.7	180	0.3	0.5	85	0.69	3.2	2.5	1.0	7.0	65.2
DUP 1828133	QC	471		<0.005	<0.01	<0.17	45.26	0.51	2.45	9.94	33.1	173	0.4	0.5	80	0.68	2.8	2.4	0.8	6.8	62.2
1828167	Drill Core	2.46	494	<0.005	<0.01	<0.17	28.44	1.16	4.99	10.47	31.2	214	0.6	0.4	121	0.99	2.7	0.8	0.7	10.4	23.1
DUP 1828167	QC	<0.01	447	0.008	<0.01	<0.17	20.07	1.14	5.08	10.64	29.9	214	0.6	0.4	119	1.00	2.4	0.8	<0.2	10.0	23.0
Reference Materials																					
STD BVGEO01	Standard							10.30	4425.47	185.29	1743.3	2514	159.8	24.3	756	3.66	126.0	3.8	224.9	14.3	54.5
STD BVGEO01	Standard							10.68	4230.41	183.35	1731.0	2465	156.2	24.3	731	3.69	119.3	3.7	212.8	13.7	59.9



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 1 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828053	Drill Core	0.24	0.49	0.03	8	0.17	0.046	16.2	2.7	0.20	469.4	0.006	2	0.89	0.024	0.42	0.7	4.3	0.09	<0.02	24
REP 1828053	QC																				
1828080	Rock	<0.01	0.05	<0.02	1	0.04	0.002	1.7	5.8	0.02	13.3	0.003	<1	0.07	0.008	0.02	<0.1	0.2	<0.02	<0.02	<5
REP 1828080	QC	<0.01	0.06	<0.02	2	0.04	0.002	1.6	5.5	0.02	12.9	0.002	<1	0.07	0.008	0.02	<0.1	0.2	<0.02	<0.02	<5
1828113	Drill Core	0.27	0.36	0.03	2	1.72	0.006	32.2	1.4	0.48	728.0	0.001	2	0.76	0.029	0.44	<0.1	6.5	0.11	0.07	26
REP 1828113	QC																				
1828115	Drill Core	0.26	0.21	0.09	2	1.04	0.005	29.9	1.4	0.35	636.1	0.001	1	0.70	0.029	0.44	<0.1	4.2	0.09	0.08	21
REP 1828115	QC	0.27	0.23	0.10	2	1.06	0.006	31.0	1.4	0.35	631.6	0.001	1	0.70	0.029	0.43	<0.1	4.6	0.10	0.08	28
1828126	Drill Core	0.18	0.29	0.04	<1	0.55	0.006	16.4	1.3	0.06	572.0	0.004	2	0.55	0.069	0.28	0.2	3.1	0.05	0.12	24
REP 1828126	QC																				
1828150	Drill Core	0.10	0.36	0.04	<1	0.80	0.007	32.7	1.1	0.14	621.5	0.001	3	0.66	0.050	0.41	0.1	5.0	0.10	0.06	50
REP 1828150	QC	0.09	0.36	0.05	<1	0.80	0.007	32.4	1.1	0.14	623.2	0.001	2	0.67	0.051	0.41	0.1	4.9	0.09	0.06	44
1828168	Drill Core	0.06	0.20	0.05	<1	0.17	0.007	31.3	1.3	0.10	286.2	0.003	2	0.61	0.037	0.47	<0.1	4.5	0.08	0.04	21
REP 1828168	QC																				
1828174	Drill Core	0.09	0.48	<0.02	<1	0.34	0.007	30.2	1.3	0.04	305.8	0.002	1	0.39	0.036	0.40	<0.1	2.5	0.07	0.06	24
REP 1828174	QC	0.12	0.48	<0.02	<1	0.36	0.007	30.6	1.2	0.04	308.3	0.002	2	0.40	0.037	0.42	<0.1	2.6	0.07	0.06	24
Core Reject Duplicates																					
1828065	Drill Core	0.34	0.64	<0.02	14	0.68	0.049	20.7	2.9	0.45	490.3	0.019	2	1.00	0.026	0.54	0.2	10.4	0.19	<0.02	10
DUP 1828065	QC	0.38	0.67	<0.02	13	0.73	0.054	22.0	3.2	0.46	521.1	0.021	2	1.06	0.028	0.57	0.2	11.0	0.21	<0.02	<5
1828099	Drill Core	0.03	0.09	<0.02	2	0.38	0.009	23.5	2.1	0.01	243.7	0.001	<1	0.32	0.060	0.36	<0.1	1.0	0.05	<0.02	10
DUP 1828099	QC	0.05	0.09	<0.02	2	0.46	0.009	24.9	1.8	0.01	267.9	0.002	1	0.38	0.073	0.39	<0.1	1.0	0.06	<0.02	10
1828133	Drill Core	0.18	0.30	0.07	<1	0.67	0.007	21.3	1.1	0.15	659.5	0.004	<1	0.67	0.053	0.39	<0.1	3.8	0.11	0.10	21
DUP 1828133	QC	0.19	0.30	0.07	<1	0.68	0.006	20.5	1.1	0.14	669.2	0.004	<1	0.68	0.051	0.40	<0.1	3.6	0.11	0.10	12
1828167	Drill Core	0.14	0.28	0.08	<1	0.21	0.006	29.0	1.3	0.08	317.5	0.001	2	0.55	0.039	0.43	<0.1	3.2	0.06	0.12	29
DUP 1828167	QC	0.12	0.28	0.07	<1	0.20	0.006	29.4	1.4	0.09	330.3	0.002	2	0.58	0.042	0.46	0.1	3.4	0.06	0.12	26
Reference Materials																					
STD BVGE001	Standard	6.65	3.39	24.12	74	1.30	0.080	27.3	181.0	1.29	254.2	0.228	4	2.34	0.196	0.90	5.0	6.6	0.62	0.64	103
STD BVGE001	Standard	6.25	3.06	24.04	75	1.30	0.078	25.0	203.4	1.30	247.4	0.235	4	2.39	0.195	0.87	5.0	6.2	0.60	0.65	104



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 07, 2019

Page:

1 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828053	Drill Core	<0.1	<0.02	2.8	0.46	<0.1	0.02	<0.02	15.4	0.6	<0.05	0.5	9.06	34.5	0.02	<1	0.2	5.3	<10	<2
REP 1828053	QC																			
1828080	Rock	<0.1	<0.02	0.4	0.10	<0.1	0.11	0.02	1.1	<0.1	<0.05	2.3	0.94	3.5	<0.02	<1	<0.1	1.3	<10	<2
REP 1828080	QC	<0.1	<0.02	0.4	0.09	<0.1	0.10	<0.02	1.1	<0.1	<0.05	2.0	0.97	3.3	<0.02	<1	<0.1	1.2	<10	<2
1828113	Drill Core	<0.1	<0.02	2.7	0.99	<0.1	0.03	0.02	13.3	0.4	<0.05	1.4	18.64	65.8	0.06	<1	0.3	6.9	<10	<2
REP 1828113	QC																			
1828115	Drill Core	<0.1	<0.02	2.3	0.63	<0.1	0.04	0.04	12.9	0.3	<0.05	1.1	16.12	60.9	0.03	<1	0.3	5.5	<10	<2
REP 1828115	QC	<0.1	<0.02	2.2	0.65	<0.1	0.05	0.04	13.4	0.4	<0.05	2.0	17.37	65.0	<0.02	<1	0.2	5.5	<10	<2
1828126	Drill Core	<0.1	<0.02	2.1	0.63	<0.1	<0.02	0.10	8.9	0.5	<0.05	0.4	18.68	32.6	0.03	<1	0.2	2.6	<10	<2
REP 1828126	QC																			
1828150	Drill Core	<0.1	<0.02	2.6	1.28	<0.1	0.03	<0.02	10.8	0.5	<0.05	0.7	24.44	63.9	0.04	<1	0.4	4.4	<10	<2
REP 1828150	QC	<0.1	<0.02	2.7	1.20	<0.1	0.02	<0.02	10.6	0.5	<0.05	0.8	24.02	63.5	0.04	1	0.3	4.1	<10	<2
1828168	Drill Core	<0.1	<0.02	2.9	0.58	<0.1	0.08	0.02	18.3	0.5	<0.05	2.3	13.87	62.0	0.03	<1	0.5	3.6	<10	<2
REP 1828168	QC																			
1828174	Drill Core	<0.1	<0.02	1.8	0.31	<0.1	0.09	<0.02	15.9	0.2	<0.05	2.5	11.45	57.9	0.02	1	0.3	1.4	<10	<2
REP 1828174	QC	<0.1	<0.02	1.6	0.32	<0.1	0.08	<0.02	16.8	0.2	<0.05	2.1	11.51	59.3	0.02	<1	0.3	1.6	<10	<2
Core Reject Duplicates																				
1828065	Drill Core	<0.1	<0.02	3.3	2.41	<0.1	0.03	<0.02	22.6	0.3	<0.05	0.7	14.70	40.7	0.03	<1	0.2	6.7	<10	<2
DUP 1828065	QC	<0.1	<0.02	3.6	2.50	<0.1	0.05	<0.02	24.1	0.4	<0.05	0.6	14.91	42.1	0.05	<1	0.3	7.1	<10	<2
1828099	Drill Core	<0.1	<0.02	1.1	0.49	<0.1	0.15	<0.02	15.1	0.2	<0.05	4.2	6.54	45.7	<0.02	<1	0.3	0.6	<10	<2
DUP 1828099	QC	<0.1	<0.02	1.2	0.53	<0.1	0.14	<0.02	16.2	0.2	<0.05	4.6	7.08	49.5	<0.02	<1	0.3	0.6	<10	<2
1828133	Drill Core	<0.1	<0.02	2.2	0.53	<0.1	0.03	0.06	11.8	0.4	<0.05	0.6	19.90	41.1	0.03	<1	0.2	4.8	<10	<2
DUP 1828133	QC	<0.1	<0.02	2.3	0.55	<0.1	0.03	0.06	11.8	0.5	<0.05	0.6	20.43	39.9	0.04	<1	0.2	4.7	<10	<2
1828167	Drill Core	<0.1	<0.02	2.3	0.42	<0.1	0.05	<0.02	15.9	0.3	<0.05	1.9	8.87	56.6	0.02	<1	0.2	4.0	<10	<2
DUP 1828167	QC	<0.1	<0.02	2.5	0.42	<0.1	0.08	<0.02	16.4	0.3	<0.05	1.9	9.10	56.6	0.03	<1	0.4	4.0	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.8	1.04	7.6	7.48	0.1	0.32	0.21	97.7	6.0	<0.05	7.3	15.11	55.8	0.51	6	0.7	21.4	149	194
STD BVGE001	Standard	4.8	1.00	7.7	7.48	0.2	0.36	0.23	98.7	5.8	<0.05	10.9	14.26	53.8	0.46	5	0.6	20.9	114	178



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.56	140.20	137.05	347.4	1743	76.0	13.3	998	3.02	44.8	2.8	86.1	9.0	73.1
STD DS11	Standard							14.51	142.94	133.59	343.7	1718	74.3	12.8	1025	3.12	44.5	2.6	70.6	10.7	73.4
STD OREAS262	Standard							0.62	111.08	56.67	151.3	476	60.3	25.9	537	3.24	37.2	1.2	64.8	11.0	37.0
STD OREAS262	Standard							0.66	111.46	54.68	151.6	474	60.2	26.9	553	3.38	37.7	1.2	57.3	12.1	38.3
STD OREAS262	Standard							0.61	114.88	56.74	149.6	458	61.6	26.9	555	3.35	38.0	1.2	59.9	9.5	38.3
STD OREAS262	Standard							0.64	116.27	57.01	144.8	458	62.1	27.7	541	3.27	36.4	1.2	59.8	9.1	36.2
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.216																	
STD OXH139	Standard			1.333																	
STD OXH139	Standard			1.364																	
STD OXN134	Standard			7.749																	
STD OXN134	Standard			7.762																	
STD OXQ90	Standard					25.04	30.03														
STD OXQ90	Standard					24.98	29.98														
STD OXQ90	Standard					25.22	30.09														
STD OXQ90	Standard					25.07	30.07														
STD OXQ90	Standard					25.18	29.95														
STD OXQ90	Standard					25.19	30.01														
STD OXQ90	Standard					25.25	30.06														
STD OXQ90	Standard					25.16	29.93														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4502	187	1712	2530	163	25	706	3.7	121	3.67	214	13.6	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.50	9.30	12.47	51	1.08	0.072	20.1	58.4	0.85	387.3	0.093	6	1.22	0.073	0.40	3.1	3.6	5.25	0.27	306
STD DS11	Standard	2.38	8.54	12.34	50	1.07	0.071	19.4	57.7	0.84	369.3	0.094	8	1.22	0.074	0.41	2.9	3.6	4.96	0.27	262
STD OREAS262	Standard	0.69	5.00	1.10	24	2.97	0.041	18.9	43.2	1.16	260.4	0.003	4	1.48	0.068	0.34	0.2	3.6	0.48	0.25	159
STD OREAS262	Standard	0.63	4.65	1.05	23	2.96	0.042	17.1	43.0	1.19	251.0	0.003	5	1.42	0.069	0.33	0.2	3.8	0.45	0.26	162
STD OREAS262	Standard	0.63	4.66	1.08	24	3.15	0.043	17.7	43.7	1.18	267.8	0.003	5	1.46	0.070	0.35	0.2	3.6	0.47	0.27	168
STD OREAS262	Standard	0.66	4.36	1.01	26	2.97	0.039	17.4	45.3	1.15	271.2	0.003	4	1.53	0.067	0.33	0.2	3.5	0.48	0.25	142
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.25	3.39	24.3	73	1.3219	0.0727	25.9	171	1.3175	260	0.2128	6.7	2.2628	0.1924	0.8669	5.3	5.97	0.62	0.6739	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD DS11	Standard	2.3	4.95	5.3	3.09	<0.1	0.09	1.66	35.4	2.0	<0.05	2.0	8.90	41.8	0.27	50	0.6	24.5	101
STD DS11	Standard	2.1	4.63	5.2	2.96	<0.1	0.09	1.71	35.0	2.0	<0.05	2.3	8.48	40.8	0.28	53	0.7	25.0	105
STD OREAS262	Standard	0.4	0.23	4.1	2.97	<0.1	0.25	<0.02	21.3	0.6	<0.05	6.8	11.19	39.8	0.03	1	1.1	18.1	<10
STD OREAS262	Standard	0.5	0.24	4.4	2.71	<0.1	0.23	<0.02	20.0	0.6	<0.05	6.1	11.25	35.5	0.03	<1	0.9	18.0	<10
STD OREAS262	Standard	0.3	0.25	4.4	2.75	<0.1	0.26	<0.02	20.5	0.6	<0.05	8.1	11.20	35.8	0.03	<1	1.1	18.9	<10
STD OREAS262	Standard	0.4	0.24	4.4	2.94	<0.1	0.24	<0.02	20.7	0.5	<0.05	10.4	10.88	37.4	0.04	1	1.1	19.2	<10
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGE001 Expected		5.09	1.1	7.65	7.36	0.15	0.32	0.3	95	5.64		10.2	14.5	53	0.45	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	0.8	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		440	<0.005	<0.01	<0.17	37.42	0.69	3.49	0.98	26.8	8	0.6	3.3	445	1.73	1.4	0.4	1.6	4.4	20.6
ROCK-WHI	Prep Blank		439	<0.005	<0.01	<0.17	37.37	0.69	3.27	1.10	32.4	11	0.8	3.9	449	1.82	1.2	0.4	0.6	3.6	25.0



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	0.02	25	0.66	0.038	5.5	1.5	0.43	42.0	0.060	4	0.81	0.058	0.06	<0.1	2.7	<0.02	<0.02	8
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	26	0.64	0.041	6.3	1.8	0.45	54.4	0.069	2	0.89	0.076	0.07	<0.1	3.1	<0.02	<0.02	11



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 07, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000020.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.19	<0.1	0.07	0.20	1.7	0.4	<0.05	1.3	8.32	11.8	0.03	<1	0.2	2.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.22	<0.1	0.09	0.21	2.0	0.4	<0.05	1.7	9.46	13.3	<0.02	<1	0.2	2.8	<10