



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: May 28, 2019
Report Date: June 14, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000021.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-02
P.O. Number
Number of Samples: 81

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	78	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	81	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	81	Analysis sample split/packet			WHI
Split -150	81	Analysis sample split/packet			WHI
EN002	81	Environmental disposal charge-Fire assay lead waste			VAN
FS631	79	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	81	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	81	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman


LILYBETH DE VERA-BOY
Fire Assay Spectroscopy Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830001	Drill Core	3.55	446	0.011	<0.01	<0.17	36.43	0.75	16.34	10.39	36.7	16855	4.6	1.7	97	0.84	7.5	0.9	5.5	6.8	11.4
1830002	Drill Core	3.50	438	0.014	0.02	<0.17	31.47	1.10	5.32	16.14	44.6	2128	1.7	0.7	111	0.75	4.1	1.2	8.1	8.8	31.9
1830003	Drill Core	2.94	395	0.011	0.01	<0.17	34.16	1.20	4.16	9.48	40.1	307	0.4	0.6	181	0.68	2.2	1.5	3.6	8.6	84.2
1830004	Drill Core	2.21	431	<0.005	<0.01	<0.17	35.03	0.79	2.37	12.38	40.1	150	0.3	0.3	122	0.58	0.7	1.9	<0.2	8.8	133.7
1830005	Drill Core	2.54	453	<0.005	<0.01	<0.17	28.79	0.73	3.43	12.54	46.0	213	0.3	0.5	99	0.70	1.5	2.3	<0.2	8.6	93.9
1830006	Drill Core	3.90	491	<0.005	<0.01	<0.17	35.84	0.68	2.29	8.22	34.3	137	0.3	0.3	84	0.62	1.1	1.5	0.5	8.4	64.7
1830007	Drill Core	4.39	424	0.008	<0.01	<0.17	37.39	0.80	2.30	11.01	38.0	213	0.5	0.4	50	0.67	2.0	1.3	1.8	8.8	12.5
1830008	Drill Core	2.90	436	<0.005	<0.01	<0.17	31.54	1.10	6.35	17.68	73.6	391	2.3	4.0	175	1.78	8.1	1.8	1.5	6.4	21.1
1830009	Drill Core	4.48	414	<0.005	<0.01	<0.17	36.16	0.62	3.09	9.30	30.5	209	0.5	0.4	48	0.71	1.4	0.8	<0.2	8.6	13.0
1830010	Drill Core	1.91	463	<0.005	<0.01	<0.17	44.13	0.66	7.12	12.05	63.0	276	2.3	4.7	303	2.04	3.1	1.7	<0.2	5.9	20.8
1830011	Drill Core	4.87	451	<0.005	<0.01	<0.17	26.68	0.26	4.99	4.41	29.8	51	1.3	2.4	745	1.29	0.7	0.8	<0.2	5.0	60.3
1830012	Drill Core	5.07	490	<0.005	<0.01	<0.17	33.34	1.08	3.26	4.41	44.6	37	1.3	3.5	480	1.59	0.6	1.0	<0.2	5.5	68.0
1830013	Drill Core	5.28	519	<0.005	<0.01	<0.17	41.86	1.14	4.68	4.88	42.0	50	1.4	3.9	376	1.60	1.0	0.9	<0.2	5.1	69.9
1830014	Drill Core	4.27	401	<0.005	<0.01	<0.17	38.95	1.05	8.11	4.02	40.0	67	1.3	4.1	382	1.67	0.8	0.9	0.6	5.1	77.5
1830015	Drill Core	4.55	507	<0.005	<0.01	<0.17	38.17	0.36	2.86	5.18	46.3	33	1.6	4.0	536	1.75	0.9	0.9	<0.2	5.1	87.1
1830016	Drill Core	5.06	555	<0.005	<0.01	<0.17	35.26	0.65	3.88	4.05	47.3	30	1.8	3.5	622	1.67	0.6	0.8	0.6	5.3	61.8
1830017	Drill Core	5.12	481	<0.005	<0.01	<0.17	35.55	0.18	4.16	5.19	44.5	20	1.5	3.8	639	1.57	0.5	0.8	0.8	5.2	66.1
1830018	Drill Core	4.40	476	<0.005	<0.01	<0.17	30.46	0.48	4.88	6.70	43.1	68	1.9	3.2	415	1.22	1.8	0.7	<0.2	6.1	49.5
1830019	Drill Core	4.59	495	<0.005	<0.01	<0.17	37.75	1.39	1.05	16.77	6.3	70	0.5	0.2	122	0.38	1.7	0.7	<0.2	9.2	18.2
1830020	Rock Pulp	0.13	91	0.450	I.S.	I.S.	I.S.	2.35	430.93	18.51	46.8	249	579.1	26.1	405	2.47	18.6	0.6	421.4	1.6	55.1
1830021	Drill Core	4.48	503	<0.005	<0.01	<0.17	35.37	1.66	3.31	12.71	16.3	141	1.1	2.8	216	0.78	1.6	0.7	1.9	7.1	26.3
1830022	Drill Core	5.18	550	<0.005	<0.01	<0.17	32.58	2.65	6.30	10.78	39.3	70	1.6	4.1	659	1.36	3.2	0.9	0.8	6.0	103.4
1830023	Drill Core	5.23	588	0.012	0.01	<0.17	29.66	0.35	4.92	4.48	25.9	101	1.1	2.4	456	1.21	1.2	0.7	9.9	5.5	93.2
1830024	Drill Core	4.77	496	<0.005	<0.01	<0.17	30.35	0.17	4.57	6.20	45.7	111	2.4	3.6	465	1.57	0.9	0.7	0.3	4.8	101.7
1830025	Drill Core	4.88	549	0.005	<0.01	<0.17	39.36	0.22	5.36	5.48	53.8	128	3.1	3.9	580	1.66	1.2	0.6	0.6	4.7	117.8
1830026	Drill Core	5.04	556	0.016	0.01	<0.17	31.83	0.50	5.93	9.52	48.0	325	2.4	3.5	223	1.63	11.2	0.7	7.7	5.4	26.1
1830027	Drill Core	2.19	511	0.090	0.10	0.22	22.52	0.43	3.79	89.92	26.8	986	0.9	1.3	100	0.93	7.1	0.5	755.8	2.1	4.1
1830028	Drill Core	4.47	506	0.024	0.02	<0.17	37.35	0.21	7.33	5.07	47.0	462	1.8	3.7	296	1.69	2.7	0.7	26.2	4.5	42.8
1830029	Drill Core	5.12	533	0.006	<0.01	<0.17	36.88	0.30	8.26	7.86	51.8	401	1.8	4.2	268	1.69	1.6	0.8	3.8	4.8	32.7
1830030	Drill Core	4.85	511	<0.005	<0.01	<0.17	41.01	0.46	4.75	4.67	34.3	164	1.2	3.0	330	1.29	1.5	0.6	1.3	4.8	47.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830001	Drill Core	0.07	0.63	0.05	5	0.07	0.011	20.4	3.1	0.11	372.4	0.007	2	0.62	0.033	0.31	46.1	2.9	0.10	<0.02	30			
1830002	Drill Core	0.19	0.45	0.03	2	0.25	0.011	32.8	2.2	0.19	684.6	0.003	2	0.57	0.033	0.33	4.6	2.7	0.07	<0.02	86			
1830003	Drill Core	0.43	0.47	<0.02	<1	0.66	0.008	24.9	1.0	0.17	655.6	0.001	2	0.57	0.037	0.37	0.3	2.3	0.09	0.15	59			
1830004	Drill Core	0.21	0.26	0.03	<1	1.18	0.005	29.3	0.9	0.16	623.2	0.001	2	0.65	0.033	0.41	0.1	2.8	0.08	0.07	34			
1830005	Drill Core	0.37	0.44	0.06	<1	0.75	0.006	30.8	0.8	0.15	476.1	0.001	1	0.61	0.043	0.36	0.2	3.5	0.08	0.11	8			
1830006	Drill Core	0.32	1.20	0.06	<1	0.61	0.005	29.9	1.0	0.06	415.3	<0.001	1	0.49	0.031	0.32	0.4	2.7	0.08	0.04	105			
1830007	Drill Core	0.08	0.44	0.06	<1	0.04	0.006	29.8	1.0	0.07	1033.4	<0.001	2	0.55	0.041	0.33	0.3	2.7	0.08	0.02	108			
1830008	Drill Core	0.33	1.35	0.06	8	0.14	0.035	23.1	1.9	0.24	1072.7	0.002	2	1.08	0.026	0.41	1.2	5.0	0.10	<0.02	80			
1830009	Drill Core	0.07	1.23	0.05	<1	0.03	0.005	28.7	1.0	0.06	1090.0	0.001	<1	0.50	0.040	0.29	1.1	2.3	0.07	<0.02	377			
1830010	Drill Core	0.35	1.66	0.04	9	0.15	0.042	22.3	1.7	0.44	709.4	0.002	2	1.32	0.016	0.47	2.0	4.9	0.10	<0.02	42			
1830011	Drill Core	0.24	1.44	0.02	5	1.42	0.039	19.8	1.8	0.26	458.2	0.004	1	0.88	0.030	0.46	1.0	3.9	0.08	<0.02	46			
1830012	Drill Core	0.13	1.21	0.02	6	1.26	0.039	23.9	1.4	0.40	382.7	0.006	1	1.04	0.053	0.45	0.5	4.3	0.07	<0.02	87			
1830013	Drill Core	0.11	1.31	0.02	6	0.95	0.040	20.2	1.5	0.44	391.8	0.005	1	1.00	0.043	0.43	0.3	4.1	0.08	0.03	21			
1830014	Drill Core	0.10	1.41	0.03	8	1.05	0.042	19.2	1.6	0.54	338.3	0.007	1	1.08	0.050	0.43	0.4	4.3	0.08	0.03	26			
1830015	Drill Core	0.14	1.87	<0.02	9	1.03	0.050	19.2	2.0	0.58	329.3	0.010	2	1.05	0.042	0.44	0.4	5.1	0.09	<0.02	27			
1830016	Drill Core	0.09	1.06	<0.02	7	0.89	0.049	20.6	2.1	0.56	355.6	0.007	2	1.11	0.035	0.45	0.4	4.7	0.07	<0.02	46			
1830017	Drill Core	0.09	0.84	0.02	6	0.96	0.046	19.8	1.6	0.48	307.5	0.006	1	0.97	0.037	0.45	0.3	4.1	0.07	<0.02	18			
1830018	Drill Core	0.16	0.61	0.06	5	0.61	0.044	19.9	1.9	0.25	312.6	0.010	1	0.80	0.024	0.48	0.8	2.8	0.10	0.04	7			
1830019	Drill Core	0.05	0.24	0.03	<1	0.20	0.003	12.7	1.1	0.03	137.7	<0.001	<1	0.30	0.040	0.29	<0.1	0.4	0.04	0.11	<5			
1830020	Rock Pulp	0.19	0.40	0.27	51	1.29	0.029	4.1	98.0	1.70	71.7	0.070	3	1.93	0.209	0.15	1.3	3.0	0.09	0.19	18			
1830021	Drill Core	0.10	0.41	0.06	3	0.36	0.030	14.5	1.5	0.11	257.2	0.004	1	0.54	0.021	0.43	0.4	1.6	0.06	0.19	5			
1830022	Drill Core	0.25	0.81	<0.02	6	1.00	0.043	23.1	1.7	0.38	387.0	0.016	2	0.97	0.026	0.53	1.0	3.6	0.11	0.06	34			
1830023	Drill Core	0.16	0.45	0.03	5	0.88	0.042	19.5	1.7	0.28	394.2	0.007	2	0.86	0.034	0.49	0.7	3.3	0.08	0.09	33			
1830024	Drill Core	0.06	0.42	0.04	9	0.93	0.057	18.9	2.4	0.40	362.5	0.007	1	1.02	0.030	0.48	0.6	4.3	0.07	<0.02	91			
1830025	Drill Core	0.16	0.43	<0.02	8	1.05	0.057	18.5	2.3	0.42	373.2	0.007	1	1.04	0.028	0.49	0.6	4.0	0.08	<0.02	45			
1830026	Drill Core	0.19	0.41	0.03	8	0.24	0.052	20.4	2.1	0.40	350.4	0.004	1	1.06	0.030	0.48	0.3	3.7	0.08	0.02	47			
1830027	Drill Core	0.17	0.32	0.27	3	0.06	0.021	7.1	2.0	0.15	181.9	0.002	<1	0.44	0.016	0.26	0.2	1.4	0.04	0.10	46			
1830028	Drill Core	0.14	0.29	<0.02	8	0.53	0.051	16.3	2.1	0.34	336.8	0.006	1	0.96	0.032	0.45	0.3	4.0	0.07	0.15	50			
1830029	Drill Core	0.10	0.37	0.03	8	0.35	0.057	18.5	2.2	0.36	354.1	0.007	1	1.04	0.032	0.48	0.3	4.3	0.08	0.03	36			
1830030	Drill Core	0.18	0.29	0.03	5	0.48	0.050	16.7	1.7	0.36	320.1	0.006	<1	0.90	0.020	0.46	0.2	2.8	0.07	0.04	33			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830001	Drill Core	<0.1	<0.02	2.2	0.80	<0.1	0.03	0.19	11.8	0.3	<0.05	2.1	9.87	39.6	0.02	<1	0.3	3.7	<10	<2			
1830002	Drill Core	<0.1	<0.02	1.9	0.81	<0.1	0.05	0.06	11.0	0.3	<0.05	2.3	8.57	60.0	0.02	<1	0.2	3.9	<10	<2			
1830003	Drill Core	<0.1	<0.02	1.9	0.66	<0.1	<0.02	0.03	11.1	0.2	<0.05	0.8	8.96	46.8	<0.02	<1	0.2	4.4	<10	<2			
1830004	Drill Core	<0.1	<0.02	2.1	0.62	<0.1	<0.02	0.06	13.0	0.3	<0.05	0.6	12.28	54.8	<0.02	<1	0.2	5.0	<10	<2			
1830005	Drill Core	<0.1	<0.02	2.2	0.84	<0.1	<0.02	0.04	12.0	0.3	<0.05	0.6	22.69	57.2	0.03	<1	0.2	3.7	<10	<2			
1830006	Drill Core	<0.1	<0.02	1.8	1.02	<0.1	<0.02	0.02	11.1	0.3	<0.05	0.5	15.45	55.9	0.02	<1	0.2	2.5	<10	<2			
1830007	Drill Core	<0.1	<0.02	1.8	1.21	<0.1	0.02	0.03	11.8	0.3	<0.05	0.9	10.34	56.9	0.02	<1	0.2	4.7	<10	<2			
1830008	Drill Core	<0.1	<0.02	3.3	2.95	<0.1	0.03	<0.02	15.2	0.3	<0.05	1.3	12.46	45.2	0.02	<1	0.3	12.3	<10	<2			
1830009	Drill Core	<0.1	<0.02	1.9	1.00	<0.1	0.04	0.05	11.2	0.4	<0.05	0.9	9.88	54.3	0.02	<1	0.2	3.2	<10	<2			
1830010	Drill Core	<0.1	<0.02	3.8	3.93	<0.1	0.02	<0.02	14.9	0.3	<0.05	0.9	13.54	42.0	0.03	<1	0.4	19.0	<10	<2			
1830011	Drill Core	<0.1	<0.02	2.2	1.02	<0.1	<0.02	<0.02	12.4	0.2	<0.05	0.4	15.76	36.5	<0.02	<1	0.1	7.6	<10	<2			
1830012	Drill Core	<0.1	<0.02	3.2	0.87	<0.1	0.02	0.03	12.3	0.2	<0.05	0.9	16.56	44.4	0.02	<1	<0.1	10.6	<10	<2			
1830013	Drill Core	<0.1	<0.02	3.2	0.96	<0.1	0.03	<0.02	12.3	0.2	<0.05	0.5	14.32	38.5	0.03	<1	0.2	7.8	<10	<2			
1830014	Drill Core	<0.1	<0.02	3.4	1.06	<0.1	<0.02	<0.02	12.2	0.2	<0.05	0.6	14.03	36.0	0.02	<1	0.3	8.0	<10	<2			
1830015	Drill Core	<0.1	<0.02	3.5	1.13	<0.1	<0.02	0.02	13.5	0.2	<0.05	0.4	15.34	36.8	0.02	<1	0.3	9.4	<10	<2			
1830016	Drill Core	<0.1	<0.02	3.4	0.71	<0.1	0.02	0.04	12.8	0.2	<0.05	0.6	16.41	39.3	0.02	<1	0.1	7.2	<10	<2			
1830017	Drill Core	<0.1	<0.02	2.8	0.63	<0.1	<0.02	<0.02	11.9	0.2	<0.05	0.5	13.48	37.7	0.02	<1	0.2	7.9	<10	<2			
1830018	Drill Core	<0.1	<0.02	2.3	1.01	<0.1	0.07	0.06	15.3	0.2	<0.05	2.3	7.99	38.2	<0.02	<1	0.2	6.5	<10	<2			
1830019	Drill Core	<0.1	<0.02	1.1	0.25	<0.1	0.14	0.18	8.1	0.2	<0.05	3.5	4.74	28.1	<0.02	<1	0.2	0.6	<10	<2			
1830020	Rock Pulp	0.5	0.15	4.2	0.60	<0.1	0.04	0.03	5.7	0.4	<0.05	1.3	3.19	8.3	<0.02	2	0.1	7.4	263	115			
1830021	Drill Core	<0.1	<0.02	1.6	0.62	<0.1	0.08	0.07	11.9	0.2	<0.05	2.3	6.18	29.5	<0.02	<1	0.3	2.3	<10	<2			
1830022	Drill Core	<0.1	<0.02	2.7	1.51	<0.1	0.03	0.04	16.1	0.2	<0.05	1.4	9.59	42.3	<0.02	<1	0.4	6.2	<10	<2			
1830023	Drill Core	<0.1	<0.02	2.4	0.65	<0.1	0.02	0.03	14.1	0.2	<0.05	0.6	7.94	36.1	<0.02	<1	0.2	5.9	<10	<2			
1830024	Drill Core	<0.1	<0.02	3.1	0.67	<0.1	<0.02	<0.02	14.2	0.2	<0.05	0.4	6.18	36.6	<0.02	<1	0.3	10.2	13	<2			
1830025	Drill Core	<0.1	<0.02	2.8	0.78	<0.1	<0.02	<0.02	15.0	0.2	<0.05	0.4	6.32	34.5	<0.02	<1	0.3	8.4	<10	<2			
1830026	Drill Core	<0.1	<0.02	3.1	0.96	<0.1	<0.02	<0.02	14.5	0.2	<0.05	1.2	6.40	37.7	<0.02	<1	0.3	8.8	<10	<2			
1830027	Drill Core	<0.1	0.02	1.4	0.26	<0.1	<0.02	<0.02	7.6	0.1	<0.05	0.4	2.73	13.5	<0.02	<1	0.1	3.3	<10	<2			
1830028	Drill Core	<0.1	<0.02	3.0	0.40	<0.1	0.04	<0.02	13.2	0.1	<0.05	0.3	6.87	30.9	0.02	<1	0.1	7.5	<10	<2			
1830029	Drill Core	<0.1	<0.02	2.9	0.48	<0.1	<0.02	0.03	14.1	0.2	<0.05	0.5	7.28	35.4	0.02	<1	0.2	9.0	<10	<2			
1830030	Drill Core	<0.1	<0.02	2.3	0.52	<0.1	<0.02	0.03	13.1	0.1	<0.05	0.4	7.31	31.5	<0.02	<1	0.2	6.6	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830031	Drill Core	2.07	457	0.162	0.30	1.98	33.89	0.40	10.86	2.60	22.7	494	1.2	1.9	220	1.12	1.8	0.5	251.7	4.3	37.3
1830032	Drill Core	5.37	504	0.053	0.05	<0.17	40.13	0.30	5.02	2.56	14.8	179	1.1	1.5	163	0.69	1.4	0.5	13.7	6.2	23.8
1830033	Drill Core	2.97	517	0.010	<0.01	<0.17	27.82	0.43	4.07	3.28	28.6	109	1.2	2.4	277	1.16	1.1	0.4	15.6	5.4	58.1
1830034	Drill Core	5.21	449	<0.005	<0.01	<0.17	28.61	0.60	5.72	4.36	43.8	242	1.9	4.7	392	1.93	1.1	0.9	2.4	5.3	45.7
1830035	Drill Core	3.12	464	<0.005	<0.01	<0.17	27.57	0.81	6.60	4.27	36.9	608	1.7	4.8	490	2.04	1.0	0.6	0.4	5.3	59.0
1830036	Drill Core	4.26	436	<0.005	<0.01	<0.17	35.54	0.43	6.63	3.61	36.0	97	1.4	4.2	610	2.00	0.6	0.6	<0.2	4.5	77.2
1830037	Drill Core	4.81	450	<0.005	<0.01	<0.17	32.69	0.51	6.70	4.92	45.6	49	1.9	4.1	848	2.12	0.8	0.6	<0.2	4.9	161.6
1830038	Drill Core	4.02	382	<0.005	<0.01	<0.17	27.96	0.43	4.95	2.40	38.6	42	1.5	4.1	607	1.88	0.6	0.7	0.5	5.0	75.0
1830039	Drill Core	4.79	441	<0.005	<0.01	<0.17	29.70	2.94	4.55	4.58	45.8	53	1.6	4.1	701	1.92	0.8	0.8	<0.2	5.0	115.7
1830040	Rock Pulp	0.13	89	<0.005	I.S.	I.S.	I.S.	2.42	93.42	3.54	34.7	117	4.8	9.0	373	2.60	0.7	0.8	0.5	2.7	65.0
1830041	Drill Core	5.23	489	<0.005	<0.01	<0.17	33.66	0.38	2.94	4.02	57.2	55	2.6	4.4	617	1.76	0.9	0.9	<0.2	4.5	113.6
1830042	Drill Core	4.44	433	<0.005	<0.01	<0.17	32.48	0.28	6.03	5.44	56.0	42	1.7	4.8	497	1.94	0.8	0.9	<0.2	4.8	135.5
1830043	Drill Core	4.70	499	<0.005	<0.01	<0.17	63.64	0.89	3.13	6.19	40.0	40	1.0	3.6	497	1.53	1.5	1.3	<0.2	5.0	146.3
1830044	Drill Core	5.21	519	<0.005	<0.01	<0.17	46.98	1.03	6.03	14.26	11.0	221	0.3	0.4	90	0.58	0.7	1.6	<0.2	10.0	89.9
1830045	Drill Core	4.97	507	<0.005	<0.01	<0.17	48.22	0.57	2.29	11.93	23.1	212	0.4	0.4	92	0.80	1.3	2.3	<0.2	8.0	94.5
1830046	Drill Core	3.60	475	0.029	0.03	<0.17	60.00	0.58	2.66	10.30	21.4	203	0.4	0.4	111	0.77	1.4	1.6	6.5	7.5	91.8
1830047	Drill Core	2.81	439	0.007	<0.01	<0.17	59.97	1.04	2.51	17.74	17.6	432	0.6	0.3	96	0.83	1.3	1.4	1.4	7.9	77.7
1830048	Drill Core	3.93	369	<0.005	<0.01	<0.17	25.94	0.58	2.16	10.90	16.5	329	0.5	0.4	64	0.91	1.2	1.0	0.3	8.4	28.3
1830049	Drill Core	5.68	553	0.028	0.02	<0.17	60.59	0.60	2.57	9.13	17.9	301	0.4	0.4	52	0.77	3.1	1.2	3.1	8.2	35.9
1830050	Drill Core	4.91	434	0.016	0.01	<0.17	52.35	1.42	3.38	9.91	16.1	357	0.4	0.6	60	0.71	2.7	0.8	9.1	7.8	61.8
1830051	Drill Core	4.58	440	0.019	0.02	<0.17	39.57	0.98	3.16	13.41	18.2	362	0.6	0.6	123	0.94	15.2	2.2	48.3	7.9	125.3
1830052	Drill Core	2.95	475	0.014	0.01	<0.17	44.73	0.68	3.54	18.54	19.3	517	0.7	0.3	62	0.70	12.6	1.1	5.0	9.7	39.4
1830053	Drill Core	3.89	406	0.009	<0.01	<0.17	40.61	0.53	3.61	15.33	24.9	424	0.8	0.4	59	0.89	8.5	0.9	5.0	10.0	11.4
1830054	Drill Core	5.02	486	<0.005	<0.01	<0.17	41.90	0.35	2.78	12.22	16.7	276	0.6	0.3	43	0.61	3.3	0.9	<0.2	10.0	8.8
1830055	Drill Core	3.00	562	<0.005	<0.01	<0.17	43.31	0.59	3.25	20.05	25.6	365	1.0	0.4	46	0.69	6.8	1.0	0.6	10.2	7.3
1830056	Drill Core	4.39	457	0.012	0.01	<0.17	39.08	0.70	2.61	20.58	28.0	297	1.1	0.4	51	0.79	10.3	1.0	13.3	10.9	9.2
1830057	Drill Core	4.05	429	<0.005	<0.01	<0.17	45.30	0.55	2.65	12.67	22.4	336	0.8	0.3	68	0.72	2.9	1.1	<0.2	11.0	26.8
1830058	Drill Core	2.37	472	0.153	0.24	1.12	40.11	0.83	2.74	44.86	15.3	965	0.6	0.2	66	0.54	0.9	1.4	181.3	9.2	42.0
1830059	Drill Core	2.48	476	<0.005	<0.01	<0.17	46.90	0.82	2.26	12.97	16.2	252	0.3	0.3	68	0.53	1.2	1.6	1.9	10.2	94.4
1830060	Core DUP		588	<0.005	<0.01	<0.17	57.34	0.83	2.22	12.61	14.6	261	0.3	0.3	62	0.48	1.0	1.6	0.7	10.0	91.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830031	Drill Core	0.16	0.28	0.02	3	0.33	0.043	14.0	1.7	0.22	305.2	0.003	<1	0.74	0.029	0.44	0.2	2.2	0.06	0.21	28			
1830032	Drill Core	0.10	0.17	0.02	2	0.39	0.054	20.8	1.4	0.12	346.1	0.003	1	0.64	0.030	0.48	0.2	1.8	0.06	0.07	16			
1830033	Drill Core	0.12	0.30	<0.02	4	0.51	0.043	17.5	1.8	0.35	284.0	0.003	1	0.84	0.022	0.45	0.3	2.7	0.06	0.05	20			
1830034	Drill Core	0.14	0.68	0.06	9	0.52	0.058	18.1	1.9	0.54	315.2	0.005	3	1.36	0.037	0.51	0.9	4.9	0.10	0.10	<5			
1830035	Drill Core	0.14	0.64	0.07	9	0.90	0.058	17.7	3.2	0.44	271.9	0.004	2	0.94	0.027	0.43	1.5	4.5	0.06	<0.02	9			
1830036	Drill Core	0.14	0.43	0.05	8	1.19	0.056	17.6	2.6	0.49	269.7	0.004	2	0.97	0.027	0.41	0.3	3.6	0.06	<0.02	7			
1830037	Drill Core	0.31	0.44	0.06	8	1.95	0.062	18.7	3.0	0.82	308.4	0.005	2	1.17	0.019	0.41	0.8	3.6	0.06	<0.02	6			
1830038	Drill Core	0.16	0.52	0.07	8	1.17	0.063	18.2	2.5	0.49	382.2	0.007	2	1.02	0.027	0.48	0.9	3.3	0.07	<0.02	11			
1830039	Drill Core	0.15	0.39	0.05	7	1.61	0.060	16.9	2.8	0.56	253.4	0.005	2	0.99	0.023	0.44	0.4	3.6	0.06	0.04	10			
1830040	Rock Pulp	0.07	0.13	0.05	94	0.81	0.063	6.5	10.4	0.72	115.0	0.100	2	1.48	0.148	0.20	3.2	2.3	0.04	<0.02	<5			
1830041	Drill Core	0.12	1.41	0.05	8	1.39	0.052	16.8	2.7	0.56	263.7	0.007	2	1.01	0.028	0.41	0.8	5.4	0.07	0.02	16			
1830042	Drill Core	0.21	1.92	0.03	10	1.59	0.051	18.4	2.4	0.55	344.1	0.007	3	1.09	0.033	0.45	0.3	5.7	0.09	<0.02	21			
1830043	Drill Core	0.20	1.21	0.03	7	1.81	0.051	19.2	1.9	0.33	958.4	0.007	3	0.93	0.025	0.52	0.8	4.6	0.11	0.03	27			
1830044	Drill Core	0.16	1.45	0.08	<1	0.74	0.009	32.9	1.3	0.04	635.9	0.002	2	0.42	0.039	0.34	0.6	2.7	0.07	0.04	146			
1830045	Drill Core	0.21	2.27	0.08	<1	0.81	0.006	26.9	1.4	0.03	465.6	0.003	3	0.45	0.052	0.35	0.7	4.0	0.10	0.06	102			
1830046	Drill Core	0.20	1.65	0.05	<1	0.73	0.006	25.2	1.6	0.03	517.1	0.003	2	0.42	0.050	0.32	0.7	3.3	0.09	0.10	93			
1830047	Drill Core	0.14	2.03	0.07	<1	0.67	0.005	28.0	1.7	0.03	618.3	0.002	3	0.48	0.057	0.35	1.6	3.0	0.09	0.11	262			
1830048	Drill Core	0.05	2.56	0.06	<1	0.29	0.006	29.7	1.9	0.03	601.1	0.003	2	0.48	0.067	0.34	2.0	2.9	0.08	0.04	263			
1830049	Drill Core	0.16	1.35	0.07	<1	0.33	0.006	29.2	1.4	0.03	483.8	0.002	2	0.38	0.058	0.27	1.0	2.4	0.08	0.14	61			
1830050	Drill Core	0.18	0.69	0.09	<1	0.56	0.005	27.1	1.4	0.03	486.4	<0.001	1	0.42	0.058	0.28	0.3	2.4	0.10	0.22	137			
1830051	Drill Core	0.32	0.69	0.05	<1	1.39	0.005	26.7	2.2	0.04	672.6	<0.001	2	0.48	0.025	0.36	0.5	2.5	0.10	0.23	233			
1830052	Drill Core	0.17	0.50	0.08	<1	0.35	0.004	31.1	2.2	0.04	1407.5	<0.001	2	0.42	0.037	0.31	0.7	2.2	0.09	0.11	224			
1830053	Drill Core	0.08	0.47	0.09	<1	0.09	0.004	30.5	2.3	0.05	412.1	0.001	1	0.51	0.059	0.30	0.4	2.4	0.08	0.03	83			
1830054	Drill Core	0.06	0.70	0.09	<1	0.05	0.004	32.5	1.7	0.03	453.7	0.001	1	0.39	0.051	0.28	0.3	2.3	0.07	0.02	57			
1830055	Drill Core	0.08	0.76	0.10	<1	0.03	0.004	30.6	1.8	0.04	468.1	<0.001	2	0.39	0.042	0.28	0.6	2.8	0.06	<0.02	62			
1830056	Drill Core	0.11	1.05	0.08	<1	0.06	0.004	34.7	1.9	0.04	344.6	0.001	2	0.42	0.047	0.28	0.5	2.9	0.07	<0.02	81			
1830057	Drill Core	0.08	0.38	0.15	<1	0.27	0.004	37.6	2.2	0.07	569.1	0.001	2	0.55	0.038	0.43	0.3	2.5	0.10	0.03	40			
1830058	Drill Core	0.11	0.31	0.17	<1	0.46	0.006	29.0	1.6	0.05	344.9	<0.001	2	0.44	0.030	0.36	0.6	1.7	0.08	0.09	38			
1830059	Drill Core	0.18	0.32	0.08	<1	0.64	0.005	30.9	1.4	0.05	533.7	0.002	2	0.50	0.042	0.42	<0.1	2.6	0.10	0.09	13			
1830060	Core DUP	0.17	0.34	0.08	<1	0.60	0.005	31.3	1.1	0.04	470.4	0.001	2	0.42	0.035	0.35	<0.1	2.3	0.09	0.09	10			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830031 Drill Core	<0.1	<0.02	2.0	0.44	<0.1	<0.02	<0.02	11.7	0.1	<0.05	0.5	4.49	26.1	<0.02	<1	0.2	5.1	<10	<2
1830032 Drill Core	<0.1	<0.02	1.7	0.55	<0.1	0.03	0.03	12.6	0.2	<0.05	1.2	5.17	38.3	<0.02	<1	0.2	3.2	<10	<2
1830033 Drill Core	<0.1	<0.02	2.3	0.89	<0.1	0.03	<0.02	12.1	0.2	<0.05	1.0	5.52	33.0	<0.02	<1	0.2	6.7	<10	<2
1830034 Drill Core	<0.1	0.02	3.6	2.13	<0.1	0.03	0.03	13.5	0.4	<0.05	0.5	7.82	33.7	0.05	<1	0.3	13.7	<10	<2
1830035 Drill Core	<0.1	<0.02	3.0	0.98	<0.1	<0.02	<0.02	11.1	0.3	<0.05	0.5	10.00	34.8	0.03	<1	0.2	10.1	<10	<2
1830036 Drill Core	<0.1	<0.02	2.9	0.36	<0.1	0.02	<0.02	9.6	0.2	<0.05	1.1	8.78	33.1	0.02	<1	0.2	11.9	<10	<2
1830037 Drill Core	<0.1	<0.02	3.8	0.47	<0.1	0.04	<0.02	10.7	0.3	<0.05	1.5	9.16	35.0	<0.02	<1	0.2	10.5	<10	<2
1830038 Drill Core	<0.1	<0.02	3.2	0.59	<0.1	0.02	<0.02	11.2	0.4	<0.05	1.8	9.39	34.7	0.02	<1	0.2	8.8	<10	<2
1830039 Drill Core	<0.1	<0.02	2.8	0.59	<0.1	0.04	<0.02	10.1	0.2	<0.05	1.2	9.50	32.1	<0.02	<1	0.2	8.1	<10	<2
1830040 Rock Pulp	<0.1	<0.02	4.2	0.31	<0.1	0.07	0.07	6.4	0.3	<0.05	1.2	4.30	13.9	<0.02	<1	<0.1	6.6	<10	<2
1830041 Drill Core	<0.1	<0.02	3.4	0.71	<0.1	<0.02	<0.02	11.4	0.3	<0.05	0.4	11.64	31.8	0.02	<1	0.3	9.8	<10	<2
1830042 Drill Core	<0.1	<0.02	3.3	1.08	<0.1	0.02	<0.02	12.7	0.3	<0.05	0.5	13.57	34.7	0.02	<1	0.2	10.5	<10	<2
1830043 Drill Core	<0.1	<0.02	2.8	1.16	<0.1	<0.02	<0.02	14.5	0.3	<0.05	0.5	11.61	36.8	0.02	1	0.2	7.9	<10	<2
1830044 Drill Core	<0.1	<0.02	1.7	0.81	<0.1	0.04	0.02	10.3	0.4	<0.05	1.4	20.38	66.7	0.03	1	0.2	1.4	<10	<2
1830045 Drill Core	<0.1	<0.02	2.1	1.00	<0.1	0.03	0.06	12.5	0.6	<0.05	0.8	21.30	55.2	0.03	<1	0.3	1.1	<10	<2
1830046 Drill Core	<0.1	<0.02	1.8	0.91	<0.1	0.03	0.06	12.8	0.6	<0.05	0.9	15.96	50.3	0.03	<1	0.3	1.3	<10	<2
1830047 Drill Core	<0.1	<0.02	2.3	0.94	<0.1	0.03	0.04	14.5	0.4	<0.05	0.9	14.71	57.5	0.03	<1	0.3	1.3	<10	<2
1830048 Drill Core	<0.1	<0.02	1.9	1.28	<0.1	0.04	0.06	14.8	0.6	<0.05	1.0	15.30	59.8	0.03	<1	0.3	2.0	<10	<2
1830049 Drill Core	<0.1	<0.02	1.5	1.01	<0.1	0.03	0.04	11.0	0.4	<0.05	0.8	14.24	60.3	0.03	<1	0.3	1.9	<10	<2
1830050 Drill Core	0.1	<0.02	1.7	0.96	<0.1	0.03	<0.02	10.9	0.3	<0.05	0.8	13.74	54.0	<0.02	<1	0.2	1.8	<10	<2
1830051 Drill Core	<0.1	<0.02	1.7	0.99	<0.1	0.03	<0.02	14.1	0.4	<0.05	0.7	16.58	55.1	0.02	1	0.3	2.4	<10	<2
1830052 Drill Core	0.2	<0.02	1.6	1.36	<0.1	0.03	<0.02	12.8	0.4	<0.05	1.0	15.73	63.1	0.03	<1	0.3	1.7	<10	<2
1830053 Drill Core	<0.1	<0.02	2.1	0.96	<0.1	0.03	0.02	11.5	0.4	<0.05	1.2	18.83	62.4	0.03	<1	0.3	2.6	<10	<2
1830054 Drill Core	<0.1	<0.02	1.8	0.86	<0.1	0.05	0.03	10.9	0.5	<0.05	1.0	19.13	65.5	0.03	<1	0.3	2.3	<10	<2
1830055 Drill Core	<0.1	<0.02	1.7	0.93	<0.1	0.04	0.02	10.1	0.4	<0.05	1.5	19.08	65.4	0.03	<1	0.4	2.1	<10	<2
1830056 Drill Core	<0.1	<0.02	2.0	0.90	<0.1	0.05	<0.02	11.3	0.6	<0.05	1.5	19.40	70.0	0.03	<1	0.4	2.5	<10	<2
1830057 Drill Core	<0.1	<0.02	2.3	0.93	<0.1	0.05	<0.02	15.4	0.4	<0.05	1.4	16.02	75.4	0.03	<1	0.4	2.4	<10	<2
1830058 Drill Core	<0.1	<0.02	1.7	1.00	<0.1	0.03	<0.02	12.5	0.3	<0.05	1.3	11.05	61.0	<0.02	<1	0.2	1.7	<10	<2
1830059 Drill Core	<0.1	<0.02	2.2	0.47	<0.1	0.03	0.02	14.4	0.4	<0.05	1.0	15.00	64.4	0.03	<1	0.3	1.7	<10	<2
1830060 Core DUP	<0.1	<0.02	1.9	0.44	<0.1	0.03	<0.02	12.5	0.3	<0.05	0.9	15.11	64.6	0.02	<1	0.2	1.6	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830061	Drill Core	4.64	557	<0.005	<0.01	<0.17	53.93	0.83	2.01	14.37	21.4	271	0.4	0.3	60	0.58	1.5	2.0	<0.2	9.8	79.7
1830062	Drill Core	4.65	476	<0.005	<0.01	<0.17	27.37	0.60	2.64	12.12	21.2	303	0.6	0.4	62	0.75	5.6	0.9	2.0	9.1	24.9
1830063	Drill Core	2.69	553	0.009	<0.01	<0.17	41.03	0.49	1.78	8.62	13.7	203	0.6	0.3	64	0.62	1.6	0.9	10.5	8.8	36.2
1830064	Drill Core	3.76	445	0.005	<0.01	<0.17	32.26	0.92	2.68	17.83	24.2	343	0.9	0.5	55	0.80	7.3	1.2	5.3	9.5	12.2
1830065	Drill Core	3.36	535	<0.005	<0.01	<0.17	37.44	0.70	1.79	15.58	18.5	275	0.8	0.3	50	0.60	5.6	1.5	2.3	10.2	14.1
1830066	Drill Core	2.78	511	0.020	0.02	<0.17	35.19	2.39	1.79	16.93	11.4	368	0.7	0.3	67	0.77	9.3	2.3	14.2	7.4	27.1
1830067	Drill Core	4.58	468	0.008	<0.01	<0.17	52.17	0.52	2.76	10.05	25.6	240	0.6	0.4	68	0.80	3.1	2.2	0.4	9.3	60.1
1830068	Drill Core	4.78	498	<0.005	<0.01	<0.17	52.81	0.48	2.11	14.04	30.1	215	0.5	0.3	69	0.69	2.7	2.5	<0.2	9.5	74.7
1830069	Drill Core	5.16	563	0.019	0.02	<0.17	43.47	1.30	3.45	18.30	26.2	331	0.5	0.4	71	0.78	7.8	2.3	2.3	9.1	61.1
1830070	Drill Core	2.69	413	<0.005	<0.01	<0.17	41.00	0.95	1.62	13.16	18.6	231	0.4	0.3	105	0.67	2.8	1.6	0.6	8.7	59.9
1830071	Drill Core	2.38	561	0.008	<0.01	<0.17	44.35	0.62	1.86	9.77	17.6	243	0.5	0.3	78	0.56	4.0	1.3	8.2	7.8	56.9
1830072	Drill Core	4.60	496	0.017	0.02	<0.17	43.88	0.62	2.30	12.63	19.4	281	0.4	0.3	65	0.60	4.6	1.8	4.4	10.3	80.0
1830073	Drill Core	3.79	418	<0.005	<0.01	<0.17	39.56	0.45	2.38	14.95	27.1	309	0.4	0.4	58	0.56	1.9	3.0	<0.2	8.2	71.1
1830074	Drill Core	3.54	419	0.005	<0.01	<0.17	41.60	3.29	2.79	21.88	41.6	443	0.3	0.4	113	0.56	1.8	3.7	1.2	9.9	117.6
1830075	Drill Core	2.33	498	0.147	0.26	1.75	34.30	5.79	2.47	133.14	32.6	1284	0.5	0.4	98	0.90	6.0	1.3	49.1	5.0	39.4
1830076	Drill Core	2.56	563	0.008	<0.01	<0.17	59.93	7.60	1.67	20.84	45.7	547	0.6	0.6	114	1.16	68.5	1.9	2.6	7.2	37.7
1830077	Drill Core	2.37	447	0.011	<0.01	<0.17	39.24	3.39	2.10	16.93	20.8	412	0.7	0.4	113	0.92	7.9	1.4	12.0	4.4	43.7
1830078	Drill Core	3.17	413	0.017	0.01	<0.17	57.58	1.10	2.19	9.54	11.7	288	0.4	0.2	114	0.56	4.1	1.7	18.2	6.3	67.9
1830079	Drill Core	3.57	496	0.059	0.05	<0.17	37.63	0.84	1.97	10.25	24.0	454	0.4	0.3	69	0.60	3.9	2.4	37.3	9.6	51.4
1830080	Rock	0.22	156	<0.005	<0.01	<0.17	56.48	2.47	4.25	1.03	3.1	20	4.1	1.2	79	0.70	0.8	0.2	0.4	1.2	1.6
1830081	Drill Core	2.99	535	0.010	<0.01	<0.17	66.31	0.53	2.71	15.82	28.1	334	0.3	0.3	97	0.67	3.1	2.4	12.2	9.0	83.3



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830061	Drill Core	0.15	0.65	0.07	<1	0.55	0.005	31.2	1.4	0.04	393.3	0.002	1	0.38	0.035	0.31	0.4	3.0	0.07	0.10	53
1830062	Drill Core	0.17	0.70	0.07	<1	0.20	0.004	29.8	1.7	0.04	305.6	0.002	2	0.39	0.034	0.32	0.4	3.2	0.11	0.16	37
1830063	Drill Core	0.10	0.19	0.06	<1	0.33	0.003	26.4	1.6	0.04	300.3	0.001	2	0.37	0.030	0.33	0.1	2.1	0.07	0.13	25
1830064	Drill Core	0.10	0.46	0.07	<1	0.08	0.007	29.3	1.7	0.04	407.9	0.001	1	0.39	0.032	0.32	0.2	2.5	0.10	0.22	82
1830065	Drill Core	0.11	0.36	0.07	<1	0.08	0.007	33.3	1.7	0.04	1167.5	<0.001	2	0.40	0.024	0.36	0.3	1.9	0.09	0.09	79
1830066	Drill Core	0.11	0.29	0.03	<1	0.30	0.003	17.0	2.0	0.02	396.5	<0.001	2	0.32	0.033	0.29	0.3	1.3	0.07	0.30	83
1830067	Drill Core	0.23	0.35	0.10	<1	0.59	0.004	27.8	1.6	0.05	553.3	0.001	1	0.45	0.034	0.36	0.2	2.8	0.10	0.25	80
1830068	Drill Core	0.19	0.42	0.08	<1	0.65	0.005	29.8	1.4	0.05	362.2	0.001	1	0.44	0.032	0.35	0.3	3.3	0.09	0.12	53
1830069	Drill Core	0.18	0.26	0.08	<1	0.67	0.012	28.9	1.4	0.05	224.6	<0.001	2	0.38	0.032	0.30	0.1	2.3	0.15	0.34	22
1830070	Drill Core	0.15	0.14	0.09	<1	0.69	0.004	25.2	1.4	0.07	1053.8	0.001	4	0.72	0.037	0.52	0.1	2.1	0.14	0.17	27
1830071	Drill Core	0.19	0.14	0.08	<1	0.56	0.003	25.6	1.4	0.03	583.6	<0.001	2	0.34	0.038	0.28	0.1	1.6	0.07	0.14	18
1830072	Drill Core	0.14	0.30	0.10	<1	0.75	0.004	29.7	1.3	0.04	932.3	0.001	3	0.40	0.038	0.30	0.2	2.4	0.07	0.12	37
1830073	Drill Core	0.24	0.33	0.09	<1	0.73	0.004	22.5	1.1	0.05	546.0	0.001	1	0.40	0.030	0.29	0.1	2.9	0.07	0.09	6
1830074	Drill Core	0.43	0.27	0.09	<1	1.18	0.003	24.7	1.2	0.09	663.7	0.001	3	0.62	0.035	0.44	0.1	2.2	0.11	0.15	46
1830075	Drill Core	0.50	0.25	0.34	<1	0.58	0.002	11.9	1.7	0.01	190.6	<0.001	2	0.21	0.017	0.22	<0.1	1.0	0.07	0.55	43
1830076	Drill Core	0.56	0.99	<0.02	<1	0.80	0.004	16.6	1.0	0.01	145.6	<0.001	1	0.21	0.020	0.23	0.1	1.2	0.27	0.89	138
1830077	Drill Core	0.35	0.22	0.03	<1	0.79	0.003	11.2	2.0	0.02	143.7	<0.001	2	0.26	0.026	0.26	<0.1	1.2	0.09	0.47	41
1830078	Drill Core	0.15	0.13	0.03	<1	0.91	0.002	15.7	1.6	0.02	384.3	<0.001	2	0.32	0.022	0.28	0.1	1.1	0.07	0.16	89
1830079	Drill Core	0.20	0.29	0.09	<1	0.50	0.003	29.0	1.4	0.05	438.5	<0.001	2	0.42	0.039	0.31	0.1	2.2	0.08	0.16	87
1830080	Rock	0.01	0.06	<0.02	2	0.02	0.002	1.6	7.7	0.02	12.5	0.002	<1	0.07	0.006	0.02	<0.1	0.3	<0.02	<0.02	<5
1830081	Drill Core	0.21	0.18	0.07	<1	0.88	0.003	21.4	1.2	0.06	410.5	<0.001	2	0.42	0.053	0.28	<0.1	2.3	0.07	0.21	60



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000021.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1830061	Drill Core	<0.1	<0.02	1.7	0.63	<0.1	0.04	0.04	10.7	0.4	<0.05	1.0	20.59	64.2	0.03	<1	0.2	1.0	<10
1830062	Drill Core	<0.1	<0.02	1.8	0.78	<0.1	0.02	0.06	12.6	0.4	<0.05	0.9	17.40	61.3	0.03	<1	0.3	1.5	<10
1830063	Drill Core	<0.1	<0.02	1.6	0.52	<0.1	0.03	0.03	12.3	0.2	<0.05	0.8	12.44	54.6	0.03	<1	0.3	1.2	<10
1830064	Drill Core	<0.1	<0.02	1.8	0.60	<0.1	0.04	0.04	12.1	0.3	<0.05	1.3	16.38	61.3	0.03	<1	0.3	1.6	<10
1830065	Drill Core	<0.1	<0.02	1.6	0.65	<0.1	0.04	<0.02	13.7	0.3	<0.05	1.3	15.07	67.3	0.02	1	0.4	1.3	<10
1830066	Drill Core	<0.1	0.03	1.3	0.42	<0.1	0.04	<0.02	10.3	0.2	<0.05	1.2	9.35	34.0	<0.02	<1	0.2	1.2	<10
1830067	Drill Core	<0.1	<0.02	1.9	0.88	<0.1	0.03	<0.02	13.2	0.4	<0.05	1.0	16.72	56.7	0.03	<1	0.4	1.5	<10
1830068	Drill Core	<0.1	<0.02	1.9	1.16	<0.1	0.05	0.02	13.1	0.5	<0.05	1.2	19.91	60.7	0.03	<1	0.2	2.2	<10
1830069	Drill Core	0.3	<0.02	1.6	0.65	<0.1	0.03	0.03	10.1	0.4	<0.05	1.0	18.22	57.7	0.04	<1	0.2	1.6	<10
1830070	Drill Core	<0.1	<0.02	2.0	0.44	<0.1	0.03	<0.02	14.9	0.4	<0.05	0.9	9.79	50.9	<0.02	<1	0.3	2.7	<10
1830071	Drill Core	<0.1	<0.02	1.3	0.42	<0.1	0.02	<0.02	9.2	0.3	<0.05	0.8	11.44	52.7	<0.02	<1	0.2	1.5	<10
1830072	Drill Core	<0.1	<0.02	1.5	0.65	<0.1	0.03	<0.02	10.4	0.4	<0.05	0.9	18.69	63.7	0.03	<1	0.3	1.6	<10
1830073	Drill Core	<0.1	<0.02	1.5	0.70	<0.1	0.02	<0.02	8.9	0.4	<0.05	1.0	23.16	46.6	0.02	<1	0.2	1.3	<10
1830074	Drill Core	<0.1	<0.02	1.9	0.37	<0.1	0.02	<0.02	13.3	0.5	<0.05	1.2	10.20	50.3	0.02	<1	0.2	2.8	<10
1830075	Drill Core	0.1	0.17	0.8	0.43	<0.1	0.06	<0.02	7.8	0.1	<0.05	1.8	5.12	23.1	<0.02	2	0.2	0.8	<10
1830076	Drill Core	<0.1	0.02	0.8	0.42	<0.1	0.13	<0.02	7.8	0.1	<0.05	3.9	8.03	32.5	<0.02	<1	0.1	0.7	<10
1830077	Drill Core	<0.1	0.04	0.9	0.38	<0.1	0.09	<0.02	9.5	0.1	<0.05	3.3	4.93	22.6	<0.02	<1	0.1	0.9	<10
1830078	Drill Core	<0.1	<0.02	0.9	0.49	<0.1	0.04	<0.02	9.1	0.3	<0.05	1.4	5.15	31.4	<0.02	<1	0.2	0.9	<10
1830079	Drill Core	<0.1	<0.02	1.6	0.76	<0.1	<0.02	<0.02	10.6	0.3	<0.05	1.0	11.46	59.3	0.03	<1	0.3	1.6	<10
1830080	Rock	<0.1	<0.02	0.4	0.10	<0.1	0.09	0.02	0.8	0.3	<0.05	2.0	0.72	3.4	<0.02	<1	<0.1	1.1	<10
1830081	Drill Core	<0.1	<0.02	1.5	0.56	<0.1	0.03	<0.02	9.5	0.3	<0.05	0.9	8.55	43.9	0.02	<1	0.3	1.7	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000021.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
REP 1830007	QC							0.86	2.60	11.67	39.5	219	0.5	0.4	50	0.69	2.0	1.4	5.0	9.0	12.8
1830024	Drill Core	4.77	496	<0.005	<0.01	<0.17	30.35	0.17	4.57	6.20	45.7	111	2.4	3.6	465	1.57	0.9	0.7	0.3	4.8	101.7
REP 1830024	QC							0.25	4.04	5.52	42.7	103	2.4	3.4	479	1.72	1.4	0.6	1.6	4.2	105.5
1830034	Drill Core	5.21	449	<0.005	<0.01	<0.17	28.61	0.60	5.72	4.36	43.8	242	1.9	4.7	392	1.93	1.1	0.9	2.4	5.3	45.7
REP 1830034	QC							0.63	6.06	4.43	45.0	273	1.9	4.8	404	1.95	1.2	0.9	1.1	5.1	49.8
1830038	Drill Core	4.02	382	<0.005	<0.01	<0.17	27.96	0.43	4.95	2.40	38.6	42	1.5	4.1	607	1.88	0.6	0.7	0.5	5.0	75.0
REP 1830038	QC			<0.005																	
1830046	Drill Core	3.60	475	0.029	0.03	<0.17	60.00	0.58	2.66	10.30	21.4	203	0.4	0.4	111	0.77	1.4	1.6	6.5	7.5	91.8
REP 1830046	QC			0.016																	
1830058	Drill Core	2.37	472	0.153	0.24	1.12	40.11	0.83	2.74	44.86	15.3	965	0.6	0.2	66	0.54	0.9	1.4	181.3	9.2	42.0
REP 1830058	QC							0.90	2.73	47.48	16.1	765	0.6	0.3	65	0.53	1.0	1.4	43.0	9.4	44.2
1830078	Drill Core	3.17	413	0.017	0.01	<0.17	57.58	1.10	2.19	9.54	11.7	288	0.4	0.2	114	0.56	4.1	1.7	18.2	6.3	67.9
REP 1830078	QC			0.031																	
Core Reject Duplicates																					
1830007	Drill Core	4.39	424	0.008	<0.01	<0.17	37.39	0.80	2.30	11.01	38.0	213	0.5	0.4	50	0.67	2.0	1.3	1.8	8.8	12.5
DUP 1830007	QC		440	0.006	<0.01	<0.17	43.18	0.82	2.42	11.46	38.0	214	0.5	0.4	48	0.66	2.1	1.4	5.8	8.8	12.5
1830041	Drill Core	5.23	489	<0.005	<0.01	<0.17	33.66	0.38	2.94	4.02	57.2	55	2.6	4.4	617	1.76	0.9	0.9	<0.2	4.5	113.6
DUP 1830041	QC		446	<0.005	<0.01	<0.17	31.69	0.41	3.28	4.39	57.1	57	2.9	4.9	600	1.92	1.0	1.0	0.2	5.0	110.1
1830075	Drill Core	2.33	498	0.147	0.26	1.75	34.30	5.79	2.47	133.14	32.6	1284	0.5	0.4	98	0.90	6.0	1.3	49.1	5.0	39.4
DUP 1830075	QC		475	0.215	0.30	1.34	35.12	5.44	2.62	140.29	36.7	1418	0.6	0.4	105	1.00	6.0	1.4	47.5	5.1	38.2
Reference Materials																					
STD BVGEO01	Standard							10.93	4235.33	176.54	1694.7	2446	154.6	26.0	696	3.60	110.0	3.5	203.7	14.3	53.6
STD BVGEO01	Standard							11.43	4454.01	181.38	1739.9	2629	163.4	24.7	718	3.74	111.6	3.6	226.5	13.8	54.6
STD DS11	Standard							14.48	155.18	140.29	355.4	1847	83.4	13.4	1027	3.12	45.4	2.7	136.1	7.6	71.4
STD DS11	Standard							14.61	149.30	130.18	336.5	1820	76.5	13.9	1022	3.10	42.1	2.5	68.2	7.6	66.5
STD DS11	Standard							15.29	154.10	137.46	323.5	1625	80.6	13.9	984	3.02	41.1	2.7	76.7	8.0	65.7
STD OREAS262	Standard							0.67	120.95	58.25	147.4	471	65.6	28.6	591	3.40	36.8	1.3	53.4	9.4	37.9
STD OREAS262	Standard							0.66	115.73	54.11	148.5	468	61.0	26.7	557	3.24	37.6	1.2	47.4	9.4	37.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 14, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000021.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1830007	QC	0.09	0.48	0.06	<1	0.04	0.006	31.1	1.0	0.07	1006.5	<0.001	1	0.56	0.041	0.33	0.2	2.7	0.08	0.02	129
1830024	Drill Core	0.06	0.42	0.04	9	0.93	0.057	18.9	2.4	0.40	362.5	0.007	1	1.02	0.030	0.48	0.6	4.3	0.07	<0.02	91
REP 1830024	QC	0.05	0.28	0.04	8	0.99	0.055	16.2	2.6	0.41	349.3	0.006	2	0.97	0.025	0.45	0.4	5.1	0.07	<0.02	90
1830034	Drill Core	0.14	0.68	0.06	9	0.52	0.058	18.1	1.9	0.54	315.2	0.005	3	1.36	0.037	0.51	0.9	4.9	0.10	0.10	<5
REP 1830034	QC	0.11	0.71	0.05	9	0.53	0.058	19.5	1.8	0.56	325.8	0.005	2	1.38	0.037	0.51	1.0	4.9	0.10	0.10	10
1830038	Drill Core	0.16	0.52	0.07	8	1.17	0.063	18.2	2.5	0.49	382.2	0.007	2	1.02	0.027	0.48	0.9	3.3	0.07	<0.02	11
REP 1830038	QC																				
1830046	Drill Core	0.20	1.65	0.05	<1	0.73	0.006	25.2	1.6	0.03	517.1	0.003	2	0.42	0.050	0.32	0.7	3.3	0.09	0.10	93
REP 1830046	QC																				
1830058	Drill Core	0.11	0.31	0.17	<1	0.46	0.006	29.0	1.6	0.05	344.9	<0.001	2	0.44	0.030	0.36	0.6	1.7	0.08	0.09	38
REP 1830058	QC	0.11	0.30	0.17	<1	0.46	0.005	29.9	1.7	0.05	356.9	<0.001	2	0.43	0.029	0.36	0.6	1.7	0.08	0.09	48
1830078	Drill Core	0.15	0.13	0.03	<1	0.91	0.002	15.7	1.6	0.02	384.3	<0.001	2	0.32	0.022	0.28	0.1	1.1	0.07	0.16	89
REP 1830078	QC																				
Core Reject Duplicates																					
1830007	Drill Core	0.08	0.44	0.06	<1	0.04	0.006	29.8	1.0	0.07	1033.4	<0.001	2	0.55	0.041	0.33	0.3	2.7	0.08	0.02	108
DUP 1830007	QC	0.08	0.48	0.06	<1	0.04	0.006	29.6	1.0	0.07	967.0	<0.001	1	0.51	0.036	0.31	0.2	2.6	0.07	0.02	110
1830041	Drill Core	0.12	1.41	0.05	8	1.39	0.052	16.8	2.7	0.56	263.7	0.007	2	1.01	0.028	0.41	0.8	5.4	0.07	0.02	16
DUP 1830041	QC	0.11	1.53	0.05	8	1.39	0.051	18.2	3.0	0.60	304.6	0.008	3	1.11	0.032	0.47	0.8	5.4	0.08	0.02	11
1830075	Drill Core	0.50	0.25	0.34	<1	0.58	0.002	11.9	1.7	0.01	190.6	<0.001	2	0.21	0.017	0.22	<0.1	1.0	0.07	0.55	43
DUP 1830075	QC	0.56	0.26	0.37	<1	0.53	0.003	12.7	2.2	0.02	241.0	<0.001	2	0.25	0.021	0.25	<0.1	1.1	0.08	0.53	40
Reference Materials																					
STD BVGEO01	Standard	6.74	3.68	23.81	71	1.23	0.072	24.6	172.3	1.24	245.8	0.221	4	2.22	0.173	0.84	5.1	5.7	0.56	0.65	84
STD BVGEO01	Standard	6.69	3.46	24.50	73	1.30	0.078	24.5	185.8	1.32	283.8	0.225	4	2.45	0.205	0.89	5.1	5.8	0.61	0.63	97
STD DS11	Standard	2.42	8.32	12.52	51	1.07	0.077	18.8	59.8	0.89	369.6	0.092	7	1.21	0.074	0.41	3.2	3.7	4.87	0.27	247
STD DS11	Standard	2.53	7.01	11.17	50	1.06	0.071	17.5	59.4	0.87	375.9	0.087	8	1.19	0.074	0.41	2.8	3.3	4.71	0.27	260
STD DS11	Standard	2.53	9.04	11.34	50	1.05	0.068	19.4	60.5	0.86	364.3	0.100	7	1.22	0.075	0.41	3.1	3.1	4.86	0.27	242
STD OREAS262	Standard	0.65	3.86	1.09	24	3.14	0.043	18.4	46.1	1.23	264.8	0.003	4	1.52	0.072	0.35	0.2	3.7	0.45	0.26	185
STD OREAS262	Standard	0.71	3.14	1.00	23	2.95	0.041	16.6	46.7	1.16	248.3	0.003	3	1.35	0.068	0.31	0.1	3.5	0.46	0.24	165



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000021.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 1830007	QC	<0.1	<0.02	1.9	1.26	<0.1	<0.02	0.03	12.1	0.3	<0.05	0.9	10.70	59.3	0.02	<1	0.3	4.7	<10	<2
1830024	Drill Core	<0.1	<0.02	3.1	0.67	<0.1	<0.02	<0.02	14.2	0.2	<0.05	0.4	6.18	36.6	<0.02	<1	0.3	10.2	13	<2
REP 1830024	QC	<0.1	<0.02	3.1	0.61	0.1	<0.02	<0.02	13.2	0.2	<0.05	0.4	6.02	32.5	0.02	<1	0.2	10.0	<10	2
1830034	Drill Core	<0.1	0.02	3.6	2.13	<0.1	0.03	0.03	13.5	0.4	<0.05	0.5	7.82	33.7	0.05	<1	0.3	13.7	<10	<2
REP 1830034	QC	<0.1	<0.02	3.4	2.27	<0.1	<0.02	0.03	15.1	0.3	<0.05	0.5	8.61	36.2	0.03	<1	0.3	14.5	<10	<2
1830038	Drill Core	<0.1	<0.02	3.2	0.59	<0.1	0.02	<0.02	11.2	0.4	<0.05	1.8	9.39	34.7	0.02	<1	0.2	8.8	<10	<2
REP 1830038	QC																			
1830046	Drill Core	<0.1	<0.02	1.8	0.91	<0.1	0.03	0.06	12.8	0.6	<0.05	0.9	15.96	50.3	0.03	<1	0.3	1.3	<10	<2
REP 1830046	QC																			
1830058	Drill Core	<0.1	<0.02	1.7	1.00	<0.1	0.03	<0.02	12.5	0.3	<0.05	1.3	11.05	61.0	<0.02	<1	0.2	1.7	<10	<2
REP 1830058	QC	<0.1	<0.02	1.8	1.04	<0.1	0.04	<0.02	12.7	0.3	<0.05	1.4	12.17	61.0	<0.02	<1	0.3	2.1	<10	<2
1830078	Drill Core	<0.1	<0.02	0.9	0.49	<0.1	0.04	<0.02	9.1	0.3	<0.05	1.4	5.15	31.4	<0.02	<1	0.2	0.9	<10	<2
REP 1830078	QC																			
Core Reject Duplicates																				
1830007	Drill Core	<0.1	<0.02	1.8	1.21	<0.1	0.02	0.03	11.8	0.3	<0.05	0.9	10.34	56.9	0.02	<1	0.2	4.7	<10	<2
DUP 1830007	QC	<0.1	<0.02	1.9	1.23	<0.1	0.03	0.06	11.6	0.3	<0.05	0.9	10.21	56.4	0.02	<1	0.2	4.6	<10	<2
1830041	Drill Core	<0.1	<0.02	3.4	0.71	<0.1	<0.02	<0.02	11.4	0.3	<0.05	0.4	11.64	31.8	0.02	<1	0.3	9.8	<10	<2
DUP 1830041	QC	<0.1	<0.02	3.6	0.80	<0.1	<0.02	<0.02	12.2	0.3	<0.05	0.4	12.59	35.2	0.02	<1	0.1	10.5	<10	<2
1830075	Drill Core	0.1	0.17	0.8	0.43	<0.1	0.06	<0.02	7.8	0.1	<0.05	1.8	5.12	23.1	<0.02	2	0.2	0.8	<10	<2
DUP 1830075	QC	0.2	0.18	1.0	0.46	<0.1	0.06	<0.02	9.2	0.2	<0.05	1.9	5.55	24.5	<0.02	4	0.1	1.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.4	1.02	7.2	6.88	0.2	0.29	0.21	93.5	5.8	<0.05	8.5	14.24	51.6	0.48	5	0.7	21.4	98	177
STD BVGEO01	Standard	4.3	1.01	7.1	7.02	0.2	0.31	0.40	90.4	5.9	<0.05	8.9	13.64	52.2	0.45	4	0.6	21.4	123	193
STD DS11	Standard	1.7	4.71	5.1	2.93	0.2	0.06	1.50	34.3	1.9	<0.05	2.9	8.19	38.4	0.24	60	0.9	24.7	137	181
STD DS11	Standard	2.0	4.36	4.8	2.83	<0.1	0.08	1.55	31.6	1.9	<0.05	3.0	7.61	35.1	0.25	45	0.6	23.0	95	174
STD DS11	Standard	2.1	4.33	5.1	2.97	<0.1	0.05	1.63	33.0	1.8	<0.05	3.2	8.12	37.8	0.24	48	0.5	21.7	93	161
STD OREAS262	Standard	<0.1	0.27	4.3	2.54	0.2	0.26	<0.02	19.7	0.7	<0.05	10.4	11.44	36.7	0.06	<1	1.0	18.2	<10	<2
STD OREAS262	Standard	0.3	0.23	4.1	2.31	<0.1	0.26	<0.02	18.7	0.6	<0.05	9.8	10.78	33.0	0.03	1	0.9	17.7	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000021.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.73	129.25	56.33	154.2	459	69.9	29.3	583	3.42	35.8	1.2	68.3	9.5	35.3
STD OREAS262	Standard							0.67	119.35	53.74	146.7	475	68.1	26.7	546	3.30	34.6	1.1	62.0	8.8	33.9
STD OREAS262	Standard							0.66	118.41	55.89	142.0	430	63.4	27.1	516	3.12	33.8	1.2	67.3	9.0	33.1
STD OXC145	Standard			0.209																	
STD OXC145	Standard			0.213																	
STD OXC145	Standard			0.215																	
STD OXC145	Standard			0.204																	
STD OXC145	Standard			0.214																	
STD OXH139	Standard			1.318																	
STD OXH139	Standard			1.296																	
STD OXH139	Standard			1.340																	
STD OXH139	Standard			1.352																	
STD OXH139	Standard			1.301																	
STD OXN134	Standard			7.449																	
STD OXN134	Standard			7.647																	
STD OXN134	Standard			7.740																	
STD OXN134	Standard			7.704																	
STD OXN134	Standard			7.428																	
STD OXQ90	Standard					25.15	30.06														
STD OXQ90	Standard					25.00	30.04														
STD OXQ90	Standard					25.47	30.04														
STD OXQ90	Standard					24.77	30.04														
STD OXQ90	Standard					25.12	30.17														
STD OXQ90	Standard					25.43	30.28														
STD BVGE001 Expected								11.2	4502	187	1712	2530	163	25	706	3.7	121	3.67	214	13.6	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000021.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.71	5.85	1.07	23	3.05	0.038	14.6	48.1	1.22	230.4	0.003	5	1.32	0.069	0.31	0.2	3.2	0.45	0.27	162
STD OREAS262	Standard	0.69	5.14	1.01	22	2.94	0.041	16.8	44.9	1.17	246.1	0.003	5	1.41	0.071	0.32	0.2	3.1	0.45	0.26	173
STD OREAS262	Standard	0.64	5.96	0.99	23	2.84	0.039	17.1	44.6	1.14	241.0	0.003	4	1.42	0.066	0.33	0.2	3.1	0.46	0.25	152
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.25	3.39	24.3	73	1.3219	0.0727	25.9	171	1.3175	260	0.2128	6.7	2.2628	0.1924	0.8669	5.3	5.97	0.62	0.6739	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000021.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.2	0.26	3.9	2.89	<0.1	0.26	<0.02	18.7	0.6	<0.05	10.1	10.77	29.9	0.04	1	0.9	19.3	<10	<2
STD OREAS262	Standard	0.1	0.24	4.1	2.81	<0.1	0.25	<0.02	18.2	0.6	<0.05	10.2	10.56	32.5	0.04	2	1.0	17.3	<10	<2
STD OREAS262	Standard	0.2	0.22	4.0	2.98	<0.1	0.26	<0.02	19.2	0.6	<0.05	10.9	10.39	33.1	0.03	1	1.1	17.0	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		5.09	1.1	7.65	7.36	0.15	0.32	0.3	95	5.64		10.2	14.5	53	0.45	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000021.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank																				
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	0.02	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		366	<0.005	<0.01	<0.17	27.75	0.86	5.41	2.05	33.2	13	1.1	4.3	500	1.88	1.4	0.5	2.8	2.6	30.2
ROCK-WHI	Prep Blank		424	<0.005	<0.01	<0.17	32.53	0.92	3.47	1.61	34.2	10	0.8	4.0	539	1.81	1.7	0.5	1.9	2.5	27.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000021.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.05	0.03	28	0.71	0.042	7.3	2.5	0.48	74.2	0.104	2	1.15	0.138	0.13	0.1	3.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.10	0.03	24	0.76	0.043	7.8	2.2	0.45	65.8	0.090	4	1.13	0.174	0.15	0.1	4.0	0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 14, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000021.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	4.4	0.20	<0.1	0.16	0.31	2.9	0.4	<0.05	3.8	9.74	13.9	<0.02	<1	0.2	1.9	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.3	0.24	<0.1	0.13	0.32	3.0	0.4	<0.05	3.9	10.15	14.9	<0.02	<1	0.2	2.1	<10