



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: May 28, 2019  
Report Date: June 14, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000022.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-03  
P.O. Number  
Number of Samples: 92

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	88	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	92	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	92	Analysis sample split/packet			WHI
Split -150	92	Analysis sample split/packet			WHI
EN002	92	Environmental disposal charge-Fire assay lead waste			VAN
FS631	88	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	92	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	92	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830082	Drill Core	2.48	478	0.178	0.19	0.38	26.12	0.58	17.96	8.43	43.2	1304	4.6	12.8	298	1.91	20.2	1.1	180.3	4.9	11.9
1830083	Drill Core	2.10	459	0.185	0.18	<0.17	25.41	0.76	12.24	4.78	26.5	686	1.9	3.3	95	1.47	9.6	0.8	115.9	4.0	5.6
1830084	Drill Core	1.99	456	0.310	0.34	0.88	23.92	0.62	14.19	6.59	30.5	1935	1.7	2.9	88	1.54	10.5	0.8	319.4	4.7	11.6
1830085	Drill Core	3.98	398	0.085	0.11	0.26	49.17	0.43	23.71	8.20	56.8	4784	2.3	6.3	321	1.58	10.0	0.7	54.2	5.6	12.2
1830086	Drill Core	4.06	456	0.035	0.03	<0.17	37.36	0.68	14.70	5.89	47.1	1030	1.9	6.6	272	1.41	10.1	0.9	9.2	5.5	6.0
1830087	Drill Core	2.11	401	0.029	0.03	<0.17	37.84	1.14	11.24	10.49	62.3	1092	2.7	5.0	122	2.14	17.6	1.0	57.2	6.0	7.7
1830088	Drill Core	1.89	454	0.799	2.02	13.52	43.70	1.27	3.68	10.62	52.6	1255	2.2	4.6	107	1.90	14.2	0.9	1561.4	5.4	8.8
1830089	Drill Core	3.53	425	0.195	0.19	<0.17	20.79	1.09	3.88	3.86	38.5	447	1.9	6.6	313	1.96	4.9	0.9	102.2	5.7	11.7
1830090	Drill Core	3.78	493	0.099	0.09	<0.17	55.37	0.65	3.10	5.36	31.7	775	1.9	7.5	249	1.61	8.5	0.9	213.5	9.2	24.7
1830091	Drill Core	2.14	419	2.249	3.77	33.43	20.37	0.60	2.77	30.98	52.1	2638	1.1	2.7	124	1.27	4.2	1.0	3326.9	6.9	11.2
1830092	Drill Core	1.91	387	0.235	0.30	1.71	17.00	0.45	3.58	29.24	7.6	501	0.6	1.2	66	0.74	2.6	0.4	187.9	4.4	3.0
1830093	Drill Core	3.55	430	0.035	0.03	<0.17	25.51	1.27	4.13	9.70	15.8	412	0.8	1.6	139	0.79	2.1	0.7	34.8	8.8	34.5
1830094	Drill Core	2.15	411	0.029	0.03	<0.17	38.25	1.35	2.93	4.40	23.5	243	1.4	4.8	418	1.89	4.7	1.0	12.9	6.4	51.7
1830095	Drill Core	2.59	433	0.036	0.03	<0.17	40.45	0.76	6.04	4.56	42.1	1004	1.1	4.2	291	1.60	3.0	1.1	62.8	6.2	24.6
1830096	Drill Core	2.10	521	2.346	8.30	74.37	43.00	0.59	1.90	8.97	53.3	2230	0.9	0.5	77	0.82	1.2	0.1	12378.0	0.7	1.0
1830097	Drill Core	2.62	509	0.124	0.11	<0.17	39.12	0.54	7.72	7.92	70.6	1612	2.0	5.1	153	1.70	7.4	0.7	111.9	5.5	12.3
1830098	Drill Core	1.92	496	1.787	3.84	32.64	32.97	1.70	4.02	6.01	44.3	1599	2.1	5.0	324	2.13	8.9	0.9	2577.5	5.2	17.5
1830099	Drill Core	2.06	447	0.089	0.11	0.41	31.39	0.67	2.79	3.22	10.5	433	1.3	1.5	80	1.03	6.7	0.2	198.4	0.9	2.7
1830100	Rock Pulp		91	7.424	I.S.	I.S.	I.S.	9.68	193.25	19.14	79.5	929	14.3	12.0	578	4.53	13.4	0.9	7916.3	2.9	66.0
1830101	Drill Core	3.30	482	0.034	0.03	<0.17	25.81	0.86	7.93	10.72	55.9	1525	2.7	6.4	234	1.84	17.9	1.0	26.7	5.5	16.0
1830102	Drill Core	5.87	455	<0.005	<0.01	<0.17	47.43	0.45	5.79	5.29	63.1	170	2.7	5.5	399	1.88	7.5	0.7	2.8	4.9	70.0
1830103	Drill Core	2.23	438	<0.005	<0.01	<0.17	37.12	0.36	5.61	3.09	50.1	126	1.9	3.9	230	1.62	4.5	0.6	1.8	3.0	23.1
1830104	Drill Core	4.18	508	<0.005	<0.01	<0.17	43.43	0.55	7.97	5.70	63.2	225	2.5	5.0	249	2.00	3.9	0.8	1.8	4.9	46.5
1830105	Drill Core	4.27	387	0.005	<0.01	<0.17	30.40	2.33	5.20	6.77	96.8	198	2.4	5.3	390	3.13	4.2	1.1	0.6	5.3	56.6
1830106	Drill Core	2.64	477	0.023	0.02	<0.17	31.65	1.08	6.36	5.28	29.6	348	1.1	3.0	385	1.40	11.7	1.4	26.9	4.6	57.1
1830107	Drill Core	2.34	470	0.048	0.05	<0.17	33.29	0.80	4.46	4.03	21.3	615	1.3	3.2	247	1.21	5.0	0.5	91.3	3.5	48.3
1830108	Drill Core	4.24	432	<0.005	<0.01	<0.17	19.41	0.82	6.30	6.17	41.6	131	1.5	3.8	183	1.53	3.3	1.0	5.8	5.5	96.2
1830109	Drill Core	4.93	484	0.009	<0.01	<0.17	31.01	1.09	6.28	9.72	29.1	855	1.2	3.0	181	1.24	8.4	1.0	6.0	5.7	108.0
1830110	Drill Core	5.22	368	<0.005	<0.01	<0.17	32.99	1.92	4.16	8.00	30.3	201	1.8	3.6	190	1.24	11.6	0.9	1.7	5.2	80.3
1830111	Drill Core	2.13	421	0.025	0.03	<0.17	38.06	8.84	4.07	11.06	50.4	450	2.9	5.9	274	1.95	9.5	1.0	11.8	4.2	69.4



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830082	Drill Core	0.37	0.58	0.02	8	0.15	0.050	18.3	2.0	0.15	566.2	0.005	2	0.74	0.028	0.32	0.5	2.9	0.07	<0.02	44
1830083	Drill Core	0.20	0.73	<0.02	5	0.09	0.036	15.0	2.4	0.06	407.9	0.002	3	0.54	0.026	0.33	0.1	2.5	0.06	<0.02	33
1830084	Drill Core	0.15	0.89	<0.02	5	0.10	0.041	16.8	2.5	0.14	370.5	0.003	1	0.60	0.032	0.28	0.2	2.5	0.06	<0.02	56
1830085	Drill Core	0.61	1.07	0.03	7	0.16	0.054	20.5	2.5	0.18	584.4	0.004	2	0.92	0.053	0.42	0.1	4.0	0.09	<0.02	84
1830086	Drill Core	0.48	1.96	0.04	4	0.11	0.052	18.6	1.6	0.06	422.9	0.002	2	0.57	0.026	0.39	0.1	2.8	0.08	<0.02	44
1830087	Drill Core	0.46	1.93	<0.02	5	0.12	0.052	21.1	2.4	0.14	463.3	0.002	2	0.81	0.005	0.45	0.2	3.3	0.10	<0.02	52
1830088	Drill Core	0.43	1.15	<0.02	3	0.10	0.048	19.0	2.3	0.08	334.6	0.001	2	0.50	0.004	0.30	0.3	2.8	0.08	<0.02	72
1830089	Drill Core	0.87	0.53	<0.02	5	0.30	0.058	17.0	1.9	0.12	486.2	0.002	3	0.76	0.008	0.45	0.1	3.0	0.15	0.06	71
1830090	Drill Core	0.74	0.58	<0.02	3	0.17	0.079	26.3	1.0	0.20	544.7	0.001	2	0.66	0.009	0.29	0.2	3.4	0.14	0.02	132
1830091	Drill Core	0.48	0.58	0.12	3	0.09	0.025	21.1	2.1	0.10	544.7	0.002	2	0.63	0.041	0.37	0.1	1.8	0.13	0.07	136
1830092	Drill Core	0.12	0.27	0.03	<1	0.02	0.007	14.2	2.1	0.02	320.0	<0.001	1	0.26	0.016	0.19	0.1	0.7	0.05	<0.02	52
1830093	Drill Core	0.23	0.37	0.07	2	0.57	0.013	21.7	1.5	0.06	654.1	0.002	2	0.58	0.051	0.36	<0.1	1.5	0.11	0.06	84
1830094	Drill Core	0.23	0.49	<0.02	3	1.21	0.033	11.7	1.7	0.13	409.3	0.002	2	0.59	0.006	0.36	0.1	2.5	0.21	0.20	76
1830095	Drill Core	0.86	0.96	0.03	4	0.99	0.045	16.9	1.6	0.09	463.0	0.002	1	0.55	0.007	0.38	0.1	2.1	0.10	0.03	89
1830096	Drill Core	0.54	0.24	0.04	<1	<0.01	0.003	1.6	3.2	<0.01	59.1	<0.001	<1	0.06	0.003	0.05	<0.1	0.4	<0.02	0.03	111
1830097	Drill Core	0.60	0.79	0.02	5	0.14	0.051	18.2	1.9	0.36	396.9	0.002	1	0.80	0.005	0.34	0.2	3.2	0.11	<0.02	92
1830098	Drill Core	0.76	0.62	0.03	5	0.43	0.043	15.2	2.3	0.20	434.0	0.002	2	0.72	0.004	0.39	0.1	2.9	0.11	0.03	78
1830099	Drill Core	0.10	0.35	<0.02	1	0.02	0.007	3.0	2.8	0.06	139.9	<0.001	<1	0.18	0.002	0.08	0.3	0.8	<0.02	<0.02	16
1830100	Rock Pulp	0.22	4.28	0.54	108	0.83	0.061	7.8	19.1	0.85	121.1	0.112	3	1.66	0.182	0.25	4.0	3.2	0.06	<0.02	222
1830101	Drill Core	0.42	0.98	0.08	7	0.24	0.050	19.8	2.3	0.20	746.1	0.003	3	0.86	0.034	0.37	0.3	4.7	0.12	<0.02	73
1830102	Drill Core	0.23	0.48	0.06	11	1.28	0.054	16.4	2.9	0.30	563.2	0.011	2	1.01	0.050	0.27	<0.1	5.4	0.07	<0.02	15
1830103	Drill Core	0.13	0.43	0.03	10	0.51	0.040	8.9	3.1	0.27	625.8	0.028	2	0.99	0.071	0.28	<0.1	5.1	0.06	<0.02	<5
1830104	Drill Core	0.20	0.45	0.06	11	0.74	0.052	15.6	2.7	0.37	486.6	0.017	2	1.13	0.050	0.33	0.1	5.7	0.08	<0.02	11
1830105	Drill Core	0.36	0.57	0.09	13	1.30	0.047	17.2	2.7	0.59	562.6	0.008	2	1.45	0.032	0.45	0.1	7.0	0.08	<0.02	26
1830106	Drill Core	0.17	0.53	0.04	5	1.04	0.050	15.1	1.6	0.09	457.8	0.004	2	0.60	0.047	0.34	<0.1	3.8	0.06	0.03	51
1830107	Drill Core	0.16	0.55	<0.02	4	1.17	0.035	10.6	2.4	0.07	348.1	0.003	2	0.42	0.068	0.25	0.2	3.8	0.04	0.08	24
1830108	Drill Core	0.22	0.35	0.05	7	1.18	0.046	17.6	2.1	0.27	440.2	0.010	2	0.77	0.066	0.37	<0.1	5.4	0.07	0.02	14
1830109	Drill Core	0.22	0.44	0.14	7	1.13	0.037	19.0	1.8	0.27	631.5	0.006	2	0.79	0.043	0.45	0.1	5.6	0.09	<0.02	35
1830110	Drill Core	0.15	0.56	0.08	7	1.32	0.034	15.3	2.3	0.10	346.3	0.027	2	0.51	0.071	0.30	<0.1	4.7	0.06	0.55	26
1830111	Drill Core	0.35	0.63	0.09	4	1.05	0.043	10.0	2.8	0.06	91.5	0.006	2	0.31	0.074	0.14	0.2	3.9	0.04	1.02	12



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830082	Drill Core	<0.1	0.17	1.9	0.23	<0.1	0.02	<0.02	10.8	0.2	<0.05	1.0	8.10	37.0	<0.02	<1	0.1	6.0	<10	<2			
1830083	Drill Core	<0.1	0.02	1.3	0.34	<0.1	<0.02	<0.02	9.8	0.1	<0.05	0.5	4.61	28.6	<0.02	<1	0.2	2.6	<10	<2			
1830084	Drill Core	<0.1	<0.02	1.8	0.47	<0.1	0.02	<0.02	9.7	0.2	<0.05	0.6	4.49	31.6	<0.02	<1	0.2	4.4	<10	<2			
1830085	Drill Core	<0.1	<0.02	2.8	0.32	<0.1	<0.02	<0.02	14.4	0.2	<0.05	0.6	8.99	39.4	<0.02	<1	0.3	8.3	<10	<2			
1830086	Drill Core	<0.1	<0.02	1.4	0.37	<0.1	<0.02	<0.02	11.7	0.1	<0.05	0.7	7.54	37.0	<0.02	<1	0.1	3.1	<10	<2			
1830087	Drill Core	<0.1	<0.02	2.0	0.48	<0.1	<0.02	<0.02	12.1	0.1	<0.05	0.7	8.21	42.4	<0.02	<1	0.2	4.9	<10	<2			
1830088	Drill Core	<0.1	0.04	1.4	0.56	<0.1	0.02	<0.02	8.1	0.2	<0.05	0.6	5.87	38.9	<0.02	<1	0.3	3.1	<10	<2			
1830089	Drill Core	<0.1	0.03	1.9	0.34	<0.1	<0.02	<0.02	10.9	0.2	<0.05	0.8	6.97	33.8	<0.02	<1	0.2	4.9	<10	<2			
1830090	Drill Core	<0.1	0.03	1.5	2.39	<0.1	0.02	<0.02	8.4	0.2	<0.05	0.9	8.95	54.0	0.02	<1	0.4	7.5	<10	<2			
1830091	Drill Core	0.1	0.28	1.7	0.73	<0.1	0.02	<0.02	11.4	0.2	<0.05	0.6	4.35	41.7	<0.02	<1	0.4	4.3	<10	<2			
1830092	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	<0.02	<0.02	5.5	0.3	<0.05	0.5	2.77	26.7	<0.02	<1	0.2	1.5	<10	<2			
1830093	Drill Core	<0.1	<0.02	1.8	0.26	<0.1	0.02	<0.02	10.2	0.4	<0.05	1.4	6.48	43.7	<0.02	<1	0.3	3.7	<10	<2			
1830094	Drill Core	<0.1	0.03	1.6	0.32	<0.1	<0.02	<0.02	9.6	0.3	<0.05	1.2	5.11	22.4	<0.02	<1	0.3	4.3	<10	<2			
1830095	Drill Core	<0.1	<0.02	1.3	0.26	<0.1	<0.02	<0.02	9.8	0.2	<0.05	0.8	5.22	32.3	<0.02	<1	0.1	3.3	<10	<2			
1830096	Drill Core	<0.1	0.03	0.2	0.06	<0.1	<0.02	<0.02	1.4	<0.1	<0.05	0.2	0.79	2.9	<0.02	<1	<0.1	0.4	<10	<2			
1830097	Drill Core	<0.1	<0.02	2.4	0.26	<0.1	<0.02	<0.02	10.2	0.3	<0.05	0.6	6.87	37.2	<0.02	<1	0.2	7.4	<10	<2			
1830098	Drill Core	0.1	0.07	2.0	0.22	<0.1	<0.02	<0.02	9.8	0.3	<0.05	0.7	5.82	28.2	<0.02	<1	0.2	5.3	<10	<2			
1830099	Drill Core	<0.1	<0.02	0.5	0.09	<0.1	<0.02	<0.02	2.2	0.2	<0.05	0.4	1.79	5.7	<0.02	<1	<0.1	1.6	<10	<2			
1830100	Rock Pulp	<0.1	0.16	4.8	0.72	0.1	0.08	0.06	8.1	1.8	<0.05	1.4	5.41	15.7	0.05	<1	0.2	7.3	<10	<2			
1830101	Drill Core	<0.1	<0.02	2.3	0.43	<0.1	<0.02	<0.02	11.2	0.3	<0.05	1.1	12.22	38.9	0.05	<1	0.3	6.9	<10	<2			
1830102	Drill Core	<0.1	<0.02	3.4	0.75	<0.1	0.03	0.06	8.3	0.4	<0.05	0.7	10.21	31.7	<0.02	<1	<0.1	8.8	<10	<2			
1830103	Drill Core	<0.1	<0.02	2.6	0.74	<0.1	0.03	0.08	7.6	0.2	<0.05	0.6	7.11	17.6	<0.02	1	0.1	3.6	<10	<2			
1830104	Drill Core	<0.1	<0.02	3.4	1.81	0.2	0.05	0.05	10.1	0.2	<0.05	0.6	10.00	31.7	0.03	<1	0.2	6.3	<10	<2			
1830105	Drill Core	<0.1	<0.02	4.0	1.30	<0.1	0.03	<0.02	12.9	0.2	<0.05	0.5	9.32	34.4	0.04	<1	0.5	17.2	<10	<2			
1830106	Drill Core	<0.1	0.03	1.6	0.27	0.1	<0.02	<0.02	9.6	0.3	<0.05	0.7	6.81	29.7	0.02	<1	0.2	3.1	<10	<2			
1830107	Drill Core	<0.1	0.03	0.9	0.22	0.1	0.04	<0.02	6.1	0.1	<0.05	0.8	4.35	20.8	0.03	<1	0.2	1.7	<10	<2			
1830108	Drill Core	0.2	<0.02	2.2	0.33	<0.1	0.05	<0.02	10.3	0.2	<0.05	2.2	7.15	34.0	0.03	<1	0.2	5.6	<10	<2			
1830109	Drill Core	<0.1	0.05	2.1	0.44	<0.1	0.06	<0.02	12.9	0.3	<0.05	3.1	7.51	36.2	<0.02	2	0.4	5.0	<10	<2			
1830110	Drill Core	<0.1	<0.02	1.7	0.51	<0.1	0.07	0.11	8.4	0.3	<0.05	2.6	12.44	29.5	<0.02	1	<0.1	2.4	<10	<2			
1830111	Drill Core	<0.1	<0.02	1.4	0.28	<0.1	0.20	0.04	4.2	0.2	<0.05	5.8	8.61	20.0	<0.02	1	0.2	1.3	<10	3			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: June 14, 2019

Page: 3 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830112	Drill Core	2.01	365	0.054	0.10	0.50	38.32	2.89	5.12	9.59	111.5	607	2.6	5.5	469	2.01	6.2	0.7	50.3	2.3	114.4
1830113	Drill Core	2.40	469	0.148	0.20	0.87	30.98	1.72	3.98	2.68	47.5	688	1.7	3.8	367	1.77	4.7	0.7	714.5	4.7	113.7
1830114	Drill Core	2.15	471	0.037	0.04	<0.17	16.15	1.14	7.35	3.10	36.3	1624	1.6	4.8	314	1.69	9.1	0.8	26.1	4.8	82.4
1830115	Drill Core	4.35	441	0.095	0.10	0.19	36.43	0.93	8.21	5.95	43.5	1089	2.1	4.5	253	1.95	7.9	0.8	154.4	4.9	77.9
1830116	Drill Core	3.92	419	0.005	0.03	0.32	27.93	0.77	6.38	9.30	63.8	193	3.3	5.6	196	2.21	25.1	0.7	3.2	5.4	58.0
1830117	Drill Core	3.81	510	0.008	<0.01	<0.17	42.35	0.60	4.68	6.93	54.3	197	2.3	4.6	178	2.14	5.3	0.7	7.2	5.4	56.7
1830118	Drill Core	3.94	548	<0.005	<0.01	<0.17	30.25	0.54	7.12	5.96	47.6	176	1.7	4.2	217	1.95	3.4	1.0	0.6	6.1	75.1
1830119	Drill Core	5.07	530	0.006	<0.01	<0.17	38.89	0.50	5.09	7.58	41.5	252	1.8	3.6	229	1.64	16.1	1.0	0.8	5.6	44.4
1830120	Rock Pulp	0.13	88	0.451	I.S.	I.S.	I.S.	2.24	429.43	18.67	47.6	264	608.5	26.5	450	2.63	18.7	0.6	410.3	1.6	57.6
1830121	Drill Core	4.03	388	0.006	0.01	<0.17	31.51	0.73	6.35	9.00	47.3	348	2.2	4.2	254	1.75	9.7	0.9	1.8	5.4	52.7
1830122	Drill Core	2.30	520	0.016	0.01	<0.17	34.13	0.50	12.30	8.23	35.3	2577	1.5	3.8	295	1.38	6.9	0.9	12.9	4.9	98.2
1830123	Drill Core	3.08	414	0.008	<0.01	<0.17	44.28	0.66	2.09	7.54	46.5	261	1.5	4.0	282	1.56	10.6	1.0	6.8	5.8	79.7
1830124	Drill Core	2.24	458	0.097	0.12	0.40	30.28	0.60	4.64	8.40	14.3	562	0.5	1.0	245	0.77	11.1	0.7	108.6	8.1	62.7
1830125	Drill Core	2.94	399	0.025	0.02	<0.17	44.28	0.56	3.94	16.00	26.3	291	1.0	1.4	468	1.25	7.4	0.6	21.3	2.6	228.2
1830126	Drill Core	2.74	529	0.007	<0.01	<0.17	62.14	0.53	4.92	7.47	36.9	179	1.3	2.8	272	1.15	7.8	0.9	2.6	6.3	73.3
1830127	Drill Core	1.75	542	0.072	0.07	<0.17	24.56	0.41	13.98	8.22	31.0	2105	1.1	2.0	125	1.22	8.5	0.6	42.6	8.6	11.2
1830128	Drill Core	1.66	423	0.015	0.01	<0.17	26.77	0.39	1.96	8.05	34.6	216	1.1	2.2	127	1.05	2.9	0.6	5.8	5.1	25.5
1830129	Drill Core	5.20	540	0.238	0.23	0.18	44.94	0.50	9.61	6.75	28.0	1511	1.4	2.5	156	1.06	6.1	0.7	80.9	5.7	46.8
1830130	Drill Core	3.80	493	0.114	0.12	<0.17	25.21	0.58	2.85	7.22	20.5	676	1.0	1.2	65	1.11	12.5	0.8	103.4	8.0	6.4
1830131	Drill Core	4.23	505	0.010	<0.01	<0.17	21.32	0.28	2.44	8.83	13.9	159	0.6	0.7	58	0.54	5.8	0.6	4.3	9.2	9.9
1830132	Drill Core	2.30	499	0.025	0.04	0.22	46.07	0.26	1.99	6.70	7.3	163	0.4	0.4	49	0.44	4.0	0.4	8.0	8.9	10.5
1830133	Drill Core	3.23	559	0.054	0.05	<0.17	33.66	0.27	2.16	5.66	13.6	339	0.4	0.5	46	0.46	3.9	0.5	39.2	8.2	8.7
1830134	Drill Core	4.12	446	0.006	<0.01	<0.17	33.25	0.66	2.75	9.50	23.1	210	1.0	1.4	140	0.78	5.0	1.9	4.3	6.9	64.7
1830135	Drill Core	4.69	563	0.007	<0.01	<0.17	33.90	0.53	2.97	9.01	35.7	249	0.9	1.9	209	1.08	6.3	0.9	7.3	8.5	75.2
1830136	Drill Core	3.87	513	0.034	0.03	<0.17	46.95	0.63	2.47	13.99	60.5	416	1.1	2.1	297	1.40	7.2	0.6	23.2	7.6	151.1
1830137	Drill Core	4.59	584	0.005	<0.01	<0.17	46.85	0.55	4.05	13.50	62.3	290	1.3	1.2	138	1.16	2.4	0.9	0.9	8.2	124.9
1830138	Drill Core	5.39	495	<0.005	<0.01	<0.17	40.72	0.90	6.68	16.87	59.2	559	0.6	0.6	113	1.01	2.6	1.2	1.0	8.6	100.8
1830139	Drill Core	4.82	535	<0.005	<0.01	<0.17	43.00	6.54	16.17	54.20	150.4	1667	0.6	0.5	114	0.89	1.4	1.9	1.6	9.7	95.2
1830140	Rock Pulp	0.12	92	0.007	I.S.	I.S.	I.S.	2.59	96.55	3.88	41.9	132	4.9	9.4	342	2.66	1.0	0.9	<0.2	3.0	65.0
1830141	Drill Core	4.62	591	<0.005	<0.01	<0.17	52.77	0.63	5.86	17.96	70.0	419	0.5	0.5	98	0.84	1.0	1.3	<0.2	7.8	112.0



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830112	Drill Core	2.28	0.64	<0.02	3	2.07	0.024	4.0	3.0	0.13	129.3	0.002	3	0.47	0.013	0.29	0.1	2.7	0.05	1.08	44			
1830113	Drill Core	0.48	0.37	<0.02	5	1.43	0.047	10.3	3.0	0.31	455.9	0.003	2	0.77	0.008	0.41	0.1	4.4	0.07	0.34	26			
1830114	Drill Core	0.48	0.53	<0.02	6	0.99	0.045	13.7	2.2	0.32	982.3	0.003	2	0.82	0.018	0.36	0.2	4.2	0.07	0.11	17			
1830115	Drill Core	0.35	0.60	<0.02	8	1.02	0.049	12.4	2.5	0.33	616.5	0.004	2	0.92	0.023	0.38	0.2	4.3	0.07	0.14	24			
1830116	Drill Core	0.21	0.82	<0.02	14	0.83	0.050	19.8	3.8	0.30	431.3	0.006	2	1.15	0.048	0.39	0.2	7.4	0.10	<0.02	21			
1830117	Drill Core	0.24	0.65	0.02	14	0.69	0.050	20.0	2.9	0.45	322.6	0.005	2	1.14	0.030	0.38	0.2	9.0	0.10	<0.02	38			
1830118	Drill Core	0.15	0.45	0.03	13	0.97	0.046	20.8	2.7	0.42	449.0	0.006	2	1.03	0.048	0.39	0.2	9.1	0.08	<0.02	16			
1830119	Drill Core	0.18	0.43	<0.02	9	0.55	0.046	20.5	2.6	0.33	437.2	0.007	1	0.84	0.023	0.37	0.1	7.6	0.07	<0.02	12			
1830120	Rock Pulp	0.21	0.31	0.29	54	1.34	0.031	4.2	99.8	1.80	73.7	0.071	3	2.03	0.208	0.15	1.2	4.1	0.10	0.19	16			
1830121	Drill Core	0.30	0.82	<0.02	11	0.61	0.050	20.6	3.1	0.27	499.1	0.013	4	0.93	0.044	0.46	0.4	8.1	0.11	<0.02	31			
1830122	Drill Core	0.35	0.75	0.03	5	1.14	0.047	14.2	1.8	0.34	560.2	0.004	1	0.73	0.018	0.35	<0.1	5.2	0.05	0.04	39			
1830123	Drill Core	0.29	0.55	<0.02	7	0.75	0.052	18.7	2.5	0.33	458.4	0.006	2	0.95	0.028	0.51	0.2	5.7	0.07	<0.02	12			
1830124	Drill Core	0.17	0.38	<0.02	1	0.87	0.012	20.6	1.6	0.05	388.3	0.001	2	0.32	0.020	0.31	<0.1	1.3	0.04	0.11	25			
1830125	Drill Core	0.24	0.39	<0.02	3	2.33	0.012	6.6	3.0	0.11	187.6	0.003	1	0.38	0.005	0.25	<0.1	3.2	0.03	0.09	13			
1830126	Drill Core	0.32	0.41	<0.02	4	0.91	0.038	19.8	1.9	0.17	267.0	0.005	2	0.65	0.016	0.41	0.2	3.6	0.06	<0.02	7			
1830127	Drill Core	0.13	0.62	0.02	2	0.07	0.016	27.2	1.8	0.15	253.3	0.003	2	0.60	0.029	0.35	0.1	2.8	0.04	<0.02	14			
1830128	Drill Core	0.15	0.27	<0.02	3	0.21	0.035	18.4	2.1	0.19	284.8	0.004	1	0.61	0.019	0.38	0.1	3.0	0.06	<0.02	9			
1830129	Drill Core	0.30	0.34	<0.02	3	0.51	0.032	14.0	1.4	0.15	285.9	0.004	1	0.51	0.023	0.34	<0.1	2.6	0.04	0.17	12			
1830130	Drill Core	0.18	0.61	<0.02	2	0.06	0.015	23.4	1.7	0.05	255.0	0.003	<1	0.41	0.023	0.33	<0.1	1.8	0.05	0.04	22			
1830131	Drill Core	0.11	0.24	<0.02	1	0.05	0.014	30.5	1.5	0.03	252.2	0.002	2	0.33	0.015	0.32	0.1	1.4	0.05	<0.02	<5			
1830132	Drill Core	0.01	0.18	<0.02	<1	0.06	0.012	30.0	1.3	0.03	264.8	0.001	2	0.35	0.032	0.35	<0.1	1.1	0.04	<0.02	22			
1830133	Drill Core	0.06	0.25	<0.02	1	0.04	0.013	28.0	1.3	0.02	232.5	0.001	2	0.34	0.042	0.31	0.1	1.1	0.04	<0.02	27			
1830134	Drill Core	0.22	0.27	0.05	2	0.72	0.017	19.2	1.7	0.18	299.3	0.002	1	0.47	0.039	0.31	0.1	1.9	0.07	0.05	25			
1830135	Drill Core	0.38	0.26	0.04	2	0.88	0.014	20.9	1.6	0.28	428.3	0.002	3	0.68	0.013	0.33	0.1	2.4	0.08	0.07	30			
1830136	Drill Core	0.32	0.33	0.06	2	1.62	0.021	15.4	1.3	0.53	346.2	0.001	2	0.82	0.006	0.25	0.1	2.8	0.06	0.09	75			
1830137	Drill Core	0.17	0.27	0.11	1	1.30	0.014	20.8	2.0	0.50	417.9	<0.001	1	0.76	0.008	0.21	<0.1	2.5	0.06	0.04	29			
1830138	Drill Core	0.31	0.44	0.07	<1	1.09	0.006	28.1	2.0	0.33	525.7	<0.001	2	0.72	0.026	0.26	<0.1	3.1	0.12	0.07	45			
1830139	Drill Core	1.84	0.60	0.05	<1	0.99	0.006	30.0	1.4	0.34	556.1	<0.001	2	0.65	0.024	0.22	<0.1	2.9	0.07	0.06	99			
1830140	Rock Pulp	0.07	0.13	0.05	96	0.83	0.064	6.9	10.7	0.74	137.7	0.107	2	1.53	0.153	0.21	3.5	2.9	0.04	<0.02	<5			
1830141	Drill Core	0.32	0.31	0.06	<1	1.04	0.006	26.3	1.2	0.27	447.9	<0.001	2	0.58	0.025	0.23	<0.1	2.5	0.07	0.06	18			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 3 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830112	Drill Core	0.6	0.05	1.1	0.35	<0.1	0.04	<0.02	7.6	<0.1	<0.05	2.1	5.80	8.3	<0.02	1	0.2	2.3	<10	2	
1830113	Drill Core	<0.1	<0.02	2.4	0.33	0.1	0.02	<0.02	12.0	0.2	<0.05	2.6	5.56	20.4	<0.02	1	0.1	5.6	<10	<2	
1830114	Drill Core	<0.1	<0.02	2.4	0.47	<0.1	0.02	<0.02	10.9	0.3	<0.05	0.7	8.00	26.8	<0.02	<1	0.2	6.2	15	2	
1830115	Drill Core	<0.1	<0.02	2.9	0.48	0.2	0.03	0.07	11.7	0.3	<0.05	2.7	7.82	23.7	0.02	<1	0.3	7.4	<10	<2	
1830116	Drill Core	<0.1	<0.02	3.9	1.27	0.1	<0.02	<0.02	12.6	0.2	<0.05	0.8	9.98	38.0	0.03	<1	0.2	11.9	<10	<2	
1830117	Drill Core	<0.1	<0.02	4.0	0.98	<0.1	<0.02	0.04	12.7	0.3	<0.05	0.7	9.77	39.0	<0.02	<1	0.2	14.1	<10	<2	
1830118	Drill Core	<0.1	<0.02	3.7	0.83	<0.1	0.02	<0.02	12.5	0.3	<0.05	0.6	9.63	39.9	0.03	<1	0.2	9.4	<10	<2	
1830119	Drill Core	<0.1	<0.02	2.4	0.60	<0.1	<0.02	<0.02	11.9	0.3	<0.05	0.8	9.77	38.8	<0.02	<1	0.2	6.9	<10	<2	
1830120	Rock Pulp	0.5	0.14	3.9	0.58	0.2	0.05	0.04	5.7	0.5	<0.05	1.5	3.17	8.3	<0.02	2	0.2	7.7	260	114	
1830121	Drill Core	<0.1	<0.02	3.0	1.26	<0.1	0.06	<0.02	15.1	0.3	<0.05	2.4	10.22	39.5	<0.02	1	0.6	5.5	<10	<2	
1830122	Drill Core	<0.1	<0.02	2.0	0.28	<0.1	0.27	<0.02	10.4	0.2	<0.05	10.6	6.73	27.9	0.02	<1	0.1	5.8	<10	<2	
1830123	Drill Core	<0.1	<0.02	3.0	0.42	0.2	0.23	<0.02	15.6	0.2	<0.05	9.1	6.89	36.5	<0.02	2	0.3	7.0	<10	<2	
1830124	Drill Core	<0.1	<0.02	1.0	0.29	<0.1	0.28	<0.02	8.3	0.1	<0.05	7.6	4.50	37.6	<0.02	<1	0.2	1.4	<10	2	
1830125	Drill Core	<0.1	0.03	1.5	0.15	<0.1	0.20	<0.02	6.4	0.1	<0.05	5.4	4.91	12.5	0.02	<1	<0.1	2.3	<10	<2	
1830126	Drill Core	<0.1	<0.02	1.8	0.43	0.1	0.22	<0.02	13.8	0.3	<0.05	7.6	7.30	37.6	0.03	<1	0.4	5.3	<10	<2	
1830127	Drill Core	<0.1	<0.02	1.9	0.29	<0.1	0.28	<0.02	11.5	0.2	<0.05	8.8	6.90	49.6	<0.02	<1	0.2	3.5	<10	<2	
1830128	Drill Core	<0.1	<0.02	1.6	0.25	<0.1	0.17	<0.02	12.8	0.2	<0.05	8.3	5.27	34.8	0.02	<1	0.1	4.0	<10	3	
1830129	Drill Core	0.2	<0.02	1.5	0.20	<0.1	0.12	<0.02	11.9	0.1	<0.05	7.0	6.29	26.2	<0.02	<1	0.1	3.5	<10	<2	
1830130	Drill Core	<0.1	<0.02	1.3	0.22	0.1	0.23	<0.02	10.7	0.2	<0.05	7.1	6.04	45.8	<0.02	<1	0.4	1.7	<10	<2	
1830131	Drill Core	<0.1	<0.02	1.3	0.20	<0.1	0.13	<0.02	11.6	0.3	<0.05	5.3	7.20	55.1	<0.02	<1	0.1	1.0	<10	<2	
1830132	Drill Core	<0.1	<0.02	0.8	0.27	<0.1	0.13	<0.02	13.7	0.4	<0.05	3.8	4.33	55.0	<0.02	<1	0.4	0.8	<10	<2	
1830133	Drill Core	<0.1	<0.02	1.0	0.28	<0.1	0.09	<0.02	11.3	0.3	<0.05	4.3	5.49	51.4	<0.02	<1	0.3	0.8	<10	<2	
1830134	Drill Core	<0.1	<0.02	1.3	0.29	<0.1	0.04	<0.02	9.8	0.2	<0.05	1.6	8.12	36.6	<0.02	<1	0.2	2.9	<10	<2	
1830135	Drill Core	<0.1	<0.02	1.7	0.24	<0.1	0.03	<0.02	9.3	0.2	<0.05	1.0	7.72	38.2	<0.02	<1	0.2	5.2	<10	<2	
1830136	Drill Core	<0.1	<0.02	2.0	0.25	<0.1	<0.02	<0.02	7.2	0.3	<0.05	0.4	7.24	31.3	0.04	<1	0.1	9.4	<10	<2	
1830137	Drill Core	<0.1	<0.02	2.0	0.18	<0.1	<0.02	<0.02	6.3	0.3	<0.05	0.5	6.72	40.1	<0.02	<1	<0.1	15.4	<10	<2	
1830138	Drill Core	<0.1	<0.02	2.2	0.27	<0.1	<0.02	0.03	7.8	0.4	<0.05	0.7	9.41	53.4	0.03	<1	0.1	13.2	<10	<2	
1830139	Drill Core	<0.1	<0.02	2.1	0.41	<0.1	<0.02	0.03	7.0	0.3	<0.05	0.6	16.08	60.0	0.03	<1	0.1	11.0	<10	<2	
1830140	Rock Pulp	<0.1	<0.02	4.5	0.32	0.1	0.08	0.10	7.5	0.3	<0.05	0.9	4.64	15.6	<0.02	<1	0.1	7.0	<10	<2	
1830141	Drill Core	<0.1	<0.02	1.5	0.40	<0.1	0.03	0.04	6.4	0.3	<0.05	0.6	12.91	50.3	<0.02	<1	0.1	4.6	<10	<2	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830142	Drill Core	5.04	564	<0.005	<0.01	<0.17	61.26	3.68	8.59	41.40	79.4	493	0.4	0.4	84	0.61	<0.1	2.0	<0.2	6.9	86.8
1830143	Drill Core	2.03	586	<0.005	I.S.	I.S.		1.58	1.75	6.63	11.8	134	0.7	0.3	114	0.73	<0.1	0.9	<0.2	4.2	66.5
1830144	Drill Core	2.19	490	<0.005	<0.01	<0.17	41.11	0.31	3.56	13.53	85.7	175	0.5	0.6	78	0.86	1.1	1.1	0.3	8.0	39.3
1830145	Drill Core	3.93	525	<0.005	<0.01	<0.17	35.78	0.64	2.51	11.96	73.5	183	0.6	0.6	87	1.07	1.6	1.1	<0.2	8.5	47.8
1830146	Drill Core	5.24	559	<0.005	<0.01	<0.17	27.64	1.10	2.78	7.82	45.6	154	0.3	0.3	79	0.80	1.9	1.2	<0.2	5.9	58.7
1830147	Drill Core	5.95	608	0.005	<0.01	<0.17	43.99	0.77	2.28	11.66	52.4	248	0.6	0.4	83	0.84	2.2	1.1	<0.2	6.3	67.3
1830148	Drill Core	3.19	540	<0.005	<0.01	<0.17	38.75	0.44	2.61	8.51	43.0	227	0.5	0.3	71	0.65	1.5	1.3	<0.2	9.4	64.9
1830149	Drill Core	4.27	511	0.011	<0.01	<0.17	43.98	0.43	2.72	10.25	25.7	440	0.6	0.4	49	0.55	6.3	1.2	19.9	8.4	42.4
1830150	Drill Core	4.19	404	0.005	<0.01	<0.17	39.86	0.54	4.09	18.03	33.9	413	0.6	0.4	53	0.55	5.5	1.8	2.0	8.1	76.5
1830151	Drill Core	4.93	471	<0.005	<0.01	<0.17	48.18	3.15	3.20	15.19	37.5	334	0.6	0.5	79	0.74	3.9	2.4	<0.2	10.5	73.8
1830152	Drill Core	5.01	452	<0.005	<0.01	<0.17	46.41	5.10	1.45	9.10	29.4	132	0.4	0.3	78	0.59	2.0	1.1	<0.2	4.0	56.1
1830153	Drill Core	4.46	404	<0.005	<0.01	<0.17	39.10	1.54	1.51	10.21	28.7	142	0.5	0.4	88	0.67	2.6	2.1	<0.2	5.3	53.7
1830154	Drill Core	4.51	448	<0.005	<0.01	<0.17	43.29	0.60	1.78	9.84	22.6	157	0.5	0.5	81	0.60	3.4	1.3	<0.2	6.9	60.5
1830155	Drill Core	5.03	417	<0.005	<0.01	<0.17	41.81	1.55	2.47	12.90	29.7	208	0.4	0.4	64	0.68	2.2	1.8	<0.2	5.1	68.5
1830156	Drill Core	5.60	455	<0.005	<0.01	<0.17	47.98	0.99	2.52	11.93	27.9	187	0.4	0.3	65	0.52	2.0	1.7	48.5	5.8	53.9
1830157	Drill Core	5.20	451	0.023	0.02	<0.17	43.61	1.33	2.64	13.93	30.6	149	0.3	0.4	142	0.66	1.1	2.6	6.1	8.1	141.7
1830158	Drill Core	5.54	431	<0.005	<0.01	<0.17	42.61	1.03	1.13	11.14	33.2	110	0.4	0.3	126	0.68	1.7	2.5	<0.2	8.5	101.1
1830159	Drill Core	4.40	443	<0.005	<0.01	<0.17	40.82	5.16	1.20	9.76	32.8	124	0.4	0.4	89	0.86	7.1	3.7	<0.2	10.0	116.9
1830160	Core DUP		435	<0.005	<0.01	<0.17	63.27	4.88	1.08	9.35	30.7	115	0.3	0.4	81	0.81	6.3	3.4	<0.2	9.5	115.3
1830161	Drill Core	3.03	446	0.035	0.04	<0.17	52.05	2.08	2.02	9.34	30.6	166	0.4	0.4	86	0.72	7.7	3.3	33.1	8.5	98.3
1830162	Drill Core	2.11	449	0.016	0.03	<0.17	40.16	0.68	2.13	6.42	11.8	479	0.8	0.3	69	0.51	1.7	0.8	155.4	5.4	35.0
1830163	Drill Core	1.84	431	0.006	<0.01	<0.17	56.30	1.93	1.88	12.10	41.8	410	1.0	0.4	77	0.94	5.0	0.9	5.4	7.5	43.9
1830164	Drill Core	4.66	405	0.031	0.03	<0.17	46.11	3.08	1.70	26.09	63.5	265	1.3	0.6	150	1.03	6.2	1.2	19.0	8.2	37.2
1830165	Drill Core	2.61	432	<0.005	<0.01	<0.17	39.69	0.65	1.57	14.40	18.8	205	0.7	0.4	114	0.59	11.1	1.3	1.5	8.5	33.8
1830166	Drill Core	2.96	430	0.152	0.14	<0.17	34.83	5.75	1.79	8.33	19.2	422	0.5	0.5	295	1.11	5.3	1.5	107.6	7.5	139.9
1830167	Drill Core	2.60	452	0.169	0.17	0.17	46.13	12.61	1.39	8.95	29.2	228	0.8	0.5	291	1.23	5.9	1.5	116.0	6.1	136.7
1830168	Drill Core	4.66	431	0.050	0.05	<0.17	37.35	1.83	3.74	12.73	61.0	748	0.6	0.7	184	1.04	13.1	2.3	35.1	7.4	112.9
1830169	Drill Core	3.91	409	0.016	0.01	<0.17	39.91	2.05	1.52	10.49	23.9	143	0.5	0.3	174	0.62	7.8	1.4	3.6	8.5	70.5
1830170	Drill Core	4.57	435	<0.005	<0.01	<0.17	38.11	0.64	2.21	11.75	48.8	222	0.6	0.3	129	0.95	4.0	3.1	0.6	9.4	38.1
1830171	Drill Core	4.15	424	0.006	<0.01	<0.17	23.44	1.06	2.45	13.39	41.3	199	0.5	0.3	114	0.73	2.9	1.8	16.2	8.3	48.9





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830142	Drill Core	1.00	0.23	0.04	<1	0.83	0.006	19.2	1.5	0.19	493.3	0.002	1	0.50	0.024	0.23	<0.1	2.5	0.06	0.03	54			
1830143	Drill Core	0.15	0.16	0.02	<1	0.79	0.003	13.1	3.1	0.03	223.4	<0.001	<1	0.21	0.009	0.15	<0.1	1.2	0.03	<0.02	8			
1830144	Drill Core	0.16	0.28	0.05	<1	0.36	0.006	26.9	1.2	0.34	487.1	0.002	2	0.72	0.024	0.25	<0.1	3.7	0.06	<0.02	8			
1830145	Drill Core	0.15	0.19	0.08	<1	0.48	0.006	31.1	1.7	0.36	535.6	0.001	<1	0.75	0.040	0.20	<0.1	3.4	0.04	0.04	50			
1830146	Drill Core	0.14	0.16	0.03	<1	0.53	0.007	18.2	1.2	0.23	389.5	0.004	<1	0.57	0.026	0.20	<0.1	2.7	0.04	0.04	20			
1830147	Drill Core	0.16	0.31	0.05	<1	0.58	0.006	20.4	1.3	0.21	424.6	0.003	<1	0.58	0.041	0.23	<0.1	3.3	0.05	0.04	30			
1830148	Drill Core	0.11	0.16	0.06	<1	0.67	0.006	36.7	1.5	0.07	466.2	<0.001	1	0.43	0.029	0.27	<0.1	2.5	0.06	0.06	43			
1830149	Drill Core	0.15	0.33	0.06	<1	0.49	0.006	29.8	1.1	0.08	490.7	0.001	2	0.45	0.025	0.33	<0.1	2.0	0.07	0.05	39			
1830150	Drill Core	0.25	0.41	0.06	<1	0.71	0.006	28.2	1.4	0.05	606.9	<0.001	2	0.40	0.032	0.28	0.1	2.2	0.08	0.13	46			
1830151	Drill Core	0.19	0.42	0.15	<1	0.84	0.008	36.2	1.6	0.15	726.6	0.002	2	0.66	0.023	0.41	<0.1	3.9	0.15	0.06	29			
1830152	Drill Core	0.10	0.25	0.08	<1	0.66	0.007	13.2	1.1	0.14	473.9	0.011	1	0.60	0.026	0.35	<0.1	2.7	0.10	0.03	13			
1830153	Drill Core	0.20	0.40	0.07	<1	0.64	0.006	15.4	1.7	0.18	694.4	0.008	2	0.75	0.038	0.45	<0.1	3.8	0.12	0.08	12			
1830154	Drill Core	0.13	0.77	0.08	<1	0.45	0.007	20.5	1.4	0.06	520.6	0.006	<1	0.41	0.066	0.23	0.3	3.8	0.10	0.11	14			
1830155	Drill Core	0.15	0.51	0.08	<1	0.62	0.007	15.3	1.2	0.13	753.4	0.009	1	0.69	0.059	0.36	<0.1	3.8	0.11	0.10	10			
1830156	Drill Core	0.16	0.38	0.06	<1	0.63	0.008	16.7	1.2	0.05	518.9	0.006	<1	0.48	0.043	0.30	<0.1	2.5	0.10	0.09	21			
1830157	Drill Core	0.11	0.24	0.08	<1	1.17	0.007	26.8	1.4	0.06	686.6	0.003	1	0.50	0.054	0.31	<0.1	3.4	0.07	0.10	22			
1830158	Drill Core	0.14	0.30	0.06	<1	1.03	0.006	27.5	1.3	0.08	731.3	0.002	1	0.49	0.046	0.29	<0.1	4.5	0.07	0.05	16			
1830159	Drill Core	0.12	0.26	0.07	<1	1.11	0.007	32.7	1.3	0.16	699.4	0.002	2	0.74	0.037	0.46	<0.1	4.3	0.10	0.08	19			
1830160	Core DUP	0.12	0.21	0.06	<1	1.11	0.006	31.0	1.1	0.14	609.8	0.001	2	0.62	0.028	0.40	<0.1	3.8	0.08	0.08	20			
1830161	Drill Core	0.11	0.13	0.05	<1	0.94	0.006	27.7	1.3	0.14	644.2	0.001	2	0.57	0.028	0.41	<0.1	2.5	0.07	0.12	51			
1830162	Drill Core	0.06	0.21	0.04	<1	0.33	0.004	19.4	2.2	0.05	384.7	<0.001	2	0.29	0.024	0.23	0.7	1.0	0.04	0.04	42			
1830163	Drill Core	0.06	0.26	0.08	<1	0.36	0.005	23.4	2.1	0.28	313.2	0.001	<1	0.60	0.007	0.35	0.4	2.2	0.05	0.02	32			
1830164	Drill Core	0.15	0.38	0.08	<1	0.33	0.005	26.3	1.7	0.27	928.3	0.001	2	0.78	0.019	0.45	0.2	2.8	0.07	0.08	65			
1830165	Drill Core	0.08	0.31	0.08	<1	0.39	0.005	24.7	1.3	0.07	565.6	<0.001	2	0.49	0.016	0.42	0.1	1.7	0.08	0.11	66			
1830166	Drill Core	0.15	0.21	0.03	<1	1.26	0.005	14.8	1.7	0.22	442.2	0.001	2	0.55	0.022	0.38	0.1	2.8	0.07	0.46	47			
1830167	Drill Core	0.64	0.28	<0.02	<1	1.25	0.004	13.9	1.3	0.32	446.0	<0.001	2	0.57	0.013	0.32	0.2	2.1	0.06	0.38	22			
1830168	Drill Core	0.39	1.03	0.07	<1	0.95	0.005	21.5	1.5	0.23	746.6	0.001	2	0.70	0.030	0.35	<0.1	3.5	0.07	0.16	61			
1830169	Drill Core	0.16	0.19	0.03	<1	0.69	0.006	29.6	1.3	0.08	651.4	0.001	<1	0.46	0.037	0.35	<0.1	2.6	0.05	0.04	21			
1830170	Drill Core	0.14	0.18	<0.02	<1	0.28	0.007	32.8	1.5	0.08	358.9	0.005	<1	0.54	0.034	0.45	<0.1	3.5	0.09	0.08	15			
1830171	Drill Core	0.18	0.22	0.03	<1	0.44	0.007	25.3	1.3	0.05	290.0	0.002	1	0.42	0.036	0.37	<0.1	2.5	0.08	0.05	11			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 4 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830142 Drill Core	<0.1	<0.02	1.6	0.36	<0.1	0.02	0.05	6.2	0.3	<0.05	0.8	12.62	37.1	0.02	<1	0.1	3.1	<10	<2
1830143 Drill Core	<0.1	<0.02	0.6	0.21	<0.1	<0.02	0.03	4.5	0.2	<0.05	0.3	5.96	26.0	<0.02	<1	<0.1	1.0	<10	<2
1830144 Drill Core	<0.1	<0.02	2.6	0.39	<0.1	<0.02	0.04	6.7	0.5	<0.05	0.6	12.04	50.7	0.04	<1	0.2	5.9	<10	<2
1830145 Drill Core	<0.1	<0.02	2.5	0.59	<0.1	0.02	0.03	5.6	0.4	<0.05	0.7	12.82	61.1	0.03	<1	0.2	11.4	<10	<2
1830146 Drill Core	<0.1	<0.02	1.9	0.49	<0.1	<0.02	0.10	6.3	0.2	<0.05	0.6	13.24	35.6	<0.02	<1	0.1	4.7	<10	<2
1830147 Drill Core	<0.1	<0.02	2.3	0.44	<0.1	<0.02	0.06	7.5	0.4	<0.05	0.7	14.00	40.4	0.03	<1	0.2	6.4	<10	<2
1830148 Drill Core	<0.1	<0.02	1.6	0.44	<0.1	<0.02	0.03	9.8	0.3	<0.05	0.4	11.95	71.8	0.03	<1	0.2	5.8	<10	<2
1830149 Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.02	0.11	10.0	0.2	<0.05	0.6	11.57	55.9	0.02	<1	0.2	4.5	<10	<2
1830150 Drill Core	<0.1	<0.02	1.5	0.50	<0.1	<0.02	0.03	8.3	0.3	<0.05	0.5	12.33	53.7	<0.02	<1	0.3	4.0	<10	<2
1830151 Drill Core	<0.1	<0.02	2.1	0.51	<0.1	0.04	0.03	12.0	0.5	<0.05	0.8	19.29	70.2	0.03	<1	0.3	8.7	<10	<2
1830152 Drill Core	<0.1	<0.02	1.8	0.46	<0.1	0.02	0.18	9.7	0.4	<0.05	0.6	12.52	24.3	0.02	<1	0.3	7.5	<10	<2
1830153 Drill Core	<0.1	<0.02	2.5	0.59	<0.1	0.03	0.16	12.7	0.6	<0.05	0.9	17.90	31.4	0.03	<1	0.2	8.6	<10	<2
1830154 Drill Core	<0.1	<0.02	1.8	0.44	<0.1	0.03	0.13	7.2	0.5	<0.05	0.6	18.77	40.3	0.03	<1	0.2	3.1	<10	<2
1830155 Drill Core	<0.1	<0.02	2.1	0.47	<0.1	0.02	0.13	9.9	0.4	<0.05	0.6	13.97	30.1	0.04	<1	0.3	7.0	<10	<2
1830156 Drill Core	<0.1	<0.02	1.8	0.26	<0.1	0.03	0.11	8.1	0.4	<0.05	0.6	12.91	32.5	0.02	<1	0.2	2.5	<10	<2
1830157 Drill Core	<0.1	<0.02	1.9	0.37	<0.1	0.02	0.06	8.6	0.4	<0.05	0.5	17.65	51.5	0.03	<1	0.2	4.4	<10	<2
1830158 Drill Core	<0.1	<0.02	1.8	0.64	<0.1	0.03	0.03	7.5	0.5	<0.05	0.5	17.49	53.5	0.04	<1	0.2	6.3	<10	<2
1830159 Drill Core	<0.1	<0.02	2.3	0.49	<0.1	<0.02	0.03	11.9	0.4	<0.05	1.1	15.95	64.8	0.03	<1	0.3	8.1	<10	<2
1830160 Core DUP	<0.1	<0.02	2.0	0.46	<0.1	0.02	0.02	9.9	0.4	<0.05	0.7	14.51	61.3	0.03	<1	0.3	7.9	<10	<2
1830161 Drill Core	<0.1	<0.02	1.9	0.26	<0.1	0.02	0.03	9.8	0.4	<0.05	0.6	10.72	53.3	0.02	2	0.3	3.6	<10	<2
1830162 Drill Core	<0.1	<0.02	1.1	0.29	<0.1	0.03	<0.02	5.7	0.2	<0.05	1.2	5.30	37.4	<0.02	<1	0.2	1.2	<10	<2
1830163 Drill Core	<0.1	<0.02	1.4	0.39	<0.1	0.05	<0.02	7.8	0.3	<0.05	2.1	6.03	45.8	0.02	<1	0.2	7.3	<10	<2
1830164 Drill Core	<0.1	<0.02	2.1	0.60	<0.1	0.05	<0.02	10.7	0.3	<0.05	1.9	7.93	49.5	<0.02	<1	0.4	7.2	<10	<2
1830165 Drill Core	<0.1	<0.02	1.5	0.48	<0.1	0.04	0.02	10.6	0.2	<0.05	0.9	7.56	47.3	<0.02	<1	0.3	2.4	<10	<2
1830166 Drill Core	0.2	<0.02	1.7	0.34	<0.1	0.03	<0.02	9.8	0.2	<0.05	1.0	4.73	29.4	<0.02	<1	0.3	3.5	<10	<2
1830167 Drill Core	<0.1	<0.02	1.5	0.36	<0.1	<0.02	<0.02	7.8	0.3	<0.05	0.9	4.28	26.1	<0.02	<1	0.3	4.8	<10	<2
1830168 Drill Core	<0.1	<0.02	2.1	0.34	<0.1	<0.02	<0.02	9.2	0.5	<0.05	0.8	8.29	42.8	0.04	<1	0.3	6.2	<10	<2
1830169 Drill Core	0.1	<0.02	1.6	0.42	<0.1	0.03	0.03	10.6	0.3	<0.05	1.1	12.42	55.1	0.03	<1	0.3	3.1	<10	<2
1830170 Drill Core	<0.1	<0.02	2.3	0.56	0.1	0.05	0.06	17.4	0.3	<0.05	1.8	16.86	64.5	0.05	<1	0.4	3.8	<10	<2
1830171 Drill Core	<0.1	<0.02	2.0	0.39	<0.1	0.07	0.08	14.4	0.5	<0.05	1.7	10.29	51.7	0.04	<1	0.2	2.1	<10	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: June 14, 2019

Page: 5 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830172	Drill Core	1.88	421	0.033	0.03	<0.17	36.21	2.19	2.26	12.98	46.7	291	0.6	0.6	88	0.73	2.5	1.0	33.8	7.0	38.1	
1830173	Drill Core	5.16	416	0.032	0.03	<0.17	34.38	1.09	4.10	12.52	27.3	354	0.4	0.4	162	0.73	5.9	1.7	21.7	7.7	57.6	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: June 14, 2019

Page: 5 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830172	Drill Core	0.33	0.19	0.02	<1	0.46	0.005	15.4	1.3	0.03	336.3	0.001	2	0.41	0.043	0.41	<0.1	1.3	0.07	0.30	11
1830173	Drill Core	0.25	0.50	<0.02	<1	0.61	0.006	21.7	1.2	0.05	321.1	0.001	1	0.42	0.034	0.39	<0.1	1.4	0.06	0.17	10



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: June 14, 2019

Page: 5 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000022.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1830172	Drill Core	<0.1	<0.02	1.4	0.33	<0.1	0.12	0.04	13.9	0.3	<0.05	3.5	4.84	30.5	0.02	2	0.3	1.6	<10
1830173	Drill Core	<0.1	<0.02	1.6	0.26	<0.1	0.09	0.04	13.3	0.1	<0.05	2.5	6.51	43.7	<0.02	1	0.3	2.1	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1830092	Drill Core	1.91	387	0.235	0.30	1.71	17.00	0.45	3.58	29.24	7.6	501	0.6	1.2	66	0.74	2.6	0.4	187.9	4.4	3.0
REP 1830092	QC							0.51	3.86	31.03	7.8	566	0.7	1.2	76	0.75	2.7	0.4	210.1	4.8	3.2
1830101	Drill Core	3.30	482	0.034	0.03	<0.17	25.81	0.86	7.93	10.72	55.9	1525	2.7	6.4	234	1.84	17.9	1.0	26.7	5.5	16.0
REP 1830101	QC			0.034																	
1830126	Drill Core	2.74	529	0.007	<0.01	<0.17	62.14	0.53	4.92	7.47	36.9	179	1.3	2.8	272	1.15	7.8	0.9	2.6	6.3	73.3
REP 1830126	QC							0.57	5.14	7.91	36.8	169	1.1	2.6	283	1.17	8.1	1.0	3.3	6.4	76.7
1830151	Drill Core	4.93	471	<0.005	<0.01	<0.17	48.18	3.15	3.20	15.19	37.5	334	0.6	0.5	79	0.74	3.9	2.4	<0.2	10.5	73.8
REP 1830151	QC			<0.005																	
1830161	Drill Core	3.03	446	0.035	0.04	<0.17	52.05	2.08	2.02	9.34	30.6	166	0.4	0.4	86	0.72	7.7	3.3	33.1	8.5	98.3
REP 1830161	QC							2.14	1.96	9.63	31.1	172	0.3	0.4	88	0.73	7.6	3.4	30.7	8.6	99.1
1830173	Drill Core	5.16	416	0.032	0.03	<0.17	34.38	1.09	4.10	12.52	27.3	354	0.4	0.4	162	0.73	5.9	1.7	21.7	7.7	57.6
REP 1830173	QC			0.027																	
Core Reject Duplicates																					
1830094	Drill Core	2.15	411	0.029	0.03	<0.17	38.25	1.35	2.93	4.40	23.5	243	1.4	4.8	418	1.89	4.7	1.0	12.9	6.4	51.7
DUP 1830094	QC		488	0.036	0.03	<0.17	45.34	1.33	2.77	4.38	21.7	248	1.4	4.8	422	1.95	4.7	1.0	19.8	6.2	50.7
1830128	Drill Core	1.66	423	0.015	0.01	<0.17	26.77	0.39	1.96	8.05	34.6	216	1.1	2.2	127	1.05	2.9	0.6	5.8	5.1	25.5
DUP 1830128	QC		500	0.007	<0.01	<0.17	43.76	0.32	2.07	8.39	38.8	216	0.7	2.1	127	1.05	3.6	0.6	5.7	5.5	23.4
1830162	Drill Core	2.11	449	0.016	0.03	<0.17	40.16	0.68	2.13	6.42	11.8	479	0.8	0.3	69	0.51	1.7	0.8	155.4	5.4	35.0
DUP 1830162	QC	<0.01	431	0.015	0.01	<0.17	30.97	0.71	1.72	6.35	12.0	282	0.8	0.3	76	0.59	1.6	0.9	15.3	5.6	35.2
Reference Materials																					
STD BVGEO01	Standard							10.62	4351.51	183.63	1732.1	2540	156.8	23.4	739	3.62	117.8	3.7	216.5	14.5	54.3
STD BVGEO01	Standard							11.23	4430.62	197.30	1730.1	2624	168.2	25.1	720	3.69	126.3	3.8	227.3	15.0	52.5
STD DS11	Standard							14.61	149.30	130.18	336.5	1820	76.5	13.9	1022	3.10	42.1	2.5	68.2	7.6	66.5
STD DS11	Standard							13.94	144.62	134.74	335.3	1676	76.8	11.8	984	3.09	42.9	2.5	106.2	7.6	66.0
STD DS11	Standard							14.31	156.00	131.89	326.7	1665	79.6	14.0	1041	3.09	42.7	2.5	95.5	7.2	63.7
STD OREAS256	Standard			7.444																	
STD OREAS263	Standard			0.216																	
STD OREAS253	Standard			1.259																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 14, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830092	Drill Core	0.12	0.27	0.03	<1	0.02	0.007	14.2	2.1	0.02	320.0	<0.001	1	0.26	0.016	0.19	0.1	0.7	0.05	<0.02	52
REP 1830092	QC	0.14	0.32	<0.02	1	0.02	0.008	15.6	2.3	0.03	350.7	0.001	1	0.27	0.017	0.20	<0.1	0.8	0.05	<0.02	61
1830101	Drill Core	0.42	0.98	0.08	7	0.24	0.050	19.8	2.3	0.20	746.1	0.003	3	0.86	0.034	0.37	0.3	4.7	0.12	<0.02	73
REP 1830101	QC																				
1830126	Drill Core	0.32	0.41	<0.02	4	0.91	0.038	19.8	1.9	0.17	267.0	0.005	2	0.65	0.016	0.41	0.2	3.6	0.06	<0.02	7
REP 1830126	QC	0.30	0.43	0.02	4	0.93	0.038	19.7	1.9	0.17	284.0	0.004	2	0.66	0.017	0.42	0.1	3.3	0.06	<0.02	6
1830151	Drill Core	0.19	0.42	0.15	<1	0.84	0.008	36.2	1.6	0.15	726.6	0.002	2	0.66	0.023	0.41	<0.1	3.9	0.15	0.06	29
REP 1830151	QC																				
1830161	Drill Core	0.11	0.13	0.05	<1	0.94	0.006	27.7	1.3	0.14	644.2	0.001	2	0.57	0.028	0.41	<0.1	2.5	0.07	0.12	51
REP 1830161	QC	0.11	0.13	0.05	<1	0.95	0.006	28.1	1.4	0.15	655.2	0.002	2	0.57	0.029	0.41	<0.1	2.6	0.08	0.12	50
1830173	Drill Core	0.25	0.50	<0.02	<1	0.61	0.006	21.7	1.2	0.05	321.1	0.001	1	0.42	0.034	0.39	<0.1	1.4	0.06	0.17	10
REP 1830173	QC																				
Core Reject Duplicates																					
1830094	Drill Core	0.23	0.49	<0.02	3	1.21	0.033	11.7	1.7	0.13	409.3	0.002	2	0.59	0.006	0.36	0.1	2.5	0.21	0.20	76
DUP 1830094	QC	0.24	0.46	<0.02	3	1.30	0.030	11.5	1.8	0.13	428.5	0.002	3	0.66	0.007	0.39	0.1	2.5	0.21	0.22	88
1830128	Drill Core	0.15	0.27	<0.02	3	0.21	0.035	18.4	2.1	0.19	284.8	0.004	1	0.61	0.019	0.38	0.1	3.0	0.06	<0.02	9
DUP 1830128	QC	0.14	0.32	<0.02	4	0.19	0.036	18.9	2.2	0.20	275.6	0.004	2	0.62	0.021	0.39	0.2	2.7	0.05	<0.02	11
1830162	Drill Core	0.06	0.21	0.04	<1	0.33	0.004	19.4	2.2	0.05	384.7	<0.001	2	0.29	0.024	0.23	0.7	1.0	0.04	0.04	42
DUP 1830162	QC	0.06	0.18	0.04	<1	0.34	0.004	20.4	2.5	0.05	423.6	<0.001	2	0.34	0.029	0.27	0.6	1.2	0.04	0.04	45
Reference Materials																					
STD BVGEO01	Standard	6.09	3.00	25.04	74	1.25	0.073	26.0	188.1	1.27	257.7	0.235	3	2.30	0.193	0.90	4.5	6.3	0.56	0.62	103
STD BVGEO01	Standard	6.65	3.73	24.80	78	1.32	0.073	24.8	175.6	1.30	284.0	0.218	3	2.35	0.191	0.89	5.8	5.7	0.62	0.66	95
STD DS11	Standard	2.53	7.01	11.17	50	1.06	0.071	17.5	59.4	0.87	375.9	0.087	8	1.19	0.074	0.41	2.8	3.3	4.71	0.27	260
STD DS11	Standard	2.22	7.61	10.74	49	1.04	0.065	18.9	55.4	0.83	388.7	0.089	6	1.17	0.073	0.39	2.7	3.0	4.57	0.27	253
STD DS11	Standard	2.39	7.84	11.47	50	1.02	0.071	17.6	59.0	0.86	357.5	0.093	7	1.17	0.070	0.40	3.0	3.2	4.73	0.27	263
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1830092	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	<0.02	<0.02	5.5	0.3	<0.05	0.5	2.77	26.7	<0.02	<1	0.2	1.5	<10	<2
REP 1830092	QC	<0.1	<0.02	0.9	0.22	<0.1	0.02	<0.02	6.1	0.4	<0.05	0.6	3.07	29.0	<0.02	<1	0.1	1.5	<10	<2
1830101	Drill Core	<0.1	<0.02	2.3	0.43	<0.1	<0.02	<0.02	11.2	0.3	<0.05	1.1	12.22	38.9	0.05	<1	0.3	6.9	<10	<2
REP 1830101	QC																			
1830126	Drill Core	<0.1	<0.02	1.8	0.43	0.1	0.22	<0.02	13.8	0.3	<0.05	7.6	7.30	37.6	0.03	<1	0.4	5.3	<10	<2
REP 1830126	QC	<0.1	<0.02	2.1	0.44	0.1	0.21	<0.02	14.0	0.2	<0.05	7.7	7.66	37.9	<0.02	<1	0.4	5.2	<10	<2
1830151	Drill Core	<0.1	<0.02	2.1	0.51	<0.1	0.04	0.03	12.0	0.5	<0.05	0.8	19.29	70.2	0.03	<1	0.3	8.7	<10	<2
REP 1830151	QC																			
1830161	Drill Core	<0.1	<0.02	1.9	0.26	<0.1	0.02	0.03	9.8	0.4	<0.05	0.6	10.72	53.3	0.02	2	0.3	3.6	<10	<2
REP 1830161	QC	<0.1	<0.02	1.8	0.26	<0.1	0.02	0.03	9.9	0.3	<0.05	0.7	11.08	53.3	0.02	2	0.3	3.9	<10	<2
1830173	Drill Core	<0.1	<0.02	1.6	0.26	<0.1	0.09	0.04	13.3	0.1	<0.05	2.5	6.51	43.7	<0.02	1	0.3	2.1	<10	<2
REP 1830173	QC																			
Core Reject Duplicates																				
1830094	Drill Core	<0.1	0.03	1.6	0.32	<0.1	<0.02	<0.02	9.6	0.3	<0.05	1.2	5.11	22.4	<0.02	<1	0.3	4.3	<10	<2
DUP 1830094	QC	<0.1	0.03	1.7	0.30	<0.1	<0.02	<0.02	9.8	0.3	<0.05	1.3	4.77	22.3	<0.02	<1	0.1	4.2	<10	<2
1830128	Drill Core	<0.1	<0.02	1.6	0.25	<0.1	0.17	<0.02	12.8	0.2	<0.05	8.3	5.27	34.8	0.02	<1	0.1	4.0	<10	3
DUP 1830128	QC	<0.1	<0.02	1.9	0.30	0.1	0.23	<0.02	12.9	0.1	<0.05	9.4	5.55	35.5	<0.02	<1	0.3	3.9	<10	4
1830162	Drill Core	<0.1	<0.02	1.1	0.29	<0.1	0.03	<0.02	5.7	0.2	<0.05	1.2	5.30	37.4	<0.02	<1	0.2	1.2	<10	<2
DUP 1830162	QC	<0.1	<0.02	1.2	0.29	<0.1	0.03	<0.02	6.6	0.2	<0.05	1.2	5.53	39.7	<0.02	<1	0.2	1.2	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.3	0.96	6.9	6.96	0.3	0.39	0.16	90.4	5.5	<0.05	8.8	14.03	51.6	0.42	3	0.8	21.1	183	176
STD BVGEO01	Standard	5.0	1.07	7.6	7.32	0.2	0.28	0.27	92.4	5.5	<0.05	7.7	13.97	51.5	0.47	4	0.5	21.6	128	189
STD DS11	Standard	2.0	4.36	4.8	2.83	<0.1	0.08	1.55	31.6	1.9	<0.05	3.0	7.61	35.1	0.25	45	0.6	23.0	95	174
STD DS11	Standard	2.0	4.68	4.7	2.82	<0.1	0.04	1.47	32.7	1.6	<0.05	2.5	7.64	36.7	0.23	42	0.7	24.5	108	163
STD DS11	Standard	2.0	4.50	5.0	2.83	<0.1	0.07	1.52	32.9	1.7	<0.05	3.5	7.73	35.6	0.22	47	0.6	22.7	106	165
STD OREAS256	Standard																			
STD OREAS263	Standard																			
STD OREAS253	Standard																			





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.69	114.79	56.03	143.6	425	62.2	26.5	553	3.21	34.5	1.2	58.8	9.2	33.3
STD OREAS262	Standard							0.66	115.73	54.11	148.5	468	61.0	26.7	557	3.24	37.6	1.2	47.4	9.4	37.1
STD OREAS262	Standard							0.63	116.95	57.31	150.5	486	65.9	26.4	522	3.31	35.3	1.2	62.8	9.5	35.3
STD OREAS262	Standard							0.67	117.35	58.17	147.3	458	63.9	26.3	504	3.25	38.4	1.2	73.4	9.5	33.1
STD OREAS262	Standard							0.66	122.02	55.50	144.4	440	65.6	28.3	542	3.32	35.7	1.2	57.5	8.8	34.8
STD OXC145	Standard			0.215																	
STD OXC145	Standard			0.207																	
STD OXH139	Standard			1.340																	
STD OXH139	Standard			1.354																	
STD OXN134	Standard			7.740																	
STD OXN134	Standard			8.003																	
STD OXQ90	Standard					25.17	30.04														
STD OXQ90	Standard					24.96	30.09														
STD OXQ90	Standard					25.47	30.04														
STD OXQ90	Standard					24.77	30.04														
STD OXQ90	Standard					25.14	30.03														
STD OXQ90	Standard					25.17	30.03														
STD OXQ90	Standard					25.36	30.28														
STD OXQ90	Standard					25.21	30.07														
STD OXQ90	Standard					25.29	29.70														
STD OXQ90	Standard					24.98	30.22														
STD BVGEO01 Expected								11.2	4502	187	1712	2530	163	25	706	3.7	121	3.67	214	13.6	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.56	4.53	1.02	22	2.98	0.041	14.8	42.8	1.15	236.1	0.003	4	1.30	0.067	0.31	0.2	3.5	0.43	0.25	178
STD OREAS262	Standard	0.71	3.14	1.00	23	2.95	0.041	16.6	46.7	1.16	248.3	0.003	3	1.35	0.068	0.31	0.1	3.5	0.46	0.24	165
STD OREAS262	Standard	0.63	4.40	1.00	22	2.95	0.043	16.7	44.7	1.18	265.6	0.003	3	1.30	0.070	0.30	0.2	3.2	0.42	0.26	174
STD OREAS262	Standard	0.63	5.68	1.02	23	2.93	0.043	15.2	42.4	1.18	242.7	0.003	4	1.35	0.069	0.31	0.2	3.4	0.48	0.26	161
STD OREAS262	Standard	0.64	4.18	0.99	22	3.08	0.040	16.2	44.2	1.16	248.2	0.003	3	1.33	0.068	0.31	0.2	3.2	0.45	0.26	157
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.25	3.39	24.3	73	1.3219	0.0727	25.9	171	1.3175	260	0.2128	6.7	2.2628	0.1924	0.8669	5.3	5.97	0.62	0.6739	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	<0.1	0.15	3.8	2.49	<0.1	0.26	<0.02	16.7	0.5	<0.05	9.4	10.42	30.1	0.04	1	1.3	17.2	<10	4
STD OREAS262	Standard	0.3	0.23	4.1	2.31	<0.1	0.26	<0.02	18.7	0.6	<0.05	9.8	10.78	33.0	0.03	1	0.9	17.7	<10	<2
STD OREAS262	Standard	0.4	0.20	3.7	2.72	0.1	0.23	<0.02	18.6	0.6	<0.05	10.4	10.42	31.8	0.04	<1	0.9	20.2	<10	<2
STD OREAS262	Standard	0.2	0.28	4.2	2.89	<0.1	0.24	<0.02	18.4	0.5	<0.05	8.7	10.09	31.8	0.03	<1	1.4	18.7	<10	<2
STD OREAS262	Standard	0.3	0.20	4.0	2.57	<0.1	0.23	<0.02	17.8	0.5	<0.05	9.3	10.63	32.0	0.04	1	1.1	18.0	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		5.09	1.1	7.65	7.36	0.15	0.32	0.3	95	5.64		10.2	14.5	53	0.45	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

## QUALITY CONTROL REPORT

WHI19000022.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		428	<0.005	<0.01	<0.17	33.85	0.82	1.88	1.24	27.8	14	0.8	3.3	461	1.89	1.1	0.4	<0.2	2.2	19.0
ROCK-WHI	Prep Blank		429	<0.005	<0.01	<0.17	34.42	0.86	2.03	1.29	30.2	11	0.8	3.6	504	1.97	1.7	0.5	<0.2	2.5	26.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	<0.02	<0.02	23	0.63	0.039	6.1	2.5	0.42	55.6	0.064	2	0.91	0.139	0.12	<0.1	2.5	0.03	<0.02	10
ROCK-WHI	Prep Blank	0.03	0.03	<0.02	24	0.73	0.044	6.6	2.9	0.41	80.7	0.074	3	1.09	0.181	0.16	<0.1	3.4	0.02	<0.02	8



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** June 14, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000022.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.18	<0.1	0.12	0.10	2.2	0.3	<0.05	3.1	8.10	12.2	<0.02	<1	0.1	2.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.25	<0.1	0.13	0.18	2.8	0.4	<0.05	3.4	8.92	13.5	<0.02	<1	0.3	2.5	<10