



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: May 30, 2019
Report Date: June 15, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000025.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-04
P.O. Number
Number of Samples: 117

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	113	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	117	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	117	Analysis sample split/packet			WHI
Split -150	117	Analysis sample split/packet			WHI
EN002	117	Environmental disposal charge-Fire assay lead waste			VAN
FS631	114	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	117	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	117	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828178	Drill Core	3.47	441	1.283	2.29	12.67	38.83	1.55	8.15	102.55	60.0	3806	6.2	3.8	415	1.49	31.1	0.7	7681.0	3.2	4.7
1828179	Drill Core	6.37	465	0.031	0.03	<0.17	48.52	1.15	8.01	15.93	112.5	505	9.7	4.6	135	2.10	113.9	0.9	18.9	6.1	7.1
1828180	Rock	0.22	164	<0.005	<0.01	<0.17	41.19	0.27	0.85	1.07	2.4	13	1.0	0.4	43	0.39	0.8	0.1	7.4	1.0	0.9
1828181	Drill Core	3.64	456	0.091	0.12	0.41	43.78	1.27	9.33	10.78	101.2	694	9.7	5.7	170	2.42	162.4	1.1	127.0	5.4	8.2
1828182	Drill Core	5.66	418	0.023	0.03	<0.17	43.72	0.86	5.50	12.97	109.3	284	7.5	5.7	476	2.65	46.4	0.5	48.6	6.4	22.5
1828183	Drill Core	4.45	445	0.093	0.09	<0.17	40.46	1.07	10.71	14.88	114.9	807	10.2	5.8	299	2.43	90.0	0.6	83.4	7.3	18.9
1828184	Drill Core	2.49	415	0.332	0.46	1.60	41.15	0.81	10.95	114.54	132.4	1857	8.5	5.4	149	2.42	36.8	0.6	291.6	6.1	12.7
1828185	Drill Core	5.01	424	0.071	0.07	<0.17	22.06	0.64	8.56	15.72	110.5	396	9.3	5.2	223	2.91	26.1	0.4	55.5	6.8	12.4
1828186	Drill Core	5.05	454	<0.005	<0.01	<0.17	47.33	0.50	7.42	18.11	101.2	235	8.6	5.2	255	2.90	34.6	0.5	11.1	8.1	17.9
1828187	Drill Core	5.34	441	<0.005	<0.01	<0.17	27.69	0.26	7.01	8.05	81.3	144	4.1	4.5	368	2.43	7.2	0.6	7.1	6.3	19.0
1828188	Drill Core	5.11	429	<0.005	<0.01	<0.17	29.04	0.26	7.36	9.47	85.8	108	4.3	4.5	435	2.46	9.3	0.6	0.9	5.7	14.8
1828189	Drill Core	5.31	454	<0.005	<0.01	<0.17	20.46	0.25	6.17	7.12	93.2	99	4.1	4.4	461	2.53	5.3	0.7	3.8	5.8	17.7
1828190	Drill Core	5.33	452	<0.005	<0.01	<0.17	24.05	0.39	7.02	10.89	84.7	343	3.9	4.6	494	2.65	16.1	0.8	4.0	7.0	15.2
1828191	Drill Core	5.28	440	<0.005	<0.01	<0.17	26.28	0.26	6.24	6.08	75.8	150	3.2	4.1	622	2.21	3.6	0.6	2.1	4.0	36.6
1828192	Drill Core	5.14	452	<0.005	<0.01	<0.17	29.48	0.23	5.75	5.90	72.0	110	3.6	3.7	484	1.90	2.4	0.6	0.8	3.8	53.5
1828193	Drill Core	5.26	418	<0.005	<0.01	<0.17	39.57	1.48	7.41	3.61	82.9	111	4.1	5.0	465	2.02	1.4	0.5	1.1	2.4	45.9
1828194	Drill Core	5.30	432	<0.005	<0.01	<0.17	35.77	0.30	6.01	4.31	76.8	138	3.6	4.5	512	1.93	2.3	0.5	0.6	2.6	43.8
1828195	Drill Core	5.14	450	<0.005	<0.01	<0.17	37.17	0.26	6.72	4.48	75.8	126	3.7	4.2	375	1.83	4.4	0.6	0.4	3.8	30.0
1828196	Drill Core	5.04	455	<0.005	<0.01	<0.17	38.04	0.23	5.22	4.27	78.0	77	3.9	3.9	276	2.04	1.2	0.5	0.4	4.3	47.5
1828197	Drill Core	5.22	448	0.005	<0.01	<0.17	40.17	0.75	7.21	10.52	70.5	150	3.7	4.8	427	2.15	9.6	0.7	1.0	6.6	42.7
1828198	Drill Core	4.85	457	0.007	<0.01	<0.17	32.53	0.44	7.67	6.48	78.5	236	3.7	5.2	383	2.34	8.6	0.7	1.4	6.0	18.4
1828199	Drill Core	4.94	453	<0.005	<0.01	<0.17	47.96	0.48	7.47	5.42	81.3	221	3.1	5.3	399	2.31	6.6	0.7	0.4	3.5	27.6
1828200	Rock Pulp	0.12	90	7.065	I.S.	I.S.	I.S.	9.85	201.45	21.40	79.8	835	14.5	12.7	593	4.81	14.2	1.0	7938.4	3.0	71.2
1828201	Drill Core	4.83	435	<0.005	<0.01	<0.17	44.22	0.32	7.46	3.24	80.4	99	2.5	4.3	348	2.14	1.3	0.5	<0.2	2.3	39.3
1828202	Drill Core	5.02	423	<0.005	<0.01	<0.17	24.78	0.59	5.90	3.32	78.8	101	2.6	4.5	335	2.07	1.6	0.5	<0.2	2.6	40.1
1828203	Drill Core	5.01	428	<0.005	<0.01	<0.17	49.63	0.31	7.26	3.54	85.1	133	2.9	5.4	375	2.06	1.7	0.5	<0.2	2.5	44.3
1828204	Drill Core	4.98	459	<0.005	<0.01	<0.17	42.47	0.72	5.56	7.02	76.7	123	2.8	4.5	299	2.48	2.9	0.8	8.1	6.0	71.5
1828205	Drill Core	2.63	421	0.077	0.07	<0.17	45.10	1.23	5.94	8.25	66.4	398	3.3	4.8	686	2.86	13.5	1.4	143.1	6.4	224.1
1828206	Drill Core	4.90	430	0.014	0.01	<0.17	34.20	0.68	5.88	7.63	71.3	144	2.5	5.2	757	2.27	3.9	0.9	9.7	5.4	126.1
1828207	Drill Core	5.35	451	<0.005	<0.01	<0.17	34.05	1.09	6.89	5.85	84.2	108	3.2	5.1	235	2.17	1.7	0.6	5.8	3.9	62.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828178	Drill Core	0.53	1.18	0.57	3	0.05	0.024	12.7	5.5	0.04	494.0	0.002	1	0.31	0.015	0.17	0.8	1.5	0.04	<0.02	78			
1828179	Drill Core	0.61	1.06	0.09	4	0.13	0.063	21.4	5.0	0.11	411.5	0.002	3	0.64	0.022	0.32	0.2	3.0	0.06	<0.02	31			
1828180	Rock	<0.01	0.03	<0.02	1	<0.01	0.002	1.6	2.3	0.02	8.4	0.001	<1	0.04	0.002	0.01	<0.1	0.2	<0.02	<0.02	<5			
1828181	Drill Core	0.57	1.47	0.03	4	0.12	0.059	19.9	4.6	0.08	364.5	0.002	2	0.54	0.020	0.28	0.3	3.3	0.05	<0.02	33			
1828182	Drill Core	0.42	0.72	0.06	5	0.80	0.057	17.3	3.7	0.31	372.9	0.002	2	0.91	0.017	0.30	<0.1	3.6	0.07	0.05	35			
1828183	Drill Core	0.63	1.51	0.07	5	0.60	0.068	22.7	4.2	0.12	386.9	0.002	3	0.75	0.016	0.38	0.2	4.0	0.08	0.03	35			
1828184	Drill Core	0.52	1.43	0.14	6	0.13	0.054	20.6	4.4	0.42	346.8	0.002	2	1.03	0.011	0.33	0.2	3.8	0.06	<0.02	81			
1828185	Drill Core	0.26	0.56	0.07	10	0.24	0.057	20.8	5.6	1.19	332.8	0.002	3	1.94	0.008	0.36	<0.1	4.3	0.06	0.03	43			
1828186	Drill Core	0.25	0.55	0.07	8	0.28	0.047	26.3	4.9	1.43	326.6	0.010	2	2.08	0.019	0.26	<0.1	4.7	0.05	0.04	13			
1828187	Drill Core	0.20	0.26	0.05	10	0.25	0.045	19.2	5.8	0.99	444.2	0.031	2	1.77	0.053	0.23	<0.1	5.2	0.05	<0.02	9			
1828188	Drill Core	0.10	0.37	0.05	11	0.21	0.045	16.0	5.6	0.87	436.3	0.025	2	1.56	0.047	0.16	<0.1	4.4	0.06	<0.02	9			
1828189	Drill Core	0.10	0.29	0.04	11	0.22	0.044	15.8	5.9	0.80	460.5	0.036	2	1.58	0.071	0.16	<0.1	5.0	0.07	<0.02	16			
1828190	Drill Core	0.25	0.42	0.06	12	0.17	0.049	14.7	5.3	0.74	577.7	0.006	<1	1.55	0.063	0.20	<0.1	6.1	0.06	<0.02	15			
1828191	Drill Core	0.12	0.20	0.03	10	0.56	0.048	13.7	5.3	0.67	584.8	0.039	1	1.39	0.052	0.19	<0.1	4.1	0.05	<0.02	22			
1828192	Drill Core	0.13	0.49	0.03	9	1.12	0.041	12.8	4.4	0.61	761.3	0.030	1	1.30	0.055	0.24	<0.1	3.9	0.07	<0.02	7			
1828193	Drill Core	0.09	0.26	0.03	9	0.66	0.050	7.4	5.3	0.66	581.1	0.056	1	1.27	0.043	0.23	<0.1	2.9	0.09	0.08	<5			
1828194	Drill Core	0.09	0.29	0.03	9	0.55	0.049	7.7	5.2	0.59	553.4	0.068	1	1.27	0.074	0.24	<0.1	3.4	0.08	<0.02	<5			
1828195	Drill Core	0.08	0.32	0.03	8	0.28	0.042	9.2	5.1	0.54	354.0	0.029	1	1.14	0.061	0.19	<0.1	3.3	0.07	<0.02	6			
1828196	Drill Core	0.13	0.25	0.03	7	0.72	0.047	13.2	4.5	0.75	491.2	0.021	2	1.51	0.037	0.34	<0.1	4.0	0.10	<0.02	<5			
1828197	Drill Core	0.24	0.60	0.05	10	0.61	0.048	20.8	4.6	0.46	389.2	0.002	<1	1.17	0.046	0.24	0.2	6.6	0.09	<0.02	6			
1828198	Drill Core	0.17	0.36	0.05	9	0.30	0.047	18.9	5.6	0.58	301.0	0.005	1	1.30	0.060	0.23	0.1	4.9	0.08	<0.02	<5			
1828199	Drill Core	0.15	0.34	0.04	8	0.73	0.052	10.7	4.6	0.74	303.4	0.044	1	1.34	0.029	0.23	<0.1	3.6	0.09	0.22	6			
1828200	Rock Pulp	0.20	4.43	0.58	111	0.93	0.069	8.8	21.5	0.90	129.4	0.129	3	1.76	0.177	0.23	3.9	3.7	0.07	<0.02	197			
1828201	Drill Core	0.07	0.22	<0.02	9	0.66	0.052	6.9	4.7	0.74	385.3	0.071	2	1.50	0.059	0.28	<0.1	3.5	0.07	0.05	<5			
1828202	Drill Core	0.09	0.29	0.03	9	0.96	0.053	7.9	4.6	0.69	348.2	0.057	1	1.33	0.040	0.26	0.1	3.8	0.08	0.13	<5			
1828203	Drill Core	0.09	0.23	0.02	11	0.89	0.055	8.1	5.4	0.67	290.8	0.072	1	1.34	0.066	0.21	<0.1	3.9	0.05	0.06	<5			
1828204	Drill Core	0.14	0.32	0.05	7	1.61	0.050	18.9	3.7	0.92	359.2	0.011	1	1.54	0.019	0.28	<0.1	4.4	0.08	0.17	<5			
1828205	Drill Core	0.25	0.71	0.05	5	3.23	0.044	10.5	2.7	0.76	208.2	0.002	3	1.07	0.013	0.39	<0.1	4.6	0.09	0.68	28			
1828206	Drill Core	0.18	0.38	0.05	7	3.28	0.049	14.8	3.1	0.81	335.7	0.007	1	1.34	0.020	0.31	<0.1	4.0	0.07	0.35	6			
1828207	Drill Core	0.09	0.52	0.03	9	0.94	0.050	13.1	4.7	0.91	422.6	0.028	1	1.61	0.037	0.29	<0.1	4.5	0.11	0.03	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828178	Drill Core	<0.1	0.18	0.8	0.24	<0.1	0.04	0.02	5.7	0.2	<0.05	1.7	6.21	24.4	<0.02	<1	0.1	2.2	<10	<2			
1828179	Drill Core	<0.1	<0.02	1.5	0.30	<0.1	<0.02	<0.02	10.2	0.2	<0.05	0.5	10.38	39.7	<0.02	<1	0.2	5.1	<10	<2			
1828180	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.05	0.05	0.6	<0.1	<0.05	1.5	0.74	3.4	<0.02	<1	<0.1	1.1	<10	<2			
1828181	Drill Core	<0.1	<0.02	1.3	0.37	<0.1	<0.02	<0.02	8.7	0.3	<0.05	1.0	13.62	36.2	<0.02	<1	0.2	3.1	<10	<2			
1828182	Drill Core	<0.1	<0.02	2.3	0.23	<0.1	0.03	<0.02	9.1	0.2	<0.05	0.7	8.43	31.5	0.02	<1	0.1	16.7	<10	<2			
1828183	Drill Core	0.1	<0.02	2.0	0.41	<0.1	<0.02	0.02	11.7	0.2	<0.05	0.9	16.51	41.4	0.02	<1	0.2	5.4	<10	<2			
1828184	Drill Core	0.1	0.09	2.6	0.27	<0.1	<0.02	<0.02	9.4	0.3	<0.05	0.8	10.49	37.0	0.02	<1	0.2	20.2	<10	<2			
1828185	Drill Core	<0.1	<0.02	4.7	0.27	<0.1	<0.02	<0.02	10.2	0.3	<0.05	0.7	9.46	36.5	<0.02	<1	0.2	38.1	<10	<2			
1828186	Drill Core	<0.1	<0.02	5.2	0.51	<0.1	<0.02	0.04	7.4	0.4	<0.05	0.8	15.14	50.2	0.03	<1	0.2	27.6	<10	<2			
1828187	Drill Core	<0.1	<0.02	5.6	0.46	<0.1	0.02	0.07	7.4	0.5	<0.05	1.0	13.69	34.6	0.03	<1	0.2	19.8	<10	<2			
1828188	Drill Core	<0.1	<0.02	5.1	0.89	<0.1	0.02	0.07	6.1	0.5	<0.05	0.7	11.08	30.8	0.03	<1	0.2	16.4	<10	<2			
1828189	Drill Core	<0.1	<0.02	6.0	0.55	<0.1	0.02	0.10	6.3	0.6	<0.05	0.8	12.60	29.6	0.03	<1	0.2	16.4	<10	<2			
1828190	Drill Core	<0.1	<0.02	6.0	0.53	<0.1	<0.02	0.03	7.8	0.6	<0.05	0.7	13.59	33.5	0.04	<1	0.2	17.7	<10	<2			
1828191	Drill Core	<0.1	<0.02	4.7	0.38	<0.1	<0.02	0.09	7.9	0.5	<0.05	0.5	11.34	26.3	0.02	<1	0.2	12.8	<10	<2			
1828192	Drill Core	<0.1	<0.02	4.3	0.58	<0.1	<0.02	0.08	10.5	0.6	<0.05	0.6	11.25	23.6	<0.02	<1	0.3	13.1	<10	<2			
1828193	Drill Core	<0.1	<0.02	4.3	0.36	<0.1	<0.02	0.11	10.0	0.4	<0.05	0.5	7.66	14.0	<0.02	<1	0.3	12.9	<10	<2			
1828194	Drill Core	<0.1	<0.02	4.2	0.39	<0.1	0.02	0.15	9.8	0.4	<0.05	0.5	7.81	15.8	<0.02	<1	0.2	11.3	<10	<2			
1828195	Drill Core	<0.1	<0.02	4.1	0.63	<0.1	0.02	0.08	8.1	0.4	<0.05	0.6	8.12	17.3	<0.02	<1	0.2	10.7	<10	<2			
1828196	Drill Core	<0.1	<0.02	4.6	0.42	<0.1	0.07	0.06	13.6	0.3	<0.05	0.8	8.63	25.1	0.02	<1	0.2	15.7	<10	<2			
1828197	Drill Core	<0.1	<0.02	4.4	2.00	<0.1	<0.02	<0.02	10.3	0.5	<0.05	0.5	12.20	40.0	0.03	<1	0.2	14.4	<10	<2			
1828198	Drill Core	<0.1	<0.02	4.8	1.38	<0.1	<0.02	<0.02	9.1	0.4	<0.05	0.6	10.18	36.6	0.03	<1	0.2	14.1	<10	<2			
1828199	Drill Core	<0.1	<0.02	4.1	0.31	<0.1	<0.02	0.11	9.1	0.3	<0.05	0.5	7.86	21.1	<0.02	<1	0.2	13.7	<10	<2			
1828200	Rock Pulp	0.2	0.17	5.5	0.73	0.1	0.09	0.10	8.8	1.8	<0.05	1.5	5.96	17.5	0.05	<1	0.1	7.4	<10	<2			
1828201	Drill Core	<0.1	<0.02	4.4	0.33	<0.1	0.02	0.14	11.2	0.3	<0.05	0.9	6.80	12.8	<0.02	<1	0.3	13.9	<10	<2			
1828202	Drill Core	<0.1	<0.02	4.1	0.46	<0.1	0.02	0.13	10.6	0.3	<0.05	0.6	7.50	15.2	<0.02	<1	0.2	12.6	<10	<2			
1828203	Drill Core	<0.1	<0.02	4.1	0.26	<0.1	0.02	0.15	8.4	0.4	<0.05	0.6	7.97	15.6	<0.02	<1	0.2	13.9	<10	<2			
1828204	Drill Core	<0.1	<0.02	4.1	0.55	<0.1	0.03	0.03	10.0	0.3	<0.05	0.6	10.17	35.1	0.02	<1	0.1	18.0	<10	<2			
1828205	Drill Core	0.3	<0.02	3.0	0.39	<0.1	0.02	<0.02	14.0	0.3	<0.05	0.6	9.80	21.1	0.03	<1	0.2	14.1	<10	<2			
1828206	Drill Core	<0.1	<0.02	3.5	0.52	<0.1	<0.02	0.03	10.5	0.3	<0.05	0.5	8.91	28.6	0.02	<1	0.1	12.5	<10	<2			
1828207	Drill Core	<0.1	<0.02	4.8	0.57	<0.1	<0.02	0.06	10.6	0.5	<0.05	0.6	10.93	26.0	0.02	<1	0.2	14.8	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828208	Drill Core	5.72	454	<0.005	<0.01	<0.17	28.00	0.55	5.70	5.97	66.6	99	2.6	3.9	197	1.87	1.6	0.8	4.4	6.7	56.1
1828209	Drill Core	2.74	418	0.005	<0.01	<0.17	19.16	1.34	5.18	13.24	88.4	507	9.3	5.6	206	2.10	25.4	0.8	5.8	8.8	26.4
1828210	Drill Core	4.59	450	<0.005	<0.01	<0.17	25.78	0.52	5.72	10.42	63.4	156	3.1	3.3	245	2.05	6.1	1.2	4.0	9.9	52.1
1828211	Drill Core	4.60	457	<0.005	<0.01	<0.17	44.45	0.33	6.64	5.80	75.2	118	2.5	4.6	250	1.97	3.5	0.7	2.1	3.4	43.4
1828212	Drill Core	5.44	486	<0.005	<0.01	<0.17	34.86	0.30	5.36	5.44	62.3	78	2.1	3.7	252	2.06	1.8	0.4	1.6	2.4	55.1
1828213	Drill Core	4.52	448	<0.005	<0.01	<0.17	30.18	0.37	6.54	3.51	59.7	115	2.4	5.4	272	2.21	1.7	0.4	1.3	2.7	31.9
1828214	Drill Core	4.59	443	<0.005	<0.01	<0.17	25.10	0.44	11.53	4.54	85.0	196	3.9	8.3	493	2.96	2.5	0.8	1.9	4.4	77.5
1828215	Drill Core	5.06	475	0.005	<0.01	<0.17	36.90	1.00	6.02	5.29	56.3	158	2.3	4.5	387	1.39	6.8	0.7	2.7	3.1	73.5
1828216	Drill Core	2.76	433	0.033	0.05	0.27	37.30	0.39	5.55	12.63	48.2	362	2.0	3.6	290	1.35	1.6	0.5	33.9	2.5	59.0
1828217	Drill Core	3.40	359	<0.005	<0.01	<0.17	36.17	0.35	5.06	6.15	55.2	140	1.9	4.9	491	1.97	7.5	1.2	3.8	4.9	67.7
1828218	Drill Core	3.50	392	<0.005	<0.01	<0.17	42.26	0.37	6.02	3.24	64.2	68	2.1	5.4	636	2.16	1.6	1.3	1.4	4.0	93.5
1828219	Drill Core	2.86	530	<0.005	<0.01	<0.17	43.76	0.38	6.75	6.14	64.1	147	1.8	5.1	591	2.20	2.0	1.0	1.3	5.4	126.5
1828220	Rock Pulp	0.12	86	0.517	I.S.	I.S.	I.S.	2.54	447.84	20.46	50.3	270	609.1	29.4	427	2.56	19.7	0.6	457.5	1.8	52.4
1828221	Drill Core	5.03	355	0.012	0.01	<0.17	32.29	0.49	4.93	4.60	47.8	152	3.2	5.2	459	1.96	6.3	0.9	3.9	5.2	63.8
1828222	Drill Core	4.89	439	<0.005	<0.01	<0.17	34.30	1.02	4.09	4.44	53.9	70	2.1	4.7	440	1.77	3.0	1.2	8.9	4.8	78.3
1828223	Drill Core	3.97	395	<0.005	<0.01	<0.17	28.89	0.65	6.11	5.24	74.9	145	6.7	6.0	388	2.22	5.4	0.9	4.4	5.3	41.0
1828224	Drill Core	4.22	448	<0.005	<0.01	<0.17	33.70	0.42	12.76	4.01	57.9	125	1.7	5.2	782	1.80	0.8	1.0	2.0	4.0	85.6
1828225	Drill Core	3.76	403	<0.005	<0.01	<0.17	18.66	0.35	4.56	3.22	56.5	56	1.8	5.1	639	1.74	0.6	1.5	<0.2	3.7	95.4
1828226	Drill Core	3.21	361	<0.005	<0.01	<0.17	46.43	0.52	4.94	27.68	33.5	1331	1.4	4.0	494	1.66	2.6	1.3	633.6	3.8	89.9
1828227	Drill Core	5.03	443	0.140	0.14	<0.17	42.00	0.32	5.73	6.18	36.6	411	1.3	4.6	522	1.73	6.8	1.3	225.3	4.8	154.5
1828228	Drill Core	4.87	403	0.010	<0.01	<0.17	41.42	0.84	7.49	9.59	80.7	224	2.6	4.5	404	2.32	6.0	1.5	21.9	6.6	143.5
1828229	Drill Core	5.98	532	0.008	<0.01	<0.17	41.15	0.40	6.46	7.86	81.0	440	3.6	5.0	206	2.25	6.5	0.8	14.9	6.6	84.5
1828230	Drill Core	5.68	469	<0.005	<0.01	<0.17	49.21	0.62	8.34	8.95	84.1	265	5.5	5.0	204	2.20	14.4	0.8	8.9	6.6	44.1
1828231	Drill Core	3.99	469	<0.005	<0.01	<0.17	38.17	0.53	6.39	8.03	62.3	196	2.7	5.6	234	2.04	5.2	0.8	6.2	6.3	110.4
1828232	Drill Core	5.11	431	0.164	0.18	0.33	45.62	0.61	6.14	10.89	58.4	773	1.6	5.6	282	1.93	5.9	1.0	952.4	5.7	164.8
1828233	Drill Core	4.52	450	0.022	0.02	<0.17	40.89	0.80	4.42	9.38	50.9	169	1.1	3.6	287	1.69	1.5	2.0	28.9	7.5	151.9
1828234	Drill Core	5.11	510	<0.005	<0.01	<0.17	42.78	0.46	3.84	8.85	50.9	132	0.7	2.9	285	1.43	2.2	2.2	<0.2	7.3	96.6
1828235	Drill Core	5.33	431	<0.005	<0.01	<0.17	35.51	0.55	4.68	7.32	50.7	223	1.5	7.4	155	1.30	6.0	0.9	<0.2	4.6	54.8
1828236	Drill Core	2.65	464	<0.005	<0.01	<0.17	30.36	0.49	3.70	7.66	34.1	357	1.0	4.3	119	1.05	1.8	0.9	6.3	4.8	42.9
1828237	Drill Core	4.70	367	0.006	<0.01	<0.17	21.94	0.53	4.25	9.64	30.0	202	1.0	1.6	134	0.96	3.4	1.4	7.5	8.8	41.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828208	Drill Core	0.11	0.52	0.05	6	0.88	0.036	21.0	3.9	0.72	497.7	0.010	<1	1.21	0.034	0.23	<0.1	4.2	0.15	0.09	<5			
1828209	Drill Core	0.42	0.63	0.06	3	0.34	0.025	25.1	4.9	0.43	301.7	<0.001	<1	1.09	0.029	0.21	0.8	3.0	0.09	0.04	32			
1828210	Drill Core	0.19	0.53	0.07	4	1.19	0.024	26.8	3.2	0.78	369.0	0.002	<1	1.29	0.025	0.25	0.1	3.8	0.23	0.15	68			
1828211	Drill Core	0.10	0.35	0.05	9	0.93	0.056	9.6	4.1	0.67	393.6	0.039	2	1.13	0.034	0.22	<0.1	3.5	0.08	0.23	<5			
1828212	Drill Core	0.10	0.26	0.03	10	1.05	0.049	7.6	4.5	0.60	535.2	0.034	1	1.07	0.039	0.21	<0.1	3.6	0.05	0.08	<5			
1828213	Drill Core	0.10	0.23	0.03	11	0.55	0.040	8.5	5.0	0.63	461.8	0.017	1	1.04	0.026	0.20	<0.1	3.8	0.04	0.05	<5			
1828214	Drill Core	0.29	0.32	0.06	18	1.37	0.052	15.2	4.9	0.82	433.8	0.025	1	1.47	0.053	0.24	0.1	6.0	0.05	0.09	<5			
1828215	Drill Core	0.09	0.39	0.04	9	1.33	0.049	10.7	3.0	0.20	288.1	0.026	1	0.67	0.042	0.19	<0.1	3.3	0.04	0.05	8			
1828216	Drill Core	0.10	0.40	0.04	9	1.06	0.041	8.1	3.5	0.17	305.8	0.039	<1	0.64	0.055	0.18	0.3	3.0	0.03	0.02	<5			
1828217	Drill Core	0.09	0.55	0.02	12	1.19	0.047	15.9	3.6	0.28	448.2	0.009	1	0.90	0.053	0.24	0.1	6.3	0.05	0.06	22			
1828218	Drill Core	0.10	0.23	<0.02	12	1.26	0.050	12.8	3.7	0.38	985.5	0.026	1	0.82	0.072	0.31	<0.1	5.9	0.05	0.04	<5			
1828219	Drill Core	0.13	0.26	0.04	13	1.95	0.051	17.6	3.1	0.40	396.3	0.008	1	0.93	0.042	0.22	<0.1	5.7	0.05	0.12	<5			
1828220	Rock Pulp	0.21	0.40	0.30	52	1.24	0.032	4.3	99.7	1.78	76.0	0.073	3	1.93	0.187	0.14	1.3	2.5	0.08	0.19	16			
1828221	Drill Core	0.20	0.40	<0.02	10	0.91	0.048	15.7	3.9	0.25	527.9	0.005	1	0.94	0.060	0.33	0.1	4.9	0.06	0.12	25			
1828222	Drill Core	0.15	0.29	<0.02	11	1.19	0.049	16.3	3.3	0.26	399.2	0.014	1	0.84	0.049	0.24	<0.1	4.6	0.05	<0.02	<5			
1828223	Drill Core	0.18	0.40	<0.02	15	0.70	0.051	17.9	5.0	0.36	421.4	0.013	1	1.05	0.069	0.27	0.2	5.9	0.06	<0.02	31			
1828224	Drill Core	0.12	0.20	<0.02	11	1.39	0.053	13.9	3.4	0.28	812.9	0.024	1	0.81	0.060	0.32	<0.1	4.9	0.05	0.03	<5			
1828225	Drill Core	0.11	0.18	<0.02	10	1.46	0.049	12.4	3.2	0.30	695.5	0.027	1	0.80	0.045	0.32	<0.1	4.4	0.05	<0.02	<5			
1828226	Drill Core	0.18	0.56	0.12	7	1.28	0.040	10.8	3.0	0.18	263.8	0.007	1	0.63	0.045	0.35	0.2	2.9	0.06	0.47	76			
1828227	Drill Core	0.12	0.39	<0.02	8	2.12	0.046	10.8	2.3	0.26	336.9	0.003	1	0.81	0.038	0.31	0.2	4.3	0.06	0.46	151			
1828228	Drill Core	0.16	0.41	0.06	8	2.10	0.054	21.0	3.6	0.86	379.4	0.003	1	1.45	0.012	0.34	<0.1	5.4	0.07	0.08	27			
1828229	Drill Core	0.18	0.54	0.06	9	1.25	0.054	23.9	3.5	0.79	1048.1	0.002	1	1.41	0.015	0.32	0.6	5.5	0.07	0.06	15			
1828230	Drill Core	0.33	0.91	0.06	8	0.71	0.056	21.2	4.0	0.85	630.3	0.005	2	1.28	0.017	0.26	0.1	5.6	0.09	0.24	22			
1828231	Drill Core	0.41	0.80	0.07	7	1.81	0.051	15.6	2.9	0.61	418.5	0.002	2	1.16	0.010	0.27	<0.1	4.5	0.21	0.32	13			
1828232	Drill Core	0.28	0.76	0.06	5	2.62	0.044	12.1	2.2	0.62	379.6	0.001	2	0.99	0.010	0.27	0.1	3.4	0.10	0.40	60			
1828233	Drill Core	0.20	0.58	0.07	4	2.45	0.031	20.0	2.2	0.64	557.4	0.002	2	1.05	0.010	0.29	0.2	3.0	0.11	0.28	14			
1828234	Drill Core	0.18	0.63	0.07	4	2.09	0.028	21.0	1.6	0.48	592.9	0.004	<1	0.85	0.018	0.23	<0.1	2.8	0.11	0.24	<5			
1828235	Drill Core	0.12	0.75	0.05	5	0.98	0.031	14.1	2.5	0.33	606.6	0.011	2	0.85	0.029	0.28	<0.1	2.4	0.21	0.15	<5			
1828236	Drill Core	0.08	0.39	0.07	2	0.61	0.016	13.3	1.9	0.25	652.4	0.005	1	0.66	0.021	0.24	<0.1	1.6	0.11	0.25	7			
1828237	Drill Core	0.14	0.49	0.07	3	0.71	0.015	25.1	2.2	0.13	650.6	0.003	2	0.65	0.060	0.25	0.1	2.2	0.11	0.07	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828208	Drill Core	<0.1	<0.02	4.2	0.47	<0.1	0.03	0.04	8.6	0.5	<0.05	0.6	12.49	38.2	0.03	<1	0.2	13.8	<10	<2			
1828209	Drill Core	<0.1	<0.02	3.2	1.05	<0.1	0.06	<0.02	7.8	0.4	<0.05	0.8	11.06	44.5	0.02	<1	0.2	22.3	<10	<2			
1828210	Drill Core	<0.1	<0.02	4.3	0.52	<0.1	0.03	<0.02	8.9	0.6	<0.05	0.8	13.66	51.0	0.03	<1	0.1	21.8	<10	<2			
1828211	Drill Core	<0.1	<0.02	3.7	0.45	<0.1	0.03	0.11	8.5	0.4	<0.05	0.4	9.09	19.2	0.03	<1	0.2	11.2	<10	<2			
1828212	Drill Core	<0.1	<0.02	4.1	0.36	<0.1	0.02	0.09	7.9	0.3	<0.05	0.4	8.00	15.2	<0.02	<1	0.2	10.0	<10	<2			
1828213	Drill Core	<0.1	<0.02	3.8	0.38	<0.1	0.03	0.04	7.5	0.3	<0.05	0.3	7.30	17.1	<0.02	<1	0.2	9.8	<10	<2			
1828214	Drill Core	<0.1	<0.02	5.7	0.70	<0.1	0.02	0.05	9.0	0.4	<0.05	0.5	11.26	29.4	0.03	<1	0.2	12.9	<10	<2			
1828215	Drill Core	<0.1	<0.02	3.0	0.83	<0.1	0.03	0.09	7.6	0.3	<0.05	0.4	8.96	20.4	0.02	<1	0.2	5.2	<10	<2			
1828216	Drill Core	<0.1	0.03	2.8	0.68	<0.1	<0.02	0.16	6.6	0.3	<0.05	0.4	6.52	15.9	<0.02	<1	0.2	3.3	<10	<2			
1828217	Drill Core	<0.1	<0.02	3.9	1.08	<0.1	<0.02	0.03	8.9	0.3	<0.05	0.5	11.68	30.8	0.03	<1	0.2	9.9	<10	<2			
1828218	Drill Core	<0.1	<0.02	3.8	3.32	<0.1	0.02	0.07	10.6	0.4	<0.05	0.4	12.34	25.1	0.03	<1	0.2	3.8	<10	<2			
1828219	Drill Core	<0.1	<0.02	4.4	0.93	<0.1	<0.02	0.03	8.6	0.3	<0.05	0.4	10.69	32.8	0.04	<1	0.1	6.3	<10	<2			
1828220	Rock Pulp	0.6	0.15	4.2	0.65	<0.1	0.05	0.02	6.4	0.4	<0.05	1.1	3.32	8.9	<0.02	2	<0.1	7.8	278	116			
1828221	Drill Core	<0.1	<0.02	3.6	0.73	<0.1	0.02	<0.02	11.8	0.2	<0.05	0.6	8.47	28.8	0.03	<1	0.2	7.8	<10	<2			
1828222	Drill Core	<0.1	<0.02	3.7	0.61	<0.1	0.02	0.04	9.0	0.3	<0.05	0.7	10.10	29.9	0.02	<1	0.2	5.3	<10	<2			
1828223	Drill Core	<0.1	<0.02	4.9	1.25	<0.1	0.02	0.03	10.0	0.4	<0.05	0.6	11.42	32.9	0.03	<1	0.3	7.8	<10	<2			
1828224	Drill Core	<0.1	<0.02	3.2	1.06	<0.1	0.03	0.06	11.2	0.3	<0.05	0.4	9.09	26.6	0.03	<1	0.2	3.5	<10	<2			
1828225	Drill Core	<0.1	<0.02	3.1	0.96	<0.1	0.02	0.05	11.3	0.3	<0.05	0.4	7.33	24.1	0.02	<1	0.1	3.2	<10	<2			
1828226	Drill Core	<0.1	0.09	2.1	0.38	<0.1	<0.02	0.02	11.9	0.2	<0.05	0.5	5.25	20.5	<0.02	<1	0.2	2.6	<10	<2			
1828227	Drill Core	0.1	<0.02	2.7	0.58	<0.1	<0.02	<0.02	11.1	0.2	<0.05	0.5	7.08	21.2	0.02	<1	0.2	10.0	<10	<2			
1828228	Drill Core	<0.1	<0.02	4.2	0.72	<0.1	<0.02	<0.02	12.5	0.4	<0.05	0.5	10.53	39.4	0.03	<1	0.2	19.5	<10	<2			
1828229	Drill Core	<0.1	<0.02	4.0	1.07	<0.1	0.03	<0.02	11.2	0.3	<0.05	0.5	11.74	44.1	0.03	<1	0.2	20.3	<10	<2			
1828230	Drill Core	0.2	<0.02	3.9	1.04	<0.1	0.02	<0.02	9.8	0.3	<0.05	0.8	13.59	40.0	0.03	<1	0.1	13.2	<10	<2			
1828231	Drill Core	<0.1	<0.02	3.2	0.51	<0.1	<0.02	<0.02	9.6	0.3	<0.05	0.6	8.04	30.3	0.02	<1	0.1	23.1	<10	<2			
1828232	Drill Core	0.4	<0.02	2.4	0.75	<0.1	<0.02	<0.02	8.8	0.3	<0.05	0.7	7.72	23.7	<0.02	<1	0.1	19.5	<10	<2			
1828233	Drill Core	<0.1	<0.02	2.7	0.96	<0.1	0.02	<0.02	10.0	0.3	<0.05	0.7	10.72	36.9	0.02	<1	0.1	17.7	<10	<2			
1828234	Drill Core	<0.1	<0.02	2.5	1.02	<0.1	0.02	<0.02	8.0	0.4	<0.05	0.6	12.70	37.9	0.02	<1	0.1	7.2	<10	<2			
1828235	Drill Core	<0.1	0.02	2.6	0.57	<0.1	0.02	0.06	10.9	0.4	<0.05	0.6	10.36	26.8	<0.02	<1	0.2	4.9	<10	<2			
1828236	Drill Core	<0.1	0.04	2.1	0.53	<0.1	0.02	0.05	9.2	0.4	<0.05	1.3	8.44	24.8	<0.02	<1	0.2	4.1	<10	<2			
1828237	Drill Core	<0.1	<0.02	2.6	1.01	<0.1	0.03	0.03	10.1	0.6	<0.05	1.1	15.07	44.4	0.02	<1	0.2	5.3	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828238	Drill Core	5.52	446	<0.005	<0.01	<0.17	28.12	0.41	4.36	6.78	51.1	131	1.9	2.9	159	1.36	2.5	0.9	3.6	5.5	49.4
1828239	Drill Core	4.69	489	<0.005	<0.01	<0.17	21.99	0.78	5.65	4.58	61.1	141	2.0	3.9	155	1.56	3.1	0.5	2.9	1.8	45.1
1828240	Rock Pulp	0.13	88	<0.005	I.S.	I.S.	I.S.	2.43	100.86	3.72	37.5	142	4.8	9.5	361	2.57	1.0	0.9	11.7	2.8	61.7
1828241	Drill Core	5.22	536	<0.005	<0.01	<0.17	52.68	0.53	7.76	5.24	67.2	185	1.4	4.8	240	1.84	4.8	0.6	2.3	1.7	59.9
1828242	Drill Core	4.60	467	<0.005	<0.01	<0.17	26.84	1.01	7.05	6.49	70.5	208	2.1	5.6	233	2.02	3.5	1.0	2.5	3.1	80.9
1828243	Drill Core	3.46	482	<0.005	<0.01	<0.17	33.11	0.38	7.97	6.32	78.7	206	2.2	5.3	219	1.92	3.0	1.1	1.8	3.5	86.6
1828244	Drill Core	3.46	396	<0.005	<0.01	<0.17	36.27	0.38	7.73	8.41	74.1	201	2.8	6.0	279	2.11	6.3	1.5	1.7	4.9	118.0
1828245	Drill Core	2.76	499	<0.005	<0.01	<0.17	30.49	0.45	6.94	2.88	23.9	122	2.1	3.0	161	1.24	1.7	0.7	1.0	2.0	38.1
1828246	Drill Core	4.80	440	<0.005	<0.01	<0.17	27.71	0.82	7.22	5.66	58.6	266	4.8	6.3	299	1.84	14.6	1.0	0.9	3.9	52.7
1828247	Drill Core	3.54	376	<0.005	<0.01	<0.17	41.44	4.20	5.41	5.28	50.3	153	2.2	5.0	351	1.46	20.1	1.1	<0.2	3.0	81.3
1828248	Drill Core	3.49	560	0.005	<0.01	<0.17	41.70	0.77	6.76	7.12	39.5	199	2.3	4.9	359	1.53	8.7	2.0	1.4	4.8	100.8
1828249	Drill Core	3.57	481	0.111	0.16	0.81	34.57	1.36	8.37	30.17	42.9	4400	4.3	4.1	300	1.75	8.4	1.5	100.4	4.4	124.3
1828250	Drill Core	4.22	502	0.018	0.02	<0.17	46.05	2.78	6.25	5.91	50.9	142	1.8	4.5	360	1.65	4.2	1.7	15.9	4.5	170.2
1828251	Drill Core	4.27	521	<0.005	<0.01	<0.17	33.50	0.59	4.37	5.77	46.0	116	2.0	4.4	329	1.61	3.1	2.2	0.9	4.6	141.4
1828252	Drill Core	2.23	530	0.184	0.17	<0.17	38.06	0.35	7.19	5.10	45.9	240	2.2	5.5	337	1.71	3.0	1.6	117.5	4.4	207.0
1828253	Drill Core	2.48	515	0.073	0.07	<0.17	40.89	0.36	4.67	7.57	46.8	201	1.5	3.8	344	1.89	1.6	1.6	58.9	3.5	241.8
1828254	Drill Core	2.95	559	<0.005	<0.01	<0.17	38.40	0.35	2.42	4.06	49.1	190	2.6	4.7	238	1.82	1.7	1.0	<0.2	4.5	194.1
1828255	Drill Core	2.51	504	0.240	0.89	10.03	33.59	0.31	6.74	4.20	43.3	1089	2.4	4.9	353	1.91	2.5	1.0	6902.6	4.1	316.8
1828256	Drill Core	5.50	523	0.007	<0.01	<0.17	44.12	13.04	3.82	6.49	63.4	129	3.6	3.8	279	1.88	4.1	1.3	1.9	4.7	197.2
1828257	Drill Core	4.92	445	<0.005	<0.01	<0.17	38.78	0.57	4.86	6.50	61.9	146	3.5	5.4	260	1.75	4.6	1.7	0.5	5.1	142.6
1828258	Drill Core	4.59	502	0.008	<0.01	<0.17	24.07	1.75	5.67	5.24	36.9	577	2.8	4.7	304	0.93	5.4	1.2	2.9	4.3	128.5
1828259	Drill Core	4.04	440	0.009	<0.01	<0.17	52.47	0.72	5.83	11.36	59.6	3448	5.6	3.5	305	2.75	8.0	1.0	11.3	5.0	169.5
1828260	Core DUP		435	0.009	<0.01	<0.17	35.70	0.82	4.07	10.71	57.0	1500	5.3	3.4	299	2.73	7.8	1.0	3.9	5.0	160.9
1828261	Drill Core	4.38	417	0.015	0.01	<0.17	27.93	0.58	6.28	9.23	40.4	991	2.2	3.4	370	1.68	6.7	1.1	15.6	4.3	123.5
1828262	Drill Core	2.50	471	0.091	0.09	<0.17	37.56	0.85	13.98	4.19	40.9	1288	1.5	3.8	419	1.39	2.8	1.0	54.3	3.9	109.5
1828263	Drill Core	5.23	440	<0.005	<0.01	<0.17	38.00	0.87	3.99	8.00	58.0	176	2.2	4.9	491	2.05	5.1	1.6	0.8	4.6	160.7
1828264	Drill Core	5.46	424	<0.005	<0.01	<0.17	33.72	1.98	10.47	7.33	75.4	207	3.2	6.2	329	2.92	5.2	2.0	<0.2	5.1	154.5
1828265	Drill Core	4.89	458	<0.005	<0.01	<0.17	32.67	1.01	4.77	5.69	49.5	87	2.0	4.9	238	1.68	3.4	2.1	0.9	4.5	121.2
1828266	Drill Core	4.91	458	<0.005	<0.01	<0.17	30.78	1.19	4.58	6.05	56.7	147	2.3	4.9	191	2.04	5.9	2.5	<0.2	4.9	121.0
1828267	Drill Core	2.40	428	0.010	<0.01	<0.17	39.73	1.33	7.23	12.04	49.5	273	2.5	5.1	254	2.55	31.8	2.3	4.2	4.4	130.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828238	Drill Core	0.17	0.49	0.06	5	0.78	0.030	17.4	2.4	0.39	724.7	0.004	<1	0.82	0.021	0.24	0.1	2.7	0.08	<5
1828239	Drill Core	0.10	0.37	0.04	6	0.70	0.044	5.1	3.3	0.69	610.9	0.039	2	1.09	0.013	0.25	<0.1	2.2	0.07	<5
1828240	Rock Pulp	0.06	0.13	0.05	87	0.83	0.065	7.0	11.9	0.75	127.1	0.098	2	1.43	0.154	0.21	2.9	2.4	0.04	<0.02
1828241	Drill Core	0.13	0.39	0.05	8	1.49	0.054	4.8	2.8	0.93	434.3	0.042	1	1.13	0.008	0.22	<0.1	3.3	0.06	<5
1828242	Drill Core	0.14	0.46	0.06	10	1.21	0.056	10.1	3.6	0.89	522.8	0.015	2	1.29	0.012	0.29	<0.1	4.5	0.07	7
1828243	Drill Core	0.15	0.46	0.07	9	1.11	0.052	11.7	3.2	0.85	574.0	0.016	2	1.21	0.009	0.27	<0.1	4.6	0.09	8
1828244	Drill Core	0.18	0.55	0.06	12	1.86	0.054	17.3	3.6	0.70	782.1	0.006	1	1.28	0.028	0.30	<0.1	5.6	0.13	7
1828245	Drill Core	0.08	0.19	0.02	4	0.67	0.026	8.6	3.5	0.23	526.4	0.002	<1	0.48	0.008	0.16	<0.1	2.4	0.04	<5
1828246	Drill Core	0.26	0.83	0.06	11	1.45	0.047	10.8	2.6	0.53	331.2	0.011	2	0.92	0.014	0.21	0.1	5.0	0.07	14
1828247	Drill Core	0.26	0.44	0.03	11	2.11	0.045	9.1	2.8	0.31	614.8	0.019	2	0.91	0.032	0.29	<0.1	4.1	0.08	7
1828248	Drill Core	0.31	0.43	0.06	7	2.45	0.050	14.8	1.9	0.18	472.6	0.005	1	0.65	0.014	0.25	<0.1	4.4	0.07	5
1828249	Drill Core	0.23	0.79	0.18	7	1.83	0.042	13.3	6.3	0.16	874.6	0.002	3	0.70	0.013	0.28	5.5	3.6	0.07	35
1828250	Drill Core	0.27	0.51	0.05	8	2.62	0.049	13.7	2.0	0.25	508.9	0.003	1	0.78	0.019	0.27	0.3	3.9	0.07	8
1828251	Drill Core	0.25	0.53	0.05	8	2.35	0.048	14.1	2.0	0.20	601.4	0.003	1	0.81	0.018	0.32	0.3	4.4	0.07	16
1828252	Drill Core	0.31	0.37	0.03	8	2.33	0.054	8.7	1.8	0.29	247.7	0.003	2	0.78	0.018	0.29	0.3	4.0	0.06	48
1828253	Drill Core	0.30	0.32	0.05	9	2.21	0.042	8.3	2.2	0.39	380.6	0.004	2	0.84	0.031	0.29	0.2	3.9	0.06	37
1828254	Drill Core	0.45	0.40	0.05	12	1.89	0.046	13.5	2.2	0.41	396.1	0.003	2	0.94	0.023	0.25	0.3	4.1	0.06	<0.02
1828255	Drill Core	0.50	0.48	0.03	8	2.87	0.045	9.8	1.9	0.47	615.1	0.003	2	0.92	0.012	0.36	0.4	3.6	0.08	93
1828256	Drill Core	0.51	1.01	0.07	6	2.00	0.053	11.4	1.6	0.51	464.6	0.002	1	0.71	0.009	0.33	0.4	3.5	0.07	28
1828257	Drill Core	0.33	0.52	0.07	11	1.66	0.050	12.9	2.5	0.40	509.2	0.006	2	0.96	0.030	0.36	0.2	4.2	0.08	10
1828258	Drill Core	0.27	0.39	0.06	8	2.04	0.049	13.5	1.9	0.12	392.3	0.006	1	0.57	0.039	0.32	0.8	3.7	0.06	37
1828259	Drill Core	0.24	1.47	0.19	8	1.62	0.046	13.8	3.8	0.33	747.6	0.008	2	1.01	0.009	0.35	2.7	3.6	0.07	28
1828260	Core DUP	0.22	1.45	0.17	8	1.51	0.044	14.0	3.9	0.33	740.1	0.008	2	1.02	0.012	0.37	2.0	3.9	0.08	24
1828261	Drill Core	0.18	0.75	0.09	7	1.48	0.046	11.7	2.1	0.17	788.5	0.003	1	0.76	0.020	0.37	0.6	3.2	0.07	38
1828262	Drill Core	0.40	0.48	0.02	7	1.66	0.045	9.4	2.1	0.24	362.4	0.003	2	0.66	0.035	0.35	0.1	3.5	0.07	35
1828263	Drill Core	0.47	0.41	0.04	12	3.05	0.053	11.7	2.6	0.46	380.4	0.004	2	1.08	0.019	0.35	0.1	4.7	0.06	44
1828264	Drill Core	0.33	0.51	0.06	17	2.09	0.048	15.9	3.0	0.85	387.0	0.007	2	1.46	0.022	0.39	0.1	8.5	0.11	7
1828265	Drill Core	0.18	0.37	0.04	13	1.82	0.045	16.1	2.3	0.41	365.9	0.008	<1	0.85	0.029	0.32	<0.1	6.8	0.11	<5
1828266	Drill Core	0.19	0.33	0.03	16	1.54	0.049	15.5	2.9	0.43	517.7	0.006	2	1.03	0.044	0.31	<0.1	6.6	0.09	6
1828267	Drill Core	0.17	0.41	0.03	13	1.69	0.051	7.8	2.9	0.36	87.0	0.003	2	0.95	0.037	0.26	0.2	5.2	0.05	21



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828238	Drill Core	<0.1	<0.02	2.6	1.29	<0.1	0.02	0.03	9.3	0.4	<0.05	0.7	11.33	31.2	<0.02	<1	0.2	8.8	<10	<2			
1828239	Drill Core	<0.1	<0.02	2.9	0.38	<0.1	<0.02	0.12	9.1	0.2	<0.05	1.0	4.91	9.8	<0.02	<1	0.1	11.2	<10	<2			
1828240	Rock Pulp	<0.1	<0.02	4.4	0.32	<0.1	0.06	0.13	7.0	0.2	<0.05	1.0	4.48	14.5	<0.02	<1	<0.1	6.6	<10	<2			
1828241	Drill Core	<0.1	<0.02	2.9	0.31	<0.1	0.06	0.11	7.8	0.2	<0.05	0.5	5.21	9.4	<0.02	<1	0.2	17.4	<10	<2			
1828242	Drill Core	0.2	<0.02	3.7	0.81	<0.1	0.02	0.03	10.7	0.3	<0.05	0.5	9.05	19.7	<0.02	<1	0.2	18.7	<10	<2			
1828243	Drill Core	0.1	<0.02	3.8	0.53	<0.1	0.02	0.04	10.3	0.3	<0.05	0.5	9.64	22.3	<0.02	<1	0.1	17.9	<10	<2			
1828244	Drill Core	0.2	<0.02	4.0	1.42	<0.1	0.03	0.02	11.5	0.4	<0.05	0.6	13.67	32.3	0.02	<1	0.2	13.6	<10	<2			
1828245	Drill Core	<0.1	<0.02	1.4	0.58	<0.1	<0.02	<0.02	5.7	0.1	<0.05	0.4	6.51	16.7	<0.02	<1	<0.1	4.2	<10	<2			
1828246	Drill Core	0.4	0.03	3.0	0.44	<0.1	0.03	0.02	7.1	0.4	<0.05	0.5	9.85	21.5	0.02	2	0.1	10.7	<10	<2			
1828247	Drill Core	0.3	0.02	3.2	0.60	<0.1	<0.02	0.05	10.0	0.3	<0.05	0.6	8.33	18.0	<0.02	4	0.1	7.9	<10	<2			
1828248	Drill Core	0.4	<0.02	2.2	1.02	<0.1	<0.02	<0.02	8.6	0.2	<0.05	0.6	11.98	29.5	<0.02	3	<0.1	5.3	<10	<2			
1828249	Drill Core	0.2	0.07	2.1	1.10	<0.1	0.03	<0.02	9.7	0.3	<0.05	0.7	8.73	27.3	<0.02	<1	<0.1	10.5	<10	<2			
1828250	Drill Core	0.4	<0.02	2.5	0.60	<0.1	<0.02	<0.02	9.4	0.2	<0.05	0.6	8.38	27.2	<0.02	<1	<0.1	9.6	<10	<2			
1828251	Drill Core	<0.1	0.02	2.7	0.59	<0.1	0.02	<0.02	9.8	0.2	<0.05	0.5	8.11	28.9	0.02	<1	0.1	8.7	<10	<2			
1828252	Drill Core	<0.1	0.02	2.4	0.40	<0.1	0.02	<0.02	10.0	0.2	<0.05	0.8	7.03	17.9	<0.02	3	0.3	10.1	<10	<2			
1828253	Drill Core	<0.1	0.03	2.6	0.28	<0.1	<0.02	<0.02	9.8	0.2	<0.05	0.4	8.58	16.6	<0.02	1	<0.1	8.6	<10	<2			
1828254	Drill Core	<0.1	<0.02	3.4	0.68	<0.1	<0.02	<0.02	8.7	0.1	<0.05	0.6	7.31	27.6	<0.02	2	0.2	17.2	<10	<2			
1828255	Drill Core	0.2	0.03	2.7	0.75	<0.1	<0.02	<0.02	12.0	0.1	<0.05	0.5	8.58	19.8	<0.02	<1	0.3	8.5	<10	<2			
1828256	Drill Core	0.3	0.04	2.0	0.51	<0.1	0.02	<0.02	11.3	0.2	<0.05	0.6	8.73	23.7	<0.02	5	0.3	9.3	<10	<2			
1828257	Drill Core	<0.1	<0.02	3.5	0.43	<0.1	<0.02	<0.02	10.8	0.2	<0.05	0.4	6.58	26.0	<0.02	2	0.2	12.6	<10	<2			
1828258	Drill Core	<0.1	<0.02	2.2	0.36	<0.1	<0.02	<0.02	10.2	0.2	<0.05	0.4	6.81	27.1	<0.02	5	0.1	4.8	<10	<2			
1828259	Drill Core	<0.1	<0.02	2.8	0.64	<0.1	<0.02	<0.02	11.2	0.3	<0.05	0.6	8.70	27.8	<0.02	<1	0.3	11.1	<10	<2			
1828260	Core DUP	<0.1	<0.02	2.9	0.58	<0.1	<0.02	<0.02	12.0	0.3	<0.05	0.7	8.83	28.1	<0.02	<1	0.2	12.5	<10	<2			
1828261	Drill Core	<0.1	<0.02	2.2	0.67	<0.1	0.02	<0.02	11.3	0.2	<0.05	0.8	6.21	23.8	<0.02	<1	0.2	8.7	<10	<2			
1828262	Drill Core	<0.1	<0.02	2.1	0.27	<0.1	<0.02	<0.02	10.4	0.2	<0.05	0.5	5.91	18.4	<0.02	2	0.3	5.5	<10	<2			
1828263	Drill Core	<0.1	<0.02	3.6	0.41	<0.1	<0.02	<0.02	11.0	0.2	<0.05	0.6	8.11	23.6	0.03	3	0.2	18.9	<10	<2			
1828264	Drill Core	<0.1	<0.02	5.3	1.19	<0.1	0.02	<0.02	14.2	0.3	<0.05	0.7	10.53	31.8	0.03	8	0.3	14.4	<10	<2			
1828265	Drill Core	<0.1	<0.02	3.8	1.29	<0.1	0.02	<0.02	12.1	0.3	<0.05	0.5	12.56	31.4	0.03	<1	0.2	8.1	<10	<2			
1828266	Drill Core	<0.1	<0.02	4.5	0.75	<0.1	<0.02	<0.02	10.2	0.3	<0.05	0.7	11.04	31.7	0.03	1	0.2	12.2	<10	<2			
1828267	Drill Core	0.1	<0.02	3.9	0.23	<0.1	<0.02	<0.02	8.1	0.2	<0.05	0.9	6.83	16.3	0.02	2	0.1	22.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828268	Drill Core	5.04	442	0.007	<0.01	<0.17	33.25	2.41	6.66	8.20	34.1	309	3.0	5.5	221	2.00	45.8	2.3	2.1	4.2	70.9
1828269	Drill Core	5.07	431	<0.005	<0.01	<0.17	36.08	1.33	7.41	9.34	36.2	363	3.0	5.2	184	1.52	44.4	2.8	<0.2	5.0	88.1
1828270	Drill Core	2.82	449	<0.005	<0.01	<0.17	30.19	2.12	3.77	6.79	41.9	331	2.8	6.1	224	1.47	17.2	3.1	0.5	3.9	126.0
1828271	Drill Core	2.44	442	<0.005	<0.01	<0.17	41.48	1.47	3.96	7.39	36.8	313	2.2	5.5	233	1.19	13.2	2.7	<0.2	4.1	98.3
1828272	Drill Core	5.23	429	<0.005	<0.01	<0.17	54.99	2.46	6.53	8.72	32.3	268	2.1	4.3	590	1.37	29.1	2.2	<0.2	4.1	137.2
1828273	Drill Core	5.02	415	<0.005	<0.01	<0.17	36.64	0.48	4.39	6.31	20.6	103	1.0	1.6	231	1.02	5.6	2.2	<0.2	5.2	93.1
1828274	Drill Core	2.97	433	<0.005	<0.01	<0.17	48.36	0.97	7.80	4.15	36.0	136	2.0	3.4	243	1.42	15.7	1.1	<0.2	3.3	95.3
1828275	Drill Core	2.65	435	<0.005	<0.01	<0.17	43.68	2.84	6.63	10.12	33.3	487	1.8	4.4	267	1.49	44.7	2.3	0.7	4.9	256.0
1828276	Drill Core	3.99	453	<0.005	<0.01	<0.17	41.38	1.67	5.45	4.40	45.5	170	2.0	4.2	207	1.64	18.7	1.3	<0.2	3.5	170.5
1828277	Drill Core	5.40	457	<0.005	<0.01	<0.17	41.24	0.99	5.98	2.97	44.9	83	1.8	4.3	165	1.53	3.8	0.8	<0.2	2.3	92.9
1828278	Drill Core	4.92	428	<0.005	<0.01	<0.17	25.05	0.80	5.77	3.40	49.5	95	1.7	4.2	280	1.91	8.2	1.2	0.5	3.7	93.9
1828279	Drill Core	2.36	436	<0.005	<0.01	<0.17	20.67	1.07	6.98	11.43	58.5	136	2.7	4.6	319	1.95	7.6	1.8	0.6	4.7	152.2
1828280	Rock	0.17	107	<0.005	<0.01	<0.17	35.55	0.30	0.74	0.64	2.8	5	0.8	0.4	39	0.38	0.9	0.1	<0.2	0.7	1.9
1828281	Drill Core	4.94	509	<0.005	<0.01	<0.17	38.97	0.78	7.50	5.79	55.3	102	2.6	4.9	274	2.10	2.9	2.1	1.5	5.0	158.8
1828282	Drill Core	3.00	455	<0.005	<0.01	<0.17	24.79	0.67	3.89	5.04	51.0	95	2.4	4.4	289	2.14	2.6	1.5	0.5	5.1	159.7
1828283	Drill Core	4.12	498	<0.005	<0.01	<0.17	28.71	0.80	4.51	5.11	51.7	77	2.5	4.5	242	1.99	3.2	1.7	0.8	4.0	134.2
1828284	Drill Core	2.62	398	<0.005	<0.01	<0.17	32.05	0.99	5.22	4.89	60.2	93	2.7	4.6	318	2.39	3.3	1.7	0.7	4.7	159.5
1828285	Drill Core	4.12	416	<0.005	<0.01	<0.17	35.30	0.73	3.31	6.06	84.5	91	3.7	4.7	477	2.51	3.5	3.2	0.8	5.1	209.4
1828286	Drill Core	4.58	437	<0.005	<0.01	<0.17	37.02	0.70	5.85	5.09	66.3	160	2.5	5.4	369	2.62	4.3	2.6	0.5	5.4	117.9
1828287	Drill Core	4.39	446	<0.005	<0.01	<0.17	37.98	0.69	8.05	4.49	58.9	254	2.5	5.2	260	2.34	5.4	2.4	1.0	5.4	120.8
1828288	Drill Core	4.79	465	<0.005	<0.01	<0.17	34.50	0.90	9.30	8.00	80.6	311	2.4	5.6	501	2.19	12.9	3.4	0.5	7.4	218.6
1828289	Drill Core	4.57	459	0.008	<0.01	<0.17	51.63	7.51	7.86	7.05	26.3	249	1.8	2.7	242	0.71	13.7	1.8	0.5	9.5	118.8
1828290	Drill Core	1.86	466	<0.005	<0.01	<0.17	32.81	5.11	1.38	5.58	10.9	115	0.6	0.7	197	0.42	1.4	3.0	0.7	10.9	73.0
1828291	Drill Core	1.82	473	<0.005	<0.01	<0.17	56.23	11.12	2.26	9.55	39.8	203	2.6	1.5	178	1.04	2.3	3.5	4.2	10.4	172.9
1828292	Drill Core	4.60	529	<0.005	<0.01	<0.17	42.80	3.17	1.62	9.52	25.3	135	1.7	1.1	132	0.85	1.9	4.3	<0.2	11.1	115.7
1828293	Drill Core	5.79	439	<0.005	<0.01	<0.17	23.80	1.00	3.05	15.60	27.6	153	1.0	1.4	162	1.09	3.5	5.5	<0.2	9.2	168.1
1828294	Drill Core	4.20	389	<0.005	<0.01	<0.17	24.12	2.21	1.51	12.14	22.0	103	0.8	1.0	208	0.89	1.9	2.8	1.4	8.5	229.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828268	Drill Core	0.21	0.63	0.03	7	1.82	0.051	10.4	2.2	0.06	59.0	0.004	3	0.52	0.041	0.27	0.2	3.2	0.07	1.38	25
1828269	Drill Core	0.19	0.91	0.03	7	1.89	0.054	13.8	2.1	0.05	97.7	0.002	2	0.49	0.033	0.23	0.1	4.3	0.08	0.93	20
1828270	Drill Core	0.34	0.72	0.03	5	2.43	0.047	7.0	2.0	0.03	67.4	0.002	3	0.39	0.043	0.26	0.2	2.7	0.07	1.20	26
1828271	Drill Core	0.22	0.57	0.03	4	2.40	0.048	7.1	1.8	0.03	98.8	0.002	4	0.36	0.030	0.23	0.2	2.3	0.07	0.95	25
1828272	Drill Core	0.19	0.78	0.03	5	3.72	0.038	10.2	1.9	0.04	75.4	0.003	3	0.41	0.039	0.24	0.1	2.6	0.08	0.99	8
1828273	Drill Core	0.09	0.40	0.02	5	1.55	0.031	16.5	1.6	0.11	545.4	0.008	1	0.55	0.035	0.34	<0.1	3.7	0.08	0.12	<5
1828274	Drill Core	0.16	0.48	<0.02	11	1.53	0.046	10.7	2.4	0.25	644.1	0.025	3	0.71	0.039	0.40	<0.1	6.3	0.08	0.20	<5
1828275	Drill Core	0.14	0.83	0.04	11	2.57	0.042	9.7	2.2	0.31	414.1	0.003	<1	0.75	0.027	0.32	<0.1	6.3	0.06	0.31	<5
1828276	Drill Core	0.14	0.60	<0.02	13	1.54	0.053	10.3	2.8	0.37	451.7	0.043	1	0.83	0.033	0.35	0.1	7.0	0.07	0.19	7
1828277	Drill Core	0.09	0.27	<0.02	12	0.86	0.054	6.3	2.4	0.36	603.7	0.057	2	0.73	0.039	0.32	<0.1	5.2	0.07	0.05	<5
1828278	Drill Core	0.12	0.32	<0.02	14	1.50	0.054	12.2	3.1	0.41	865.0	0.043	2	0.81	0.047	0.36	<0.1	7.8	0.08	0.06	<5
1828279	Drill Core	0.23	0.36	0.05	14	2.20	0.051	14.0	2.6	0.42	638.3	0.027	2	0.83	0.029	0.36	0.1	9.7	0.07	0.12	<5
1828280	Rock	<0.01	0.04	<0.02	1	0.03	0.003	1.3	1.7	<0.01	15.5	0.001	<1	0.03	0.002	0.01	<0.1	0.1	<0.02	<0.02	<5
1828281	Drill Core	0.16	0.40	0.03	15	1.49	0.050	15.6	2.8	0.45	482.6	0.012	2	0.88	0.029	0.32	0.1	9.4	0.07	0.05	5
1828282	Drill Core	0.18	0.41	0.03	15	1.53	0.052	16.2	3.3	0.44	527.6	0.012	3	0.99	0.031	0.43	0.1	9.6	0.10	<0.02	12
1828283	Drill Core	0.15	0.41	0.02	14	1.34	0.050	12.8	2.5	0.41	471.0	0.018	2	0.88	0.024	0.38	0.1	7.6	0.12	<0.02	12
1828284	Drill Core	0.14	0.34	<0.02	18	1.80	0.054	15.3	3.5	0.41	553.1	0.009	2	1.14	0.037	0.41	0.2	10.4	0.10	0.05	27
1828285	Drill Core	0.32	0.42	<0.02	18	3.06	0.047	17.9	3.3	0.45	491.9	0.007	2	1.09	0.042	0.29	0.6	10.0	0.06	0.05	85
1828286	Drill Core	0.11	0.46	<0.02	24	1.24	0.050	18.7	4.1	0.45	604.2	0.006	2	1.17	0.052	0.33	0.3	11.7	0.08	0.08	76
1828287	Drill Core	0.15	0.48	<0.02	18	1.37	0.049	16.7	2.9	0.39	462.9	0.005	2	1.07	0.032	0.36	0.3	10.1	0.09	0.17	30
1828288	Drill Core	0.44	0.48	<0.02	13	4.09	0.086	13.8	2.3	0.47	674.7	0.004	3	1.34	0.011	0.59	0.2	8.3	0.12	0.31	31
1828289	Drill Core	0.19	0.26	0.02	4	2.17	0.055	20.0	0.7	0.12	726.1	0.002	3	0.63	0.028	0.47	0.1	2.0	0.09	0.20	24
1828290	Drill Core	0.14	0.21	0.02	2	1.25	0.012	28.3	1.4	0.03	526.1	0.001	2	0.38	0.059	0.32	<0.1	1.5	0.06	0.04	31
1828291	Drill Core	0.28	0.25	0.16	1	1.17	0.013	20.3	1.2	0.37	449.9	0.002	2	0.64	0.014	0.35	0.1	2.3	0.08	0.05	26
1828292	Drill Core	0.19	0.30	0.05	2	1.22	0.013	34.2	1.3	0.16	468.6	0.002	2	0.62	0.041	0.34	0.2	2.8	0.08	0.04	94
1828293	Drill Core	0.22	0.54	0.07	2	1.95	0.010	24.8	1.6	0.14	690.8	0.001	1	0.62	0.028	0.33	0.3	2.7	0.09	0.09	267
1828294	Drill Core	0.24	1.11	0.05	2	2.79	0.009	23.5	1.6	0.07	621.7	0.001	1	0.42	0.030	0.24	0.9	2.6	0.07	0.07	633



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000025.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828268	Drill Core	0.2	<0.02	1.7	0.34	<0.1	0.04	<0.02	8.2	0.2	<0.05	0.9	10.12	21.2	0.02	2	0.2	4.7	<10
1828269	Drill Core	0.2	<0.02	2.3	0.67	<0.1	0.04	<0.02	7.8	0.3	<0.05	0.7	10.75	27.7	0.03	<1	0.2	7.2	<10
1828270	Drill Core	<0.1	<0.02	1.3	0.32	<0.1	0.02	<0.02	7.2	0.2	<0.05	1.0	6.69	14.5	<0.02	2	<0.1	1.3	<10
1828271	Drill Core	<0.1	<0.02	1.2	0.40	<0.1	<0.02	<0.02	7.2	0.2	<0.05	0.8	6.42	14.6	<0.02	2	0.2	1.2	<10
1828272	Drill Core	<0.1	<0.02	1.5	0.18	<0.1	0.05	<0.02	7.5	0.2	<0.05	1.9	8.41	20.7	<0.02	3	0.1	2.2	<10
1828273	Drill Core	<0.1	<0.02	2.1	1.15	<0.1	0.03	<0.02	11.8	0.3	<0.05	0.6	12.35	33.3	0.02	<1	0.2	5.0	<10
1828274	Drill Core	<0.1	<0.02	2.8	0.91	<0.1	0.02	0.04	13.2	0.3	<0.05	0.5	10.54	21.1	0.02	<1	0.3	6.6	<10
1828275	Drill Core	<0.1	0.03	3.0	0.28	<0.1	<0.02	<0.02	10.3	0.3	<0.05	0.6	13.84	19.9	0.03	<1	0.2	9.9	<10
1828276	Drill Core	<0.1	<0.02	3.6	0.73	<0.1	0.02	0.07	11.7	0.4	<0.05	0.7	11.01	21.1	0.03	2	0.3	11.6	<10
1828277	Drill Core	<0.1	<0.02	3.0	1.15	<0.1	<0.02	0.15	11.1	0.3	<0.05	0.5	6.79	12.5	<0.02	<1	0.3	5.7	<10
1828278	Drill Core	<0.1	<0.02	3.3	1.30	<0.1	0.03	0.08	11.9	0.4	<0.05	0.6	11.72	24.2	0.03	1	0.2	6.2	<10
1828279	Drill Core	<0.1	<0.02	3.6	0.97	<0.1	0.02	0.03	11.3	0.4	<0.05	0.7	12.78	27.9	0.04	<1	0.3	9.2	<10
1828280	Rock	<0.1	<0.02	0.2	0.06	<0.1	0.03	<0.02	0.6	<0.1	<0.05	0.7	0.69	2.8	<0.02	<1	<0.1	1.7	<10
1828281	Drill Core	<0.1	<0.02	4.4	1.20	<0.1	<0.02	0.03	11.4	0.6	<0.05	0.4	13.08	32.1	0.03	1	0.3	10.3	<10
1828282	Drill Core	<0.1	<0.02	4.2	1.57	<0.1	0.03	<0.02	15.4	0.5	<0.05	0.5	14.45	32.9	0.04	<1	0.3	9.6	<10
1828283	Drill Core	<0.1	<0.02	3.6	1.96	<0.1	0.04	<0.02	15.4	0.4	<0.05	1.0	12.83	25.1	0.03	<1	0.5	8.4	<10
1828284	Drill Core	<0.1	<0.02	5.1	1.18	<0.1	0.03	<0.02	15.1	0.5	<0.05	0.6	11.96	30.5	0.04	<1	0.3	15.2	<10
1828285	Drill Core	<0.1	0.03	4.8	0.57	<0.1	<0.02	<0.02	9.5	0.5	<0.05	0.7	13.55	35.2	0.05	<1	0.2	13.1	<10
1828286	Drill Core	<0.1	<0.02	6.3	1.08	<0.1	<0.02	<0.02	11.5	0.5	<0.05	0.6	11.22	37.0	0.05	2	0.2	13.1	<10
1828287	Drill Core	<0.1	0.02	4.9	1.37	<0.1	<0.02	<0.02	13.4	0.4	<0.05	0.5	9.67	33.7	0.04	<1	0.4	14.0	<10
1828288	Drill Core	0.2	<0.02	4.3	0.87	<0.1	0.03	<0.02	19.5	0.4	<0.05	0.9	10.61	28.0	0.03	2	0.2	17.7	<10
1828289	Drill Core	<0.1	<0.02	1.9	0.43	<0.1	0.07	<0.02	14.6	0.2	<0.05	2.9	6.82	38.9	<0.02	4	0.2	3.8	<10
1828290	Drill Core	<0.1	<0.02	1.5	0.30	<0.1	0.18	<0.02	11.0	0.3	<0.05	6.1	9.21	54.0	<0.02	5	0.5	1.3	<10
1828291	Drill Core	<0.1	0.03	1.9	0.51	<0.1	0.06	<0.02	11.8	0.3	<0.05	2.9	7.75	38.3	<0.02	3	0.2	6.6	<10
1828292	Drill Core	<0.1	<0.02	2.2	0.70	<0.1	0.05	<0.02	12.1	0.3	<0.05	1.2	15.99	68.5	0.03	2	0.2	5.7	<10
1828293	Drill Core	<0.1	0.03	2.4	1.07	<0.1	0.04	<0.02	11.8	0.5	<0.05	1.0	14.07	48.5	0.03	<1	0.2	5.0	<10
1828294	Drill Core	<0.1	0.03	1.8	1.22	<0.1	0.07	<0.02	9.1	0.4	<0.05	1.4	13.93	45.1	0.02	1	0.3	2.4	<10



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 15, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000025.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1828179	Drill Core	6.37	465	0.031	0.03	<0.17	48.52	1.15	8.01	15.93	112.5	505	9.7	4.6	135	2.10	113.9	0.9	18.9	6.1	7.1
REP 1828179	QC							1.20	7.94	15.95	117.8	523	9.7	4.5	136	2.09	115.6	0.9	20.9	6.0	7.3
1828186	Drill Core	5.05	454	<0.005	<0.01	<0.17	47.33	0.50	7.42	18.11	101.2	235	8.6	5.2	255	2.90	34.6	0.5	11.1	8.1	17.9
REP 1828186	QC			<0.005																	
1828213	Drill Core	4.52	448	<0.005	<0.01	<0.17	30.18	0.37	6.54	3.51	59.7	115	2.4	5.4	272	2.21	1.7	0.4	1.3	2.7	31.9
REP 1828213	QC							0.38	6.48	3.41	61.0	115	2.5	5.2	269	2.18	1.6	0.4	1.0	2.6	31.7
1828248	Drill Core	3.49	560	0.005	<0.01	<0.17	41.70	0.77	6.76	7.12	39.5	199	2.3	4.9	359	1.53	8.7	2.0	1.4	4.8	100.8
REP 1828248	QC							0.79	6.61	7.14	39.0	194	2.3	5.3	368	1.56	8.7	2.0	1.0	4.7	99.8
1828250	Drill Core	4.22	502	0.018	0.02	<0.17	46.05	2.78	6.25	5.91	50.9	142	1.8	4.5	360	1.65	4.2	1.7	15.9	4.5	170.2
REP 1828250	QC			0.021																	
1828258	Drill Core	4.59	502	0.008	<0.01	<0.17	24.07	1.75	5.67	5.24	36.9	577	2.8	4.7	304	0.93	5.4	1.2	2.9	4.3	128.5
REP 1828258	QC			0.008																	
1828281	Drill Core	4.94	509	<0.005	<0.01	<0.17	38.97	0.78	7.50	5.79	55.3	102	2.6	4.9	274	2.10	2.9	2.1	1.5	5.0	158.8
REP 1828281	QC							0.80	7.31	5.79	53.7	104	2.3	4.8	278	2.11	2.9	2.1	0.7	4.9	158.3
Core Reject Duplicates																					
1828189	Drill Core	5.31	454	<0.005	<0.01	<0.17	20.46	0.25	6.17	7.12	93.2	99	4.1	4.4	461	2.53	5.3	0.7	3.8	5.8	17.7
DUP 1828189	QC	<0.01	458	<0.005	<0.01	<0.17	32.51	0.23	6.18	7.23	89.0	102	4.2	4.5	478	2.54	5.1	0.6	3.7	5.6	16.8
1828223	Drill Core	3.97	395	<0.005	<0.01	<0.17	28.89	0.65	6.11	5.24	74.9	145	6.7	6.0	388	2.22	5.4	0.9	4.4	5.3	41.0
DUP 1828223	QC		442	0.428	0.65	3.95	27.35	0.61	6.22	5.16	75.0	173	6.7	5.9	389	2.13	5.1	0.9	3.0	5.3	41.9
1828257	Drill Core	4.92	445	<0.005	<0.01	<0.17	38.78	0.57	4.86	6.50	61.9	146	3.5	5.4	260	1.75	4.6	1.7	0.5	5.1	142.6
DUP 1828257	QC		536	<0.005	<0.01	<0.17	37.74	0.55	4.76	6.24	61.3	140	3.5	5.3	268	1.70	4.3	1.7	<0.2	4.9	143.3
1828291	Drill Core	1.82	473	<0.005	<0.01	<0.17	56.23	11.12	2.26	9.55	39.8	203	2.6	1.5	178	1.04	2.3	3.5	4.2	10.4	172.9
DUP 1828291	QC		538	0.005	<0.01	<0.17	41.82	10.42	1.85	8.86	36.4	197	2.4	1.3	163	0.99	1.9	3.4	3.1	9.6	158.7
Reference Materials																					
STD BVGEO01	Standard							10.88	4420.96	188.77	1693.0	2602	165.1	25.1	744	3.79	124.5	3.6	221.6	14.5	54.9
STD BVGEO01	Standard							11.68	4416.50	195.17	1772.2	2519	159.3	27.6	740	3.69	124.0	4.2	218.1	15.7	54.1
STD DS11	Standard							13.80	140.71	127.83	323.3	1648	72.3	12.3	988	2.94	42.9	2.3	73.6	7.3	61.8
STD DS11	Standard							15.89	152.52	145.11	348.1	1729	82.6	15.2	1020	3.12	45.7	2.9	101.6	8.8	66.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 15, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000025.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828179	Drill Core	0.61	1.06	0.09	4	0.13	0.063	21.4	5.0	0.11	411.5	0.002	3	0.64	0.022	0.32	0.2	3.0	0.06	<0.02	31
REP 1828179	QC	0.60	1.03	0.09	4	0.13	0.065	21.3	5.1	0.11	417.2	0.002	2	0.64	0.022	0.32	0.2	3.1	0.06	<0.02	30
1828186	Drill Core	0.25	0.55	0.07	8	0.28	0.047	26.3	4.9	1.43	326.6	0.010	2	2.08	0.019	0.26	<0.1	4.7	0.05	0.04	13
REP 1828186	QC																				
1828213	Drill Core	0.10	0.23	0.03	11	0.55	0.040	8.5	5.0	0.63	461.8	0.017	1	1.04	0.026	0.20	<0.1	3.8	0.04	0.05	<5
REP 1828213	QC	0.10	0.23	0.02	11	0.55	0.039	8.5	5.2	0.61	449.2	0.017	1	1.02	0.025	0.20	<0.1	3.7	0.04	0.05	<5
1828248	Drill Core	0.31	0.43	0.06	7	2.45	0.050	14.8	1.9	0.18	472.6	0.005	1	0.65	0.014	0.25	<0.1	4.4	0.07	0.31	5
REP 1828248	QC	0.26	0.45	0.05	7	2.48	0.050	14.8	1.8	0.18	458.0	0.005	2	0.65	0.014	0.26	0.1	4.5	0.07	0.32	<5
1828250	Drill Core	0.27	0.51	0.05	8	2.62	0.049	13.7	2.0	0.25	508.9	0.003	1	0.78	0.019	0.27	0.3	3.9	0.07	0.16	8
REP 1828250	QC																				
1828258	Drill Core	0.27	0.39	0.06	8	2.04	0.049	13.5	1.9	0.12	392.3	0.006	1	0.57	0.039	0.32	0.8	3.7	0.06	0.06	37
REP 1828258	QC																				
1828281	Drill Core	0.16	0.40	0.03	15	1.49	0.050	15.6	2.8	0.45	482.6	0.012	2	0.88	0.029	0.32	0.1	9.4	0.07	0.05	5
REP 1828281	QC	0.16	0.39	0.02	16	1.51	0.051	15.7	2.7	0.45	499.8	0.012	3	0.91	0.030	0.32	0.1	9.0	0.07	0.06	9
Core Reject Duplicates																					
1828189	Drill Core	0.10	0.29	0.04	11	0.22	0.044	15.8	5.9	0.80	460.5	0.036	2	1.58	0.071	0.16	<0.1	5.0	0.07	<0.02	16
DUP 1828189	QC	0.10	0.28	0.04	11	0.22	0.043	15.7	5.8	0.80	411.4	0.035	1	1.54	0.062	0.14	<0.1	5.2	0.05	<0.02	9
1828223	Drill Core	0.18	0.40	<0.02	15	0.70	0.051	17.9	5.0	0.36	421.4	0.013	1	1.05	0.069	0.27	0.2	5.9	0.06	<0.02	31
DUP 1828223	QC	0.18	0.40	<0.02	13	0.68	0.052	18.0	4.8	0.36	361.5	0.012	1	0.95	0.053	0.23	0.2	5.7	0.05	<0.02	30
1828257	Drill Core	0.33	0.52	0.07	11	1.66	0.050	12.9	2.5	0.40	509.2	0.006	2	0.96	0.030	0.36	0.2	4.2	0.08	0.06	10
DUP 1828257	QC	0.32	0.49	0.07	10	1.70	0.052	11.9	2.1	0.41	418.5	0.005	2	0.86	0.021	0.29	0.2	4.0	0.06	0.06	14
1828291	Drill Core	0.28	0.25	0.16	1	1.17	0.013	20.3	1.2	0.37	449.9	0.002	2	0.64	0.014	0.35	0.1	2.3	0.08	0.05	26
DUP 1828291	QC	0.26	0.24	0.17	1	1.16	0.011	18.1	1.1	0.36	409.2	0.002	1	0.58	0.012	0.30	0.2	2.0	0.06	0.05	29
Reference Materials																					
STD BVGEO01	Standard	6.93	3.76	24.92	77	1.28	0.080	24.6	172.5	1.28	281.3	0.207	4	2.35	0.190	0.88	5.2	6.0	0.61	0.65	98
STD BVGEO01	Standard	6.77	3.64	26.37	73	1.28	0.077	28.0	189.2	1.29	234.7	0.241	4	2.29	0.188	0.91	5.0	5.9	0.60	0.65	88
STD DS11	Standard	2.45	9.00	11.09	47	0.99	0.067	16.4	55.0	0.79	349.4	0.077	7	1.12	0.067	0.39	2.8	3.0	4.71	0.26	257
STD DS11	Standard	2.45	8.26	12.67	50	1.06	0.077	21.3	66.4	0.88	377.7	0.097	7	1.21	0.073	0.41	2.9	3.3	5.06	0.27	277



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000025.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828179	Drill Core	<0.1	<0.02	1.5	0.30	<0.1	<0.02	<0.02	10.2	0.2	<0.05	0.5	10.38	39.7	<0.02	<1	0.2	5.1	<10	<2
REP 1828179	QC	<0.1	<0.02	1.6	0.29	<0.1	<0.02	<0.02	10.4	0.2	<0.05	0.7	10.49	39.1	<0.02	<1	0.2	5.3	<10	<2
1828186	Drill Core	<0.1	<0.02	5.2	0.51	<0.1	<0.02	0.04	7.4	0.4	<0.05	0.8	15.14	50.2	0.03	<1	0.2	27.6	<10	<2
REP 1828186	QC																			
1828213	Drill Core	<0.1	<0.02	3.8	0.38	<0.1	0.03	0.04	7.5	0.3	<0.05	0.3	7.30	17.1	<0.02	<1	0.2	9.8	<10	<2
REP 1828213	QC	<0.1	<0.02	3.9	0.38	<0.1	<0.02	0.05	7.5	0.3	<0.05	0.3	7.37	17.0	<0.02	<1	0.2	10.2	<10	<2
1828248	Drill Core	0.4	<0.02	2.2	1.02	<0.1	<0.02	<0.02	8.6	0.2	<0.05	0.6	11.98	29.5	<0.02	3	<0.1	5.3	<10	<2
REP 1828248	QC	0.3	0.03	2.2	1.01	<0.1	0.02	<0.02	8.9	0.2	<0.05	0.6	11.64	29.6	<0.02	2	<0.1	5.3	<10	<2
1828250	Drill Core	0.4	<0.02	2.5	0.60	<0.1	<0.02	<0.02	9.4	0.2	<0.05	0.6	8.38	27.2	<0.02	<1	<0.1	9.6	<10	<2
REP 1828250	QC																			
1828258	Drill Core	<0.1	<0.02	2.2	0.36	<0.1	<0.02	<0.02	10.2	0.2	<0.05	0.4	6.81	27.1	<0.02	5	0.1	4.8	<10	<2
REP 1828258	QC																			
1828281	Drill Core	<0.1	<0.02	4.4	1.20	<0.1	<0.02	0.03	11.4	0.6	<0.05	0.4	13.08	32.1	0.03	1	0.3	10.3	<10	<2
REP 1828281	QC	<0.1	0.03	4.5	1.18	<0.1	<0.02	<0.02	11.3	0.6	<0.05	0.4	12.50	30.7	0.04	<1	0.3	10.5	<10	<2
Core Reject Duplicates																				
1828189	Drill Core	<0.1	<0.02	6.0	0.55	<0.1	0.02	0.10	6.3	0.6	<0.05	0.8	12.60	29.6	0.03	<1	0.2	16.4	<10	<2
DUP 1828189	QC	<0.1	<0.02	5.4	0.54	<0.1	0.03	0.09	5.7	0.6	<0.05	1.0	12.30	28.6	0.03	<1	0.2	15.9	<10	<2
1828223	Drill Core	<0.1	<0.02	4.9	1.25	<0.1	0.02	0.03	10.0	0.4	<0.05	0.6	11.42	32.9	0.03	<1	0.3	7.8	<10	<2
DUP 1828223	QC	<0.1	<0.02	4.5	1.27	<0.1	<0.02	0.03	8.8	0.4	<0.05	0.6	11.47	32.6	0.03	<1	0.2	7.9	<10	<2
1828257	Drill Core	<0.1	<0.02	3.5	0.43	<0.1	<0.02	<0.02	10.8	0.2	<0.05	0.4	6.58	26.0	<0.02	2	0.2	12.6	<10	<2
DUP 1828257	QC	<0.1	0.02	3.1	0.39	<0.1	<0.02	<0.02	9.4	0.2	<0.05	0.4	6.40	24.2	<0.02	4	0.1	12.5	<10	<2
1828291	Drill Core	<0.1	0.03	1.9	0.51	<0.1	0.06	<0.02	11.8	0.3	<0.05	2.9	7.75	38.3	<0.02	3	0.2	6.6	<10	<2
DUP 1828291	QC	<0.1	<0.02	1.6	0.47	<0.1	0.06	<0.02	10.6	0.2	<0.05	2.7	6.97	36.5	<0.02	<1	<0.1	5.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.2	1.04	7.4	7.20	0.2	0.30	0.19	95.3	5.8	<0.05	8.5	13.95	50.6	0.48	3	0.6	21.2	109	186
STD BVGEO01	Standard	4.9	1.05	7.4	7.73	0.1	0.34	0.26	96.8	5.9	<0.05	9.1	15.56	55.0	0.49	4	0.7	21.5	117	179
STD DS11	Standard	1.9	4.37	4.7	2.84	<0.1	0.05	1.49	33.9	1.8	<0.05	2.5	7.59	33.8	0.22	49	0.7	22.6	89	162
STD DS11	Standard	2.3	4.79	5.2	3.23	<0.1	0.07	1.77	35.9	1.9	<0.05	3.1	8.89	40.2	0.26	50	0.6	24.3	101	169



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000025.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.63	117.16	54.10	148.9	497	63.4	27.6	534	3.26	38.0	1.2	70.9	8.8	33.9
STD OREAS262	Standard							0.68	113.17	55.19	149.1	473	60.3	27.4	509	3.05	36.8	1.2	70.4	9.0	34.8
STD OREAS262	Standard							0.67	123.89	63.55	152.4	451	66.6	30.3	528	3.30	37.5	1.4	58.3	10.2	35.4
STD OREAS262	Standard							0.73	124.37	60.49	153.9	453	64.3	29.7	527	3.18	37.0	1.3	72.0	9.7	34.5
STD OXC145	Standard			0.213																	
STD OXC145	Standard			0.225																	
STD OXC145	Standard			0.222																	
STD OXC145	Standard			0.212																	
STD OXH139	Standard			1.296																	
STD OXH139	Standard			1.359																	
STD OXH139	Standard			1.296																	
STD OXH139	Standard			1.321																	
STD OXN134	Standard			7.647																	
STD OXN134	Standard			7.674																	
STD OXN134	Standard			7.733																	
STD OXN134	Standard			7.627																	
STD OXQ90	Standard					25.22	29.30														
STD OXQ90	Standard					25.21	29.51														
STD OXQ90	Standard					25.23	29.77														
STD OXQ90	Standard					25.14	29.95														
STD OXQ90	Standard					25.01	29.63														
STD OXQ90	Standard					25.12	30.13														
STD OXQ90	Standard					25.13	29.77														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4502	187	1712	2530	163	25	706	3.7	121	3.67	214	13.6	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000025.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.67	5.95	1.02	22	2.96	0.041	14.0	41.3	1.17	248.5	0.002	5	1.27	0.066	0.29	0.3	3.2	0.45	0.26	162
STD OREAS262	Standard	0.65	6.31	1.01	22	2.79	0.039	14.6	41.1	1.11	249.4	0.002	5	1.25	0.064	0.29	0.2	3.2	0.45	0.24	170
STD OREAS262	Standard	0.68	3.53	1.10	22	3.09	0.043	18.4	48.1	1.18	258.0	0.003	4	1.37	0.069	0.31	0.1	3.4	0.43	0.25	180
STD OREAS262	Standard	0.67	5.18	1.08	21	2.98	0.042	16.8	45.3	1.15	248.2	0.003	3	1.27	0.066	0.30	0.2	3.1	0.44	0.25	162
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.25	3.39	24.3	73	1.3219	0.0727	25.9	171	1.3175	260	0.2128	6.7	2.2628	0.1924	0.8669	5.3	5.97	0.62	0.6739	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000025.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.3	0.22	4.0	2.95	<0.1	0.25	<0.02	18.2	0.6	<0.05	10.0	10.03	29.3	0.03	<1	1.2	16.7	<10	<2
STD OREAS262	Standard	0.3	0.24	4.1	3.04	<0.1	0.21	<0.02	19.6	0.6	<0.05	9.7	10.44	30.5	0.03	1	0.7	17.2	<10	<2
STD OREAS262	Standard	0.3	0.23	4.1	2.56	<0.1	0.26	<0.02	20.1	0.6	<0.05	10.5	11.81	34.1	0.04	<1	1.0	17.8	<10	<2
STD OREAS262	Standard	0.4	0.24	3.8	2.96	<0.1	0.30	<0.02	19.0	0.6	<0.05	11.2	11.16	31.6	0.04	<1	0.9	17.1	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		5.09	1.1	7.65	7.36	0.15	0.32	0.3	95	5.64		10.2	14.5	53	0.45	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000025.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.05	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.03	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		447	<0.005	<0.01	<0.17	49.51	0.98	2.22	1.65	28.9	9	0.8	3.8	437	1.89	1.1	0.5	0.5	2.9	22.0
ROCK-WHI	Prep Blank		412	<0.005	<0.01	<0.17	24.13	0.94	3.49	1.31	29.5	8	1.6	4.4	504	2.10	1.0	0.5	<0.2	2.7	29.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000025.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	23	0.57	0.042	7.5	3.1	0.42	62.6	0.069	3	0.83	0.081	0.09	<0.1	2.7	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	27	0.73	0.044	7.6	4.4	0.49	83.7	0.083	3	1.01	0.112	0.11	<0.1	3.3	<0.02	<0.02	8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 15, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000025.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		<2
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.19	<0.1	0.12	0.17	2.5	0.6	<0.05	2.9	9.48	14.3	0.02	<1	0.2	2.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.1	0.22	<0.1	0.15	0.15	3.0	0.4	<0.05	3.9	10.14	14.9	<0.02	<1	0.3	2.3	<10