



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 03, 2019
Report Date: June 17, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-06
P.O. Number
Number of Samples: 59

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	56	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	59	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	59	Analysis sample split/packet			WHI
Split -150	59	Analysis sample split/packet			WHI
EN002	59	Environmental disposal charge-Fire assay lead waste			VAN
FS631	56	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	59	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	59	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828295	Drill Core	2.33	419	0.012	0.01	<0.17	32.95	1.10	12.11	18.92	42.5	1166	7.4	4.8	344	1.37	130.0	1.0	5.1	15.2	10.9
1828296	Drill Core	7.89	472	0.011	0.01	<0.17	20.57	0.71	11.09	20.94	39.7	556	5.4	4.2	344	1.41	87.7	0.8	5.2	13.2	11.8
1828297	Drill Core	4.59	431	0.026	0.02	<0.17	30.96	0.74	13.80	22.74	41.1	432	3.9	3.8	349	1.43	72.1	1.3	28.4	14.4	11.4
1828298	Drill Core	3.86	397	0.054	0.08	0.43	23.28	0.51	10.41	18.57	27.0	223	3.5	4.7	425	1.14	5.1	1.1	8.9	12.8	17.7
1828299	Drill Core	2.14	357	0.050	0.06	0.21	23.62	0.69	5.68	8.54	24.8	578	3.1	4.1	689	1.15	9.1	1.5	81.7	9.3	37.5
1828300	Rock Pulp	0.12	91	7.057	I.S.	I.S.	I.S.	9.58	203.95	19.94	75.8	845	14.1	11.9	572	4.79	14.2	0.9	8051.6	2.8	66.0
1828301	Drill Core	2.41	441	0.006	<0.01	<0.17	30.10	0.67	6.96	24.16	39.0	255	3.2	3.9	341	1.26	1.3	1.3	1.6	13.2	50.9
1828302	Drill Core	2.98	444	0.006	<0.01	<0.17	61.82	0.31	7.13	25.04	29.8	271	2.1	2.2	186	0.85	1.6	1.0	0.5	15.1	23.8
1828303	Drill Core	5.32	510	<0.005	<0.01	<0.17	48.23	0.23	5.33	19.14	17.2	262	0.8	0.9	88	0.45	1.2	1.2	<0.2	15.7	6.6
1828304	Drill Core	3.47	403	0.006	<0.01	<0.17	20.19	0.38	14.99	16.11	42.8	304	2.9	4.0	222	1.16	3.2	1.4	3.5	15.0	11.5
1828305	Drill Core	4.55	496	0.006	<0.01	<0.17	45.64	0.32	6.68	21.52	26.2	248	1.1	1.4	126	0.63	3.1	1.0	1.8	15.8	5.7
1828306	Drill Core	5.43	548	<0.005	<0.01	<0.17	49.48	0.23	4.53	19.55	25.1	175	1.0	1.1	105	0.56	2.7	1.1	2.0	16.1	5.5
1828307	Drill Core	4.28	372	0.005	<0.01	<0.17	19.38	0.57	10.16	24.30	35.2	228	2.6	3.2	231	1.05	2.1	1.0	1.4	13.7	11.7
1828308	Drill Core	2.82	523	0.148	0.14	<0.17	22.92	1.70	17.31	22.00	41.5	4988	5.2	3.3	311	1.28	4.3	1.0	56.9	12.9	10.9
1828309	Drill Core	4.97	529	0.013	0.01	<0.17	53.22	0.40	17.33	13.70	69.4	250	15.8	8.0	515	2.46	69.9	0.8	5.5	9.9	23.1
1828310	Drill Core	5.73	462	0.007	<0.01	<0.17	32.34	0.36	25.05	13.32	81.4	160	22.2	10.2	585	2.79	155.2	0.7	4.3	8.5	32.5
1828311	Drill Core	4.51	436	0.008	<0.01	<0.17	27.17	0.67	10.43	15.71	71.3	296	10.8	7.0	425	2.55	14.2	0.6	3.6	9.6	18.7
1828312	Drill Core	4.52	421	0.009	<0.01	<0.17	25.07	0.63	19.52	17.54	61.1	275	9.4	7.3	353	2.29	9.6	1.0	6.2	10.5	42.5
1828313	Drill Core	5.11	439	0.005	<0.01	<0.17	44.62	0.44	7.09	16.56	68.2	142	10.8	6.8	374	2.30	1.9	0.5	0.5	10.9	64.3
1828314	Drill Core	4.22	413	0.007	<0.01	<0.17	40.13	1.44	17.08	15.02	69.7	551	14.3	8.5	549	2.46	3.6	1.5	15.1	11.9	72.4
1828315	Drill Core	4.09	426	0.008	<0.01	<0.17	30.16	2.02	22.72	32.71	66.1	464	13.1	6.9	480	2.12	3.1	1.1	4.0	10.8	33.6
1828316	Drill Core	3.85	450	0.010	<0.01	<0.17	39.30	1.17	20.58	17.36	72.3	397	16.8	7.0	422	2.39	4.3	0.8	4.3	10.6	16.4
1828317	Drill Core	2.46	447	0.008	<0.01	<0.17	37.97	1.27	20.26	19.33	66.5	275	10.2	7.1	460	2.35	5.7	0.9	2.0	11.3	16.3
1828318	Drill Core	3.66	416	0.007	<0.01	<0.17	21.00	1.92	16.57	21.66	76.0	828	9.4	8.1	551	2.68	3.1	0.7	<0.2	9.9	29.8
1828319	Drill Core	4.54	425	0.006	<0.01	<0.17	37.09	0.59	17.31	10.02	69.2	182	11.9	9.0	537	2.54	2.2	1.1	0.5	9.8	49.7
1828320	Rock Pulp	0.11	88	0.492	I.S.	I.S.	I.S.	2.38	437.18	18.12	47.0	262	593.9	27.1	403	2.49	18.8	0.6	430.9	1.6	50.3
1828321	Drill Core	3.18	464	0.008	<0.01	<0.17	40.04	0.46	12.92	10.26	76.5	126	9.8	8.6	547	2.65	3.1	0.8	0.9	10.0	28.3
1828322	Drill Core	3.48	443	0.007	<0.01	<0.17	40.29	0.50	17.70	23.92	73.6	317	11.0	7.4	459	2.53	3.3	0.7	1.8	9.8	19.6
1828323	Drill Core	4.21	409	0.006	<0.01	<0.17	47.07	0.54	15.82	15.57	75.6	208	10.1	8.5	564	2.71	3.1	0.8	0.5	10.0	30.7
1828324	Drill Core	3.59	422	0.007	<0.01	<0.17	36.09	0.79	16.64	18.59	74.0	366	10.4	8.3	524	2.65	3.6	0.9	0.3	9.6	21.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828295	Drill Core	0.16	2.57	0.11	5	0.13	0.039	37.2	4.3	0.37	312.4	0.005	1	0.82	0.031	0.39	3.2	1.3	0.11	<0.02	<5			
1828296	Drill Core	0.13	1.38	0.10	4	0.16	0.043	35.2	4.6	0.35	287.3	0.004	1	0.84	0.033	0.40	0.9	1.4	0.10	<0.02	6			
1828297	Drill Core	0.24	1.02	0.13	5	0.24	0.041	34.3	5.1	0.37	286.8	0.007	<1	0.83	0.037	0.37	0.4	1.5	0.13	<0.02	<5			
1828298	Drill Core	0.31	0.27	0.13	4	0.59	0.045	28.6	3.9	0.33	316.8	0.008	<1	0.80	0.044	0.44	0.2	1.7	0.11	<0.02	<5			
1828299	Drill Core	0.37	0.27	0.04	3	1.75	0.030	20.7	3.4	0.31	267.0	0.005	1	0.62	0.030	0.36	0.6	1.9	0.11	<0.02	<5			
1828300	Rock Pulp	0.21	4.56	0.56	111	0.92	0.064	7.9	19.1	0.88	127.9	0.127	3	1.74	0.180	0.24	4.2	3.8	0.07	<0.02	220			
1828301	Drill Core	0.24	0.19	0.18	5	0.77	0.037	30.6	4.5	0.49	315.6	0.014	1	0.79	0.030	0.44	0.2	1.7	0.15	<0.02	<5			
1828302	Drill Core	0.13	0.16	0.18	3	0.23	0.027	33.9	2.8	0.35	266.3	0.029	<1	0.71	0.039	0.53	0.3	1.6	0.22	<0.02	<5			
1828303	Drill Core	0.06	0.16	0.12	<1	0.06	0.010	34.8	1.5	0.21	209.7	0.006	<1	0.54	0.026	0.41	0.5	1.0	0.10	<0.02	<5			
1828304	Drill Core	0.17	0.27	0.14	4	0.11	0.037	33.9	3.1	0.36	305.3	0.011	<1	0.86	0.044	0.51	0.1	1.6	0.16	<0.02	<5			
1828305	Drill Core	0.11	0.20	0.20	1	0.05	0.013	33.3	1.6	0.29	207.9	0.004	1	0.61	0.019	0.40	0.2	1.0	0.11	<0.02	<5			
1828306	Drill Core	0.11	0.15	0.11	1	0.04	0.013	35.9	1.5	0.20	210.2	0.003	<1	0.54	0.033	0.36	0.1	1.0	0.09	<0.02	<5			
1828307	Drill Core	0.16	0.18	0.15	3	0.28	0.031	30.5	3.1	0.37	258.6	0.007	<1	0.72	0.020	0.41	0.1	1.4	0.13	<0.02	<5			
1828308	Drill Core	0.28	0.25	0.18	4	0.32	0.031	30.9	9.2	0.44	381.9	0.005	<1	0.71	0.014	0.36	11.8	1.4	0.11	<0.02	<5			
1828309	Drill Core	0.29	0.22	0.10	23	0.81	0.063	23.0	21.9	1.10	290.2	0.025	<1	1.45	0.035	0.47	0.3	5.4	0.17	<0.02	<5			
1828310	Drill Core	0.41	0.19	0.10	32	0.87	0.071	17.7	32.5	1.46	263.8	0.017	<1	1.75	0.041	0.39	<0.1	7.1	0.13	<0.02	<5			
1828311	Drill Core	0.28	0.19	0.07	20	0.67	0.062	23.4	21.2	1.09	250.3	0.012	<1	1.43	0.041	0.35	0.3	5.8	0.11	<0.02	<5			
1828312	Drill Core	0.43	0.22	0.21	15	1.04	0.068	30.3	15.2	0.79	438.4	0.026	<1	1.20	0.025	0.53	0.2	5.0	0.17	<0.02	<5			
1828313	Drill Core	0.30	0.11	0.11	17	1.05	0.065	26.9	18.8	1.09	273.6	0.027	<1	1.41	0.050	0.44	<0.1	5.3	0.16	<0.02	6			
1828314	Drill Core	0.36	0.20	0.17	22	1.02	0.063	25.0	21.4	1.21	381.2	0.039	<1	1.50	0.038	0.56	1.1	5.1	0.23	<0.02	<5			
1828315	Drill Core	0.47	0.19	0.47	16	0.72	0.056	24.6	19.7	1.09	343.5	0.029	<1	1.29	0.025	0.45	0.1	2.5	0.19	<0.02	<5			
1828316	Drill Core	0.23	0.16	0.25	19	0.21	0.060	24.1	21.5	1.30	314.9	0.047	<1	1.49	0.023	0.52	0.2	2.5	0.21	<0.02	<5			
1828317	Drill Core	0.35	0.18	0.13	16	0.26	0.057	28.6	17.4	1.13	264.6	0.010	<1	1.41	0.037	0.32	0.2	2.7	0.11	<0.02	<5			
1828318	Drill Core	0.38	0.14	0.25	23	0.50	0.065	26.2	25.4	1.42	418.9	0.016	<1	1.72	0.054	0.38	1.3	4.1	0.13	<0.02	<5			
1828319	Drill Core	0.37	0.22	0.09	22	0.92	0.063	23.2	22.3	1.26	831.5	0.038	<1	1.57	0.042	0.56	0.2	5.1	0.20	<0.02	<5			
1828320	Rock Pulp	0.19	0.28	0.27	50	1.21	0.030	3.9	93.9	1.71	71.4	0.067	3	1.84	0.185	0.15	1.2	2.7	0.10	0.19	20			
1828321	Drill Core	0.23	0.14	0.07	22	0.42	0.064	24.0	23.5	1.41	477.3	0.016	<1	1.64	0.041	0.35	<0.1	3.9	0.11	<0.02	<5			
1828322	Drill Core	0.17	0.15	0.27	23	0.27	0.064	28.3	24.2	1.43	278.8	0.014	<1	1.65	0.046	0.34	0.1	3.5	0.09	<0.02	<5			
1828323	Drill Core	0.21	0.17	0.09	23	0.55	0.068	29.6	24.3	1.44	294.6	0.019	<1	1.68	0.044	0.38	<0.1	4.2	0.12	<0.02	<5			
1828324	Drill Core	0.37	0.18	0.14	23	0.53	0.067	27.3	23.7	1.24	317.6	0.013	<1	1.49	0.029	0.36	0.2	3.9	0.11	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
1828295	Drill Core	<0.1	<0.02	3.0	0.57	<0.1	0.25	0.03	16.2	0.3	<0.05	8.1	6.54	69.5	<0.02	<1	0.5	7.4	<10	<2	
1828296	Drill Core	<0.1	<0.02	3.0	0.45	0.1	0.25	<0.02	14.6	0.3	<0.05	9.0	6.30	64.6	<0.02	<1	0.3	7.6	<10	<2	
1828297	Drill Core	<0.1	<0.02	3.2	0.59	<0.1	0.28	0.04	15.3	0.3	<0.05	9.6	6.86	63.6	<0.02	<1	0.3	7.4	<10	2	
1828298	Drill Core	<0.1	<0.02	2.4	0.51	<0.1	0.29	<0.02	16.5	0.3	<0.05	11.5	5.56	52.1	<0.02	<1	0.4	7.0	<10	<2	
1828299	Drill Core	<0.1	<0.02	1.9	0.26	<0.1	0.19	<0.02	12.3	0.2	<0.05	7.9	6.12	38.1	<0.02	<1	0.2	5.9	<10	<2	
1828300	Rock Pulp	<0.1	0.15	5.1	0.69	0.1	0.10	0.10	8.1	1.7	<0.05	1.7	5.13	16.0	0.05	<1	0.1	7.0	<10	<2	
1828301	Drill Core	<0.1	<0.02	3.1	0.59	<0.1	0.37	<0.02	18.5	0.4	<0.05	12.4	5.76	55.5	<0.02	<1	0.2	6.6	<10	<2	
1828302	Drill Core	<0.1	<0.02	2.5	0.56	<0.1	0.53	0.08	23.8	0.4	<0.05	15.7	5.14	62.1	<0.02	<1	0.3	4.3	<10	<2	
1828303	Drill Core	<0.1	<0.02	1.9	0.21	<0.1	0.55	0.07	13.3	0.3	<0.05	15.7	5.45	66.5	<0.02	<1	0.3	2.7	<10	3	
1828304	Drill Core	<0.1	<0.02	2.6	0.45	<0.1	0.49	0.03	19.7	0.3	<0.05	16.7	5.82	62.0	<0.02	<1	0.5	5.6	<10	<2	
1828305	Drill Core	<0.1	<0.02	2.0	0.21	<0.1	0.53	0.03	13.3	0.3	<0.05	17.1	4.87	61.7	<0.02	<1	0.2	4.5	<10	<2	
1828306	Drill Core	<0.1	<0.02	1.8	0.21	<0.1	0.45	0.03	11.5	0.3	<0.05	13.7	5.31	67.6	<0.02	<1	0.2	3.8	<10	<2	
1828307	Drill Core	<0.1	<0.02	2.4	0.30	<0.1	0.49	<0.02	15.6	0.3	<0.05	14.2	5.25	56.2	<0.02	<1	0.4	5.4	<10	<2	
1828308	Drill Core	<0.1	<0.02	2.6	0.30	<0.1	0.36	<0.02	12.8	0.2	<0.05	12.2	5.31	56.8	<0.02	<1	0.3	6.2	<10	<2	
1828309	Drill Core	<0.1	0.02	4.9	0.88	<0.1	0.39	<0.02	19.9	0.4	<0.05	12.1	4.41	42.7	<0.02	<1	0.3	10.5	<10	<2	
1828310	Drill Core	<0.1	<0.02	6.2	0.59	<0.1	0.22	<0.02	15.6	0.3	<0.05	9.8	3.47	33.8	0.03	<1	0.4	11.2	<10	<2	
1828311	Drill Core	<0.1	<0.02	5.3	0.61	<0.1	0.19	<0.02	13.3	0.4	<0.05	8.1	5.42	43.7	0.03	<1	0.3	11.5	<10	<2	
1828312	Drill Core	<0.1	<0.02	3.9	0.97	<0.1	0.12	0.04	21.7	0.3	<0.05	4.9	7.82	56.3	0.03	<1	0.5	9.3	<10	<2	
1828313	Drill Core	<0.1	<0.02	5.3	0.55	<0.1	0.10	0.02	17.2	0.3	<0.05	3.4	5.78	51.1	0.02	<1	0.4	9.4	<10	<2	
1828314	Drill Core	<0.1	<0.02	5.9	0.92	<0.1	0.40	0.03	25.5	0.4	<0.05	14.9	5.98	46.5	0.02	<1	0.7	10.8	<10	<2	
1828315	Drill Core	<0.1	0.03	4.9	1.11	<0.1	0.42	<0.02	22.6	0.4	<0.05	16.7	6.74	44.8	0.02	<1	0.4	10.4	<10	<2	
1828316	Drill Core	<0.1	<0.02	5.2	1.31	<0.1	0.47	0.06	28.7	0.3	<0.05	19.5	5.85	43.8	<0.02	<1	0.4	11.3	<10	<2	
1828317	Drill Core	<0.1	<0.02	5.7	0.99	<0.1	0.35	<0.02	13.7	0.3	<0.05	12.6	5.54	53.7	<0.02	<1	0.4	11.8	<10	<2	
1828318	Drill Core	<0.1	<0.02	6.8	1.06	<0.1	0.28	<0.02	16.3	0.3	<0.05	10.8	5.72	48.6	<0.02	<1	0.3	12.3	<10	<2	
1828319	Drill Core	<0.1	<0.02	6.0	1.43	<0.1	0.32	0.04	27.1	0.3	<0.05	11.4	5.79	43.9	<0.02	<1	0.4	12.2	<10	<2	
1828320	Rock Pulp	0.4	0.16	4.0	0.59	<0.1	0.04	0.02	5.6	0.4	<0.05	1.5	2.93	8.0	<0.02	3	<0.1	7.3	282	114	
1828321	Drill Core	<0.1	<0.02	6.5	0.86	<0.1	0.28	<0.02	13.9	0.3	<0.05	10.4	5.30	45.6	<0.02	<1	0.4	13.6	<10	<2	
1828322	Drill Core	<0.1	<0.02	6.6	0.41	<0.1	0.29	<0.02	11.7	0.4	<0.05	10.2	6.27	52.4	<0.02	<1	0.4	12.5	<10	<2	
1828323	Drill Core	<0.1	<0.02	6.6	0.67	<0.1	0.28	<0.02	14.3	0.3	<0.05	11.7	7.91	55.5	0.02	<1	0.4	13.2	<10	<2	
1828324	Drill Core	<0.1	<0.02	6.4	0.66	<0.1	0.21	<0.02	13.6	0.3	<0.05	8.9	8.97	51.5	0.02	<1	0.4	16.0	<10	<2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828325	Drill Core	5.30	420	0.006	<0.01	<0.17	39.40	0.78	14.19	13.46	77.1	302	11.3	8.8	512	2.73	4.9	0.9	3.0	10.7	36.2
1828326	Drill Core	4.61	429	0.007	<0.01	<0.17	31.89	0.57	12.93	10.00	69.7	164	10.0	8.3	440	2.56	4.2	0.8	3.9	10.5	38.3
1828327	Drill Core	3.38	449	0.006	<0.01	<0.17	33.12	0.47	12.50	11.89	66.4	146	9.6	7.8	440	2.54	2.3	0.8	1.9	10.3	42.8
1828328	Drill Core	4.35	421	0.006	<0.01	<0.17	52.33	0.47	12.01	8.92	70.8	130	8.9	8.4	427	2.50	3.4	0.8	1.2	10.3	27.5
1828329	Drill Core	5.00	424	0.022	0.02	<0.17	35.04	0.48	13.77	15.74	69.8	202	8.9	7.3	465	2.52	3.3	0.7	2.6	9.8	26.3
1828330	Drill Core	3.99	433	0.008	<0.01	<0.17	25.95	0.57	13.54	16.02	70.5	222	10.1	8.7	459	2.54	4.7	0.7	1.9	9.8	29.1
1828331	Drill Core	4.64	445	0.010	<0.01	<0.17	21.77	0.69	16.63	18.95	66.7	1001	8.0	7.0	519	2.35	5.3	1.0	7.2	9.8	33.1
1828332	Drill Core	4.80	420	0.006	<0.01	<0.17	45.83	0.55	14.56	15.92	71.9	269	9.2	8.1	490	2.61	3.8	0.7	2.0	10.1	28.6
1828333	Drill Core	3.41	458	0.006	<0.01	<0.17	49.25	0.53	14.99	11.80	74.2	239	8.6	8.3	463	2.60	3.8	0.7	3.4	9.9	31.6
1828334	Drill Core	2.92	459	0.006	<0.01	<0.17	39.74	0.61	17.81	9.57	76.1	249	9.7	9.5	475	2.63	3.7	0.9	2.5	9.8	30.8
1828335	Drill Core	4.89	407	0.006	<0.01	<0.17	32.82	0.62	17.09	16.33	75.5	418	9.1	8.4	557	2.65	4.7	1.0	1.2	9.7	40.7
1828336	Drill Core	3.32	438	0.006	<0.01	<0.17	24.12	0.60	17.22	13.25	71.8	231	9.7	9.2	547	2.50	2.7	0.8	0.8	10.1	47.9
1828337	Drill Core	3.86	427	0.007	<0.01	<0.17	41.78	0.78	14.22	15.21	52.8	248	6.7	6.4	605	1.95	6.0	1.3	2.8	7.8	54.5
1828338	Drill Core	4.40	444	0.010	<0.01	<0.17	40.31	0.95	16.43	14.97	71.0	268	8.9	7.9	502	2.43	11.0	1.4	5.6	10.1	37.9
1828339	Drill Core	3.31	450	0.008	<0.01	<0.17	54.13	0.65	11.65	11.79	68.7	227	9.3	7.5	473	2.37	3.9	0.9	1.9	9.9	28.0
1828340	Rock Pulp	0.12	86	0.012	I.S.	I.S.	I.S.	2.18	87.41	3.36	34.5	108	4.9	8.1	349	2.48	0.9	0.7	35.8	2.3	67.9
1828341	Drill Core	2.94	427	0.008	<0.01	<0.17	23.13	0.71	10.52	12.71	64.0	187	9.2	7.0	368	2.18	3.7	0.9	1.9	9.4	24.9
1828342	Drill Core	2.69	408	0.151	0.16	0.29	24.39	0.79	10.59	18.67	70.8	477	9.2	6.5	467	2.15	3.7	1.3	214.5	9.9	45.5
1828343	Drill Core	2.92	461	0.013	0.01	<0.17	33.26	0.76	20.42	9.81	50.7	341	10.4	8.2	423	1.91	7.7	1.1	5.5	9.8	39.0
1828344	Drill Core	2.83	446	0.370	0.46	1.46	38.40	0.95	9.18	8.64	35.8	440	7.0	5.8	399	1.53	5.1	1.2	472.3	10.3	44.9
1828345	Drill Core	2.19	431	0.270	0.30	0.57	43.97	1.23	8.62	12.12	44.8	418	9.2	5.7	506	1.45	6.7	1.2	248.3	12.3	59.0
1828346	Drill Core	3.54	381	0.051	0.05	<0.17	25.26	1.42	19.72	15.55	68.2	379	23.9	9.7	544	2.34	7.2	1.8	77.9	10.5	48.1
1828347	Drill Core	3.67	475	0.008	<0.01	<0.17	27.14	1.00	17.78	11.09	62.7	225	11.3	8.0	503	2.26	4.8	2.0	3.3	10.2	54.1
1828348	Drill Core	4.28	499	0.063	0.06	<0.17	32.52	1.10	17.31	5.22	64.6	199	11.5	8.2	503	2.17	4.2	2.1	54.1	10.5	65.2
1828349	Drill Core	1.98	389	0.011	<0.01	<0.17	34.80	1.89	19.87	11.56	70.4	290	10.9	8.4	430	2.13	7.1	2.0	11.7	10.5	52.7
1828350	Drill Core	1.34	364	0.387	0.43	0.89	30.22	1.37	11.35	9.72	42.3	722	10.6	7.6	546	2.21	7.6	1.6	629.5	8.3	55.6
1828351	Drill Core	3.82	404	0.011	0.01	<0.17	26.54	1.10	17.20	12.37	68.1	316	11.1	7.5	553	2.29	19.5	1.8	9.9	9.4	62.6
1828352	Drill Core	1.25	493	0.010	<0.01	<0.17	37.56	1.61	18.27	13.05	82.6	649	13.3	10.1	668	2.66	44.5	3.2	8.1	9.8	50.7
1828353	Drill Core	4.32	431	0.006	<0.01	<0.17	39.93	0.81	19.06	13.51	68.6	245	13.1	8.6	472	2.29	8.2	1.4	2.9	9.9	44.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828325	Drill Core	0.26	0.26	0.14	26	0.58	0.065	27.0	25.3	1.35	292.2	0.016	1	1.58	0.037	0.37	0.2	5.1	0.13	<0.02	15
1828326	Drill Core	0.23	0.27	0.11	24	0.57	0.065	27.6	22.3	1.21	354.1	0.043	1	1.46	0.037	0.58	<0.1	5.6	0.23	<0.02	8
1828327	Drill Core	0.16	0.28	0.16	23	0.63	0.064	25.2	20.0	1.29	363.1	0.052	<1	1.51	0.031	0.65	<0.1	6.0	0.27	<0.02	6
1828328	Drill Core	0.20	0.25	0.08	21	0.46	0.066	24.3	19.1	1.25	362.1	0.040	1	1.50	0.029	0.58	<0.1	4.8	0.23	<0.02	<5
1828329	Drill Core	0.24	0.24	0.12	21	0.42	0.060	26.6	20.6	1.29	336.1	0.035	<1	1.54	0.032	0.53	0.2	3.9	0.19	<0.02	<5
1828330	Drill Core	0.31	0.21	0.08	21	0.44	0.064	24.4	20.8	1.29	309.9	0.052	<1	1.51	0.028	0.51	0.1	5.0	0.25	<0.02	<5
1828331	Drill Core	0.27	0.29	0.16	17	0.55	0.061	24.9	18.1	1.15	289.3	0.019	<1	1.45	0.025	0.39	0.6	3.4	0.16	<0.02	7
1828332	Drill Core	0.24	0.21	0.21	23	0.50	0.062	23.4	21.8	1.34	317.3	0.023	<1	1.66	0.034	0.38	<0.1	3.9	0.13	<0.02	<5
1828333	Drill Core	0.23	0.20	0.09	24	0.51	0.064	23.1	23.1	1.34	322.9	0.011	1	1.66	0.035	0.35	<0.1	4.5	0.11	<0.02	<5
1828334	Drill Core	0.17	0.21	0.07	25	0.48	0.067	24.0	23.9	1.33	290.7	0.006	<1	1.64	0.025	0.30	0.2	3.4	0.08	<0.02	6
1828335	Drill Core	0.40	0.28	0.18	27	0.86	0.063	24.5	25.8	1.34	299.6	0.023	<1	1.67	0.035	0.37	0.3	4.3	0.12	<0.02	16
1828336	Drill Core	0.28	0.22	0.10	23	1.06	0.064	24.8	23.7	1.25	293.1	0.015	<1	1.59	0.031	0.33	<0.1	3.4	0.11	<0.02	<5
1828337	Drill Core	0.29	0.38	0.09	16	1.21	0.048	19.0	15.2	0.80	251.0	0.013	<1	1.13	0.031	0.30	0.1	4.0	0.13	<0.02	6
1828338	Drill Core	0.25	0.68	0.18	25	0.54	0.061	27.5	24.6	1.16	218.6	0.003	<1	1.57	0.024	0.29	<0.1	3.4	0.12	<0.02	6
1828339	Drill Core	0.14	0.30	0.09	20	0.32	0.063	26.0	18.7	1.22	274.3	0.003	<1	1.56	0.019	0.33	0.1	2.6	0.09	<0.02	<5
1828340	Rock Pulp	0.06	0.11	0.07	89	0.85	0.057	6.6	9.6	0.69	113.1	0.095	2	1.48	0.164	0.20	2.8	2.3	0.05	<0.02	<5
1828341	Drill Core	0.17	0.24	0.13	16	0.30	0.059	24.2	16.1	1.10	279.8	0.006	<1	1.41	0.021	0.33	<0.1	2.5	0.09	<0.02	<5
1828342	Drill Core	0.36	0.35	0.11	16	0.77	0.055	23.9	17.0	0.98	302.1	0.011	<1	1.41	0.031	0.42	0.2	3.8	0.12	<0.02	13
1828343	Drill Core	0.40	0.35	0.09	12	0.81	0.063	20.0	11.4	0.85	316.3	0.008	<1	1.25	0.014	0.45	0.2	2.8	0.13	0.08	<5
1828344	Drill Core	0.25	0.32	0.07	7	0.79	0.042	24.3	6.5	0.57	306.7	0.005	1	0.95	0.020	0.41	0.1	2.3	0.10	<0.02	<5
1828345	Drill Core	0.39	0.36	0.13	6	1.11	0.047	22.8	6.2	0.59	291.7	0.004	<1	0.92	0.015	0.39	0.3	2.2	0.10	<0.02	17
1828346	Drill Core	0.48	0.37	0.15	15	0.97	0.066	27.3	15.3	0.97	292.0	0.010	<1	1.38	0.018	0.39	0.2	3.8	0.13	<0.02	7
1828347	Drill Core	0.55	0.40	0.03	16	1.30	0.066	27.5	16.7	0.81	353.5	0.013	1	1.34	0.030	0.44	0.1	4.1	0.14	<0.02	15
1828348	Drill Core	0.50	0.28	<0.02	14	1.57	0.067	27.6	15.5	0.78	335.3	0.012	<1	1.28	0.023	0.43	0.1	3.8	0.12	<0.02	6
1828349	Drill Core	0.49	0.28	0.11	14	1.53	0.070	29.5	15.1	0.75	409.9	0.009	<1	1.35	0.019	0.51	0.2	3.2	0.12	<0.02	<5
1828350	Drill Core	0.34	0.27	0.13	12	1.15	0.054	22.4	12.7	0.76	326.9	0.004	<1	1.17	0.023	0.39	0.2	3.2	0.11	<0.02	<5
1828351	Drill Core	0.55	0.34	0.14	17	1.54	0.068	25.2	18.4	0.82	322.4	0.008	1	1.32	0.035	0.38	0.2	4.1	0.12	<0.02	<5
1828352	Drill Core	0.83	1.02	0.10	22	1.24	0.069	26.7	21.0	0.80	297.6	0.014	2	1.41	0.031	0.36	0.7	5.7	0.16	<0.02	6
1828353	Drill Core	0.37	0.33	0.04	17	1.14	0.066	17.5	14.7	0.87	303.7	0.024	1	1.29	0.019	0.44	0.2	4.6	0.15	0.04	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000028.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828325	Drill Core	<0.1	0.04	6.3	1.06	<0.1	0.23	<0.02	15.7	0.4	<0.05	8.0	7.45	52.9	0.03	<1	0.6	14.8	<10	4
1828326	Drill Core	<0.1	<0.02	5.8	2.17	<0.1	0.24	<0.02	28.2	0.5	<0.05	7.8	6.67	53.6	0.02	<1	0.6	12.1	10	4
1828327	Drill Core	<0.1	<0.02	5.6	2.02	<0.1	0.27	0.02	31.8	0.4	<0.05	8.8	6.66	49.2	0.02	<1	0.4	11.3	<10	3
1828328	Drill Core	<0.1	<0.02	5.9	1.62	<0.1	0.26	<0.02	27.0	0.4	<0.05	8.2	5.68	47.7	0.02	<1	0.5	11.7	<10	<2
1828329	Drill Core	<0.1	0.02	5.9	1.81	<0.1	0.27	<0.02	24.2	0.4	<0.05	8.2	6.44	51.2	<0.02	<1	0.4	12.8	<10	<2
1828330	Drill Core	<0.1	<0.02	5.5	3.04	<0.1	0.32	<0.02	28.2	0.4	<0.05	9.9	4.93	47.0	0.02	<1	0.4	11.0	<10	<2
1828331	Drill Core	<0.1	0.03	4.9	2.23	<0.1	0.28	<0.02	18.5	0.3	<0.05	8.6	5.63	46.6	<0.02	<1	0.4	13.3	<10	<2
1828332	Drill Core	<0.1	<0.02	6.0	0.88	<0.1	0.31	<0.02	15.5	0.4	<0.05	9.2	4.57	45.1	0.03	<1	0.8	15.3	<10	<2
1828333	Drill Core	<0.1	<0.02	6.4	0.75	<0.1	0.23	<0.02	13.2	0.5	<0.05	8.2	4.95	44.5	0.03	<1	0.6	15.7	14	2
1828334	Drill Core	<0.1	<0.02	6.3	0.88	<0.1	0.22	<0.02	11.7	0.9	<0.05	8.6	6.17	45.9	0.03	<1	0.4	17.7	<10	<2
1828335	Drill Core	<0.1	<0.02	6.5	1.67	<0.1	0.24	<0.02	16.3	0.6	<0.05	9.2	6.03	47.4	0.02	<1	0.3	14.3	<10	<2
1828336	Drill Core	<0.1	<0.02	6.0	1.36	<0.1	0.27	<0.02	16.4	0.4	<0.05	9.8	6.08	47.3	0.03	<1	0.6	12.5	14	<2
1828337	Drill Core	<0.1	<0.02	4.2	2.09	<0.1	0.23	<0.02	15.8	0.7	<0.05	7.5	4.66	35.9	0.03	<1	0.4	9.7	11	<2
1828338	Drill Core	<0.1	0.02	6.4	3.67	<0.1	0.24	<0.02	16.0	0.6	<0.05	8.7	6.45	53.0	0.02	<1	0.4	17.8	<10	<2
1828339	Drill Core	<0.1	<0.02	6.3	1.20	<0.1	0.24	<0.02	13.4	0.3	<0.05	9.4	6.11	49.8	<0.02	<1	0.4	20.3	16	<2
1828340	Rock Pulp	<0.1	<0.02	4.3	0.30	<0.1	0.08	0.05	6.3	0.2	<0.05	1.5	4.16	13.6	<0.02	<1	0.1	6.3	<10	<2
1828341	Drill Core	<0.1	<0.02	5.2	0.94	<0.1	0.29	<0.02	13.1	0.2	<0.05	10.1	5.26	46.6	<0.02	<1	0.4	15.7	<10	<2
1828342	Drill Core	<0.1	<0.02	4.4	1.56	<0.1	0.25	<0.02	18.0	0.3	<0.05	9.0	5.73	46.0	<0.02	<1	0.6	16.1	<10	<2
1828343	Drill Core	0.1	<0.02	3.7	1.22	<0.1	0.33	<0.02	19.7	0.2	<0.05	12.3	5.82	38.8	<0.02	1	0.4	13.6	<10	<2
1828344	Drill Core	0.1	0.05	2.9	1.30	<0.1	0.23	<0.02	16.0	0.6	<0.05	7.6	5.53	45.1	<0.02	<1	0.7	9.4	<10	<2
1828345	Drill Core	<0.1	0.06	2.6	0.88	<0.1	0.21	<0.02	14.6	0.2	<0.05	7.8	5.76	44.1	<0.02	<1	0.4	8.5	<10	3
1828346	Drill Core	<0.1	<0.02	4.0	1.63	<0.1	0.18	<0.02	16.9	0.3	<0.05	7.6	6.42	52.1	<0.02	<1	0.5	12.3	<10	<2
1828347	Drill Core	0.1	<0.02	4.3	1.45	<0.1	0.11	<0.02	17.2	0.3	<0.05	4.0	6.97	52.1	0.04	<1	0.4	10.4	<10	4
1828348	Drill Core	<0.1	<0.02	3.7	1.24	<0.1	0.06	<0.02	15.6	0.4	<0.05	2.4	7.92	53.0	0.03	<1	0.3	9.3	<10	<2
1828349	Drill Core	<0.1	<0.02	4.0	0.81	<0.1	0.04	0.03	16.7	0.5	<0.05	1.1	8.39	55.4	0.02	<1	0.3	9.7	<10	2
1828350	Drill Core	0.1	0.18	3.6	0.59	<0.1	0.04	<0.02	12.8	0.3	<0.05	1.3	7.33	42.6	0.02	<1	0.3	10.0	<10	<2
1828351	Drill Core	<0.1	<0.02	4.5	0.76	<0.1	0.03	<0.02	12.9	0.3	<0.05	1.2	8.15	47.9	<0.02	<1	0.3	10.6	<10	2
1828352	Drill Core	0.4	0.04	4.8	2.68	<0.1	0.04	<0.02	15.4	0.7	<0.05	1.1	8.86	50.9	0.03	1	0.6	12.1	<10	<2
1828353	Drill Core	0.2	<0.02	3.9	1.51	<0.1	0.11	<0.02	18.2	0.4	<0.05	3.7	5.49	34.2	<0.02	<1	0.5	9.0	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000028.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1828301	Drill Core	2.41	441	0.006	<0.01	<0.17	30.10	0.67	6.96	24.16	39.0	255	3.2	3.9	341	1.26	1.3	1.3	1.6	13.2	50.9
REP 1828301	QC	0.006																			
1828303	Drill Core	5.32	510	<0.005	<0.01	<0.17	48.23	0.23	5.33	19.14	17.2	262	0.8	0.9	88	0.45	1.2	1.2	<0.2	15.7	6.6
REP 1828303	QC	0.006																			
1828316	Drill Core	3.85	450	0.010	<0.01	<0.17	39.30	1.17	20.58	17.36	72.3	397	16.8	7.0	422	2.39	4.3	0.8	4.3	10.6	16.4
REP 1828316	QC	1.22 20.40 17.15 72.5 404 16.8 7.4 424 2.39 4.4 0.8 3.5 10.7 16.7																			
1828346	Drill Core	3.54	381	0.051	0.05	<0.17	25.26	1.42	19.72	15.55	68.2	379	23.9	9.7	544	2.34	7.2	1.8	77.9	10.5	48.1
REP 1828346	QC	1.39 19.84 15.66 67.4 377 23.5 9.6 543 2.36 7.5 1.8 44.2 10.7 48.8																			
Core Reject Duplicates																					
1828317	Drill Core	2.46	447	0.008	<0.01	<0.17	37.97	1.27	20.26	19.33	66.5	275	10.2	7.1	460	2.35	5.7	0.9	2.0	11.3	16.3
DUP 1828317	QC	467 0.008 <0.01 <0.17 22.28 1.24 20.53 19.75 68.9 294 10.2 7.3 459 2.32 7.0 0.8 2.6 11.4 16.2																			
1828351	Drill Core	3.82	404	0.011	0.01	<0.17	26.54	1.10	17.20	12.37	68.1	316	11.1	7.5	553	2.29	19.5	1.8	9.9	9.4	62.6
DUP 1828351	QC	437 0.011 0.01 <0.17 34.26 1.14 17.12 12.28 69.0 319 11.3 7.6 557 2.30 20.1 1.8 8.3 9.5 63.3																			
Reference Materials																					
STD BVGEO01	Standard	10.83 4355.35 182.11 1692.1 2593 165.8 24.2 730 3.63 117.1 3.7 224.6 14.7 56.7																			
STD DS11	Standard	14.31 156.00 131.89 326.7 1665 79.6 14.0 1041 3.09 42.7 2.5 95.5 7.2 63.7																			
STD OREAS262	Standard	0.66 122.02 55.50 144.4 440 65.6 28.3 542 3.32 35.7 1.2 57.5 8.8 34.8																			
STD OREAS262	Standard	0.63 116.69 55.25 146.1 459 62.5 27.6 534 3.20 35.5 1.2 68.7 9.3 35.3																			
STD OXC145	Standard	0.215																			
STD OXH139	Standard	1.312																			
STD OXN134	Standard	7.579																			
STD OXQ90	Standard	25.29 29.70																			
STD OXQ90	Standard	24.98 30.22																			
STD OXQ90	Standard	25.67 30.19																			
STD OXQ90	Standard	25.01 30.07																			
STD OXQ90 Expected		24.88																			
STD DS11 Expected		14.6 149 138 345 1710 77.7 14.2 1055 3.1 42.8 2.59 79 7.65 67.3																			
STD BVGEO01 Expected		11.2 4502 187 1712 2530 163 25 706 3.7 121 3.67 214 13.6 55																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000028.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828301	Drill Core	0.24	0.19	0.18	5	0.77	0.037	30.6	4.5	0.49	315.6	0.014	1	0.79	0.030	0.44	0.2	1.7	0.15	<0.02	<5
REP 1828301	QC																				
1828303	Drill Core	0.06	0.16	0.12	<1	0.06	0.010	34.8	1.5	0.21	209.7	0.006	<1	0.54	0.026	0.41	0.5	1.0	0.10	<0.02	<5
REP 1828303	QC																				
1828316	Drill Core	0.23	0.16	0.25	19	0.21	0.060	24.1	21.5	1.30	314.9	0.047	<1	1.49	0.023	0.52	0.2	2.5	0.21	<0.02	<5
REP 1828316	QC	0.21	0.15	0.25	20	0.21	0.059	23.5	21.7	1.32	317.7	0.048	<1	1.51	0.024	0.53	0.3	2.5	0.21	<0.02	<5
1828346	Drill Core	0.48	0.37	0.15	15	0.97	0.066	27.3	15.3	0.97	292.0	0.010	<1	1.38	0.018	0.39	0.2	3.8	0.13	<0.02	7
REP 1828346	QC	0.51	0.39	0.14	15	0.98	0.067	28.1	15.5	0.98	301.2	0.010	<1	1.40	0.018	0.40	0.1	3.6	0.12	<0.02	11
Core Reject Duplicates																					
1828317	Drill Core	0.35	0.18	0.13	16	0.26	0.057	28.6	17.4	1.13	264.6	0.010	<1	1.41	0.037	0.32	0.2	2.7	0.11	<0.02	<5
DUP 1828317	QC	0.36	0.22	0.26	16	0.26	0.057	29.1	17.2	1.14	259.9	0.010	<1	1.38	0.026	0.30	0.2	2.4	0.10	<0.02	<5
1828351	Drill Core	0.55	0.34	0.14	17	1.54	0.068	25.2	18.4	0.82	322.4	0.008	1	1.32	0.035	0.38	0.2	4.1	0.12	<0.02	<5
DUP 1828351	QC	0.55	0.35	0.14	17	1.55	0.070	25.1	18.5	0.83	321.9	0.007	<1	1.33	0.035	0.38	0.3	4.1	0.11	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.29	3.77	23.55	73	1.30	0.074	26.1	187.2	1.30	275.6	0.230	3	2.37	0.189	0.88	5.1	6.0	0.61	0.67	99
STD DS11	Standard	2.39	7.84	11.47	50	1.02	0.071	17.6	59.0	0.86	357.5	0.093	7	1.17	0.070	0.40	3.0	3.2	4.73	0.27	263
STD OREAS262	Standard	0.64	4.18	0.99	22	3.08	0.040	16.2	44.2	1.16	248.2	0.003	3	1.33	0.068	0.31	0.2	3.2	0.45	0.26	157
STD OREAS262	Standard	0.67	5.63	0.96	22	2.89	0.039	17.0	44.3	1.18	247.7	0.003	4	1.42	0.068	0.32	0.2	3.4	0.46	0.27	136
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.25	3.39	24.3	73	1.3219	0.0727	25.9	171	1.3175	260	0.2128	6.7	2.2628	0.1924	0.8669	5.3	5.97	0.62	0.6739	100



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 17, 2019

Page:

1 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000028.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828301	Drill Core	<0.1	<0.02	3.1	0.59	<0.1	0.37	<0.02	18.5	0.4	<0.05	12.4	5.76	55.5	<0.02	<1	0.2	6.6	<10	<2
REP 1828301	QC																			
1828303	Drill Core	<0.1	<0.02	1.9	0.21	<0.1	0.55	0.07	13.3	0.3	<0.05	15.7	5.45	66.5	<0.02	<1	0.3	2.7	<10	3
REP 1828303	QC																			
1828316	Drill Core	<0.1	<0.02	5.2	1.31	<0.1	0.47	0.06	28.7	0.3	<0.05	19.5	5.85	43.8	<0.02	<1	0.4	11.3	<10	<2
REP 1828316	QC	<0.1	<0.02	5.2	1.26	<0.1	0.55	0.04	28.7	0.3	<0.05	20.7	6.05	43.8	<0.02	<1	0.4	11.6	<10	3
1828346	Drill Core	<0.1	<0.02	4.0	1.63	<0.1	0.18	<0.02	16.9	0.3	<0.05	7.6	6.42	52.1	<0.02	<1	0.5	12.3	<10	<2
REP 1828346	QC	<0.1	<0.02	3.9	1.69	<0.1	0.23	<0.02	17.2	0.4	<0.05	8.7	6.40	53.4	<0.02	<1	0.3	12.0	<10	<2
Core Reject Duplicates																				
1828317	Drill Core	<0.1	<0.02	5.7	0.99	<0.1	0.35	<0.02	13.7	0.3	<0.05	12.6	5.54	53.7	<0.02	<1	0.4	11.8	<10	<2
DUP 1828317	QC	<0.1	<0.02	5.6	1.04	<0.1	0.34	<0.02	13.8	0.3	<0.05	12.7	5.58	53.5	<0.02	<1	0.4	12.2	<10	<2
1828351	Drill Core	<0.1	<0.02	4.5	0.76	<0.1	0.03	<0.02	12.9	0.3	<0.05	1.2	8.15	47.9	<0.02	<1	0.3	10.6	<10	2
DUP 1828351	QC	<0.1	0.02	4.7	0.80	<0.1	0.02	<0.02	13.1	0.4	<0.05	1.3	8.31	47.5	0.02	<1	0.3	9.9	<10	3
Reference Materials																				
STD BVGEO01	Standard	4.6	1.06	7.4	7.16	0.1	0.34	0.28	93.0	5.4	<0.05	8.5	14.08	52.9	0.41	3	0.7	21.1	164	193
STD DS11	Standard	2.0	4.50	5.0	2.83	<0.1	0.07	1.52	32.9	1.7	<0.05	3.5	7.73	35.6	0.22	47	0.6	22.7	106	165
STD OREAS262	Standard	0.3	0.20	4.0	2.57	<0.1	0.23	<0.02	17.8	0.5	<0.05	9.3	10.63	32.0	0.04	1	1.1	18.0	<10	<2
STD OREAS262	Standard	0.2	0.23	3.9	2.97	<0.1	0.26	<0.02	19.2	0.5	<0.05	9.4	10.57	33.8	0.03	1	1.3	17.2	10	<2
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		5.09	1.1	7.65	7.36	0.15	0.32	0.3	95	5.64		10.2	14.5	53	0.45	4	0.69	21.4	134	182



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000028.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		399	<0.005	<0.01	<0.17	42.33	0.94	5.22	1.41	31.3	13	0.7	3.7	488	1.89	1.2	0.5	<0.2	2.5	23.9
ROCK-WHI	Prep Blank		404	0.005	<0.01	<0.17	39.44	0.92	1.99	1.34	29.9	8	1.0	4.0	481	1.97	1.5	0.5	<0.2	2.5	27.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000028.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	10
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	25	0.63	0.040	6.8	2.0	0.45	65.3	0.076	2	0.98	0.124	0.12	<0.1	3.1	<0.02	<0.02	10
ROCK-WHI	Prep Blank	<0.01	0.03	<0.02	26	0.66	0.047	7.7	2.1	0.44	75.2	0.092	3	1.03	0.137	0.13	<0.1	3.6	<0.02	<0.02	10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 17, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000028.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.19	<0.1	0.12	0.17	2.6	0.3	<0.05	2.9	8.78	13.1	<0.02	<1	0.3	2.6	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.24	<0.1	0.17	0.22	3.0	0.4	<0.05	4.0	9.73	15.2	<0.02	<1	0.3	2.7	<10