



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 04, 2019
Report Date: June 21, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000032.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-05
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832001	Drill Core	4.48	420	<0.005	<0.01	<0.17	23.30	0.44	3.50	13.87	21.8	250	1.2	1.3	84	0.95	4.5	1.0	9.7	10.0	11.6
1832002	Drill Core	2.60	456	<0.005	<0.01	<0.17	51.78	0.42	7.19	16.25	31.3	333	1.6	2.3	111	1.46	5.2	1.4	0.4	9.9	17.2
1832003	Drill Core	4.76	419	<0.005	<0.01	<0.17	38.76	0.51	3.29	9.92	30.9	215	1.4	2.3	357	1.08	5.9	0.7	0.4	7.0	58.7
1832004	Drill Core	3.39	450	<0.005	<0.01	<0.17	28.48	0.44	5.99	9.10	42.6	236	1.7	3.5	208	1.29	2.8	0.8	0.8	6.7	32.9
1832005	Drill Core	4.48	420	<0.005	<0.01	<0.17	31.42	0.39	8.00	11.78	32.5	352	1.2	2.4	110	1.02	4.7	0.9	0.2	7.5	9.6
1832006	Drill Core	2.00	563	<0.005	<0.01	<0.17	36.26	0.45	1.73	3.89	19.7	177	0.8	0.7	117	0.80	1.6	0.5	<0.2	2.8	4.3
1832007	Drill Core	4.99	487	<0.005	<0.01	<0.17	24.34	0.44	7.28	10.47	65.4	188	1.5	3.3	489	1.81	6.9	1.6	0.4	8.3	143.5
1832008	Drill Core	3.96	434	<0.005	<0.01	<0.17	23.49	0.30	4.06	9.53	55.7	194	1.5	2.2	238	1.50	4.0	1.0	<0.2	6.0	46.8
1832009	Drill Core	4.13	384	<0.005	<0.01	<0.17	40.36	0.27	4.13	6.94	62.4	213	1.7	3.2	272	1.71	2.4	0.8	<0.2	6.0	48.7
1832010	Drill Core	4.32	384	<0.005	<0.01	<0.17	24.08	0.65	5.69	8.86	68.6	298	2.1	2.6	263	1.78	5.8	0.9	<0.2	8.0	70.0
1832011	Drill Core	4.36	387	<0.005	<0.01	<0.17	34.13	0.34	4.17	11.30	70.2	314	1.8	1.6	128	1.27	4.8	0.9	0.4	8.4	25.9
1832012	Drill Core	3.43	426	<0.005	<0.01	<0.17	32.29	0.32	2.66	17.33	72.7	205	0.5	0.5	105	1.09	1.0	1.2	<0.2	9.2	13.3
1832013	Drill Core	3.51	442	<0.005	<0.01	<0.17	22.67	0.47	10.75	25.27	112.8	745	0.6	0.6	94	1.06	3.0	1.1	0.6	9.2	18.6
1832014	Drill Core	3.28	516	<0.005	<0.01	<0.17	28.47	0.36	7.64	17.83	87.9	730	0.4	0.6	95	0.95	2.8	1.1	1.3	8.9	19.8
1832015	Drill Core	3.93	469	<0.005	<0.01	<0.17	33.88	0.29	3.64	14.73	58.3	297	0.4	0.5	59	0.87	2.5	0.8	1.2	8.8	17.5
1832016	Drill Core	4.37	400	<0.005	<0.01	<0.17	48.36	0.32	14.00	23.04	61.6	1669	0.3	0.4	62	0.87	1.6	0.9	0.3	9.1	42.1
1832017	Drill Core	5.06	494	<0.005	<0.01	<0.17	40.64	1.01	4.92	16.42	61.0	426	0.2	0.3	79	0.79	0.2	1.3	<0.2	8.8	80.7
1832018	Drill Core	4.72	449	<0.005	<0.01	<0.17	23.94	0.40	2.91	11.63	54.7	193	0.4	0.4	111	0.96	1.7	1.1	<0.2	8.2	127.3
1832019	Drill Core	4.27	537	<0.005	<0.01	<0.17	28.66	0.42	1.97	7.91	45.6	233	0.3	0.4	74	0.82	1.0	0.9	<0.2	8.9	61.1
1832020	Rock Pulp	0.14	89	0.432	I.S.	I.S.	I.S.	2.26	395.44	19.42	51.5	301	614.6	23.8	428	2.49	20.2	0.6	459.5	1.8	60.0
1832021	Drill Core	3.69	460	<0.005	<0.01	<0.17	32.68	0.27	3.54	13.87	50.5	242	0.5	0.4	79	0.92	2.2	0.9	<0.2	8.6	31.1
1832022	Drill Core	4.28	378	<0.005	<0.01	<0.17	27.36	0.42	4.66	17.91	68.0	236	0.6	0.6	66	0.97	3.0	1.4	0.9	9.6	20.1
1832023	Drill Core	4.77	395	<0.005	<0.01	<0.17	39.46	0.33	3.15	15.51	30.6	330	0.4	0.4	63	0.72	2.7	1.5	0.9	7.8	39.5
1832024	Drill Core	3.45	438	<0.005	<0.01	<0.17	43.94	0.40	7.30	14.64	31.9	498	0.2	0.3	46	0.70	1.7	1.0	<0.2	8.7	49.7
1832025	Drill Core	4.57	535	<0.005	<0.01	<0.17	49.08	0.34	5.04	14.03	41.8	337	0.3	0.4	55	0.83	2.6	1.1	0.6	9.6	61.9
1832026	Drill Core	4.13	540	<0.005	<0.01	<0.17	47.07	0.37	1.13	7.63	36.0	151	0.3	0.4	69	0.74	2.2	1.0	<0.2	8.4	50.7
1832027	Drill Core	1.96	431	<0.005	<0.01	<0.17	42.12	0.37	2.95	20.31	33.8	448	0.4	0.3	76	0.82	2.0	0.8	<0.2	5.7	21.1
1832028	Drill Core	3.94	539	<0.005	<0.01	<0.17	45.52	0.82	1.74	8.55	28.2	141	0.3	0.3	66	0.75	2.3	0.9	0.6	9.1	51.4
1832029	Drill Core	3.99	491	<0.005	<0.01	<0.17	57.01	1.20	0.86	9.46	22.9	156	0.4	0.5	94	0.73	4.9	1.2	0.7	8.6	141.3
1832030	Drill Core	4.59	376	<0.005	<0.01	<0.17	45.02	1.00	1.86	13.14	31.5	200	0.2	0.3	133	0.78	5.7	1.3	<0.2	8.4	83.6



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832001	Drill Core	0.21	0.44	0.15	3	0.08	0.018	21.0	2.0	0.10	572.6	0.003	2	0.52	0.025	0.36	0.3	3.7	0.06	<0.02	24			
1832002	Drill Core	0.41	0.39	0.12	4	0.10	0.020	29.0	1.9	0.26	1202.8	0.002	2	0.82	0.014	0.49	0.2	6.1	0.08	<0.02	10			
1832003	Drill Core	0.31	0.45	0.04	5	1.06	0.032	22.6	1.9	0.11	538.5	0.003	1	0.48	0.039	0.27	0.2	5.1	0.05	0.08	62			
1832004	Drill Core	0.30	0.36	0.04	8	0.48	0.037	24.4	2.6	0.15	465.6	0.008	1	0.63	0.066	0.30	0.1	5.8	0.06	0.03	50			
1832005	Drill Core	0.20	0.34	0.02	4	0.10	0.033	25.4	1.7	0.10	619.1	0.002	1	0.59	0.045	0.35	<0.1	4.1	0.08	<0.02	57			
1832006	Drill Core	0.07	0.29	0.04	2	0.04	0.009	9.7	3.0	0.09	263.7	<0.001	1	0.34	0.006	0.16	0.2	1.7	0.06	<0.02	7			
1832007	Drill Core	0.53	0.60	0.08	6	1.22	0.021	31.1	1.6	0.37	1063.2	0.001	1	1.08	0.023	0.29	<0.1	5.2	0.11	0.04	19			
1832008	Drill Core	0.20	0.76	0.08	5	0.29	0.029	18.1	2.1	0.57	631.5	0.003	1	1.23	0.032	0.23	0.1	4.0	0.10	<0.02	22			
1832009	Drill Core	0.16	0.45	0.07	7	0.45	0.038	17.2	2.2	0.82	859.2	0.002	1	1.39	0.026	0.25	0.2	4.5	0.09	<0.02	5			
1832010	Drill Core	0.24	0.41	0.10	6	0.65	0.029	25.4	2.5	0.93	1196.3	0.002	1	1.48	0.027	0.25	<0.1	5.0	0.10	0.02	14			
1832011	Drill Core	0.11	0.53	0.11	3	0.11	0.019	29.3	2.3	0.62	1095.3	<0.001	1	1.06	0.027	0.23	0.5	4.3	0.10	<0.02	26			
1832012	Drill Core	0.09	0.80	0.07	1	0.05	0.007	30.6	1.5	0.50	561.2	<0.001	2	0.93	0.036	0.24	0.3	4.1	0.09	<0.02	71			
1832013	Drill Core	0.13	0.66	0.06	1	0.07	0.008	31.9	1.8	0.27	489.2	<0.001	<1	0.75	0.033	0.17	0.3	4.1	0.06	<0.02	51			
1832014	Drill Core	0.12	0.44	0.06	<1	0.05	0.007	26.5	1.4	0.31	976.8	<0.001	1	0.80	0.028	0.22	0.2	3.6	0.06	<0.02	169			
1832015	Drill Core	0.11	0.43	0.06	<1	0.05	0.007	31.7	1.4	0.18	1020.8	<0.001	1	0.65	0.025	0.24	0.3	4.3	0.07	<0.02	177			
1832016	Drill Core	0.18	0.80	0.11	<1	0.18	0.006	32.3	1.4	0.12	1460.5	<0.001	1	0.61	0.029	0.29	0.4	4.6	0.07	0.03	194			
1832017	Drill Core	0.20	0.43	0.09	<1	0.69	0.007	35.1	1.5	0.15	572.6	<0.001	1	0.62	0.030	0.26	<0.1	4.7	0.05	0.02	53			
1832018	Drill Core	0.26	0.29	0.06	<1	1.36	0.006	30.9	1.4	0.19	370.5	<0.001	<1	0.70	0.034	0.25	0.1	4.5	0.06	<0.02	28			
1832019	Drill Core	0.19	0.16	0.08	<1	0.63	0.006	33.5	1.4	0.18	434.8	<0.001	1	0.67	0.032	0.26	<0.1	4.4	0.06	<0.02	19			
1832020	Rock Pulp	0.21	0.29	0.36	48	1.23	0.032	4.1	86.0	1.74	76.1	0.059	4	1.89	0.181	0.14	1.2	3.0	0.09	0.20	25			
1832021	Drill Core	0.28	0.32	0.06	<1	0.22	0.006	30.4	1.9	0.11	421.7	<0.001	1	0.61	0.035	0.26	<0.1	4.1	0.06	<0.02	21			
1832022	Drill Core	0.25	0.55	0.07	<1	0.11	0.007	30.9	1.9	0.17	460.2	<0.001	<1	0.65	0.033	0.29	0.1	5.5	0.07	<0.02	22			
1832023	Drill Core	0.13	0.89	0.08	<1	0.26	0.007	28.7	1.7	0.07	679.3	0.002	1	0.47	0.041	0.28	0.2	4.2	0.08	0.03	17			
1832024	Drill Core	0.16	0.58	0.08	<1	0.38	0.006	29.0	1.7	0.06	659.8	<0.001	1	0.46	0.037	0.25	0.2	4.1	0.06	0.03	26			
1832025	Drill Core	0.24	0.76	0.06	<1	0.40	0.006	32.8	1.7	0.08	767.8	<0.001	<1	0.56	0.035	0.29	0.2	5.2	0.08	<0.02	41			
1832026	Drill Core	0.08	0.31	0.09	<1	0.41	0.006	31.8	1.7	0.09	679.6	<0.001	<1	0.53	0.031	0.28	<0.1	4.4	0.06	<0.02	41			
1832027	Drill Core	0.11	0.30	0.19	<1	0.25	0.011	22.5	2.3	0.09	376.7	<0.001	<1	0.49	0.027	0.24	0.5	3.8	0.08	<0.02	96			
1832028	Drill Core	0.15	0.27	0.07	<1	0.50	0.007	34.2	1.4	0.11	588.0	<0.001	1	0.63	0.024	0.34	<0.1	4.5	0.08	0.02	65			
1832029	Drill Core	0.22	0.35	0.09	<1	1.37	0.006	31.9	1.8	0.10	1180.4	<0.001	1	0.57	0.024	0.32	<0.1	4.8	0.14	0.08	64			
1832030	Drill Core	0.29	0.48	0.12	<1	0.85	0.007	31.8	1.6	0.10	615.8	<0.001	1	0.57	0.027	0.33	<0.1	4.4	0.15	0.07	50			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832001	Drill Core	<0.1	<0.02	1.9	0.51	<0.1	0.10	<0.02	14.1	0.5	<0.05	4.1	12.53	51.3	0.04	<1	0.3	6.1	<10	<2
1832002	Drill Core	<0.1	<0.02	2.5	0.48	<0.1	0.06	<0.02	16.8	0.3	<0.05	2.4	16.77	62.4	0.05	<1	0.5	10.5	<10	<2
1832003	Drill Core	<0.1	<0.02	2.2	0.78	<0.1	0.05	<0.02	10.9	0.3	<0.05	2.0	15.63	42.2	0.02	<1	0.2	7.5	<10	<2
1832004	Drill Core	<0.1	<0.02	3.0	0.95	<0.1	0.12	<0.02	12.0	0.3	<0.05	4.9	14.91	44.0	0.03	<1	0.3	8.2	<10	<2
1832005	Drill Core	<0.1	<0.02	2.0	1.02	<0.1	0.07	<0.02	13.5	0.3	<0.05	2.3	15.37	49.9	0.02	<1	0.4	7.8	<10	<2
1832006	Drill Core	<0.1	<0.02	1.2	0.71	<0.1	<0.02	<0.02	6.7	0.2	<0.05	0.6	6.87	20.0	<0.02	<1	<0.1	5.8	<10	<2
1832007	Drill Core	<0.1	0.02	4.1	1.48	<0.1	0.03	<0.02	11.1	0.8	<0.05	0.7	33.57	58.4	0.03	<1	<0.1	25.7	<10	<2
1832008	Drill Core	<0.1	<0.02	3.9	1.62	<0.1	0.02	<0.02	8.7	0.5	<0.05	0.6	14.99	37.5	0.03	<1	0.2	14.6	<10	<2
1832009	Drill Core	<0.1	<0.02	3.7	1.32	<0.1	<0.02	<0.02	8.2	0.4	<0.05	0.5	12.25	35.6	0.03	<1	0.1	18.6	<10	<2
1832010	Drill Core	<0.1	<0.02	4.1	1.32	<0.1	0.02	<0.02	8.9	0.6	<0.05	0.6	17.50	50.5	0.05	<1	0.3	19.2	<10	<2
1832011	Drill Core	<0.1	<0.02	3.3	1.24	<0.1	<0.02	<0.02	7.9	0.5	<0.05	0.6	17.64	58.7	0.04	<1	0.1	14.1	<10	<2
1832012	Drill Core	<0.1	<0.02	3.1	1.13	<0.1	0.03	<0.02	8.4	0.6	<0.05	1.1	12.73	60.9	0.03	<1	0.2	10.7	<10	<2
1832013	Drill Core	<0.1	<0.02	3.3	1.62	<0.1	<0.02	<0.02	6.3	0.6	<0.05	0.9	18.81	60.6	0.04	<1	0.1	17.9	<10	<2
1832014	Drill Core	<0.1	<0.02	2.8	0.73	<0.1	<0.02	<0.02	7.1	0.4	<0.05	0.8	15.06	58.5	0.04	<1	0.2	26.1	<10	<2
1832015	Drill Core	<0.1	<0.02	2.1	0.76	<0.1	0.02	<0.02	7.6	0.4	<0.05	0.6	20.02	63.0	0.03	<1	0.2	16.4	<10	<2
1832016	Drill Core	<0.1	<0.02	2.3	0.69	<0.1	<0.02	<0.02	8.9	0.4	<0.05	0.6	19.38	63.0	0.04	<1	0.2	10.9	<10	<2
1832017	Drill Core	<0.1	<0.02	2.6	0.53	<0.1	0.02	<0.02	7.5	0.5	<0.05	0.6	24.39	65.0	0.04	<1	0.3	15.3	<10	<2
1832018	Drill Core	<0.1	<0.02	2.9	0.56	<0.1	<0.02	<0.02	7.2	0.4	<0.05	0.6	19.71	58.1	0.03	<1	0.3	20.9	<10	<2
1832019	Drill Core	<0.1	<0.02	2.9	0.51	<0.1	0.02	<0.02	7.9	0.4	<0.05	0.7	21.23	61.4	0.04	<1	0.4	18.5	<10	<2
1832020	Rock Pulp	0.4	0.19	4.3	0.65	<0.1	0.04	<0.02	6.1	0.4	<0.05	1.2	3.25	8.9	<0.02	3	0.2	8.3	276	126
1832021	Drill Core	<0.1	<0.02	2.6	0.77	<0.1	0.03	<0.02	8.5	0.4	<0.05	0.5	19.10	62.0	0.04	<1	0.4	13.3	<10	<2
1832022	Drill Core	<0.1	<0.02	2.8	0.67	<0.1	0.03	<0.02	8.9	0.6	<0.05	0.8	24.11	63.3	0.05	<1	0.2	13.5	<10	<2
1832023	Drill Core	<0.1	<0.02	2.0	0.62	<0.1	<0.02	0.02	8.7	0.5	<0.05	0.7	21.16	57.5	0.04	<1	0.2	5.7	<10	<2
1832024	Drill Core	<0.1	<0.02	1.7	0.44	<0.1	0.03	<0.02	7.7	0.3	<0.05	0.5	17.18	58.6	0.04	<1	0.1	7.5	<10	<2
1832025	Drill Core	<0.1	<0.02	2.1	0.57	<0.1	0.03	<0.02	8.9	0.4	<0.05	0.7	17.52	62.4	0.04	<1	0.2	10.7	<10	<2
1832026	Drill Core	<0.1	<0.02	2.0	0.45	<0.1	0.03	<0.02	7.5	0.3	<0.05	0.7	15.35	61.1	0.04	<1	0.1	11.1	<10	<2
1832027	Drill Core	<0.1	<0.02	1.5	0.60	<0.1	<0.02	<0.02	6.7	0.2	<0.05	0.4	10.69	41.3	0.03	<1	0.1	11.0	<10	<2
1832028	Drill Core	<0.1	<0.02	1.9	0.36	<0.1	<0.02	<0.02	8.1	0.4	<0.05	0.7	14.06	63.2	0.04	<1	0.2	14.3	<10	<2
1832029	Drill Core	<0.1	<0.02	2.0	0.45	<0.1	0.02	<0.02	7.7	0.3	<0.05	0.7	19.27	59.1	0.03	<1	0.2	11.0	<10	<2
1832030	Drill Core	<0.1	<0.02	2.1	0.55	<0.1	0.02	<0.02	8.5	0.4	<0.05	0.7	20.70	58.0	0.02	<1	0.4	9.5	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832031	Drill Core	3.24	392	<0.005	<0.01	<0.17	42.03	1.86	1.28	6.76	20.9	72	0.3	0.2	97	0.72	2.6	1.0	<0.2	8.7	72.9
1832032	Drill Core	4.64	423	<0.005	<0.01	<0.17	38.89	0.74	1.09	14.51	25.1	173	0.3	0.2	61	0.62	2.3	1.4	<0.2	6.5	52.4
1832033	Drill Core	4.48	379	<0.005	<0.01	<0.17	45.37	0.78	1.65	14.88	29.4	202	0.4	0.3	54	0.67	2.4	1.4	0.3	8.5	36.9
1832034	Drill Core	4.01	471	<0.005	<0.01	<0.17	45.89	0.93	2.81	15.13	31.0	211	0.4	0.5	82	0.78	5.8	1.5	6.0	9.8	61.1
1832035	Drill Core	4.19	413	<0.005	<0.01	<0.17	33.22	0.53	2.17	16.11	30.1	168	0.6	0.5	51	0.81	4.8	1.1	0.5	9.6	15.5
1832036	Drill Core	3.10	541	<0.005	<0.01	<0.17	37.92	0.50	2.95	21.09	43.4	338	0.7	0.8	61	0.79	7.5	1.2	2.7	9.4	13.0
1832037	Drill Core	3.58	465	<0.005	<0.01	<0.17	34.16	0.40	4.07	13.81	54.9	141	0.4	0.6	80	0.89	1.7	1.1	2.2	10.4	74.5
1832038	Drill Core	2.55	462	<0.005	<0.01	<0.17	38.40	0.58	1.14	8.89	39.7	143	0.4	0.5	104	0.98	2.6	1.0	1.9	9.9	118.7
1832039	Drill Core	2.83	390	<0.005	<0.01	<0.17	24.97	1.49	1.14	13.83	94.7	321	0.6	0.6	295	1.57	34.0	2.1	1.8	7.1	263.8
1832040	Rock Pulp	0.14	87	<0.005	I.S.	I.S.	I.S.	2.42	98.56	3.94	37.2	119	4.9	9.8	368	2.59	0.8	0.9	3.4	3.1	80.4
1832041	Drill Core	3.88	379	<0.005	<0.01	<0.17	31.45	0.64	0.96	7.32	34.1	111	0.5	0.4	57	0.79	2.9	1.1	1.3	9.0	27.7
1832042	Drill Core	3.53	438	<0.005	<0.01	<0.17	34.37	0.49	1.27	11.68	29.3	116	0.5	0.5	70	0.75	4.4	1.0	0.9	8.9	30.3
1832043	Drill Core	4.65	458	<0.005	<0.01	<0.17	45.70	0.49	0.79	7.44	23.8	94	0.5	0.3	67	0.56	2.0	0.9	1.1	8.7	23.5
1832044	Drill Core	1.43	451	<0.005	<0.01	<0.17	46.31	0.64	2.03	13.29	41.7	131	0.5	0.4	61	0.59	4.5	1.0	1.0	10.3	24.9
1832045	Drill Core	1.49	381	0.005	<0.01	<0.17	37.70	0.65	1.35	10.65	34.1	144	0.5	0.3	57	0.56	6.3	1.1	18.4	8.0	12.6
1832046	Drill Core	2.95	452	<0.005	<0.01	<0.17	32.58	0.62	2.28	11.24	44.3	118	0.5	0.4	78	0.73	4.1	0.9	0.8	8.6	46.5
1832047	Drill Core	3.89	411	<0.005	<0.01	<0.17	23.07	0.67	1.71	7.21	25.1	111	0.5	0.4	71	0.70	1.4	1.1	0.3	8.8	45.6
1832048	Drill Core	3.99	407	<0.005	<0.01	<0.17	39.88	1.63	1.49	10.14	34.1	109	0.3	0.4	96	0.64	6.3	1.6	0.3	9.0	90.7
1832049	Drill Core	2.73	467	<0.005	<0.01	<0.17	29.89	0.35	1.14	6.81	19.2	83	0.3	0.2	63	0.38	1.2	1.3	0.4	7.9	42.5
1832050	Drill Core	2.82	503	0.009	<0.01	<0.17	47.00	0.64	1.07	4.53	12.5	114	0.3	0.3	113	0.46	3.9	1.1	4.2	7.7	76.2
1832051	Drill Core	4.26	356	0.058	0.05	<0.17	21.73	15.36	0.76	4.83	26.6	245	0.4	0.6	289	1.16	6.1	2.4	55.6	9.0	179.1
1832052	Drill Core	5.26	472	0.032	0.03	<0.17	44.41	2.01	1.00	11.74	51.9	156	0.3	0.5	152	0.83	5.8	2.6	27.7	8.2	114.9
1832053	Drill Core	5.11	497	<0.005	<0.01	<0.17	47.96	2.46	0.71	10.23	48.1	74	0.4	0.4	86	0.77	4.8	2.6	0.6	9.1	113.4
1832054	Drill Core	5.28	466	<0.005	<0.01	<0.17	26.51	4.83	1.28	11.46	58.7	120	0.3	0.6	118	0.90	6.0	4.2	1.0	9.4	105.2
1832055	Drill Core	3.16	425	0.007	<0.01	<0.17	49.70	5.86	1.16	10.62	58.1	142	0.4	0.4	146	1.14	2.4	2.4	5.2	9.0	114.4
1832056	Drill Core	2.25	449	0.054	0.05	<0.17	32.39	2.11	4.29	7.38	60.5	287	0.5	0.4	88	0.89	1.7	0.9	61.6	7.4	29.8
1832057	Drill Core	1.83	465	0.014	0.01	<0.17	36.99	0.82	6.52	11.87	79.2	355	0.4	0.6	141	1.00	4.0	1.1	8.0	8.6	61.3
1832058	Drill Core	4.94	462	0.072	0.07	<0.17	24.84	1.20	8.29	19.66	71.5	1390	0.5	0.5	124	0.89	6.2	0.9	84.4	7.0	48.8
1832059	Drill Core	2.00	435	0.011	<0.01	<0.17	50.07	13.20	12.45	24.47	114.3	592	0.3	0.4	160	1.01	4.7	2.1	7.6	9.4	133.0
1832060	Core DUP		393	0.013	0.01	<0.17	51.53	13.33	13.84	25.67	111.5	597	0.6	0.4	150	1.00	5.0	2.1	8.1	9.7	138.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832031	Drill Core	0.26	0.39	0.06	<1	0.79	0.006	32.7	1.9	0.07	580.9	<0.001	1	0.50	0.025	0.31	0.1	4.0	0.07	<0.02	67			
1832032	Drill Core	0.16	0.86	0.09	<1	0.39	0.007	21.3	1.8	0.05	436.7	0.003	1	0.39	0.045	0.23	0.3	3.8	0.07	0.04	51			
1832033	Drill Core	0.14	1.04	0.08	<1	0.24	0.007	30.7	1.8	0.07	613.7	0.002	<1	0.48	0.036	0.29	0.1	4.3	0.10	<0.02	25			
1832034	Drill Core	0.32	0.45	0.11	<1	0.61	0.006	33.4	1.2	0.08	502.6	<0.001	2	0.51	0.031	0.27	0.1	3.7	0.09	0.03	171			
1832035	Drill Core	0.18	0.83	0.09	<1	0.06	0.008	29.6	1.4	0.07	564.3	0.001	2	0.50	0.036	0.29	0.2	4.0	0.08	<0.02	33			
1832036	Drill Core	0.21	0.54	0.08	<1	0.06	0.007	29.6	1.5	0.09	526.8	<0.001	1	0.53	0.027	0.28	0.3	4.0	0.09	<0.02	53			
1832037	Drill Core	0.23	0.29	0.05	<1	0.69	0.007	32.1	1.3	0.16	739.2	<0.001	1	0.66	0.031	0.31	0.1	5.0	0.08	<0.02	89			
1832038	Drill Core	0.26	0.20	0.06	<1	1.20	0.007	32.4	1.3	0.18	754.7	<0.001	1	0.70	0.022	0.32	0.3	4.9	0.08	<0.02	113			
1832039	Drill Core	0.42	0.42	0.07	2	2.72	0.009	24.1	1.5	0.30	437.5	<0.001	<1	0.76	0.043	0.24	0.1	8.2	0.06	0.12	58			
1832040	Rock Pulp	0.08	0.13	0.05	92	0.97	0.072	8.3	11.3	0.77	135.4	0.115	2	1.61	0.192	0.21	3.2	2.9	0.04	<0.02	<5			
1832041	Drill Core	0.10	0.19	0.04	<1	0.20	0.007	31.8	1.5	0.15	741.3	<0.001	2	0.63	0.021	0.35	0.1	3.8	0.07	<0.02	88			
1832042	Drill Core	0.10	0.20	0.05	<1	0.27	0.007	34.4	1.4	0.14	609.4	<0.001	1	0.60	0.022	0.36	<0.1	3.8	0.07	<0.02	88			
1832043	Drill Core	0.07	0.14	0.05	<1	0.21	0.007	30.0	1.4	0.09	605.8	0.001	2	0.48	0.024	0.34	<0.1	3.2	0.05	<0.02	46			
1832044	Drill Core	0.15	0.22	0.04	<1	0.04	0.008	32.1	1.5	0.08	2058.8	<0.001	1	0.51	0.028	0.36	0.1	3.5	0.07	0.04	48			
1832045	Drill Core	0.15	0.26	0.03	<1	0.04	0.006	28.6	1.6	0.06	1237.2	<0.001	2	0.43	0.026	0.31	0.2	2.4	0.06	0.02	46			
1832046	Drill Core	0.17	0.19	0.05	<1	0.36	0.007	29.8	1.5	0.15	521.2	<0.001	2	0.62	0.017	0.37	<0.1	4.6	0.07	<0.02	68			
1832047	Drill Core	0.13	0.19	0.08	<1	0.32	0.008	33.5	1.5	0.13	868.3	<0.001	2	0.58	0.018	0.38	<0.1	4.1	0.07	0.03	70			
1832048	Drill Core	0.22	0.21	0.06	<1	0.71	0.007	31.5	1.3	0.11	478.2	<0.001	2	0.59	0.020	0.42	<0.1	4.9	0.07	0.03	51			
1832049	Drill Core	0.07	0.15	<0.02	<1	0.34	0.007	31.0	1.4	0.04	742.0	<0.001	2	0.34	0.029	0.28	<0.1	2.2	0.05	0.04	33			
1832050	Drill Core	0.11	0.13	<0.02	<1	0.87	0.007	26.0	1.1	0.06	544.8	<0.001	2	0.41	0.025	0.33	<0.1	1.7	0.05	0.16	52			
1832051	Drill Core	0.22	0.15	<0.02	<1	1.30	0.008	20.2	1.1	0.36	349.9	0.001	3	0.81	0.015	0.45	0.2	4.1	0.09	0.38	38			
1832052	Drill Core	0.27	0.12	0.06	<1	1.02	0.006	22.0	1.7	0.26	681.1	0.001	2	0.66	0.013	0.41	<0.1	3.0	0.08	0.17	30			
1832053	Drill Core	0.14	0.17	0.05	<1	1.24	0.006	31.1	1.9	0.20	604.4	0.001	3	0.70	0.013	0.43	<0.1	3.2	0.09	0.07	44			
1832054	Drill Core	0.24	0.20	0.06	<1	1.33	0.007	29.1	1.5	0.25	643.7	0.001	3	0.70	0.014	0.42	<0.1	2.8	0.09	0.09	22			
1832055	Drill Core	0.21	0.18	0.07	<1	1.26	0.007	26.2	1.9	0.40	688.7	0.001	2	0.89	0.011	0.42	<0.1	2.9	0.10	0.07	19			
1832056	Drill Core	0.16	0.20	0.02	<1	0.23	0.005	21.8	2.9	0.22	727.4	0.001	2	0.62	0.022	0.32	0.1	2.1	0.07	0.18	68			
1832057	Drill Core	0.18	0.22	0.05	<1	0.59	0.006	28.8	2.3	0.26	1146.9	0.002	1	0.69	0.047	0.30	<0.1	2.7	0.07	0.11	41			
1832058	Drill Core	0.40	0.42	0.03	<1	0.52	0.005	21.2	2.8	0.17	512.4	0.001	2	0.52	0.027	0.30	<0.1	2.1	0.06	0.19	53			
1832059	Drill Core	0.79	0.22	0.08	<1	1.35	0.006	27.1	1.7	0.34	746.1	0.002	2	0.90	0.006	0.51	0.1	3.1	0.10	0.06	28			
1832060	Core DUP	0.78	0.24	0.09	<1	1.36	0.007	26.6	2.1	0.34	683.2	0.001	2	0.84	0.006	0.46	0.1	3.1	0.09	0.06	28			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1832031	Drill Core	<0.1	<0.02	1.7	0.46	<0.1	<0.02	<0.02	7.3	0.4	<0.05	0.7	16.98	61.3	0.03	<1	0.3	7.9	<10
1832032	Drill Core	<0.1	<0.02	1.5	0.51	<0.1	0.03	0.03	7.2	0.4	<0.05	0.7	17.76	41.3	0.03	<1	0.2	4.6	<10
1832033	Drill Core	<0.1	<0.02	1.9	0.62	<0.1	0.02	0.02	9.2	0.5	<0.05	1.0	18.15	62.4	0.03	<1	<0.1	5.5	<10
1832034	Drill Core	<0.1	<0.02	2.2	0.60	<0.1	0.03	0.03	9.4	0.5	<0.05	1.2	20.31	60.9	0.06	<1	0.3	9.5	<10
1832035	Drill Core	<0.1	<0.02	2.1	0.79	<0.1	0.04	0.03	9.4	0.5	<0.05	1.1	15.16	60.9	0.04	<1	0.3	5.9	<10
1832036	Drill Core	<0.1	<0.02	2.3	1.06	<0.1	0.04	0.03	9.0	0.5	<0.05	1.1	19.70	58.9	0.03	<1	0.3	6.5	<10
1832037	Drill Core	<0.1	<0.02	3.1	0.78	<0.1	0.04	0.02	9.1	0.5	<0.05	1.0	23.21	65.4	0.04	<1	0.3	16.4	13
1832038	Drill Core	<0.1	<0.02	2.9	0.71	<0.1	0.03	<0.02	9.3	0.4	<0.05	0.7	21.44	61.6	0.04	1	0.3	18.1	<10
1832039	Drill Core	<0.1	<0.02	2.8	0.40	<0.1	0.05	<0.02	6.6	0.3	<0.05	1.5	13.40	41.2	0.05	<1	0.3	16.3	<10
1832040	Rock Pulp	<0.1	<0.02	4.6	0.35	<0.1	0.08	0.09	7.2	0.3	<0.05	1.6	5.29	16.3	<0.02	<1	<0.1	6.7	<10
1832041	Drill Core	<0.1	<0.02	2.4	0.44	<0.1	0.03	0.02	8.4	0.4	<0.05	0.9	15.66	60.3	0.03	<1	0.3	14.2	<10
1832042	Drill Core	<0.1	<0.02	2.5	0.53	<0.1	0.03	0.03	8.8	0.4	<0.05	0.9	23.01	66.4	0.04	<1	0.3	11.3	<10
1832043	Drill Core	<0.1	<0.02	1.7	0.61	<0.1	0.04	0.02	8.8	0.3	<0.05	1.2	15.04	56.3	0.04	<1	0.3	6.2	<10
1832044	Drill Core	<0.1	<0.02	2.0	0.93	<0.1	0.04	0.02	9.5	0.4	<0.05	1.4	14.82	62.5	0.03	<1	0.3	3.7	<10
1832045	Drill Core	<0.1	<0.02	1.5	1.47	<0.1	0.03	<0.02	8.4	0.2	<0.05	1.1	10.50	47.4	<0.02	1	0.3	3.3	<10
1832046	Drill Core	<0.1	<0.02	2.1	0.93	<0.1	0.03	<0.02	9.4	0.5	<0.05	0.9	13.84	57.1	0.03	<1	0.3	7.7	<10
1832047	Drill Core	<0.1	<0.02	2.2	1.27	<0.1	0.03	<0.02	10.4	0.5	<0.05	1.1	19.44	58.7	0.04	<1	0.4	6.9	<10
1832048	Drill Core	<0.1	<0.02	2.1	0.95	<0.1	0.04	0.02	10.7	0.4	<0.05	1.4	17.71	60.4	0.05	<1	0.4	5.2	<10
1832049	Drill Core	<0.1	<0.02	1.5	0.87	<0.1	0.04	0.03	8.1	0.2	<0.05	1.3	13.96	55.2	<0.02	<1	0.3	1.6	<10
1832050	Drill Core	<0.1	<0.02	1.6	0.81	<0.1	0.03	0.02	8.9	0.2	<0.05	1.2	6.97	44.8	<0.02	<1	0.2	1.7	<10
1832051	Drill Core	<0.1	0.02	2.5	0.76	<0.1	0.03	<0.02	11.9	0.3	<0.05	1.2	6.54	34.5	0.03	2	0.3	7.9	<10
1832052	Drill Core	<0.1	<0.02	2.1	0.32	<0.1	0.03	0.02	10.1	0.5	<0.05	0.8	7.44	38.2	0.02	<1	0.3	5.8	<10
1832053	Drill Core	<0.1	<0.02	2.4	0.46	<0.1	0.03	0.03	11.7	0.3	<0.05	1.1	10.31	54.0	0.03	<1	0.3	6.7	<10
1832054	Drill Core	<0.1	<0.02	2.2	0.49	<0.1	0.02	0.04	11.9	0.3	<0.05	0.9	11.03	49.0	0.03	2	0.3	7.7	<10
1832055	Drill Core	<0.1	<0.02	2.5	0.54	<0.1	0.02	0.04	12.0	0.3	<0.05	0.9	10.81	46.1	0.03	<1	0.3	9.7	<10
1832056	Drill Core	<0.1	<0.02	2.0	0.49	<0.1	0.02	0.03	9.5	0.3	<0.05	0.8	7.12	38.0	0.02	<1	0.3	5.4	<10
1832057	Drill Core	<0.1	<0.02	2.5	0.40	<0.1	0.03	0.03	9.0	0.3	<0.05	0.8	8.84	48.5	0.03	<1	0.3	6.0	<10
1832058	Drill Core	<0.1	<0.02	1.8	0.35	<0.1	<0.02	0.03	9.1	0.3	<0.05	0.9	7.37	36.0	<0.02	<1	0.2	3.6	<10
1832059	Drill Core	<0.1	<0.02	2.6	0.36	<0.1	0.04	0.04	14.8	0.3	<0.05	1.1	10.87	48.0	0.03	<1	0.4	7.4	<10
1832060	Core DUP	<0.1	<0.02	2.5	0.35	<0.1	0.03	0.03	13.8	0.3	<0.05	1.0	10.90	46.6	0.02	<1	0.3	6.9	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 21, 2019

Page:

4 of 6

Part:

1 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832061	Drill Core	1.76	471	0.280	0.99	8.89	39.04	1.60	5.56	14.69	30.7	522	0.8	0.7	158	0.60	8.1	1.3	195.6	9.2	71.6
1832062	Drill Core	4.41	401	0.036	0.03	<0.17	49.16	0.86	2.16	13.68	14.9	256	0.3	0.3	206	0.40	1.6	1.4	19.1	9.2	81.6
1832063	Drill Core	2.14	436	0.362	0.38	0.65	29.18	1.40	3.15	20.51	46.2	594	0.6	0.4	86	0.58	1.5	0.8	411.6	6.8	23.0
1832064	Drill Core	2.79	406	0.422	0.46	0.76	50.05	1.63	1.95	9.74	20.2	576	0.6	0.4	62	0.68	1.3	0.8	287.1	7.2	16.8
1832065	Drill Core	2.44	532	0.046	0.04	<0.17	42.62	1.07	2.04	13.30	25.2	257	0.5	0.3	65	0.42	1.8	0.9	33.8	7.1	19.4
1832066	Drill Core	3.40	453	0.147	0.16	0.29	44.10	2.65	2.41	62.37	46.8	657	0.5	0.6	92	0.67	4.7	1.0	59.7	6.8	40.2
1832067	Drill Core	2.51	472	0.047	0.10	0.57	48.87	0.79	3.64	69.83	272.7	699	0.4	0.3	75	0.49	1.7	0.7	60.2	6.7	27.1
1832068	Drill Core	2.20	553	0.033	0.03	<0.17	52.29	7.12	2.04	9.34	15.3	217	0.4	0.3	59	0.42	2.6	1.0	46.5	8.1	21.9
1832069	Drill Core	2.16	425	0.083	0.20	1.51	33.75	1.99	3.96	236.84	213.7	1229	0.4	0.4	82	0.74	2.6	1.0	56.8	6.9	29.3
1832070	Drill Core	2.46	433	0.110	0.11	<0.17	24.69	0.56	1.87	12.77	21.4	330	0.6	0.3	52	0.55	4.8	0.4	13.6	5.4	3.5
1832071	Drill Core	2.05	442	0.013	0.01	<0.17	31.34	1.10	1.99	10.79	18.4	266	0.6	0.4	73	0.58	3.6	0.4	8.0	4.9	10.0
1832072	Drill Core	3.76	441	0.011	0.01	<0.17	50.66	1.32	2.01	6.38	18.0	324	0.5	0.5	112	0.59	3.2	0.7	17.4	7.2	22.9
1832073	Drill Core	3.26	440	0.007	<0.01	<0.17	52.30	1.03	2.31	9.31	12.5	215	0.4	0.3	229	0.44	1.6	0.8	3.9	6.6	46.5
1832074	Drill Core	2.63	419	0.046	0.07	0.26	49.96	5.30	4.69	12.79	31.0	616	0.5	0.3	297	0.56	3.0	0.7	18.0	6.3	71.0
1832075	Drill Core	2.13	401	0.145	0.14	<0.17	35.35	2.86	6.97	24.46	61.1	1220	0.3	0.3	500	0.55	2.9	1.3	85.9	7.3	81.9
1832076	Drill Core	2.41	419	0.021	0.02	<0.17	51.28	4.41	1.71	5.98	11.4	263	0.3	0.3	243	0.49	2.3	1.1	13.4	7.2	58.4
1832077	Drill Core	2.34	420	0.042	0.05	<0.17	49.13	2.28	1.58	9.61	19.9	544	0.3	0.3	183	0.36	1.3	1.0	26.4	7.3	59.7
1832078	Drill Core	4.64	459	0.008	<0.01	<0.17	52.09	2.07	6.51	13.40	21.1	340	1.8	1.5	529	0.56	4.0	1.5	3.5	6.8	95.5
1832079	Drill Core	3.87	434	<0.005	<0.01	<0.17	22.01	1.41	1.40	9.30	21.5	153	0.3	0.2	617	0.41	0.4	0.5	<0.2	7.5	90.6
1832080	Rock	0.22	163	<0.005	<0.01	<0.17	15.47	0.57	1.42	1.19	2.5	12	1.5	0.5	92	0.79	0.6	0.2	1.6	1.2	2.5
1832081	Drill Core	5.07	420	0.012	0.01	<0.17	25.82	3.20	3.16	41.18	30.3	528	0.4	0.4	666	0.52	3.6	1.3	8.1	8.0	92.0
1832082	Drill Core	2.26	459	0.010	<0.01	<0.17	49.69	1.40	1.82	15.77	19.9	206	0.2	0.3	387	0.46	3.1	1.8	6.4	7.9	60.9
1832083	Drill Core	2.11	425	0.010	<0.01	<0.17	35.81	1.24	1.25	11.03	17.8	141	0.2	0.2	315	0.37	0.7	1.1	1.6	8.3	55.2
1832084	Drill Core	1.76	419	0.120	0.14	0.27	65.61	1.19	2.54	567.43	219.3	3068	0.2	0.2	322	0.55	0.4	4.9	103.2	7.5	61.2
1832085	Drill Core	2.71	454	0.050	0.07	0.17	57.42	1.55	1.35	9.15	20.2	150	0.2	0.2	231	0.30	0.5	0.9	6.1	8.5	66.4
1832086	Drill Core	2.33	451	0.012	0.05	0.31	51.33	1.25	1.69	13.71	10.6	208	<0.1	0.6	286	0.28	0.7	1.2	6.3	8.3	67.7
1832087	Drill Core	2.08	429	<0.005	<0.01	<0.17	21.89	0.74	1.20	8.20	12.8	159	0.2	0.3	323	0.30	1.6	1.5	<0.2	8.9	47.4
1832088	Drill Core	2.96	442	0.009	<0.01	<0.17	20.06	1.23	0.79	6.17	9.4	125	0.1	0.2	239	0.35	1.0	0.9	1.6	7.1	61.1
1832089	Drill Core	1.97	406	0.019	0.02	<0.17	43.26	0.57	1.54	8.16	14.1	164	0.2	0.3	265	0.39	1.3	1.0	7.5	8.7	37.8
1832090	Drill Core	2.80	422	0.014	0.01	<0.17	51.35	1.10	1.57	9.45	14.0	179	<0.1	0.2	296	0.46	1.5	1.0	4.1	8.2	45.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832061	Drill Core	0.19	0.25	0.05	<1	0.93	0.007	27.6	2.6	0.08	647.8	<0.001	2	0.55	0.013	0.45	<0.1	2.1	0.09	0.21	41			
1832062	Drill Core	0.13	0.14	0.06	<1	1.10	0.008	31.5	1.6	0.03	643.4	0.001	2	0.50	0.032	0.45	<0.1	2.0	0.08	0.09	35			
1832063	Drill Core	0.52	0.27	<0.02	<1	0.29	0.005	20.4	2.2	0.02	265.8	<0.001	2	0.33	0.025	0.38	<0.1	1.3	0.06	0.31	21			
1832064	Drill Core	0.22	0.16	<0.02	<1	0.17	0.006	20.7	2.4	0.02	285.6	0.001	2	0.39	0.028	0.40	<0.1	1.4	0.07	0.38	22			
1832065	Drill Core	0.24	0.14	<0.02	<1	0.22	0.006	21.6	2.3	0.02	357.3	0.001	1	0.30	0.029	0.37	<0.1	1.2	0.06	0.17	15			
1832066	Drill Core	0.73	0.34	0.09	<1	0.43	0.007	21.2	3.0	0.02	222.0	<0.001	3	0.36	0.019	0.41	<0.1	1.2	0.07	0.36	21			
1832067	Drill Core	4.18	0.29	0.15	<1	0.37	0.005	18.6	2.5	0.02	362.6	<0.001	2	0.32	0.024	0.37	<0.1	1.1	0.05	0.25	128			
1832068	Drill Core	0.16	0.20	<0.02	<1	0.25	0.008	25.2	2.4	0.02	283.9	<0.001	3	0.39	0.017	0.43	0.1	1.3	0.07	0.16	19			
1832069	Drill Core	3.58	0.38	0.58	<1	0.35	0.005	16.0	1.3	0.02	278.9	0.001	2	0.33	0.022	0.38	0.1	1.1	0.07	0.47	63			
1832070	Drill Core	0.11	0.26	0.04	<1	0.01	0.005	17.8	1.6	0.02	242.6	<0.001	3	0.26	0.012	0.29	0.1	0.8	0.05	0.08	21			
1832071	Drill Core	0.15	0.16	0.04	<1	0.14	0.004	15.6	1.8	0.03	191.5	<0.001	2	0.27	0.013	0.30	0.1	0.9	0.06	0.12	19			
1832072	Drill Core	0.24	0.16	0.03	<1	0.30	0.006	20.0	1.3	0.04	287.1	0.001	3	0.38	0.018	0.42	<0.1	1.2	0.07	0.28	16			
1832073	Drill Core	0.17	0.13	0.02	<1	0.69	0.006	21.5	1.5	0.04	934.6	<0.001	2	0.33	0.016	0.36	0.2	1.0	0.06	0.09	16			
1832074	Drill Core	0.44	0.21	0.03	<1	0.83	0.005	17.0	1.5	0.03	591.5	<0.001	3	0.33	0.016	0.36	0.2	1.0	0.06	0.25	19			
1832075	Drill Core	1.24	0.77	0.18	<1	0.87	0.006	20.1	1.0	0.05	411.6	0.002	2	0.43	0.016	0.46	<0.1	1.2	0.07	0.26	20			
1832076	Drill Core	0.31	0.09	0.02	<1	0.65	0.006	20.2	1.2	0.03	515.4	0.001	3	0.38	0.014	0.41	<0.1	1.1	0.07	0.21	6			
1832077	Drill Core	0.32	0.11	0.13	<1	0.61	0.006	22.3	1.0	0.03	316.2	0.001	1	0.39	0.018	0.43	<0.1	1.1	0.06	0.10	<5			
1832078	Drill Core	0.38	0.13	0.04	<1	1.17	0.017	18.9	0.9	0.05	742.7	0.002	2	0.53	0.010	0.59	<0.1	1.5	0.09	0.16	<5			
1832079	Drill Core	0.13	0.06	0.03	<1	1.25	0.006	26.5	1.1	0.08	262.1	0.001	2	0.42	0.014	0.40	<0.1	1.1	0.07	<0.02	<5			
1832080	Rock	0.02	0.06	<0.02	1	0.02	0.002	2.3	4.3	0.02	24.6	0.003	<1	0.09	0.007	0.03	<0.1	0.3	<0.02	<0.02	<5			
1832081	Drill Core	0.47	0.18	0.29	<1	1.21	0.005	23.4	0.9	0.10	287.1	0.002	2	0.48	0.012	0.48	<0.1	1.2	0.07	0.11	<5			
1832082	Drill Core	0.22	0.14	<0.02	<1	0.88	0.004	22.5	1.0	0.06	610.3	0.001	3	0.43	0.009	0.44	<0.1	1.0	0.07	0.13	<5			
1832083	Drill Core	0.16	0.14	<0.02	<1	0.76	0.006	25.3	0.9	0.05	297.2	0.001	2	0.42	0.018	0.46	<0.1	1.2	0.07	0.07	5			
1832084	Drill Core	3.60	0.45	1.11	<1	0.91	0.005	18.5	0.6	0.05	325.8	0.002	3	0.59	0.025	0.57	<0.1	1.4	0.08	0.33	58			
1832085	Drill Core	0.17	0.17	0.05	<1	1.00	0.006	26.8	0.6	0.04	314.3	0.002	2	0.50	0.029	0.53	<0.1	1.4	0.07	0.08	8			
1832086	Drill Core	0.11	0.15	0.09	<1	1.21	0.006	28.0	0.5	0.04	313.3	0.001	2	0.50	0.031	0.49	<0.1	1.5	0.06	0.08	<5			
1832087	Drill Core	0.13	0.15	0.06	<1	1.01	0.007	32.1	0.5	0.04	279.0	0.001	2	0.46	0.024	0.48	<0.1	1.3	0.07	0.09	<5			
1832088	Drill Core	0.10	0.08	<0.02	<1	1.12	0.005	21.5	0.6	0.03	319.1	0.001	2	0.41	0.019	0.46	<0.1	1.3	0.07	0.17	10			
1832089	Drill Core	0.09	0.10	<0.02	<1	0.74	0.006	28.0	0.7	0.04	387.6	0.002	2	0.52	0.024	0.56	0.1	1.7	0.08	0.13	<5			
1832090	Drill Core	0.17	0.09	<0.02	<1	0.90	0.006	27.7	0.7	0.04	398.3	0.002	2	0.59	0.028	0.62	<0.1	1.7	0.09	0.20	5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832061	Drill Core	<0.1	<0.02	1.8	0.50	<0.1	<0.02	<0.02	13.2	0.3	<0.05	0.6	7.98	49.6	<0.02	<1	0.3	2.1	<10	<2			
1832062	Drill Core	<0.1	<0.02	1.9	1.80	<0.1	0.03	0.03	16.3	0.3	<0.05	1.0	9.37	59.3	<0.02	<1	0.4	1.0	<10	<2			
1832063	Drill Core	<0.1	<0.02	1.3	1.14	<0.1	0.06	0.02	13.6	0.2	<0.05	2.2	3.55	34.5	<0.02	<1	0.3	0.7	<10	<2			
1832064	Drill Core	<0.1	<0.02	1.5	0.91	<0.1	0.10	0.02	14.4	0.2	<0.05	3.2	3.50	35.2	<0.02	<1	0.3	0.8	<10	<2			
1832065	Drill Core	<0.1	<0.02	1.3	0.52	<0.1	0.09	0.04	14.0	0.2	<0.05	2.8	4.77	38.6	<0.02	<1	0.3	0.7	<10	<2			
1832066	Drill Core	<0.1	<0.02	1.2	0.70	<0.1	0.11	0.03	15.6	0.2	<0.05	3.1	4.29	36.6	<0.02	<1	0.3	0.7	<10	<2			
1832067	Drill Core	<0.1	<0.02	1.1	0.67	<0.1	0.08	0.02	13.4	0.1	<0.05	2.5	3.66	32.1	0.04	<1	0.3	0.6	<10	<2			
1832068	Drill Core	<0.1	<0.02	1.4	0.75	<0.1	0.12	<0.02	16.7	0.2	<0.05	3.8	5.04	42.5	<0.02	<1	0.3	0.8	<10	<2			
1832069	Drill Core	0.4	0.05	1.1	0.46	<0.1	0.09	0.03	14.2	0.2	<0.05	2.4	4.54	29.1	0.05	<1	0.4	1.0	<10	<2			
1832070	Drill Core	<0.1	0.02	1.0	0.60	<0.1	0.14	0.02	10.7	0.2	<0.05	4.5	3.76	32.3	<0.02	<1	0.2	0.8	<10	<2			
1832071	Drill Core	<0.1	<0.02	1.0	0.54	<0.1	0.14	0.03	10.7	0.2	<0.05	4.0	3.01	28.5	<0.02	<1	0.1	0.9	<10	<2			
1832072	Drill Core	<0.1	<0.02	1.3	0.47	<0.1	0.20	0.03	14.3	0.1	<0.05	5.6	4.55	34.4	<0.02	<1	0.2	1.1	<10	<2			
1832073	Drill Core	<0.1	<0.02	1.2	0.40	<0.1	0.21	0.02	12.8	0.2	<0.05	5.8	4.94	37.3	<0.02	<1	0.2	1.1	<10	<2			
1832074	Drill Core	<0.1	<0.02	1.0	0.33	<0.1	0.22	<0.02	11.9	0.1	<0.05	5.7	4.31	31.0	<0.02	2	0.2	0.7	<10	<2			
1832075	Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.13	0.03	15.5	0.2	<0.05	4.1	6.35	34.2	<0.02	1	0.3	1.2	<10	<2			
1832076	Drill Core	<0.1	0.02	1.3	0.36	<0.1	0.13	0.02	13.9	0.2	<0.05	3.9	4.10	34.3	<0.02	<1	0.2	1.0	<10	<2			
1832077	Drill Core	<0.1	0.05	1.3	0.33	<0.1	0.11	0.03	13.9	0.2	<0.05	3.1	4.36	38.2	<0.02	<1	0.2	0.8	<10	<2			
1832078	Drill Core	<0.1	<0.02	1.3	0.54	<0.1	0.10	<0.02	18.6	0.2	<0.05	3.4	6.41	34.3	<0.02	2	0.3	1.5	<10	<2			
1832079	Drill Core	<0.1	<0.02	1.4	0.48	<0.1	0.07	<0.02	13.5	0.1	<0.05	2.6	9.68	45.1	<0.02	<1	0.2	1.9	<10	<2			
1832080	Rock	<0.1	<0.02	0.4	0.13	<0.1	0.12	0.03	1.7	<0.1	<0.05	2.8	1.14	4.4	<0.02	<1	<0.1	1.3	<10	<2			
1832081	Drill Core	<0.1	<0.02	1.5	0.33	<0.1	0.05	0.03	15.8	0.1	<0.05	1.7	11.53	40.2	<0.02	1	0.2	1.6	<10	<2			
1832082	Drill Core	<0.1	<0.02	1.2	0.50	<0.1	0.08	<0.02	14.4	0.2	<0.05	2.0	8.16	38.7	<0.02	<1	0.3	1.3	<10	<2			
1832083	Drill Core	<0.1	<0.02	1.3	0.40	<0.1	0.07	0.02	15.5	0.1	<0.05	2.0	6.84	42.1	<0.02	<1	0.3	1.2	<10	<2			
1832084	Drill Core	0.8	0.28	1.7	0.34	<0.1	0.05	0.04	18.4	0.2	<0.05	2.0	6.90	33.8	0.03	<1	0.3	1.2	<10	<2			
1832085	Drill Core	<0.1	<0.02	1.7	0.37	<0.1	0.07	0.02	18.4	0.3	<0.05	2.1	5.64	46.9	<0.02	<1	0.3	0.9	<10	<2			
1832086	Drill Core	<0.1	<0.02	1.7	0.43	<0.1	0.10	0.02	15.3	0.8	<0.05	3.2	7.23	46.4	<0.02	<1	0.3	0.8	<10	<2			
1832087	Drill Core	<0.1	<0.02	1.6	1.09	<0.1	0.13	0.02	16.4	0.6	<0.05	4.0	8.87	55.1	<0.02	<1	0.3	1.0	<10	<2			
1832088	Drill Core	<0.1	<0.02	1.5	0.34	<0.1	0.20	<0.02	15.7	0.2	<0.05	5.5	5.27	36.1	<0.02	1	0.3	0.8	<10	<2			
1832089	Drill Core	<0.1	<0.02	2.0	0.36	<0.1	0.18	0.03	20.2	0.3	<0.05	5.0	6.57	49.6	<0.02	<1	0.4	1.1	<10	<2			
1832090	Drill Core	<0.1	<0.02	2.1	0.33	<0.1	0.14	0.04	21.2	0.2	<0.05	3.9	6.74	44.5	<0.02	<1	0.5	1.2	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832091	Drill Core	1.84	417	0.012	0.01	<0.17	39.31	0.55	1.61	5.88	9.8	223	0.1	0.3	200	0.35	0.8	1.3	2.3	8.5	47.5
1832092	Drill Core	2.97	436	0.089	0.23	1.84	35.37	0.47	1.32	6.96	10.8	365	0.2	0.2	232	0.33	1.3	0.5	61.0	7.0	76.0
1832093	Drill Core	2.18	423	0.019	0.02	<0.17	44.36	0.60	1.95	10.29	15.1	250	0.6	0.2	155	0.52	2.8	0.5	12.4	6.4	31.9
1832094	Drill Core	5.20	413	0.035	0.03	<0.17	45.23	0.50	3.19	12.56	20.5	307	0.4	0.2	181	0.42	2.4	0.7	23.7	8.8	45.4
1832095	Drill Core	5.20	431	0.017	0.02	<0.17	36.96	0.53	3.18	11.37	22.8	610	0.2	0.1	187	0.35	1.3	1.7	11.5	8.6	37.0
1832096	Drill Core	2.78	430	0.010	<0.01	<0.17	38.77	0.64	1.67	11.02	20.7	324	<0.1	0.1	302	0.33	1.0	1.1	6.7	9.1	55.3
1832097	Drill Core	3.01	421	0.049	0.05	<0.17	34.45	0.45	2.09	8.10	10.7	469	0.2	0.1	99	0.29	1.0	0.7	10.8	7.4	30.9
1832098	Drill Core	4.25	430	0.007	<0.01	<0.17	36.53	0.39	1.80	10.54	21.7	203	0.4	0.2	121	0.41	1.8	1.4	1.0	9.1	28.6
1832099	Drill Core	3.20	456	0.075	0.07	<0.17	46.58	1.23	3.18	11.46	26.1	485	0.1	0.2	325	0.47	4.3	1.0	75.1	8.2	63.8
1832100	Rock Pulp	0.12	91	7.457	I.S.	I.S.	I.S.	9.43	195.28	21.51	80.4	917	14.0	12.6	575	4.69	15.0	1.0	8142.1	3.2	72.0
1832101	Drill Core	3.02	409	0.073	0.07	<0.17	35.96	0.41	2.74	8.22	23.4	359	0.1	0.1	292	0.39	2.3	1.3	22.5	8.3	67.4
1832102	Drill Core	3.10	433	0.019	0.02	<0.17	21.53	0.56	3.70	8.53	23.3	345	0.3	0.2	177	0.38	1.7	0.9	17.4	9.5	49.0
1832103	Drill Core	4.06	451	0.015	0.01	<0.17	25.26	0.50	1.39	11.93	25.7	226	0.2	0.2	206	0.45	3.3	1.3	2.4	10.1	54.0
1832104	Drill Core	4.84	464	0.006	<0.01	<0.17	26.89	0.46	2.44	13.45	36.4	287	0.2	0.2	231	0.36	1.7	1.1	4.0	9.1	50.3
1832105	Drill Core	4.96	436	<0.005	<0.01	<0.17	59.18	0.70	3.82	20.20	32.5	261	0.1	0.3	112	0.53	3.2	2.6	<0.2	9.8	90.5
1832106	Drill Core	4.00	477	<0.005	<0.01	<0.17	42.12	0.60	3.49	16.23	32.8	203	0.2	0.5	90	0.62	2.7	3.1	<0.2	8.8	84.7
1832107	Drill Core	4.08	509	<0.005	<0.01	<0.17	48.06	0.96	2.62	10.27	29.5	150	0.4	0.6	68	0.60	2.2	2.0	<0.2	7.4	58.1
1832108	Drill Core	4.55	430	0.045	0.04	<0.17	46.31	1.68	2.15	13.60	25.0	271	0.2	0.6	60	0.56	5.5	3.3	<0.2	9.7	98.0
1832109	Drill Core	2.41	512	<0.005	<0.01	<0.17	42.32	1.85	1.85	10.38	14.9	225	0.3	0.6	75	0.48	1.9	2.3	72.5	9.0	114.0
1832110	Drill Core	5.07	489	<0.005	<0.01	<0.17	43.11	3.20	1.80	9.74	29.5	159	0.2	0.6	50	0.55	14.5	5.1	<0.2	9.5	72.3
1832111	Drill Core	4.76	456	<0.005	<0.01	<0.17	38.14	0.97	1.96	10.30	36.3	123	0.3	0.5	58	0.45	9.4	2.2	<0.2	7.7	65.6
1832112	Drill Core	4.56	437	0.005	<0.01	<0.17	33.97	0.47	2.47	11.38	45.9	146	0.5	0.4	63	0.47	10.0	2.1	0.5	8.0	35.6
1832113	Drill Core	4.90	493	0.037	0.04	<0.17	38.10	1.75	7.70	12.11	39.6	301	2.7	2.0	267	0.67	138.5	3.8	2.4	8.2	55.3
1832114	Drill Core	4.66	376	<0.005	<0.01	<0.17	49.81	0.53	2.55	11.03	28.0	314	0.4	0.5	93	0.53	105.9	1.0	19.4	8.4	57.0
1832115	Drill Core	4.50	523	<0.005	<0.01	<0.17	43.16	1.33	5.12	12.42	34.5	213	1.9	1.4	145	0.51	22.7	3.8	0.5	8.8	50.4
1832116	Drill Core	4.81	467	0.012	0.01	<0.17	32.88	0.68	2.32	9.12	33.9	194	0.3	0.4	80	0.44	2.3	1.2	5.9	9.0	58.6
1832117	Drill Core	2.08	530	0.024	0.02	<0.17	26.50	0.48	1.66	5.63	15.9	116	0.3	0.3	74	0.38	1.1	1.1	1.2	7.5	62.1
1832118	Drill Core	5.56	510	<0.005	0.02	0.17	41.13	0.41	0.93	9.42	20.8	129	0.2	0.3	57	0.30	6.0	1.7	3.9	7.5	60.9
1832119	Drill Core	2.87	389	0.031	0.03	<0.17	36.84	0.55	2.32	7.96	26.0	323	0.3	0.4	70	0.42	14.3	1.2	3.8	8.6	59.4
1832120	Rock Pulp	0.15	99	0.470	I.S.	I.S.	I.S.	2.52	450.51	21.94	53.9	294	628.6	29.6	446	2.70	21.5	0.7	499.0	2.8	57.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832091	Drill Core	0.06	0.07	<0.02	<1	0.79	0.005	26.6	0.6	0.05	573.9	0.002	2	0.63	0.041	0.60	<0.1	1.9	0.08	0.10	<5
1832092	Drill Core	0.12	0.16	<0.02	<1	0.90	0.004	23.7	0.9	0.02	843.9	0.001	2	0.36	0.030	0.38	0.1	1.3	0.06	0.09	9
1832093	Drill Core	0.10	0.23	<0.02	<1	0.49	0.004	19.3	1.4	0.01	733.3	<0.001	1	0.28	0.019	0.32	<0.1	1.1	0.06	0.19	19
1832094	Drill Core	0.11	0.23	<0.02	<1	0.81	0.007	28.1	0.9	0.03	361.3	0.002	<1	0.37	0.022	0.41	<0.1	1.9	0.07	0.11	17
1832095	Drill Core	0.10	0.16	<0.02	<1	0.64	0.006	33.5	0.7	0.03	387.3	0.002	<1	0.43	0.043	0.46	<0.1	2.1	0.07	0.08	20
1832096	Drill Core	0.16	0.10	0.03	<1	1.09	0.005	31.5	0.9	0.02	323.6	0.002	1	0.34	0.026	0.42	<0.1	1.5	0.07	0.04	19
1832097	Drill Core	0.09	0.14	<0.02	<1	0.47	0.004	22.7	0.8	0.01	288.2	0.001	2	0.31	0.038	0.34	<0.1	1.1	0.05	0.08	23
1832098	Drill Core	0.13	0.17	<0.02	<1	0.45	0.007	33.2	0.8	0.03	286.4	0.002	<1	0.38	0.043	0.37	<0.1	2.3	0.05	0.05	15
1832099	Drill Core	0.25	0.20	<0.02	<1	1.06	0.006	24.9	0.6	0.04	330.8	0.002	<1	0.37	0.028	0.35	<0.1	2.1	0.06	0.14	17
1832100	Rock Pulp	0.25	4.69	0.64	102	0.91	0.074	9.3	20.3	0.84	140.4	0.122	2	1.78	0.189	0.23	3.8	4.1	0.07	<0.02	232
1832101	Drill Core	0.16	0.18	<0.02	<1	1.21	0.006	26.5	0.6	0.04	367.3	0.002	<1	0.40	0.036	0.40	<0.1	2.5	0.06	0.12	20
1832102	Drill Core	0.21	0.18	<0.02	<1	0.69	0.006	28.8	0.6	0.04	364.7	0.002	1	0.40	0.039	0.38	<0.1	2.9	0.06	0.09	13
1832103	Drill Core	0.18	0.15	<0.02	<1	0.96	0.009	33.8	0.7	0.05	294.4	0.002	<1	0.42	0.037	0.40	<0.1	4.0	0.05	0.05	15
1832104	Drill Core	0.23	0.18	0.05	<1	0.83	0.007	30.9	0.7	0.03	395.1	0.002	<1	0.34	0.047	0.35	0.1	2.7	0.06	0.07	24
1832105	Drill Core	0.22	0.24	0.08	<1	1.00	0.008	31.7	0.7	0.09	611.4	0.002	2	0.61	0.042	0.45	0.1	5.3	0.08	0.02	15
1832106	Drill Core	0.18	0.23	0.11	<1	0.84	0.007	26.5	1.1	0.06	519.6	0.002	1	0.44	0.038	0.30	<0.1	3.9	0.06	0.06	9
1832107	Drill Core	0.26	0.26	0.15	3	0.59	0.006	25.8	1.2	0.07	393.5	0.002	1	0.41	0.033	0.23	<0.1	3.1	0.04	0.04	18
1832108	Drill Core	0.17	0.16	0.42	<1	0.98	0.007	30.8	0.6	0.12	797.3	0.001	2	0.71	0.023	0.50	0.1	3.5	0.09	0.08	15
1832109	Drill Core	0.16	0.12	0.24	<1	1.30	0.005	24.2	1.1	0.08	615.9	0.001	2	0.53	0.016	0.44	0.1	2.1	0.07	0.08	31
1832110	Drill Core	0.19	0.19	0.28	<1	1.14	0.007	31.2	1.0	0.09	577.0	0.001	1	0.47	0.027	0.31	<0.1	3.3	0.05	0.03	12
1832111	Drill Core	0.22	0.23	0.10	<1	0.93	0.007	24.6	1.1	0.03	392.5	0.004	<1	0.33	0.053	0.25	<0.1	3.4	0.04	0.03	10
1832112	Drill Core	0.19	0.27	<0.02	<1	0.42	0.008	25.4	1.3	0.01	277.6	0.003	<1	0.29	0.047	0.32	<0.1	3.1	0.05	0.04	14
1832113	Drill Core	0.28	0.33	0.02	<1	0.92	0.014	24.7	1.1	0.04	350.6	0.004	<1	0.38	0.038	0.35	<0.1	3.3	0.07	0.18	44
1832114	Drill Core	0.12	0.21	<0.02	<1	0.63	0.007	26.5	1.2	0.01	522.5	0.001	<1	0.24	0.039	0.26	<0.1	2.1	0.04	0.19	45
1832115	Drill Core	0.25	0.33	0.02	<1	0.77	0.012	28.9	1.0	0.02	350.5	0.004	<1	0.33	0.038	0.34	<0.1	3.5	0.06	0.10	21
1832116	Drill Core	0.25	0.16	<0.02	<1	0.64	0.006	29.4	1.1	0.02	402.6	0.002	<1	0.28	0.059	0.26	<0.1	2.4	0.05	0.11	36
1832117	Drill Core	0.13	0.10	<0.02	<1	0.65	0.005	24.9	1.3	0.01	1198.1	0.001	<1	0.22	0.051	0.23	<0.1	1.7	0.03	0.07	31
1832118	Drill Core	0.12	0.18	<0.02	<1	0.64	0.006	27.0	0.7	0.02	379.4	0.002	1	0.27	0.040	0.23	<0.1	2.5	0.04	0.04	25
1832119	Drill Core	0.11	0.19	<0.02	<1	0.65	0.007	27.3	0.9	0.03	297.7	0.002	<1	0.40	0.045	0.34	0.3	2.9	0.06	0.11	28
1832120	Rock Pulp	0.22	0.34	0.34	54	1.36	0.033	4.7	103.0	1.81	84.9	0.074	3	2.07	0.194	0.14	1.4	2.8	0.09	0.20	25



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832091 Drill Core	<0.1	<0.02	2.2	0.32	<0.1	0.14	0.04	20.2	0.3	<0.05	3.7	5.94	44.9	<0.02	<1	0.4	1.1	<10	<2
1832092 Drill Core	<0.1	<0.02	1.3	0.40	<0.1	0.09	0.02	14.5	0.2	<0.05	2.8	5.44	38.9	<0.02	<1	0.3	0.7	<10	<2
1832093 Drill Core	<0.1	<0.02	1.1	0.39	<0.1	0.18	<0.02	12.5	0.2	<0.05	4.8	4.56	34.5	<0.02	<1	0.3	0.5	<10	<2
1832094 Drill Core	<0.1	<0.02	1.5	0.31	<0.1	0.17	0.03	15.8	0.2	<0.05	5.2	6.87	48.4	0.02	<1	0.3	0.8	<10	<2
1832095 Drill Core	<0.1	<0.02	1.8	0.30	<0.1	0.05	0.05	20.3	0.3	<0.05	1.7	13.89	56.4	<0.02	<1	0.4	1.0	<10	<2
1832096 Drill Core	<0.1	<0.02	1.5	0.33	<0.1	0.06	0.03	19.2	0.2	<0.05	1.8	8.74	52.2	<0.02	<1	0.3	0.8	<10	<2
1832097 Drill Core	<0.1	<0.02	1.2	0.34	<0.1	0.09	0.02	13.3	0.2	<0.05	2.6	5.75	39.4	<0.02	<1	0.2	0.7	<10	<2
1832098 Drill Core	<0.1	<0.02	1.7	0.32	<0.1	0.13	0.04	14.5	0.2	<0.05	4.1	11.74	57.0	0.03	<1	0.3	1.8	<10	<2
1832099 Drill Core	<0.1	<0.02	1.6	0.27	<0.1	0.11	0.03	13.9	0.2	<0.05	3.1	7.39	42.6	0.03	<1	0.3	1.9	<10	<2
1832100 Rock Pulp	<0.1	0.16	5.2	0.79	0.1	0.10	0.09	9.0	2.1	<0.05	1.9	6.16	18.0	0.05	2	0.1	7.5	<10	<2
1832101 Drill Core	<0.1	<0.02	1.6	0.25	<0.1	0.08	0.03	15.6	0.2	<0.05	2.1	8.06	44.5	0.02	<1	0.3	1.5	<10	<2
1832102 Drill Core	<0.1	<0.02	1.8	0.35	<0.1	0.09	0.03	14.5	0.3	<0.05	2.9	6.85	48.3	0.03	<1	0.3	1.5	<10	<2
1832103 Drill Core	<0.1	<0.02	2.1	0.35	<0.1	0.05	0.03	16.0	0.3	<0.05	1.7	15.77	63.7	0.06	<1	0.4	2.2	<10	<2
1832104 Drill Core	<0.1	<0.02	1.4	0.50	<0.1	0.04	0.05	13.5	0.3	<0.05	1.0	12.15	58.9	0.04	<1	0.3	1.5	<10	<2
1832105 Drill Core	<0.1	<0.02	2.7	0.80	<0.1	0.02	0.03	16.1	0.6	<0.05	0.7	19.10	60.5	0.05	<1	0.4	3.8	<10	<2
1832106 Drill Core	<0.1	<0.02	2.0	0.71	<0.1	0.03	0.05	10.1	0.5	<0.05	0.7	20.32	49.2	0.05	<1	0.3	4.2	<10	<2
1832107 Drill Core	<0.1	<0.02	1.7	0.43	<0.1	0.02	0.03	7.3	0.6	<0.05	0.7	14.89	48.5	0.04	<1	0.2	5.0	<10	<2
1832108 Drill Core	<0.1	<0.02	2.4	0.39	<0.1	<0.02	0.02	14.1	0.5	<0.05	0.6	13.40	59.7	0.04	<1	0.3	5.4	<10	<2
1832109 Drill Core	<0.1	<0.02	1.6	0.27	<0.1	0.02	0.03	12.1	0.3	<0.05	0.6	10.53	45.6	<0.02	<1	0.2	2.2	<10	<2
1832110 Drill Core	<0.1	<0.02	1.8	0.42	<0.1	0.03	0.03	9.1	0.5	<0.05	0.8	22.60	60.6	0.03	<1	0.2	3.9	<10	<2
1832111 Drill Core	<0.1	<0.02	1.6	0.60	<0.1	0.04	0.10	9.3	0.5	<0.05	1.1	18.51	46.0	0.03	<1	0.2	1.5	<10	<2
1832112 Drill Core	<0.1	<0.02	1.7	0.71	<0.1	0.06	0.07	13.5	0.3	<0.05	1.7	18.44	47.0	0.02	<1	0.4	1.1	<10	<2
1832113 Drill Core	<0.1	<0.02	1.7	0.51	<0.1	0.06	0.03	14.3	0.3	<0.05	1.5	16.57	45.7	0.03	2	0.4	2.0	<10	<2
1832114 Drill Core	0.2	<0.02	1.2	0.42	<0.1	0.05	0.02	11.1	0.2	<0.05	1.2	11.51	49.6	0.03	<1	0.4	1.0	<10	<2
1832115 Drill Core	<0.1	<0.02	1.6	0.55	<0.1	0.05	0.05	13.8	0.3	<0.05	1.5	17.04	53.4	0.03	2	0.3	1.3	<10	<2
1832116 Drill Core	<0.1	<0.02	1.2	0.42	<0.1	0.04	0.04	10.2	0.2	<0.05	1.2	12.79	55.6	<0.02	<1	0.3	0.8	<10	<2
1832117 Drill Core	<0.1	<0.02	0.9	0.40	<0.1	<0.02	0.02	8.7	0.2	<0.05	0.8	9.23	45.7	<0.02	<1	0.2	0.5	<10	<2
1832118 Drill Core	<0.1	<0.02	1.2	0.53	<0.1	0.03	0.02	9.2	0.3	<0.05	0.9	14.54	49.9	0.02	1	0.3	0.7	<10	<2
1832119 Drill Core	<0.1	<0.02	1.9	0.65	<0.1	0.04	0.04	12.2	0.3	<0.05	1.1	13.96	49.7	<0.02	<1	0.3	1.2	<10	<2
1832120 Rock Pulp	0.5	0.15	4.4	0.70	<0.1	0.06	<0.02	6.5	0.4	<0.05	1.2	3.61	9.8	<0.02	3	<0.1	8.4	271	129



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832121	Drill Core	4.62	495	0.008	<0.01	<0.17	27.35	0.43	2.79	15.91	25.0	401	1.9	0.6	55	0.38	14.7	0.8	6.3	7.8	36.6
1832122	Drill Core	3.55	355	0.022	0.02	<0.17	53.61	0.42	3.45	10.28	22.2	352	0.6	0.5	99	0.44	19.5	1.3	17.3	8.3	83.5
1832123	Drill Core	5.09	425	0.009	<0.01	<0.17	44.67	0.44	2.28	10.50	36.0	320	0.2	0.4	83	0.44	20.5	2.3	4.3	8.3	80.9
1832124	Drill Core	2.28	479	0.021	0.02	<0.17	50.25	0.55	2.14	7.67	22.6	271	0.2	0.3	113	0.42	4.1	1.1	12.6	7.4	90.3
1832125	Drill Core	4.17	424	0.011	<0.01	<0.17	42.11	0.46	2.09	10.98	35.6	211	0.4	0.3	101	0.41	2.9	1.7	3.9	7.4	83.1
1832126	Drill Core	2.62	521	<0.005	<0.01	<0.17	35.89	2.29	3.05	14.11	35.4	172	0.3	0.6	69	0.53	1.8	3.6	<0.2	8.7	71.0
1832127	Drill Core	2.05	348	<0.005	<0.01	<0.17	42.19	8.52	2.16	10.69	59.9	134	0.3	0.5	108	0.57	0.9	2.5	<0.2	5.1	103.1
1832128	Drill Core	4.47	459	0.010	0.03	0.21	42.61	0.50	2.57	10.29	35.6	189	0.1	0.3	71	0.56	0.7	2.2	3.2	8.6	111.2
1832129	Drill Core	3.45	349	0.022	0.02	<0.17	44.29	1.46	1.20	9.51	72.6	139	0.1	0.4	79	0.46	0.6	2.5	4.0	12.4	77.8
1832130	Drill Core	4.86	475	0.029	0.03	<0.17	23.59	1.00	2.07	8.46	35.9	219	0.1	0.5	104	0.58	1.9	3.3	61.1	12.9	75.9
1832131	Drill Core	4.11	429	0.020	0.02	<0.17	22.18	1.15	4.32	14.48	35.2	792	0.1	0.4	139	0.60	9.4	2.8	42.6	9.8	119.5
1832132	Drill Core	3.88	412	<0.005	<0.01	<0.17	38.22	1.00	6.94	18.28	31.7	217	0.2	0.5	106	0.50	4.1	4.6	4.5	9.3	100.1
1832133	Drill Core	1.71	349	0.175	0.15	<0.17	47.58	0.84	2.17	13.86	33.9	254	<0.1	0.3	121	0.48	2.8	3.1	1.3	9.5	160.0
1832134	Drill Core	2.89	465	0.032	0.03	<0.17	22.81	0.74	4.08	14.17	30.0	218	0.3	0.4	118	0.48	2.0	2.4	0.4	9.2	80.3
1832135	Drill Core	2.60	432	0.009	<0.01	<0.17	22.85	1.46	3.23	7.04	18.8	419	0.2	0.5	153	0.58	4.4	2.9	12.5	10.0	150.2
1832136	Drill Core	5.04	476	<0.005	<0.01	<0.17	42.22	3.19	1.70	12.31	40.7	190	0.3	0.4	167	0.86	10.0	3.6	<0.2	9.9	89.9
1832137	Drill Core	2.71	508	<0.005	<0.01	<0.17	55.53	0.90	1.86	13.09	33.4	215	0.4	1.0	413	0.54	47.2	2.5	<0.2	9.0	75.9
1832138	Drill Core	2.78	453	0.042	0.04	<0.17	33.63	1.25	3.51	12.20	21.7	344	0.7	0.4	379	0.63	6.8	1.6	60.9	8.6	54.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832121	Drill Core	0.15	0.35	0.02	<1	0.40	0.006	26.5	1.4	0.02	220.8	0.002	<1	0.30	0.044	0.25	0.1	2.3	0.05	0.11	44
1832122	Drill Core	0.18	0.29	<0.02	<1	0.97	0.005	28.2	1.1	0.02	470.4	0.001	2	0.34	0.044	0.32	0.1	2.3	0.06	0.16	82
1832123	Drill Core	0.15	0.30	<0.02	<1	0.83	0.006	28.4	0.9	0.02	273.4	0.002	1	0.30	0.048	0.25	<0.1	2.5	0.06	0.19	86
1832124	Drill Core	0.14	0.23	0.02	<1	0.88	0.005	26.8	1.1	0.02	239.0	0.001	1	0.25	0.044	0.24	0.1	2.2	0.04	0.10	122
1832125	Drill Core	0.17	0.21	<0.02	<1	0.88	0.007	25.9	1.5	0.01	400.9	0.003	1	0.28	0.043	0.25	<0.1	2.6	0.05	0.07	60
1832126	Drill Core	0.22	0.21	0.07	<1	0.97	0.007	29.1	1.1	0.08	484.1	0.002	<1	0.44	0.031	0.32	<0.1	3.4	0.09	0.05	20
1832127	Drill Core	0.34	0.28	0.05	<1	1.07	0.007	14.7	1.2	0.09	414.0	0.011	<1	0.46	0.047	0.22	<0.1	3.0	0.06	0.05	42
1832128	Drill Core	0.28	0.17	0.05	<1	0.93	0.007	28.1	0.7	0.07	574.7	0.002	1	0.51	0.044	0.36	<0.1	3.1	0.09	0.11	20
1832129	Drill Core	0.76	0.13	0.03	<1	0.72	0.006	36.1	0.8	0.09	960.1	0.002	3	0.81	0.040	0.62	0.1	3.7	0.15	0.13	86
1832130	Drill Core	0.29	0.18	0.04	<1	0.88	0.007	32.9	0.8	0.06	567.5	0.001	2	0.56	0.039	0.46	0.1	2.4	0.12	0.32	81
1832131	Drill Core	0.28	0.56	0.06	<1	1.06	0.006	28.2	0.6	0.07	692.4	0.001	2	0.59	0.038	0.46	0.1	2.9	0.14	0.18	63
1832132	Drill Core	0.27	0.52	0.06	<1	1.18	0.006	29.7	0.6	0.04	675.1	<0.001	2	0.44	0.031	0.38	0.2	3.2	0.11	0.07	32
1832133	Drill Core	0.29	0.38	0.04	<1	1.62	0.005	28.4	<0.5	0.09	920.9	0.001	4	0.75	0.033	0.56	0.1	3.1	0.14	0.09	66
1832134	Drill Core	0.18	0.23	0.07	<1	0.88	0.006	30.8	0.9	0.04	608.9	0.001	1	0.40	0.035	0.34	<0.1	2.2	0.09	0.10	41
1832135	Drill Core	0.15	0.98	0.03	<1	1.11	0.005	24.6	0.7	0.04	609.3	0.001	2	0.42	0.033	0.36	0.1	2.2	0.09	0.30	81
1832136	Drill Core	0.18	0.36	0.08	<1	0.80	0.007	29.6	1.1	0.10	653.0	0.002	2	0.57	0.033	0.40	0.1	4.9	0.12	0.12	23
1832137	Drill Core	0.22	0.28	0.13	<1	1.05	0.006	28.2	0.6	0.04	630.9	0.001	1	0.42	0.029	0.43	0.1	2.8	0.09	0.15	32
1832138	Drill Core	0.16	0.18	<0.02	<1	0.53	0.005	24.4	0.8	0.03	349.8	<0.001	2	0.40	0.014	0.48	0.1	1.9	0.09	0.34	31



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000032.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832121	Drill Core	<0.1	<0.02	1.4	0.61	<0.1	0.04	0.04	9.6	0.2	<0.05	1.2	13.14	50.5	<0.02	<1	0.2	1.2	<10	<2
1832122	Drill Core	<0.1	<0.02	1.4	0.58	<0.1	0.03	<0.02	12.6	0.4	<0.05	1.1	10.25	51.6	<0.02	<1	0.3	0.8	<10	<2
1832123	Drill Core	<0.1	<0.02	1.5	0.76	<0.1	0.04	0.03	10.3	0.2	<0.05	1.2	12.65	53.4	0.03	<1	0.2	0.9	<10	<2
1832124	Drill Core	<0.1	<0.02	1.0	0.53	<0.1	0.05	0.02	9.5	0.2	<0.05	1.1	8.33	49.4	<0.02	<1	0.2	0.7	<10	<2
1832125	Drill Core	<0.1	<0.02	1.4	0.58	<0.1	0.04	0.06	9.8	0.3	<0.05	1.2	12.34	47.9	<0.02	<1	0.2	0.4	<10	<2
1832126	Drill Core	<0.1	<0.02	1.6	0.62	<0.1	0.04	0.04	11.5	0.4	<0.05	1.1	20.71	55.1	0.03	2	0.2	2.0	<10	<2
1832127	Drill Core	<0.1	<0.02	2.2	0.56	<0.1	0.02	0.32	8.6	0.4	<0.05	0.8	14.02	28.8	0.02	<1	0.2	2.4	<10	<2
1832128	Drill Core	<0.1	<0.02	2.0	0.77	<0.1	0.02	0.04	14.0	0.4	<0.05	0.6	27.12	52.0	0.02	<1	0.2	2.3	<10	<2
1832129	Drill Core	<0.1	<0.02	2.8	0.77	<0.1	0.03	0.03	23.7	0.4	<0.05	1.3	13.40	69.6	0.03	<1	0.4	2.0	<10	<2
1832130	Drill Core	<0.1	<0.02	1.6	1.33	<0.1	<0.02	<0.02	17.3	0.3	<0.05	0.6	11.70	63.3	<0.02	<1	0.3	1.6	<10	<2
1832131	Drill Core	<0.1	<0.02	2.2	0.86	<0.1	<0.02	<0.02	19.4	0.3	<0.05	0.5	10.90	53.8	0.02	<1	0.3	2.3	<10	<2
1832132	Drill Core	<0.1	<0.02	1.7	1.19	<0.1	<0.02	0.03	15.4	0.3	<0.05	0.6	20.44	57.9	0.03	<1	0.2	1.2	<10	<2
1832133	Drill Core	<0.1	<0.02	2.5	0.76	<0.1	0.02	<0.02	21.2	0.4	<0.05	0.9	10.72	54.7	0.03	<1	0.3	1.9	<10	<2
1832134	Drill Core	<0.1	<0.02	1.3	0.64	<0.1	0.02	<0.02	13.2	0.3	<0.05	0.6	16.31	58.9	0.02	<1	0.3	1.2	<10	<2
1832135	Drill Core	<0.1	<0.02	1.5	0.62	<0.1	<0.02	<0.02	13.4	0.2	<0.05	0.6	8.03	46.3	0.02	<1	0.3	1.4	<10	<2
1832136	Drill Core	<0.1	<0.02	2.2	1.38	<0.1	0.03	0.04	16.0	0.5	<0.05	0.7	22.89	55.0	0.04	<1	0.3	3.2	<10	<2
1832137	Drill Core	<0.1	<0.02	1.3	1.10	<0.1	0.04	<0.02	16.0	0.2	<0.05	1.3	16.56	53.2	0.03	<1	0.3	1.7	<10	<2
1832138	Drill Core	<0.1	<0.02	1.2	1.15	<0.1	0.05	<0.02	16.3	0.1	<0.05	1.8	8.43	45.8	<0.02	<1	0.3	1.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 21, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000032.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1832027	Drill Core	1.96	431	<0.005	<0.01	<0.17	42.12	0.37	2.95	20.31	33.8	448	0.4	0.3	76	0.82	2.0	0.8	<0.2	5.7	21.1
REP 1832027	QC							0.35	2.88	20.84	33.3	437	0.4	0.3	74	0.82	2.2	0.9	<0.2	5.7	21.5
1832044	Drill Core	1.43	451	<0.005	<0.01	<0.17	46.31	0.64	2.03	13.29	41.7	131	0.5	0.4	61	0.59	4.5	1.0	1.0	10.3	24.9
REP 1832044	QC			<0.005																	
1832067	Drill Core	2.51	472	0.047	0.10	0.57	48.87	0.79	3.64	69.83	272.7	699	0.4	0.3	75	0.49	1.7	0.7	60.2	6.7	27.1
REP 1832067	QC			0.081																	
1832096	Drill Core	2.78	430	0.010	<0.01	<0.17	38.77	0.64	1.67	11.02	20.7	324	<0.1	0.1	302	0.33	1.0	1.1	6.7	9.1	55.3
REP 1832096	QC							0.65	1.63	11.10	19.2	326	0.3	0.1	304	0.33	1.2	1.1	9.2	8.9	53.0
1832113	Drill Core	4.90	493	0.037	0.04	<0.17	38.10	1.75	7.70	12.11	39.6	301	2.7	2.0	267	0.67	138.5	3.8	2.4	8.2	55.3
REP 1832113	QC			0.045																	
1832131	Drill Core	4.11	429	0.020	0.02	<0.17	22.18	1.15	4.32	14.48	35.2	792	0.1	0.4	139	0.60	9.4	2.8	42.6	9.8	119.5
REP 1832131	QC							1.17	4.35	14.28	34.3	751	<0.1	0.3	143	0.59	9.2	2.8	25.6	9.8	117.8
1832135	Drill Core	2.60	432	0.009	<0.01	<0.17	22.85	1.46	3.23	7.04	18.8	419	0.2	0.5	153	0.58	4.4	2.9	12.5	10.0	150.2
REP 1832135	QC			0.005																	
Core Reject Duplicates																					
1832025	Drill Core	4.57	535	<0.005	<0.01	<0.17	49.08	0.34	5.04	14.03	41.8	337	0.3	0.4	55	0.83	2.6	1.1	0.6	9.6	61.9
DUP 1832025	QC		461	<0.005	<0.01	<0.17	57.33	0.35	4.79	14.58	43.3	365	0.4	0.4	59	0.83	2.7	1.2	0.5	9.8	63.9
1832059	Drill Core	2.00	435	0.011	<0.01	<0.17	50.07	13.20	12.45	24.47	114.3	592	0.3	0.4	160	1.01	4.7	2.1	7.6	9.4	133.0
DUP 1832059	QC		472	0.020	0.02	<0.17	50.67	12.74	12.62	24.07	104.1	560	0.4	0.4	153	1.00	5.0	2.0	5.9	9.3	135.1
1832093	Drill Core	2.18	423	0.019	0.02	<0.17	44.36	0.60	1.95	10.29	15.1	250	0.6	0.2	155	0.52	2.8	0.5	12.4	6.4	31.9
DUP 1832093	QC	<0.01	411	0.016	0.01	<0.17	41.52	0.56	1.88	10.58	15.3	251	0.4	0.2	147	0.46	2.8	0.5	16.2	6.3	33.4
1832127	Drill Core	2.05	348	<0.005	<0.01	<0.17	42.19	8.52	2.16	10.69	59.9	134	0.3	0.5	108	0.57	0.9	2.5	<0.2	5.1	103.1
DUP 1832127	QC		447	<0.005	<0.01	<0.17	40.12	8.08	2.14	10.80	58.2	131	0.3	0.4	112	0.63	0.9	2.7	<0.2	5.2	110.5
Reference Materials																					
STD BVGEO01	Standard							11.55	4511.93	200.61	1771.0	2680	167.0	24.9	743	3.84	130.7	3.9	228.9	15.2	55.9
STD BVGEO01	Standard							11.02	4428.62	189.80	1732.2	2641	160.1	28.2	751	3.71	127.7	4.1	216.7	16.1	61.7
STD DS11	Standard							14.08	142.42	133.19	339.6	1853	71.4	12.5	1007	3.12	45.7	2.8	77.4	8.3	73.6
STD DS11	Standard							15.12	161.49	138.11	326.1	1746	79.0	15.0	1036	3.16	45.0	2.9	101.9	8.6	65.8



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

June 21, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000032.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832027	Drill Core	0.11	0.30	0.19	<1	0.25	0.011	22.5	2.3	0.09	376.7	<0.001	<1	0.49	0.027	0.24	0.5	3.8	0.08	<0.02	96
REP 1832027	QC	0.12	0.33	0.20	<1	0.25	0.012	23.8	2.4	0.10	400.6	<0.001	<1	0.49	0.028	0.24	0.5	3.9	0.07	<0.02	91
1832044	Drill Core	0.15	0.22	0.04	<1	0.04	0.008	32.1	1.5	0.08	2058.8	<0.001	1	0.51	0.028	0.36	0.1	3.5	0.07	0.04	48
REP 1832044	QC																				
1832067	Drill Core	4.18	0.29	0.15	<1	0.37	0.005	18.6	2.5	0.02	362.6	<0.001	2	0.32	0.024	0.37	<0.1	1.1	0.05	0.25	128
REP 1832067	QC																				
1832096	Drill Core	0.16	0.10	0.03	<1	1.09	0.005	31.5	0.9	0.02	323.6	0.002	1	0.34	0.026	0.42	<0.1	1.5	0.07	0.04	19
REP 1832096	QC	0.16	0.10	0.02	<1	1.09	0.006	30.2	0.9	0.02	323.0	0.002	<1	0.34	0.027	0.42	<0.1	1.5	0.07	0.04	15
1832113	Drill Core	0.28	0.33	0.02	<1	0.92	0.014	24.7	1.1	0.04	350.6	0.004	<1	0.38	0.038	0.35	<0.1	3.3	0.07	0.18	44
REP 1832113	QC																				
1832131	Drill Core	0.28	0.56	0.06	<1	1.06	0.006	28.2	0.6	0.07	692.4	0.001	2	0.59	0.038	0.46	0.1	2.9	0.14	0.18	63
REP 1832131	QC	0.28	0.62	0.05	<1	1.05	0.006	28.7	0.6	0.07	701.6	0.001	2	0.58	0.038	0.46	<0.1	2.9	0.14	0.18	68
1832135	Drill Core	0.15	0.98	0.03	<1	1.11	0.005	24.6	0.7	0.04	609.3	0.001	2	0.42	0.033	0.36	0.1	2.2	0.09	0.30	81
REP 1832135	QC																				
Core Reject Duplicates																					
1832025	Drill Core	0.24	0.76	0.06	<1	0.40	0.006	32.8	1.7	0.08	767.8	<0.001	<1	0.56	0.035	0.29	0.2	5.2	0.08	<0.02	41
DUP 1832025	QC	0.25	0.73	0.06	<1	0.41	0.008	32.7	1.8	0.09	776.5	<0.001	<1	0.56	0.035	0.29	0.2	5.1	0.09	<0.02	46
1832059	Drill Core	0.79	0.22	0.08	<1	1.35	0.006	27.1	1.7	0.34	746.1	0.002	2	0.90	0.006	0.51	0.1	3.1	0.10	0.06	28
DUP 1832059	QC	0.77	0.23	0.08	<1	1.37	0.007	25.1	1.7	0.34	708.9	0.001	2	0.86	0.005	0.48	0.1	2.9	0.09	0.06	26
1832093	Drill Core	0.10	0.23	<0.02	<1	0.49	0.004	19.3	1.4	0.01	733.3	<0.001	1	0.28	0.019	0.32	<0.1	1.1	0.06	0.19	19
DUP 1832093	QC	0.11	0.26	<0.02	<1	0.52	0.005	19.7	1.1	0.01	819.2	0.001	2	0.31	0.022	0.35	<0.1	1.2	0.08	0.19	21
1832127	Drill Core	0.34	0.28	0.05	<1	1.07	0.007	14.7	1.2	0.09	414.0	0.011	<1	0.46	0.047	0.22	<0.1	3.0	0.06	0.05	42
DUP 1832127	QC	0.33	0.28	0.04	<1	1.08	0.007	15.5	1.4	0.09	459.9	0.012	<1	0.53	0.053	0.24	<0.1	3.0	0.05	0.05	35
Reference Materials																					
STD BVGEO01	Standard	6.98	3.30	25.45	75	1.34	0.081	28.2	188.3	1.35	285.2	0.231	3	2.39	0.196	0.91	5.2	6.3	0.62	0.68	96
STD BVGEO01	Standard	7.38	3.09	28.02	75	1.36	0.084	29.3	199.1	1.32	272.3	0.234	4	2.38	0.207	0.90	4.5	6.4	0.63	0.68	96
STD DS11	Standard	2.47	8.80	13.06	47	1.04	0.072	19.7	54.6	0.83	380.8	0.089	7	1.17	0.072	0.39	3.0	3.6	4.85	0.27	278
STD DS11	Standard	2.79	8.00	12.59	49	1.08	0.083	21.1	62.5	0.86	354.7	0.100	8	1.25	0.077	0.40	2.8	3.4	5.04	0.28	273



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000032.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832027	Drill Core	<0.1	<0.02	1.5	0.60	<0.1	<0.02	<0.02	6.7	0.2	<0.05	0.4	10.69	41.3	0.03	<1	0.1	11.0	<10	<2
REP 1832027	QC	<0.1	<0.02	1.5	0.68	<0.1	<0.02	<0.02	6.8	0.2	<0.05	0.5	10.86	42.7	0.02	<1	0.2	12.0	<10	<2
1832044	Drill Core	<0.1	<0.02	2.0	0.93	<0.1	0.04	0.02	9.5	0.4	<0.05	1.4	14.82	62.5	0.03	<1	0.3	3.7	<10	<2
REP 1832044	QC																			
1832067	Drill Core	<0.1	<0.02	1.1	0.67	<0.1	0.08	0.02	13.4	0.1	<0.05	2.5	3.66	32.1	0.04	<1	0.3	0.6	<10	<2
REP 1832067	QC																			
1832096	Drill Core	<0.1	<0.02	1.5	0.33	<0.1	0.06	0.03	19.2	0.2	<0.05	1.8	8.74	52.2	<0.02	<1	0.3	0.8	<10	<2
REP 1832096	QC	<0.1	<0.02	1.4	0.33	<0.1	0.06	0.04	18.7	0.2	<0.05	1.7	8.41	54.5	<0.02	<1	0.3	0.8	<10	<2
1832113	Drill Core	<0.1	<0.02	1.7	0.51	<0.1	0.06	0.03	14.3	0.3	<0.05	1.5	16.57	45.7	0.03	2	0.4	2.0	<10	<2
REP 1832113	QC																			
1832131	Drill Core	<0.1	<0.02	2.2	0.86	<0.1	<0.02	<0.02	19.4	0.3	<0.05	0.5	10.90	53.8	0.02	<1	0.3	2.3	<10	<2
REP 1832131	QC	<0.1	<0.02	2.1	0.91	<0.1	0.03	<0.02	19.5	0.3	<0.05	0.6	10.88	53.2	0.03	<1	0.3	2.4	<10	<2
1832135	Drill Core	<0.1	<0.02	1.5	0.62	<0.1	<0.02	<0.02	13.4	0.2	<0.05	0.6	8.03	46.3	0.02	<1	0.3	1.4	<10	<2
REP 1832135	QC																			
Core Reject Duplicates																				
1832025	Drill Core	<0.1	<0.02	2.1	0.57	<0.1	0.03	<0.02	8.9	0.4	<0.05	0.7	17.52	62.4	0.04	<1	0.2	10.7	<10	<2
DUP 1832025	QC	<0.1	<0.02	2.4	0.57	<0.1	0.02	<0.02	9.1	0.4	<0.05	0.8	17.66	65.0	0.05	<1	0.2	10.9	<10	<2
1832059	Drill Core	<0.1	<0.02	2.6	0.36	<0.1	0.04	0.04	14.8	0.3	<0.05	1.1	10.87	48.0	0.03	<1	0.4	7.4	<10	<2
DUP 1832059	QC	<0.1	<0.02	2.6	0.34	<0.1	0.03	0.03	14.0	0.3	<0.05	1.1	10.63	44.9	0.03	<1	0.3	6.6	<10	<2
1832093	Drill Core	<0.1	<0.02	1.1	0.39	<0.1	0.18	<0.02	12.5	0.2	<0.05	4.8	4.56	34.5	<0.02	<1	0.3	0.5	<10	<2
DUP 1832093	QC	<0.1	<0.02	1.2	0.42	<0.1	0.16	<0.02	13.3	0.2	<0.05	4.8	4.51	36.4	<0.02	<1	0.3	0.6	<10	<2
1832127	Drill Core	<0.1	<0.02	2.2	0.56	<0.1	0.02	0.32	8.6	0.4	<0.05	0.8	14.02	28.8	0.02	<1	0.2	2.4	<10	<2
DUP 1832127	QC	<0.1	<0.02	2.3	0.60	<0.1	0.03	0.29	9.2	0.4	<0.05	0.7	14.52	30.6	0.02	<1	0.2	2.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	1.00	7.5	7.27	0.1	0.30	0.28	96.8	6.2	<0.05	8.5	15.70	56.0	0.52	5	0.6	21.9	129	195
STD BVGEO01	Standard	4.7	1.03	7.8	8.26	0.2	0.38	0.22	93.7	6.3	<0.05	10.5	16.08	54.9	0.52	4	0.8	24.4	99	192
STD DS11	Standard	2.3	4.85	5.1	3.12	<0.1	0.07	1.60	36.0	1.8	<0.05	3.2	8.30	39.9	0.26	54	0.7	24.0	108	181
STD DS11	Standard	1.9	4.45	5.1	3.15	<0.1	0.10	1.58	35.4	2.1	<0.05	3.5	9.05	38.5	0.26	50	0.6	24.9	88	169



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000032.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.66	126.42	58.92	156.6	471	64.4	29.5	568	3.41	39.8	1.4	50.4	10.7	35.7
STD OREAS262	Standard							0.63	107.46	56.46	149.9	475	59.7	25.2	550	3.26	37.7	1.3	55.8	9.3	38.9
STD OREAS262	Standard							0.65	127.57	61.59	155.0	477	65.5	29.9	517	3.31	38.4	1.4	46.7	10.6	38.5
STD OREAS262	Standard							0.67	128.75	59.91	153.0	470	65.5	29.6	536	3.27	37.8	1.3	57.7	10.4	37.7
STD OXC145	Standard			0.218																	
STD OXC145	Standard			0.217																	
STD OXH139	Standard			1.323																	
STD OXH139	Standard			1.305																	
STD OXN134	Standard			7.830																	
STD OXN134	Standard			7.762																	
STD OXQ90	Standard					25.13	30.20														
STD OXQ90	Standard					25.28	30.30														
STD OXQ90	Standard					25.41	29.75														
STD OXQ90	Standard					25.01	29.71														
STD OXQ90	Standard					25.09	30.17														
STD OXQ90	Standard					25.14	30.47														
STD OXQ90	Standard					24.99	30.21														
STD OXQ90	Standard					24.97	29.47														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1712	2530	163	25	706	3.7	121	3.67	219	13.6	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: June 21, 2019

Part: 2 of 3

WHI19000032.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: June 21, 2019

Part: 3 of 3

WHI19000032.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000032.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	0.4	<0.1	<0.5
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		413	<0.005	<0.01	<0.17	35.86	0.93	1.96	1.35	28.1	15	0.9	3.0	425	1.77	1.1	0.5	0.5	2.4	21.0
ROCK-WHI	Prep Blank		415	<0.005	<0.01	<0.17	47.52	0.93	3.97	1.25	30.5	12	1.1	3.8	480	1.98	1.3	0.5	1.3	2.4	26.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000032.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.04	0.03	22	0.54	0.042	6.1	2.8	0.40	55.6	0.063	3	0.82	0.095	0.09	<0.1	2.9	<0.02	<0.02	10
ROCK-WHI	Prep Blank	0.05	0.03	<0.02	28	0.67	0.046	6.6	2.7	0.46	62.7	0.077	3	1.03	0.123	0.11	<0.1	3.7	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000032.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.22	0.1	0.14	0.14	2.4	0.3	<0.05	3.5	9.21	13.2	<0.02	<1	0.1	2.5	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.20	0.1	0.17	0.14	2.5	0.4	<0.05	3.6	9.31	13.6	<0.02	<1	0.1	2.4	<10