



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 05, 2019  
Report Date: July 04, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000035.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-07  
P.O. Number  
Number of Samples: 83

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	81	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	83	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	83	Analysis sample split/packet			WHI
Split -150	83	Analysis sample split/packet			WHI
EN002	83	Environmental disposal charge-Fire assay lead waste			VAN
FS631	82	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	83	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	83	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832144	Drill Core	2.17	405	0.013	0.01	<0.17	34.49	0.75	29.23	18.50	71.6	9141	15.8	8.8	462	2.53	9.3	1.0	14.2	10.3	25.3
1832145	Drill Core	4.17	455	0.013	0.01	<0.17	50.27	2.59	39.28	16.47	61.0	14545	16.4	8.4	475	2.35	8.6	0.8	33.4	10.4	36.8
1832146	Drill Core	3.98	432	0.012	0.01	<0.17	37.60	0.31	16.06	14.52	55.5	2187	11.3	6.6	555	2.16	7.0	0.6	13.0	11.0	129.5
1832147	Drill Core	4.13	435	0.006	<0.01	<0.17	47.33	0.29	20.47	8.81	65.3	182	12.6	9.1	482	2.32	8.8	0.6	5.3	10.7	69.1
1832148	Drill Core	4.44	434	<0.005	<0.01	<0.17	41.22	0.31	17.78	18.16	66.4	236	12.3	7.3	554	2.46	11.3	0.5	2.1	10.3	66.3
1832149	Drill Core	3.26	464	<0.005	<0.01	<0.17	46.99	0.51	18.18	22.46	73.8	2312	13.4	8.3	583	2.53	14.4	0.7	1.4	9.6	32.9
1832150	Drill Core	3.99	459	<0.005	<0.01	<0.17	45.03	0.80	21.68	20.96	68.8	780	13.1	9.5	460	2.63	8.8	1.2	1.7	11.5	34.9
1832151	Drill Core	3.46	439	0.021	0.02	<0.17	51.78	0.91	26.59	11.75	62.0	1200	12.3	8.7	493	2.20	12.5	1.4	19.7	10.6	39.5
1832152	Drill Core	5.17	452	<0.005	<0.01	<0.17	50.46	0.61	20.46	16.59	65.9	258	13.3	9.0	610	2.56	26.2	1.3	0.9	10.9	66.4
1832153	Drill Core	4.03	436	<0.005	<0.01	<0.17	47.90	0.41	20.12	9.69	72.4	271	12.5	8.6	595	2.57	22.0	1.1	2.6	11.6	80.6
1832154	Drill Core	4.09	447	0.007	<0.01	<0.17	42.92	0.32	14.24	11.34	59.1	191	11.4	7.6	476	2.25	18.2	1.0	5.4	10.1	66.5
1832155	Drill Core	3.06	451	<0.005	<0.01	<0.17	43.65	0.67	23.88	11.19	58.4	523	13.7	8.7	439	2.31	26.6	1.2	2.0	9.6	67.5
1832156	Drill Core	3.62	434	<0.005	<0.01	<0.17	25.40	0.62	17.06	16.98	62.1	208	14.1	8.1	529	2.43	11.5	1.0	1.6	9.5	103.8
1832157	Drill Core	5.06	418	<0.005	<0.01	<0.17	50.81	0.81	24.88	13.08	63.7	185	14.3	9.8	488	2.52	25.3	1.4	1.1	10.4	51.1
1832158	Drill Core	3.11	418	<0.005	<0.01	<0.17	37.92	0.41	18.00	14.55	66.8	339	13.7	8.3	474	2.41	22.0	1.4	<0.2	10.7	60.9
1832159	Drill Core	3.68	452	<0.005	<0.01	<0.17	40.13	0.53	15.20	15.67	73.0	812	14.1	7.7	469	2.44	124.4	1.3	<0.2	9.8	49.7
1832160	Core DUP		437	<0.005	<0.01	<0.17	44.78	0.53	14.85	15.59	70.0	851	14.1	8.6	474	2.47	122.5	1.4	0.4	10.2	52.0
1832161	Drill Core	3.98	442	<0.005	<0.01	<0.17	28.42	0.47	26.45	16.33	65.5	201	14.5	8.7	482	2.53	20.4	1.2	1.8	9.9	57.9
1832162	Drill Core	3.98	463	<0.005	<0.01	<0.17	44.58	0.84	22.69	13.23	52.7	159	14.0	7.9	526	2.55	22.1	1.5	2.6	10.5	90.9
1832163	Drill Core	5.73	453	<0.005	<0.01	<0.17	37.39	0.84	18.63	13.86	49.0	218	12.3	6.7	481	2.19	121.4	1.4	28.4	9.2	81.1
1832164	Drill Core	5.42	428	<0.005	<0.01	<0.17	56.34	0.47	19.62	12.55	61.7	199	14.0	7.6	466	2.48	93.9	1.4	7.5	10.4	54.2
1832165	Drill Core	3.44	158	0.031	0.02	<0.17	50.10	0.62	18.01	20.21	59.9	217	13.4	7.5	466	2.47	17.9	1.4	2.7	9.1	62.5
1832166	Drill Core	4.57	435	0.008	<0.01	<0.17	39.61	1.33	28.71	10.41	53.2	197	14.8	8.2	514	2.41	23.9	1.6	2.5	11.1	66.6
1832167	Drill Core	4.34	418	<0.005	<0.01	<0.17	45.01	0.73	18.22	15.81	44.5	169	11.4	6.5	436	2.02	17.8	1.3	1.7	8.4	102.3
1832168	Drill Core	3.81	444	<0.005	<0.01	<0.17	50.45	0.72	13.50	12.69	49.9	287	9.4	6.0	430	2.06	20.2	1.2	2.4	7.5	76.0
1832169	Drill Core	3.12	443	0.006	<0.01	<0.17	48.26	0.66	16.11	17.79	47.5	381	11.1	7.2	467	2.15	24.1	1.3	4.0	9.1	67.6
1832170	Drill Core	3.95	421	0.033	0.03	<0.17	34.57	0.67	18.07	7.30	62.1	264	13.2	8.0	527	2.45	58.6	1.5	31.7	10.6	50.4
1832171	Drill Core	5.10	443	0.018	0.02	<0.17	48.35	0.42	51.64	5.85	64.7	629	13.2	7.2	621	2.47	100.8	1.4	349.9	11.2	90.7
1832172	Drill Core	3.56	465	<0.005	<0.01	<0.17	50.91	0.37	23.68	12.97	71.4	257	16.1	9.0	661	2.67	18.6	1.3	<0.2	10.9	78.9
1832173	Drill Core	2.83	430	0.054	0.05	<0.17	41.87	0.74	39.58	6.25	45.3	439	11.6	7.8	410	2.16	21.8	1.5	35.1	11.3	50.9



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832144	Drill Core				0.35	0.33	0.19	22	0.30	0.056	18.1	22.2	1.16	277.7	0.041	<1	1.41	0.025	0.43	29.2	5.3	0.26	<0.02	<5
1832145	Drill Core				0.38	0.41	0.10	17	0.46	0.058	23.5	28.1	0.92	449.1	0.050	1	1.15	0.021	0.54	47.0	5.4	0.30	<0.02	<5
1832146	Drill Core				0.25	0.18	0.06	13	1.29	0.064	26.4	13.8	0.77	546.7	0.022	<1	0.89	0.028	0.47	6.6	6.2	0.25	<0.02	<5
1832147	Drill Core				0.20	0.18	0.03	15	0.68	0.064	19.4	14.8	0.91	688.9	0.060	<1	0.97	0.032	0.65	0.3	7.3	0.37	<0.02	<5
1832148	Drill Core				0.43	0.20	0.08	21	1.14	0.068	15.4	18.5	1.19	536.4	0.087	<1	1.33	0.022	0.78	0.4	6.6	0.38	<0.02	<5
1832149	Drill Core				0.60	0.24	0.18	22	0.47	0.064	18.2	25.5	1.23	333.6	0.043	<1	1.40	0.025	0.49	6.7	5.3	0.25	<0.02	<5
1832150	Drill Core				0.66	0.39	0.34	20	0.88	0.071	23.1	18.5	1.11	347.1	0.052	<1	1.36	0.025	0.64	1.0	6.4	0.27	<0.02	<5
1832151	Drill Core				0.43	0.53	0.12	13	1.12	0.069	22.4	13.6	0.85	334.1	0.041	1	1.08	0.016	0.58	1.5	5.3	0.24	<0.02	<5
1832152	Drill Core				0.39	0.34	0.07	20	1.20	0.066	21.5	19.2	0.97	298.6	0.033	<1	1.22	0.030	0.50	0.2	6.4	0.20	<0.02	<5
1832153	Drill Core				0.41	0.60	0.03	18	1.12	0.070	23.5	17.7	1.04	249.9	0.032	<1	1.32	0.024	0.61	0.2	5.7	0.24	<0.02	<5
1832154	Drill Core				0.28	0.50	0.10	18	0.99	0.068	23.1	16.5	0.80	249.5	0.033	1	1.13	0.039	0.55	0.2	5.2	0.22	<0.02	<5
1832155	Drill Core				0.38	1.09	0.16	17	1.51	0.072	24.5	17.0	0.65	282.8	0.022	<1	1.09	0.025	0.49	0.9	5.4	0.20	<0.02	13
1832156	Drill Core				0.42	0.70	0.15	18	2.39	0.077	22.8	19.2	0.77	296.8	0.012	1	1.31	0.029	0.43	0.1	5.6	0.14	<0.02	<5
1832157	Drill Core				0.28	0.78	0.06	19	1.23	0.075	21.8	18.5	0.80	426.0	0.032	<1	1.11	0.037	0.54	0.2	7.3	0.31	<0.02	<5
1832158	Drill Core				0.30	0.73	0.15	18	1.14	0.073	22.1	18.3	0.94	297.8	0.037	<1	1.11	0.033	0.62	0.4	7.6	0.40	<0.02	<5
1832159	Drill Core				0.43	0.78	0.32	20	0.93	0.071	22.0	20.5	0.87	219.9	0.034	2	1.06	0.042	0.62	1.4	8.0	0.39	<0.02	<5
1832160	Core DUP				0.44	0.79	0.31	20	1.00	0.066	21.8	21.2	0.87	228.1	0.034	<1	1.06	0.045	0.62	1.6	8.6	0.38	<0.02	<5
1832161	Drill Core				0.31	0.51	0.05	21	1.16	0.074	20.4	19.4	0.98	273.1	0.034	<1	1.19	0.029	0.56	0.1	7.8	0.26	<0.02	<5
1832162	Drill Core				0.30	0.47	0.09	21	2.04	0.073	25.9	19.4	0.69	331.5	0.025	<1	1.16	0.024	0.40	0.1	6.6	0.12	<0.02	<5
1832163	Drill Core				0.28	0.45	0.08	14	1.60	0.074	23.1	13.9	0.59	286.4	0.012	<1	1.02	0.017	0.40	0.1	5.4	0.14	<0.02	<5
1832164	Drill Core				0.30	0.53	0.06	21	1.06	0.078	24.8	20.7	1.05	269.1	0.049	<1	1.28	0.024	0.61	0.1	7.6	0.29	<0.02	<5
1832165	Drill Core				0.25	0.49	0.08	29	1.12	0.068	27.5	29.1	0.96	547.5	0.042	2	1.68	0.076	0.80	0.2	8.0	0.28	<0.02	<5
1832166	Drill Core				0.32	0.76	0.06	19	1.32	0.075	30.4	18.3	0.88	328.6	0.033	<1	1.21	0.016	0.59	0.1	6.5	0.26	<0.02	<5
1832167	Drill Core				0.28	0.50	0.11	15	1.88	0.069	23.6	14.7	0.69	286.7	0.039	<1	1.00	0.017	0.48	0.1	6.1	0.21	<0.02	<5
1832168	Drill Core				0.46	0.82	0.14	13	1.68	0.055	19.8	13.3	0.55	231.7	0.037	<1	0.88	0.023	0.52	0.3	4.3	0.27	<0.02	<5
1832169	Drill Core				0.27	0.54	0.14	12	1.66	0.071	21.9	13.9	0.66	269.8	0.026	<1	0.99	0.021	0.53	0.3	3.8	0.21	<0.02	<5
1832170	Drill Core				0.32	0.57	0.03	19	1.12	0.080	24.3	18.6	0.92	299.5	0.047	<1	1.21	0.025	0.65	0.2	5.9	0.30	<0.02	<5
1832171	Drill Core				0.39	0.50	0.02	22	1.40	0.076	26.2	20.7	1.06	252.1	0.043	2	1.32	0.042	0.57	0.2	6.8	0.23	<0.02	8
1832172	Drill Core				0.28	0.26	<0.02	26	1.15	0.070	28.1	27.4	1.06	307.6	0.039	1	1.51	0.047	0.52	0.2	7.9	0.19	<0.02	12
1832173	Drill Core				0.21	0.20	<0.02	13	1.02	0.073	29.8	14.2	0.71	342.0	0.007	<1	1.23	0.014	0.48	0.1	3.8	0.13	<0.02	6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 2 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832144	Drill Core	0.2	0.04	5.7	1.34	<0.1	0.29	<0.02	23.4	0.4	<0.05	7.1	4.74	34.6	0.03	<1	0.4	11.5	<10	<2			
1832145	Drill Core	0.3	0.03	3.9	4.27	<0.1	0.19	0.05	36.6	0.6	<0.05	5.6	7.65	44.1	<0.02	<1	0.4	7.5	<10	<2			
1832146	Drill Core	<0.1	0.05	3.1	5.27	<0.1	0.11	<0.02	22.1	0.3	<0.05	2.9	8.97	49.6	0.03	<1	0.5	5.5	<10	<2			
1832147	Drill Core	<0.1	0.03	3.1	8.75	<0.1	0.20	<0.02	43.5	0.9	<0.05	3.9	6.69	37.4	0.03	<1	0.4	5.2	<10	<2			
1832148	Drill Core	<0.1	0.03	4.7	3.76	<0.1	0.29	<0.02	39.5	0.5	<0.05	6.5	5.89	30.2	0.02	<1	0.4	8.4	<10	<2			
1832149	Drill Core	<0.1	0.03	5.7	1.79	<0.1	0.24	<0.02	24.1	0.5	<0.05	6.4	3.99	34.2	<0.02	<1	0.5	11.3	<10	<2			
1832150	Drill Core	0.4	0.02	4.4	1.74	<0.1	0.31	<0.02	29.8	0.6	<0.05	7.7	5.92	42.1	0.04	<1	0.4	9.9	<10	<2			
1832151	Drill Core	<0.1	0.02	3.1	1.60	<0.1	0.19	<0.02	25.0	0.4	<0.05	4.2	5.02	42.9	0.03	<1	0.4	6.9	<10	<2			
1832152	Drill Core	0.2	0.04	4.4	1.40	<0.1	0.21	<0.02	22.0	0.5	<0.05	5.3	5.26	41.6	0.02	<1	0.2	7.5	<10	<2			
1832153	Drill Core	0.1	<0.02	4.5	1.90	<0.1	0.28	<0.02	27.3	0.4	<0.05	6.2	5.10	44.7	0.03	<1	0.4	8.7	<10	<2			
1832154	Drill Core	<0.1	0.02	3.7	1.69	<0.1	0.18	<0.02	22.4	0.5	<0.05	3.9	4.66	42.7	0.03	<1	0.4	7.9	<10	<2			
1832155	Drill Core	0.6	0.02	3.8	1.01	<0.1	0.05	<0.02	18.9	0.3	<0.05	1.2	6.20	46.2	0.02	<1	0.1	6.5	<10	<2			
1832156	Drill Core	0.4	0.04	4.8	0.35	<0.1	0.04	<0.02	13.8	0.3	<0.05	0.7	6.32	42.7	0.02	<1	0.3	8.5	<10	<2			
1832157	Drill Core	0.5	0.03	4.0	3.14	<0.1	0.12	<0.02	25.4	0.4	<0.05	2.6	5.64	41.3	0.03	<1	0.3	5.6	<10	<2			
1832158	Drill Core	<0.1	0.02	3.7	5.31	<0.1	0.19	<0.02	36.6	0.3	<0.05	4.9	4.97	42.8	0.03	<1	0.5	5.4	<10	<2			
1832159	Drill Core	0.1	0.05	3.6	5.29	<0.1	0.12	<0.02	35.8	0.4	<0.05	3.2	4.86	41.9	0.04	<1	0.3	5.0	<10	<2			
1832160	Core DUP	0.2	0.04	3.4	5.35	<0.1	0.12	<0.02	36.9	0.4	<0.05	3.2	4.99	41.9	0.03	<1	0.4	5.0	<10	<2			
1832161	Drill Core	<0.1	0.02	4.2	2.86	<0.1	0.19	<0.02	25.5	0.4	<0.05	4.1	5.51	38.8	0.03	<1	0.4	6.4	<10	2			
1832162	Drill Core	0.2	0.03	4.6	0.95	0.1	0.03	<0.02	13.9	0.4	<0.05	1.7	8.32	49.4	0.03	<1	0.3	7.8	<10	<2			
1832163	Drill Core	<0.1	<0.02	3.5	0.89	<0.1	0.04	<0.02	15.6	0.3	<0.05	0.8	7.08	42.8	0.03	<1	0.3	6.8	<10	<2			
1832164	Drill Core	0.2	0.02	4.0	2.36	<0.1	0.16	<0.02	30.2	0.4	<0.05	3.6	8.03	47.6	0.03	<1	0.5	9.5	<10	3			
1832165	Drill Core	0.2	0.02	5.5	1.66	<0.1	0.16	<0.02	31.6	0.6	<0.05	4.0	8.86	51.9	0.03	<1	0.6	9.6	<10	<2			
1832166	Drill Core	0.3	<0.02	3.8	1.99	<0.1	0.09	<0.02	27.7	0.4	<0.05	2.7	9.58	56.8	0.02	<1	0.8	8.6	<10	3			
1832167	Drill Core	0.2	0.03	3.0	1.75	<0.1	0.06	<0.02	24.3	0.3	<0.05	1.4	7.03	44.3	0.03	<1	0.4	7.7	<10	<2			
1832168	Drill Core	0.1	<0.02	2.7	2.99	<0.1	0.04	<0.02	25.6	0.3	<0.05	0.8	6.09	36.5	0.03	<1	0.2	4.6	<10	<2			
1832169	Drill Core	0.3	0.04	2.7	2.31	<0.1	0.05	<0.02	22.9	0.2	<0.05	1.4	6.20	41.3	0.03	<1	0.2	5.6	<10	2			
1832170	Drill Core	0.2	<0.02	3.9	3.71	<0.1	0.12	<0.02	35.0	0.4	<0.05	3.7	6.46	45.7	0.02	<1	0.5	7.8	<10	4			
1832171	Drill Core	0.2	<0.02	4.3	2.52	<0.1	0.19	0.06	25.8	0.6	<0.05	6.5	5.75	48.0	0.04	<1	0.5	8.6	<10	<2			
1832172	Drill Core	0.2	<0.02	5.3	1.77	<0.1	0.18	<0.02	22.3	0.4	<0.05	7.0	6.30	52.2	0.03	<1	0.6	9.9	<10	<2			
1832173	Drill Core	0.3	<0.02	3.5	0.36	<0.1	0.02	<0.02	16.4	0.3	<0.05	1.5	9.36	53.8	<0.02	<1	0.3	10.2	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832174	Drill Core	4.26	408	0.027	0.02	<0.17	33.77	0.73	32.28	6.58	56.5	423	11.3	7.3	657	2.14	20.0	1.5	26.4	12.0	90.0
1832175	Drill Core	4.46	453	0.005	<0.01	<0.17	48.82	0.79	17.38	17.03	54.9	304	11.7	7.6	527	2.28	16.8	1.3	2.4	9.6	106.0
1832176	Drill Core	4.56	436	<0.005	<0.01	<0.17	51.68	0.45	14.60	15.00	66.9	190	13.4	9.1	461	2.69	14.0	0.8	<0.2	12.2	63.1
1832177	Drill Core	2.47	458	<0.005	<0.01	<0.17	39.62	0.16	13.71	21.86	62.9	201	12.8	7.5	491	2.38	7.4	0.8	<0.2	9.8	55.2
1832178	Drill Core	5.32	482	<0.005	<0.01	<0.17	30.40	0.70	17.99	19.57	51.2	191	11.8	7.4	411	1.95	5.1	1.4	0.6	8.5	85.2
1832179	Drill Core	5.37	526	<0.005	<0.01	<0.17	49.42	0.90	17.96	15.89	38.2	176	12.1	7.2	251	1.65	1.1	1.3	<0.2	5.5	42.7
1832180	Rock	0.23	168	<0.005	<0.01	<0.17	25.58	0.60	1.27	0.96	2.4	10	1.3	0.5	94	0.80	0.6	0.2	<0.2	1.1	2.2
1832181	Drill Core	4.48	451	<0.005	<0.01	<0.17	43.91	0.66	21.62	10.79	37.9	116	10.8	7.0	306	1.53	4.0	1.7	<0.2	10.0	25.2
1832182	Drill Core	4.96	513	<0.005	<0.01	<0.17	47.60	0.68	24.16	9.51	40.4	129	11.9	7.5	336	1.67	2.0	1.1	0.5	4.8	42.4
1832183	Drill Core	1.60	398	<0.005	<0.01	<0.17	33.33	7.64	23.86	10.91	36.0	166	11.4	6.9	140	1.49	1.8	1.4	<0.2	4.4	22.9
1832184	Drill Core	5.38	463	<0.005	<0.01	<0.17	51.62	1.16	17.16	13.01	57.0	134	13.1	8.3	415	2.03	6.5	1.0	<0.2	7.0	101.0
1832185	Drill Core	4.94	461	<0.005	<0.01	<0.17	47.20	0.70	14.20	17.50	44.9	297	9.9	6.5	424	1.78	6.9	0.7	<0.2	8.9	108.2
1832186	Drill Core	5.72	393	<0.005	<0.01	<0.17	51.49	0.50	19.16	13.27	59.7	175	13.1	8.3	476	2.33	8.0	1.3	<0.2	9.7	91.2
1832187	Drill Core	4.34	396	0.008	<0.01	<0.17	38.87	0.31	5.26	9.41	78.4	103	18.2	8.1	460	2.55	12.7	1.1	3.8	12.2	88.0
1832188	Drill Core	5.22	468	1.479	2.20	8.64	47.20	0.95	17.08	19.37	46.1	1965	9.5	7.1	591	2.29	72.5	1.6	1421.7	10.6	84.9
1832189	Drill Core	4.70	403	0.026	0.02	<0.17	34.91	0.54	14.09	11.73	56.5	537	7.9	5.7	539	1.78	19.7	0.9	28.0	10.7	48.7
1832190	Drill Core	4.32	406	0.005	<0.01	<0.17	29.53	0.32	12.62	15.74	65.6	347	11.1	6.9	416	2.19	12.7	1.2	1.4	11.9	56.6
1832191	Drill Core	3.42	384	<0.005	<0.01	<0.17	34.39	0.43	18.21	13.08	55.9	1014	11.0	6.7	434	2.10	9.1	0.8	<0.2	11.8	52.4
1832192	Drill Core	2.70	518	<0.005	<0.01	<0.17	51.66	0.64	16.63	17.52	56.8	1312	11.9	7.2	941	2.14	9.1	0.7	2.7	7.7	308.0
1832193	Drill Core	5.00	506	<0.005	<0.01	<0.17	52.17	0.40	14.47	17.79	59.8	341	10.4	6.2	462	2.00	8.4	0.9	2.1	11.3	74.5
1832194	Drill Core	2.21	454	<0.005	<0.01	<0.17	23.31	0.29	12.12	16.44	49.9	202	9.3	5.4	394	1.80	6.5	0.8	0.9	12.7	51.0
1832195	Drill Core	4.28	381	<0.005	<0.01	<0.17	19.91	0.40	12.77	13.31	61.8	214	12.1	7.5	377	1.99	10.3	1.4	0.4	13.0	59.3
1832196	Drill Core	3.48	391	<0.005	<0.01	<0.17	23.47	0.35	16.80	24.43	54.3	321	9.2	6.6	284	1.83	9.8	1.3	2.2	13.6	45.6
1832197	Drill Core	3.70	438	<0.005	<0.01	<0.17	40.21	0.37	12.52	17.40	58.1	238	11.9	7.1	347	1.91	11.9	1.2	0.9	12.4	46.4
1832198	Drill Core	2.31	488	<0.005	<0.01	<0.17	40.65	0.38	14.47	15.52	56.7	313	12.3	8.0	301	1.93	14.0	1.3	1.9	11.7	40.1
1832199	Drill Core	2.22	408	<0.005	<0.01	<0.17	43.77	0.37	14.74	15.26	54.2	265	9.2	7.7	343	1.80	13.5	1.3	0.9	14.1	39.5
1832200	Rock Pulp	0.12	85	7.181	I.S.	I.S.	I.S.	9.65	195.77	19.03	75.5	896	13.9	12.1	596	4.69	14.3	0.9	7565.2	3.1	76.2
1832201	Drill Core	5.88	517	0.008	<0.01	<0.17	51.31	0.21	14.73	12.12	47.2	205	7.9	6.8	326	1.61	4.8	1.1	1.5	12.3	45.9
1832202	Drill Core	3.11	437	<0.005	<0.01	<0.17	44.44	0.21	11.82	22.81	34.8	191	7.3	5.9	236	1.26	2.0	1.0	<0.2	12.1	41.8
1832203	Drill Core	3.17	479	<0.005	<0.01	<0.17	56.06	0.18	10.72	16.11	25.7	164	5.5	4.3	155	0.95	2.2	1.1	<0.2	12.7	25.3



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832174	Drill Core	0.22	0.28	0.02	14	1.55	0.077	29.4	15.8	0.81	347.9	0.017	1	1.23	0.024	0.57	0.2	5.0	0.18	<0.02	5			
1832175	Drill Core	0.40	0.25	0.12	12	2.10	0.080	22.7	14.3	0.61	367.3	0.014	1	0.99	0.027	0.36	<0.1	4.4	0.11	<0.02	8			
1832176	Drill Core	0.22	0.29	0.11	21	1.06	0.069	22.6	20.6	1.05	616.3	0.037	<1	1.30	0.049	0.53	<0.1	8.1	0.21	<0.02	<5			
1832177	Drill Core	0.26	0.25	0.19	20	1.05	0.068	25.4	19.3	1.16	336.5	0.051	<1	1.30	0.021	0.48	<0.1	7.7	0.23	<0.02	<5			
1832178	Drill Core	0.26	0.55	0.12	17	1.60	0.065	20.9	17.1	0.64	286.1	0.077	<1	1.04	0.039	0.38	<0.1	6.4	0.20	<0.02	9			
1832179	Drill Core	0.14	0.36	0.12	11	0.62	0.076	10.7	12.4	0.44	261.4	0.076	<1	0.82	0.024	0.32	<0.1	3.6	0.12	<0.02	<5			
1832180	Rock	<0.01	0.04	<0.02	1	0.02	0.002	1.9	4.1	0.02	12.7	0.005	1	0.06	0.006	0.01	<0.1	0.2	<0.02	<0.02	<5			
1832181	Drill Core	0.18	0.29	<0.02	9	0.35	0.075	23.2	9.5	0.40	330.2	0.073	<1	0.66	0.025	0.38	0.1	2.4	0.18	<0.02	<5			
1832182	Drill Core	0.13	0.25	0.05	9	0.56	0.071	10.1	10.6	0.38	433.7	0.088	<1	0.75	0.040	0.40	<0.1	2.6	0.15	<0.02	<5			
1832183	Drill Core	0.18	0.39	0.09	11	0.33	0.072	9.6	13.1	0.35	265.8	0.080	<1	0.71	0.025	0.28	0.1	2.5	0.09	<0.02	<5			
1832184	Drill Core	0.22	0.41	0.12	18	1.33	0.069	13.8	18.8	0.66	313.2	0.103	<1	1.21	0.038	0.35	0.1	5.8	0.13	<0.02	<5			
1832185	Drill Core	0.26	0.13	0.39	14	1.64	0.061	18.0	15.7	0.63	332.5	0.074	<1	0.79	0.032	0.37	0.1	5.4	0.18	<0.02	<5			
1832186	Drill Core	0.25	0.20	0.08	16	1.19	0.076	26.1	17.8	0.79	445.3	0.093	<1	0.95	0.037	0.55	<0.1	7.5	0.32	<0.02	<5			
1832187	Drill Core	0.28	0.36	0.03	23	1.11	0.065	27.4	25.9	1.13	261.7	0.045	1	1.41	0.041	0.49	0.1	6.2	0.20	<0.02	6			
1832188	Drill Core	0.45	0.89	0.12	9	1.94	0.050	23.6	10.9	0.77	254.1	0.018	<1	0.97	0.026	0.45	1.2	4.6	0.19	<0.02	<5			
1832189	Drill Core	0.47	0.57	<0.02	9	0.97	0.053	25.1	9.5	0.77	304.3	0.024	1	1.15	0.021	0.60	0.6	3.1	0.24	<0.02	<5			
1832190	Drill Core	0.30	0.46	<0.02	17	0.81	0.062	29.7	16.6	0.91	253.7	0.067	<1	1.21	0.035	0.56	0.6	5.2	0.25	<0.02	<5			
1832191	Drill Core	0.26	0.28	0.02	14	1.07	0.067	27.5	14.5	0.75	311.2	0.071	<1	1.10	0.035	0.60	2.2	5.8	0.27	<0.02	<5			
1832192	Drill Core	0.65	0.13	0.11	17	4.20	0.060	19.5	17.5	0.83	208.0	0.016	<1	1.08	0.024	0.30	2.9	6.5	0.12	<0.02	<5			
1832193	Drill Core	0.25	0.28	0.07	16	1.01	0.059	31.7	15.6	0.79	277.1	0.026	<1	1.02	0.023	0.47	0.4	5.9	0.27	<0.02	<5			
1832194	Drill Core	0.18	0.22	<0.02	12	0.54	0.054	33.5	12.3	0.70	362.8	0.037	<1	0.98	0.045	0.57	0.1	5.1	0.24	<0.02	<5			
1832195	Drill Core	0.26	0.66	<0.02	16	0.64	0.059	35.7	15.9	0.77	328.3	0.045	<1	1.13	0.055	0.63	0.2	6.8	0.32	<0.02	<5			
1832196	Drill Core	0.24	0.48	0.09	15	0.56	0.059	36.2	15.3	0.74	272.6	0.030	<1	1.00	0.043	0.54	0.2	5.6	0.28	<0.02	<5			
1832197	Drill Core	0.20	0.42	0.08	15	0.53	0.058	33.3	16.3	0.76	259.2	0.046	<1	1.01	0.042	0.56	0.2	5.0	0.29	<0.02	<5			
1832198	Drill Core	0.24	0.43	0.07	16	0.44	0.061	33.0	16.8	0.75	257.2	0.028	<1	1.01	0.037	0.52	0.2	5.5	0.29	<0.02	<5			
1832199	Drill Core	0.18	0.32	<0.02	14	0.50	0.059	39.4	14.5	0.69	310.1	0.040	<1	0.97	0.033	0.57	0.3	4.9	0.27	<0.02	<5			
1832200	Rock Pulp	0.22	4.72	0.60	106	0.91	0.063	8.4	19.2	0.85	127.8	0.134	3	1.81	0.177	0.23	4.0	3.6	0.07	<0.02	232			
1832201	Drill Core	0.19	0.20	<0.02	14	0.59	0.064	34.7	14.9	0.68	269.5	0.051	<1	0.91	0.040	0.58	0.1	3.6	0.29	<0.02	<5			
1832202	Drill Core	0.17	0.24	<0.02	10	0.33	0.061	32.6	12.3	0.46	272.6	0.060	<1	0.76	0.045	0.56	<0.1	2.5	0.28	<0.02	<5			
1832203	Drill Core	0.14	0.36	<0.02	9	0.24	0.062	32.8	9.9	0.31	270.0	0.082	<1	0.61	0.040	0.46	<0.1	1.8	0.19	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 3 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832174	Drill Core	0.1	<0.02	3.8	1.13	<0.1	0.08	<0.02	23.2	0.3	<0.05	3.2	7.38	53.9	<0.02	<1	0.5	9.9	<10	<2			
1832175	Drill Core	<0.1	0.02	2.9	1.53	<0.1	0.04	<0.02	14.1	0.2	<0.05	1.1	8.86	42.2	0.03	<1	0.4	7.3	<10	<2			
1832176	Drill Core	0.2	<0.02	4.5	3.61	<0.1	0.11	<0.02	23.7	0.4	<0.05	3.8	9.10	42.6	0.02	<1	0.3	7.4	<10	<2			
1832177	Drill Core	<0.1	<0.02	4.3	2.82	<0.1	0.14	<0.02	22.0	0.4	<0.05	3.8	10.90	46.0	0.03	<1	0.4	6.9	<10	<2			
1832178	Drill Core	0.2	0.03	4.1	1.21	<0.1	0.03	0.08	17.6	0.6	<0.05	1.3	10.42	38.0	0.02	<1	0.2	6.7	<10	<2			
1832179	Drill Core	<0.1	0.03	2.9	0.73	<0.1	0.04	0.14	11.7	0.4	<0.05	1.0	7.31	20.5	<0.02	<1	0.2	5.5	<10	<2			
1832180	Rock	<0.1	<0.02	0.2	0.09	<0.1	0.09	<0.02	0.8	<0.1	<0.05	2.0	0.90	4.0	<0.02	<1	<0.1	0.8	<10	<2			
1832181	Drill Core	0.2	<0.02	2.2	2.39	<0.1	0.14	0.14	15.7	0.3	<0.05	4.5	8.11	40.8	<0.02	<1	0.4	4.7	<10	<2			
1832182	Drill Core	0.4	0.02	2.1	2.88	<0.1	0.04	0.22	15.7	0.3	<0.05	1.3	6.36	19.0	<0.02	1	0.2	3.7	<10	<2			
1832183	Drill Core	0.2	0.04	2.9	0.65	<0.1	0.04	0.16	11.0	0.3	<0.05	1.2	5.75	17.9	<0.02	<1	0.4	4.7	<10	<2			
1832184	Drill Core	0.2	0.02	4.7	0.79	<0.1	0.04	0.14	13.3	0.5	<0.05	1.0	9.31	26.7	0.02	<1	0.2	9.0	<10	<2			
1832185	Drill Core	<0.1	0.05	2.7	2.79	<0.1	0.05	0.06	15.9	0.5	<0.05	1.4	11.79	32.7	0.03	<1	0.2	5.6	<10	<2			
1832186	Drill Core	0.2	0.02	3.1	5.10	<0.1	0.07	0.07	31.1	0.5	<0.05	2.1	11.53	46.2	0.02	<1	0.4	4.9	<10	<2			
1832187	Drill Core	<0.1	0.02	5.3	1.87	<0.1	0.26	<0.02	23.0	0.5	<0.05	7.9	7.52	50.3	0.03	<1	0.5	10.4	<10	<2			
1832188	Drill Core	0.2	0.17	2.8	2.28	<0.1	0.24	<0.02	21.8	0.2	<0.05	7.0	7.29	43.2	0.02	<1	0.4	8.9	<10	<2			
1832189	Drill Core	<0.1	<0.02	3.1	3.38	<0.1	0.24	<0.02	28.7	0.2	<0.05	7.2	5.95	45.5	<0.02	<1	0.3	8.9	<10	2			
1832190	Drill Core	0.1	<0.02	4.4	3.28	<0.1	0.30	<0.02	31.5	0.4	<0.05	8.3	8.04	56.1	<0.02	<1	0.4	10.0	<10	<2			
1832191	Drill Core	0.2	<0.02	4.0	2.85	<0.1	0.17	<0.02	35.0	0.4	<0.05	4.9	7.16	51.3	0.03	<1	0.3	6.4	<10	<2			
1832192	Drill Core	<0.1	0.02	4.1	1.12	<0.1	0.04	<0.02	14.4	0.1	<0.05	1.5	10.34	35.7	0.03	<1	0.4	6.3	<10	<2			
1832193	Drill Core	0.1	0.04	4.3	2.31	<0.1	0.18	<0.02	30.2	0.3	<0.05	5.4	10.56	56.7	0.02	<1	0.5	7.5	<10	<2			
1832194	Drill Core	<0.1	0.03	3.6	2.34	<0.1	0.27	<0.02	32.3	0.4	<0.05	7.0	10.60	61.8	0.02	<1	0.4	6.1	<10	<2			
1832195	Drill Core	<0.1	<0.02	4.8	3.51	<0.1	0.36	<0.02	38.1	0.4	<0.05	8.9	10.58	62.9	0.02	2	0.7	8.1	<10	<2			
1832196	Drill Core	0.3	<0.02	4.4	3.39	<0.1	0.34	<0.02	33.1	0.5	<0.05	8.3	9.97	65.2	<0.02	<1	0.4	7.4	<10	5			
1832197	Drill Core	<0.1	0.03	4.3	4.20	<0.1	0.34	<0.02	38.4	0.6	<0.05	9.5	12.34	62.9	<0.02	<1	0.3	7.9	<10	<2			
1832198	Drill Core	<0.1	<0.02	3.9	3.65	<0.1	0.35	<0.02	31.2	0.5	<0.05	8.9	10.10	61.7	0.02	<1	0.6	8.6	<10	<2			
1832199	Drill Core	0.2	0.03	4.2	3.52	<0.1	0.40	<0.02	33.9	0.6	<0.05	9.4	14.41	73.2	0.02	<1	0.6	8.5	<10	<2			
1832200	Rock Pulp	<0.1	0.18	5.1	0.67	0.1	0.12	<0.02	8.3	1.7	<0.05	1.6	5.38	16.2	0.05	<1	0.2	6.9	<10	<2			
1832201	Drill Core	0.2	0.02	3.5	2.50	<0.1	0.37	<0.02	39.1	0.5	<0.05	8.1	12.81	63.5	<0.02	<1	0.4	7.4	<10	<2			
1832202	Drill Core	0.2	<0.02	2.9	1.26	<0.1	0.34	<0.02	32.8	0.4	<0.05	7.8	10.62	60.2	<0.02	<1	0.3	6.1	<10	<2			
1832203	Drill Core	0.4	<0.02	2.4	1.04	<0.1	0.30	0.10	24.1	0.3	<0.05	7.3	13.64	61.9	<0.02	<1	0.4	4.2	<10	<2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832204	Drill Core	4.10	477	<0.005	<0.01	<0.17	29.92	0.24	14.39	11.68	21.3	236	4.0	4.5	161	1.02	1.7	1.3	<0.2	9.3	55.6
1832205	Drill Core	3.48	367	<0.005	<0.01	<0.17	39.57	0.31	19.36	14.39	20.6	290	6.8	7.8	134	1.02	4.5	1.0	1.0	6.3	63.5
1832206	Drill Core	4.76	475	<0.005	<0.01	<0.17	48.94	0.24	14.65	8.58	25.1	185	7.7	7.0	131	0.99	4.5	1.4	0.9	8.4	48.9
1832207	Drill Core	1.82	367	<0.005	<0.01	<0.17	61.52	0.39	13.74	4.98	19.2	159	5.1	6.9	80	0.83	5.1	1.3	<0.2	8.2	20.7
1832208	Drill Core	5.37	521	<0.005	<0.01	<0.17	47.21	1.07	17.05	6.77	10.3	194	4.3	6.0	73	0.74	3.8	0.7	<0.2	2.6	46.6
1832209	Drill Core	5.35	492	<0.005	<0.01	<0.17	42.38	1.34	14.13	6.60	19.7	121	5.0	7.4	127	0.86	5.8	0.7	<0.2	2.7	42.9
1832210	Drill Core	4.39	366	<0.005	<0.01	<0.17	42.07	1.87	15.15	7.64	35.1	120	7.7	6.4	232	1.20	6.1	0.8	<0.2	3.7	57.3
1832211	Drill Core	4.04	443	<0.005	<0.01	<0.17	35.17	1.19	18.12	7.24	64.2	131	12.6	7.7	385	1.98	4.8	0.8	0.5	3.9	27.8
1832212	Drill Core	6.24	439	<0.005	<0.01	<0.17	52.94	0.93	18.69	14.08	32.0	180	10.9	6.8	198	1.37	7.1	1.0	<0.2	5.1	41.2
2022001	Drill Core	4.60	424	<0.005	<0.01	<0.17	47.26	0.29	9.96	28.82	35.1	131	2.4	2.3	157	0.86	5.9	1.0	0.5	14.9	7.8
2022002	Drill Core	5.23	406	0.006	<0.01	<0.17	48.03	0.38	10.62	38.63	43.4	420	3.4	2.8	145	0.83	5.2	0.9	7.1	13.4	9.4
2022003	Drill Core	3.10	462	<0.005	<0.01	<0.17	45.27	0.24	14.80	26.23	40.3	260	4.4	4.1	353	1.24	8.4	0.9	4.1	14.0	12.4
2022004	Drill Core	2.47	408	<0.005	<0.01	<0.17	26.13	0.37	7.37	18.76	40.0	823	3.9	3.7	297	1.36	21.7	0.9	0.5	13.6	11.3
2022005	Drill Core	3.10	423	0.005	<0.01	<0.17	33.72	0.50	21.78	41.93	36.9	7617	6.4	3.7	279	1.09	19.1	1.2	1.9	13.6	15.1
2022006	Drill Core	3.83	439	<0.005	<0.01	<0.17	28.72	0.44	8.60	25.62	25.5	1103	1.9	2.0	127	0.74	12.6	0.9	0.5	13.9	9.0
2022007	Drill Core	5.35	425	<0.005	<0.01	<0.17	40.41	0.83	11.05	26.17	32.7	2123	2.9	2.8	221	0.93	4.0	1.1	0.4	12.8	9.8
2022008	Drill Core	2.99	426	<0.005	<0.01	<0.17	39.05	0.42	6.18	15.06	24.9	415	1.6	1.8	140	0.80	5.4	0.8	<0.2	14.5	7.5
2022009	Drill Core	2.47	446	0.830	1.96	15.51	34.37	0.37	8.23	30.20	18.7	1270	1.6	1.6	156	0.80	8.7	0.8	680.3	10.8	6.9
2022010	Drill Core	3.75	430	<0.005	<0.01	<0.17	29.24	0.69	19.68	30.13	31.9	18021	4.2	2.5	245	0.97	5.2	0.9	1.1	13.4	10.7
2022011	Drill Core	2.57	424	0.011	0.01	<0.17	23.87	0.42	9.52	25.14	13.3	3583	1.5	0.8	126	0.69	1.8	0.7	8.7	12.0	6.1
2022012	Drill Core	3.32	461	0.005	<0.01	<0.17	23.40	0.42	10.78	20.38	11.1	2842	1.4	1.0	108	0.62	2.0	0.8	3.3	13.2	4.1
2022013	Drill Core	2.63	428	<0.005	<0.01	<0.17	25.39	0.95	12.74	24.02	15.1	3064	1.7	1.0	135	0.68	4.1	0.7	1.7	13.9	4.9
2022014	Drill Core	1.86	425	0.012	0.01	<0.17	25.31	1.08	31.84	33.60	51.0	12798	6.2	2.5	507	1.23	15.7	1.0	11.2	16.6	16.5





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 4 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832204	Drill Core	0.14	0.50	<0.02	11	0.64	0.075	23.5	11.4	0.29	308.4	0.079	<1	0.60	0.033	0.43	<0.1	2.4	0.14	<0.02	<5
1832205	Drill Core	0.17	0.65	<0.02	11	0.72	0.073	14.9	12.9	0.29	247.0	0.099	<1	0.58	0.044	0.37	<0.1	2.1	0.12	<0.02	<5
1832206	Drill Core	0.12	0.63	0.06	13	0.52	0.066	18.8	12.3	0.31	246.1	0.095	<1	0.61	0.063	0.37	0.1	2.9	0.13	<0.02	<5
1832207	Drill Core	0.09	0.57	0.08	9	0.31	0.058	16.7	8.5	0.20	229.0	0.084	<1	0.50	0.056	0.32	<0.1	2.3	0.11	<0.02	<5
1832208	Drill Core	0.06	0.43	0.11	8	0.47	0.063	5.0	6.8	0.09	242.0	0.096	<1	0.50	0.042	0.29	<0.1	1.7	0.12	0.11	<5
1832209	Drill Core	0.08	0.38	0.10	9	0.54	0.065	5.4	7.0	0.16	270.6	0.091	<1	0.61	0.030	0.32	0.1	2.2	0.13	0.05	<5
1832210	Drill Core	0.12	0.37	0.06	12	0.73	0.067	7.8	10.1	0.33	330.6	0.093	<1	0.86	0.033	0.36	0.2	2.7	0.11	0.06	<5
1832211	Drill Core	0.07	0.29	0.07	17	0.48	0.069	8.2	22.6	0.61	206.2	0.103	<1	1.13	0.070	0.21	0.1	2.8	0.07	0.04	<5
1832212	Drill Core	0.14	0.32	0.14	13	0.64	0.071	10.8	11.5	0.36	292.3	0.090	<1	0.85	0.046	0.37	0.2	3.1	0.12	0.06	<5
2022001	Drill Core	0.27	0.20	0.09	3	0.07	0.025	32.8	2.7	0.19	403.6	0.005	1	0.55	0.027	0.39	<0.1	1.1	0.10	<0.02	<5
2022002	Drill Core	0.26	0.51	0.14	3	0.10	0.031	31.0	2.6	0.23	327.9	0.005	<1	0.64	0.030	0.44	0.1	1.3	0.12	<0.02	22
2022003	Drill Core	0.26	0.34	0.15	5	0.14	0.040	33.8	4.1	0.31	367.6	0.018	<1	0.75	0.040	0.46	0.3	1.8	0.15	<0.02	<5
2022004	Drill Core	0.24	0.34	0.14	5	0.12	0.043	34.1	4.5	0.35	289.1	0.007	<1	0.79	0.033	0.37	1.5	1.5	0.11	<0.02	9
2022005	Drill Core	0.26	0.43	0.29	4	0.19	0.038	34.0	4.2	0.36	270.8	0.004	<1	0.68	0.031	0.37	38.1	1.5	0.09	<0.02	17
2022006	Drill Core	0.12	0.30	0.13	3	0.08	0.034	33.9	2.6	0.17	240.8	0.003	1	0.50	0.026	0.37	3.0	1.1	0.08	<0.02	<5
2022007	Drill Core	0.16	0.28	0.19	4	0.13	0.033	28.7	4.3	0.28	313.8	0.005	<1	0.65	0.028	0.42	4.2	1.1	0.10	<0.02	<5
2022008	Drill Core	0.14	0.25	0.12	3	0.07	0.022	30.4	2.3	0.24	221.9	0.005	<1	0.57	0.021	0.37	0.8	1.1	0.11	<0.02	<5
2022009	Drill Core	0.15	0.21	0.25	3	0.06	0.022	25.2	2.7	0.20	219.9	0.003	<1	0.51	0.028	0.33	1.7	1.1	0.07	<0.02	8
2022010	Drill Core	0.19	0.20	0.22	3	0.09	0.028	28.9	3.3	0.43	233.2	0.005	<1	0.71	0.021	0.37	33.4	1.3	0.11	<0.02	<5
2022011	Drill Core	0.06	0.22	0.14	1	0.03	0.011	27.7	2.6	0.24	159.7	0.001	<1	0.43	0.026	0.24	8.3	0.8	0.06	<0.02	<5
2022012	Drill Core	0.04	0.17	0.14	<1	0.03	0.010	29.8	2.4	0.20	181.5	0.001	<1	0.42	0.028	0.27	5.6	0.6	0.05	<0.02	<5
2022013	Drill Core	0.12	0.30	0.15	<1	0.04	0.009	31.6	3.7	0.19	169.0	0.001	<1	0.45	0.021	0.28	9.5	0.6	0.07	<0.02	<5
2022014	Drill Core	0.92	0.69	0.17	3	0.11	0.020	34.2	4.4	0.53	213.9	0.007	<1	0.92	0.019	0.37	48.3	1.5	0.16	<0.02	19



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 4 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000035.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1832204	Drill Core	0.5	0.02	2.5	0.90	<0.1	0.19	0.14	20.8	0.3	<0.05	3.6	33.45	44.7	<0.02	<1	0.5	4.8	<10
1832205	Drill Core	0.5	0.02	2.3	0.54	<0.1	0.11	0.21	14.9	0.3	<0.05	1.8	10.77	28.9	<0.02	<1	<0.1	4.0	<10
1832206	Drill Core	<0.1	<0.02	2.2	0.45	<0.1	0.08	0.27	14.6	0.5	<0.05	1.6	13.71	34.5	0.02	<1	0.2	4.3	<10
1832207	Drill Core	<0.1	<0.02	1.8	0.46	<0.1	0.05	0.32	13.1	0.4	<0.05	1.5	9.59	31.3	<0.02	<1	0.2	3.8	<10
1832208	Drill Core	<0.1	<0.02	1.6	0.20	<0.1	0.03	0.44	10.7	0.4	<0.05	0.6	3.59	9.9	<0.02	<1	0.2	2.0	<10
1832209	Drill Core	<0.1	<0.02	1.8	0.29	<0.1	0.02	0.36	12.8	0.3	<0.05	0.6	3.69	10.6	<0.02	<1	<0.1	3.2	<10
1832210	Drill Core	<0.1	<0.02	2.6	0.27	<0.1	0.03	0.31	13.1	0.5	<0.05	0.9	4.85	14.9	<0.02	<1	0.3	4.8	<10
1832211	Drill Core	<0.1	<0.02	3.7	0.31	<0.1	0.02	0.19	8.1	0.4	<0.05	0.9	5.27	15.8	<0.02	1	0.3	8.0	<10
1832212	Drill Core	<0.1	<0.02	2.6	0.62	<0.1	0.04	0.25	14.5	0.4	<0.05	0.8	6.51	20.6	<0.02	<1	0.3	5.2	<10
2022001	Drill Core	<0.1	<0.02	1.7	0.29	<0.1	0.13	<0.02	12.9	0.2	<0.05	3.8	3.92	60.7	<0.02	2	0.3	3.5	<10
2022002	Drill Core	<0.1	<0.02	1.8	0.43	<0.1	0.08	<0.02	14.6	0.3	<0.05	3.2	3.99	56.9	<0.02	<1	0.3	3.6	<10
2022003	Drill Core	<0.1	<0.02	2.0	0.75	<0.1	0.23	<0.02	19.2	0.3	<0.05	6.4	5.25	61.7	<0.02	<1	0.2	5.4	<10
2022004	Drill Core	<0.1	<0.02	2.5	0.42	<0.1	0.22	<0.02	14.1	0.3	<0.05	6.3	6.56	63.8	<0.02	<1	0.3	6.8	<10
2022005	Drill Core	<0.1	<0.02	2.2	0.18	<0.1	0.25	<0.02	11.2	0.3	<0.05	8.8	7.02	60.6	<0.02	<1	0.3	6.6	<10
2022006	Drill Core	<0.1	0.02	1.5	0.17	<0.1	0.23	<0.02	11.2	0.2	<0.05	6.8	4.49	62.1	<0.02	<1	0.2	3.7	<10
2022007	Drill Core	<0.1	<0.02	1.9	0.31	<0.1	0.28	<0.02	14.4	0.3	<0.05	7.7	4.12	52.5	<0.02	<1	0.2	4.4	<10
2022008	Drill Core	<0.1	<0.02	1.5	0.32	<0.1	0.37	<0.02	12.6	0.3	<0.05	10.1	3.88	56.3	<0.02	1	0.4	4.0	<10
2022009	Drill Core	<0.1	0.12	1.5	0.22	<0.1	0.23	<0.02	10.2	0.2	<0.05	7.2	3.99	45.6	<0.02	<1	0.3	4.2	<10
2022010	Drill Core	<0.1	0.02	2.1	0.22	<0.1	0.37	<0.02	13.0	0.2	<0.05	10.3	4.62	52.6	<0.02	1	0.3	6.8	<10
2022011	Drill Core	<0.1	<0.02	1.7	0.26	<0.1	0.36	0.04	8.4	0.2	<0.05	9.7	4.23	50.3	<0.02	<1	0.3	4.0	<10
2022012	Drill Core	<0.1	<0.02	1.4	0.24	<0.1	0.35	0.04	8.7	0.2	<0.05	10.0	4.54	57.5	<0.02	<1	0.2	3.1	<10
2022013	Drill Core	<0.1	<0.02	1.5	0.58	<0.1	0.34	0.04	9.7	0.2	<0.05	11.4	4.11	61.7	<0.02	<1	<0.1	2.8	<10
2022014	Drill Core	<0.1	<0.02	3.0	1.92	<0.1	0.50	<0.02	18.2	0.4	<0.05	16.4	6.39	62.9	<0.02	<1	0.4	10.7	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1832160	Core DUP		437	<0.005	<0.01	<0.17	44.78	0.53	14.85	15.59	70.0	851	14.1	8.6	474	2.47	122.5	1.4	0.4	10.2	52.0
REP 1832160	QC							0.54	15.35	16.41	72.2	888	13.8	8.3	487	2.48	122.8	1.4	0.3	10.1	51.6
1832169	Drill Core	3.12	443	0.006	<0.01	<0.17	48.26	0.66	16.11	17.79	47.5	381	11.1	7.2	467	2.15	24.1	1.3	4.0	9.1	67.6
REP 1832169	QC			0.006																	
1832194	Drill Core	2.21	454	<0.005	<0.01	<0.17	23.31	0.29	12.12	16.44	49.9	202	9.3	5.4	394	1.80	6.5	0.8	0.9	12.7	51.0
REP 1832194	QC							0.31	12.77	16.37	53.4	217	9.0	5.6	402	1.78	6.7	0.9	2.0	12.4	52.7
1832198	Drill Core	2.31	488	<0.005	<0.01	<0.17	40.65	0.38	14.47	15.52	56.7	313	12.3	8.0	301	1.93	14.0	1.3	1.9	11.7	40.1
REP 1832198	QC			<0.005																	
2022009	Drill Core	2.47	446	0.830	1.96	15.51	34.37	0.37	8.23	30.20	18.7	1270	1.6	1.6	156	0.80	8.7	0.8	680.3	10.8	6.9
REP 2022009	QC							0.39	8.48	30.85	18.1	1536	1.4	1.6	155	0.81	8.6	0.8	1375.3	11.0	7.4
2022012	Drill Core	3.32	461	0.005	<0.01	<0.17	23.40	0.42	10.78	20.38	11.1	2842	1.4	1.0	108	0.62	2.0	0.8	3.3	13.2	4.1
REP 2022012	QC							0.47	10.87	20.94	12.3	2675	1.3	0.9	104	0.62	2.0	0.9	1.2	13.0	4.1
Core Reject Duplicates																					
1832157	Drill Core	5.06	418	<0.005	<0.01	<0.17	50.81	0.81	24.88	13.08	63.7	185	14.3	9.8	488	2.52	25.3	1.4	1.1	10.4	51.1
DUP 1832157	QC		435	<0.005	<0.01	<0.17	48.46	0.73	24.91	12.35	60.0	190	13.8	9.5	475	2.49	23.9	1.3	0.4	9.6	47.6
1832191	Drill Core	3.42	384	<0.005	<0.01	<0.17	34.39	0.43	18.21	13.08	55.9	1014	11.0	6.7	434	2.10	9.1	0.8	<0.2	11.8	52.4
DUP 1832191	QC		500	<0.005	<0.01	<0.17	49.39	0.36	17.47	12.94	53.1	917	10.5	6.5	424	2.07	9.0	0.8	1.1	11.5	50.4
2022013	Drill Core	2.63	428	<0.005	<0.01	<0.17	25.39	0.95	12.74	24.02	15.1	3064	1.7	1.0	135	0.68	4.1	0.7	1.7	13.9	4.9
DUP 2022013	QC		425	<0.005	<0.01	<0.17	27.03	1.08	14.45	25.67	17.1	3920	2.5	1.1	160	0.76	4.5	0.7	1.0	14.3	5.3
Reference Materials																					
STD BVGEO01	Standard							11.35	4421.03	188.40	1784.8	2636	159.6	26.8	733	3.69	125.9	3.6	225.6	15.1	59.7
STD DS11	Standard							14.57	163.37	136.93	346.4	1674	80.6	14.5	1028	3.07	44.1	2.5	80.6	8.1	66.5
STD DS11	Standard							14.63	155.16	141.88	331.1	1729	80.8	13.8	1007	3.15	42.0	2.8	95.0	8.5	70.6
STD DS11	Standard							14.57	147.46	130.03	316.0	1706	81.6	14.0	994	3.01	41.3	2.4	76.6	7.3	61.9
STD OREAS262	Standard							0.64	122.01	55.58	149.6	451	62.6	28.0	524	3.19	34.0	1.2	51.9	10.0	37.0
STD OREAS262	Standard							0.61	126.23	57.18	150.8	449	64.9	29.9	537	3.32	35.0	1.2	52.4	9.7	35.6
STD OREAS262	Standard							0.66	119.99	59.85	149.0	443	64.3	28.5	526	3.33	36.0	1.4	50.2	10.2	38.1
STD OREAS262	Standard							0.65	123.05	53.83	143.6	438	65.9	29.6	502	3.26	33.8	1.2	66.6	8.8	34.0



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 04, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832160	Core DUP	0.44	0.79	0.31	20	1.00	0.066	21.8	21.2	0.87	228.1	0.034	<1	1.06	0.045	0.62	1.6	8.6	0.38	<0.02	<5
REP 1832160	QC	0.44	0.79	0.31	20	0.99	0.072	24.0	21.1	0.87	227.9	0.038	1	1.07	0.045	0.63	2.0	8.4	0.39	<0.02	<5
1832169	Drill Core	0.27	0.54	0.14	12	1.66	0.071	21.9	13.9	0.66	269.8	0.026	<1	0.99	0.021	0.53	0.3	3.8	0.21	<0.02	<5
REP 1832169	QC																				
1832194	Drill Core	0.18	0.22	<0.02	12	0.54	0.054	33.5	12.3	0.70	362.8	0.037	<1	0.98	0.045	0.57	0.1	5.1	0.24	<0.02	<5
REP 1832194	QC	0.16	0.23	<0.02	12	0.53	0.056	34.6	13.1	0.69	382.2	0.038	<1	0.97	0.043	0.57	0.2	5.1	0.26	<0.02	<5
1832198	Drill Core	0.24	0.43	0.07	16	0.44	0.061	33.0	16.8	0.75	257.2	0.028	<1	1.01	0.037	0.52	0.2	5.5	0.29	<0.02	<5
REP 1832198	QC																				
2022009	Drill Core	0.15	0.21	0.25	3	0.06	0.022	25.2	2.7	0.20	219.9	0.003	<1	0.51	0.028	0.33	1.7	1.1	0.07	<0.02	8
REP 2022009	QC	0.15	0.20	0.24	3	0.06	0.023	26.0	2.9	0.22	226.0	0.003	<1	0.51	0.027	0.33	1.9	1.1	0.07	<0.02	<5
2022012	Drill Core	0.04	0.17	0.14	<1	0.03	0.010	29.8	2.4	0.20	181.5	0.001	<1	0.42	0.028	0.27	5.6	0.6	0.05	<0.02	<5
REP 2022012	QC	0.06	0.15	0.15	<1	0.03	0.011	30.8	2.5	0.20	182.7	0.001	<1	0.43	0.029	0.27	5.1	0.7	0.05	<0.02	8
Core Reject Duplicates																					
1832157	Drill Core	0.28	0.78	0.06	19	1.23	0.075	21.8	18.5	0.80	426.0	0.032	<1	1.11	0.037	0.54	0.2	7.3	0.31	<0.02	<5
DUP 1832157	QC	0.30	0.78	0.06	18	1.22	0.075	21.0	17.3	0.80	375.8	0.031	<1	1.08	0.031	0.51	0.1	6.7	0.27	<0.02	<5
1832191	Drill Core	0.26	0.28	0.02	14	1.07	0.067	27.5	14.5	0.75	311.2	0.071	<1	1.10	0.035	0.60	2.2	5.8	0.27	<0.02	<5
DUP 1832191	QC	0.28	0.24	0.02	14	1.09	0.064	26.6	14.6	0.74	314.1	0.071	<1	1.08	0.033	0.58	1.9	5.8	0.26	<0.02	<5
2022013	Drill Core	0.12	0.30	0.15	<1	0.04	0.009	31.6	3.7	0.19	169.0	0.001	<1	0.45	0.021	0.28	9.5	0.6	0.07	<0.02	<5
DUP 2022013	QC	0.14	0.33	0.17	<1	0.04	0.011	34.2	4.3	0.20	183.1	0.001	<1	0.47	0.021	0.29	9.9	0.8	0.08	<0.02	12
Reference Materials																					
STD BVGE001	Standard	6.74	3.70	27.07	71	1.32	0.078	28.4	182.0	1.28	312.8	0.256	3	2.36	0.187	0.87	4.7	6.6	0.60	0.66	89
STD DS11	Standard	2.28	7.80	12.41	50	1.03	0.074	17.8	60.5	0.87	347.9	0.101	8	1.13	0.069	0.40	2.8	3.3	4.95	0.28	252
STD DS11	Standard	2.40	8.30	12.84	51	1.04	0.070	18.7	60.3	0.84	362.0	0.092	7	1.17	0.073	0.40	2.7	3.4	4.79	0.27	279
STD DS11	Standard	2.24	8.72	10.53	45	1.03	0.069	17.3	61.2	0.82	360.0	0.091	6	1.15	0.071	0.39	2.9	3.1	4.88	0.26	237
STD OREAS262	Standard	0.63	4.20	1.11	21	2.94	0.039	14.6	39.7	1.14	249.8	0.003	4	1.20	0.068	0.29	0.2	3.4	0.44	0.26	158
STD OREAS262	Standard	0.64	4.06	1.09	22	3.12	0.040	16.3	43.9	1.20	247.8	0.003	5	1.29	0.069	0.31	0.2	3.2	0.44	0.26	167
STD OREAS262	Standard	0.73	4.15	1.15	24	3.02	0.040	17.2	44.4	1.19	255.4	0.003	5	1.36	0.071	0.31	0.2	3.6	0.44	0.26	180
STD OREAS262	Standard	0.63	5.82	0.94	20	3.11	0.037	13.6	42.3	1.17	235.6	0.003	3	1.24	0.068	0.29	0.2	2.8	0.44	0.24	160



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 04, 2019

Page:

1 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832160	Core DUP	0.2	0.04	3.4	5.35	<0.1	0.12	<0.02	36.9	0.4	<0.05	3.2	4.99	41.9	0.03	<1	0.4	5.0	<10	<2
REP 1832160	QC	0.2	0.02	3.3	5.26	0.1	0.13	<0.02	36.4	0.5	<0.05	3.3	5.12	45.7	0.03	1	0.3	5.5	<10	<2
1832169	Drill Core	0.3	0.04	2.7	2.31	<0.1	0.05	<0.02	22.9	0.2	<0.05	1.4	6.20	41.3	0.03	<1	0.2	5.6	<10	2
REP 1832169	QC																			
1832194	Drill Core	<0.1	0.03	3.6	2.34	<0.1	0.27	<0.02	32.3	0.4	<0.05	7.0	10.60	61.8	0.02	<1	0.4	6.1	<10	<2
REP 1832194	QC	<0.1	<0.02	3.9	2.28	<0.1	0.24	<0.02	34.4	0.4	<0.05	7.3	10.60	63.4	<0.02	<1	0.5	7.1	<10	<2
1832198	Drill Core	<0.1	<0.02	3.9	3.65	<0.1	0.35	<0.02	31.2	0.5	<0.05	8.9	10.10	61.7	0.02	<1	0.6	8.6	<10	<2
REP 1832198	QC																			
2022009	Drill Core	<0.1	0.12	1.5	0.22	<0.1	0.23	<0.02	10.2	0.2	<0.05	7.2	3.99	45.6	<0.02	<1	0.3	4.2	<10	<2
REP 2022009	QC	<0.1	0.13	1.5	0.22	<0.1	0.25	<0.02	10.4	0.2	<0.05	7.3	4.07	48.2	<0.02	<1	0.3	3.7	<10	<2
2022012	Drill Core	<0.1	<0.02	1.4	0.24	<0.1	0.35	0.04	8.7	0.2	<0.05	10.0	4.54	57.5	<0.02	<1	0.2	3.1	<10	3
REP 2022012	QC	<0.1	<0.02	1.5	0.23	<0.1	0.34	0.03	9.1	0.2	<0.05	10.4	4.85	56.3	<0.02	<1	0.3	3.1	<10	<2
Core Reject Duplicates																				
1832157	Drill Core	0.5	0.03	4.0	3.14	<0.1	0.12	<0.02	25.4	0.4	<0.05	2.6	5.64	41.3	0.03	<1	0.3	5.6	<10	<2
DUP 1832157	QC	0.2	0.03	3.8	2.97	<0.1	0.10	<0.02	24.5	0.4	<0.05	2.7	5.45	39.7	0.04	<1	0.4	5.6	<10	<2
1832191	Drill Core	0.2	<0.02	4.0	2.85	<0.1	0.17	<0.02	35.0	0.4	<0.05	4.9	7.16	51.3	0.03	<1	0.3	6.4	<10	<2
DUP 1832191	QC	<0.1	<0.02	3.9	2.57	<0.1	0.16	<0.02	32.4	0.3	<0.05	4.5	6.86	50.8	0.03	<1	0.2	6.6	<10	<2
2022013	Drill Core	<0.1	<0.02	1.5	0.58	<0.1	0.34	0.04	9.7	0.2	<0.05	11.4	4.11	61.7	<0.02	<1	<0.1	2.8	<10	<2
DUP 2022013	QC	<0.1	<0.02	1.7	0.64	<0.1	0.41	0.03	10.5	0.2	<0.05	12.5	4.51	65.2	<0.02	<1	0.2	3.1	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.8	1.08	7.5	7.59	0.2	0.27	0.19	94.1	5.9	<0.05	6.5	15.11	55.6	0.45	5	0.5	21.9	138	191
STD DS11	Standard	2.1	4.63	4.9	2.78	<0.1	0.09	1.39	33.0	1.9	<0.05	2.4	7.52	35.0	0.25	40	0.8	22.7	111	172
STD DS11	Standard	2.0	4.36	4.6	2.81	<0.1	0.09	1.47	32.2	1.8	<0.05	3.6	7.61	37.5	0.22	36	0.5	22.8	101	170
STD DS11	Standard	2.1	4.52	4.8	2.84	<0.1	0.05	1.36	32.1	1.8	<0.05	3.4	7.65	35.4	0.25	38	0.5	22.5	102	167
STD OREAS262	Standard	0.3	0.25	3.6	2.27	<0.1	0.24	<0.02	15.5	0.6	<0.05	8.6	10.48	28.8	0.03	<1	1.3	16.5	<10	<2
STD OREAS262	Standard	0.5	0.22	3.9	2.45	<0.1	0.27	<0.02	17.8	0.5	<0.05	9.3	10.97	32.0	0.04	<1	1.3	17.4	<10	<2
STD OREAS262	Standard	0.3	0.21	3.6	2.49	<0.1	0.24	<0.02	17.6	0.5	<0.05	9.4	10.40	33.4	0.02	1	0.7	17.0	13	<2
STD OREAS262	Standard	0.4	0.21	3.8	2.77	<0.1	0.25	<0.02	17.1	0.5	<0.05	10.8	9.67	28.4	0.03	<1	1.2	15.8	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.213																	
STD OXC145	Standard			0.204																	
STD OXH139	Standard			1.305																	
STD OXH139	Standard			1.338																	
STD OXH139	Standard			1.211																	
STD OXN134	Standard			7.600																	
STD OXN134	Standard			7.721																	
STD OXN134	Standard			7.399																	
STD OXQ90	Standard					25.08	30.42														
STD OXQ90	Standard					24.98	29.94														
STD OXQ90	Standard					25.25	30.69														
STD OXQ90	Standard					25.09	30.53														
STD OXQ90	Standard					25.02	30.18														
STD OXQ90	Standard					24.93	29.92														
STD OXQ90	Standard					25.09	30.01														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		5.09	1.07	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	3	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		450	<0.005	<0.01	<0.17	46.96	0.75	1.82	1.01	28.3	10	0.8	3.5	458	1.78	1.2	0.4	<0.2	2.5	17.9
ROCK-WHI	Prep Blank		436	<0.005	<0.01	<0.17	50.65	0.91	1.86	1.20	28.1	12	0.8	3.5	438	1.75	1.0	0.4	<0.2	2.5	18.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 04, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000035.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	<0.02	<0.02	22	0.52	0.037	6.0	2.0	0.43	54.2	0.065	3	0.79	0.077	0.09	<0.1	2.4	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	<0.02	<0.02	22	0.51	0.037	6.2	2.0	0.41	56.8	0.062	2	0.79	0.095	0.10	<0.1	2.4	<0.02	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

## QUALITY CONTROL REPORT

WHI19000035.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	0.02	3.4	0.17	<0.1	0.12	0.07	2.1	0.4	<0.05	1.9	7.90	12.0	<0.02	<1	0.1	2.0	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.17	<0.1	0.11	0.05	2.3	0.3	<0.05	1.8	9.52	12.1	<0.02	<1	0.2	2.1	<10