



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 05, 2019
Report Date: June 20, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-08
P.O. Number
Number of Samples: 31

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	29	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	31	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	31	Analysis sample split/packet			WHI
Split -150	31	Analysis sample split/packet			WHI
EN002	31	Environmental disposal charge-Fire assay lead waste			VAN
FS631	29	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	31	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	31	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022015	Drill Core	5.19	422	<0.005	<0.01	<0.17	24.32	0.48	67.96	27.45	72.6	21399	7.1	3.5	281	1.27	1.6	0.7	0.8	12.4	10.9
2022016	Drill Core	5.39	410	<0.005	<0.01	<0.17	27.51	0.49	35.69	26.41	70.1	7143	3.2	3.7	178	1.24	3.9	0.7	5.4	12.4	9.8
2022017	Drill Core	4.06	503	<0.005	<0.01	<0.17	30.38	1.89	14.97	60.45	70.6	1427	2.8	2.9	191	1.13	3.9	0.8	3.5	12.1	17.0
2022018	Drill Core	5.19	487	<0.005	<0.01	<0.17	35.76	0.47	6.17	22.43	45.6	359	2.9	3.2	236	1.30	1.5	0.8	0.6	13.1	13.1
2022019	Drill Core	5.65	435	<0.005	<0.01	<0.17	41.91	0.76	11.41	19.99	26.4	453	1.8	1.8	151	0.79	2.2	0.7	1.0	12.0	9.6
2022020	Rock Pulp	0.15	90	0.500				2.41	434.74	18.84	49.0	265	607.1	27.4	430	2.60	18.9	0.6	457.9	1.9	55.6
2022021	Drill Core	4.46	470	<0.005	<0.01	<0.17	26.66	0.31	11.50	20.04	29.0	254	1.8	1.9	185	0.90	1.1	0.8	1.9	13.9	10.1
2022022	Drill Core	4.23	530	<0.005	<0.01	<0.17	31.01	1.21	7.08	28.07	40.1	267	2.5	2.5	232	1.14	2.5	1.0	1.2	14.0	17.0
2022023	Drill Core	4.65	411	<0.005	<0.01	<0.17	40.96	0.33	7.84	23.19	34.1	171	1.9	2.5	174	0.96	1.5	1.2	0.3	13.0	22.8
2022024	Drill Core	4.21	503	<0.005	<0.01	<0.17	29.94	0.40	7.11	18.98	46.7	164	3.0	3.5	267	1.36	4.6	1.4	1.6	13.9	23.4
2022025	Drill Core	3.28	389	0.006	<0.01	<0.17	22.54	0.45	5.79	12.12	34.8	118	2.1	2.7	201	0.99	3.1	1.5	2.5	13.1	19.9
2022026	Drill Core	3.31	406	0.167	0.32	2.93	23.24	0.69	4.61	55.74	9.9	739	0.9	0.5	59	0.65	2.1	1.1	191.0	4.0	6.2
2022027	Drill Core	4.89	534	<0.005	<0.01	<0.17	37.17	0.62	25.39	50.70	109.5	385	5.4	5.4	340	1.71	6.1	1.9	4.5	12.0	23.4
2022028	Drill Core	4.81	361	<0.005	<0.01	<0.17	38.11	0.71	34.56	109.84	135.8	549	7.9	6.4	407	2.34	20.2	1.4	1.7	10.5	32.6
2022029	Drill Core	5.31	517	<0.005	<0.01	<0.17	36.52	0.87	21.11	20.40	74.3	206	15.5	8.6	630	2.56	40.6	1.1	1.7	10.4	74.6
2022030	Drill Core	5.13	383	<0.005	<0.01	<0.17	30.58	0.65	20.63	19.03	80.4	297	20.3	8.7	575	2.85	57.8	1.0	1.4	8.6	41.1
2022031	Drill Core	4.70	517	<0.005	<0.01	<0.17	46.00	1.61	14.88	15.30	71.8	436	13.6	9.2	533	2.51	13.7	1.4	0.4	9.7	27.2
2022032	Drill Core	5.31	418	0.006	<0.01	<0.17	30.71	1.37	13.82	17.51	62.2	434	7.9	6.5	456	2.19	3.1	1.0	4.4	10.8	24.7
2022033	Drill Core	5.16	422	<0.005	<0.01	<0.17	48.00	0.28	12.15	18.94	74.1	246	8.2	7.5	555	2.72	1.9	0.6	1.5	10.2	33.4
2022034	Drill Core	5.58	492	<0.005	<0.01	<0.17	48.83	0.38	18.27	16.73	76.3	273	8.6	7.6	514	2.73	1.8	0.7	3.0	9.8	30.6
2022035	Drill Core	3.91	490	0.007	0.01	<0.17	48.38	0.31	12.55	11.92	73.4	149	8.5	7.6	430	2.59	2.1	0.8	6.3	9.1	37.8
2022036	Drill Core	4.27	460	0.025	0.02	<0.17	41.60	1.02	18.58	14.87	84.1	257	10.7	8.2	510	2.51	6.6	1.8	8.9	9.3	30.3
2022037	Drill Core	5.62	533	0.030	0.03	<0.17	47.32	1.08	23.97	16.77	83.1	462	12.6	9.9	615	2.82	9.1	1.4	18.0	10.4	43.1
2022038	Drill Core	4.33	485	<0.005	<0.01	<0.17	45.55	0.59	14.05	11.93	70.2	233	9.9	7.4	460	2.35	4.7	1.2	2.3	10.4	26.3
2022039	Drill Core	6.07	517	0.013	0.01	<0.17	46.27	0.97	14.87	24.02	68.7	255	11.1	8.3	558	2.43	3.2	1.2	7.2	9.6	37.2
2022040	Rock Pulp	0.14	97	<0.005				2.31	94.80	3.61	34.2	112	4.8	8.8	362	2.53	1.1	0.8	2.2	2.7	65.0
2022041	Drill Core	5.02	515	<0.005	<0.01	<0.17	51.07	0.50	19.99	11.29	73.1	195	12.4	9.2	508	2.62	3.0	1.0	0.5	10.1	29.4
2022042	Drill Core	3.67	563	<0.005	<0.01	<0.17	51.13	0.20	8.43	16.36	73.9	111	9.1	7.6	522	2.56	1.4	0.8	<0.2	9.3	44.6
2022043	Drill Core	7.39	436	<0.005	<0.01	<0.17	53.49	0.23	9.43	15.44	74.6	112	9.3	8.1	515	2.72	0.9	0.6	<0.2	9.8	51.0
2022044	Drill Core	5.35	454	<0.005	<0.01	<0.17	44.67	0.29	20.33	18.74	74.1	194	10.1	8.1	531	2.54	0.9	0.8	<0.2	9.3	49.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022015	Drill Core	0.27	0.21	0.20	5	0.12	0.041	26.9	6.0	0.63	267.6	0.028	1	0.89	0.020	0.52	67.5	1.3	0.19	<0.02	<5
2022016	Drill Core	0.39	0.24	0.17	4	0.10	0.037	27.6	4.7	0.52	198.0	0.005	<1	0.79	0.027	0.34	14.8	1.2	0.10	<0.02	<5
2022017	Drill Core	0.33	0.29	0.30	4	0.10	0.031	27.3	4.6	0.53	188.7	0.003	<1	0.79	0.015	0.35	3.1	0.9	0.10	<0.02	<5
2022018	Drill Core	0.21	0.16	0.15	5	0.11	0.035	29.4	5.0	0.67	235.7	0.022	1	0.96	0.025	0.52	0.8	1.5	0.20	<0.02	<5
2022019	Drill Core	0.15	0.25	0.14	3	0.11	0.022	25.7	4.0	0.37	194.7	0.005	<1	0.64	0.017	0.38	1.3	1.0	0.11	<0.02	<5
2022020	Rock Pulp	0.19	0.35	0.30	54	1.31	0.033	4.2	101.5	1.80	75.3	0.070	3	2.03	0.198	0.14	1.2	2.8	0.09	0.20	26
2022021	Drill Core	0.11	0.16	0.15	3	0.10	0.021	29.1	4.1	0.47	183.5	0.011	<1	0.72	0.022	0.44	0.2	1.1	0.15	<0.02	<5
2022022	Drill Core	0.15	0.20	0.22	4	0.26	0.030	27.7	4.8	0.52	195.3	0.006	<1	0.81	0.020	0.41	0.1	1.1	0.12	<0.02	<5
2022023	Drill Core	0.18	0.25	0.15	4	0.30	0.025	24.9	4.1	0.53	222.1	0.011	1	0.85	0.024	0.53	0.1	1.5	0.16	<0.02	<5
2022024	Drill Core	0.18	0.23	0.10	6	0.32	0.039	29.7	5.7	0.52	290.7	0.006	<1	0.96	0.041	0.41	<0.1	1.8	0.11	<0.02	<5
2022025	Drill Core	0.20	0.18	0.08	4	0.27	0.026	31.2	4.6	0.35	302.9	0.003	1	0.72	0.033	0.40	0.1	1.5	0.09	<0.02	<5
2022026	Drill Core	0.11	0.21	0.54	1	0.02	0.008	9.9	6.3	0.06	117.4	<0.001	<1	0.19	0.017	0.14	<0.1	0.4	0.03	<0.02	<5
2022027	Drill Core	1.77	0.34	0.11	10	0.43	0.047	28.2	9.8	0.61	397.2	0.017	1	1.02	0.017	0.55	0.1	2.9	0.20	<0.02	<5
2022028	Drill Core	1.28	0.39	0.28	17	0.66	0.062	24.2	15.8	0.87	355.1	0.033	<1	1.27	0.022	0.55	0.3	4.1	0.23	<0.02	<5
2022029	Drill Core	0.36	0.40	0.17	28	1.36	0.068	25.5	27.5	1.22	311.2	0.015	<1	1.64	0.024	0.41	0.3	5.6	0.15	<0.02	<5
2022030	Drill Core	0.25	0.31	0.28	40	0.94	0.073	22.9	40.9	1.34	293.4	0.011	<1	1.77	0.042	0.34	<0.1	6.7	0.10	<0.02	<5
2022031	Drill Core	0.25	0.39	0.18	29	0.52	0.066	26.1	30.9	1.34	271.9	0.006	<1	1.67	0.021	0.36	0.5	4.4	0.14	<0.02	<5
2022032	Drill Core	0.23	0.20	0.51	16	0.52	0.060	22.5	17.9	1.13	309.9	0.031	1	1.42	0.035	0.51	0.1	2.9	0.24	<0.02	<5
2022033	Drill Core	0.11	0.20	0.18	27	0.42	0.067	25.4	32.0	1.57	302.9	0.010	<1	1.91	0.051	0.36	<0.1	4.1	0.11	<0.02	<5
2022034	Drill Core	0.16	0.15	0.22	22	0.43	0.066	22.1	27.1	1.59	223.1	0.022	<1	1.73	0.030	0.41	<0.1	3.6	0.18	<0.02	<5
2022035	Drill Core	0.17	0.17	0.04	25	0.46	0.065	22.9	25.5	1.53	280.7	0.063	<1	1.70	0.035	0.66	0.1	4.2	0.34	<0.02	<5
2022036	Drill Core	0.23	0.36	0.06	26	0.37	0.064	25.0	29.5	1.50	259.8	0.022	<1	1.50	0.030	0.36	0.2	3.6	0.18	<0.02	<5
2022037	Drill Core	0.26	0.48	0.08	23	0.55	0.063	25.9	26.4	1.56	327.7	0.038	<1	1.71	0.028	0.45	0.4	4.1	0.24	<0.02	<5
2022038	Drill Core	0.22	0.21	0.07	19	0.63	0.059	22.1	21.0	1.21	288.2	0.033	<1	1.41	0.028	0.46	0.2	3.4	0.21	<0.02	<5
2022039	Drill Core	0.30	0.33	0.19	21	0.85	0.065	22.0	21.0	1.21	342.5	0.064	<1	1.44	0.029	0.72	0.2	3.8	0.41	<0.02	<5
2022040	Rock Pulp	0.05	0.10	0.04	88	0.84	0.062	6.4	11.0	0.71	117.9	0.091	1	1.47	0.161	0.21	2.7	2.3	0.05	<0.02	<5
2022041	Drill Core	0.22	0.20	0.07	23	0.46	0.067	19.8	24.1	1.29	365.2	0.058	1	1.58	0.027	0.65	<0.1	4.0	0.33	<0.02	<5
2022042	Drill Core	0.18	0.11	0.10	23	0.59	0.067	14.5	23.6	1.43	353.1	0.053	<1	1.66	0.027	0.62	<0.1	4.2	0.29	0.02	<5
2022043	Drill Core	0.15	0.11	0.11	25	0.54	0.071	21.0	26.2	1.57	342.9	0.043	<1	1.85	0.038	0.60	<0.1	4.2	0.25	<0.02	<5
2022044	Drill Core	0.20	0.13	0.12	23	0.64	0.067	18.7	23.8	1.39	341.8	0.038	<1	1.63	0.029	0.57	<0.1	4.3	0.26	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022015	Drill Core	<0.1	<0.02	2.7	1.08	<0.1	0.38	0.04	25.0	0.3	<0.05	11.5	3.99	51.8	<0.02	<1	0.3	8.0	<10
2022016	Drill Core	<0.1	<0.02	2.5	0.53	<0.1	0.34	<0.02	13.3	0.3	<0.05	9.7	3.65	52.7	<0.02	<1	0.3	8.9	<10
2022017	Drill Core	<0.1	<0.02	2.7	0.73	<0.1	0.36	<0.02	13.5	0.2	<0.05	10.7	4.12	53.1	<0.02	<1	0.4	11.6	<10
2022018	Drill Core	<0.1	<0.02	3.1	0.66	<0.1	0.49	<0.02	24.0	0.4	<0.05	14.6	4.50	56.9	<0.02	<1	0.4	9.2	<10
2022019	Drill Core	<0.1	<0.02	2.0	0.58	<0.1	0.41	0.03	14.6	0.3	<0.05	12.3	4.03	49.8	<0.02	<1	0.3	6.5	<10
2022020	Rock Pulp	0.6	0.14	4.2	0.63	<0.1	0.07	<0.02	6.0	0.4	<0.05	1.7	3.14	9.0	<0.02	2	<0.1	8.0	278
2022021	Drill Core	<0.1	<0.02	2.3	0.58	<0.1	0.48	0.04	18.9	0.3	<0.05	14.2	3.88	58.3	<0.02	<1	0.4	7.0	<10
2022022	Drill Core	<0.1	<0.02	2.8	0.44	<0.1	0.49	<0.02	15.5	0.3	<0.05	13.8	4.75	53.7	<0.02	<1	0.4	11.5	<10
2022023	Drill Core	<0.1	<0.02	2.6	0.68	<0.1	0.56	0.03	21.5	0.4	<0.05	15.5	4.16	48.4	<0.02	<1	0.4	8.4	<10
2022024	Drill Core	<0.1	<0.02	3.4	0.47	<0.1	0.42	<0.02	15.7	0.3	<0.05	12.8	5.67	59.0	<0.02	<1	0.5	10.8	<10
2022025	Drill Core	<0.1	<0.02	2.4	0.33	<0.1	0.43	<0.02	14.1	0.3	<0.05	13.7	6.09	61.4	<0.02	<1	0.4	6.6	<10
2022026	Drill Core	<0.1	0.15	0.8	0.16	<0.1	0.18	<0.02	4.7	0.1	<0.05	5.8	1.35	18.5	<0.02	<1	<0.1	1.4	<10
2022027	Drill Core	<0.1	<0.02	3.0	1.10	<0.1	0.40	<0.02	24.7	0.3	<0.05	14.6	4.97	55.8	<0.02	<1	0.4	8.2	<10
2022028	Drill Core	<0.1	0.05	4.1	1.36	<0.1	0.40	<0.02	26.9	0.3	<0.05	13.3	4.34	47.8	0.02	<1	0.4	10.3	<10
2022029	Drill Core	<0.1	<0.02	6.1	0.73	<0.1	0.36	<0.02	18.2	0.3	<0.05	13.3	6.48	49.6	0.03	<1	0.5	12.9	<10
2022030	Drill Core	0.2	0.03	6.9	0.52	<0.1	0.24	<0.02	12.3	0.3	<0.05	9.1	5.10	45.3	0.03	<1	0.4	14.1	<10
2022031	Drill Core	<0.1	<0.02	6.7	1.41	<0.1	0.27	<0.02	15.0	0.3	<0.05	10.0	5.66	50.6	0.02	<1	0.4	17.1	<10
2022032	Drill Core	<0.1	0.02	4.9	1.42	<0.1	0.34	<0.02	26.9	0.4	<0.05	12.5	4.32	43.5	<0.02	<1	0.5	11.6	<10
2022033	Drill Core	<0.1	<0.02	7.5	0.35	<0.1	0.31	<0.02	13.4	0.3	<0.05	11.5	5.02	50.2	0.02	<1	0.5	16.2	<10
2022034	Drill Core	<0.1	<0.02	6.6	1.16	<0.1	0.32	<0.02	21.6	0.3	<0.05	11.4	4.02	44.6	<0.02	<1	0.3	15.6	<10
2022035	Drill Core	<0.1	<0.02	6.2	1.76	<0.1	0.41	<0.02	37.4	0.4	<0.05	13.3	3.91	45.0	<0.02	<1	0.3	14.3	<10
2022036	Drill Core	<0.1	<0.02	6.4	0.83	<0.1	0.32	<0.02	16.0	0.4	<0.05	11.4	6.89	48.9	<0.02	<1	0.4	16.4	<10
2022037	Drill Core	0.1	0.02	6.5	1.02	<0.1	0.43	<0.02	24.6	0.4	<0.05	14.6	7.42	50.8	0.02	<1	0.5	14.9	<10
2022038	Drill Core	<0.1	<0.02	5.4	1.50	<0.1	0.32	<0.02	24.6	0.4	<0.05	10.8	5.52	43.4	0.02	<1	0.4	11.9	<10
2022039	Drill Core	<0.1	<0.02	5.0	3.59	<0.1	0.44	<0.02	43.9	0.5	<0.05	15.1	4.99	42.0	0.02	<1	0.5	12.5	<10
2022040	Rock Pulp	<0.1	<0.02	4.4	0.31	<0.1	0.07	0.07	6.7	0.2	<0.05	1.4	4.28	13.5	<0.02	<1	<0.1	6.4	<10
2022041	Drill Core	<0.1	<0.02	6.0	2.08	<0.1	0.40	<0.02	35.4	0.4	<0.05	13.0	4.66	37.8	0.02	<1	0.4	12.3	<10
2022042	Drill Core	<0.1	<0.02	6.2	1.47	<0.1	0.33	<0.02	33.4	0.4	<0.05	11.5	3.30	28.0	<0.02	<1	0.3	14.4	<10
2022043	Drill Core	<0.1	<0.02	6.5	1.14	<0.1	0.34	<0.02	28.5	0.4	<0.05	11.5	3.31	40.3	0.03	<1	0.4	15.8	<10
2022044	Drill Core	<0.1	<0.02	6.1	1.40	<0.1	0.27	<0.02	28.8	0.4	<0.05	9.7	3.40	35.4	0.02	<1	0.4	13.9	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022045	Drill Core	5.41	528	<0.005	<0.01	<0.17	52.83	0.55	11.55	16.90	59.0	178	9.1	6.3	461	2.10	3.8	0.8	0.8	9.8	33.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022045	Drill Core	0.30	0.15	0.11	16	0.80	0.055	22.5	17.1	1.05	269.4	0.022	<1	1.27	0.025	0.43	<0.1	3.9	0.19	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000037.1

Method	Analyte	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022045	Drill Core		<0.1	<0.02	4.2	1.26	<0.1	0.28	<0.02	22.9	0.3	<0.05	9.6	4.40	43.5	<0.02	<1	0.3	10.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000037.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
2022028	Drill Core	4.81	361	<0.005	<0.01	<0.17	38.11	0.71	34.56	109.84	135.8	549	7.9	6.4	407	2.34	20.2	1.4	1.7	10.5	32.6	
REP 2022028	QC	<0.005																				
2022029	Drill Core	5.31	517	<0.005	<0.01	<0.17	36.52	0.87	21.11	20.40	74.3	206	15.5	8.6	630	2.56	40.6	1.1	1.7	10.4	74.6	
REP 2022029	QC							0.84	21.42	20.86	74.6	218	15.9	8.6	633	2.53	41.3	1.1	1.4	10.3	77.6	
Core Reject Duplicates																						
2022030	Drill Core	5.13	383	<0.005	<0.01	<0.17	30.58	0.65	20.63	19.03	80.4	297	20.3	8.7	575	2.85	57.8	1.0	1.4	8.6	41.1	
DUP 2022030	QC	523		<0.005	<0.01	<0.17	48.47	0.69	20.45	20.17	77.5	319	20.1	8.6	603	2.84	57.3	1.0	1.3	8.3	41.9	
Reference Materials																						
STD DS11	Standard							15.50	154.90	139.97	335.3	1696	81.0	13.8	996	3.18	41.9	2.7	75.4	8.3	66.0	
STD OREAS262	Standard							0.67	119.85	58.19	149.1	449	65.8	28.4	533	3.29	35.2	1.3	65.5	9.9	34.8	
STD OXC145	Standard	0.213																				
STD OXH139	Standard	1.338																				
STD OXN134	Standard	7.721																				
STD OXQ90	Standard						25.36	30.32														
STD OXQ90	Standard						25.15	30.06														
STD OXQ90 Expected							24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.17					30.00															
BLK	Blank							<0.01	0.03	0.03	<0.1	<2	<0.1	<0.1	1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5	
Prep Wash																						
ROCK-WHI	Prep Blank	430		<0.005	<0.01	<0.17	43.50	0.83	3.68	1.11	27.7	15	1.3	4.1	458	1.84	0.8	0.4	1.2	3.0	29.1	
ROCK-WHI	Prep Blank	290		<0.005	<0.01	<0.17	27.30	0.98	2.14	1.50	30.4	12	0.9	3.8	504	1.85	2.7	0.5	0.3	2.8	25.1	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000037.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022028	Drill Core	1.28	0.39	0.28	17	0.66	0.062	24.2	15.8	0.87	355.1	0.033	<1	1.27	0.022	0.55	0.3	4.1	0.23	<0.02	<5
REP 2022028	QC																				
2022029	Drill Core	0.36	0.40	0.17	28	1.36	0.068	25.5	27.5	1.22	311.2	0.015	<1	1.64	0.024	0.41	0.3	5.6	0.15	<0.02	<5
REP 2022029	QC	0.37	0.41	0.18	27	1.37	0.069	24.0	27.4	1.19	308.6	0.014	<1	1.58	0.023	0.40	0.2	5.5	0.15	<0.02	<5
Core Reject Duplicates																					
2022030	Drill Core	0.25	0.31	0.28	40	0.94	0.073	22.9	40.9	1.34	293.4	0.011	<1	1.77	0.042	0.34	<0.1	6.7	0.10	<0.02	<5
DUP 2022030	QC	0.29	0.32	0.33	38	0.96	0.072	21.4	39.3	1.32	233.9	0.009	<1	1.62	0.030	0.27	<0.1	5.9	0.09	<0.02	<5
Reference Materials																					
STD DS11	Standard	2.31	8.13	11.90	52	1.07	0.071	19.3	61.7	0.85	390.4	0.092	7	1.23	0.076	0.40	2.9	3.3	5.02	0.27	262
STD OREAS262	Standard	0.62	4.58	1.07	24	2.91	0.041	17.3	45.6	1.19	254.0	0.002	4	1.42	0.070	0.33	0.2	3.4	0.47	0.25	156
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.8	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	0.03	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.03	<0.02	27	0.62	0.043	6.4	4.8	0.46	68.2	0.075	3	0.95	0.103	0.10	0.1	3.2	<0.02	<0.02	6
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	26	0.68	0.045	7.4	4.4	0.43	77.0	0.087	3	0.99	0.128	0.14	0.1	3.3	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 20, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000037.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022028	Drill Core	<0.1	0.05	4.1	1.36	<0.1	0.40	<0.02	26.9	0.3	<0.05	13.3	4.34	47.8	0.02	<1	0.4	10.3	<10	<2
REP 2022028	QC																			
2022029	Drill Core	<0.1	<0.02	6.1	0.73	<0.1	0.36	<0.02	18.2	0.3	<0.05	13.3	6.48	49.6	0.03	<1	0.5	12.9	<10	<2
REP 2022029	QC	<0.1	<0.02	5.9	0.80	<0.1	0.33	<0.02	18.0	0.3	<0.05	11.7	6.21	47.1	0.03	<1	0.5	13.1	<10	<2
Core Reject Duplicates																				
2022030	Drill Core	0.2	0.03	6.9	0.52	<0.1	0.24	<0.02	12.3	0.3	<0.05	9.1	5.10	45.3	0.03	<1	0.4	14.1	<10	<2
DUP 2022030	QC	0.1	0.04	6.3	0.53	<0.1	0.22	<0.02	10.6	0.3	<0.05	8.1	5.17	42.7	0.03	<1	0.4	14.2	<10	<2
Reference Materials																				
STD DS11	Standard	2.0	4.59	5.1	2.99	<0.1	0.10	1.55	34.2	1.8	<0.05	3.9	8.30	39.4	0.24	42	0.7	22.5	107	181
STD OREAS262	Standard	0.3	0.24	4.2	3.00	<0.1	0.29	<0.02	20.1	0.6	<0.05	10.9	10.66	35.8	0.03	<1	1.1	17.4	<10	<2
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.19	<0.1	0.15	0.19	2.6	0.4	<0.05	3.0	8.43	12.9	<0.02	<1	0.2	2.4	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.22	<0.1	0.16	0.18	3.5	0.4	<0.05	4.0	9.88	14.9	<0.02	<1	0.2	2.4	<10	<2