



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List

Receiving Lab: Canada-Whitehorse

Received: June 07, 2019

Report Date: June 21, 2019

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000038.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-09
P.O. Number
Number of Samples: 65

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	62	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	65	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	65	Analysis sample split/packet			WHI
Split -150	65	Analysis sample split/packet			WHI
EN002	65	Environmental disposal charge-Fire assay lead waste			VAN
FS631	63	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	65	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	65	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce


LILYBETH DE VERA-BOY
Fire Assay Spectroscopy Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024001	Drill Core	2.21	426	0.018	0.02	<0.17	25.64	1.02	16.48	8.68	67.1	286	23.2	12.0	590	2.72	9.8	1.3	11.2	7.4	59.3	
2024002	Drill Core	2.40	457	<0.005	<0.01	<0.17	38.96	0.53	22.57	8.56	88.0	355	23.9	13.4	600	3.10	15.3	1.2	4.5	6.9	49.4	
2024003	Drill Core	2.90	450	<0.005	<0.01	<0.17	29.44	0.63	27.42	10.43	75.8	290	24.2	12.3	536	2.59	19.7	1.1	2.6	7.9	26.0	
2024004	Drill Core	2.84	530	<0.005	<0.01	<0.17	31.38	1.13	29.95	12.58	68.5	352	18.9	10.2	378	2.31	20.8	1.6	<0.2	7.8	40.5	
2024005	Drill Core	2.30	475	0.009	<0.01	<0.17	34.66	0.71	24.76	17.29	82.1	381	25.1	12.4	631	2.87	17.5	1.2	2.3	9.3	20.9	
2024006	Drill Core	2.77	503	0.019	0.02	<0.17	25.36	1.03	33.55	17.19	89.0	366	42.6	17.5	698	3.20	35.6	0.8	1.0	7.6	33.2	
2024007	Drill Core	2.13	439	0.009	<0.01	<0.17	36.83	0.65	42.56	18.59	81.1	200	28.4	11.8	599	2.95	14.4	0.5	3.4	9.1	13.4	
2024008	Drill Core	3.11	457	0.023	0.02	<0.17	44.77	1.10	21.01	20.92	89.9	209	24.5	12.7	678	2.95	19.0	0.9	1.4	9.9	14.2	
2024009	Drill Core	2.27	453	0.008	<0.01	<0.17	33.98	1.78	44.61	86.40	359.3	844	26.1	13.4	656	3.23	11.9	1.8	0.6	7.8	42.3	
2024010	Drill Core	2.85	370	0.007	<0.01	<0.17	52.16	2.51	37.26	34.87	167.3	407	25.6	10.7	490	3.18	11.5	3.4	<0.2	7.4	31.4	
2024011	Drill Core	3.01	382	0.007	<0.01	<0.17	22.75	2.90	69.72	77.21	356.0	716	33.7	15.2	602	3.60	15.6	3.0	<0.2	5.1	24.9	
2024012	Drill Core	2.30	446	0.008	<0.01	<0.17	35.41	2.98	48.15	88.68	161.9	750	54.3	24.5	1051	3.59	16.5	2.0	0.7	5.2	23.6	
2024013	Drill Core	2.58	482	0.008	<0.01	<0.17	40.17	2.78	45.52	20.07	105.9	560	36.9	15.6	770	3.71	21.2	3.0	0.9	5.2	39.8	
2024014	Drill Core	2.90	540	0.009	<0.01	<0.17	37.59	3.18	50.44	26.00	134.0	520	31.2	10.1	530	3.84	19.1	2.5	1.1	5.4	39.3	
2024015	Drill Core	2.31	420	0.009	<0.01	<0.17	20.15	3.10	52.09	39.54	175.7	578	59.2	32.6	1259	3.73	18.6	1.7	1.5	5.1	24.0	
2024016	Drill Core	2.37	507	0.009	<0.01	<0.17	40.97	3.01	51.17	37.68	201.5	446	35.8	11.6	712	3.90	13.4	1.7	0.9	5.2	35.4	
2024017	Drill Core	2.37	429	0.007	<0.01	<0.17	38.67	2.63	65.08	46.54	415.3	600	40.8	16.6	1109	3.72	19.7	1.1	0.7	5.1	22.6	
2024018	Drill Core	2.04	412	0.005	<0.01	<0.17	32.16	2.41	60.51	187.07	448.8	1275	27.2	11.3	874	3.31	20.0	0.8	<0.2	4.8	16.3	
2024019	Drill Core	2.10	496	0.022	0.02	<0.17	41.29	2.98	78.00	29.39	201.3	645	33.1	13.1	560	4.08	20.2	1.4	12.0	5.3	39.3	
2024020	Rock Pulp	0.15	86	0.468				2.59	462.34	20.41	50.2	296	635.6	28.8	460	2.70	20.3	0.7	547.8	2.0	67.9	
2024021	Drill Core	2.80	544	0.007	<0.01	<0.17	33.53	2.98	51.92	58.04	234.2	568	34.5	17.4	995	3.53	7.3	0.8	1.1	5.9	23.1	
2024022	Drill Core	2.47	482	0.007	<0.01	<0.17	25.88	2.64	72.94	12.89	198.2	370	38.5	18.1	1058	3.93	32.0	0.9	0.4	7.8	40.7	
2024023	Drill Core	3.15	471	0.007	<0.01	<0.17	32.78	1.48	43.01	31.22	123.0	319	21.1	10.7	542	3.35	3.7	0.8	1.9	7.2	28.2	
2024024	Drill Core	3.19	381	0.008	<0.01	<0.17	25.06	1.63	39.81	18.49	85.1	284	17.3	8.9	429	3.17	4.0	1.7	0.7	7.9	27.8	
2024025	Drill Core	2.76	538	0.008	<0.01	<0.17	30.59	1.85	25.28	11.16	66.4	293	27.6	11.2	579	3.09	6.6	1.0	1.9	6.8	40.0	
2024026	Drill Core	3.08	382	0.007	<0.01	<0.17	34.76	1.88	39.07	8.49	85.1	209	30.5	12.5	539	3.17	10.8	1.0	0.6	6.5	29.5	
2024027	Drill Core	3.27	380	0.009	<0.01	<0.17	25.51	1.90	35.43	8.13	75.7	243	35.3	14.9	715	3.21	15.0	0.8	2.2	6.1	37.4	
2024028	Drill Core	2.92	431	0.009	<0.01	<0.17	45.43	2.21	38.64	9.79	95.9	216	32.5	14.5	742	3.25	24.5	1.0	0.5	5.9	33.8	
2024029	Drill Core	2.82	447	0.007	<0.01	<0.17	37.79	1.64	59.51	28.52	132.6	507	24.9	12.8	687	3.21	7.3	0.8	<0.2	6.5	29.7	
2024030	Drill Core	2.32	462	0.006	<0.01	<0.17	42.62	1.54	41.89	17.94	107.6	266	15.0	9.2	469	3.39	1.7	1.5	<0.2	8.4	20.7	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024001	Drill Core	0.24	0.98	0.12	56	0.72	0.064	14.5	148.7	1.63	205.1	0.142	2	1.73	0.038	0.62	1.0	7.3	0.42	<0.02	<5			
2024002	Drill Core	0.23	0.87	0.12	70	0.66	0.075	16.3	169.9	1.92	169.2	0.152	<1	2.05	0.076	0.49	0.4	9.1	0.30	<0.02	<5			
2024003	Drill Core	0.33	0.86	0.11	44	0.51	0.072	19.9	91.7	1.26	237.0	0.099	<1	1.42	0.031	0.38	0.1	7.7	0.37	<0.02	<5			
2024004	Drill Core	0.58	0.39	0.12	31	0.99	0.076	17.1	62.1	0.97	341.7	0.105	<1	1.29	0.025	0.33	0.1	5.2	0.16	<0.02	<5			
2024005	Drill Core	0.43	0.41	0.24	43	0.53	0.075	23.5	90.6	1.43	292.1	0.094	<1	1.72	0.024	0.29	0.3	8.0	0.17	<0.02	6			
2024006	Drill Core	0.40	1.28	0.17	56	0.73	0.074	19.9	115.7	2.04	213.0	0.064	<1	2.17	0.040	0.21	0.1	8.8	0.06	<0.02	<5			
2024007	Drill Core	0.20	0.29	0.03	33	0.23	0.062	26.0	30.1	1.86	211.3	0.016	<1	2.07	0.027	0.27	<0.1	4.0	0.05	<0.02	<5			
2024008	Drill Core	0.29	0.54	0.11	25	0.23	0.060	26.8	32.0	1.92	235.9	0.008	<1	2.10	0.026	0.33	<0.1	3.2	0.07	<0.02	<5			
2024009	Drill Core	2.19	0.62	0.64	27	0.26	0.074	21.1	27.4	1.66	188.1	0.007	<1	1.82	0.009	0.30	<0.1	2.9	0.11	0.03	6			
2024010	Drill Core	0.82	0.52	0.30	27	0.28	0.070	21.0	21.6	1.30	235.4	0.014	<1	1.69	0.015	0.38	<0.1	2.9	0.11	<0.02	<5			
2024011	Drill Core	3.15	0.64	0.39	36	0.26	0.080	12.2	19.8	1.22	155.0	0.009	<1	1.56	0.016	0.28	<0.1	3.0	0.10	0.03	<5			
2024012	Drill Core	1.64	0.72	0.29	37	0.20	0.078	12.3	21.7	1.53	150.1	0.021	<1	1.79	0.016	0.27	<0.1	3.4	0.08	0.03	<5			
2024013	Drill Core	0.59	0.55	0.23	40	0.25	0.079	11.2	22.6	1.44	140.4	0.032	2	1.77	0.015	0.27	0.1	3.5	0.09	0.06	<5			
2024014	Drill Core	0.61	0.38	0.24	40	0.21	0.081	14.3	24.5	1.60	153.8	0.018	<1	1.90	0.020	0.29	0.1	3.6	0.08	0.07	<5			
2024015	Drill Core	1.71	0.48	0.18	34	0.21	0.082	12.6	21.5	1.47	155.3	0.017	<1	1.70	0.015	0.25	0.1	3.2	0.09	0.04	<5			
2024016	Drill Core	1.47	0.49	0.30	35	0.19	0.082	12.1	21.3	1.43	176.9	0.008	<1	1.71	0.019	0.29	<0.1	3.3	0.08	0.05	<5			
2024017	Drill Core	3.53	0.29	0.45	38	0.21	0.089	11.4	22.1	1.79	174.1	0.007	<1	1.94	0.018	0.25	<0.1	3.7	0.08	0.03	<5			
2024018	Drill Core	2.60	0.53	1.09	32	0.21	0.077	10.9	20.0	1.63	173.7	0.009	<1	1.67	0.016	0.28	<0.1	3.0	0.09	0.02	<5			
2024019	Drill Core	1.19	1.75	0.25	44	0.33	0.087	8.1	25.8	1.55	180.8	0.038	<1	1.90	0.013	0.31	0.1	3.7	0.15	0.07	7			
2024020	Rock Pulp	0.22	0.39	0.34	58	1.45	0.031	4.8	107.4	1.89	75.9	0.087	3	2.21	0.215	0.15	1.3	3.5	0.09	0.21	13			
2024021	Drill Core	1.62	0.30	0.60	32	0.26	0.076	12.3	18.9	1.64	176.0	0.015	<1	1.76	0.009	0.29	<0.1	3.4	0.10	0.02	<5			
2024022	Drill Core	0.89	0.23	0.11	31	0.69	0.112	14.8	18.0	1.91	211.2	0.013	<1	2.01	0.008	0.38	<0.1	3.4	0.11	0.07	<5			
2024023	Drill Core	0.32	0.21	0.21	26	0.43	0.079	15.3	21.4	1.91	189.7	0.007	<1	2.04	0.019	0.28	<0.1	3.2	0.05	<0.02	<5			
2024024	Drill Core	0.19	0.17	0.20	24	0.24	0.072	17.0	20.0	1.77	198.2	0.015	<1	1.95	0.024	0.28	<0.1	3.3	0.05	<0.02	<5			
2024025	Drill Core	0.30	0.16	0.11	34	0.71	0.080	15.7	25.5	1.70	224.8	0.024	<1	1.91	0.021	0.28	<0.1	3.6	0.04	<0.02	<5			
2024026	Drill Core	0.28	0.15	0.14	34	0.49	0.081	15.2	23.6	1.58	227.4	0.026	<1	1.80	0.019	0.27	<0.1	3.1	0.04	<0.02	<5			
2024027	Drill Core	0.33	0.20	0.17	37	0.79	0.075	15.7	23.2	1.60	261.5	0.026	<1	1.87	0.019	0.31	<0.1	3.6	0.07	<0.02	8			
2024028	Drill Core	0.32	0.21	0.12	35	0.76	0.072	13.7	19.4	1.66	235.7	0.017	<1	1.90	0.008	0.29	<0.1	3.2	0.08	<0.02	<5			
2024029	Drill Core	1.20	0.34	0.18	40	1.05	0.068	14.4	28.4	1.87	204.9	0.024	<1	2.06	0.022	0.28	<0.1	4.0	0.07	<0.02	<5			
2024030	Drill Core	0.57	0.32	0.13	28	0.30	0.076	17.2	23.4	2.10	172.6	0.030	<1	2.17	0.017	0.26	0.2	3.6	0.05	<0.02	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 4 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024001	Drill Core	<0.1	0.02	6.3	4.75	<0.1	0.12	0.15	43.1	0.7	<0.05	3.1	11.89	28.9	0.02	<1	0.8	<10	<2
2024002	Drill Core	0.1	0.04	6.5	2.76	<0.1	0.12	0.16	30.0	0.7	<0.05	2.5	11.75	31.4	0.02	<1	0.7	<10	<2
2024003	Drill Core	0.1	<0.02	4.0	3.01	<0.1	0.07	0.13	28.9	0.6	<0.05	2.7	12.64	37.3	<0.02	<1	0.5	<10	<2
2024004	Drill Core	0.6	<0.02	4.7	0.82	<0.1	0.09	0.19	14.1	0.5	<0.05	1.5	10.46	31.4	0.02	2	0.3	<10	<2
2024005	Drill Core	0.3	0.05	6.2	1.52	<0.1	0.11	0.13	14.3	0.5	<0.05	2.6	13.33	42.7	0.02	<1	0.3	16.4	<2
2024006	Drill Core	<0.1	0.03	7.0	0.37	<0.1	0.16	0.08	7.1	0.5	<0.05	6.8	13.24	36.7	0.03	<1	0.3	<10	<2
2024007	Drill Core	<0.1	<0.02	5.5	0.25	<0.1	0.23	0.02	7.3	0.3	<0.05	7.7	10.69	47.5	<0.02	<1	0.2	<10	<2
2024008	Drill Core	<0.1	0.02	5.2	0.77	<0.1	0.19	<0.02	9.1	0.3	<0.05	8.4	10.74	50.9	<0.02	<1	0.4	<10	<2
2024009	Drill Core	0.8	0.12	4.3	2.05	<0.1	0.10	0.04	9.1	0.5	<0.05	5.5	8.89	39.8	0.06	<1	0.3	<10	<2
2024010	Drill Core	1.2	0.04	3.8	2.51	<0.1	0.20	<0.02	11.7	0.4	<0.05	7.5	9.65	39.4	0.02	<1	0.2	<10	<2
2024011	Drill Core	1.5	0.10	3.5	2.43	<0.1	0.11	<0.02	9.7	0.2	<0.05	5.6	5.62	22.4	<0.02	2	0.1	<10	<2
2024012	Drill Core	0.7	0.10	4.2	0.58	<0.1	0.10	0.02	7.8	0.2	<0.05	5.9	6.15	24.0	<0.02	<1	0.1	<10	<2
2024013	Drill Core	1.1	0.08	4.0	1.14	<0.1	0.14	0.03	8.5	0.2	<0.05	6.4	6.81	21.3	<0.02	<1	0.2	<10	2
2024014	Drill Core	2.5	0.06	4.4	0.88	<0.1	0.10	<0.02	9.2	0.2	<0.05	4.8	5.78	26.7	<0.02	<1	0.3	<10	<2
2024015	Drill Core	0.7	0.09	3.8	0.74	<0.1	0.11	<0.02	8.4	0.2	<0.05	5.0	6.93	24.4	<0.02	<1	0.2	<10	<2
2024016	Drill Core	1.0	0.08	3.8	0.81	<0.1	0.15	<0.02	8.7	0.2	<0.05	6.4	6.68	22.6	<0.02	<1	0.2	<10	<2
2024017	Drill Core	1.2	0.05	4.3	0.65	0.1	0.15	<0.02	7.5	0.2	<0.05	5.4	7.12	21.0	<0.02	3	<0.1	13.9	<2
2024018	Drill Core	1.2	0.15	3.6	0.79	<0.1	0.08	<0.02	8.0	0.4	<0.05	4.4	5.12	20.7	0.07	2	0.2	<10	<2
2024019	Drill Core	2.9	0.07	4.6	2.56	<0.1	0.11	<0.02	11.9	0.3	<0.05	6.8	6.32	14.7	0.03	<1	0.2	<10	<2
2024020	Rock Pulp	0.4	0.18	4.4	0.61	0.1	0.09	<0.02	5.9	0.5	<0.05	1.9	3.53	9.5	<0.02	3	0.1	8.0	294
2024021	Drill Core	0.8	0.08	4.2	1.44	<0.1	0.07	<0.02	8.9	0.3	<0.05	3.8	5.98	23.3	<0.02	<1	0.2	<10	<2
2024022	Drill Core	0.8	0.03	4.4	0.99	<0.1	0.23	<0.02	10.9	0.2	<0.05	4.7	5.74	27.7	<0.02	<1	0.2	<10	<2
2024023	Drill Core	0.3	0.08	5.1	0.19	<0.1	0.07	<0.02	6.9	0.2	<0.05	4.1	5.05	29.2	<0.02	<1	0.2	<10	2
2024024	Drill Core	0.3	0.03	5.1	0.16	<0.1	0.11	<0.02	6.8	0.2	<0.05	4.9	5.23	32.6	<0.02	<1	0.2	<10	<2
2024025	Drill Core	<0.1	0.04	4.9	0.16	<0.1	0.10	0.02	7.0	0.2	<0.05	5.8	7.09	29.8	<0.02	<1	<0.1	9.7	<2
2024026	Drill Core	0.8	0.03	4.5	0.15	<0.1	0.08	<0.02	6.8	0.2	<0.05	4.2	7.91	27.4	<0.02	<1	0.1	<10	<2
2024027	Drill Core	0.4	0.06	4.6	0.22	<0.1	0.11	0.03	8.3	0.1	<0.05	5.0	8.58	28.7	<0.02	<1	0.3	10.2	2
2024028	Drill Core	0.5	0.06	4.7	0.27	<0.1	0.14	<0.02	8.0	0.2	<0.05	5.2	7.89	25.9	<0.02	<1	0.1	<10	<2
2024029	Drill Core	0.3	0.03	5.4	0.38	<0.1	0.12	<0.02	7.4	0.2	<0.05	5.7	8.70	26.4	0.02	<1	0.3	<10	<2
2024030	Drill Core	0.6	0.03	5.8	0.25	<0.1	0.11	0.02	6.8	0.3	<0.05	6.4	6.95	32.2	<0.02	<1	<0.1	14.9	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024031	Drill Core	3.01	443	0.007	<0.01	<0.17	23.06	1.68	32.58	11.93	90.2	196	29.1	12.0	597	3.29	7.9	0.9	<0.2	6.3	19.7
2024032	Drill Core	3.07	480	0.009	<0.01	<0.17	26.18	1.79	26.06	14.35	54.6	280	33.0	11.7	581	2.98	3.4	0.9	1.7	6.1	19.8
2024033	Drill Core	2.91	439	0.007	<0.01	<0.17	18.48	1.89	39.87	9.41	88.6	215	29.2	12.0	566	3.15	16.6	1.1	0.3	6.2	25.0
2024034	Drill Core	2.94	431	0.008	<0.01	<0.17	26.72	1.78	40.80	34.39	127.1	372	32.7	13.3	753	3.02	11.5	0.8	4.9	6.1	25.3
2024035	Drill Core	3.08	429	0.021	0.02	<0.17	39.16	2.10	30.62	13.94	72.4	665	37.7	13.6	635	3.24	4.7	1.1	17.1	5.9	23.1
2024036	Drill Core	3.03	420	0.007	<0.01	<0.17	25.52	2.10	37.90	60.92	74.2	515	37.8	14.9	697	3.19	7.8	0.7	3.2	5.6	24.8
2024037	Drill Core	2.46	436	0.005	<0.01	<0.17	42.74	2.35	38.24	14.65	90.5	185	36.5	13.8	767	3.18	5.6	1.0	1.7	6.1	20.3
2024038	Drill Core	2.06	431	0.006	<0.01	<0.17	39.12	2.11	35.55	11.80	91.6	230	30.6	12.4	640	3.01	7.0	1.7	2.2	6.4	38.2
2024039	Drill Core	2.23	457	0.006	<0.01	<0.17	52.15	2.62	50.82	84.06	140.9	473	35.8	16.1	719	3.19	7.5	1.1	1.4	5.6	31.1
2024040	Rock Pulp	0.14	83	0.007				2.45	94.15	3.79	35.1	116	5.0	9.5	406	2.65	0.8	1.0	2.3	2.9	83.2
2024041	Drill Core	2.51	411	0.007	<0.01	<0.17	25.35	2.30	35.72	14.05	76.9	298	27.4	10.9	537	3.03	4.1	2.0	1.8	6.6	20.4
2024042	Drill Core	2.88	458	0.006	<0.01	<0.17	46.53	1.71	31.78	12.64	78.3	199	30.1	12.9	551	2.85	8.1	1.4	1.4	5.7	22.9
2024043	Drill Core	3.28	449	0.006	<0.01	<0.17	24.35	1.95	35.23	11.03	78.3	246	26.5	11.4	656	2.76	7.4	1.0	1.3	5.4	27.2
2024044	Drill Core	2.00	465	0.006	<0.01	<0.17	47.31	2.27	34.48	27.21	71.2	365	28.6	11.9	460	2.64	10.2	1.5	2.1	6.3	21.7
2024045	Drill Core	1.78	440	0.007	<0.01	<0.17	29.66	2.28	31.43	11.49	81.1	413	33.9	13.5	425	2.76	27.4	1.8	3.3	6.0	42.2
2024046	Drill Core	3.24	428	0.042	0.04	<0.17	50.71	3.00	24.47	11.93	97.0	317	17.3	12.2	581	2.59	8.5	2.2	38.3	7.3	69.8
2024047	Drill Core	3.11	457	0.008	<0.01	<0.17	50.96	2.12	19.10	16.61	75.0	212	14.2	10.2	461	2.77	6.4	2.4	2.5	9.7	35.4
2024048	Drill Core	2.76	438	0.007	<0.01	<0.17	49.87	1.47	28.91	10.64	68.8	509	26.0	9.5	332	2.19	48.1	1.8	1.6	8.2	26.1
2024049	Drill Core	3.08	451	0.006	<0.01	<0.17	48.00	1.51	13.95	21.30	26.1	285	10.0	4.4	186	1.09	122.6	2.6	1.7	11.6	60.4
2024050	Drill Core	3.24	461	0.007	<0.01	<0.17	48.61	1.32	15.64	18.40	26.5	370	10.2	4.8	240	1.17	64.4	2.4	2.0	13.6	96.7
2024051	Drill Core	3.07	423	0.007	<0.01	<0.17	32.32	0.81	12.63	25.26	39.9	299	8.5	5.2	218	1.52	210.7	2.7	1.1	12.5	69.5
2024052	Drill Core	3.10	462	0.007	<0.01	<0.17	47.96	2.26	25.59	14.20	76.5	295	17.5	10.5	377	2.38	12.8	2.8	1.4	9.4	90.2
2024053	Drill Core	2.32	422	0.007	<0.01	<0.17	27.76	0.41	7.98	21.23	20.3	297	1.0	0.7	96	0.56	1.7	2.8	2.1	16.0	35.7
2024054	Drill Core	2.91	448	0.007	<0.01	<0.17	29.09	0.13	6.61	36.81	19.2	130	0.4	0.2	111	0.34	1.2	1.0	1.1	17.9	22.2
2024055	Drill Core	2.76	430	0.007	<0.01	<0.17	37.03	0.15	4.28	23.28	14.7	129	0.3	0.1	142	0.41	1.1	1.2	1.2	18.6	32.7
2024056	Drill Core	3.13	422	0.006	<0.01	<0.17	22.51	0.14	5.12	20.21	14.8	131	0.4	0.1	118	0.41	2.0	1.1	1.3	17.3	30.1
2024057	Drill Core	3.11	454	0.005	<0.01	<0.17	28.54	0.17	4.16	18.02	9.2	105	0.3	0.1	100	0.36	2.3	1.1	2.6	17.3	26.7
2024058	Drill Core	2.68	453	0.006	<0.01	<0.17	31.90	0.18	4.88	21.97	10.3	273	0.4	0.4	83	0.42	1.0	2.0	0.7	13.7	87.4
2024059	Drill Core	3.07	435	0.007	<0.01	<0.17	26.24	0.44	4.07	23.84	9.4	290	0.5	0.4	95	0.43	0.8	3.0	1.8	13.7	98.2
2024060	Core DUP		428	0.007	<0.01	<0.17	36.14	0.41	3.90	23.30	8.3	288	0.2	0.5	88	0.39	0.5	3.0	1.7	14.0	92.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024031	Drill Core	0.22	0.18	0.13	43	0.39	0.079	15.5	30.9	1.94	236.4	0.024	<1	2.10	0.022	0.30	<0.1	3.8	0.06	<0.02	<5	
2024032	Drill Core	0.19	0.21	0.23	39	0.33	0.076	14.9	27.2	1.80	248.4	0.007	<1	1.94	0.023	0.30	<0.1	3.3	0.06	<0.02	<5	
2024033	Drill Core	0.39	0.16	0.14	38	0.63	0.082	15.0	29.3	1.70	226.9	0.024	<1	1.91	0.022	0.27	<0.1	3.5	0.05	<0.02	6	
2024034	Drill Core	1.78	0.32	0.30	30	0.71	0.080	14.2	25.1	1.65	220.5	0.017	1	1.76	0.013	0.26	<0.1	3.2	0.06	<0.02	9	
2024035	Drill Core	0.30	0.22	0.41	38	0.40	0.080	13.8	28.3	1.89	231.9	0.026	2	1.97	0.015	0.27	<0.1	3.6	0.06	<0.02	7	
2024036	Drill Core	0.52	0.35	0.17	36	0.59	0.076	14.1	27.0	1.75	220.7	0.027	1	1.85	0.009	0.27	<0.1	3.6	0.06	<0.02	6	
2024037	Drill Core	0.43	0.20	0.08	41	0.54	0.080	15.9	34.5	1.95	236.6	0.024	2	2.04	0.020	0.32	<0.1	4.2	0.07	<0.02	<5	
2024038	Drill Core	0.48	0.76	0.18	39	0.79	0.080	14.0	31.7	1.88	205.6	0.056	1	1.94	0.017	0.30	0.2	3.8	0.08	<0.02	5	
2024039	Drill Core	1.56	0.55	0.23	42	0.77	0.080	14.3	32.0	1.94	222.0	0.038	<1	1.97	0.016	0.29	0.1	3.9	0.07	<0.02	<5	
2024040	Rock Pulp	0.06	0.13	0.05	91	0.95	0.061	7.4	10.5	0.73	122.9	0.120	2	1.71	0.183	0.21	3.1	2.8	0.04	<0.02	<5	
2024041	Drill Core	0.35	0.86	0.18	38	0.27	0.077	15.6	34.0	1.78	214.9	0.057	1	1.84	0.015	0.30	0.1	3.5	0.08	<0.02	<5	
2024042	Drill Core	0.31	1.47	0.15	40	0.41	0.067	13.2	31.0	1.78	227.0	0.061	1	1.91	0.020	0.38	0.2	4.1	0.11	<0.02	<5	
2024043	Drill Core	0.50	1.38	0.14	32	0.71	0.064	14.1	26.1	1.64	212.9	0.036	<1	1.74	0.015	0.32	0.2	3.5	0.10	<0.02	6	
2024044	Drill Core	0.62	2.73	0.29	28	0.40	0.071	15.8	26.2	1.42	257.8	0.056	2	1.59	0.011	0.46	0.2	3.0	0.21	0.07	<5	
2024045	Drill Core	0.34	4.34	0.18	33	0.53	0.076	13.0	45.1	1.62	194.3	0.078	2	1.72	0.013	0.51	0.5	2.9	0.32	0.30	<5	
2024046	Drill Core	0.61	2.51	0.16	31	1.15	0.076	13.8	82.7	1.46	255.9	0.162	3	1.86	0.014	0.76	4.2	6.1	0.42	0.19	6	
2024047	Drill Core	0.25	2.09	0.13	26	0.70	0.074	18.2	29.8	1.19	238.4	0.146	1	1.63	0.027	0.72	1.3	5.9	0.41	0.11	<5	
2024048	Drill Core	0.43	3.12	0.09	23	0.49	0.067	20.9	24.4	0.75	392.6	0.094	1	1.25	0.029	0.51	0.5	7.2	0.32	<0.02	<5	
2024049	Drill Core	0.29	3.77	0.38	9	1.15	0.047	22.6	8.9	0.33	291.8	0.057	<1	0.68	0.034	0.43	0.4	3.5	0.18	0.16	<5	
2024050	Drill Core	0.24	2.42	0.61	10	1.62	0.051	24.5	11.8	0.31	254.5	0.045	<1	0.65	0.034	0.46	0.5	3.4	0.24	0.27	<5	
2024051	Drill Core	0.26	7.51	0.48	11	0.88	0.053	25.7	12.5	0.47	286.7	0.047	1	0.78	0.037	0.50	0.6	3.6	0.34	0.25	<5	
2024052	Drill Core	0.39	1.01	0.14	23	1.13	0.072	16.5	23.7	1.12	272.9	0.114	1	1.28	0.023	0.82	0.4	6.7	0.67	0.27	<5	
2024053	Drill Core	0.29	0.27	0.42	<1	0.37	0.006	36.6	1.6	0.19	283.5	0.005	<1	0.54	0.028	0.36	0.1	1.6	0.10	0.07	6	
2024054	Drill Core	0.17	0.13	0.30	<1	0.29	0.005	44.3	0.9	0.06	396.4	0.002	<1	0.33	0.024	0.29	<0.1	1.0	0.07	<0.02	<5	
2024055	Drill Core	0.26	0.15	0.15	<1	0.37	0.006	44.5	1.0	0.09	609.0	0.002	<1	0.38	0.025	0.31	0.1	1.2	0.08	<0.02	<5	
2024056	Drill Core	0.27	0.22	0.09	<1	0.32	0.006	40.7	0.9	0.08	823.9	0.001	<1	0.35	0.023	0.29	0.1	1.1	0.06	<0.02	<5	
2024057	Drill Core	0.22	0.18	0.11	<1	0.31	0.006	43.4	1.0	0.06	741.7	0.001	<1	0.35	0.025	0.31	<0.1	1.1	0.06	<0.02	<5	
2024058	Drill Core	0.26	0.27	0.26	<1	0.39	0.009	38.7	1.2	0.08	2054.3	0.011	1	0.48	0.036	0.34	<0.1	2.2	0.08	0.09	<5	
2024059	Drill Core	0.38	0.28	0.31	<1	0.51	0.010	35.0	1.2	0.08	1628.7	0.015	<1	0.56	0.036	0.40	<0.1	2.3	0.10	0.11	<5	
2024060	Core DUP	0.38	0.26	0.30	<1	0.50	0.010	34.3	1.0	0.07	1507.8	0.014	<1	0.48	0.030	0.36	<0.1	2.1	0.09	0.11	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024031	Drill Core	0.8	0.03	5.4	0.26	<0.1	0.12	<0.02	8.1	0.2	<0.05	5.9	7.93	29.5	<0.02	<1	0.3	13.5	12	<2			
2024032	Drill Core	0.3	0.06	4.7	0.29	<0.1	0.11	<0.02	8.2	0.3	<0.05	5.0	5.21	28.2	<0.02	<1	0.2	12.0	<10	<2			
2024033	Drill Core	0.5	0.06	5.1	0.25	<0.1	0.06	<0.02	7.4	0.2	<0.05	3.6	7.49	27.8	<0.02	<1	0.2	10.6	<10	<2			
2024034	Drill Core	0.2	0.05	4.5	0.29	0.1	0.23	0.04	7.6	0.2	<0.05	7.4	8.52	26.8	0.03	<1	0.2	10.9	<10	<2			
2024035	Drill Core	0.2	0.22	4.9	0.28	<0.1	0.23	0.03	8.0	0.2	<0.05	7.6	6.91	26.2	<0.02	<1	0.1	12.3	<10	4			
2024036	Drill Core	0.2	0.09	5.0	0.36	<0.1	0.24	0.03	8.3	0.2	<0.05	8.9	7.01	26.5	<0.02	<1	0.1	12.0	<10	<2			
2024037	Drill Core	<0.1	0.02	5.3	0.35	<0.1	0.25	0.02	8.3	0.2	<0.05	9.5	7.77	29.4	<0.02	<1	0.2	13.3	<10	<2			
2024038	Drill Core	0.3	0.07	5.1	0.78	<0.1	0.28	0.05	9.6	0.3	<0.05	10.2	10.15	25.9	<0.02	2	0.2	13.8	<10	<2			
2024039	Drill Core	0.2	0.06	5.1	0.38	<0.1	0.25	0.04	8.7	0.2	<0.05	9.0	10.05	27.3	<0.02	<1	0.2	14.2	<10	<2			
2024040	Rock Pulp	<0.1	<0.02	4.6	0.30	<0.1	0.09	0.09	6.5	0.3	<0.05	1.7	4.69	15.2	<0.02	<1	0.2	6.8	<10	<2			
2024041	Drill Core	0.5	0.06	4.7	0.62	<0.1	0.33	0.03	11.3	0.2	<0.05	10.0	10.98	29.4	<0.02	1	0.2	14.7	<10	<2			
2024042	Drill Core	0.1	0.04	4.8	0.97	<0.1	0.26	0.04	14.4	0.3	<0.05	11.0	11.05	24.8	<0.02	<1	0.2	17.2	<10	3			
2024043	Drill Core	<0.1	0.03	4.3	1.14	<0.1	0.27	0.03	11.4	0.2	<0.05	9.8	10.76	26.3	<0.02	<1	0.2	17.7	<10	<2			
2024044	Drill Core	1.5	0.07	3.6	3.79	<0.1	0.33	0.02	20.0	0.3	<0.05	12.4	10.47	28.7	<0.02	<1	0.2	28.2	<10	2			
2024045	Drill Core	0.9	0.08	4.1	6.03	<0.1	0.32	0.04	26.9	0.3	<0.05	9.6	11.63	24.8	<0.02	2	0.3	30.5	<10	<2			
2024046	Drill Core	0.3	<0.02	5.1	5.59	<0.1	0.09	0.11	46.9	0.5	<0.05	4.4	11.79	26.5	<0.02	<1	0.8	31.2	<10	<2			
2024047	Drill Core	<0.1	0.03	5.1	4.82	<0.1	0.08	0.11	44.4	0.6	<0.05	3.3	12.69	34.3	<0.02	<1	0.4	23.7	<10	<2			
2024048	Drill Core	<0.1	0.03	4.7	5.88	<0.1	0.16	0.12	31.0	0.6	<0.05	4.0	15.68	39.8	<0.02	1	0.6	16.9	<10	<2			
2024049	Drill Core	0.2	0.05	2.1	1.51	<0.1	0.24	0.22	19.2	0.5	<0.05	7.1	13.33	42.0	<0.02	2	0.3	6.2	<10	<2			
2024050	Drill Core	<0.1	0.04	2.5	1.93	<0.1	0.26	0.21	23.2	0.6	<0.05	7.9	13.98	45.5	<0.02	3	0.4	7.5	<10	<2			
2024051	Drill Core	<0.1	0.04	2.7	4.13	<0.1	0.15	0.15	30.6	0.6	<0.05	3.9	13.53	46.6	<0.02	<1	0.5	10.4	<10	<2			
2024052	Drill Core	0.1	0.02	4.2	10.15	<0.1	0.11	0.10	57.2	0.6	<0.05	3.9	11.48	30.7	<0.02	2	0.4	20.3	<10	<2			
2024053	Drill Core	<0.1	0.03	1.6	0.52	<0.1	0.41	0.13	12.4	0.4	<0.05	12.6	12.37	68.6	<0.02	<1	0.2	6.6	<10	<2			
2024054	Drill Core	<0.1	<0.02	1.2	0.41	<0.1	0.31	0.06	13.3	0.3	<0.05	8.5	11.43	81.8	<0.02	<1	0.4	3.0	<10	<2			
2024055	Drill Core	<0.1	0.03	1.8	0.57	<0.1	0.42	0.04	14.0	0.3	<0.05	11.7	12.64	82.6	0.02	<1	0.4	4.1	<10	<2			
2024056	Drill Core	<0.1	<0.02	1.6	0.53	<0.1	0.50	0.04	11.9	0.4	<0.05	13.7	11.16	75.5	<0.02	<1	0.5	3.7	<10	<2			
2024057	Drill Core	<0.1	<0.02	1.4	0.41	<0.1	0.42	0.02	12.1	0.3	<0.05	12.3	12.22	80.9	<0.02	<1	0.3	2.4	<10	<2			
2024058	Drill Core	<0.1	<0.02	1.3	0.42	<0.1	0.22	0.17	12.2	0.4	<0.05	7.3	18.30	72.4	<0.02	<1	0.3	2.6	<10	<2			
2024059	Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.10	0.23	14.5	0.5	<0.05	4.0	15.77	64.6	0.02	1	0.2	2.7	<10	<2			
2024060	Core DUP	<0.1	<0.02	1.3	0.29	<0.1	0.11	0.27	12.8	0.3	<0.05	4.5	15.45	63.4	0.02	<1	0.1	2.3	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024061	Drill Core	3.12	418	0.006	<0.01	<0.17	57.02	0.11	3.34	23.25	8.5	257	0.2	0.4	88	0.40	0.7	2.9	1.0	15.2	72.0
2024062	Drill Core	2.95	451	0.007	<0.01	<0.17	40.49	2.08	3.31	21.61	10.0	197	0.3	0.3	96	0.33	0.9	1.0	1.0	15.7	54.4
2024063	Drill Core	2.95	454	0.006	<0.01	<0.17	35.92	0.14	3.81	18.93	14.8	167	0.4	0.6	87	0.43	2.9	0.9	1.5	16.2	6.4
2024064	Drill Core	1.67	421	0.036	0.03	<0.17	47.14	0.18	4.12	35.32	20.0	645	0.5	0.8	144	0.44	2.0	0.8	2.4	12.1	3.4
2024065	Drill Core	2.06	446	0.008	<0.01	<0.17	24.13	0.19	2.48	17.04	16.7	204	0.5	0.5	62	0.42	1.9	1.1	3.7	16.3	3.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024061	Drill Core	0.53	0.25	0.33	<1	0.40	0.007	41.8	1.1	0.07	776.1	0.011	<1	0.54	0.037	0.43	<0.1	2.4	0.10	0.08	<5
2024062	Drill Core	0.28	0.13	0.21	<1	0.39	0.005	40.1	0.9	0.10	588.8	0.002	<1	0.42	0.023	0.34	<0.1	1.2	0.07	<0.02	<5
2024063	Drill Core	0.30	0.16	0.23	<1	0.04	0.007	47.0	1.0	0.06	424.2	0.002	<1	0.44	0.053	0.34	<0.1	1.2	0.09	<0.02	<5
2024064	Drill Core	0.54	0.35	1.06	<1	0.02	0.011	34.6	1.2	0.06	300.9	0.001	<1	0.34	0.039	0.27	<0.1	0.9	0.08	<0.02	<5
2024065	Drill Core	0.25	0.17	0.19	<1	0.02	0.008	45.5	1.2	0.06	380.1	0.001	1	0.48	0.036	0.38	<0.1	1.2	0.09	<0.02	6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000038.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024061	Drill Core	<0.1	<0.02	1.4	0.26	<0.1	0.11	0.21	15.8	0.4	<0.05	3.2	17.75	77.3	0.02	<1	0.3	2.0	<10
2024062	Drill Core	<0.1	<0.02	1.1	0.29	<0.1	0.30	0.04	11.7	0.2	<0.05	6.7	8.54	75.4	<0.02	<1	0.3	3.3	<10
2024063	Drill Core	<0.1	<0.02	1.4	0.73	<0.1	0.16	0.02	13.2	0.3	<0.05	5.6	7.60	87.3	<0.02	<1	0.2	3.0	<10
2024064	Drill Core	<0.1	0.03	1.0	0.71	<0.1	0.13	<0.02	10.3	0.2	<0.05	6.1	4.69	63.5	<0.02	<1	0.2	2.9	<10
2024065	Drill Core	<0.1	<0.02	1.3	0.89	<0.1	0.15	<0.02	14.0	0.4	<0.05	6.9	4.85	84.9	<0.02	<1	0.1	4.0	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000038.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
2024011	Drill Core	3.01	382	0.007	<0.01	<0.17	22.75	2.90	69.72	77.21	356.0	716	33.7	15.2	602	3.60	15.6	3.0	<0.2	5.1	24.9	
REP 2024011	QC	0.007																				
2024026	Drill Core	3.08	382	0.007	<0.01	<0.17	34.76	1.88	39.07	8.49	85.1	209	30.5	12.5	539	3.17	10.8	1.0	0.6	6.5	29.5	
REP 2024026	QC							1.78	37.66	8.41	82.4	213	30.7	12.6	545	3.17	11.2	1.0	0.9	6.6	29.5	
2024047	Drill Core	3.11	457	0.008	<0.01	<0.17	50.96	2.12	19.10	16.61	75.0	212	14.2	10.2	461	2.77	6.4	2.4	2.5	9.7	35.4	
REP 2024047	QC	0.008																				
2024059	Drill Core	3.07	435	0.007	<0.01	<0.17	26.24	0.44	4.07	23.84	9.4	290	0.5	0.4	95	0.43	0.8	3.0	1.8	13.7	98.2	
REP 2024059	QC							0.43	4.08	22.60	8.8	288	0.5	0.4	90	0.42	0.6	3.0	2.1	13.5	93.9	
Core Reject Duplicates																						
2024030	Drill Core	2.32	462	0.006	<0.01	<0.17	42.62	1.54	41.89	17.94	107.6	266	15.0	9.2	469	3.39	1.7	1.5	<0.2	8.4	20.7	
DUP 2024030	QC	361		0.006	<0.01	<0.17	26.90	1.55	41.31	18.53	108.4	260	14.9	9.1	482	3.46	1.4	1.5	0.3	8.7	20.7	
2024064	Drill Core	1.67	421	0.036	0.03	<0.17	47.14	0.18	4.12	35.32	20.0	645	0.5	0.8	144	0.44	2.0	0.8	2.4	12.1	3.4	
DUP 2024064	QC	430		0.009	<0.01	<0.17	42.76	0.20	3.96	37.48	20.1	745	0.4	0.8	143	0.43	2.0	0.7	4.0	11.9	3.5	
Reference Materials																						
STD BVGEO01	Standard							11.48	4383.25	197.36	1818.3	2636	162.2	26.5	740	3.77	119.5	4.3	219.9	16.0	64.3	
STD DS11	Standard							15.13	154.90	140.69	333.8	1723	82.7	14.3	1015	3.16	42.7	3.0	74.5	8.6	71.0	
STD OREAS262	Standard							0.66	122.08	59.90	150.1	472	67.3	28.1	533	3.32	36.3	1.4	50.1	10.1	38.2	
STD OREAS262	Standard							0.68	116.98	56.20	144.9	467	60.8	27.4	514	3.22	34.3	1.3	60.8	10.0	37.2	
STD OXC145	Standard	0.213																				
STD OXC145	Standard	0.216																				
STD OXH139	Standard	1.338																				
STD OXH139	Standard	1.311																				
STD OXN134	Standard	7.721																				
STD OXN134	Standard	7.635																				
STD OXQ90	Standard					25.13	30.48															
STD OXQ90	Standard					25.06	30.33															
STD OXQ90	Standard					25.45	30.45															
STD OXQ90	Standard					25.12	30.26															



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000038.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024011	Drill Core	3.15	0.64	0.39	36	0.26	0.080	12.2	19.8	1.22	155.0	0.009	<1	1.56	0.016	0.28	<0.1	3.0	0.10	0.03	<5
REP 2024011	QC																				
2024026	Drill Core	0.28	0.15	0.14	34	0.49	0.081	15.2	23.6	1.58	227.4	0.026	<1	1.80	0.019	0.27	<0.1	3.1	0.04	<0.02	<5
REP 2024026	QC	0.29	0.15	0.13	34	0.49	0.083	15.1	23.8	1.56	225.5	0.026	<1	1.77	0.017	0.27	<0.1	3.0	0.04	<0.02	<5
2024047	Drill Core	0.25	2.09	0.13	26	0.70	0.074	18.2	29.8	1.19	238.4	0.146	1	1.63	0.027	0.72	1.3	5.9	0.41	0.11	<5
REP 2024047	QC																				
2024059	Drill Core	0.38	0.28	0.31	<1	0.51	0.010	35.0	1.2	0.08	1628.7	0.015	<1	0.56	0.036	0.40	<0.1	2.3	0.10	0.11	<5
REP 2024059	QC	0.39	0.25	0.30	<1	0.52	0.011	33.8	1.1	0.08	1610.7	0.014	<1	0.54	0.035	0.40	<0.1	2.1	0.10	0.11	<5
Core Reject Duplicates																					
2024030	Drill Core	0.57	0.32	0.13	28	0.30	0.076	17.2	23.4	2.10	172.6	0.030	<1	2.17	0.017	0.26	0.2	3.6	0.05	<0.02	<5
DUP 2024030	QC	0.69	0.32	0.13	29	0.31	0.075	17.7	24.3	2.15	178.5	0.030	<1	2.25	0.019	0.27	0.1	3.7	0.06	<0.02	<5
2024064	Drill Core	0.54	0.35	1.06	<1	0.02	0.011	34.6	1.2	0.06	300.9	0.001	<1	0.34	0.039	0.27	<0.1	0.9	0.08	<0.02	<5
DUP 2024064	QC	0.56	0.31	1.24	<1	0.02	0.011	33.3	1.0	0.06	298.6	0.001	<1	0.34	0.044	0.26	<0.1	1.0	0.09	<0.02	9
Reference Materials																					
STD BVGEO01	Standard	6.51	3.92	28.05	72	1.35	0.077	28.9	186.3	1.34	284.5	0.252	4	2.46	0.199	0.90	5.2	6.2	0.62	0.65	85
STD DS11	Standard	2.22	8.44	12.72	52	1.07	0.069	19.1	61.8	0.85	369.9	0.097	7	1.21	0.075	0.40	2.7	3.2	4.68	0.28	268
STD OREAS262	Standard	0.72	4.02	1.15	24	3.11	0.038	16.4	44.4	1.19	246.6	0.003	2	1.35	0.071	0.30	0.2	3.5	0.43	0.26	175
STD OREAS262	Standard	0.62	5.09	1.10	22	2.99	0.040	17.8	44.2	1.16	242.6	0.003	3	1.42	0.067	0.33	0.1	3.3	0.44	0.25	183
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000038.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024011	Drill Core	1.5	0.10	3.5	2.43	<0.1	0.11	<0.02	9.7	0.2	<0.05	5.6	5.62	22.4	<0.02	2	0.1	13.2	<10	<2
REP 2024011	QC																			
2024026	Drill Core	0.8	0.03	4.5	0.15	<0.1	0.08	<0.02	6.8	0.2	<0.05	4.2	7.91	27.4	<0.02	<1	0.1	8.6	<10	<2
REP 2024026	QC	0.5	0.05	4.4	0.18	<0.1	0.11	0.03	6.9	0.2	<0.05	5.0	7.60	27.5	<0.02	<1	0.1	9.8	<10	<2
2024047	Drill Core	<0.1	0.03	5.1	4.82	<0.1	0.08	0.11	44.4	0.6	<0.05	3.3	12.69	34.3	<0.02	<1	0.4	23.7	<10	<2
REP 2024047	QC																			
2024059	Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.10	0.23	14.5	0.5	<0.05	4.0	15.77	64.6	0.02	1	0.2	2.7	<10	<2
REP 2024059	QC	<0.1	<0.02	1.5	0.28	<0.1	0.12	0.26	14.0	0.4	<0.05	3.6	15.50	62.1	0.03	<1	0.2	2.5	<10	<2
Core Reject Duplicates																				
2024030	Drill Core	0.6	0.03	5.8	0.25	<0.1	0.11	0.02	6.8	0.3	<0.05	6.4	6.95	32.2	<0.02	<1	<0.1	14.9	12	<2
DUP 2024030	QC	0.2	0.03	6.0	0.25	<0.1	0.09	0.02	6.9	0.3	<0.05	4.8	6.79	32.5	<0.02	<1	0.1	13.8	<10	<2
2024064	Drill Core	<0.1	0.03	1.0	0.71	<0.1	0.13	<0.02	10.3	0.2	<0.05	6.1	4.69	63.5	<0.02	<1	0.2	2.9	<10	<2
DUP 2024064	QC	<0.1	0.03	1.0	0.69	<0.1	0.21	<0.02	10.0	0.3	<0.05	6.6	4.53	62.6	<0.02	<1	0.1	2.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.3	1.05	7.5	7.25	0.1	0.35	0.20	93.6	5.9	<0.05	9.9	14.83	57.1	0.46	4	0.8	21.4	158	183
STD DS11	Standard	2.1	4.45	4.9	2.74	<0.1	0.09	1.60	32.3	1.8	<0.05	3.5	7.84	37.2	0.24	40	0.5	23.7	127	170
STD OREAS262	Standard	0.1	0.21	3.8	2.27	<0.1	0.26	<0.02	17.2	0.5	<0.05	9.4	10.46	32.2	0.03	<1	1.2	17.9	<10	<2
STD OREAS262	Standard	<0.1	0.27	4.0	2.83	<0.1	0.22	<0.02	19.1	0.6	<0.05	9.1	10.49	34.9	0.02	1	1.4	18.3	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000038.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90 Expected		24.88																			
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1712	2530	163	25	706	3.7	121	3.67	219	13.6	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		487	<0.005	<0.01	<0.17	23.33	1.11	3.99	2.19	37.1	19	1.1	3.9	533	1.83	2.1	0.5	<0.2	3.0	36.5
ROCK-WHI	Prep Blank		520	<0.005	<0.01	<0.17	30.25	0.95	1.91	1.31	28.8	14	1.0	4.0	496	1.91	1.5	0.5	<0.2	2.9	24.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000038.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	171	1.3175	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6739	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.05	0.06	0.06	25	0.80	0.042	6.8	2.7	0.46	71.4	0.081	2	1.09	0.100	0.11	<0.1	4.3	<0.02	0.04	5
ROCK-WHI	Prep Blank	0.04	0.03	0.04	27	0.67	0.042	7.0	2.6	0.45	58.8	0.090	2	1.04	0.141	0.13	<0.1	4.2	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: June 21, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000038.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90 Expected																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGE001 Expected		5.09	1.1	7.37	7.36	0.15	0.32	0.3	95	5.64		9.1	14.5	53	0.45	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	0.2	<0.02	3.9	0.23	<0.1	0.09	0.26	2.4	0.4	<0.05	2.6	9.01	13.3	<0.02	<1	<0.1	2.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.15	<0.1	0.14	0.21	2.2	0.4	<0.05	3.3	8.80	13.4	<0.02	<1	0.2	2.4	<10