



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 07, 2019
Report Date: July 04, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000039.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-10
P.O. Number
Number of Samples: 106

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	102	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	106	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	106	Analysis sample split/packet			WHI
Split -150	106	Analysis sample split/packet			WHI
EN002	106	Environmental disposal charge-Fire assay lead waste			VAN
FS631	104	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	106	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	106	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: July 04, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832213	Drill Core	2.63	434	0.017	0.02	<0.17	26.97	0.64	20.29	24.14	53.5	1074	12.6	7.6	498	2.25	14.5	1.1	15.7	8.7	25.5
1832214	Drill Core	3.27	430	0.006	<0.01	<0.17	28.42	0.51	20.27	13.39	67.5	790	12.8	7.8	564	2.40	6.1	1.2	2.9	12.5	20.3
1832215	Drill Core	3.37	407	0.010	<0.01	<0.17	26.00	0.42	18.06	16.10	69.5	314	12.7	7.9	582	2.64	6.1	1.3	2.7	13.1	20.3
1832216	Drill Core	2.93	469	<0.005	<0.01	<0.17	50.11	0.50	16.70	19.02	69.8	303	13.3	8.2	521	2.61	7.8	1.0	2.0	11.9	29.5
1832217	Drill Core	4.67	445	<0.005	<0.01	<0.17	27.86	0.59	19.32	11.13	51.3	145	11.4	7.4	376	2.22	23.4	1.2	0.8	11.6	47.0
1832218	Drill Core	4.50	427	<0.005	<0.01	<0.17	31.94	0.53	20.65	16.74	64.7	193	13.0	8.0	451	2.42	19.6	1.2	0.6	12.7	52.6
1832219	Drill Core	3.52	449	0.006	<0.01	<0.17	36.03	0.52	17.02	10.83	60.8	449	13.4	8.4	503	2.31	14.7	1.6	1.0	10.8	64.2
1832220	Rock Pulp	0.16	87	0.501				2.44	463.51	20.37	52.9	280	614.6	28.8	456	2.61	20.1	0.6	468.8	1.8	55.8
1832221	Drill Core	3.74	413	<0.005	<0.01	<0.17	48.54	0.59	19.64	10.47	67.8	223	13.6	8.9	501	2.55	19.0	1.8	1.0	11.2	65.6
1832222	Drill Core	5.19	488	0.009	<0.01	<0.17	52.11	0.59	14.18	16.55	79.0	208	14.0	8.7	594	2.85	11.4	1.7	5.3	10.5	86.6
1832223	Drill Core	5.49	425	0.030	0.03	<0.17	43.46	0.70	18.74	20.65	62.5	311	13.0	8.7	580	2.37	8.7	1.9	27.4	10.4	39.5
1832224	Drill Core	5.18	492	0.010	<0.01	<0.17	32.30	0.92	19.94	15.49	65.8	399	13.1	8.9	612	2.29	5.9	1.2	8.7	10.4	28.1
1832225	Drill Core	3.75	431	0.050	0.05	<0.17	41.01	0.90	24.22	9.87	63.3	565	13.8	8.5	418	2.22	9.7	2.0	34.4	11.1	42.0
1832226	Drill Core	6.82	473	0.304	0.31	0.32	50.46	0.99	13.53	12.55	60.0	602	12.7	8.6	510	2.30	9.9	1.9	340.0	12.0	25.5
1832227	Drill Core	3.93	487	1.079	1.11	1.41	50.91	0.81	9.42	3.66	38.8	1170	11.9	9.2	388	2.70	36.2	2.3	2715.4	14.6	24.1
1832228	Drill Core	5.34	522	0.276	0.32	1.16	27.68	0.92	15.20	12.94	41.0	625	12.2	8.8	449	2.23	66.3	1.6	262.8	11.1	34.0
1832229	Drill Core	4.68	424	0.169	0.16	<0.17	34.49	1.11	12.10	6.05	46.5	645	16.4	11.0	427	2.62	111.9	1.6	134.5	12.2	29.6
1832230	Drill Core	4.04	433	1.073	1.07	1.11	27.14	0.69	26.01	25.54	48.9	631	11.6	7.2	480	2.18	707.7	2.5	1030.6	9.4	44.7
1832231	Drill Core	2.21	455	0.014	0.01	<0.17	22.10	1.36	21.27	11.20	59.7	1590	13.6	7.5	494	2.50	50.0	1.8	12.0	8.4	44.4
1832232	Drill Core	5.09	455	0.005	<0.01	<0.17	23.14	1.18	20.16	16.70	61.4	273	13.8	8.9	518	2.37	29.8	1.6	3.6	10.0	55.9
1832233	Drill Core	4.99	415	0.048	0.04	<0.17	36.07	1.11	32.00	12.59	60.7	383	16.2	11.1	571	2.72	81.9	2.4	35.2	12.9	47.7
1832234	Drill Core	2.70	435	0.103	0.10	<0.17	33.75	0.86	15.17	17.55	56.7	259	9.6	7.0	589	2.05	81.3	1.5	68.0	8.8	63.0
1832235	Drill Core	5.93	456	0.036	0.03	<0.17	41.87	1.13	18.26	13.95	51.0	320	12.7	8.5	484	2.07	205.0	1.6	29.4	10.3	46.3
1832236	Drill Core	4.18	440	0.286	0.28	<0.17	31.67	1.06	23.98	8.81	57.9	691	11.2	8.0	522	2.06	299.1	1.5	233.5	10.2	43.5
1832237	Drill Core	4.83	462	0.521	0.53	0.66	30.29	0.79	11.18	38.47	46.4	740	10.2	6.7	494	1.99	95.2	1.2	399.9	9.0	38.8
1832238	Drill Core	4.49	462	<0.005	<0.01	<0.17	32.09	0.60	15.89	18.87	60.9	224	12.2	8.4	378	2.33	26.3	1.2	2.4	10.3	38.7
1832239	Drill Core	3.19	463	<0.005	<0.01	<0.17	30.46	0.55	19.65	19.60	61.9	369	13.3	7.8	470	2.36	37.3	1.6	2.9	10.0	42.8
1832240	Rock Pulp	0.13	85	<0.005				2.48	97.45	3.56	36.6	97	5.0	9.1	349	2.51	0.7	0.8	5.4	2.8	65.0
1832241	Drill Core	6.67	448	<0.005	<0.01	<0.17	22.27	0.63	17.38	18.81	50.3	198	12.3	7.3	567	2.15	27.5	1.5	5.1	9.7	70.0
1832242	Drill Core	4.52	417	<0.005	<0.01	<0.17	42.30	0.77	20.19	21.15	61.4	258	14.7	8.5	512	2.47	35.0	1.1	4.9	11.3	48.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832213	Drill Core	0.15	0.55	0.25	21	0.22	0.045	23.8	19.4	0.82	289.6	0.028	<1	1.22	0.031	0.29	1.8	4.0	0.13	<0.02	<5
1832214	Drill Core	0.21	0.39	0.09	20	0.26	0.066	34.5	21.5	1.01	403.0	0.095	<1	1.22	0.040	0.39	2.2	5.7	0.20	<0.02	<5
1832215	Drill Core	0.23	0.30	0.09	23	0.24	0.069	35.6	22.2	1.18	417.6	0.094	<1	1.37	0.037	0.52	0.5	6.8	0.26	<0.02	<5
1832216	Drill Core	0.32	0.58	0.32	24	0.42	0.069	34.0	21.9	1.22	350.4	0.043	<1	1.50	0.035	0.56	0.2	6.8	0.31	<0.02	8
1832217	Drill Core	0.25	0.43	0.04	17	0.66	0.060	28.1	16.2	0.77	544.8	0.051	<1	0.98	0.038	0.56	<0.1	6.2	0.36	<0.02	<5
1832218	Drill Core	0.26	0.41	0.11	20	0.73	0.069	30.3	19.2	1.03	387.3	0.068	<1	1.27	0.031	0.65	<0.1	7.1	0.33	<0.02	<5
1832219	Drill Core	0.31	0.57	0.06	18	1.17	0.068	25.1	15.8	0.81	297.1	0.051	<1	1.09	0.024	0.60	0.9	5.8	0.31	<0.02	<5
1832220	Rock Pulp	0.21	0.35	0.31	55	1.32	0.032	4.5	102.5	1.86	74.4	0.076	3	2.08	0.211	0.16	1.3	2.9	0.10	0.20	21
1832221	Drill Core	0.31	0.48	0.09	20	1.06	0.075	27.3	20.3	0.84	293.4	0.024	<1	1.24	0.035	0.45	<0.1	6.2	0.18	<0.02	<5
1832222	Drill Core	0.37	0.26	0.07	25	1.31	0.065	22.6	22.2	1.29	207.4	0.007	<1	1.53	0.027	0.28	<0.1	4.8	0.09	<0.02	<5
1832223	Drill Core	0.41	0.29	0.14	17	0.66	0.068	27.3	17.5	0.84	300.4	0.008	<1	1.23	0.028	0.37	<0.1	3.9	0.11	<0.02	10
1832224	Drill Core	0.50	0.35	0.07	17	0.31	0.069	24.0	17.2	1.08	284.4	0.048	<1	1.29	0.019	0.58	0.4	3.6	0.31	<0.02	<5
1832225	Drill Core	0.39	0.32	0.06	13	0.77	0.078	32.2	14.3	0.62	343.0	0.007	1	1.21	0.024	0.45	0.4	3.7	0.12	<0.02	7
1832226	Drill Core	0.41	0.38	0.11	12	0.37	0.071	32.1	12.5	0.56	279.2	0.004	<1	1.11	0.027	0.42	0.3	3.4	0.11	<0.02	8
1832227	Drill Core	0.33	0.37	<0.02	9	0.19	0.066	34.5	7.9	0.44	322.7	0.003	<1	0.84	0.019	0.39	<0.1	3.3	0.10	<0.02	<5
1832228	Drill Core	0.38	0.43	0.17	11	0.56	0.092	28.8	9.7	0.48	301.8	0.007	<1	0.91	0.018	0.43	0.1	3.3	0.10	<0.02	9
1832229	Drill Core	0.29	0.60	0.04	12	0.32	0.082	33.0	11.0	0.47	358.4	0.004	1	1.08	0.020	0.53	0.5	3.8	0.12	<0.02	7
1832230	Drill Core	0.33	1.21	0.19	11	1.15	0.062	24.6	10.8	0.49	230.8	0.004	<1	0.92	0.022	0.33	<0.1	3.8	0.10	<0.02	<5
1832231	Drill Core	0.26	0.57	0.10	19	1.01	0.070	27.2	21.9	0.67	1055.5	0.030	<1	1.13	0.026	0.37	2.9	5.5	0.11	<0.02	<5
1832232	Drill Core	0.27	0.40	0.11	18	1.45	0.071	27.8	18.0	0.80	266.0	0.024	<1	1.20	0.017	0.41	<0.1	5.5	0.16	<0.02	<5
1832233	Drill Core	0.36	0.58	0.04	18	1.64	0.090	36.9	17.9	0.73	298.3	0.035	<1	1.24	0.020	0.60	0.1	6.2	0.19	<0.02	<5
1832234	Drill Core	0.39	0.46	0.06	12	2.16	0.059	24.9	12.3	0.59	209.2	0.019	<1	0.99	0.026	0.39	<0.1	3.6	0.11	<0.02	9
1832235	Drill Core	0.39	0.70	0.07	12	1.93	0.080	30.9	12.8	0.52	327.3	0.017	1	1.04	0.007	0.57	<0.1	3.8	0.15	<0.02	11
1832236	Drill Core	0.46	0.69	0.05	11	1.51	0.072	29.8	11.6	0.60	275.5	0.014	<1	1.03	0.009	0.47	0.2	3.9	0.12	<0.02	11
1832237	Drill Core	0.38	0.40	0.09	10	0.89	0.051	26.6	10.1	0.55	209.5	0.007	<1	0.86	0.031	0.31	0.2	3.5	0.08	<0.02	<5
1832238	Drill Core	0.33	0.49	<0.02	18	0.83	0.067	29.8	17.3	0.85	166.0	0.031	<1	1.18	0.040	0.41	<0.1	5.3	0.14	<0.02	<5
1832239	Drill Core	0.35	0.60	0.07	20	1.47	0.068	26.6	19.0	0.86	225.6	0.034	<1	1.26	0.029	0.48	0.2	6.4	0.17	<0.02	9
1832240	Rock Pulp	0.07	0.11	0.04	89	0.80	0.061	7.2	10.6	0.70	119.2	0.109	1	1.45	0.158	0.21	2.9	2.4	0.04	<0.02	<5
1832241	Drill Core	0.33	0.48	0.18	16	2.39	0.071	26.6	16.3	0.68	235.5	0.023	<1	1.14	0.022	0.39	<0.1	5.2	0.11	<0.02	<5
1832242	Drill Core	0.31	0.57	0.28	20	1.45	0.075	32.1	18.0	0.86	336.2	0.026	<1	1.25	0.030	0.55	<0.1	7.8	0.25	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
1832213	Drill Core	0.2	<0.02	4.3	1.37	<0.1	0.17	0.23	14.6	0.5	<0.05	7.6	6.24	44.1	0.02	<1	0.4	9.9	<10	<2
1832214	Drill Core	0.1	<0.02	5.0	3.64	0.1	0.38	0.15	20.5	0.6	<0.05	12.6	10.93	61.5	0.03	<1	0.3	9.0	<10	<2
1832215	Drill Core	0.2	<0.02	5.5	3.93	<0.1	0.38	0.09	30.1	0.6	<0.05	13.1	10.30	64.1	0.04	<1	0.5	9.5	<10	<2
1832216	Drill Core	0.2	0.03	5.5	2.03	<0.1	0.40	0.03	27.8	0.5	<0.05	14.4	9.62	61.4	0.03	<1	0.5	10.8	<10	<2
1832217	Drill Core	0.4	<0.02	3.6	5.45	<0.1	0.12	0.05	35.0	0.5	<0.05	4.3	7.11	50.6	0.03	<1	0.3	6.9	<10	<2
1832218	Drill Core	0.3	<0.02	4.4	3.71	0.1	0.30	0.05	37.8	0.5	<0.05	9.9	7.41	54.4	0.03	<1	0.4	8.9	<10	<2
1832219	Drill Core	0.2	<0.02	3.6	3.51	0.1	0.18	0.02	32.8	0.4	<0.05	7.6	5.97	45.3	0.03	<1	0.4	6.9	<10	<2
1832220	Rock Pulp	0.5	0.18	4.3	0.60	0.1	0.08	0.03	6.0	0.4	<0.05	1.6	3.34	8.8	<0.02	2	0.1	8.3	278	110
1832221	Drill Core	0.3	<0.02	4.5	1.65	<0.1	0.08	<0.02	22.0	0.4	<0.05	3.4	7.96	49.3	0.03	<1	0.4	9.4	<10	<2
1832222	Drill Core	0.2	<0.02	6.3	0.83	0.1	0.33	<0.02	13.1	0.3	<0.05	12.3	7.46	41.2	0.02	<1	0.5	17.2	<10	<2
1832223	Drill Core	0.2	<0.02	3.8	0.62	<0.1	0.18	<0.02	13.9	0.2	<0.05	6.9	8.58	50.3	0.02	<1	0.5	12.7	11	<2
1832224	Drill Core	<0.1	<0.02	4.3	1.95	<0.1	0.42	<0.02	32.3	0.3	<0.05	15.4	5.03	43.7	<0.02	1	0.3	10.6	<10	<2
1832225	Drill Core	<0.1	<0.02	3.4	0.67	<0.1	0.09	<0.02	17.0	0.3	<0.05	4.1	8.40	58.3	<0.02	<1	0.4	11.0	<10	<2
1832226	Drill Core	<0.1	0.03	2.8	0.68	<0.1	0.11	<0.02	14.8	0.3	<0.05	4.2	8.53	58.1	<0.02	<1	0.5	12.6	<10	<2
1832227	Drill Core	0.5	0.15	2.8	0.30	0.1	0.15	<0.02	13.0	0.2	<0.05	5.9	8.46	61.9	<0.02	<1	0.5	7.6	<10	<2
1832228	Drill Core	0.4	0.07	2.5	0.56	<0.1	0.06	<0.02	15.0	0.2	<0.05	2.8	8.34	52.0	<0.02	<1	0.4	7.6	<10	<2
1832229	Drill Core	0.5	0.05	2.9	0.52	<0.1	0.07	<0.02	16.9	0.3	<0.05	3.6	9.10	60.0	<0.02	<1	0.6	9.1	<10	<2
1832230	Drill Core	<0.1	0.04	2.5	0.51	<0.1	0.10	<0.02	12.2	0.2	<0.05	4.6	7.90	45.0	0.02	<1	0.3	8.2	<10	<2
1832231	Drill Core	0.4	<0.02	3.8	1.43	<0.1	0.03	0.02	16.2	0.6	<0.05	1.5	8.30	48.4	0.03	<1	0.4	9.2	<10	<2
1832232	Drill Core	0.4	0.03	3.9	1.18	0.1	0.06	<0.02	17.5	0.3	<0.05	1.8	8.28	50.8	0.03	<1	0.3	8.1	<10	<2
1832233	Drill Core	0.5	<0.02	3.9	1.27	0.1	0.05	0.03	23.6	0.4	<0.05	1.6	8.92	64.8	0.04	<1	0.5	7.3	<10	<2
1832234	Drill Core	0.1	<0.02	2.7	0.87	0.1	<0.02	<0.02	15.0	0.3	<0.05	0.9	7.26	45.6	<0.02	<1	0.2	6.5	<10	<2
1832235	Drill Core	0.2	<0.02	3.0	0.93	<0.1	0.03	<0.02	20.9	0.3	<0.05	1.3	8.62	54.8	0.02	<1	0.4	7.1	<10	<2
1832236	Drill Core	0.3	<0.02	2.7	0.84	<0.1	0.02	<0.02	18.6	0.2	<0.05	1.2	9.00	53.3	0.03	<1	0.2	7.9	<10	<2
1832237	Drill Core	0.5	0.03	2.6	0.43	<0.1	0.11	<0.02	11.1	0.2	<0.05	4.2	6.46	47.3	0.02	<1	0.2	7.4	<10	<2
1832238	Drill Core	<0.1	<0.02	4.3	1.30	0.1	0.24	<0.02	18.9	0.3	<0.05	8.8	5.99	53.4	0.02	<1	0.3	9.7	<10	<2
1832239	Drill Core	<0.1	<0.02	4.3	1.66	0.1	0.12	<0.02	21.5	0.5	<0.05	5.4	7.29	48.6	0.04	<1	0.3	9.5	<10	<2
1832240	Rock Pulp	<0.1	<0.02	4.2	0.30	0.1	0.07	0.08	6.6	0.3	<0.05	1.4	4.51	14.2	<0.02	2	<0.1	6.2	<10	<2
1832241	Drill Core	0.2	<0.02	3.7	0.79	0.1	0.03	0.03	14.5	0.3	<0.05	1.2	7.08	47.3	0.02	1	0.2	6.8	<10	<2
1832242	Drill Core	0.2	<0.02	3.8	1.98	0.1	0.06	0.03	28.5	0.3	<0.05	2.6	8.79	57.4	0.05	1	0.4	7.1	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832243	Drill Core	5.88	461	<0.005	<0.01	<0.17	30.25	0.83	19.98	14.53	52.7	425	15.3	8.9	442	2.33	45.8	1.6	6.3	10.0	55.3
1832244	Drill Core	5.22	451	0.015	0.01	<0.17	41.07	0.95	4053.16	25.89	46.1	>100000	529.6	13.4	409	1.98	66.3	1.5	41.0	7.2	58.4
1832245	Drill Core	5.29	445	0.011	<0.01	<0.17	34.66	0.87	15.89	31.53	43.6	522	11.4	6.5	731	1.87	53.2	1.4	4.4	7.4	108.4
1832246	Drill Core	4.41	447	0.012	0.01	<0.17	40.02	1.05	17.62	14.63	48.0	411	11.4	7.0	500	2.07	32.6	1.8	5.8	9.4	58.4
1832247	Drill Core	2.74	459	0.246	0.26	0.35	45.40	0.85	14.61	16.19	98.1	955	11.3	7.7	495	2.07	16.7	1.9	283.0	11.5	55.4
1832248	Drill Core	4.18	454	0.180	0.19	0.26	49.95	0.89	15.24	15.57	95.5	767	9.8	6.7	443	2.00	27.3	1.7	156.6	9.1	41.2
1832249	Drill Core	3.50	437	0.010	<0.01	<0.17	29.48	0.93	18.19	37.09	55.0	502	11.1	6.9	510	2.19	19.5	1.7	3.8	7.9	55.9
1832250	Drill Core	3.57	422	0.007	<0.01	<0.17	46.91	0.74	11.80	19.02	57.8	231	11.5	7.1	529	2.25	20.0	1.7	2.6	9.0	71.7
1832251	Drill Core	2.20	451	0.031	0.03	<0.17	27.56	1.31	23.30	6.61	46.4	441	10.1	6.7	895	2.26	50.9	1.9	497.9	6.9	103.4
1832252	Drill Core	5.80	424	0.013	0.01	<0.17	44.89	0.87	18.64	8.59	53.9	259	13.6	8.0	553	2.48	41.1	1.8	9.8	9.9	54.0
1832253	Drill Core	5.17	444	0.009	<0.01	<0.17	43.27	0.83	21.11	8.18	57.2	237	14.0	8.7	526	2.61	28.6	1.8	5.4	10.7	67.5
1832254	Drill Core	5.69	410	0.011	<0.01	<0.17	35.07	1.49	17.47	13.90	48.2	208	11.1	7.1	327	2.06	11.1	2.2	1.2	11.3	46.0
1832255	Drill Core	5.09	441	0.007	<0.01	<0.17	45.65	0.71	11.75	11.19	48.7	200	10.0	6.3	461	2.07	17.0	1.2	1.9	7.6	69.7
1832256	Drill Core	4.51	449	0.008	<0.01	<0.17	33.26	0.61	17.57	19.34	57.6	337	12.5	7.4	478	2.31	24.3	1.1	2.5	9.3	46.3
1832257	Drill Core	5.06	467	0.011	<0.01	<0.17	50.22	0.70	15.37	17.37	62.8	253	13.1	7.8	433	2.41	38.7	2.0	5.5	9.7	37.1
1832258	Drill Core	3.90	457	0.011	<0.01	<0.17	45.67	0.79	22.67	9.49	60.6	202	14.4	8.6	379	2.41	91.5	2.3	5.8	10.6	33.2
1832259	Drill Core	4.93	423	0.008	<0.01	<0.17	49.88	0.64	16.52	11.43	54.7	284	12.0	7.5	442	2.22	39.1	1.8	3.0	9.6	60.2
1832260	Core DUP		427	0.009	<0.01	<0.17	30.59	0.64	17.61	11.24	55.6	269	12.7	7.7	446	2.21	41.4	1.8	4.3	9.8	60.0
1832261	Drill Core	4.90	435	0.012	0.01	<0.17	45.61	0.90	13.78	11.74	54.4	236	12.1	7.3	669	2.45	44.6	1.7	7.5	8.7	86.7
1832262	Drill Core	4.11	446	0.010	<0.01	<0.17	47.58	0.94	16.89	11.57	55.6	296	12.4	7.7	512	2.46	33.7	2.0	5.5	10.5	43.0
1832263	Drill Core	5.37	460	0.011	<0.01	<0.17	51.74	1.09	18.32	12.71	59.0	241	12.6	8.3	476	2.44	62.7	2.7	6.0	11.0	42.5
1832264	Drill Core	5.37	488	0.009	<0.01	<0.17	47.37	1.01	18.68	10.57	53.9	147	11.7	7.8	374	2.23	58.4	2.7	5.3	9.6	35.7
1832265	Drill Core	4.81	491	0.014	0.01	<0.17	45.93	1.07	18.94	17.70	63.5	288	12.3	8.1	424	2.32	29.5	2.1	11.7	11.4	55.4
1832266	Drill Core	6.65	482	0.145	0.14	<0.17	36.33	0.83	15.66	17.01	59.3	423	11.8	7.7	419	2.41	177.9	1.8	153.4	9.9	60.7
1832267	Drill Core	4.55	397	0.011	0.01	<0.17	28.15	1.02	12.92	19.01	68.0	204	13.1	8.3	478	2.66	28.3	1.4	3.1	11.2	44.1
1832268	Drill Core	4.72	523	0.010	<0.01	<0.17	51.28	0.95	15.37	16.82	46.4	270	11.7	7.8	361	2.29	25.0	1.3	4.4	10.4	50.8
1832269	Drill Core	4.52	415	0.006	<0.01	<0.17	25.42	1.15	12.81	15.72	49.0	153	10.5	7.1	399	2.01	10.1	1.9	1.4	10.0	97.4
1832270	Drill Core	3.91	402	0.006	<0.01	<0.17	36.58	0.92	17.37	27.19	56.3	310	12.2	7.6	468	2.30	14.6	1.4	2.2	9.5	92.3
1832271	Drill Core	4.20	391	0.009	<0.01	<0.17	26.71	1.01	19.84	13.08	60.6	214	13.5	8.3	444	2.55	22.9	1.3	2.4	10.6	65.4
1832272	Drill Core	3.49	387	0.007	<0.01	<0.17	45.94	1.13	18.45	15.67	43.2	178	12.3	7.5	357	1.91	14.0	2.1	2.0	8.2	57.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832243	Drill Core	0.37	0.91	0.15	18	1.82	0.074	27.3	16.7	0.67	257.4	0.026	<1	1.09	0.021	0.43	0.2	6.3	0.23	<0.02	<5			
1832244	Drill Core	0.34	0.42	0.27	16	1.82	0.057	23.7	15.4	0.58	216.4	0.005	<1	0.97	0.023	0.31	>100	4.8	0.10	<0.02	<5			
1832245	Drill Core	0.55	0.53	0.37	15	3.66	0.067	24.9	12.9	0.52	211.1	0.005	<1	0.89	0.009	0.29	0.8	4.9	0.08	<0.02	6			
1832246	Drill Core	0.36	0.53	0.23	11	1.50	0.063	25.8	10.9	0.62	198.2	0.004	2	1.03	0.014	0.33	0.3	3.9	0.09	<0.02	<5			
1832247	Drill Core	0.91	0.46	0.23	9	1.50	0.062	28.7	8.8	0.59	256.0	0.006	2	1.01	0.019	0.43	1.1	4.0	0.12	<0.02	15			
1832248	Drill Core	0.75	0.48	0.19	10	1.41	0.057	24.3	11.1	0.64	212.8	0.008	2	0.97	0.016	0.36	0.5	3.8	0.10	<0.02	<5			
1832249	Drill Core	0.35	0.52	0.37	14	1.63	0.069	23.6	13.8	0.72	210.9	0.011	1	1.10	0.017	0.36	1.0	4.9	0.10	<0.02	<5			
1832250	Drill Core	0.29	0.46	0.21	14	1.61	0.067	26.2	15.0	0.73	183.0	0.004	1	1.15	0.016	0.30	0.3	5.8	0.09	<0.02	<5			
1832251	Drill Core	0.36	0.80	0.05	16	2.06	0.059	22.2	16.6	0.65	151.4	0.004	<1	1.00	0.033	0.20	0.4	5.1	0.09	<0.02	<5			
1832252	Drill Core	0.28	0.63	0.10	20	1.27	0.071	29.9	20.8	0.78	243.0	0.004	<1	1.21	0.020	0.32	0.2	6.5	0.12	<0.02	<5			
1832253	Drill Core	0.23	0.56	0.06	23	1.41	0.071	31.2	21.8	0.94	278.0	0.006	1	1.34	0.023	0.38	0.3	6.2	0.14	<0.02	<5			
1832254	Drill Core	0.22	0.59	0.16	16	1.37	0.060	30.9	15.8	0.69	287.0	0.018	1	1.03	0.020	0.44	0.1	5.9	0.17	<0.02	<5			
1832255	Drill Core	0.27	0.50	0.11	16	1.57	0.053	22.1	15.1	0.59	265.4	0.009	1	0.90	0.025	0.33	0.3	5.1	0.10	<0.02	<5			
1832256	Drill Core	0.29	0.41	0.16	17	1.29	0.067	27.7	17.6	0.82	269.5	0.013	<1	1.13	0.023	0.39	0.3	6.6	0.16	<0.02	<5			
1832257	Drill Core	0.39	0.73	0.12	18	0.97	0.070	30.2	17.6	0.71	287.7	0.005	1	1.21	0.023	0.37	0.2	7.0	0.12	<0.02	<5			
1832258	Drill Core	0.41	1.89	0.05	18	0.93	0.078	33.8	15.3	0.63	274.3	0.014	1	1.16	0.015	0.42	0.4	7.6	0.16	<0.02	<5			
1832259	Drill Core	0.39	1.28	0.07	17	1.46	0.068	28.5	14.7	0.63	298.6	0.022	1	1.10	0.017	0.45	0.6	7.0	0.17	<0.02	<5			
1832260	Core DUP	0.38	1.29	0.06	16	1.49	0.072	29.4	14.8	0.63	282.7	0.021	<1	1.06	0.015	0.42	0.6	7.3	0.16	<0.02	<5			
1832261	Drill Core	0.29	0.86	0.08	19	2.09	0.066	27.2	17.9	0.90	205.4	0.005	<1	1.19	0.011	0.31	0.3	6.5	0.13	<0.02	<5			
1832262	Drill Core	0.28	0.73	0.06	20	1.12	0.079	32.5	18.9	0.77	258.6	0.004	2	1.29	0.011	0.42	0.3	6.3	0.15	<0.02	9			
1832263	Drill Core	0.32	1.32	0.06	17	1.34	0.078	34.3	14.9	0.60	235.0	0.005	2	1.20	0.014	0.41	0.2	6.5	0.15	<0.02	10			
1832264	Drill Core	0.29	1.67	0.06	15	1.11	0.071	30.0	13.6	0.49	246.9	0.017	2	1.11	0.019	0.48	0.4	6.8	0.20	<0.02	<5			
1832265	Drill Core	0.30	0.62	0.11	14	1.21	0.071	34.4	13.1	0.77	261.8	0.007	2	1.18	0.017	0.38	0.2	6.8	0.14	<0.02	<5			
1832266	Drill Core	0.23	0.83	0.09	18	1.32	0.064	28.8	17.7	0.96	232.4	0.011	2	1.26	0.017	0.42	0.3	6.8	0.17	<0.02	<5			
1832267	Drill Core	0.31	0.58	0.10	24	1.11	0.062	28.4	24.5	1.12	202.6	0.015	<1	1.41	0.023	0.36	<0.1	6.3	0.16	<0.02	<5			
1832268	Drill Core	0.18	0.73	0.17	19	0.97	0.065	26.3	20.4	0.87	263.5	0.023	1	1.22	0.019	0.47	0.1	6.1	0.21	<0.02	<5			
1832269	Drill Core	0.24	0.56	0.07	17	1.65	0.062	25.4	15.4	0.67	264.3	0.059	1	1.02	0.026	0.50	<0.1	7.0	0.29	<0.02	<5			
1832270	Drill Core	0.26	0.37	0.22	21	1.86	0.068	26.7	19.7	0.83	311.5	0.021	<1	1.20	0.025	0.42	0.1	6.6	0.18	<0.02	<5			
1832271	Drill Core	0.21	0.39	0.07	24	1.25	0.070	28.7	23.3	0.98	271.9	0.038	<1	1.32	0.021	0.39	0.2	7.5	0.15	<0.02	<5			
1832272	Drill Core	0.34	0.66	0.08	16	1.47	0.065	20.2	15.2	0.54	311.8	0.096	<1	0.95	0.028	0.42	0.3	5.7	0.15	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
1832243	Drill Core	0.5	<0.02	3.8	1.52	<0.1	0.06	<0.02	23.1	0.4	<0.05	2.2	9.30	49.5	0.03	<1	0.2	8.3	<10	<2
1832244	Drill Core	0.2	0.03	3.0	0.55	<0.1	0.02	<0.02	11.9	0.5	<0.05	1.2	8.04	43.2	0.03	6	0.4	8.8	<10	<2
1832245	Drill Core	0.2	0.03	2.8	0.51	<0.1	0.02	<0.02	10.4	0.2	<0.05	1.1	8.31	45.2	0.03	<1	0.3	8.7	<10	<2
1832246	Drill Core	<0.1	0.02	2.6	1.99	<0.1	0.05	<0.02	13.9	0.3	<0.05	2.0	8.41	50.3	0.03	<1	0.4	10.3	<10	<2
1832247	Drill Core	0.2	0.02	2.4	1.31	<0.1	0.06	0.04	17.5	0.2	<0.05	2.7	7.36	56.1	0.02	<1	0.4	8.9	<10	<2
1832248	Drill Core	<0.1	0.03	2.4	1.16	<0.1	0.06	<0.02	14.9	0.2	<0.05	2.4	7.09	48.2	<0.02	<1	0.4	8.8	<10	<2
1832249	Drill Core	0.2	0.04	2.7	0.95	<0.1	0.06	0.03	14.7	0.3	<0.05	1.4	9.25	45.7	0.02	<1	0.3	9.7	<10	<2
1832250	Drill Core	0.1	0.02	2.9	0.77	<0.1	0.08	<0.02	12.6	0.3	<0.05	2.7	9.27	51.7	0.03	<1	0.4	11.9	<10	<2
1832251	Drill Core	0.2	<0.02	3.1	1.17	<0.1	0.02	<0.02	8.2	0.2	<0.05	1.0	13.30	42.6	0.03	<1	0.3	8.9	<10	<2
1832252	Drill Core	<0.1	<0.02	3.8	1.07	<0.1	0.10	<0.02	13.5	0.3	<0.05	3.9	10.64	58.5	0.03	<1	0.4	12.5	<10	<2
1832253	Drill Core	<0.1	<0.02	4.4	1.03	<0.1	0.10	<0.02	15.2	0.4	<0.05	4.0	10.63	61.9	0.04	<1	0.4	11.9	<10	<2
1832254	Drill Core	<0.1	<0.02	3.3	2.08	<0.1	0.08	0.03	17.5	0.5	<0.05	2.9	11.72	58.6	0.04	<1	0.4	9.3	<10	<2
1832255	Drill Core	<0.1	<0.02	3.3	2.21	<0.1	0.05	<0.02	11.9	0.3	<0.05	1.9	10.07	42.5	0.02	<1	0.3	10.2	<10	<2
1832256	Drill Core	0.1	0.02	3.3	1.66	<0.1	0.06	<0.02	18.2	0.2	<0.05	2.2	8.50	54.1	0.03	<1	0.4	9.2	<10	<2
1832257	Drill Core	<0.1	<0.02	4.0	0.87	<0.1	0.02	0.05	15.5	0.4	<0.05	1.0	11.62	58.7	0.03	<1	0.4	12.7	<10	<2
1832258	Drill Core	<0.1	<0.02	3.5	1.14	<0.1	0.03	<0.02	18.1	0.4	<0.05	1.0	13.12	65.5	0.04	<1	0.5	11.9	<10	<2
1832259	Drill Core	0.1	<0.02	3.6	1.39	<0.1	0.07	0.03	19.7	0.4	<0.05	1.0	11.20	55.2	0.03	<1	0.5	9.2	<10	<2
1832260	Core DUP	<0.1	<0.02	3.6	1.46	<0.1	0.03	0.03	19.3	0.4	<0.05	1.0	11.40	57.4	0.04	<1	0.4	9.3	<10	<2
1832261	Drill Core	<0.1	0.02	4.2	1.15	<0.1	0.03	<0.02	13.5	0.2	<0.05	1.3	12.26	52.5	0.03	<1	0.3	11.5	<10	<2
1832262	Drill Core	0.1	0.02	5.2	1.12	<0.1	0.07	<0.02	18.3	0.4	<0.05	1.1	12.83	63.4	0.04	<1	0.4	11.8	<10	<2
1832263	Drill Core	0.1	<0.02	4.1	1.92	<0.1	0.03	<0.02	18.7	0.4	<0.05	1.0	12.83	67.0	0.04	<1	0.5	12.1	<10	<2
1832264	Drill Core	0.2	<0.02	3.8	2.52	<0.1	0.03	0.04	22.8	0.4	<0.05	1.1	10.83	60.0	0.03	<1	0.4	9.9	<10	<2
1832265	Drill Core	0.1	<0.02	3.6	1.42	<0.1	0.06	<0.02	17.1	0.3	<0.05	2.0	12.44	67.0	0.03	<1	0.5	14.1	<10	<2
1832266	Drill Core	0.1	0.03	4.1	1.35	<0.1	0.11	<0.02	18.3	0.3	<0.05	4.6	9.94	56.8	0.03	<1	0.6	13.8	<10	<2
1832267	Drill Core	<0.1	<0.02	5.8	1.38	<0.1	0.22	<0.02	16.1	0.3	<0.05	7.6	9.68	55.6	0.03	<1	0.4	15.0	<10	<2
1832268	Drill Core	0.1	<0.02	4.9	1.70	<0.1	0.16	<0.02	25.3	0.4	<0.05	4.0	9.71	52.1	0.03	<1	0.4	10.8	<10	<2
1832269	Drill Core	0.3	<0.02	4.4	2.35	<0.1	0.06	0.13	31.2	0.7	<0.05	1.7	12.06	50.7	0.03	2	0.3	8.6	<10	<2
1832270	Drill Core	0.1	0.02	4.9	1.02	<0.1	0.04	<0.02	19.9	0.5	<0.05	1.0	12.14	52.6	0.04	<1	0.4	11.0	<10	<2
1832271	Drill Core	0.1	<0.02	5.1	1.02	<0.1	0.04	0.04	17.0	0.5	<0.05	1.2	12.82	57.7	0.04	<1	0.4	10.7	<10	<2
1832272	Drill Core	0.3	<0.02	3.5	1.17	<0.1	0.04	0.24	16.1	0.6	<0.05	1.4	11.19	40.3	0.03	<1	0.4	9.5	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1
1832273	Drill Core	3.57	378	0.006	<0.01	<0.17	27.99	1.31	18.63	9.92	48.9	147	14.2	8.2	304	2.09	2.3	2.6	<0.2	8.7	39.6
2022046	Drill Core	3.65	398	0.007	<0.01	<0.17	35.47	0.56	5.25	22.00	35.4	219	2.5	2.6	215	1.17	1.5	1.0	0.5	12.9	9.7
2022047	Drill Core	5.05	418	0.011	0.01	<0.17	25.87	0.51	28.47	64.01	130.8	408	5.8	4.9	356	1.78	6.1	1.3	0.9	12.2	14.1
2022048	Drill Core	5.81	485	0.007	<0.01	<0.17	39.19	0.54	18.05	14.20	68.3	201	13.1	7.8	516	2.38	5.7	1.0	<0.2	9.8	31.1
2022049	Drill Core	5.53	455	0.006	<0.01	<0.17	30.59	0.68	15.76	19.95	60.0	270	12.8	7.3	476	2.04	5.0	1.2	<0.2	11.5	36.2
2022050	Drill Core	4.94	413	0.008	<0.01	<0.17	49.75	2.03	25.05	35.57	59.8	411	11.9	7.5	464	2.24	12.6	1.4	0.5	10.9	32.7
2022051	Drill Core	4.32	427	0.042	0.16	1.33	40.61	0.45	18.13	13.31	75.2	230	19.7	9.4	559	2.68	12.9	0.7	74.2	8.3	44.3
2022052	Drill Core	4.53	422	0.008	<0.01	<0.17	50.61	0.98	23.83	15.14	71.2	268	20.2	10.0	612	2.80	13.7	1.0	2.3	8.0	34.0
2022053	Drill Core	5.50	421	0.007	<0.01	<0.17	51.98	0.77	25.36	9.69	77.4	223	19.9	10.1	460	2.62	8.6	1.1	3.0	10.3	28.4
2022054	Drill Core	4.92	499	0.007	<0.01	<0.17	30.35	1.22	14.16	18.72	71.0	213	13.2	9.1	607	2.53	5.7	1.4	2.0	10.0	54.4
2022055	Drill Core	4.56	450	0.020	0.02	<0.17	35.92	0.78	12.92	6.44	71.4	193	13.5	8.9	354	2.35	5.6	1.5	12.8	11.0	30.8
2022056	Drill Core	5.00	500	0.151	0.15	<0.17	33.41	0.63	10.50	20.69	25.8	290	5.6	3.9	189	1.24	2.6	1.2	303.9	11.6	19.8
2022057	Drill Core	4.64	524	0.007	<0.01	<0.17	18.61	1.17	32.02	10.56	63.2	295	14.3	8.7	368	2.47	5.9	1.6	3.5	12.7	70.9
2022058	Drill Core	5.60	540	0.035	0.03	<0.17	25.20	0.75	14.06	10.24	52.3	158	9.0	8.1	376	2.06	4.1	1.1	41.9	8.5	35.9
2022059	Drill Core	5.14	472	<0.005	<0.01	<0.17	30.00	0.86	11.92	13.34	67.8	206	9.3	8.1	454	2.53	1.9	0.9	1.4	9.9	37.0
2022060	Core DUP		519	<0.005	<0.01	<0.17	20.72	0.84	12.20	13.39	72.2	200	9.5	8.4	457	2.49	2.0	0.9	1.2	10.1	39.3
2022061	Drill Core	4.94	432	<0.005	<0.01	<0.17	18.73	0.67	15.69	25.04	76.9	299	10.2	7.9	630	2.78	0.8	0.7	<0.2	8.8	67.3
2022062	Drill Core	5.30	504	<0.005	<0.01	<0.17	20.02	1.02	16.90	30.12	76.7	351	15.4	8.9	539	2.61	1.4	0.7	1.9	9.6	43.8
2022063	Drill Core	2.09	406	0.006	<0.01	<0.17	49.89	0.68	19.58	16.18	80.1	254	11.5	9.2	517	2.70	3.2	0.6	0.8	10.7	26.1
2022064	Drill Core	2.91	487	0.007	<0.01	<0.17	35.50	0.65	17.49	21.20	76.0	355	10.8	8.1	466	2.57	4.9	0.8	0.9	10.4	26.0
2022065	Drill Core	6.08	526	0.008	<0.01	<0.17	23.34	0.76	15.04	25.41	69.3	369	9.8	7.3	440	2.22	3.7	1.1	1.8	11.6	23.2
2022066	Drill Core	4.27	381	0.006	<0.01	<0.17	29.09	0.56	17.95	15.91	76.6	425	7.8	8.0	601	2.57	1.5	0.9	<0.2	11.4	111.8
2022067	Drill Core	5.42	546	0.005	<0.01	<0.17	30.39	0.32	14.12	12.63	76.2	240	8.7	8.3	508	2.65	1.8	0.8	<0.2	11.1	34.5
2022068	Drill Core	5.03	489	0.007	<0.01	<0.17	30.69	0.37	15.53	15.41	71.1	262	9.2	7.9	490	2.41	1.7	0.8	0.2	10.6	41.5
2022069	Drill Core	4.37	453	0.038	0.04	<0.17	37.70	0.54	17.04	11.56	76.1	255	12.7	9.4	482	2.57	2.6	0.9	28.4	10.5	46.2
2022070	Drill Core	3.62	469	0.014	0.01	<0.17	33.58	0.55	17.70	11.62	72.7	234	9.1	8.3	508	2.46	2.1	1.1	5.9	10.2	64.7
2022071	Drill Core	3.71	388	0.007	<0.01	<0.17	26.81	0.67	8.50	20.10	63.9	336	9.0	7.2	436	2.25	4.0	1.2	0.9	11.7	26.9
2022072	Drill Core	2.40	402	0.007	<0.01	<0.17	36.52	197.79	274.64	14.48	63.9	79082	28.2	8.5	476	2.33	10.9	1.1	2.3	10.6	37.4
2022073	Drill Core	1.39	538	0.008	<0.01	<0.17	26.45	13.57	71.01	14.31	71.9	29883	18.1	8.0	421	2.68	8.1	1.6	1.6	10.4	30.7
2022074	Drill Core	3.37	348	0.006	<0.01	<0.17	29.25	1.17	15.18	18.76	76.6	483	9.7	8.2	465	2.57	1.5	0.9	<0.2	11.2	38.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832273	Drill Core	0.19	0.44	0.04	16	0.87	0.072	21.2	16.9	0.63	292.1	0.099	<1	1.01	0.026	0.37	0.1	5.8	0.20	<5
2022046	Drill Core	0.11	0.26	0.23	4	0.10	0.026	27.2	4.3	0.50	226.8	0.028	<1	0.80	0.017	0.54	0.3	1.2	0.22	<5
2022047	Drill Core	1.18	0.31	0.14	10	0.20	0.044	24.4	9.3	0.68	269.5	0.055	1	1.00	0.025	0.65	0.2	2.6	0.30	5
2022048	Drill Core	0.35	0.22	0.05	19	0.68	0.058	19.1	17.8	1.06	349.2	0.096	<1	1.29	0.024	0.87	<0.1	4.3	0.39	<5
2022049	Drill Core	0.25	0.26	0.09	14	0.66	0.054	22.3	14.2	0.90	404.1	0.045	<1	1.06	0.019	0.62	0.2	3.2	0.31	<5
2022050	Drill Core	0.38	0.27	0.18	16	0.59	0.057	21.1	16.2	0.90	432.5	0.056	<1	1.16	0.026	0.67	0.1	3.8	0.32	<5
2022051	Drill Core	0.22	0.15	0.05	24	0.66	0.074	18.5	24.2	1.45	277.6	0.055	<1	1.63	0.009	0.65	<0.1	4.8	0.30	<5
2022052	Drill Core	0.33	0.17	0.14	28	0.67	0.069	17.5	26.8	1.40	277.0	0.047	<1	1.56	0.023	0.63	0.2	5.6	0.28	<5
2022053	Drill Core	0.20	0.20	0.13	25	0.73	0.070	16.7	26.3	1.33	311.3	0.078	<1	1.47	0.017	0.78	<0.1	5.6	0.34	<5
2022054	Drill Core	0.41	0.23	0.10	22	1.22	0.058	20.3	24.2	1.18	311.4	0.081	1	1.34	0.024	0.76	0.1	4.9	0.37	<5
2022055	Drill Core	0.17	0.26	0.06	18	0.57	0.059	23.6	20.7	1.10	339.6	0.089	<1	1.31	0.021	0.86	0.2	4.5	0.42	<5
2022056	Drill Core	0.15	0.22	0.11	6	0.26	0.039	26.6	7.2	0.40	274.9	0.012	<1	0.62	0.023	0.38	0.2	2.0	0.17	8
2022057	Drill Core	0.26	0.32	0.06	14	1.29	0.069	27.4	17.3	1.11	283.2	0.040	<1	1.33	0.025	0.62	0.2	5.2	0.25	10
2022058	Drill Core	0.27	0.30	0.06	13	0.59	0.053	19.3	16.8	0.84	253.1	0.024	<1	1.07	0.026	0.43	0.3	3.9	0.21	<5
2022059	Drill Core	0.22	0.20	0.12	19	0.54	0.065	20.6	26.4	1.30	242.8	0.035	<1	1.48	0.039	0.47	<0.1	4.4	0.20	<5
2022060	Core DUP	0.18	0.22	0.12	19	0.55	0.066	21.3	26.5	1.35	248.9	0.036	<1	1.50	0.038	0.46	<0.1	4.7	0.20	<5
2022061	Drill Core	0.34	0.15	0.27	22	1.06	0.063	14.9	28.3	1.42	258.0	0.058	<1	1.61	0.051	0.55	<0.1	4.2	0.23	5
2022062	Drill Core	0.34	0.18	0.33	23	0.73	0.062	18.2	25.6	1.40	309.4	0.075	<1	1.59	0.035	0.64	<0.1	3.3	0.32	<5
2022063	Drill Core	0.18	0.12	0.20	25	0.31	0.063	25.7	33.7	1.48	232.0	0.027	<1	1.62	0.039	0.33	0.3	4.4	0.13	<5
2022064	Drill Core	0.21	0.18	0.48	21	0.33	0.066	23.7	27.7	1.32	233.9	0.037	<1	1.53	0.035	0.38	<0.1	3.8	0.15	<5
2022065	Drill Core	0.29	0.16	0.58	17	0.31	0.061	24.7	20.3	1.12	284.6	0.064	<1	1.35	0.032	0.56	0.1	3.9	0.22	<5
2022066	Drill Core	0.25	0.16	0.18	29	0.89	0.066	23.9	34.1	1.48	256.5	0.040	<1	1.60	0.024	0.43	0.2	5.1	0.17	<5
2022067	Drill Core	0.19	0.16	0.10	24	0.50	0.064	25.8	27.6	1.39	315.6	0.052	<1	1.62	0.024	0.53	<0.1	4.3	0.20	<5
2022068	Drill Core	0.21	0.25	0.11	19	0.53	0.062	24.4	20.2	1.23	335.8	0.065	<1	1.43	0.021	0.62	<0.1	4.1	0.26	<5
2022069	Drill Core	0.23	0.29	0.08	22	0.63	0.067	22.4	23.1	1.31	318.1	0.070	<1	1.51	0.025	0.66	0.2	4.8	0.30	<5
2022070	Drill Core	0.26	0.41	0.07	22	0.86	0.062	20.9	21.2	1.21	345.9	0.097	<1	1.44	0.023	0.86	0.3	5.2	0.42	<5
2022071	Drill Core	0.26	0.29	0.14	17	0.50	0.055	22.7	18.6	1.07	295.6	0.050	<1	1.31	0.025	0.54	0.6	4.1	0.26	<5
2022072	Drill Core	0.45	0.35	0.09	17	0.65	0.061	29.6	21.0	1.07	377.5	0.003	<1	1.47	0.013	0.35	>100	3.1	0.11	<5
2022073	Drill Core	0.20	0.56	0.13	26	0.48	0.062	29.7	52.5	1.19	265.0	0.009	<1	1.56	0.020	0.32	71.0	3.7	0.13	<5
2022074	Drill Core	0.17	0.17	0.07	23	0.61	0.068	32.3	24.9	1.38	300.3	0.020	<1	1.67	0.024	0.45	1.0	3.5	0.14	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
1832273	Drill Core	0.5	<0.02	3.8	0.84	<0.1	0.04	0.27	14.0	0.6	<0.05	1.1	9.58	42.4	0.02	8	0.4	10.4	<10	<2
2022046	Drill Core	<0.1	<0.02	2.5	1.19	<0.1	0.52	0.03	26.1	0.3	<0.05	14.4	3.77	53.9	<0.02	<1	0.3	5.7	<10	<2
2022047	Drill Core	0.1	0.02	3.2	1.77	<0.1	0.43	<0.02	33.5	0.3	<0.05	14.7	4.07	48.2	<0.02	<1	0.3	6.4	<10	<2
2022048	Drill Core	0.2	<0.02	4.2	2.78	<0.1	0.47	<0.02	46.4	0.4	<0.05	14.5	3.70	37.0	<0.02	<1	0.4	7.8	<10	<2
2022049	Drill Core	<0.1	<0.02	3.2	3.00	<0.1	0.46	<0.02	34.4	0.3	<0.05	15.6	4.19	42.9	<0.02	<1	0.3	6.6	<10	<2
2022050	Drill Core	0.2	0.03	4.0	2.05	<0.1	0.43	0.02	34.9	0.3	<0.05	14.8	4.42	41.6	<0.02	<1	0.3	7.8	<10	<2
2022051	Drill Core	<0.1	<0.02	4.9	1.91	<0.1	0.36	0.02	34.4	0.3	<0.05	12.9	3.98	35.6	<0.02	<1	0.3	10.9	<10	<2
2022052	Drill Core	0.4	0.02	5.1	2.40	<0.1	0.34	0.02	30.0	0.3	<0.05	12.8	4.88	34.2	<0.02	<1	0.3	11.3	<10	<2
2022053	Drill Core	0.2	<0.02	5.2	2.55	<0.1	0.37	0.04	40.9	0.4	<0.05	10.7	4.36	32.3	0.03	<1	0.3	10.2	10	<2
2022054	Drill Core	<0.1	<0.02	4.9	2.64	<0.1	0.40	<0.02	40.8	0.4	<0.05	12.1	5.91	37.8	<0.02	<1	0.4	9.7	<10	<2
2022055	Drill Core	<0.1	<0.02	4.4	2.84	<0.1	0.26	0.04	46.1	0.4	<0.05	8.5	6.03	44.6	<0.02	<1	0.5	9.6	<10	<2
2022056	Drill Core	0.1	0.03	1.9	0.76	<0.1	0.20	<0.02	14.9	0.3	<0.05	4.9	5.12	49.9	<0.02	<1	0.3	3.8	<10	<2
2022057	Drill Core	<0.1	<0.02	4.5	2.31	<0.1	0.09	0.03	28.4	0.3	<0.05	3.7	7.70	50.7	0.03	1	0.3	8.5	<10	<2
2022058	Drill Core	<0.1	<0.02	3.6	2.05	<0.1	0.25	<0.02	22.9	0.2	<0.05	10.2	4.69	37.7	<0.02	<1	0.3	7.7	<10	<2
2022059	Drill Core	0.1	0.03	5.4	1.40	<0.1	0.29	<0.02	21.4	0.2	<0.05	11.9	4.03	38.6	0.02	<1	0.3	10.4	<10	<2
2022060	Core DUP	<0.1	0.03	5.2	1.41	<0.1	0.33	<0.02	22.4	0.3	<0.05	12.9	4.14	39.4	<0.02	<1	0.3	10.6	<10	<2
2022061	Drill Core	<0.1	0.02	6.1	1.47	<0.1	0.33	0.03	26.7	0.4	<0.05	13.2	4.56	28.1	0.02	<1	0.3	10.1	<10	3
2022062	Drill Core	<0.1	0.03	5.9	1.82	<0.1	0.36	0.04	34.2	0.3	<0.05	15.3	4.89	33.5	0.02	<1	0.4	10.9	<10	<2
2022063	Drill Core	<0.1	<0.02	6.4	0.68	<0.1	0.25	<0.02	15.1	0.4	<0.05	8.3	5.56	50.0	0.02	<1	0.3	8.9	<10	<2
2022064	Drill Core	<0.1	0.03	6.1	0.83	<0.1	0.32	<0.02	18.4	0.4	<0.05	9.6	5.17	43.4	0.03	<1	0.3	8.4	<10	<2
2022065	Drill Core	0.2	0.02	5.2	1.15	<0.1	0.38	0.04	28.7	0.4	<0.05	11.1	6.73	46.0	0.03	<1	0.4	7.3	<10	<2
2022066	Drill Core	<0.1	0.02	7.3	1.20	<0.1	0.27	<0.02	22.2	0.3	<0.05	8.9	9.17	46.7	0.03	<1	0.5	10.3	<10	<2
2022067	Drill Core	<0.1	<0.02	6.7	1.16	<0.1	0.30	<0.02	25.3	0.3	<0.05	10.0	7.24	49.1	0.02	<1	0.4	10.9	<10	<2
2022068	Drill Core	<0.1	<0.02	5.2	1.76	<0.1	0.27	0.02	33.7	0.4	<0.05	9.6	6.73	45.0	<0.02	<1	0.4	10.0	<10	<2
2022069	Drill Core	<0.1	<0.02	5.7	2.49	<0.1	0.34	<0.02	37.3	0.3	<0.05	10.0	6.36	42.6	0.02	<1	0.4	11.3	<10	<2
2022070	Drill Core	<0.1	<0.02	5.1	2.98	<0.1	0.33	0.02	49.6	0.5	<0.05	10.6	5.37	39.5	0.03	<1	0.4	10.9	<10	<2
2022071	Drill Core	<0.1	0.02	4.9	1.78	<0.1	0.34	<0.02	30.7	0.5	<0.05	10.6	4.54	44.1	0.02	<1	0.4	10.1	<10	<2
2022072	Drill Core	<0.1	<0.02	5.2	2.69	<0.1	0.25	<0.02	14.7	0.3	<0.05	8.7	7.86	56.0	0.02	<1	0.5	14.3	*	<2
2022073	Drill Core	<0.1	<0.02	7.1	2.89	<0.1	0.23	<0.02	16.7	0.7	<0.05	8.1	8.29	56.6	0.03	<1	0.5	17.4	<10	<2
2022074	Drill Core	<0.1	<0.02	6.7	2.04	<0.1	0.25	<0.02	20.6	0.4	<0.05	8.5	8.07	59.5	<0.02	<1	0.6	12.7	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022075	Drill Core	2.07	371	0.007	<0.01	<0.17	21.42	0.51	10.30	25.77	73.8	354	8.7	7.3	553	2.40	1.5	0.7	<0.2	9.7	66.8
2022076	Drill Core	5.57	523	0.006	<0.01	<0.17	35.08	0.55	13.26	10.16	66.9	126	9.3	8.3	427	2.28	1.8	0.9	<0.2	12.1	35.9
2022077	Drill Core	3.82	389	0.006	<0.01	<0.17	24.60	0.40	20.87	12.26	65.1	176	10.1	7.9	421	2.47	2.5	0.7	<0.2	10.1	40.4
2022078	Drill Core	5.90	437	0.006	<0.01	<0.17	30.27	0.32	15.48	14.75	75.5	640	9.8	7.9	487	2.61	2.0	0.7	<0.2	10.3	48.9
2022079	Drill Core	5.71	471	0.006	<0.01	<0.17	28.69	0.32	15.61	22.32	74.8	250	11.2	8.7	463	2.66	1.9	0.8	<0.2	11.0	39.4
2022080	Rock	0.22	163	<0.005	<0.01	<0.17	27.26	0.64	1.34	1.02	2.6	20	1.5	0.6	93	0.88	1.0	0.2	<0.2	1.2	2.0
2022081	Drill Core	4.81	442	<0.005	<0.01	<0.17	31.85	0.24	14.46	14.04	74.8	220	9.0	8.0	460	2.61	0.9	0.7	<0.2	10.4	44.4
2022083	Drill Core	5.21	453	0.007	<0.01	<0.17	35.43	0.59	18.56	13.48	59.8	213	11.5	7.4	464	2.21	16.2	1.2	0.3	11.2	53.8
2022084	Drill Core	6.20	425	0.009	<0.01	<0.17	25.10	0.64	17.77	16.30	59.0	233	11.2	7.2	521	2.31	14.7	1.7	1.8	9.9	76.6
2022085	Drill Core	4.24	370	0.008	<0.01	<0.17	19.92	0.82	13.77	16.72	55.2	248	9.8	5.9	717	2.18	9.2	1.2	1.3	8.6	127.5
2022086	Drill Core	4.77	417	0.006	<0.01	<0.17	49.93	0.66	18.79	15.52	59.2	210	13.5	7.8	434	2.39	9.9	1.2	<0.2	11.0	62.7
2022087	Drill Core	4.61	441	0.007	<0.01	<0.17	35.44	0.62	12.60	13.78	66.9	205	12.7	6.8	425	2.20	7.9	0.9	<0.2	9.1	45.0
2022088	Drill Core	5.35	469	0.008	<0.01	<0.17	36.53	0.95	16.14	13.40	62.4	200	17.9	7.5	515	2.44	14.2	0.9	<0.2	9.5	114.5
2022089	Drill Core	4.95	456	0.007	<0.01	<0.17	48.30	1.03	24.12	14.11	66.6	193	18.3	9.4	512	2.35	16.9	1.7	3.4	8.9	72.8
2022090	Drill Core	4.76	450	0.005	<0.01	<0.17	43.55	0.50	19.63	9.67	61.1	182	8.9	7.9	560	2.21	8.2	1.3	0.4	9.5	64.7
2022091	Drill Core	2.48	485	0.007	<0.01	<0.17	51.34	0.58	15.89	14.90	59.2	189	12.8	7.9	465	2.31	11.7	0.9	1.2	10.2	76.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022075	Drill Core	0.20	0.15	0.20	19	0.93	0.061	25.0	21.7	1.31	287.7	0.037	<1	1.50	0.023	0.47	0.5	3.4	0.17	<0.02	<5
2022076	Drill Core	0.24	0.16	0.06	17	0.52	0.062	31.3	20.1	1.14	326.6	0.029	<1	1.39	0.023	0.44	0.2	3.3	0.15	<0.02	<5
2022077	Drill Core	0.16	0.20	0.06	21	0.61	0.062	27.9	23.0	1.24	289.4	0.023	<1	1.50	0.027	0.40	0.2	3.2	0.12	<0.02	<5
2022078	Drill Core	0.21	0.14	0.08	22	0.69	0.063	28.3	23.7	1.35	276.5	0.030	<1	1.56	0.026	0.42	1.1	3.4	0.13	<0.02	<5
2022079	Drill Core	0.20	0.15	0.10	27	0.60	0.070	29.0	28.2	1.37	286.6	0.023	<1	1.59	0.033	0.38	0.2	4.4	0.11	<0.02	<5
2022080	Rock	<0.01	0.04	<0.02	1	0.01	0.003	1.9	5.6	0.03	15.4	0.002	<1	0.08	0.007	0.02	<0.1	0.2	<0.02	<0.02	<5
2022081	Drill Core	0.17	0.10	0.12	25	0.78	0.065	28.3	25.7	1.27	264.9	0.028	<1	1.53	0.033	0.41	0.2	4.0	0.13	<0.02	<5
2022083	Drill Core	0.29	0.27	0.12	15	0.83	0.067	32.1	15.7	0.93	237.4	0.002	<1	1.25	0.013	0.31	<0.1	4.4	0.08	<0.02	<5
2022084	Drill Core	0.27	0.32	0.10	16	1.39	0.071	28.7	15.0	0.83	237.6	0.002	<1	1.22	0.018	0.31	0.1	4.4	0.09	<0.02	<5
2022085	Drill Core	0.41	0.25	0.34	20	2.88	0.058	24.9	17.4	0.78	210.2	0.002	<1	1.15	0.018	0.31	<0.1	4.1	0.09	<0.02	<5
2022086	Drill Core	0.30	0.16	0.11	20	1.27	0.066	31.8	21.7	0.80	268.6	0.004	<1	1.24	0.018	0.32	0.1	4.6	0.09	<0.02	<5
2022087	Drill Core	0.26	0.16	0.13	16	1.05	0.069	26.4	17.8	0.88	229.7	0.007	<1	1.22	0.015	0.31	<0.1	4.0	0.09	<0.02	<5
2022088	Drill Core	0.22	0.36	0.07	19	2.17	0.068	28.3	20.4	0.91	249.3	0.022	<1	1.36	0.017	0.34	<0.1	4.4	0.08	<0.02	<5
2022089	Drill Core	0.45	0.49	0.12	18	1.41	0.072	22.9	18.8	0.85	243.5	0.070	1	1.27	0.017	0.31	0.1	6.3	0.09	<0.02	5
2022090	Drill Core	0.33	0.24	0.07	18	1.34	0.066	24.7	20.4	0.99	223.3	0.029	<1	1.34	0.010	0.37	0.1	5.8	0.14	<0.02	<5
2022091	Drill Core	0.44	0.19	0.11	14	1.93	0.064	29.6	20.0	0.84	206.3	0.005	<1	1.25	0.009	0.30	<0.1	3.5	0.09	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000039.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
2022075	Drill Core	<0.1	0.02	5.8	2.43	<0.1	0.26	<0.02	23.4	0.3	<0.05	8.8	6.81	48.2	<0.02	<1	0.4	10.5	<10	<2	
2022076	Drill Core	<0.1	<0.02	5.4	1.36	<0.1	0.29	0.05	22.1	0.4	<0.05	8.8	6.60	58.9	<0.02	<1	0.3	10.3	<10	<2	
2022077	Drill Core	<0.1	<0.02	5.6	1.07	<0.1	0.29	<0.02	17.3	0.3	<0.05	8.9	6.08	51.2	<0.02	<1	0.4	11.8	<10	<2	
2022078	Drill Core	<0.1	<0.02	6.2	0.94	<0.1	0.27	<0.02	17.6	0.4	<0.05	8.3	6.82	52.4	<0.02	<1	0.4	11.2	<10	<2	
2022079	Drill Core	<0.1	<0.02	6.9	0.88	<0.1	0.28	<0.02	15.8	0.5	<0.05	8.3	7.30	54.5	0.03	<1	0.4	11.3	<10	<2	
2022080	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.12	0.05	1.1	<0.1	<0.05	2.6	0.92	4.0	<0.02	<1	<0.1	1.3	<10	<2	
2022081	Drill Core	<0.1	<0.02	6.1	1.25	<0.1	0.23	0.04	18.5	0.5	<0.05	7.3	7.43	54.9	0.03	<1	0.4	11.2	<10	<2	
2022083	Drill Core	0.1	<0.02	4.8	0.92	<0.1	0.27	<0.02	12.6	0.3	<0.05	8.8	7.70	60.2	<0.02	<1	0.5	14.1	<10	<2	
2022084	Drill Core	<0.1	<0.02	5.4	1.40	<0.1	0.12	<0.02	13.1	0.3	<0.05	4.4	9.11	55.2	0.02	<1	0.4	15.7	<10	<2	
2022085	Drill Core	<0.1	0.02	5.0	1.50	<0.1	0.04	<0.02	12.9	0.3	<0.05	1.6	10.35	47.8	0.03	<1	0.4	11.4	<10	<2	
2022086	Drill Core	<0.1	<0.02	5.5	0.76	<0.1	0.04	<0.02	13.0	0.3	<0.05	1.3	10.09	59.5	0.03	<1	0.3	7.8	<10	<2	
2022087	Drill Core	<0.1	<0.02	4.1	0.89	<0.1	0.05	<0.02	12.5	0.3	<0.05	2.0	7.34	49.1	<0.02	<1	0.3	7.3	<10	<2	
2022088	Drill Core	<0.1	<0.02	5.2	0.40	<0.1	0.03	0.03	13.0	0.3	<0.05	1.1	11.17	52.0	<0.02	<1	0.3	8.0	<10	<2	
2022089	Drill Core	0.3	<0.02	4.3	0.57	<0.1	0.05	0.13	12.1	0.6	<0.05	1.0	12.35	43.6	0.04	<1	0.3	8.9	<10	<2	
2022090	Drill Core	0.1	<0.02	3.9	0.92	<0.1	0.04	0.03	16.9	0.4	<0.05	1.0	11.13	46.8	0.03	<1	0.3	9.8	<10	<2	
2022091	Drill Core	<0.1	0.02	4.5	0.75	<0.1	0.02	<0.02	11.7	0.2	<0.05	0.7	9.65	51.5	<0.02	<1	0.2	10.2	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 04, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1832219	Drill Core	3.52	449	0.006	<0.01	<0.17	36.03	0.52	17.02	10.83	60.8	449	13.4	8.4	503	2.31	14.7	1.6	1.0	10.8	64.2	
REP 1832219	QC							0.55	17.22	10.84	59.0	435	12.7	8.4	506	2.30	14.7	1.5	0.7	10.5	64.5	
1832234	Drill Core	2.70	435	0.103	0.10	<0.17	33.75	0.86	15.17	17.55	56.7	259	9.6	7.0	589	2.05	81.3	1.5	68.0	8.8	63.0	
REP 1832234	QC			0.114																		
1832239	Drill Core	3.19	463	<0.005	<0.01	<0.17	30.46	0.55	19.65	19.60	61.9	369	13.3	7.8	470	2.36	37.3	1.6	2.9	10.0	42.8	
REP 1832239	QC			<0.005																		
1832244	Drill Core	5.22	451	0.015	0.01	<0.17	41.07	0.95	4053.16	25.89	46.1>100000	529.6	13.4	409	1.98	66.3	1.5	41.0	7.2	58.4		
REP 1832244	QC																					
1832252	Drill Core	5.80	424	0.013	0.01	<0.17	44.89	0.87	18.64	8.59	53.9	259	13.6	8.0	553	2.48	41.1	1.8	9.8	9.9	54.0	
REP 1832252	QC							0.90	18.35	8.89	55.6	266	13.7	8.1	559	2.47	41.5	1.8	9.5	10.1	54.9	
2022080	Rock	0.22	163	<0.005	<0.01	<0.17	27.26	0.64	1.34	1.02	2.6	20	1.5	0.6	93	0.88	1.0	0.2	<0.2	1.2	2.0	
REP 2022080	QC			<0.005																		
2022086	Drill Core	4.77	417	0.006	<0.01	<0.17	49.93	0.66	18.79	15.52	59.2	210	13.5	7.8	434	2.39	9.9	1.2	<0.2	11.0	62.7	
REP 2022086	QC			0.007																		
2022089	Drill Core	4.95	456	0.007	<0.01	<0.17	48.30	1.03	24.12	14.11	66.6	193	18.3	9.4	512	2.35	16.9	1.7	3.4	8.9	72.8	
REP 2022089	QC							1.07	23.16	13.90	63.0	184	18.4	9.3	509	2.36	16.8	1.8	2.5	8.8	73.8	
Core Reject Duplicates																						
1832226	Drill Core	6.82	473	0.304	0.31	0.32	50.46	0.99	13.53	12.55	60.0	602	12.7	8.6	510	2.30	9.9	1.9	340.0	12.0	25.5	
DUP 1832226	QC		435	0.294	0.39	1.18	49.15	1.02	13.45	12.66	60.1	577	13.3	8.8	497	2.34	10.9	1.9	264.9	11.4	25.0	
1832260	Core DUP		427	0.009	<0.01	<0.17	30.59	0.64	17.61	11.24	55.6	269	12.7	7.7	446	2.21	41.4	1.8	4.3	9.8	60.0	
DUP 1832260	QC		371	0.008	<0.01	<0.17	43.40	0.67	16.93	10.90	52.8	274	11.9	7.5	459	2.25	40.2	1.8	3.5	9.4	59.5	
2022066	Drill Core	4.27	381	0.006	<0.01	<0.17	29.09	0.56	17.95	15.91	76.6	425	7.8	8.0	601	2.57	1.5	0.9	<0.2	11.4	111.8	
DUP 2022066	QC		409	0.006	<0.01	<0.17	27.97	0.52	18.11	15.12	77.7	416	8.0	8.0	602	2.58	1.5	0.8	<0.2	11.1	111.1	
Reference Materials																						
STD AGPROOF	Standard																					
STD BVGEO01	Standard								11.36	4388.49	192.28	1773.8	2546	161.5	25.9	756	3.72	116.2	3.8	221.4	14.8	57.4
STD BVGEO01	Standard								10.88	4414.82	192.49	1769.3	2557	157.6	26.0	761	3.60	123.8	4.0	217.5	15.3	56.0
STD DS11	Standard								15.14	158.31	148.89	350.7	1687	83.2	14.5	984	3.07	44.4	2.8	77.0	8.4	66.7



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 04, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000039.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832219	Drill Core	0.31	0.57	0.06	18	1.17	0.068	25.1	15.8	0.81	297.1	0.051	<1	1.09	0.024	0.60	0.9	5.8	0.31	<0.02	<5
REP 1832219	QC	0.30	0.55	0.06	18	1.15	0.070	24.4	16.2	0.81	296.1	0.051	<1	1.08	0.023	0.59	0.8	5.9	0.30	<0.02	<5
1832234	Drill Core	0.39	0.46	0.06	12	2.16	0.059	24.9	12.3	0.59	209.2	0.019	<1	0.99	0.026	0.39	<0.1	3.6	0.11	<0.02	9
REP 1832234	QC																				
1832239	Drill Core	0.35	0.60	0.07	20	1.47	0.068	26.6	19.0	0.86	225.6	0.034	<1	1.26	0.029	0.48	0.2	6.4	0.17	<0.02	9
REP 1832239	QC																				
1832244	Drill Core	0.34	0.42	0.27	16	1.82	0.057	23.7	15.4	0.58	216.4	0.005	<1	0.97	0.023	0.31	>100	4.8	0.10	<0.02	<5
REP 1832244	QC																				
1832252	Drill Core	0.28	0.63	0.10	20	1.27	0.071	29.9	20.8	0.78	243.0	0.004	<1	1.21	0.020	0.32	0.2	6.5	0.12	<0.02	<5
REP 1832252	QC	0.27	0.67	0.10	20	1.38	0.069	30.4	20.8	0.77	248.7	0.004	<1	1.22	0.019	0.33	0.2	6.6	0.13	<0.02	<5
2022080	Rock	<0.01	0.04	<0.02	1	0.01	0.003	1.9	5.6	0.03	15.4	0.002	<1	0.08	0.007	0.02	<0.1	0.2	<0.02	<0.02	<5
REP 2022080	QC																				
2022086	Drill Core	0.30	0.16	0.11	20	1.27	0.066	31.8	21.7	0.80	268.6	0.004	<1	1.24	0.018	0.32	0.1	4.6	0.09	<0.02	<5
REP 2022086	QC																				
2022089	Drill Core	0.45	0.49	0.12	18	1.41	0.072	22.9	18.8	0.85	243.5	0.070	1	1.27	0.017	0.31	0.1	6.3	0.09	<0.02	5
REP 2022089	QC	0.45	0.48	0.11	18	1.50	0.074	23.7	18.0	0.87	242.9	0.066	<1	1.23	0.016	0.30	0.1	6.4	0.09	<0.02	8
Core Reject Duplicates																					
1832226	Drill Core	0.41	0.38	0.11	12	0.37	0.071	32.1	12.5	0.56	279.2	0.004	<1	1.11	0.027	0.42	0.3	3.4	0.11	<0.02	8
DUP 1832226	QC	0.40	0.36	0.10	12	0.36	0.070	30.3	12.7	0.55	283.5	0.004	<1	1.09	0.027	0.41	0.3	3.4	0.10	<0.02	5
1832260	Core DUP	0.38	1.29	0.06	16	1.49	0.072	29.4	14.8	0.63	282.7	0.021	<1	1.06	0.015	0.42	0.6	7.3	0.16	<0.02	<5
DUP 1832260	QC	0.36	1.31	0.06	16	1.50	0.071	27.6	15.0	0.63	293.3	0.020	1	1.09	0.019	0.45	0.6	7.2	0.17	<0.02	<5
2022066	Drill Core	0.25	0.16	0.18	29	0.89	0.066	23.9	34.1	1.48	256.5	0.040	<1	1.60	0.024	0.43	0.2	5.1	0.17	<0.02	<5
DUP 2022066	QC	0.21	0.15	0.18	29	0.85	0.066	23.3	33.6	1.46	247.3	0.039	<1	1.58	0.023	0.42	0.1	4.8	0.16	<0.02	<5
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	6.27	3.62	24.87	75	1.32	0.076	26.4	179.4	1.29	285.6	0.210	4	2.36	0.202	0.93	5.5	6.3	0.61	0.68	92
STD BVGEO01	Standard	6.73	3.09	28.64	71	1.26	0.081	27.3	186.5	1.29	265.0	0.229	3	2.33	0.184	0.87	5.0	6.1	0.58	0.63	91
STD DS11	Standard	2.45	8.92	13.65	49	1.03	0.068	19.2	63.1	0.86	372.5	0.093	7	1.16	0.070	0.40	3.1	3.0	5.08	0.27	264



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 04, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000039.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
Pulp Duplicates																					
1832219	Drill Core	0.2	<0.02	3.6	3.51	0.1	0.18	0.02	32.8	0.4	<0.05	7.6	5.97	45.3	0.03	<1	0.4	6.9	<10	<2	
REP 1832219	QC	0.2	<0.02	3.6	3.54	<0.1	0.21	0.03	33.8	0.4	<0.05	7.6	5.93	44.2	0.03	<1	0.5	7.2	<10	<2	
1832234	Drill Core	0.1	<0.02	2.7	0.87	0.1	<0.02	<0.02	15.0	0.3	<0.05	0.9	7.26	45.6	<0.02	<1	0.2	6.5	<10	<2	
REP 1832234	QC																				
1832239	Drill Core	<0.1	<0.02	4.3	1.66	0.1	0.12	<0.02	21.5	0.5	<0.05	5.4	7.29	48.6	0.04	<1	0.3	9.5	<10	<2	
REP 1832239	QC																				
1832244	Drill Core	0.2	0.03	3.0	0.55	<0.1	0.02	<0.02	11.9	0.5	<0.05	1.2	8.04	43.2	0.03	6	0.4	8.8	<10	<2	2407
REP 1832244	QC																				I.S.
1832252	Drill Core	<0.1	<0.02	3.8	1.07	<0.1	0.10	<0.02	13.5	0.3	<0.05	3.9	10.64	58.5	0.03	<1	0.4	12.5	<10	<2	
REP 1832252	QC	<0.1	<0.02	3.8	1.13	<0.1	0.12	<0.02	13.5	0.3	<0.05	4.0	10.99	59.7	0.03	<1	0.4	12.6	<10	<2	
2022080	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.12	0.05	1.1	<0.1	<0.05	2.6	0.92	4.0	<0.02	<1	<0.1	1.3	<10	<2	
REP 2022080	QC																				
2022086	Drill Core	<0.1	<0.02	5.5	0.76	<0.1	0.04	<0.02	13.0	0.3	<0.05	1.3	10.09	59.5	0.03	<1	0.3	7.8	<10	<2	
REP 2022086	QC																				
2022089	Drill Core	0.3	<0.02	4.3	0.57	<0.1	0.05	0.13	12.1	0.6	<0.05	1.0	12.35	43.6	0.04	<1	0.3	8.9	<10	<2	
REP 2022089	QC	0.2	<0.02	4.0	0.56	<0.1	0.05	0.09	11.6	0.6	<0.05	1.1	11.83	45.1	0.02	<1	0.4	8.8	<10	<2	
Core Reject Duplicates																					
1832226	Drill Core	<0.1	0.03	2.8	0.68	<0.1	0.11	<0.02	14.8	0.3	<0.05	4.2	8.53	58.1	<0.02	<1	0.5	12.6	<10	<2	
DUP 1832226	QC	0.2	0.05	2.9	0.61	<0.1	0.09	<0.02	14.4	0.3	<0.05	4.1	8.09	53.8	<0.02	<1	0.6	12.3	<10	<2	
1832260	Core DUP	<0.1	<0.02	3.6	1.46	<0.1	0.03	0.03	19.3	0.4	<0.05	1.0	11.40	57.4	0.04	<1	0.4	9.3	<10	<2	
DUP 1832260	QC	0.1	<0.02	3.5	1.41	<0.1	0.03	0.04	19.7	0.4	<0.05	1.2	10.90	53.7	0.03	<1	0.4	8.9	<10	<2	
2022066	Drill Core	<0.1	0.02	7.3	1.20	<0.1	0.27	<0.02	22.2	0.3	<0.05	8.9	9.17	46.7	0.03	<1	0.5	10.3	<10	<2	
DUP 2022066	QC	<0.1	0.02	7.3	1.20	<0.1	0.28	<0.02	22.2	0.3	<0.05	8.7	8.82	45.4	0.03	<1	0.4	10.5	<10	<2	
Reference Materials																					
STD AGPROOF	Standard																				93
STD BVGEO01	Standard	4.7	1.06	7.8	7.49	0.2	0.37	0.28	98.3	5.7	<0.05	8.8	15.01	55.8	0.45	4	0.7	21.1	132	196	
STD BVGEO01	Standard	4.9	1.03	7.1	7.56	0.2	0.34	0.23	96.7	6.0	<0.05	8.7	14.21	53.0	0.47	3	0.6	21.9	136	182	
STD DS11	Standard	2.2	4.51	5.0	2.91	<0.1	0.08	1.59	34.5	1.9	<0.05	3.1	8.58	38.2	0.23	48	0.7	21.3	111	165	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							13.36	159.67	125.04	329.2	1518	79.8	13.9	966	3.06	41.1	2.4	66.7	7.3	59.9
STD DS11	Standard							14.57	147.46	130.03	316.0	1706	81.6	14.0	994	3.01	41.3	2.4	76.6	7.3	61.9
STD OREAS262	Standard							0.67	120.84	58.26	149.4	450	65.2	27.4	529	3.23	35.8	1.2	63.9	9.7	35.5
STD OREAS262	Standard							0.63	119.97	62.64	146.4	470	65.2	28.7	571	3.26	38.0	1.4	59.2	10.0	36.8
STD OREAS262	Standard							0.70	121.99	60.21	150.3	437	66.5	29.3	512	3.21	36.1	1.3	64.9	10.0	35.2
STD OREAS262	Standard							0.66	127.09	56.71	152.5	432	67.9	29.0	534	3.23	34.8	1.2	48.6	8.8	34.4
STD OREAS262	Standard							0.65	123.05	53.83	143.6	438	65.9	29.6	502	3.26	33.8	1.2	66.6	8.8	34.0
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.213																	
STD OXC145	Standard			0.204																	
STD OXH139	Standard			1.314																	
STD OXH139	Standard			1.326																	
STD OXH139	Standard			1.211																	
STD OXN134	Standard			7.798																	
STD OXN134	Standard			7.568																	
STD OXN134	Standard			7.399																	
STD OXQ114	Standard																				
STD OXQ90	Standard					25.25	30.77														
STD OXQ90	Standard					25.07	30.11														
STD OXQ90	Standard					24.96	30.21														
STD OXQ90	Standard					25.16	29.77														
STD OXQ90	Standard					25.09	29.53														
STD OXQ90	Standard					25.17	29.80														
STD OXQ90	Standard					25.04	30.47														
STD OXQ90	Standard					25.09	30.01														
STD SP49	Standard																				
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD AGPROOF Expected																					
STD SP49 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.32	7.58	11.28	50	1.03	0.071	17.7	58.9	0.83	324.7	0.093	6	1.14	0.074	0.39	2.6	3.0	4.22	0.27	243
STD DS11	Standard	2.24	8.72	10.53	45	1.03	0.069	17.3	61.2	0.82	360.0	0.091	6	1.15	0.071	0.39	2.9	3.1	4.88	0.26	237
STD OREAS262	Standard	0.62	4.82	1.03	23	3.00	0.040	17.0	44.4	1.16	245.3	0.003	4	1.38	0.068	0.32	0.2	3.5	0.45	0.26	158
STD OREAS262	Standard	0.72	4.43	1.21	21	3.14	0.042	16.4	44.8	1.19	265.3	0.003	4	1.28	0.068	0.30	0.2	3.3	0.47	0.25	164
STD OREAS262	Standard	0.62	5.15	1.17	22	2.92	0.037	16.4	44.0	1.14	249.9	0.003	4	1.28	0.067	0.31	0.2	3.0	0.49	0.25	163
STD OREAS262	Standard	0.64	4.11	1.02	23	2.94	0.040	14.8	43.8	1.17	232.8	0.003	3	1.22	0.069	0.28	<0.1	3.2	0.40	0.24	143
STD OREAS262	Standard	0.63	5.82	0.94	20	3.11	0.037	13.6	42.3	1.17	235.6	0.003	3	1.24	0.068	0.29	0.2	2.8	0.44	0.24	160
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD AGPROOF Expected																					
STD SP49 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 Ag gm/t 20
STD DS11	Standard	2.3	4.22	4.7	2.71	0.1	0.06	1.57	31.3	1.7	<0.05	2.9	7.39	34.2	0.25	39	0.7	21.0	97	146	
STD DS11	Standard	2.1	4.52	4.8	2.84	<0.1	0.05	1.36	32.1	1.8	<0.05	3.4	7.65	35.4	0.25	38	0.5	22.5	102	167	
STD OREAS262	Standard	0.4	0.23	4.1	2.75	<0.1	0.27	<0.02	19.9	0.5	<0.05	10.1	10.97	33.5	0.03	<1	1.1	16.7	<10	<2	
STD OREAS262	Standard	0.3	0.22	4.0	2.71	<0.1	0.25	<0.02	19.8	0.6	<0.05	9.9	11.35	35.1	0.04	<1	1.1	18.0	<10	<2	
STD OREAS262	Standard	0.4	0.21	3.5	2.81	<0.1	0.24	<0.02	18.8	0.6	<0.05	8.2	10.75	33.1	0.04	1	1.0	15.4	<10	<2	
STD OREAS262	Standard	0.6	0.23	3.6	2.28	0.1	0.29	<0.02	16.4	0.6	<0.05	11.2	10.45	28.8	0.03	<1	1.2	16.8	<10	3	
STD OREAS262	Standard	0.4	0.21	3.8	2.77	<0.1	0.25	<0.02	17.1	0.5	<0.05	10.8	9.67	28.4	0.03	<1	1.2	15.8	<10	<2	
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				117
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				48
STD BVGEO01 Expected		5.09	1.07	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
STD OXQ114 Expected																						
STD DS11 Expected									14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected									0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected		24.88																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						0.006															
BLK	Blank						0.006															
BLK	Blank						<0.17	30.00														
BLK	Blank								<0.01	0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank								<0.01	0.06	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	<0.1	<0.5
BLK	Blank								<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	<0.1	<0.5
BLK	Blank								<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank																					
BLK	Blank								<0.01	0.01	<0.01	<0.1	3	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank						<0.005															
BLK	Blank						<0.005															
BLK	Blank						<0.17	30.00														
Prep Wash																						
ROCK-WHI	Prep Blank		398	<0.005	<0.01	<0.17	50.23	0.89	2.32	1.50	30.4	13	0.8	3.8	486	1.85	1.0	0.5	1.0	2.8	21.5	
ROCK-WHI	Prep Blank		414	<0.005	<0.01	<0.17	46.86	1.15	2.24	1.42	30.5	13	1.0	4.1	535	1.83	1.5	0.6	0.4	3.1	28.7	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXQ114 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.8	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	0.04	25	0.63	0.045	7.1	2.7	0.44	59.3	0.081	3	0.95	0.125	0.12	<0.1	2.9	<0.02	<0.02	5
ROCK-WHI	Prep Blank	0.03	0.04	0.03	25	0.65	0.048	8.2	3.4	0.42	69.5	0.099	3	1.25	0.255	0.19	<0.1	4.3	<0.02	<0.02	11



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000039.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
STD OXQ114 Expected		127.1																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<20																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.17	<0.1	0.17	0.17	2.2	0.4	<0.05	3.7	9.49	13.9	<0.02	<1	0.3	2.1	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.21	0.1	0.18	0.28	2.9	0.4	<0.05	4.8	10.95	15.9	<0.02	<1	0.3	2.4	<10	<2	