



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 13, 2019
Report Date: July 04, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000053.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-13
P.O. Number
Number of Samples: 68

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	65	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	68	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	68	Analysis sample split/packet			WHI
Split -150	68	Analysis sample split/packet			WHI
EN002	68	Environmental disposal charge-Fire assay lead waste			VAN
FS631	65	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	68	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	68	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce


LUCIA HALL
Wet Assay Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832274	Drill Core	2.90	438	0.025	0.03	<0.17	29.70	0.84	26.43	16.77	39.4	25879	9.3	3.4	219	1.39	8.9	0.8	14.1	11.4	11.2
1832275	Drill Core	5.93	450	0.013	0.01	<0.17	32.92	0.41	7.48	21.84	44.7	755	3.3	2.9	198	1.14	4.6	0.5	5.0	14.5	9.7
1832276	Drill Core	6.35	439	0.015	0.01	<0.17	29.36	0.43	6.37	26.68	32.8	381	2.8	3.0	194	1.08	6.2	0.5	6.6	13.8	10.7
1832277	Drill Core	3.85	451	0.009	<0.01	<0.17	30.42	0.69	6.31	19.92	25.8	328	2.4	2.5	138	0.90	9.2	0.6	2.0	14.7	9.4
1832278	Drill Core	4.72	440	0.009	<0.01	<0.17	34.63	0.48	8.35	20.76	39.3	678	2.9	2.7	172	1.11	5.9	0.9	2.4	14.9	15.9
1832279	Drill Core	4.80	454	0.008	<0.01	<0.17	27.29	0.47	10.69	26.75	91.1	270	2.7	3.2	126	1.07	3.5	0.7	<0.2	14.4	11.8
1832280	Rock	0.23	162	0.005	<0.01	<0.17	36.09	0.50	1.23	1.16	2.3	20	1.3	0.5	79	0.69	0.7	0.2	<0.2	1.2	1.3
1832281	Drill Core	5.36	427	0.005	<0.01	<0.17	26.85	0.41	8.63	23.48	57.3	203	2.8	3.1	166	1.18	3.5	0.6	<0.2	14.4	11.9
1832282	Drill Core	3.46	459	0.006	<0.01	<0.17	36.01	0.56	11.25	21.50	47.4	228	2.9	3.0	187	1.19	5.2	0.7	<0.2	14.5	11.0
1832283	Drill Core	6.08	446	0.007	<0.01	<0.17	45.49	0.54	8.68	29.66	37.6	230	2.8	2.8	181	1.05	5.9	0.7	<0.2	14.5	9.9
1832284	Drill Core	5.28	445	<0.005	<0.01	<0.17	34.58	0.55	12.47	17.08	44.8	200	2.9	2.7	197	1.23	4.8	0.7	<0.2	15.5	10.0
1832285	Drill Core	4.71	454	<0.005	<0.01	<0.17	26.61	0.80	8.26	23.82	61.9	458	3.4	3.6	231	1.43	7.5	0.9	<0.2	14.7	11.5
1832286	Drill Core	3.12	432	<0.005	<0.01	<0.17	24.19	0.58	3.88	30.46	40.9	243	2.1	2.2	202	1.08	3.9	1.2	<0.2	15.3	7.7
1832287	Drill Core	4.53	442	<0.005	<0.01	<0.17	42.32	0.77	6.63	16.87	35.8	167	2.9	3.0	261	1.27	5.6	1.0	<0.2	14.7	8.9
1832288	Drill Core	3.90	421	0.005	<0.01	<0.17	29.63	1.77	6.39	18.57	41.0	365	3.5	3.8	347	1.39	8.2	1.2	2.1	14.9	10.8
1832289	Drill Core	2.97	440	<0.005	<0.01	<0.17	35.49	2.40	6.18	19.69	37.5	149	2.6	3.3	373	1.16	8.1	1.3	<0.2	15.0	32.5
1832290	Drill Core	3.83	423	<0.005	<0.01	<0.17	25.14	0.47	4.71	18.84	28.6	157	2.1	1.6	243	0.83	3.5	1.2	<0.2	12.7	31.2
1832291	Drill Core	4.50	420	0.006	<0.01	<0.17	42.86	0.70	18.82	26.00	81.5	251	10.3	7.3	459	2.38	8.7	1.2	<0.2	10.7	50.6
1832292	Drill Core	4.55	442	<0.005	<0.01	<0.17	25.53	0.65	12.08	15.46	70.7	168	13.7	8.7	519	2.59	8.9	1.2	<0.2	10.3	57.9
1832293	Drill Core	4.83	432	0.008	<0.01	<0.17	35.61	0.89	10.69	9.74	62.9	218	12.3	7.5	482	2.39	7.6	1.3	<0.2	9.6	46.8
1832294	Drill Core	4.57	434	0.007	<0.01	<0.17	28.86	0.77	23.36	16.55	72.4	377	21.6	8.7	527	2.60	18.4	1.3	<0.2	8.2	32.8
1832295	Drill Core	4.00	429	0.014	0.01	<0.17	29.63	1.20	14.95	14.04	61.4	341	11.2	8.9	484	2.68	35.5	1.8	4.6	9.6	16.6
1832296	Drill Core	4.10	417	0.007	<0.01	<0.17	39.01	0.56	12.36	35.30	76.9	236	12.5	8.9	495	2.70	6.3	1.2	<0.2	9.8	30.1
1832297	Drill Core	4.68	447	0.008	<0.01	<0.17	31.85	0.79	12.88	29.58	68.5	293	11.9	7.9	614	2.58	4.9	1.3	0.7	10.3	50.1
1832298	Drill Core	4.62	459	0.008	<0.01	<0.17	33.13	0.81	13.73	9.71	60.4	257	10.0	6.9	337	2.19	4.3	1.0	<0.2	11.6	30.8
1832299	Drill Core	4.12	458	0.011	0.01	<0.17	29.56	0.76	16.04	22.16	65.8	348	11.3	7.1	404	2.16	2.8	1.0	20.4	9.9	43.1
1832300	Rock Pulp	0.13	98	7.075				9.78	185.46	19.50	75.1	819	13.7	11.1	561	4.57	13.6	0.9	8754.6	2.8	75.2
1832301	Drill Core	3.02	462	0.801	1.06	4.89	28.84	0.96	14.50	15.73	79.6	786	11.0	8.1	770	2.29	3.4	1.4	1082.7	9.4	68.9
1832302	Drill Core	1.96	438	0.314	0.76	5.35	38.53	0.85	22.16	9.23	65.9	806	10.7	8.2	461	2.36	8.2	1.2	401.8	9.8	26.4
1832303	Drill Core	5.29	416	0.015	0.01	<0.17	29.64	0.43	19.19	17.84	71.6	361	11.2	8.0	473	2.48	2.7	0.9	7.5	10.1	37.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832274	Drill Core	0.09	0.42	0.11	10	0.11	0.027	27.7	7.7	0.39	370.3	0.016	3	0.86	0.023	0.36	59.8	2.0	0.12	<0.02	<5			
1832275	Drill Core	0.25	0.27	0.13	5	0.11	0.027	28.2	4.0	0.45	246.5	0.027	1	0.85	0.023	0.50	1.8	1.6	0.18	<0.02	<5			
1832276	Drill Core	0.24	0.29	0.22	5	0.11	0.034	29.6	4.1	0.32	261.7	0.010	<1	0.71	0.027	0.43	0.3	1.1	0.10	<0.02	<5			
1832277	Drill Core	0.19	0.30	0.06	4	0.10	0.036	32.9	3.6	0.22	220.4	0.005	<1	0.65	0.027	0.43	0.3	1.2	0.09	<0.02	<5			
1832278	Drill Core	0.33	0.28	0.14	5	0.11	0.029	33.8	3.9	0.39	243.5	0.004	1	0.82	0.019	0.41	0.9	1.2	0.09	<0.02	<5			
1832279	Drill Core	0.69	0.27	0.16	4	0.11	0.029	28.0	3.0	0.44	221.1	0.021	<1	0.75	0.022	0.52	0.2	1.2	0.24	<0.02	7			
1832280	Rock	<0.01	0.05	<0.02	2	<0.01	0.002	1.9	3.8	0.02	12.3	0.003	<1	0.08	0.007	0.02	<0.1	0.2	0.05	<0.02	<5			
1832281	Drill Core	0.97	0.28	0.12	5	0.11	0.034	29.3	3.5	0.50	241.3	0.033	1	0.87	0.022	0.60	0.2	1.4	0.25	<0.02	<5			
1832282	Drill Core	0.42	0.34	0.15	5	0.10	0.031	29.4	3.7	0.48	251.4	0.025	<1	0.88	0.025	0.54	0.1	1.6	0.21	<0.02	<5			
1832283	Drill Core	0.17	0.35	0.24	4	0.10	0.029	28.2	3.0	0.45	174.4	0.025	<1	0.72	0.014	0.45	<0.1	1.3	0.19	<0.02	<5			
1832284	Drill Core	0.22	0.28	0.12	4	0.10	0.031	30.8	3.9	0.62	241.6	0.018	1	0.99	0.020	0.57	<0.1	1.6	0.21	<0.02	<5			
1832285	Drill Core	0.46	0.29	0.15	5	0.12	0.034	28.2	4.3	0.65	247.0	0.028	1	1.07	0.023	0.61	0.5	1.8	0.25	<0.02	8			
1832286	Drill Core	0.23	0.23	0.30	4	0.08	0.022	26.1	3.3	0.51	233.4	0.025	1	0.89	0.022	0.59	0.2	1.5	0.21	<0.02	<5			
1832287	Drill Core	0.12	0.25	0.15	5	0.09	0.029	29.6	4.6	0.50	242.6	0.005	<1	0.89	0.021	0.42	<0.1	1.7	0.11	<0.02	<5			
1832288	Drill Core	0.20	0.32	0.12	7	0.11	0.037	35.0	6.0	0.48	356.5	0.004	<1	0.94	0.038	0.40	0.5	2.0	0.13	<0.02	<5			
1832289	Drill Core	0.37	0.24	0.12	5	0.43	0.039	36.3	4.7	0.39	393.1	0.006	1	0.83	0.040	0.45	<0.1	2.2	0.11	<0.02	<5			
1832290	Drill Core	0.31	0.15	0.14	3	0.39	0.018	36.0	3.7	0.36	384.7	0.004	<1	0.72	0.019	0.44	<0.1	2.0	0.11	<0.02	6			
1832291	Drill Core	0.68	0.31	0.11	19	0.74	0.061	22.6	16.7	1.01	372.5	0.069	<1	1.39	0.026	0.85	<0.1	5.4	0.35	<0.02	<5			
1832292	Drill Core	0.26	0.32	0.08	23	0.91	0.062	21.4	20.1	1.19	379.7	0.093	1	1.48	0.029	1.00	<0.1	6.2	0.45	<0.02	<5			
1832293	Drill Core	0.27	0.37	0.05	17	0.75	0.061	22.6	16.6	0.87	386.8	0.060	<1	1.25	0.024	0.73	0.3	4.7	0.33	<0.02	<5			
1832294	Drill Core	0.38	0.42	0.19	32	0.76	0.067	19.8	30.3	1.23	295.5	0.023	<1	1.53	0.026	0.47	0.1	5.6	0.19	<0.02	<5			
1832295	Drill Core	0.25	0.30	0.09	25	0.23	0.063	22.7	25.4	1.04	285.1	0.006	<1	1.38	0.034	0.33	0.1	4.2	0.10	<0.02	<5			
1832296	Drill Core	0.30	0.25	0.15	26	0.65	0.063	22.3	25.6	1.38	313.5	0.044	<1	1.67	0.041	0.58	<0.1	4.6	0.21	<0.02	<5			
1832297	Drill Core	0.29	0.37	0.29	24	0.92	0.060	21.6	21.7	1.22	358.2	0.067	2	1.50	0.031	0.85	<0.1	4.0	0.38	<0.02	<5			
1832298	Drill Core	0.19	0.30	0.10	15	0.38	0.054	24.5	13.8	1.02	379.2	0.072	<1	1.30	0.024	0.81	0.3	2.8	0.36	<0.02	<5			
1832299	Drill Core	0.35	0.31	0.31	17	0.57	0.057	20.3	16.5	1.04	394.6	0.081	1	1.35	0.024	0.94	0.2	3.0	0.46	<0.02	<5			
1832300	Rock Pulp	0.19	4.78	0.56	110	0.98	0.061	7.7	18.5	0.84	123.4	0.119	2	1.81	0.194	0.23	3.8	4.0	0.11	<0.02	198			
1832301	Drill Core	0.80	0.32	0.13	17	1.34	0.059	20.1	17.5	1.05	341.3	0.033	1	1.23	0.022	0.61	0.5	3.7	0.26	<0.02	<5			
1832302	Drill Core	0.41	0.78	0.13	15	0.26	0.053	22.2	15.7	0.93	333.6	0.025	2	1.29	0.018	0.64	0.5	3.3	0.30	<0.02	<5			
1832303	Drill Core	0.33	0.36	0.05	19	0.53	0.064	22.2	20.7	1.26	317.1	0.038	<1	1.52	0.030	0.62	0.5	3.9	0.25	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832274	Drill Core	<0.1	<0.02	3.3	0.59	<0.1	0.28	0.09	16.1	0.4	<0.05	10.5	5.13	55.4	<0.02	<1	0.4	7.2	<10
1832275	Drill Core	<0.1	<0.02	2.9	0.72	<0.1	0.45	0.14	24.3	0.3	<0.05	11.7	5.08	54.5	<0.02	<1	0.3	7.6	<10
1832276	Drill Core	<0.1	<0.02	2.8	0.39	<0.1	0.28	0.04	16.9	0.3	<0.05	8.6	5.42	55.7	<0.02	<1	0.3	7.1	<10
1832277	Drill Core	<0.1	<0.02	2.3	0.50	<0.1	0.25	0.04	15.9	0.3	<0.05	7.6	5.62	62.9	<0.02	<1	0.3	6.5	<10
1832278	Drill Core	<0.1	<0.02	3.1	0.43	<0.1	0.32	0.03	14.9	0.3	<0.05	10.1	6.21	65.1	<0.02	<1	0.4	8.2	<10
1832279	Drill Core	<0.1	<0.02	2.3	0.92	<0.1	0.31	0.06	23.8	0.3	<0.05	9.1	3.95	54.1	<0.02	<1	0.4	7.1	<10
1832280	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.15	0.06	1.0	<0.1	<0.05	3.2	0.95	3.9	<0.02	<1	<0.1	1.1	<10
1832281	Drill Core	<0.1	<0.02	2.8	0.90	<0.1	0.32	0.07	29.0	0.3	<0.05	9.2	4.22	56.8	<0.02	<1	0.4	7.6	<10
1832282	Drill Core	<0.1	<0.02	2.8	0.74	<0.1	0.50	0.05	24.8	0.4	<0.05	12.7	4.87	57.8	<0.02	<1	0.4	7.9	<10
1832283	Drill Core	<0.1	<0.02	2.5	0.86	<0.1	0.48	0.08	23.1	0.3	<0.05	12.4	4.42	54.8	<0.02	1	0.2	7.2	<10
1832284	Drill Core	<0.1	<0.02	3.2	0.83	<0.1	0.50	0.04	24.7	0.4	<0.05	13.3	4.65	59.6	<0.02	<1	0.5	9.5	<10
1832285	Drill Core	<0.1	<0.02	3.5	1.16	<0.1	0.41	0.05	29.6	0.4	<0.05	12.1	4.03	54.8	<0.02	<1	0.5	10.2	<10
1832286	Drill Core	<0.1	<0.02	2.9	0.85	<0.1	0.64	0.07	27.4	0.3	<0.05	16.1	4.03	52.2	<0.02	<1	0.4	8.6	<10
1832287	Drill Core	<0.1	<0.02	3.0	0.45	<0.1	0.39	<0.02	14.9	0.3	<0.05	12.2	5.13	58.5	<0.02	<1	0.4	8.6	<10
1832288	Drill Core	<0.1	<0.02	4.1	0.47	<0.1	0.38	<0.02	15.4	0.4	<0.05	11.1	6.84	67.2	<0.02	<1	0.4	8.4	<10
1832289	Drill Core	<0.1	<0.02	3.1	0.57	<0.1	0.39	0.04	16.8	0.4	<0.05	11.6	7.71	68.3	<0.02	<1	0.3	6.7	<10
1832290	Drill Core	<0.1	<0.02	2.5	0.28	<0.1	0.43	0.04	16.0	0.3	<0.05	12.5	6.72	70.1	<0.02	<1	0.3	5.0	<10
1832291	Drill Core	0.1	<0.02	4.5	2.94	<0.1	0.36	0.03	42.4	0.4	<0.05	11.1	4.45	44.8	0.02	<1	0.4	9.3	<10
1832292	Drill Core	<0.1	0.02	5.0	4.17	<0.1	0.37	0.04	53.1	0.4	<0.05	11.0	4.07	43.3	0.03	<1	0.4	8.9	<10
1832293	Drill Core	0.2	<0.02	3.8	3.09	<0.1	0.30	<0.02	39.2	0.3	<0.05	9.4	4.28	45.6	<0.02	<1	0.4	8.7	<10
1832294	Drill Core	0.2	0.03	5.4	1.25	<0.1	0.32	<0.02	21.5	0.3	<0.05	11.2	5.05	39.5	0.02	<1	0.5	16.4	<10
1832295	Drill Core	0.6	0.03	5.7	0.54	<0.1	0.22	<0.02	12.0	0.3	<0.05	7.9	5.13	45.7	0.03	<1	0.4	14.2	<10
1832296	Drill Core	<0.1	0.02	6.2	1.73	<0.1	0.32	<0.02	27.7	0.4	<0.05	11.1	3.94	44.3	<0.02	<1	0.5	12.0	<10
1832297	Drill Core	0.1	0.05	5.0	4.64	<0.1	0.42	0.05	42.4	0.4	<0.05	13.8	4.00	42.2	<0.02	<1	0.5	10.0	<10
1832298	Drill Core	0.1	0.03	4.3	2.79	<0.1	0.51	<0.02	43.3	0.4	<0.05	14.2	4.30	48.8	<0.02	<1	0.6	10.2	<10
1832299	Drill Core	<0.1	0.02	4.1	4.00	<0.1	0.48	0.03	51.6	0.3	<0.05	14.9	3.95	39.7	0.02	<1	0.4	9.6	<10
1832300	Rock Pulp	<0.1	0.16	5.1	0.71	<0.1	0.11	0.11	8.5	1.7	<0.05	1.5	5.41	16.5	0.03	<1	0.1	7.3	<10
1832301	Drill Core	0.2	0.09	4.0	2.68	<0.1	0.38	<0.02	30.4	0.2	<0.05	12.2	6.73	40.2	<0.02	<1	0.6	9.8	<10
1832302	Drill Core	0.2	0.02	3.8	3.82	<0.1	0.35	<0.02	33.1	0.3	<0.05	11.0	4.66	43.9	0.02	<1	0.5	11.7	<10
1832303	Drill Core	<0.1	<0.02	5.0	2.55	<0.1	0.31	<0.02	30.8	0.3	<0.05	10.1	3.86	44.3	<0.02	<1	0.3	12.7	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832304	Drill Core	4.38	464	0.020	0.02	<0.17	30.76	0.36	12.52	15.95	70.0	227	9.8	7.9	586	2.51	1.7	0.9	10.4	10.1	62.2
1832305	Drill Core	3.77	453	0.010	<0.01	<0.17	28.53	0.42	13.54	9.81	70.2	331	10.8	8.1	424	2.56	3.1	0.9	3.6	9.5	35.8
1832306	Drill Core	5.03	442	0.009	<0.01	<0.17	30.46	0.56	17.72	22.98	71.5	310	12.7	8.5	625	2.69	3.3	0.9	1.1	9.4	71.4
1832307	Drill Core	4.99	458	0.006	<0.01	<0.17	43.47	0.47	16.76	13.91	75.0	204	11.8	8.5	514	2.56	2.1	0.9	3.2	9.5	42.2
1832308	Drill Core	4.79	442	0.006	<0.01	<0.17	37.23	0.47	14.14	16.60	68.2	166	10.6	7.8	546	2.47	1.1	0.6	2.1	9.7	50.9
1832309	Drill Core	2.70	443	0.005	<0.01	<0.17	23.72	0.33	4.24	15.50	61.1	117	8.1	7.0	427	2.28	0.7	0.6	2.1	10.2	54.6
1832310	Drill Core	5.23	485	0.009	<0.01	<0.17	32.45	0.39	13.65	5.08	59.5	131	8.3	8.1	306	2.18	3.5	1.0	2.2	10.5	35.9
1832311	Drill Core	4.84	424	0.007	<0.01	<0.17	29.20	0.47	11.08	13.03	60.8	147	7.9	7.2	469	2.28	4.7	1.2	2.6	9.3	68.4
1832312	Drill Core	5.14	510	0.007	<0.01	<0.17	28.41	0.48	11.99	16.41	64.3	176	9.1	7.2	493	2.42	5.9	1.1	0.6	10.1	73.2
1832313	Drill Core	4.61	447	0.006	<0.01	<0.17	30.92	0.50	11.57	12.94	56.1	116	8.4	6.5	499	2.15	3.8	0.9	1.8	8.5	66.5
1832314	Drill Core	4.98	439	0.006	<0.01	<0.17	24.77	0.57	13.95	11.65	69.9	172	10.2	7.7	595	2.52	6.7	1.0	0.7	9.8	80.9
1832315	Drill Core	4.51	419	0.007	<0.01	<0.17	30.77	1.04	19.49	29.06	63.8	366	13.0	7.3	470	2.32	8.1	0.8	1.5	10.6	43.1
1832316	Drill Core	4.45	443	0.017	0.02	<0.17	34.96	2.66	22.48	23.03	66.0	431	14.1	8.0	636	2.51	19.5	1.6	13.1	10.1	53.8
1832317	Drill Core	3.13	493	0.897	1.10	3.61	37.40	1.85	8.70	21.81	39.9	1045	9.0	4.0	336	1.47	5.8	0.8	1322.3	7.4	13.0
1832318	Drill Core	2.91	448	0.014	0.01	<0.17	28.33	1.15	20.84	19.12	52.9	499	13.6	5.9	337	1.99	17.7	1.0	6.2	10.6	20.2
1832319	Drill Core	4.97	408	0.008	<0.01	<0.17	47.76	1.06	33.56	2.29	82.6	223	71.6	35.0	745	5.60	23.2	1.1	2.1	1.5	149.5
1832320	Rock Pulp	0.13	97	0.542				2.37	423.86	17.89	45.5	262	570.9	25.3	389	2.40	17.9	0.5	466.5	1.6	49.1
1832321	Drill Core	3.53	416	0.268	0.32	0.80	39.81	0.54	1.74	2.13	22.1	177	2.6	1.2	280	0.81	1.8	0.3	219.0	0.8	54.1
1832322	Drill Core	3.46	487	0.102	0.10	<0.17	32.87	1.03	12.60	18.75	71.0	323	14.8	8.8	636	2.73	13.0	1.5	193.9	10.0	49.8
1832323	Drill Core	4.99	383	0.009	<0.01	<0.17	29.04	0.84	21.17	23.10	63.6	330	12.5	7.6	645	2.40	7.1	1.2	15.2	10.1	80.8
1832324	Drill Core	3.51	433	0.009	<0.01	<0.17	29.22	0.93	17.27	9.90	65.4	207	13.0	8.3	627	2.59	12.7	1.2	12.7	9.6	62.5
1832325	Drill Core	4.14	431	0.007	<0.01	<0.17	34.02	0.67	17.92	18.70	62.8	230	14.3	8.4	594	2.50	10.6	1.2	7.0	9.8	38.0
1832326	Drill Core	3.59	370	0.010	<0.01	<0.17	29.09	1.23	21.02	17.85	55.2	284	11.6	7.1	436	2.27	13.6	1.3	6.2	9.4	32.9
1832327	Drill Core	1.29	515	0.012	0.01	<0.17	27.75	0.95	16.05	12.91	52.1	399	10.0	6.2	486	2.12	14.8	1.3	8.3	7.7	25.4
1832328	Drill Core	3.64	420	0.009	<0.01	<0.17	40.81	0.55	16.88	16.47	61.0	296	11.8	7.7	491	2.31	8.1	1.1	4.5	9.0	40.9
1832329	Drill Core	2.18	440	0.118	0.13	0.25	40.04	0.58	16.08	12.95	60.1	845	11.8	8.3	506	2.31	3.6	1.4	1684.8	8.8	72.2
1832330	Drill Core	4.41	415	0.045	0.19	1.69	36.12	0.58	14.72	18.36	51.4	254	10.4	6.6	503	2.14	8.7	1.0	23.0	10.5	37.9
1832331	Drill Core	3.49	352	0.009	<0.01	<0.17	27.70	0.84	20.83	32.35	63.7	407	14.3	9.0	453	2.46	20.1	1.8	2.6	9.7	29.6
1832332	Drill Core	6.17	441	0.006	<0.01	<0.17	42.74	0.74	15.19	30.74	59.7	288	13.3	7.8	500	2.36	14.8	1.3	2.3	9.0	42.8
1832333	Drill Core	5.18	493	0.008	<0.01	<0.17	30.26	1.04	13.98	20.42	53.3	237	12.1	7.7	466	2.21	21.2	1.5	2.3	9.0	60.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832304	Drill Core	0.29	0.29	0.09	22	0.78	0.062	23.7	24.2	1.31	307.6	0.044	1	1.56	0.043	0.58	0.2	4.1	0.25	<0.02	<5
1832305	Drill Core	0.26	0.37	0.07	21	0.46	0.062	23.4	21.4	1.25	325.9	0.048	2	1.52	0.031	0.67	0.5	3.5	0.30	<0.02	<5
1832306	Drill Core	0.35	0.35	0.20	21	0.92	0.063	22.3	21.7	1.31	296.1	0.040	1	1.53	0.027	0.64	0.2	3.8	0.26	<0.02	<5
1832307	Drill Core	0.23	0.27	0.13	21	0.63	0.061	23.6	23.6	1.34	347.6	0.054	1	1.59	0.034	0.59	<0.1	4.1	0.29	<0.02	6
1832308	Drill Core	0.23	0.21	0.12	19	0.75	0.059	21.3	19.4	1.32	359.3	0.057	1	1.58	0.029	0.68	0.1	3.8	0.30	<0.02	<5
1832309	Drill Core	0.16	0.22	0.13	15	0.69	0.056	24.4	17.0	1.03	307.7	0.069	2	1.30	0.034	0.66	0.1	3.2	0.33	<0.02	<5
1832310	Drill Core	0.19	0.38	0.04	14	0.61	0.060	21.7	14.4	0.86	366.6	0.078	1	1.20	0.023	0.77	0.1	4.2	0.40	0.02	<5
1832311	Drill Core	0.25	0.39	0.09	15	0.95	0.055	22.8	16.7	1.00	239.8	0.032	1	1.22	0.023	0.48	<0.1	4.1	0.23	<0.02	<5
1832312	Drill Core	0.30	0.59	0.16	16	0.98	0.061	22.4	17.2	1.08	295.3	0.062	2	1.38	0.023	0.76	<0.1	4.7	0.37	<0.02	<5
1832313	Drill Core	0.30	0.37	0.09	15	1.08	0.055	18.2	16.5	0.94	290.6	0.054	<1	1.18	0.022	0.63	<0.1	4.2	0.30	<0.02	9
1832314	Drill Core	0.26	0.44	0.12	19	1.06	0.063	21.1	22.1	1.20	253.6	0.050	1	1.39	0.029	0.60	<0.1	5.0	0.31	<0.02	<5
1832315	Drill Core	0.22	0.25	0.36	15	0.68	0.060	18.7	16.9	1.14	254.7	0.028	1	1.37	0.027	0.45	<0.1	3.3	0.18	0.04	10
1832316	Drill Core	0.45	0.40	0.27	13	1.38	0.050	20.2	14.0	1.06	232.9	0.015	2	1.26	0.024	0.42	<0.1	5.3	0.17	<0.02	<5
1832317	Drill Core	0.20	0.30	0.67	6	0.18	0.031	17.6	8.8	0.45	262.2	0.005	2	0.76	0.018	0.33	0.1	1.5	0.11	<0.02	<5
1832318	Drill Core	0.20	0.63	0.39	9	0.44	0.054	25.3	12.9	0.89	296.7	0.005	1	1.32	0.017	0.39	0.2	1.9	0.11	<0.02	<5
1832319	Drill Core	0.34	2.02	<0.02	71	2.75	0.171	20.9	80.0	2.06	250.6	0.132	<1	2.89	0.362	0.20	<0.1	10.6	0.31	<0.02	<5
1832320	Rock Pulp	0.17	0.36	0.27	45	1.27	0.028	3.7	96.1	1.68	68.4	0.065	2	1.86	0.182	0.13	1.2	2.4	0.09	0.18	28
1832321	Drill Core	0.28	0.18	<0.02	2	1.05	0.005	2.5	4.2	0.20	46.4	0.002	<1	0.21	0.005	0.05	<0.1	0.9	0.03	<0.02	<5
1832322	Drill Core	0.29	0.70	0.12	16	1.21	0.070	24.7	19.3	1.07	303.1	0.007	<1	1.48	0.020	0.39	0.1	4.5	0.12	<0.02	<5
1832323	Drill Core	0.29	0.28	0.27	17	1.51	0.066	26.9	21.1	1.03	292.0	0.018	1	1.33	0.030	0.43	0.1	5.4	0.14	<0.02	<5
1832324	Drill Core	0.29	0.30	0.07	16	1.59	0.067	24.6	16.9	0.96	320.9	0.027	<1	1.34	0.020	0.48	0.1	5.0	0.16	<0.02	<5
1832325	Drill Core	0.27	0.28	0.14	17	1.04	0.066	22.2	19.6	0.96	251.8	0.034	<1	1.27	0.030	0.44	<0.1	5.6	0.19	<0.02	<5
1832326	Drill Core	0.30	0.31	0.19	13	0.83	0.055	24.4	16.2	0.77	266.7	0.016	1	1.14	0.029	0.38	<0.1	4.7	0.15	<0.02	<5
1832327	Drill Core	0.29	0.33	0.15	13	0.65	0.047	21.5	15.9	0.70	201.0	0.011	1	1.02	0.027	0.30	0.4	4.1	0.13	<0.02	<5
1832328	Drill Core	0.30	0.35	0.20	16	1.05	0.061	25.7	18.9	0.86	260.6	0.029	<1	1.20	0.030	0.43	0.3	5.5	0.16	<0.02	<5
1832329	Drill Core	0.34	0.31	0.30	16	1.60	0.059	25.9	20.4	0.91	305.7	0.024	<1	1.19	0.034	0.44	0.2	4.3	0.16	<0.02	8
1832330	Drill Core	0.34	0.38	0.13	13	1.34	0.057	27.2	14.1	0.75	295.1	0.028	<1	1.07	0.031	0.44	0.2	4.5	0.14	<0.02	<5
1832331	Drill Core	0.38	0.56	0.22	18	0.84	0.065	25.3	21.1	0.84	256.1	0.017	<1	1.25	0.023	0.42	0.2	6.4	0.18	<0.02	<5
1832332	Drill Core	0.33	0.58	0.20	20	1.27	0.071	23.7	23.3	0.92	221.7	0.038	<1	1.21	0.036	0.39	0.2	7.1	0.17	<0.02	<5
1832333	Drill Core	0.41	0.94	0.17	14	2.00	0.065	27.8	16.5	0.64	277.6	0.040	2	1.05	0.017	0.55	0.2	5.6	0.23	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832304	Drill Core	<0.1	<0.02	5.3	2.19	<0.1	0.26	<0.02	27.7	0.3	<0.05	8.6	4.41	48.5	<0.02	<1	0.4	13.4	<10
1832305	Drill Core	<0.1	<0.02	5.0	3.62	<0.1	0.30	<0.02	34.2	0.4	<0.05	9.4	3.86	46.9	<0.02	<1	0.4	14.9	<10
1832306	Drill Core	<0.1	0.03	5.0	2.51	<0.1	0.27	<0.02	30.1	0.3	<0.05	9.6	4.83	45.3	0.02	<1	0.4	13.4	<10
1832307	Drill Core	<0.1	0.02	6.2	1.71	<0.1	0.35	0.02	29.4	0.4	<0.05	13.2	4.37	45.2	0.03	1	0.2	12.4	<10
1832308	Drill Core	<0.1	<0.02	5.8	2.06	<0.1	0.40	0.02	33.8	0.4	<0.05	13.1	3.75	39.7	0.02	<1	0.3	13.0	<10
1832309	Drill Core	<0.1	<0.02	4.7	2.24	<0.1	0.38	0.04	34.2	0.4	<0.05	11.7	3.70	45.6	<0.02	1	0.4	9.1	<10
1832310	Drill Core	<0.1	<0.02	4.0	3.14	<0.1	0.30	0.02	42.0	0.3	<0.05	10.7	3.67	38.7	<0.02	<1	0.4	7.1	<10
1832311	Drill Core	<0.1	<0.02	4.3	2.11	<0.1	0.32	<0.02	23.2	0.3	<0.05	12.2	5.69	43.1	<0.02	<1	0.2	9.3	<10
1832312	Drill Core	<0.1	<0.02	4.5	3.89	<0.1	0.29	<0.02	38.8	0.4	<0.05	11.6	4.38	41.3	<0.02	<1	0.4	9.1	<10
1832313	Drill Core	<0.1	<0.02	4.0	2.45	<0.1	0.23	<0.02	32.0	0.3	<0.05	9.4	3.73	33.7	0.02	<1	0.5	7.8	<10
1832314	Drill Core	<0.1	<0.02	4.8	3.06	<0.1	0.26	<0.02	32.0	0.3	<0.05	10.7	4.25	39.6	0.02	<1	0.8	9.3	<10
1832315	Drill Core	0.2	0.03	4.6	1.22	<0.1	0.36	<0.02	20.5	0.2	<0.05	16.5	3.96	33.7	<0.02	<1	0.2	10.4	<10
1832316	Drill Core	0.4	0.02	4.1	1.63	<0.1	0.35	0.02	18.7	0.3	<0.05	14.4	4.57	37.3	<0.02	<1	0.5	10.5	<10
1832317	Drill Core	0.1	0.04	2.2	0.58	<0.1	0.32	<0.02	11.9	0.2	<0.05	13.0	4.13	32.4	<0.02	1	0.5	7.6	<10
1832318	Drill Core	0.2	<0.02	3.9	0.60	<0.1	0.31	0.03	14.5	0.3	<0.05	15.3	5.18	44.9	<0.02	<1	0.5	15.4	<10
1832319	Drill Core	0.2	<0.02	8.0	7.10	<0.1	0.05	0.10	10.6	0.9	<0.05	5.2	27.72	46.4	0.05	<1	0.9	33.4	<10
1832320	Rock Pulp	0.4	0.16	3.9	0.56	<0.1	0.05	<0.02	5.4	0.4	<0.05	1.3	2.86	7.7	<0.02	2	<0.1	8.9	251
1832321	Drill Core	<0.1	0.03	0.7	0.14	<0.1	0.04	<0.02	1.9	0.2	<0.05	1.6	1.98	4.7	<0.02	<1	0.1	2.5	<10
1832322	Drill Core	<0.1	0.03	4.6	0.76	<0.1	0.15	<0.02	14.0	0.3	<0.05	7.2	7.45	48.4	0.03	<1	0.3	18.8	<10
1832323	Drill Core	<0.1	<0.02	4.3	1.32	<0.1	0.20	<0.02	17.1	0.2	<0.05	8.9	5.41	47.9	0.02	<1	0.6	11.8	<10
1832324	Drill Core	<0.1	<0.02	4.4	1.32	<0.1	0.20	<0.02	18.3	0.3	<0.05	9.0	5.18	45.2	0.02	<1	0.2	9.9	<10
1832325	Drill Core	<0.1	0.02	4.5	2.02	<0.1	0.19	<0.02	19.9	0.3	<0.05	6.8	5.11	43.4	0.03	<1	0.3	10.0	<10
1832326	Drill Core	<0.1	<0.02	4.0	1.06	<0.1	0.11	0.03	15.4	0.3	<0.05	5.1	5.32	46.0	0.03	<1	0.4	10.1	<10
1832327	Drill Core	<0.1	<0.02	3.8	1.09	<0.1	0.06	<0.02	12.8	0.2	<0.05	2.8	6.13	39.6	0.03	<1	0.5	10.0	<10
1832328	Drill Core	<0.1	0.02	4.1	1.60	<0.1	0.10	0.02	18.2	0.3	<0.05	5.0	5.93	47.9	0.03	1	<0.1	9.0	<10
1832329	Drill Core	<0.1	0.02	4.1	1.57	<0.1	0.05	<0.02	18.1	0.3	<0.05	2.1	7.84	48.4	<0.02	<1	0.4	9.0	<10
1832330	Drill Core	<0.1	<0.02	3.5	2.17	<0.1	0.09	<0.02	17.9	0.2	<0.05	3.3	5.86	48.0	0.02	<1	0.4	6.6	<10
1832331	Drill Core	0.1	0.03	4.5	1.46	<0.1	0.06	<0.02	18.4	0.3	<0.05	2.4	7.49	46.4	0.02	<1	0.3	10.5	<10
1832332	Drill Core	0.1	0.03	4.5	1.72	<0.1	0.07	0.04	18.5	0.3	<0.05	2.3	8.00	46.4	0.03	<1	0.3	9.4	<10
1832333	Drill Core	0.2	0.02	3.7	2.20	<0.1	0.03	0.03	25.2	0.4	<0.05	1.1	9.79	52.0	0.04	<1	0.2	7.3	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832334	Drill Core	4.28	378	0.008	<0.01	<0.17	32.60	0.99	18.02	14.46	54.4	192	15.2	8.6	456	2.36	31.2	1.5	3.0	9.9	54.3
1832335	Drill Core	4.90	448	0.008	<0.01	<0.17	27.11	1.21	16.77	13.12	56.6	180	13.1	7.9	439	2.34	23.6	1.6	2.2	9.3	51.9
1832336	Drill Core	4.66	429	0.008	<0.01	<0.17	41.54	0.75	16.78	13.29	59.9	164	14.0	8.4	473	2.51	23.0	1.4	1.1	9.5	54.1
1832337	Drill Core	5.30	543	0.007	<0.01	<0.17	44.81	0.60	9.95	6.55	63.1	81	14.5	7.5	570	2.51	23.3	1.1	1.2	10.6	88.7
1832338	Drill Core	3.32	473	0.010	<0.01	<0.17	44.33	0.99	18.72	13.44	58.4	185	14.8	8.4	544	2.49	75.2	1.7	4.7	9.8	48.4
1832339	Drill Core	3.35	376	0.008	<0.01	<0.17	25.74	0.77	19.29	6.86	53.0	138	13.1	7.8	434	2.26	74.7	1.9	3.2	10.1	51.0
1832340	Rock Pulp	0.12	102	0.008				2.39	96.89	3.67	36.3	119	4.7	8.9	363	2.49	1.1	0.8	16.2	2.6	72.0
1832341	Drill Core	3.71	359	0.007	<0.01	<0.17	24.79	0.98	21.54	51.29	47.6	492	11.3	8.3	428	2.10	13.8	2.0	1.8	8.3	42.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832334	Drill Core	0.43	0.59	0.11	17	2.15	0.070	26.9	18.7	0.74	296.7	0.035	1	1.17	0.019	0.57	0.3	6.0	0.23	<0.02	8
1832335	Drill Core	0.25	0.52	0.10	17	1.36	0.074	25.1	19.8	0.85	247.1	0.060	1	1.14	0.021	0.60	0.3	7.1	0.25	<0.02	6
1832336	Drill Core	0.33	0.60	0.08	19	1.40	0.067	24.3	21.1	1.09	225.3	0.064	<1	1.28	0.023	0.60	0.2	7.5	0.24	<0.02	<5
1832337	Drill Core	0.30	0.95	<0.02	19	2.17	0.064	27.8	19.1	1.18	301.2	0.062	<1	1.39	0.018	0.64	0.2	8.6	0.28	<0.02	<5
1832338	Drill Core	0.36	2.32	0.06	18	1.34	0.068	31.0	19.7	0.98	297.4	0.062	1	1.19	0.026	0.72	0.5	8.7	0.41	<0.02	<5
1832339	Drill Core	0.34	2.85	0.03	16	1.53	0.068	27.9	17.0	0.72	277.0	0.040	<1	1.02	0.028	0.56	0.5	8.4	0.36	<0.02	<5
1832340	Rock Pulp	0.05	0.11	0.03	84	0.87	0.059	6.9	10.5	0.72	122.3	0.106	1	1.58	0.174	0.20	3.1	2.4	0.05	<0.02	<5
1832341	Drill Core	0.38	1.40	0.50	13	1.29	0.054	22.7	14.7	0.49	264.2	0.054	<1	0.79	0.022	0.40	<0.1	6.7	0.18	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000053.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1832334	Drill Core	<0.1	<0.02	4.5	2.38	<0.1	0.05	0.03	26.4	0.4	<0.05	1.2	8.83	51.9	0.04	<1	0.4	8.9	<10
1832335	Drill Core	0.2	<0.02	3.9	2.64	<0.1	0.05	0.06	28.5	0.4	<0.05	1.8	8.57	47.2	0.03	1	0.5	10.3	<10
1832336	Drill Core	0.1	<0.02	4.2	2.77	<0.1	0.11	0.07	28.6	0.4	<0.05	4.0	8.77	46.6	0.02	<1	0.3	11.1	<10
1832337	Drill Core	<0.1	<0.02	4.4	4.34	<0.1	0.19	0.08	33.4	0.5	<0.05	6.0	9.55	54.4	0.02	<1	0.4	12.1	<10
1832338	Drill Core	<0.1	<0.02	3.4	8.12	<0.1	0.07	0.07	43.9	0.6	<0.05	2.0	9.46	58.9	0.04	<1	0.4	8.8	<10
1832339	Drill Core	0.2	<0.02	3.4	5.58	<0.1	0.05	0.07	26.9	0.5	<0.05	1.5	11.74	53.8	0.04	2	0.8	7.5	<10
1832340	Rock Pulp	<0.1	<0.02	4.6	0.32	<0.1	0.06	0.10	6.5	0.3	<0.05	1.1	4.28	14.2	<0.02	<1	<0.1	6.8	<10
1832341	Drill Core	0.1	0.04	2.8	3.09	<0.1	0.07	0.14	13.9	0.4	<0.05	1.5	11.43	44.9	0.04	1	0.3	7.8	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000053.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1832277	Drill Core	3.85	451	0.009	<0.01	<0.17	30.42	0.69	6.31	19.92	25.8	328	2.4	2.5	138	0.90	9.2	0.6	2.0	14.7	9.4	
REP 1832277	QC							0.68	6.49	19.88	25.8	334	2.4	2.4	135	0.90	8.9	0.6	2.3	14.5	9.0	
1832296	Drill Core	4.10	417	0.007	<0.01	<0.17	39.01	0.56	12.36	35.30	76.9	236	12.5	8.9	495	2.70	6.3	1.2	<0.2	9.8	30.1	
REP 1832296	QC	0.006																				
1832310	Drill Core	5.23	485	0.009	<0.01	<0.17	32.45	0.39	13.65	5.08	59.5	131	8.3	8.1	306	2.18	3.5	1.0	2.2	10.5	35.9	
REP 1832310	QC							0.34	14.06	5.24	59.7	134	8.4	8.3	324	2.21	3.5	1.0	2.6	10.2	36.1	
1832322	Drill Core	3.46	487	0.102	0.10	<0.17	32.87	1.03	12.60	18.75	71.0	323	14.8	8.8	636	2.73	13.0	1.5	193.9	10.0	49.8	
REP 1832322	QC	0.088																				
Core Reject Duplicates																						
1832285	Drill Core	4.71	454	<0.005	<0.01	<0.17	26.61	0.80	8.26	23.82	61.9	458	3.4	3.6	231	1.43	7.5	0.9	<0.2	14.7	11.5	
DUP 1832285	QC	442		<0.005	<0.01	<0.17	35.40	0.81	8.97	24.20	63.4	451	3.4	3.6	245	1.45	7.5	0.9	<0.2	14.7	12.0	
1832319	Drill Core	4.97	408	0.008	<0.01	<0.17	47.76	1.06	33.56	2.29	82.6	223	71.6	35.0	745	5.60	23.2	1.1	2.1	1.5	149.5	
DUP 1832319	QC	502		0.008	<0.01	<0.17	44.81	1.08	34.02	2.21	83.9	217	69.5	33.2	735	5.40	22.8	1.1	1.6	1.5	140.0	
Reference Materials																						
STD BVGEO01	Standard							11.77	4291.31	193.27	1806.8	2647	152.1	26.6	750	3.72	119.8	3.8	222.4	14.8	55.7	
STD DS11	Standard							15.93	149.10	140.71	341.4	1702	81.3	14.1	1017	3.15	43.1	2.8	73.8	8.9	66.5	
STD DS11	Standard							15.30	147.16	133.60	329.4	1749	76.2	13.1	1009	3.14	45.6	2.6	74.0	8.2	76.1	
STD OREAS262	Standard							0.73	118.55	57.26	147.6	466	65.1	28.4	521	3.25	35.7	1.3	68.4	9.4	34.4	
STD OREAS262	Standard							0.68	114.97	55.19	145.7	422	64.6	26.8	539	3.23	34.9	1.2	64.0	9.4	33.6	
STD OREAS262	Standard							0.67	113.36	57.34	151.1	485	61.8	26.1	550	3.25	38.6	1.3	60.9	10.0	37.9	
STD OXC145	Standard	0.169																				
STD OXC145	Standard	0.220																				
STD OXH139	Standard	1.285																				
STD OXH139	Standard	1.337																				
STD OXN134	Standard	7.633																				
STD OXN134	Standard	7.854																				
STD OXQ90	Standard						25.17	29.96														
STD OXQ90	Standard						25.17	30.03														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000053.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832277	Drill Core	0.19	0.30	0.06	4	0.10	0.036	32.9	3.6	0.22	220.4	0.005	<1	0.65	0.027	0.43	0.3	1.2	0.09	<0.02	<5
REP 1832277	QC	0.17	0.29	0.06	4	0.10	0.034	32.1	3.6	0.22	219.6	0.005	<1	0.64	0.027	0.43	0.4	1.2	0.09	<0.02	<5
1832296	Drill Core	0.30	0.25	0.15	26	0.65	0.063	22.3	25.6	1.38	313.5	0.044	<1	1.67	0.041	0.58	<0.1	4.6	0.21	<0.02	<5
REP 1832296	QC																				
1832310	Drill Core	0.19	0.38	0.04	14	0.61	0.060	21.7	14.4	0.86	366.6	0.078	1	1.20	0.023	0.77	0.1	4.2	0.40	0.02	<5
REP 1832310	QC	0.21	0.37	0.03	14	0.63	0.058	21.2	14.8	0.87	371.1	0.077	<1	1.20	0.023	0.78	0.1	4.5	0.40	0.02	<5
1832322	Drill Core	0.29	0.70	0.12	16	1.21	0.070	24.7	19.3	1.07	303.1	0.007	<1	1.48	0.020	0.39	0.1	4.5	0.12	<0.02	<5
REP 1832322	QC																				
Core Reject Duplicates																					
1832285	Drill Core	0.46	0.29	0.15	5	0.12	0.034	28.2	4.3	0.65	247.0	0.028	1	1.07	0.023	0.61	0.5	1.8	0.25	<0.02	8
DUP 1832285	QC	0.48	0.28	0.15	5	0.12	0.036	28.6	4.2	0.66	240.1	0.027	1	1.08	0.023	0.61	0.6	1.7	0.25	<0.02	6
1832319	Drill Core	0.34	2.02	<0.02	71	2.75	0.171	20.9	80.0	2.06	250.6	0.132	<1	2.89	0.362	0.20	<0.1	10.6	0.31	<0.02	<5
DUP 1832319	QC	0.30	1.92	<0.02	69	2.56	0.179	20.0	76.4	2.04	229.9	0.118	<1	2.65	0.309	0.18	<0.1	9.8	0.29	<0.02	<5
Reference Materials																					
STD BVGE001	Standard	6.49	3.90	24.18	69	1.38	0.072	27.3	202.4	1.29	282.3	0.253	5	2.32	0.190	0.86	5.6	5.8	0.62	0.61	105
STD DS11	Standard	2.43	8.96	11.42	50	1.08	0.067	19.4	60.3	0.85	368.8	0.093	8	1.23	0.074	0.41	3.0	3.4	5.05	0.28	254
STD DS11	Standard	2.42	8.92	11.90	55	1.07	0.071	20.1	57.2	0.85	399.5	0.094	9	1.27	0.080	0.41	3.1	3.7	4.99	0.27	250
STD OREAS262	Standard	0.61	5.91	1.00	20	3.04	0.041	16.4	45.5	1.15	250.5	0.003	4	1.36	0.067	0.30	0.2	3.3	0.47	0.24	158
STD OREAS262	Standard	0.66	5.54	0.98	23	2.90	0.039	17.5	46.0	1.17	245.9	0.002	3	1.50	0.067	0.34	0.2	3.3	0.44	0.26	157
STD OREAS262	Standard	0.69	4.90	1.11	26	2.83	0.043	19.6	44.8	1.19	270.4	0.003	6	1.60	0.073	0.37	0.2	3.7	0.49	0.26	173
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000053.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832277	Drill Core	<0.1	<0.02	2.3	0.50	<0.1	0.25	0.04	15.9	0.3	<0.05	7.6	5.62	62.9	<0.02	<1	0.3	6.5	<10	<2
REP 1832277	QC	<0.1	<0.02	2.3	0.50	<0.1	0.25	0.03	15.3	0.4	<0.05	7.3	5.17	61.0	<0.02	<1	0.4	6.4	<10	<2
1832296	Drill Core	<0.1	0.02	6.2	1.73	<0.1	0.32	<0.02	27.7	0.4	<0.05	11.1	3.94	44.3	<0.02	<1	0.5	12.0	<10	<2
REP 1832296	QC																			
1832310	Drill Core	<0.1	<0.02	4.0	3.14	<0.1	0.30	0.02	42.0	0.3	<0.05	10.7	3.67	38.7	<0.02	<1	0.4	7.1	<10	<2
REP 1832310	QC	0.1	<0.02	4.0	3.14	<0.1	0.29	0.02	42.7	0.3	<0.05	11.0	3.57	38.9	<0.02	<1	0.4	6.9	<10	<2
1832322	Drill Core	<0.1	0.03	4.6	0.76	<0.1	0.15	<0.02	14.0	0.3	<0.05	7.2	7.45	48.4	0.03	<1	0.3	18.8	<10	<2
REP 1832322	QC																			
Core Reject Duplicates																				
1832285	Drill Core	<0.1	<0.02	3.5	1.16	<0.1	0.41	0.05	29.6	0.4	<0.05	12.1	4.03	54.8	<0.02	<1	0.5	10.2	<10	<2
DUP 1832285	QC	<0.1	<0.02	3.3	1.15	<0.1	0.43	0.03	29.6	0.4	<0.05	12.7	4.13	55.2	<0.02	<1	0.4	9.9	<10	<2
1832319	Drill Core	0.2	<0.02	8.0	7.10	<0.1	0.05	0.10	10.6	0.9	<0.05	5.2	27.72	46.4	0.05	<1	0.9	33.4	<10	<2
DUP 1832319	QC	<0.1	<0.02	7.3	6.94	<0.1	<0.02	0.06	9.7	0.7	<0.05	4.6	27.30	45.6	0.03	<1	0.5	33.3	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	0.95	7.4	7.38	0.2	0.31	0.34	92.8	5.8	<0.05	9.6	14.44	53.8	0.42	5	0.8	21.0	131	192
STD DS11	Standard	2.1	4.65	5.1	3.04	<0.1	0.09	1.53	33.9	1.9	<0.05	3.3	8.26	41.2	0.24	47	0.8	23.2	106	175
STD DS11	Standard	2.1	4.77	5.4	3.17	<0.1	0.10	1.81	35.8	1.9	<0.05	4.7	8.83	42.0	0.25	49	0.8	23.1	112	175
STD OREAS262	Standard	0.4	0.21	4.1	2.93	<0.1	0.27	<0.02	18.8	0.5	<0.05	11.2	10.57	32.4	0.04	2	1.2	18.9	<10	<2
STD OREAS262	Standard	0.5	0.24	4.0	3.02	<0.1	0.26	<0.02	19.9	0.5	<0.05	8.5	10.39	35.9	0.03	1	1.0	17.0	<10	<2
STD OREAS262	Standard	0.4	0.24	4.6	3.14	<0.1	0.26	0.03	23.4	0.6	<0.05	10.0	11.67	42.1	0.04	1	1.1	18.8	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000053.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					24.97	29.99														
STD OXQ90	Standard					25.04	30.35														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			0.007																	
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank	1.01	455	0.007	<0.01	<0.17	38.35	0.97	6.02	1.39	28.8	13	1.0	4.0	464	1.86	1.1	0.5	2.4	3.0	23.6
ROCK-WHI	Prep Blank	1.01	421	0.006	<0.01	<0.17	44.85	0.89	3.05	1.39	31.0	13	0.8	3.7	490	1.87	1.5	0.5	0.7	2.6	26.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000053.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.04	0.03	28	0.64	0.037	6.6	2.0	0.45	59.3	0.086	2	0.94	0.094	0.10	0.1	3.0	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.04	0.03	26	0.71	0.039	6.6	2.2	0.45	64.6	0.086	3	0.98	0.093	0.10	0.1	3.2	<0.02	0.03	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000053.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD BVGE001 Expected		5.09	1.07	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.16	<0.1	0.14	0.20	2.6	0.3	<0.05	3.0	8.56	13.3	<0.02	<1	0.2	1.9	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.19	<0.1	0.15	0.25	2.8	0.3	<0.05	3.5	9.15	13.7	<0.02	<1	0.2	2.2	<10