



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List

Receiving Lab: Canada-Whitehorse

Received: June 17, 2019

Report Date: July 13, 2019

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000055.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-14
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	65	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	69	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	69	Analysis sample split/packet			WHI
Split -150	69	Analysis sample split/packet			WHI
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
FS631	66	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	69	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022092	Drill Core	2.46	447	0.041	0.04	<0.17	31.95	0.65	25.62	15.59	54.4	8423	12.9	7.1	427	2.23	15.9	0.7	30.5	6.9	14.6
2022093	Drill Core	2.72	413	0.010	<0.01	<0.17	31.66	0.52	17.29	24.15	72.7	1418	15.3	8.4	598	2.62	42.0	0.7	1.9	9.5	17.7
2022094	Drill Core	2.67	451	0.011	<0.01	<0.17	53.44	0.49	23.15	9.16	68.3	1657	14.2	8.2	621	2.71	37.5	0.6	2.1	9.2	25.0
2022095	Drill Core	4.95	437	0.006	<0.01	<0.17	47.97	0.34	13.52	18.34	68.2	451	10.8	5.8	487	2.54	14.5	0.6	0.5	10.4	43.3
2022096	Drill Core	4.21	445	0.006	<0.01	<0.17	28.46	0.70	21.53	15.06	60.5	462	12.0	8.0	455	2.50	34.0	1.5	<0.2	10.6	29.9
2022097	Drill Core	3.88	454	0.006	<0.01	<0.17	35.25	0.71	22.99	12.09	55.0	542	11.3	8.1	470	2.38	27.8	1.5	<0.2	10.8	62.1
2022098	Drill Core	3.19	452	0.007	<0.01	<0.17	34.65	0.58	22.12	16.65	61.5	343	11.8	8.0	452	2.29	16.0	1.3	<0.2	10.6	40.0
2022099	Drill Core	3.76	428	0.006	0.07	0.71	39.23	0.61	15.74	10.35	57.7	285	10.3	7.2	579	2.31	11.0	1.4	<0.2	9.5	36.3
2022100	Rock Pulp	0.12	102	7.335				9.22	188.53	18.70	76.8	864	13.2	10.9	557	4.46	13.9	0.8	8497.3	2.6	67.6
2022101	Drill Core	3.28	444	0.015	0.01	<0.17	36.29	0.71	18.47	26.58	66.7	496	10.9	7.3	423	2.26	8.9	1.0	9.3	8.6	36.4
2022102	Drill Core	4.51	424	0.007	<0.01	<0.17	34.63	0.45	9.40	17.33	64.1	433	8.8	6.4	411	2.18	7.9	0.9	6.0	10.2	33.9
2022103	Drill Core	2.69	447	0.007	<0.01	<0.17	33.23	0.47	16.98	9.02	80.6	187	13.4	8.3	428	2.72	8.9	0.7	2.2	10.3	27.5
2022104	Drill Core	4.79	450	0.486	0.51	0.85	30.44	0.64	17.86	8.47	62.6	622	8.6	6.5	541	2.19	5.7	1.1	433.0	9.1	55.7
2022105	Drill Core	5.00	441	0.328	0.43	1.70	34.10	0.62	18.13	11.53	49.4	826	11.5	10.6	456	2.43	5.1	1.0	895.3	9.7	44.9
2022106	Drill Core	3.03	441	0.008	<0.01	<0.17	30.14	0.75	13.14	24.22	67.3	345	10.5	7.6	421	2.28	4.9	1.0	3.9	9.0	46.8
2022107	Drill Core	3.06	419	0.856	0.86	0.85	28.15	0.79	13.83	13.75	54.5	628	10.1	7.8	461	2.36	10.3	1.2	858.3	9.8	44.4
2022108	Drill Core	3.65	425	0.680	0.69	0.79	44.25	0.71	18.03	11.20	48.0	777	11.6	8.9	455	2.66	11.5	1.7	780.5	10.2	25.8
2022109	Drill Core	3.61	432	0.009	<0.01	<0.17	49.85	0.55	12.66	10.59	65.8	178	11.4	7.4	706	2.53	9.3	1.3	6.2	8.6	98.6
2022110	Drill Core	4.39	428	0.006	<0.01	<0.17	51.96	0.41	9.52	19.99	63.2	191	9.2	6.4	652	2.39	7.7	1.3	2.4	10.7	88.1
2022111	Drill Core	3.98	442	0.007	<0.01	<0.17	47.09	0.42	16.10	12.32	60.5	462	9.2	6.5	436	2.26	12.7	1.2	1.5	10.2	43.9
2022112	Drill Core	3.10	444	0.521	0.54	0.84	26.14	0.94	15.53	10.90	56.3	729	12.3	8.6	644	2.50	24.3	1.9	415.2	10.0	38.8
2022113	Drill Core	2.44	417	0.049	0.04	<0.17	34.35	0.93	21.57	8.10	49.5	692	12.4	8.5	590	2.40	33.2	1.8	227.3	9.3	57.6
2022114	Drill Core	3.40	426	0.070	0.06	<0.17	34.70	0.86	17.22	25.71	53.4	767	11.4	7.1	562	2.18	40.5	1.6	58.1	9.0	87.1
2022115	Drill Core	4.70	377	0.007	<0.01	<0.17	34.85	2.45	24.32	10.22	59.8	1603	13.1	8.8	552	2.53	27.4	2.2	4.8	10.6	62.2
2022116	Drill Core	5.02	516	0.007	<0.01	<0.17	26.59	0.51	13.18	15.98	73.4	238	11.8	8.0	521	2.74	22.6	1.5	3.3	8.6	73.8
2022117	Drill Core	5.31	462	0.008	<0.01	<0.17	59.89	0.82	25.69	16.23	51.9	6549	11.7	7.0	436	2.22	28.6	1.4	2.5	9.3	71.9
2022118	Drill Core	4.73	419	0.005	<0.01	<0.17	25.08	0.50	14.18	10.89	63.5	100	13.3	8.8	558	2.43	17.1	1.5	<0.2	9.3	125.8
2022119	Drill Core	5.52	508	0.006	<0.01	<0.17	31.96	0.45	9.46	13.73	48.5	115	9.9	6.4	592	2.02	17.2	0.8	<0.2	7.2	113.4
2022120	Rock Pulp	0.12	102	0.476				2.49	430.10	22.82	51.1	570	595.1	25.4	433	2.47	20.0	0.6	438.8	1.6	53.3
2022121	Drill Core	3.77	418	0.007	<0.01	<0.17	34.73	0.67	17.80	10.10	56.6	166	12.8	7.5	527	2.48	30.7	1.1	2.2	9.7	67.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022092	Drill Core	0.14	0.57	0.25	23	0.16	0.049	19.4	23.5	0.93	280.4	0.027	2	1.34	0.027	0.30	25.1	4.7	0.15	<0.02	<5			
2022093	Drill Core	0.25	0.94	0.42	24	0.24	0.071	25.6	27.5	1.24	282.3	0.016	2	1.58	0.029	0.34	3.9	5.8	0.13	<0.02	<5			
2022094	Drill Core	0.30	0.83	0.10	24	0.50	0.073	25.9	26.0	1.41	369.1	0.011	2	1.67	0.021	0.36	3.7	5.3	0.13	<0.02	<5			
2022095	Drill Core	0.22	0.42	0.15	22	0.71	0.065	25.1	22.3	1.25	290.1	0.029	1	1.52	0.026	0.45	0.8	5.9	0.16	<0.02	<5			
2022096	Drill Core	0.40	1.32	0.13	19	0.53	0.069	25.8	18.4	0.89	403.8	0.046	2	1.18	0.025	0.62	1.5	6.6	0.31	<0.02	<5			
2022097	Drill Core	0.35	1.51	0.08	16	1.07	0.075	28.9	16.6	0.80	360.3	0.031	2	1.09	0.026	0.52	1.3	5.7	0.35	<0.02	<5			
2022098	Drill Core	0.32	0.74	0.09	15	0.71	0.075	28.5	16.9	0.89	338.6	0.026	2	1.22	0.026	0.48	0.5	5.2	0.23	<0.02	<5			
2022099	Drill Core	0.37	1.16	0.04	14	0.64	0.069	26.3	15.2	0.91	298.0	0.034	2	1.17	0.028	0.52	0.5	4.7	0.31	<0.02	5			
2022100	Rock Pulp	0.20	5.25	0.57	105	0.91	0.068	7.5	19.2	0.81	122.0	0.112	4	1.68	0.184	0.22	3.9	3.8	0.09	<0.02	208			
2022101	Drill Core	0.35	0.76	0.23	15	0.56	0.064	23.0	18.2	1.01	250.3	0.031	3	1.26	0.024	0.51	0.6	3.3	0.24	<0.02	<5			
2022102	Drill Core	0.43	0.38	0.14	15	0.48	0.058	24.3	16.3	0.97	273.2	0.035	2	1.22	0.029	0.55	0.9	3.5	0.25	<0.02	<5			
2022103	Drill Core	0.27	0.20	0.05	25	0.40	0.073	27.5	27.8	1.34	259.1	0.045	1	1.57	0.040	0.46	0.2	5.1	0.22	<0.02	<5			
2022104	Drill Core	0.54	0.53	0.07	12	1.21	0.052	22.7	13.4	0.95	310.6	0.026	2	1.18	0.019	0.58	0.3	3.8	0.25	<0.02	<5			
2022105	Drill Core	0.31	0.36	0.07	14	0.71	0.063	25.9	15.1	0.87	352.6	0.015	2	1.18	0.022	0.47	0.2	3.9	0.17	0.02	6			
2022106	Drill Core	0.26	0.69	0.20	16	0.79	0.065	23.4	17.4	1.07	276.2	0.051	2	1.33	0.021	0.64	0.5	4.3	0.32	<0.02	<5			
2022107	Drill Core	0.34	0.87	0.12	12	0.72	0.062	26.7	13.4	0.87	316.7	0.025	2	1.24	0.017	0.58	0.4	3.5	0.25	<0.02	9			
2022108	Drill Core	0.23	0.62	0.05	12	0.35	0.079	27.8	12.2	0.70	335.6	0.017	2	1.16	0.024	0.54	0.4	4.4	0.20	<0.02	8			
2022109	Drill Core	0.27	0.57	<0.02	18	1.37	0.070	26.2	17.2	0.98	242.6	0.009	2	1.42	0.024	0.39	0.3	5.3	0.16	<0.02	8			
2022110	Drill Core	0.21	0.52	0.04	15	1.44	0.063	29.5	16.3	0.88	224.5	0.010	2	1.32	0.037	0.34	0.7	5.3	0.13	<0.02	9			
2022111	Drill Core	0.17	0.68	0.07	14	0.91	0.065	27.9	14.2	0.72	255.6	0.021	2	1.18	0.030	0.45	0.4	4.5	0.16	<0.02	9			
2022112	Drill Core	0.34	0.93	0.09	13	0.92	0.072	28.8	15.0	0.72	324.5	0.023	2	1.17	0.035	0.53	0.8	5.0	0.18	<0.02	<5			
2022113	Drill Core	0.39	0.97	0.03	13	1.39	0.075	28.2	14.1	0.66	325.9	0.025	1	1.04	0.027	0.52	0.4	4.9	0.18	<0.02	<5			
2022114	Drill Core	0.36	0.95	0.21	14	1.69	0.084	25.3	15.9	0.77	316.2	0.024	1	1.09	0.025	0.50	0.3	5.5	0.17	<0.02	<5			
2022115	Drill Core	0.34	1.24	0.03	17	1.49	0.080	29.0	19.1	0.78	308.4	0.036	2	1.19	0.037	0.58	2.8	5.9	0.25	<0.02	<5			
2022116	Drill Core	0.30	1.16	0.12	23	1.38	0.069	24.5	19.8	1.04	223.4	0.041	1	1.36	0.031	0.51	0.2	6.7	0.23	<0.02	<5			
2022117	Drill Core	0.29	0.96	0.11	19	1.68	0.072	28.5	17.1	0.89	267.2	0.042	2	1.20	0.023	0.57	13.3	7.3	0.25	<0.02	<5			
2022118	Drill Core	0.30	0.53	0.06	23	1.83	0.080	24.8	21.6	0.83	431.3	0.062	1	1.27	0.028	0.61	0.2	7.7	0.37	<0.02	<5			
2022119	Drill Core	0.26	0.31	0.09	17	2.34	0.062	21.0	16.7	0.70	274.1	0.036	1	1.10	0.029	0.38	0.1	5.9	0.15	<0.02	<5			
2022120	Rock Pulp	0.21	0.50	0.30	50	1.26	0.033	4.2	97.6	1.72	75.2	0.065	4	1.91	0.194	0.14	1.2	2.9	0.09	0.20	22			
2022121	Drill Core	0.26	0.59	0.07	21	1.38	0.072	28.4	19.1	0.86	452.8	0.031	1	1.20	0.034	0.48	0.1	8.1	0.20	<0.02	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022092	Drill Core	0.1	0.04	4.9	0.94	<0.1	0.12	0.17	17.4	0.4	<0.05	7.0	4.45	39.2	0.02	<1	0.4	11.6	<10
2022093	Drill Core	0.3	0.04	5.9	0.90	<0.1	0.25	0.05	15.6	0.3	<0.05	10.6	5.96	52.9	0.02	<1	0.4	15.5	<10
2022094	Drill Core	<0.1	<0.02	5.6	0.91	<0.1	0.19	0.03	15.0	0.3	<0.05	9.4	5.53	52.3	<0.02	<1	0.4	15.2	<10
2022095	Drill Core	<0.1	<0.02	5.8	1.08	<0.1	0.29	0.03	21.3	0.4	<0.05	11.2	4.82	49.2	0.02	<1	0.4	12.4	<10
2022096	Drill Core	0.2	0.02	4.3	3.43	<0.1	0.26	0.05	33.8	0.5	<0.05	9.0	5.76	51.2	0.02	<1	0.4	8.1	<10
2022097	Drill Core	0.1	<0.02	3.5	2.60	<0.1	0.09	0.05	24.5	0.4	<0.05	3.3	5.67	58.5	0.03	<1	0.4	7.3	<10
2022098	Drill Core	<0.1	<0.02	3.9	1.90	<0.1	0.18	0.03	23.0	0.4	<0.05	6.6	5.18	57.1	0.02	<1	0.4	7.7	<10
2022099	Drill Core	<0.1	<0.02	3.7	2.87	<0.1	0.18	0.03	26.5	0.3	<0.05	6.3	5.01	51.1	0.02	<1	0.4	7.4	<10
2022100	Rock Pulp	0.1	0.17	4.9	0.74	0.2	0.08	0.17	8.6	1.8	<0.05	1.2	5.28	15.7	0.05	<1	0.2	7.2	<10
2022101	Drill Core	0.1	0.03	4.0	2.37	<0.1	0.32	0.03	27.9	0.3	<0.05	12.0	4.87	44.1	<0.02	<1	0.4	11.2	<10
2022102	Drill Core	<0.1	0.03	4.4	2.10	<0.1	0.32	0.04	30.8	0.4	<0.05	11.2	4.40	47.1	<0.02	<1	0.4	9.1	<10
2022103	Drill Core	0.1	<0.02	6.9	1.23	<0.1	0.32	0.03	25.7	0.3	<0.05	12.2	4.79	54.5	<0.02	<1	0.4	13.6	<10
2022104	Drill Core	0.2	0.08	3.8	2.07	0.1	0.32	0.04	31.0	0.3	<0.05	11.7	6.07	44.6	<0.02	<1	0.4	11.2	<10
2022105	Drill Core	0.4	0.14	4.2	0.94	<0.1	0.29	0.04	21.1	0.3	<0.05	10.8	5.75	51.5	<0.02	<1	0.5	11.0	<10
2022106	Drill Core	<0.1	0.03	4.3	2.88	<0.1	0.37	0.03	39.4	0.4	<0.05	13.5	4.81	45.6	<0.02	<1	0.4	12.9	<10
2022107	Drill Core	0.2	0.05	3.4	2.13	<0.1	0.32	0.02	28.2	0.7	<0.05	12.3	5.21	52.6	<0.02	<1	0.5	11.6	<10
2022108	Drill Core	0.3	0.12	3.2	1.49	<0.1	0.22	0.04	21.9	0.3	<0.05	9.8	5.60	56.2	<0.02	<1	0.5	9.5	<10
2022109	Drill Core	<0.1	<0.02	4.3	1.83	<0.1	0.22	0.02	18.7	0.3	<0.05	8.6	6.67	50.9	0.03	<1	0.5	14.2	<10
2022110	Drill Core	<0.1	<0.02	4.5	1.31	<0.1	0.28	<0.02	14.9	0.4	<0.05	10.3	6.82	58.2	0.03	<1	0.5	11.9	<10
2022111	Drill Core	<0.1	<0.02	3.8	1.79	<0.1	0.24	0.04	23.8	0.3	<0.05	9.5	5.41	53.5	0.03	<1	0.4	9.1	<10
2022112	Drill Core	0.1	0.05	3.3	2.06	<0.1	0.18	0.06	28.5	0.3	<0.05	6.7	6.34	56.9	0.03	<1	0.4	9.7	<10
2022113	Drill Core	0.2	<0.02	3.0	1.63	<0.1	0.05	0.05	23.5	0.4	<0.05	1.7	7.12	54.7	0.02	<1	0.4	7.0	<10
2022114	Drill Core	0.1	0.03	3.2	1.47	<0.1	0.05	0.05	22.9	0.3	<0.05	1.8	7.01	50.2	<0.02	<1	0.4	8.4	<10
2022115	Drill Core	0.2	<0.02	3.8	2.67	<0.1	0.05	0.08	27.6	0.5	<0.05	1.7	8.74	57.3	0.03	<1	0.4	8.0	<10
2022116	Drill Core	0.1	<0.02	4.9	2.85	<0.1	0.09	0.06	27.6	0.6	<0.05	3.0	7.12	47.2	0.03	<1	0.3	11.1	<10
2022117	Drill Core	<0.1	<0.02	4.1	2.98	<0.1	0.10	0.08	29.4	0.6	<0.05	2.6	9.67	54.1	0.04	<1	0.4	8.2	<10
2022118	Drill Core	<0.1	<0.02	4.8	3.42	<0.1	0.05	0.17	38.2	0.7	<0.05	1.3	13.79	49.2	0.04	<1	0.4	7.7	<10
2022119	Drill Core	<0.1	<0.02	4.2	1.38	<0.1	0.03	0.09	18.4	0.4	<0.05	1.0	9.46	40.9	0.03	<1	0.3	6.7	<10
2022120	Rock Pulp	0.5	0.16	4.3	0.65	<0.1	0.05	0.04	6.2	0.4	<0.05	1.0	3.23	9.0	<0.02	2	0.1	7.6	291
2022121	Drill Core	<0.1	<0.02	4.4	2.29	<0.1	0.03	0.14	22.5	0.5	<0.05	1.2	12.96	55.8	0.04	<1	0.3	8.6	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022122	Drill Core	5.19	439	0.007	<0.01	<0.17	24.01	0.84	15.33	13.48	53.0	468	11.8	7.0	386	2.30	41.9	1.5	2.3	9.2	41.7
2022123	Drill Core	3.98	445	0.181	0.18	<0.17	27.57	0.91	25.95	14.11	50.0	1029	13.3	8.5	398	2.38	49.0	1.7	142.8	10.4	32.3
2022124	Drill Core	2.54	455	0.218	0.21	<0.17	35.61	1.09	5.64	5.68	28.7	434	9.7	7.0	502	1.97	67.1	1.4	212.9	7.2	48.1
2022125	Drill Core	4.93	493	0.140	0.14	<0.17	26.71	0.97	16.79	14.99	72.5	562	14.1	8.3	576	2.58	203.8	1.8	113.8	11.1	39.7
2022126	Drill Core	3.85	400	0.011	<0.01	<0.17	23.29	0.75	19.27	9.18	46.8	409	12.8	7.7	482	2.29	126.5	1.6	6.3	10.4	42.3
2022127	Drill Core	3.90	366	0.007	<0.01	<0.17	43.82	0.98	25.65	10.89	66.7	307	16.0	9.3	511	2.58	53.0	2.1	1.9	10.8	35.2
2022128	Drill Core	4.67	375	0.005	<0.01	<0.17	28.39	0.65	11.86	12.01	62.3	149	13.3	8.2	529	2.63	17.0	1.5	2.7	9.7	47.0
2022129	Drill Core	2.35	475	0.005	<0.01	<0.17	19.60	0.56	23.24	19.07	51.9	157	16.5	8.6	490	2.41	43.5	1.4	1.9	9.0	35.3
2022130	Drill Core	4.84	433	0.005	<0.01	<0.17	30.80	0.83	19.77	9.12	57.3	209	14.0	8.1	556	2.46	158.5	1.6	2.5	10.4	49.5
2022131	Drill Core	4.13	396	0.005	<0.01	<0.17	25.53	0.85	20.69	11.05	61.7	172	15.0	8.7	525	2.60	94.7	1.6	1.5	11.8	57.1
2022132	Drill Core	4.47	443	0.006	<0.01	<0.17	29.61	0.72	19.09	11.65	55.6	147	12.9	8.2	577	2.65	52.4	1.1	1.9	10.6	91.2
2022133	Drill Core	5.71	400	0.006	<0.01	<0.17	28.95	1.57	16.29	22.13	53.4	201	12.3	7.8	331	2.23	19.2	1.8	1.7	10.3	59.8
2022134	Drill Core	3.88	346	0.005	<0.01	<0.17	26.45	0.63	13.77	19.75	50.0	450	10.8	7.2	258	2.13	16.3	1.5	1.8	10.0	28.8
2022135	Drill Core	4.19	419	0.031	0.03	<0.17	21.54	1.33	13.83	26.86	47.7	888	10.4	6.7	391	2.10	409.9	1.9	25.8	10.4	53.8
2022136	Drill Core	3.60	417	0.012	0.01	<0.17	24.29	0.67	15.61	19.85	42.5	251	8.6	6.0	253	1.95	176.7	1.4	5.9	10.5	27.8
2022137	Drill Core	4.30	500	0.085	0.08	<0.17	30.28	0.89	14.34	13.82	45.5	518	9.9	7.0	260	2.06	37.8	1.4	52.4	10.6	24.7
2022138	Drill Core	3.62	461	0.020	0.02	<0.17	21.99	0.78	15.40	12.96	52.9	222	12.2	8.3	474	2.39	34.2	1.1	12.2	8.6	49.4
2022139	Drill Core	3.01	473	0.006	<0.01	<0.17	29.33	0.70	10.75	19.51	43.4	297	9.0	5.6	336	1.86	13.8	0.9	2.2	7.0	43.5
2022140	Rock Pulp	0.12	100	0.006				2.40	94.98	3.64	35.4	123	5.0	8.8	358	2.61	0.7	0.8	5.4	2.6	70.0
2022141	Drill Core	2.93	359	0.007	<0.01	<0.17	23.84	0.57	10.23	13.22	49.2	192	8.8	5.3	401	2.15	5.8	0.8	1.4	9.5	37.4
2022142	Drill Core	2.77	446	0.007	<0.01	<0.17	28.21	0.94	17.93	14.21	58.6	503	12.6	7.6	389	2.39	13.5	0.9	2.4	10.5	35.9
2022143	Drill Core	4.67	444	0.006	<0.01	<0.17	34.65	0.60	13.57	13.43	51.8	199	10.9	7.6	378	2.27	6.7	1.3	0.5	10.0	65.7
2022144	Drill Core	4.61	471	0.007	<0.01	<0.17	28.37	0.58	17.04	14.95	66.3	196	13.7	8.7	525	2.52	7.0	1.0	1.4	9.1	65.7
2022145	Drill Core	3.56	377	0.007	<0.01	<0.17	40.76	0.80	17.85	12.81	70.3	214	13.4	9.1	438	2.68	8.9	0.9	1.2	9.2	48.2
2022146	Drill Core	5.46	429	0.005	<0.01	<0.17	27.67	0.42	14.51	15.04	61.7	192	12.2	8.0	421	2.55	7.5	1.0	1.3	9.2	27.5
2022147	Drill Core	4.54	448	<0.005	<0.01	<0.17	29.08	0.77	18.62	5.98	43.2	94	11.9	7.6	267	1.77	5.3	1.1	<0.2	4.3	41.9
2022148	Drill Core	5.66	509	0.014	0.01	<0.17	31.68	0.85	17.75	15.19	66.5	591	13.3	8.7	361	2.44	21.0	1.3	10.5	6.5	46.7
2022149	Drill Core	4.49	447	0.005	<0.01	<0.17	49.00	0.71	15.96	10.16	59.5	138	13.1	8.3	440	2.35	9.1	1.1	<0.2	6.4	146.0
2022150	Drill Core	5.72	530	<0.005	<0.01	<0.17	31.38	0.73	19.62	10.77	47.1	304	11.5	7.7	261	1.82	10.2	0.9	1.2	7.5	34.5
2022151	Drill Core	4.74	391	<0.005	<0.01	<0.17	37.32	0.77	17.18	11.53	55.7	201	10.6	8.6	351	2.20	8.6	1.1	<0.2	8.7	43.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022122	Drill Core	0.28	0.92	0.09	18	1.21	0.072	28.4	18.5	0.75	282.0	0.037	2	1.21	0.020	0.54	0.8	5.1	0.24	<0.02	7			
2022123	Drill Core	0.34	1.03	0.07	15	0.82	0.074	29.1	16.9	0.70	320.8	0.017	1	1.17	0.017	0.54	0.9	4.6	0.24	<0.02	5			
2022124	Drill Core	0.14	0.75	0.03	8	0.77	0.060	21.1	9.0	0.57	277.7	0.005	2	0.84	0.018	0.41	0.2	3.1	0.15	<0.02	5			
2022125	Drill Core	0.65	1.88	0.18	15	1.24	0.078	27.7	17.3	0.94	268.2	0.026	<1	1.23	0.024	0.52	0.3	7.5	0.26	<0.02	<5			
2022126	Drill Core	0.29	1.37	0.24	13	1.33	0.068	23.0	14.7	0.76	287.7	0.028	2	1.11	0.020	0.57	0.3	6.3	0.33	<0.02	<5			
2022127	Drill Core	0.44	1.21	0.08	19	1.04	0.083	31.1	18.5	0.78	333.2	0.026	2	1.27	0.019	0.49	0.2	7.6	0.23	<0.02	9			
2022128	Drill Core	0.34	1.03	0.05	21	1.31	0.075	27.8	21.6	0.90	246.7	0.048	<1	1.21	0.039	0.59	0.1	8.0	0.38	<0.02	6			
2022129	Drill Core	0.29	1.74	0.06	20	1.09	0.081	27.4	21.4	0.78	275.3	0.043	<1	1.07	0.031	0.56	0.2	8.6	0.34	<0.02	<5			
2022130	Drill Core	0.31	5.01	0.15	19	1.64	0.080	29.3	21.6	0.77	331.5	0.019	1	1.14	0.032	0.45	0.2	8.6	0.23	<0.02	<5			
2022131	Drill Core	0.38	2.93	0.08	20	1.64	0.089	35.8	19.4	0.72	452.8	0.011	<1	1.12	0.031	0.50	0.2	8.6	0.23	<0.02	<5			
2022132	Drill Core	0.18	0.67	0.07	25	2.16	0.075	29.0	26.1	0.92	309.2	0.009	<1	1.43	0.031	0.36	0.1	6.9	0.11	<0.02	<5			
2022133	Drill Core	0.23	0.81	0.14	19	1.35	0.078	27.3	22.1	0.76	332.5	0.067	<1	1.17	0.039	0.39	0.1	6.8	0.12	<0.02	<5			
2022134	Drill Core	0.17	0.48	0.17	16	0.67	0.076	25.8	19.5	0.76	299.2	0.083	<1	1.11	0.035	0.36	1.1	5.1	0.10	<0.02	<5			
2022135	Drill Core	0.37	11.54	0.43	15	1.55	0.065	30.6	15.8	0.62	301.4	0.010	<1	1.02	0.025	0.42	2.1	6.2	0.22	<0.02	8			
2022136	Drill Core	0.26	3.60	0.14	11	0.88	0.067	28.4	11.5	0.63	272.6	0.029	<1	1.03	0.031	0.57	0.4	5.7	0.28	<0.02	10			
2022137	Drill Core	0.34	0.67	0.10	10	0.76	0.070	28.9	11.9	0.64	262.1	0.018	<1	1.06	0.033	0.46	1.5	5.1	0.17	<0.02	<5			
2022138	Drill Core	0.28	0.41	0.07	15	1.76	0.071	24.7	19.8	0.75	337.7	0.041	<1	1.37	0.023	0.42	0.1	4.7	0.13	<0.02	<5			
2022139	Drill Core	0.12	0.27	0.30	14	1.02	0.072	18.6	15.9	0.67	356.5	0.067	<1	1.04	0.040	0.35	0.4	5.5	0.11	<0.02	<5			
2022140	Rock Pulp	0.07	0.13	0.04	95	0.93	0.066	6.9	10.2	0.72	127.8	0.099	1	1.56	0.173	0.21	3.0	2.4	0.04	<0.02	<5			
2022141	Drill Core	0.16	0.20	0.09	15	0.94	0.063	23.7	15.9	0.83	337.7	0.061	<1	1.06	0.044	0.43	0.3	5.3	0.17	<0.02	<5			
2022142	Drill Core	0.19	0.28	0.14	16	0.80	0.079	30.7	17.9	0.91	337.4	0.041	<1	1.25	0.026	0.49	1.0	5.4	0.21	<0.02	<5			
2022143	Drill Core	0.25	0.21	0.09	14	1.87	0.065	26.1	15.7	0.70	317.5	0.079	<1	1.24	0.023	0.43	0.3	4.8	0.12	<0.02	<5			
2022144	Drill Core	0.28	0.22	0.08	18	1.91	0.076	26.0	23.1	0.84	341.5	0.072	<1	1.41	0.029	0.41	0.2	5.2	0.14	<0.02	<5			
2022145	Drill Core	0.26	0.18	0.10	22	1.53	0.080	27.4	27.3	0.96	352.3	0.050	<1	1.37	0.034	0.54	0.1	5.7	0.27	<0.02	<5			
2022146	Drill Core	0.13	0.17	0.05	21	0.74	0.081	25.7	24.2	1.03	288.0	0.077	<1	1.40	0.038	0.44	0.1	4.7	0.20	<0.02	<5			
2022147	Drill Core	0.17	0.35	0.02	12	0.64	0.084	8.9	15.3	0.49	293.3	0.094	<1	1.02	0.029	0.37	0.3	3.6	0.12	<0.02	<5			
2022148	Drill Core	0.17	0.38	0.13	21	0.90	0.077	15.1	27.8	0.92	279.8	0.097	<1	1.36	0.035	0.26	2.8	4.8	0.09	<0.02	<5			
2022149	Drill Core	0.16	0.30	0.09	24	1.85	0.072	15.2	28.9	0.90	303.9	0.100	<1	1.38	0.046	0.30	0.1	5.6	0.10	<0.02	<5			
2022150	Drill Core	0.13	0.28	0.29	17	0.66	0.069	18.6	19.3	0.61	290.8	0.089	<1	0.97	0.033	0.32	0.2	3.8	0.11	<0.02	<5			
2022151	Drill Core	0.17	0.35	0.14	20	0.76	0.082	20.5	24.6	0.87	302.8	0.111	<1	1.28	0.043	0.33	0.2	3.2	0.12	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022122	Drill Core	<0.1	<0.02	4.1	2.10	<0.1	0.04	0.08	25.3	0.4	<0.05	1.5	9.89	55.3	0.03	<1	0.3	10.6	<10	<2	
2022123	Drill Core	<0.1	0.06	3.8	2.11	<0.1	0.05	0.04	25.1	0.4	<0.05	2.4	8.43	57.8	0.03	<1	0.4	9.9	<10	<2	
2022124	Drill Core	0.3	0.08	2.4	0.91	<0.1	0.02	<0.02	17.7	0.2	<0.05	1.1	6.29	40.8	<0.02	<1	0.3	8.1	<10	<2	
2022125	Drill Core	0.1	0.02	3.8	3.42	<0.1	0.13	0.04	33.0	0.5	<0.05	4.8	7.07	52.9	0.03	<1	0.6	10.5	<10	<2	
2022126	Drill Core	0.1	0.03	3.2	3.07	<0.1	0.08	0.06	30.2	0.4	<0.05	4.2	6.55	44.0	0.02	<1	0.4	7.7	<10	<2	
2022127	Drill Core	<0.1	<0.02	4.6	1.67	<0.1	0.04	0.07	24.5	0.4	<0.05	2.0	11.40	59.3	0.03	<1	0.6	11.5	<10	<2	
2022128	Drill Core	<0.1	<0.02	3.9	5.49	<0.1	0.15	0.10	36.1	0.5	<0.05	5.9	8.85	51.2	0.03	<1	0.5	8.3	<10	<2	
2022129	Drill Core	<0.1	<0.02	3.8	5.67	<0.1	0.21	0.08	31.4	0.5	<0.05	6.9	8.17	50.5	<0.02	<1	0.5	7.1	<10	<2	
2022130	Drill Core	0.1	<0.02	4.1	3.01	<0.1	0.09	0.05	21.0	0.4	<0.05	3.9	10.34	55.1	0.03	<1	0.6	10.5	<10	<2	
2022131	Drill Core	0.1	<0.02	4.2	4.04	<0.1	0.08	0.09	21.9	0.5	<0.05	2.5	13.64	66.7	0.05	<1	0.4	9.8	<10	<2	
2022132	Drill Core	<0.1	<0.02	6.7	0.73	<0.1	0.04	0.08	12.4	0.4	<0.05	1.3	12.93	55.0	0.05	<1	0.4	13.4	<10	<2	
2022133	Drill Core	0.1	0.03	4.9	1.23	<0.1	0.05	0.18	14.6	0.5	<0.05	2.4	12.14	47.5	0.03	<1	0.3	11.5	<10	<2	
2022134	Drill Core	<0.1	<0.02	3.6	1.43	<0.1	0.17	0.19	12.7	0.5	<0.05	5.6	9.27	47.2	<0.02	<1	0.3	12.5	<10	<2	
2022135	Drill Core	<0.1	0.04	3.8	4.11	<0.1	0.06	<0.02	21.1	0.4	<0.05	2.8	12.00	58.5	0.04	<1	0.4	9.6	<10	<2	
2022136	Drill Core	<0.1	<0.02	3.1	3.31	<0.1	0.09	0.06	29.1	0.4	<0.05	3.0	7.19	51.5	0.03	<1	0.4	6.4	<10	<2	
2022137	Drill Core	<0.1	<0.02	3.1	1.92	<0.1	0.04	0.05	20.6	0.3	<0.05	1.9	7.83	52.9	0.03	<1	0.3	8.1	<10	<2	
2022138	Drill Core	<0.1	<0.02	4.4	0.86	<0.1	0.02	0.13	16.0	0.4	<0.05	1.2	9.98	45.2	<0.02	<1	0.3	8.7	<10	<2	
2022139	Drill Core	<0.1	0.02	3.5	0.85	<0.1	0.10	0.17	13.8	0.5	<0.05	2.7	7.95	33.0	<0.02	<1	0.4	6.6	<10	<2	
2022140	Rock Pulp	<0.1	<0.02	4.4	0.32	<0.1	0.07	0.07	6.8	0.3	<0.05	1.3	4.39	14.2	<0.02	<1	<0.1	6.3	<10	<2	
2022141	Drill Core	<0.1	<0.02	3.8	2.20	<0.1	0.16	0.12	20.6	0.4	<0.05	6.1	8.57	45.1	0.02	<1	0.3	6.0	<10	<2	
2022142	Drill Core	<0.1	<0.02	4.6	1.67	<0.1	0.15	0.08	24.9	0.4	<0.05	6.4	9.65	59.2	0.03	<1	0.2	9.1	<10	<2	
2022143	Drill Core	<0.1	<0.02	4.7	0.48	<0.1	0.07	0.20	16.4	0.5	<0.05	2.0	13.59	45.9	0.03	<1	0.3	7.2	<10	<2	
2022144	Drill Core	<0.1	0.02	5.7	0.59	<0.1	0.06	0.18	17.6	0.4	<0.05	2.4	13.38	48.3	0.02	<1	0.3	9.0	<10	<2	
2022145	Drill Core	<0.1	<0.02	5.6	2.48	<0.1	0.06	0.06	34.6	0.4	<0.05	2.0	12.34	52.2	0.02	<1	0.4	11.5	<10	<2	
2022146	Drill Core	<0.1	<0.02	5.5	2.06	<0.1	0.15	0.13	24.0	0.4	<0.05	5.5	10.50	46.9	0.02	<1	0.4	9.4	<10	<2	
2022147	Drill Core	<0.1	<0.02	3.4	0.84	<0.1	0.04	0.32	13.7	0.4	<0.05	1.6	6.26	16.7	<0.02	1	0.3	6.7	<10	<2	
2022148	Drill Core	<0.1	0.03	5.1	0.68	<0.1	0.04	0.18	10.7	0.5	<0.05	1.6	8.67	29.1	0.03	1	0.3	12.1	<10	<2	
2022149	Drill Core	<0.1	0.02	5.5	0.84	<0.1	0.03	0.27	12.3	0.6	<0.05	1.1	10.55	29.5	0.03	<1	0.4	13.5	<10	<2	
2022150	Drill Core	<0.1	0.03	3.8	1.26	<0.1	0.06	0.21	13.2	0.5	<0.05	2.2	10.13	35.9	0.03	<1	0.4	10.2	<10	<2	
2022151	Drill Core	<0.1	<0.02	4.6	0.73	<0.1	0.03	0.17	12.5	0.5	<0.05	1.1	11.32	38.9	0.02	<1	0.4	12.3	<10	<2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022152	Drill Core	4.53	434	<0.005	<0.01	<0.17	35.19	1.16	19.01	9.62	31.2	261	9.3	8.1	170	1.41	9.6	1.0	0.8	6.4	51.1
2022153	Drill Core	4.92	468	0.006	<0.01	<0.17	49.69	0.37	8.00	11.28	72.2	157	11.8	6.9	447	2.49	3.3	0.7	0.3	4.8	40.0
2022154	Drill Core	4.31	397	<0.005	<0.01	<0.17	25.70	0.38	13.50	15.11	76.6	188	13.5	8.6	461	2.53	5.3	0.9	0.2	6.0	54.6
2022155	Drill Core	5.51	519	<0.005	<0.01	<0.17	43.61	0.48	17.54	12.45	60.9	179	14.1	8.1	437	2.27	6.8	1.1	<0.2	9.0	51.6
2022156	Drill Core	2.70	519	<0.005	<0.01	<0.17	39.40	0.34	9.40	21.50	59.1	190	11.5	7.1	398	2.15	4.4	0.7	<0.2	7.9	50.3
2022157	Drill Core	4.58	351	<0.005	<0.01	<0.17	23.17	0.41	14.58	18.10	63.3	224	13.6	7.6	379	2.24	13.8	1.0	<0.2	9.3	45.7
2022158	Drill Core	3.33	438	0.834	0.83	0.76	29.04	0.74	13.23	14.67	51.0	400	12.7	7.3	382	2.32	651.1	2.8	789.9	8.5	64.8
2022159	Drill Core	4.90	405	0.008	<0.01	<0.17	45.09	0.72	20.89	13.51	50.6	220	9.7	7.6	452	2.02	41.0	1.3	4.6	9.3	106.8
2022160	Core DUP		462	0.007	<0.01	<0.17	32.16	0.78	19.67	13.88	50.9	236	10.2	6.9	455	2.05	45.6	1.4	5.6	10.4	111.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2022152	Drill Core	0.16	0.24	0.14	14	0.65	0.080	14.6	15.6	0.49	389.6	0.088	<1	0.97	0.023	0.46	0.4	3.6	0.14	<0.02
2022153	Drill Core	0.09	0.19	0.18	15	0.75	0.076	11.0	21.3	0.97	263.3	0.099	<1	1.51	0.030	0.28	0.1	2.8	0.07	<0.02
2022154	Drill Core	0.11	0.21	0.15	19	1.01	0.087	14.4	27.7	0.94	276.2	0.114	<1	1.56	0.047	0.30	0.1	4.5	0.08	<0.02
2022155	Drill Core	0.29	0.39	0.10	18	1.19	0.075	21.3	19.5	0.85	413.9	0.045	<1	1.14	0.032	0.45	0.2	6.1	0.14	<0.02
2022156	Drill Core	0.25	0.26	0.16	14	1.26	0.064	21.9	16.1	0.81	388.3	0.048	<1	1.03	0.032	0.36	<0.1	4.2	0.09	<0.02
2022157	Drill Core	0.26	0.47	0.11	17	0.92	0.076	24.7	20.4	0.88	309.8	0.048	<1	1.11	0.038	0.48	0.1	6.0	0.16	<0.02
2022158	Drill Core	0.29	1.20	0.06	19	1.32	0.068	25.4	18.5	0.84	291.3	0.028	2	1.09	0.023	0.56	0.4	7.6	0.20	<0.02
2022159	Drill Core	0.35	0.74	0.05	16	2.11	0.062	23.7	17.2	0.63	302.6	0.062	<1	1.00	0.028	0.63	0.2	6.2	0.29	<0.02
2022160	Core DUP	0.36	0.86	0.09	17	2.04	0.073	24.8	16.1	0.63	326.8	0.058	2	0.96	0.025	0.63	0.2	6.7	0.28	0.02
																				10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000055.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022152	Drill Core	<0.1	0.03	3.4	0.56	<0.1	0.03	0.24	17.4	0.5	<0.05	1.0	9.02	26.7	0.03	<1	0.4	8.2	<10
2022153	Drill Core	<0.1	<0.02	5.1	0.23	<0.1	<0.02	0.17	10.3	0.4	<0.05	0.6	7.02	21.1	<0.02	<1	0.3	12.3	<10
2022154	Drill Core	<0.1	<0.02	6.1	0.21	<0.1	0.02	0.23	11.6	0.5	<0.05	0.7	9.33	27.5	<0.02	<1	0.3	13.4	<10
2022155	Drill Core	<0.1	<0.02	3.9	2.49	<0.1	0.11	0.08	18.3	0.4	<0.05	4.0	13.96	40.0	0.03	2	0.3	9.8	<10
2022156	Drill Core	<0.1	<0.02	3.4	2.29	<0.1	0.14	0.11	13.7	0.3	<0.05	4.8	11.36	42.4	<0.02	<1	0.3	6.6	<10
2022157	Drill Core	<0.1	0.03	3.6	2.89	<0.1	0.17	0.09	22.1	0.5	<0.05	6.2	12.74	46.3	0.02	<1	0.2	7.6	<10
2022158	Drill Core	<0.1	0.08	3.7	2.94	<0.1	0.13	0.04	25.8	0.5	<0.05	4.9	10.61	47.9	0.04	<1	0.3	9.6	<10
2022159	Drill Core	0.2	<0.02	3.7	2.95	<0.1	0.04	0.12	33.3	0.6	<0.05	1.1	13.14	44.7	0.04	<1	0.3	7.9	<10
2022160	Core DUP	0.3	<0.02	3.8	3.54	<0.1	0.04	0.14	34.5	0.6	<0.05	0.7	13.90	48.4	0.04	<1	0.4	7.7	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
2022092	Drill Core	2.46	447	0.041	0.04	<0.17	31.95	0.65	25.62	15.59	54.4	8423	12.9	7.1	427	2.23	15.9	0.7	30.5	6.9	14.6	
REP 2022092	QC							0.66	25.26	15.11	54.4	8666	12.5	6.9	441	2.25	15.5	0.7	39.5	6.8	13.6	
2022113	Drill Core	2.44	417	0.049	0.04	<0.17	34.35	0.93	21.57	8.10	49.5	692	12.4	8.5	590	2.40	33.2	1.8	227.3	9.3	57.6	
REP 2022113	QC			0.043																		
2022125	Drill Core	4.93	493	0.140	0.14	<0.17	26.71	0.97	16.79	14.99	72.5	562	14.1	8.3	576	2.58	203.8	1.8	113.8	11.1	39.7	
REP 2022125	QC							0.96	17.05	15.02	76.4	560	14.2	8.9	624	2.57	204.2	1.8	125.8	10.4	38.7	
2022150	Drill Core	5.72	530	<0.005	<0.01	<0.17	31.38	0.73	19.62	10.77	47.1	304	11.5	7.7	261	1.82	10.2	0.9	1.2	7.5	34.5	
REP 2022150	QC			0.006																		
2022160	Core DUP		462	0.007	<0.01	<0.17	32.16	0.78	19.67	13.88	50.9	236	10.2	6.9	455	2.05	45.6	1.4	5.6	10.4	111.1	
REP 2022160	QC							0.80	20.07	14.48	52.6	240	10.4	7.2	475	2.08	46.3	1.4	6.4	10.7	114.4	
Core Reject Duplicates																						
2022098	Drill Core	3.19	452	0.007	<0.01	<0.17	34.65	0.58	22.12	16.65	61.5	343	11.8	8.0	452	2.29	16.0	1.3	<0.2	10.6	40.0	
DUP 2022098	QC		455	0.007	<0.01	<0.17	33.88	0.56	20.19	15.32	56.8	357	10.8	6.9	398	2.26	14.1	1.2	<0.2	9.6	38.6	
2022132	Drill Core	4.47	443	0.006	<0.01	<0.17	29.61	0.72	19.09	11.65	55.6	147	12.9	8.2	577	2.65	52.4	1.1	1.9	10.6	91.2	
DUP 2022132	QC		342	0.006	<0.01	<0.17	19.97	0.67	17.92	11.02	53.0	144	12.3	7.0	521	2.60	49.1	1.1	2.2	9.9	82.5	
Reference Materials																						
STD BVGEO01	Standard							11.50	4494.40	191.20	1832.2	2773	162.3	26.6	773	3.74	125.3	4.0	235.4	15.7	58.8	
STD DS11	Standard							15.24	154.80	134.84	331.7	1796	80.5	14.2	1008	3.16	45.5	2.7	89.3	8.0	67.5	
STD DS11	Standard							15.42	154.47	136.31	347.0	1758	80.2	13.9	989	3.10	44.6	2.6	108.6	7.7	65.9	
STD OREAS262	Standard							0.79	118.84	56.67	153.3	461	66.7	28.0	544	3.21	38.3	1.2	76.9	9.4	35.6	
STD OREAS262	Standard							0.80	117.29	57.30	152.0	462	65.7	26.3	564	3.22	38.2	1.3	85.4	9.5	34.8	
STD OREAS262	Standard							0.71	119.46	56.32	152.6	500	68.2	26.7	562	3.29	36.2	1.3	61.7	9.4	34.9	
STD OREAS256	Standard			7.553																		
STD OREAS263	Standard			0.222																		
STD OREAS253	Standard			1.185																		
STD OXC145	Standard			0.210																		
STD OXH139	Standard			1.301																		
STD OXN134	Standard			7.714																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000055.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022092	Drill Core	0.14	0.57	0.25	23	0.16	0.049	19.4	23.5	0.93	280.4	0.027	2	1.34	0.027	0.30	25.1	4.7	0.15	<0.02	<5
REP 2022092	QC	0.12	0.57	0.25	23	0.16	0.049	19.4	23.1	0.93	282.4	0.026	2	1.35	0.026	0.30	25.3	4.7	0.15	<0.02	<5
2022113	Drill Core	0.39	0.97	0.03	13	1.39	0.075	28.2	14.1	0.66	325.9	0.025	1	1.04	0.027	0.52	0.4	4.9	0.18	<0.02	<5
REP 2022113	QC																				
2022125	Drill Core	0.65	1.88	0.18	15	1.24	0.078	27.7	17.3	0.94	268.2	0.026	<1	1.23	0.024	0.52	0.3	7.5	0.26	<0.02	<5
REP 2022125	QC	0.64	1.87	0.17	15	1.17	0.079	26.5	18.9	0.94	255.2	0.028	1	1.24	0.023	0.53	0.3	6.9	0.24	<0.02	5
2022150	Drill Core	0.13	0.28	0.29	17	0.66	0.069	18.6	19.3	0.61	290.8	0.089	<1	0.97	0.033	0.32	0.2	3.8	0.11	<0.02	<5
REP 2022150	QC																				
2022160	Core DUP	0.36	0.86	0.09	17	2.04	0.073	24.8	16.1	0.63	326.8	0.058	2	0.96	0.025	0.63	0.2	6.7	0.28	0.02	10
REP 2022160	QC	0.34	0.88	0.08	17	2.04	0.070	25.6	16.2	0.64	327.7	0.059	2	0.99	0.027	0.64	0.2	7.0	0.29	0.02	6
Core Reject Duplicates																					
2022098	Drill Core	0.32	0.74	0.09	15	0.71	0.075	28.5	16.9	0.89	338.6	0.026	2	1.22	0.026	0.48	0.5	5.2	0.23	<0.02	<5
DUP 2022098	QC	0.28	0.69	0.08	15	0.69	0.068	25.5	16.2	0.87	304.8	0.024	2	1.18	0.026	0.47	0.4	4.7	0.21	<0.02	<5
2022132	Drill Core	0.18	0.67	0.07	25	2.16	0.075	29.0	26.1	0.92	309.2	0.009	<1	1.43	0.031	0.36	0.1	6.9	0.11	<0.02	<5
DUP 2022132	QC	0.19	0.63	0.06	24	2.12	0.069	28.5	24.1	0.93	297.8	0.007	<1	1.39	0.032	0.36	0.1	6.3	0.11	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	7.31	3.68	26.36	75	1.39	0.089	26.2	208.6	1.33	292.6	0.244	3	2.39	0.197	0.87	5.3	6.7	0.68	0.66	102
STD DS11	Standard	2.49	9.69	12.15	51	1.07	0.079	20.2	62.4	0.85	401.6	0.097	7	1.21	0.075	0.41	3.1	3.3	5.06	0.28	265
STD DS11	Standard	2.43	9.46	12.08	49	1.05	0.075	19.2	61.1	0.82	378.4	0.093	7	1.17	0.073	0.40	3.1	3.3	5.02	0.27	250
STD OREAS262	Standard	0.66	6.51	1.05	22	2.90	0.043	17.3	45.4	1.17	258.4	0.002	2	1.40	0.069	0.32	0.2	3.2	0.45	0.25	162
STD OREAS262	Standard	0.64	6.49	1.07	22	2.92	0.041	17.8	46.6	1.17	255.2	0.003	4	1.43	0.069	0.32	0.2	3.3	0.48	0.25	160
STD OREAS262	Standard	0.75	5.23	1.06	21	3.12	0.046	17.4	45.2	1.19	264.0	0.003	3	1.38	0.069	0.31	0.2	3.5	0.46	0.25	166
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000055.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022092	Drill Core	0.1	0.04	4.9	0.94	<0.1	0.12	0.17	17.4	0.4	<0.05	7.0	4.45	39.2	0.02	<1	0.4	11.6	<10	<2
REP 2022092	QC	0.2	0.05	4.8	0.93	<0.1	0.12	0.16	17.1	0.4	<0.05	6.9	4.58	38.9	<0.02	<1	0.4	11.1	<10	<2
2022113	Drill Core	0.2	<0.02	3.0	1.63	<0.1	0.05	0.05	23.5	0.4	<0.05	1.7	7.12	54.7	0.02	<1	0.4	7.0	<10	<2
REP 2022113	QC																			
2022125	Drill Core	0.1	0.02	3.8	3.42	<0.1	0.13	0.04	33.0	0.5	<0.05	4.8	7.07	52.9	0.03	<1	0.6	10.5	<10	<2
REP 2022125	QC	0.2	<0.02	3.8	3.39	<0.1	0.14	0.03	32.7	0.4	<0.05	5.0	7.22	50.1	0.03	<1	0.6	10.1	<10	<2
2022150	Drill Core	<0.1	0.03	3.8	1.26	<0.1	0.06	0.21	13.2	0.5	<0.05	2.2	10.13	35.9	0.03	<1	0.4	10.2	<10	<2
REP 2022150	QC																			
2022160	Core DUP	0.3	<0.02	3.8	3.54	<0.1	0.04	0.14	34.5	0.6	<0.05	0.7	13.90	48.4	0.04	<1	0.4	7.7	<10	<2
REP 2022160	QC	0.3	<0.02	4.0	3.62	<0.1	0.04	0.13	35.8	0.6	<0.05	0.7	14.31	49.7	0.04	<1	0.4	6.9	<10	<2
Core Reject Duplicates																				
2022098	Drill Core	<0.1	<0.02	3.9	1.90	<0.1	0.18	0.03	23.0	0.4	<0.05	6.6	5.18	57.1	0.02	<1	0.4	7.7	<10	<2
DUP 2022098	QC	0.1	<0.02	3.6	1.79	<0.1	0.15	0.04	21.1	0.4	<0.05	6.0	4.67	50.8	<0.02	<1	0.4	7.3	<10	<2
2022132	Drill Core	<0.1	<0.02	6.7	0.73	<0.1	0.04	0.08	12.4	0.4	<0.05	1.3	12.93	55.0	0.05	<1	0.4	13.4	<10	<2
DUP 2022132	QC	<0.1	<0.02	6.2	0.71	<0.1	0.06	0.04	12.3	0.4	<0.05	1.3	12.64	53.8	0.04	<1	0.3	13.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	1.13	8.5	8.14	0.2	0.30	0.34	97.6	6.2	<0.05	9.9	15.03	55.0	0.51	3	0.5	22.5	125	206
STD DS11	Standard	2.2	4.81	5.1	3.17	<0.1	0.06	1.67	36.2	1.9	<0.05	2.7	8.53	41.1	0.25	42	0.7	23.0	112	175
STD DS11	Standard	2.1	4.75	5.1	3.05	<0.1	0.06	1.58	34.6	1.9	<0.05	2.6	8.29	39.6	0.25	46	0.7	22.8	116	171
STD OREAS262	Standard	0.4	0.24	4.3	3.21	<0.1	0.28	<0.02	20.4	0.6	<0.05	11.8	10.96	35.1	0.04	<1	0.9	17.5	<10	<2
STD OREAS262	Standard	0.4	0.24	4.4	3.33	<0.1	0.25	<0.02	21.5	0.6	<0.05	11.1	11.06	36.9	0.04	1	1.0	18.2	<10	<2
STD OREAS262	Standard	0.2	0.23	4.3	2.92	<0.1	0.29	<0.02	20.0	0.5	<0.05	11.3	11.49	33.8	0.04	2	1.3	18.3	<10	<2
STD OREAS256	Standard																			
STD OREAS263	Standard																			
STD OREAS253	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.19	30.17														
STD OXQ90	Standard					24.91	29.91														
STD OXQ90	Standard					25.26	29.53														
STD OXQ90	Standard					24.87	29.99														
STD OXQ90	Standard					25.26	30.01														
STD OXQ90	Standard					25.14	30.35														
STD OXQ90	Standard					25.08	29.95														
STD OXQ90	Standard					24.97	30.00														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		434	<0.005	<0.01	<0.17	28.92	0.85	3.24	1.32	29.3	11	0.6	3.6	446	1.77	1.0	0.4	<0.2	2.3	24.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 13, 2019

Page:

2 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	2.2	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.05	0.03	26	0.62	0.045	6.6	2.4	0.42	71.5	0.078	3	0.92	0.106	0.12	0.1	3.6	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.20	<0.1	0.14	0.27	3.1	0.4	<0.05	3.1	9.02	13.6	<0.02	<1	0.2	2.3	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
ROCK-WHI	Prep Blank		406	<0.005	<0.01	<0.17	24.52	0.83	2.22	1.29	31.1	11	0.7	3.6	484	1.89	1.4	0.5	<0.2	2.4	22.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
ROCK-WHI	Prep Blank	0.02	0.04	0.03	24	0.61	0.044	6.9	3.4	0.42	62.8	0.079	3	0.90	0.099	0.10	0.1	3.7	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000055.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.22	<0.1	0.13	0.28	2.9	0.4	<0.05	3.3	9.39	14.4	<0.02	<1	0.2	2.6	<10	<2