



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 17, 2019
Report Date: July 04, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000056.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-15
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	67	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	69	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	69	Analysis sample split/packet			WHI
Split -150	69	Analysis sample split/packet			WHI
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
FS631	68	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	69	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce


SOFIA DEVOTA
XRF Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832342	Drill Core	2.23	449	0.005	<0.01	<0.17	24.18	1.09	8.43	22.97	39.4	282	5.3	4.1	262	1.34	4.1	0.6	13.5	12.3	13.8
1832343	Drill Core	3.73	442	0.184	0.18	<0.17	21.06	0.59	9.28	20.57	33.7	322	3.1	3.5	279	1.28	3.3	0.8	264.6	14.0	30.4
1832344	Drill Core	4.93	421	0.009	<0.01	<0.17	26.02	0.51	7.99	18.69	27.5	175	2.2	2.4	159	0.95	4.9	0.7	4.5	14.0	10.2
1832345	Drill Core	5.06	465	<0.005	<0.01	<0.17	37.26	0.51	12.06	19.03	31.4	208	2.3	2.7	160	1.04	0.6	0.6	<0.2	13.2	24.6
1832346	Drill Core	4.16	466	<0.005	0.01	<0.17	27.08	0.75	6.33	31.78	37.5	298	2.4	2.7	173	1.07	1.1	0.5	2.9	12.2	16.3
1832347	Drill Core	1.75	452	0.005	<0.01	<0.17	19.60	0.37	5.38	19.34	42.2	101	2.9	3.0	127	1.08	2.4	0.6	1.9	13.7	12.4
1832348	Drill Core	4.77	459	0.007	<0.01	<0.17	20.40	0.78	8.68	24.56	59.9	395	2.8	2.8	222	1.26	1.9	0.6	0.5	13.5	9.6
1832349	Drill Core	2.55	444	<0.005	<0.01	<0.17	36.71	0.45	14.79	18.33	42.3	181	2.4	2.7	184	1.21	0.2	0.7	0.3	15.2	8.7
1832350	Drill Core	3.86	420	0.027	0.02	<0.17	37.74	0.96	10.01	18.20	45.5	268	3.1	3.6	289	1.43	2.7	1.2	23.6	14.0	27.9
1832351	Drill Core	4.85	428	0.010	<0.01	<0.17	35.72	0.55	7.40	12.01	27.0	135	2.1	2.3	181	1.04	3.0	0.9	5.5	12.8	10.6
1832352	Drill Core	1.58	439	0.006	<0.01	<0.17	29.00	0.71	12.55	25.88	50.3	149	7.6	6.0	462	1.79	1.4	1.1	3.9	7.0	45.6
1832353	Drill Core	3.34	446	0.006	<0.01	<0.17	50.02	1.23	15.59	28.35	56.5	334	12.2	7.4	472	2.08	1.5	1.2	2.1	9.1	40.6
1832354	Drill Core	2.21	444	<0.005	<0.01	<0.17	44.88	0.62	20.64	13.38	72.2	153	12.2	8.4	580	2.65	1.0	0.8	<0.2	9.4	46.8
1832355	Drill Core	3.53	417	0.005	<0.01	<0.17	50.51	0.76	16.58	9.99	70.4	229	9.8	8.2	509	2.56	3.0	0.8	<0.2	9.5	31.6
1832356	Drill Core	2.41	446	0.006	<0.01	<0.17	30.21	0.77	18.82	16.31	68.3	307	10.0	8.2	480	2.45	6.1	1.1	0.8	9.5	33.4
1832357	Drill Core	1.61	435	5.417	8.32	31.33	48.83	1.49	9.60	7.12	32.3	2205	4.9	4.6	642	1.68	2.5	1.3	6834.4	6.2	38.4
1832358	Drill Core	4.43	462	0.016	0.02	<0.17	32.94	0.51	10.45	8.55	78.5	203	6.7	7.0	654	2.54	2.2	1.2	8.5	9.7	43.5
1832359	Drill Core	2.55	531	0.008	<0.01	<0.17	40.66	1.95	13.87	27.68	57.3	538	7.7	6.0	347	1.85	9.6	1.0	4.6	11.5	20.8
1832360	Core DUP		493	0.007	<0.01	<0.17	41.24	1.90	13.66	27.13	53.3	508	7.1	5.7	351	1.80	9.1	1.0	3.9	11.0	20.7
1832361	Drill Core	4.94	437	0.006	<0.01	<0.17	29.54	1.40	13.89	30.73	72.3	547	8.7	7.2	460	2.42	5.8	0.7	1.8	10.6	21.7
1832362	Drill Core	4.84	542	<0.005	<0.01	<0.17	29.04	0.50	9.93	22.69	72.7	272	7.1	6.5	481	2.43	3.4	0.7	1.4	10.4	26.3
1832363	Drill Core	4.33	465	0.007	<0.01	<0.17	32.28	0.78	15.16	30.23	75.2	431	10.5	7.4	529	2.50	3.0	0.6	8.5	9.9	41.8
1832364	Drill Core	4.83	515	0.005	<0.01	<0.17	30.93	0.60	17.96	28.62	77.1	470	14.4	8.3	494	2.53	5.4	0.8	6.8	9.3	33.0
1832365	Drill Core	4.61	459	<0.005	<0.01	<0.17	27.03	0.57	13.82	13.37	73.6	244	9.6	8.4	515	2.52	3.0	1.0	4.6	8.9	52.5
1832366	Drill Core	4.33	509	<0.005	<0.01	<0.17	27.97	0.63	18.39	12.59	76.2	399	9.6	8.9	484	2.53	7.8	1.0	4.2	9.9	42.5
1832367	Drill Core	5.97	434	0.009	<0.01	<0.17	27.50	0.50	21.52	18.51	79.4	424	9.2	8.0	420	2.75	7.4	1.0	7.5	9.8	25.3
1832368	Drill Core	0.88	372	0.013	0.01	<0.17	43.84	1.38	33.52	4.85	73.2	364	86.9	36.3	788	7.32	5.3	3.0	13.0	1.9	143.1
1832369	Drill Core	3.80	519	0.021	0.02	<0.17	18.32	0.48	14.45	13.73	70.0	199	11.1	7.5	426	2.46	7.1	0.9	19.5	10.0	26.0
1832370	Drill Core	3.70	476	0.016	0.02	<0.17	28.42	1.07	12.87	12.92	62.7	238	14.2	9.4	501	2.59	19.3	1.8	14.0	9.0	49.9
1832371	Drill Core	2.96	476	<0.005	<0.01	<0.17	35.80	1.54	26.06	4.68	91.4	82	69.6	34.4	982	5.67	19.0	1.4	2.9	3.1	177.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832342	Drill Core	0.13	0.33	0.14	8	0.18	0.035	28.0	9.1	0.50	236.1	0.007	<1	0.75	0.030	0.29	0.6	1.5	0.08	<0.02	<5			
1832343	Drill Core	0.20	0.20	0.24	5	0.33	0.040	32.4	6.1	0.38	264.6	0.009	<1	0.76	0.044	0.42	0.1	1.4	0.11	<0.02	<5			
1832344	Drill Core	0.10	0.27	0.10	3	0.14	0.033	34.4	5.5	0.30	238.0	0.007	1	0.62	0.028	0.39	0.2	1.0	0.10	<0.02	<5			
1832345	Drill Core	0.13	0.17	0.13	3	0.26	0.026	28.1	4.3	0.43	243.9	0.025	<1	0.72	0.026	0.53	0.1	1.3	0.20	<0.02	<5			
1832346	Drill Core	0.16	0.30	0.34	3	0.15	0.032	26.8	5.1	0.49	233.6	0.022	1	0.76	0.019	0.54	<0.1	1.2	0.21	<0.02	<5			
1832347	Drill Core	0.40	0.30	0.04	4	0.10	0.037	32.6	5.1	0.49	231.0	0.024	1	0.82	0.028	0.54	0.1	1.4	0.23	<0.02	<5			
1832348	Drill Core	0.54	0.23	0.14	4	0.10	0.031	30.1	5.5	0.59	201.9	0.018	1	0.87	0.028	0.45	1.0	1.5	0.17	<0.02	<5			
1832349	Drill Core	0.09	0.19	0.11	3	0.09	0.026	36.7	5.2	0.64	213.7	0.023	<1	0.86	0.024	0.50	0.1	1.9	0.21	<0.02	<5			
1832350	Drill Core	0.14	0.27	0.18	5	0.36	0.036	32.7	6.2	0.53	280.9	0.026	1	0.87	0.035	0.53	0.5	2.1	0.24	<0.02	<5			
1832351	Drill Core	0.13	0.13	0.08	4	0.09	0.029	34.1	5.5	0.30	337.4	0.003	<1	0.61	0.030	0.35	<0.1	1.6	0.10	<0.02	<5			
1832352	Drill Core	0.43	0.28	0.11	13	0.84	0.048	19.8	15.1	0.71	227.2	0.039	<1	0.89	0.030	0.52	0.1	4.3	0.24	<0.02	<5			
1832353	Drill Core	0.31	0.36	0.25	17	0.68	0.061	22.7	17.5	0.88	319.3	0.066	1	1.12	0.025	0.74	0.4	3.9	0.37	<0.02	<5			
1832354	Drill Core	0.17	0.28	0.03	22	0.65	0.071	24.3	22.2	1.26	361.5	0.099	<1	1.52	0.028	0.90	<0.1	4.4	0.43	<0.02	<5			
1832355	Drill Core	0.22	0.23	0.06	21	0.62	0.067	23.0	20.4	1.17	385.2	0.086	<1	1.45	0.027	0.79	0.3	4.2	0.37	<0.02	<5			
1832356	Drill Core	0.23	0.35	0.26	19	0.73	0.069	23.1	19.4	1.04	403.9	0.075	1	1.36	0.024	0.79	0.1	3.4	0.38	<0.02	<5			
1832357	Drill Core	0.66	0.27	0.08	5	1.59	0.020	18.1	6.3	0.29	293.5	0.004	<1	0.48	0.021	0.26	0.1	2.2	0.11	<0.02	6			
1832358	Drill Core	0.45	0.45	0.17	18	1.08	0.068	25.8	18.9	1.19	365.0	0.044	1	1.48	0.026	0.65	0.1	3.3	0.29	<0.02	<5			
1832359	Drill Core	0.50	0.56	0.85	10	0.46	0.063	26.1	12.6	0.71	393.2	0.013	1	1.12	0.027	0.48	<0.1	2.5	0.17	<0.02	<5			
1832360	Core DUP	0.48	0.53	0.84	10	0.47	0.067	24.8	11.8	0.70	365.9	0.013	<1	1.09	0.026	0.45	<0.1	2.2	0.15	<0.02	<5			
1832361	Drill Core	0.40	0.32	0.93	19	0.46	0.064	24.2	21.4	1.14	294.5	0.024	<1	1.43	0.039	0.39	<0.1	3.4	0.14	<0.02	<5			
1832362	Drill Core	0.27	0.26	0.51	18	0.48	0.059	22.4	19.3	1.23	278.6	0.027	<1	1.47	0.038	0.41	<0.1	3.5	0.16	<0.02	<5			
1832363	Drill Core	0.32	0.27	0.73	19	0.64	0.065	22.4	23.0	1.19	322.0	0.043	<1	1.49	0.036	0.51	<0.1	3.6	0.19	<0.02	<5			
1832364	Drill Core	0.32	0.33	0.54	21	0.58	0.063	21.3	24.2	1.15	345.6	0.026	1	1.47	0.022	0.47	<0.1	3.0	0.17	<0.02	<5			
1832365	Drill Core	0.26	0.33	0.26	20	0.79	0.069	22.2	20.7	1.13	343.2	0.059	<1	1.42	0.024	0.64	<0.1	3.1	0.28	<0.02	<5			
1832366	Drill Core	0.28	0.36	0.23	20	0.57	0.075	25.9	21.9	1.15	358.0	0.020	<1	1.50	0.021	0.45	<0.1	3.2	0.18	<0.02	5			
1832367	Drill Core	0.21	0.38	0.24	23	0.30	0.071	27.1	26.6	1.33	278.4	0.006	<1	1.64	0.029	0.34	<0.1	3.2	0.11	<0.02	<5			
1832368	Drill Core	0.44	3.37	0.03	125	2.07	0.173	22.2	105.4	2.82	1405.4	0.070	<1	3.77	0.077	0.36	<0.1	17.9	0.44	<0.02	9			
1832369	Drill Core	0.20	0.36	0.10	19	0.45	0.063	25.8	21.0	1.19	285.3	0.005	<1	1.46	0.025	0.34	<0.1	3.4	0.11	<0.02	<5			
1832370	Drill Core	0.30	1.07	0.09	22	1.28	0.065	23.9	21.6	1.03	291.9	0.005	<1	1.34	0.023	0.32	<0.1	4.4	0.16	<0.02	<5			
1832371	Drill Core	0.18	3.66	0.07	91	3.03	0.140	24.0	96.3	2.31	458.2	0.098	<1	2.66	0.217	0.33	<0.1	15.2	0.80	0.30	11			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832342	Drill Core	<0.1	<0.02	3.3	0.21	<0.1	0.39	0.04	10.7	0.3	<0.05	12.7	6.52	52.0	<0.02	<1	0.3	8.9	<10
1832343	Drill Core	<0.1	<0.02	3.1	0.43	<0.1	0.40	0.05	16.3	0.3	<0.05	14.5	5.69	59.8	<0.02	<1	0.3	7.3	<10
1832344	Drill Core	<0.1	<0.02	2.5	0.42	<0.1	0.39	0.10	16.2	0.3	<0.05	12.7	5.16	64.4	<0.02	<1	0.3	6.1	<10
1832345	Drill Core	<0.1	<0.02	2.3	0.65	<0.1	0.53	0.07	25.0	0.3	<0.05	15.1	4.61	53.3	<0.02	<1	0.3	5.1	<10
1832346	Drill Core	<0.1	<0.02	2.6	0.93	<0.1	0.38	0.07	26.0	0.4	<0.05	12.2	4.01	51.2	<0.02	<1	0.3	6.8	<10
1832347	Drill Core	<0.1	<0.02	2.9	1.02	<0.1	0.31	0.06	25.7	0.3	<0.05	10.3	4.27	61.8	<0.02	<1	0.3	7.4	<10
1832348	Drill Core	<0.1	<0.02	3.3	0.75	<0.1	0.45	0.06	20.7	0.4	<0.05	14.3	4.60	56.8	<0.02	<1	0.3	8.7	<10
1832349	Drill Core	<0.1	<0.02	3.5	0.84	<0.1	0.62	0.09	25.7	0.4	<0.05	18.5	6.35	69.4	<0.02	<1	0.3	8.2	<10
1832350	Drill Core	<0.1	<0.02	3.2	1.40	<0.1	0.53	0.05	26.0	0.4	<0.05	16.7	5.20	62.0	<0.02	<1	0.4	7.4	<10
1832351	Drill Core	<0.1	<0.02	2.7	0.33	<0.1	0.34	0.04	13.2	0.3	<0.05	12.4	5.83	65.3	<0.02	<1	0.3	4.0	<10
1832352	Drill Core	<0.1	<0.02	3.4	1.97	<0.1	0.33	0.03	28.1	0.5	<0.05	11.2	4.61	37.7	<0.02	<1	0.2	6.7	<10
1832353	Drill Core	0.2	0.03	4.1	3.32	<0.1	0.33	0.05	42.5	0.4	<0.05	11.3	4.55	43.8	<0.02	<1	0.4	8.1	<10
1832354	Drill Core	<0.1	<0.02	5.5	3.62	<0.1	0.37	0.03	50.3	0.5	<0.05	13.6	3.71	45.2	<0.02	<1	0.3	9.5	<10
1832355	Drill Core	<0.1	<0.02	5.3	2.71	<0.1	0.33	0.04	43.3	0.4	<0.05	13.4	3.69	44.5	<0.02	<1	0.3	8.9	<10
1832356	Drill Core	<0.1	0.03	4.6	3.54	<0.1	0.38	0.05	44.9	0.4	<0.05	14.8	4.36	45.8	<0.02	<1	0.3	9.1	<10
1832357	Drill Core	0.1	0.06	1.9	0.43	<0.1	0.25	<0.02	9.4	0.2	<0.05	9.3	5.47	34.5	<0.02	<1	0.4	4.1	<10
1832358	Drill Core	<0.1	0.02	5.3	3.25	<0.1	0.43	0.06	34.6	0.4	<0.05	15.6	6.30	49.9	0.02	<1	0.4	12.4	<10
1832359	Drill Core	<0.1	0.03	4.0	1.68	<0.1	0.32	0.04	21.2	0.4	<0.05	12.8	5.05	50.2	0.03	<1	0.4	10.0	<10
1832360	Core DUP	0.1	0.04	3.7	1.63	<0.1	0.35	0.03	19.3	0.4	<0.05	14.6	4.95	47.0	0.02	<1	0.4	10.1	<10
1832361	Drill Core	<0.1	0.05	5.9	1.11	<0.1	0.32	0.02	18.2	0.4	<0.05	13.3	4.85	46.4	0.03	<1	0.4	12.1	<10
1832362	Drill Core	<0.1	0.03	6.1	1.32	<0.1	0.35	0.03	19.9	0.4	<0.05	13.1	4.21	42.8	<0.02	<1	0.4	11.5	<10
1832363	Drill Core	<0.1	0.05	5.2	1.68	<0.1	0.28	0.03	24.8	0.4	<0.05	12.7	4.45	42.6	0.03	<1	0.3	12.1	<10
1832364	Drill Core	<0.1	0.04	5.0	1.59	<0.1	0.25	0.03	21.8	0.3	<0.05	11.9	4.69	39.8	<0.02	<1	0.4	13.5	<10
1832365	Drill Core	<0.1	0.02	5.0	2.90	<0.1	0.29	0.03	33.8	0.3	<0.05	11.7	5.17	43.0	<0.02	<1	0.4	12.0	<10
1832366	Drill Core	<0.1	<0.02	5.6	1.73	<0.1	0.20	0.02	21.2	0.3	<0.05	9.1	6.09	48.7	0.03	<1	0.5	17.2	<10
1832367	Drill Core	<0.1	<0.02	6.7	1.27	<0.1	0.24	0.04	14.1	0.4	<0.05	10.6	6.03	53.5	0.02	<1	0.4	18.3	<10
1832368	Drill Core	0.2	<0.02	13.8	11.89	0.1	0.28	0.09	17.4	1.3	<0.05	10.0	30.99	53.1	0.07	1	1.3	105.0	<10
1832369	Drill Core	<0.1	<0.02	5.9	1.18	<0.1	0.28	<0.02	13.8	0.3	<0.05	11.6	5.87	49.7	0.02	<1	0.3	17.5	<10
1832370	Drill Core	0.1	<0.02	5.0	1.44	<0.1	0.25	<0.02	12.8	0.4	<0.05	9.7	7.53	46.8	<0.02	<1	0.4	16.2	<10
1832371	Drill Core	0.1	<0.02	9.9	6.51	0.1	0.36	0.12	20.1	1.4	<0.05	14.5	26.42	55.8	0.07	1	1.2	40.4	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832372	Drill Core	2.45	542	0.006	<0.01	<0.17	29.46	0.75	16.12	8.00	60.9	176	17.0	10.6	634	2.71	17.9	1.8	5.2	8.0	61.2
1832373	Drill Core	4.70	488	<0.005	<0.01	<0.17	24.37	0.85	17.21	13.57	61.7	226	10.3	8.0	488	2.35	11.7	1.4	4.4	9.8	40.1
1832374	Drill Core	3.77	403	<0.005	<0.01	<0.17	25.87	0.64	11.80	14.21	56.9	207	10.2	7.5	479	2.35	11.0	1.1	1.7	8.9	54.4
1832375	Drill Core	2.10	443	0.008	<0.01	<0.17	37.81	0.53	11.94	11.20	62.9	212	9.3	6.5	405	2.26	13.1	1.0	4.5	9.4	29.6
1832376	Drill Core	2.31	478	0.007	<0.01	<0.17	32.12	0.68	17.15	17.58	55.5	333	10.2	7.6	549	2.13	11.5	1.3	5.2	8.4	56.2
1832377	Drill Core	2.06	424	0.567	0.63	1.19	39.41	0.77	4.35	7.25	28.8	403	5.8	4.0	480	1.47	7.0	0.8	554.2	5.3	47.3
1832378	Drill Core	4.41	445	0.028	0.05	0.23	38.45	0.79	14.93	12.65	56.5	230	9.3	7.1	473	2.49	11.9	1.7	16.0	10.5	38.9
1832379	Drill Core	2.35	477	0.031	0.03	<0.17	46.17	0.65	10.80	13.61	66.3	218	10.2	6.6	530	2.44	17.9	1.5	27.3	10.0	35.6
1832380	Rock	0.23	168	<0.005	<0.01	<0.17	43.39	0.70	1.33	0.84	2.2	13	1.6	0.6	113	1.00	0.9	0.1	1.4	0.9	1.6
1832381	Drill Core	4.60	418	0.134	0.12	<0.17	40.59	0.54	16.89	10.59	52.8	173	10.2	7.6	525	2.29	10.2	1.3	117.4	8.8	49.6
1832382	Drill Core	6.19	403	0.030	0.03	<0.17	25.09	0.80	15.49	13.37	47.4	330	10.3	7.3	455	1.93	9.1	1.2	43.0	9.7	38.0
1832383	Drill Core	1.54	405	0.122	0.12	<0.17	26.52	0.79	10.39	5.77	40.1	341	12.2	7.8	517	2.03	5.4	1.3	110.8	10.7	46.6
1832384	Drill Core	2.93	481	0.023	0.02	<0.17	22.83	0.74	12.84	13.31	44.0	244	10.1	6.6	453	1.95	4.2	1.0	20.1	7.4	40.8
1832385	Drill Core	3.23	425	<0.005	<0.01	<0.17	26.58	0.78	12.67	16.83	53.3	272	11.3	6.8	470	2.22	2.6	0.8	3.7	8.4	37.3
1832386	Drill Core	2.88	430	0.005	<0.01	<0.17	29.28	0.95	18.89	15.48	59.9	302	13.3	8.9	446	2.44	1.8	0.8	4.3	9.8	38.4
1832387	Drill Core	2.74	444	<0.005	<0.01	<0.17	31.70	0.76	14.67	6.34	59.7	245	10.6	8.1	483	2.55	3.2	1.0	3.3	10.4	41.8
1832388	Drill Core	4.34	418	0.021	0.02	<0.17	19.91	1.11	5.48	9.63	61.8	183	14.2	9.0	493	3.14	7.3	2.1	23.4	9.3	42.8
1832389	Drill Core	3.29	363	0.123	0.14	0.27	33.49	0.94	9.94	7.13	74.1	225	13.5	9.4	605	3.19	14.4	2.3	100.2	9.2	53.2
1832390	Drill Core	4.17	451	0.006	<0.01	<0.17	22.81	0.48	24.37	6.88	70.9	191	12.5	9.1	546	2.87	4.8	1.3	2.2	9.2	103.6
1832391	Drill Core	3.59	366	0.097	0.09	<0.17	31.74	1.28	17.08	7.08	65.7	483	11.9	9.3	420	2.83	89.3	1.7	119.9	9.8	24.7
1832392	Drill Core	4.71	414	0.014	0.01	<0.17	20.58	1.53	13.28	14.87	51.0	235	10.4	8.1	498	2.42	20.8	1.8	9.6	9.1	61.8
1832393	Drill Core	3.62	417	0.019	0.02	<0.17	40.52	1.27	18.50	12.14	58.9	270	12.7	8.7	275	2.45	39.3	2.5	12.0	10.2	21.3
1832394	Drill Core	3.32	461	0.015	0.01	<0.17	27.90	1.57	18.01	17.84	57.1	339	11.4	8.4	322	2.39	24.5	2.3	11.4	10.1	36.7
1832395	Drill Core	3.36	454	0.013	0.01	<0.17	37.01	1.33	13.19	21.98	53.9	298	11.4	8.2	399	2.35	13.5	1.7	7.8	8.6	57.5
1832396	Drill Core	5.25	454	<0.005	<0.01	<0.17	32.09	1.60	14.75	12.01	55.1	167	11.4	8.4	326	2.39	14.1	2.0	2.5	8.9	46.7
1832397	Drill Core	4.62	429	0.006	<0.01	<0.17	31.41	1.58	17.80	19.78	57.6	332	13.2	9.1	389	2.46	8.6	2.0	1.9	9.4	61.4
1832398	Drill Core	4.97	453	0.008	<0.01	<0.17	35.64	1.54	17.40	13.09	52.9	355	11.9	8.1	420	2.26	5.4	1.6	2.5	9.3	74.9
1832399	Drill Core	4.87	441	0.162	0.20	0.48	49.74	1.78	16.02	9.56	33.2	512	11.7	9.2	598	2.50	7.9	2.0	129.6	9.3	175.6
1832400	Rock Pulp	0.12	101	7.270				10.07	188.84	20.66	78.1	924	13.4	12.8	607	4.76	14.8	0.9	8606.8	2.9	79.2
1832401	Drill Core	4.86	409	0.011	0.01	<0.17	26.74	1.50	14.86	9.41	43.2	442	12.8	10.1	390	2.43	14.8	2.4	8.6	10.5	126.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832372	Drill Core	0.32	1.11	0.08	26	1.50	0.064	19.5	22.9	1.27	338.5	0.011	<1	1.59	0.023	0.37	<0.1	4.9	0.16	<0.02	<5			
1832373	Drill Core	0.38	0.49	0.10	15	0.89	0.057	23.8	15.4	1.06	301.4	0.005	<1	1.32	0.021	0.35	<0.1	4.3	0.12	<0.02	5			
1832374	Drill Core	0.33	0.34	0.09	16	1.09	0.058	20.8	17.6	1.05	247.5	0.007	3	1.33	0.025	0.35	<0.1	4.2	0.11	<0.02	<5			
1832375	Drill Core	0.24	0.29	0.08	14	0.63	0.062	23.8	15.6	0.96	245.5	0.012	2	1.34	0.028	0.39	<0.1	3.7	0.15	<0.02	<5			
1832376	Drill Core	0.30	0.29	0.21	11	1.28	0.068	24.7	13.4	0.81	297.5	0.014	3	1.15	0.026	0.45	<0.1	3.7	0.15	<0.02	<5			
1832377	Drill Core	0.18	0.29	0.04	6	0.98	0.044	14.4	8.6	0.40	211.5	0.006	3	0.61	0.015	0.24	<0.1	2.7	0.09	<0.02	<5			
1832378	Drill Core	0.23	0.35	0.07	15	0.92	0.065	27.1	17.2	0.87	217.3	0.021	2	1.23	0.041	0.38	<0.1	5.2	0.12	<0.02	<5			
1832379	Drill Core	0.31	0.38	<0.02	14	0.93	0.062	25.7	18.0	0.80	226.6	0.006	2	1.25	0.039	0.32	0.1	5.5	0.11	<0.02	<5			
1832380	Rock	0.01	0.05	<0.02	2	0.02	0.002	1.8	5.1	0.02	13.5	0.002	2	0.07	0.006	0.02	<0.1	0.3	<0.02	<0.02	<5			
1832381	Drill Core	0.33	0.58	0.03	13	1.09	0.062	24.4	13.5	0.76	220.3	0.031	1	1.04	0.031	0.52	0.3	5.0	0.20	<0.02	<5			
1832382	Drill Core	0.37	0.43	0.12	11	1.28	0.076	26.5	12.9	0.65	287.1	0.030	1	0.96	0.028	0.59	0.4	4.7	0.19	<0.02	<5			
1832383	Drill Core	0.49	0.33	0.03	10	1.26	0.078	31.2	13.4	0.69	332.9	0.023	2	1.05	0.014	0.57	0.5	4.2	0.19	<0.02	<5			
1832384	Drill Core	0.28	0.30	0.10	12	1.05	0.069	24.2	13.7	0.65	277.7	0.028	2	0.97	0.017	0.45	0.2	4.6	0.18	<0.02	<5			
1832385	Drill Core	0.26	0.26	0.15	15	1.06	0.063	22.0	15.4	0.84	278.1	0.069	1	1.09	0.020	0.70	0.2	6.6	0.33	<0.02	<5			
1832386	Drill Core	0.32	0.21	0.10	20	1.13	0.072	23.5	20.4	1.12	320.3	0.093	1	1.31	0.023	0.87	0.3	8.7	0.40	<0.02	<5			
1832387	Drill Core	0.27	0.28	0.03	19	0.99	0.067	27.7	21.7	0.87	397.4	0.036	<1	1.03	0.046	0.52	0.3	8.0	0.29	<0.02	<5			
1832388	Drill Core	0.27	0.36	0.06	21	0.73	0.080	27.5	52.3	0.89	102.7	0.041	1	0.98	0.137	0.18	0.2	8.5	0.17	<0.02	10			
1832389	Drill Core	0.31	0.55	0.05	25	1.23	0.072	27.7	42.8	0.95	130.2	0.042	1	1.15	0.094	0.35	0.2	9.9	0.22	<0.02	6			
1832390	Drill Core	0.35	0.47	0.04	23	1.98	0.070	26.4	36.9	0.94	222.6	0.065	1	1.01	0.076	0.50	<0.1	11.2	0.36	<0.02	<5			
1832391	Drill Core	0.22	1.12	0.02	22	0.44	0.081	30.4	23.4	0.99	255.7	0.006	2	1.43	0.036	0.31	0.3	6.9	0.13	<0.02	<5			
1832392	Drill Core	0.31	0.56	0.09	17	2.11	0.070	25.7	16.8	0.72	250.0	0.014	2	1.19	0.026	0.39	0.2	6.6	0.15	<0.02	<5			
1832393	Drill Core	0.31	1.03	0.05	19	0.61	0.082	32.0	19.9	0.55	308.1	0.019	2	1.18	0.025	0.46	0.4	8.7	0.19	<0.02	<5			
1832394	Drill Core	0.40	1.03	0.09	19	1.13	0.077	32.2	18.2	0.66	319.2	0.022	3	1.21	0.024	0.56	0.4	8.6	0.29	<0.02	6			
1832395	Drill Core	0.36	0.58	0.13	17	1.98	0.075	28.0	20.7	0.81	250.3	0.025	2	1.18	0.022	0.42	0.2	6.8	0.18	<0.02	5			
1832396	Drill Core	0.28	0.54	0.06	17	1.46	0.071	29.0	18.8	0.75	287.1	0.028	2	1.22	0.021	0.51	0.1	6.2	0.19	<0.02	<5			
1832397	Drill Core	0.35	0.36	0.10	18	1.72	0.080	28.9	22.7	0.83	345.1	0.032	2	1.21	0.019	0.40	0.1	5.3	0.14	<0.02	9			
1832398	Drill Core	0.36	0.31	0.07	14	1.74	0.072	25.3	16.5	0.79	321.0	0.032	2	1.13	0.022	0.50	0.2	5.2	0.19	<0.02	<5			
1832399	Drill Core	0.37	0.24	0.04	12	2.82	0.079	20.6	13.6	1.04	353.0	0.016	2	1.23	0.015	0.49	0.3	5.7	0.16	0.08	<5			
1832400	Rock Pulp	0.22	5.46	0.61	111	0.99	0.071	9.0	20.1	0.85	143.4	0.122	3	1.90	0.200	0.24	4.1	4.1	0.08	<0.02	230			
1832401	Drill Core	0.31	0.34	0.07	15	1.89	0.084	22.4	15.8	0.85	285.0	0.043	2	1.15	0.020	0.51	0.6	6.3	0.18	0.20	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832372	Drill Core	<0.1	<0.02	5.5	1.78	<0.1	0.20	0.02	14.7	0.6	<0.05	9.2	7.61	37.1	0.03	<1	0.5	18.3	<10	<2
1832373	Drill Core	<0.1	0.02	4.5	1.22	<0.1	0.26	<0.02	14.5	0.3	<0.05	33.9	5.46	45.6	<0.02	<1	0.4	16.1	<10	<2
1832374	Drill Core	<0.1	<0.02	4.8	1.02	<0.1	0.29	<0.02	13.8	0.3	<0.05	10.7	4.64	37.7	0.03	<1	0.4	14.3	<10	<2
1832375	Drill Core	<0.1	<0.02	4.7	1.30	<0.1	0.31	<0.02	17.0	0.3	<0.05	10.5	4.50	43.9	<0.02	<1	0.3	13.7	<10	<2
1832376	Drill Core	<0.1	<0.02	3.5	1.64	<0.1	0.10	0.02	18.4	0.3	<0.05	4.4	4.70	44.9	<0.02	<1	0.3	9.6	<10	<2
1832377	Drill Core	<0.1	0.03	2.1	0.54	<0.1	0.09	<0.02	10.1	0.3	<0.05	3.2	3.49	25.8	<0.02	<1	0.3	6.1	<10	<2
1832378	Drill Core	<0.1	<0.02	3.7	1.27	<0.1	0.23	0.04	15.6	0.6	<0.05	7.8	5.38	49.7	0.02	<1	0.4	11.6	<10	<2
1832379	Drill Core	<0.1	<0.02	3.8	0.81	<0.1	0.23	<0.02	12.8	0.4	<0.05	7.9	6.54	48.8	0.02	<1	0.4	15.7	<10	<2
1832380	Rock	<0.1	<0.02	0.3	0.09	<0.1	0.11	0.02	1.1	<0.1	<0.05	2.6	0.78	3.3	<0.02	<1	<0.1	0.9	<10	<2
1832381	Drill Core	<0.1	<0.02	3.4	2.84	<0.1	0.16	0.03	23.1	1.2	<0.05	6.4	5.08	43.5	0.02	<1	0.2	6.1	<10	<2
1832382	Drill Core	<0.1	0.02	2.7	2.06	<0.1	0.04	0.05	25.5	0.3	<0.05	1.7	6.71	51.0	<0.02	<1	0.3	5.3	<10	<2
1832383	Drill Core	<0.1	0.04	3.2	1.95	<0.1	0.04	0.04	24.5	0.3	<0.05	1.5	7.47	58.0	0.02	<1	0.6	7.6	<10	<2
1832384	Drill Core	<0.1	<0.02	3.0	1.55	<0.1	0.05	0.05	20.7	0.3	<0.05	1.5	6.80	43.1	<0.02	<1	0.3	7.1	<10	<2
1832385	Drill Core	<0.1	<0.02	3.1	3.49	<0.1	0.08	0.07	37.9	0.4	<0.05	3.5	4.69	39.9	0.02	<1	0.4	6.4	<10	<2
1832386	Drill Core	<0.1	<0.02	4.2	3.44	<0.1	0.16	0.09	48.3	0.6	<0.05	6.7	5.73	43.4	0.02	<1	0.4	7.4	<10	<2
1832387	Drill Core	<0.1	<0.02	3.8	5.44	<0.1	0.23	0.06	26.6	0.5	<0.05	8.6	7.40	50.1	0.03	<1	0.5	7.7	<10	<2
1832388	Drill Core	0.4	<0.02	2.9	4.17	0.1	0.10	0.14	16.5	1.7	<0.05	5.2	11.58	49.8	0.07	<1	0.4	8.1	<10	<2
1832389	Drill Core	<0.1	<0.02	3.8	4.85	<0.1	0.09	0.07	23.1	1.0	<0.05	3.7	9.83	49.1	0.06	<1	0.4	11.2	<10	<2
1832390	Drill Core	<0.1	<0.02	3.2	8.43	0.1	0.07	0.07	33.8	0.8	<0.05	2.1	9.20	49.3	0.05	<1	0.5	6.8	<10	<2
1832391	Drill Core	<0.1	<0.02	5.0	1.11	<0.1	0.06	<0.02	14.6	0.4	<0.05	2.7	9.80	54.2	0.04	<1	0.5	16.4	<10	<2
1832392	Drill Core	<0.1	<0.02	4.3	0.98	<0.1	0.03	0.02	17.0	0.3	<0.05	1.7	9.59	46.2	0.03	<1	0.5	12.2	<10	<2
1832393	Drill Core	0.1	<0.02	4.6	2.51	<0.1	0.03	0.04	22.4	0.6	<0.05	1.8	9.56	57.4	0.04	<1	0.5	10.7	<10	<2
1832394	Drill Core	<0.1	<0.02	4.6	4.82	<0.1	0.04	0.03	31.5	0.5	<0.05	1.4	10.85	58.6	0.04	<1	0.6	10.6	<10	<2
1832395	Drill Core	<0.1	<0.02	4.0	2.21	<0.1	0.04	0.04	20.9	0.4	<0.05	1.4	9.59	48.9	0.04	<1	0.4	10.1	<10	<2
1832396	Drill Core	<0.1	<0.02	4.4	1.81	<0.1	0.03	0.05	23.6	0.4	<0.05	1.2	8.57	51.6	0.03	<1	0.4	9.9	<10	<2
1832397	Drill Core	<0.1	<0.02	4.7	1.14	<0.1	0.03	0.06	17.7	0.3	<0.05	0.9	12.60	52.6	0.03	<1	0.3	11.9	<10	<2
1832398	Drill Core	<0.1	<0.02	3.6	1.82	<0.1	0.04	0.03	23.2	0.3	<0.05	2.6	9.31	46.9	0.02	<1	0.3	10.0	<10	<2
1832399	Drill Core	0.3	0.02	3.4	1.42	<0.1	0.02	<0.02	19.9	0.3	<0.05	1.0	10.61	37.4	0.03	1	0.4	11.0	<10	<2
1832400	Rock Pulp	<0.1	0.17	5.4	0.76	0.1	0.11	0.12	9.1	1.9	<0.05	2.0	5.80	16.5	0.05	<1	0.2	7.7	<10	<2
1832401	Drill Core	0.3	<0.02	3.7	2.07	<0.1	0.05	0.07	23.4	0.4	<0.05	1.2	10.44	39.1	0.03	2	0.4	9.3	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832402	Drill Core	4.78	449	<0.005	<0.01	<0.17	29.95	1.41	17.60	13.02	51.5	433	12.5	9.8	367	2.46	11.4	1.9	2.1	10.3	58.8
1832403	Drill Core	5.13	440	<0.005	<0.01	<0.17	25.05	1.12	3.29	10.69	69.8	110	13.3	8.6	423	2.83	9.5	1.8	2.9	11.9	46.5
1832404	Drill Core	4.14	431	0.012	0.01	<0.17	44.67	1.14	12.05	6.88	77.6	187	13.8	10.4	456	3.22	43.9	1.9	10.5	11.2	23.4
1832405	Drill Core	4.89	443	0.005	<0.01	<0.17	34.33	1.24	17.82	12.54	61.8	286	12.6	8.8	406	2.47	49.0	1.5	1.5	9.3	57.0
1832406	Drill Core	5.09	438	<0.005	<0.01	<0.17	26.12	0.91	16.13	14.58	60.1	313	11.8	7.9	381	2.40	15.0	1.8	1.2	10.1	72.2
1832407	Drill Core	3.85	422	<0.005	<0.01	<0.17	26.05	0.61	16.67	8.60	60.0	237	12.1	9.4	317	2.66	4.1	1.7	1.5	12.8	47.4
1832408	Drill Core	4.80	420	0.015	0.01	<0.17	37.83	0.82	14.47	21.97	65.2	308	11.8	7.6	439	2.53	7.0	1.5	5.8	9.7	33.4
1832409	Drill Core	4.99	461	0.012	0.01	<0.17	27.82	0.69	17.33	12.40	61.4	254	13.8	8.8	455	2.57	4.4	1.9	6.7	11.5	49.7
1832410	Drill Core	4.93	459	<0.005	<0.01	<0.17	26.81	0.49	13.46	8.72	50.5	176	10.3	7.9	499	2.18	4.8	1.1	2.0	10.1	59.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1832402	Drill Core	0.25	0.37	0.12	16	1.15	0.075	26.6	17.0	0.80	292.7	0.027	2	1.23	0.018	0.46	0.2	6.2	0.16	0.09
1832403	Drill Core	0.21	0.46	0.08	20	0.92	0.080	32.0	18.3	0.94	254.6	0.025	2	1.37	0.022	0.55	0.2	6.7	0.24	<0.02
1832404	Drill Core	0.18	0.65	0.04	27	0.44	0.078	32.4	31.8	1.16	238.8	0.004	<1	1.57	0.036	0.31	<0.1	6.2	0.11	<0.02
1832405	Drill Core	0.34	0.59	0.10	23	1.33	0.074	30.0	24.8	0.78	308.5	0.010	2	1.17	0.030	0.36	<0.1	6.2	0.11	0.06
1832406	Drill Core	0.35	0.42	0.15	19	1.88	0.073	28.9	20.5	0.69	421.4	0.024	2	1.03	0.033	0.39	<0.1	6.8	0.14	0.11
1832407	Drill Core	0.26	0.20	0.06	23	0.96	0.079	36.0	33.1	0.74	286.4	0.071	1	0.90	0.089	0.32	0.1	7.2	0.15	<0.02
1832408	Drill Core	0.30	0.26	0.16	21	0.80	0.076	30.3	25.0	0.91	294.3	0.043	1	1.10	0.040	0.45	<0.1	6.5	0.29	<0.02
1832409	Drill Core	0.28	0.31	0.09	20	0.91	0.076	32.3	20.3	0.77	447.8	0.098	1	0.97	0.037	0.56	0.3	6.6	0.36	<0.02
1832410	Drill Core	0.24	0.17	0.05	17	0.89	0.069	28.0	20.1	0.55	549.2	0.127	1	0.72	0.051	0.40	<0.1	4.6	0.14	<0.02



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000056.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1832402	Drill Core	0.3	<0.02	3.7	1.21	<0.1	0.04	0.06	20.4	0.4	<0.05	1.2	10.34	48.2	0.04	2	0.4	10.9	<10
1832403	Drill Core	<0.1	<0.02	4.8	2.49	<0.1	0.23	0.03	26.2	0.7	<0.05	8.7	8.49	58.5	0.05	1	0.5	13.3	<10
1832404	Drill Core	0.2	<0.02	5.6	1.08	<0.1	0.13	<0.02	11.9	0.3	<0.05	6.0	10.39	57.4	0.04	<1	0.4	17.7	<10
1832405	Drill Core	0.3	<0.02	5.0	1.29	<0.1	0.08	0.03	15.3	0.3	<0.05	4.1	12.34	52.2	0.04	<1	0.4	11.3	<10
1832406	Drill Core	0.7	<0.02	4.3	3.61	<0.1	0.05	0.05	18.3	0.4	<0.05	1.9	13.60	53.1	0.05	3	0.5	9.5	<10
1832407	Drill Core	0.2	<0.02	3.6	5.94	<0.1	0.11	0.18	17.1	1.0	<0.05	3.3	16.59	61.2	0.05	<1	0.6	7.7	<10
1832408	Drill Core	<0.1	<0.02	4.5	4.83	<0.1	0.18	0.07	26.4	0.5	<0.05	7.3	11.16	52.7	0.04	<1	0.6	9.9	<10
1832409	Drill Core	0.1	<0.02	3.6	10.05	<0.1	0.10	0.29	34.9	0.8	<0.05	2.8	16.74	59.9	0.04	<1	0.4	5.9	<10
1832410	Drill Core	<0.1	<0.02	2.7	10.27	<0.1	0.07	0.50	23.2	0.6	<0.05	2.4	12.98	52.8	0.03	<1	0.3	3.3	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000056.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1832366	Drill Core	4.33	509	<0.005	<0.01	<0.17	27.97	0.63	18.39	12.59	76.2	399	9.6	8.9	484	2.53	7.8	1.0	4.2	9.9	42.5	
REP 1832366	QC	0.006																				
1832374	Drill Core	3.77	403	<0.005	<0.01	<0.17	25.87	0.64	11.80	14.21	56.9	207	10.2	7.5	479	2.35	11.0	1.1	1.7	8.9	54.4	
REP 1832374	QC							0.64	12.23	13.70	58.0	205	9.7	7.1	496	2.39	11.0	1.1	0.6	8.8	54.6	
1832405	Drill Core	4.89	443	0.005	<0.01	<0.17	34.33	1.24	17.82	12.54	61.8	286	12.6	8.8	406	2.47	49.0	1.5	1.5	9.3	57.0	
REP 1832405	QC	<0.005																				
1832409	Drill Core	4.99	461	0.012	0.01	<0.17	27.82	0.69	17.33	12.40	61.4	254	13.8	8.8	455	2.57	4.4	1.9	6.7	11.5	49.7	
REP 1832409	QC							0.66	16.36	11.84	61.1	253	12.5	8.7	438	2.56	4.5	1.9	7.6	11.2	47.4	
Core Reject Duplicates																						
1832363	Drill Core	4.33	465	0.007	<0.01	<0.17	32.28	0.78	15.16	30.23	75.2	431	10.5	7.4	529	2.50	3.0	0.6	8.5	9.9	41.8	
DUP 1832363	QC	440		0.005	<0.01	<0.17	24.06	0.74	13.67	28.63	74.2	426	9.8	7.2	509	2.50	2.9	0.6	5.8	9.5	44.8	
1832397	Drill Core	4.62	429	0.006	<0.01	<0.17	31.41	1.58	17.80	19.78	57.6	332	13.2	9.1	389	2.46	8.6	2.0	1.9	9.4	61.4	
DUP 1832397	QC	429		0.005	<0.01	<0.17	37.35	1.48	17.18	18.25	57.2	290	12.5	8.2	374	2.38	7.9	1.8	1.6	9.0	53.0	
Reference Materials																						
STD BVGEO01	Standard							10.53	4276.69	177.75	1776.9	2572	154.2	25.6	741	3.65	114.3	3.6	209.6	13.3	56.6	
STD DS11	Standard							15.24	154.80	134.84	331.7	1796	80.5	14.2	1008	3.16	45.5	2.7	89.3	8.0	67.5	
STD DS11	Standard							14.91	147.44	129.93	327.7	1680	79.2	13.8	972	3.07	42.0	2.5	76.6	7.8	72.6	
STD OREAS262	Standard							0.79	118.84	56.67	153.3	461	66.7	28.0	544	3.21	38.3	1.2	76.9	9.4	35.6	
STD OREAS262	Standard							0.62	120.42	56.53	155.0	473	68.9	28.8	553	3.26	36.8	1.2	67.3	10.0	37.2	
STD OREAS262	Standard							0.71	120.44	60.09	157.6	497	65.6	30.7	557	3.25	37.8	1.2	60.4	9.5	37.2	
STD OREAS256	Standard	7.553																				
STD OREAS263	Standard	0.222																				
STD OREAS253	Standard	1.185																				
STD OXC145	Standard	0.209																				
STD OXH139	Standard	1.304																				
STD OXN134	Standard	7.978																				
STD OXQ90	Standard						25.18	29.99														
STD OXQ90	Standard						25.12	30.14														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000056.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832366	Drill Core	0.28	0.36	0.23	20	0.57	0.075	25.9	21.9	1.15	358.0	0.020	<1	1.50	0.021	0.45	<0.1	3.2	0.18	<0.02	5
REP 1832366	QC																				
1832374	Drill Core	0.33	0.34	0.09	16	1.09	0.058	20.8	17.6	1.05	247.5	0.007	3	1.33	0.025	0.35	<0.1	4.2	0.11	<0.02	<5
REP 1832374	QC	0.32	0.36	0.08	17	1.10	0.061	20.8	15.7	1.06	244.8	0.007	2	1.27	0.028	0.35	<0.1	4.7	0.12	<0.02	<5
1832405	Drill Core	0.34	0.59	0.10	23	1.33	0.074	30.0	24.8	0.78	308.5	0.010	2	1.17	0.030	0.36	<0.1	6.2	0.11	0.06	<5
REP 1832405	QC																				
1832409	Drill Core	0.28	0.31	0.09	20	0.91	0.076	32.3	20.3	0.77	447.8	0.098	1	0.97	0.037	0.56	0.3	6.6	0.36	<0.02	5
REP 1832409	QC	0.27	0.31	0.08	20	0.91	0.073	31.3	20.9	0.77	439.0	0.099	<1	0.98	0.038	0.56	0.2	6.7	0.35	<0.02	<5
Core Reject Duplicates																					
1832363	Drill Core	0.32	0.27	0.73	19	0.64	0.065	22.4	23.0	1.19	322.0	0.043	<1	1.49	0.036	0.51	<0.1	3.6	0.19	<0.02	<5
DUP 1832363	QC	0.28	0.24	0.73	19	0.68	0.058	20.6	21.0	1.17	292.5	0.039	<1	1.45	0.034	0.48	<0.1	3.2	0.18	<0.02	<5
1832397	Drill Core	0.35	0.36	0.10	18	1.72	0.080	28.9	22.7	0.83	345.1	0.032	2	1.21	0.019	0.40	0.1	5.3	0.14	<0.02	9
DUP 1832397	QC	0.32	0.35	0.10	18	1.69	0.067	28.9	20.6	0.81	346.6	0.031	1	1.22	0.019	0.41	0.1	5.2	0.13	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.84	3.33	24.19	70	1.31	0.081	27.0	196.4	1.30	284.0	0.222	4	2.33	0.198	0.88	4.5	6.3	0.58	0.62	78
STD DS11	Standard	2.49	9.69	12.15	51	1.07	0.079	20.2	62.4	0.85	401.6	0.097	7	1.21	0.075	0.41	3.1	3.3	5.06	0.28	265
STD DS11	Standard	2.26	7.76	10.61	50	1.07	0.071	21.4	58.3	0.82	402.1	0.104	8	1.28	0.078	0.40	2.9	3.3	4.59	0.27	255
STD OREAS262	Standard	0.66	6.51	1.05	22	2.90	0.043	17.3	45.4	1.17	258.4	0.002	2	1.40	0.069	0.32	0.2	3.2	0.45	0.25	162
STD OREAS262	Standard	0.59	4.63	0.97	23	2.91	0.040	19.7	49.1	1.17	271.6	0.003	5	1.59	0.069	0.36	0.2	3.5	0.47	0.26	173
STD OREAS262	Standard	0.72	4.95	1.11	22	3.10	0.044	19.2	49.0	1.18	271.2	0.003	4	1.37	0.067	0.32	0.2	3.6	0.46	0.24	165
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 04, 2019

Page:

1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000056.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832366	Drill Core	<0.1	<0.02	5.6	1.73	<0.1	0.20	0.02	21.2	0.3	<0.05	9.1	6.09	48.7	0.03	<1	0.5	17.2	<10	<2
REP 1832366	QC																			
1832374	Drill Core	<0.1	<0.02	4.8	1.02	<0.1	0.29	<0.02	13.8	0.3	<0.05	10.7	4.64	37.7	0.03	<1	0.4	14.3	<10	<2
REP 1832374	QC	<0.1	<0.02	4.5	1.06	<0.1	0.31	<0.02	14.0	0.3	<0.05	11.6	4.78	38.2	<0.02	<1	0.4	14.6	<10	<2
1832405	Drill Core	0.3	<0.02	5.0	1.29	<0.1	0.08	0.03	15.3	0.3	<0.05	4.1	12.34	52.2	0.04	<1	0.4	11.3	<10	<2
REP 1832405	QC																			
1832409	Drill Core	0.1	<0.02	3.6	10.05	<0.1	0.10	0.29	34.9	0.8	<0.05	2.8	16.74	59.9	0.04	<1	0.4	5.9	<10	<2
REP 1832409	QC	0.1	<0.02	3.6	9.75	<0.1	0.10	0.30	34.4	0.7	<0.05	3.1	14.95	59.1	0.05	<1	0.7	5.5	<10	<2
Core Reject Duplicates																				
1832363	Drill Core	<0.1	0.05	5.2	1.68	<0.1	0.28	0.03	24.8	0.4	<0.05	12.7	4.45	42.6	0.03	<1	0.3	12.1	<10	<2
DUP 1832363	QC	<0.1	0.05	5.0	1.56	<0.1	0.37	0.02	23.6	0.4	<0.05	13.9	4.37	38.6	0.03	<1	0.3	11.5	<10	<2
1832397	Drill Core	<0.1	<0.02	4.7	1.14	<0.1	0.03	0.06	17.7	0.3	<0.05	0.9	12.60	52.6	0.03	<1	0.3	11.9	<10	<2
DUP 1832397	QC	<0.1	<0.02	5.0	1.05	<0.1	0.02	0.05	17.3	0.3	<0.05	0.9	11.84	50.1	0.03	<1	0.4	10.6	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.4	0.99	6.8	7.40	0.2	0.36	0.26	91.5	5.6	<0.05	9.9	13.98	50.7	0.46	3	0.7	21.5	112	166
STD DS11	Standard	2.2	4.81	5.1	3.17	<0.1	0.06	1.67	36.2	1.9	<0.05	2.7	8.53	41.1	0.25	42	0.7	23.0	112	175
STD DS11	Standard	1.8	4.66	5.1	2.92	<0.1	0.08	1.71	34.0	1.9	<0.05	3.8	8.59	42.3	0.23	48	0.7	20.4	100	162
STD OREAS262	Standard	0.4	0.24	4.3	3.21	<0.1	0.28	<0.02	20.4	0.6	<0.05	11.8	10.96	35.1	0.04	<1	0.9	17.5	<10	<2
STD OREAS262	Standard	0.2	0.23	4.5	3.06	<0.1	0.24	<0.02	23.0	0.6	<0.05	9.9	11.34	40.3	0.04	<1	1.0	16.6	<10	<2
STD OREAS262	Standard	0.3	0.26	4.4	2.92	<0.1	0.30	<0.02	21.5	0.6	<0.05	11.9	11.69	36.5	0.03	2	1.0	19.2	<10	<2
STD OREAS256	Standard																			
STD OREAS263	Standard																			
STD OREAS253	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000056.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.32	29.42														
STD OXQ90	Standard					25.13	29.21														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		429	<0.005	<0.01	<0.17	23.91	0.79	2.75	1.19	27.1	12	1.0	3.7	487	1.97	1.8	0.4	1.5	2.3	21.3
ROCK-WHI	Prep Blank		460	<0.005	<0.01	<0.17	29.27	0.87	1.45	1.21	27.5	9	0.7	3.6	432	1.79	1.0	0.4	<0.2	2.2	20.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000056.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	2.2	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	28	0.63	0.044	6.4	3.3	0.44	57.0	0.078	3	0.91	0.099	0.10	0.1	3.2	0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.02	<0.02	23	0.58	0.041	6.4	3.4	0.39	57.7	0.075	3	0.85	0.098	0.10	<0.1	3.0	<0.02	<0.02	7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 04, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000056.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		5.09	1.07	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.19	<0.1	0.14	0.26	2.6	0.4	<0.05	3.4	8.84	12.9	<0.02	<1	0.2	2.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.17	<0.1	0.12	0.28	2.5	0.3	<0.05	3.0	8.44	12.8	<0.02	<1	0.2	1.9	<10	<2