



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 18, 2019  
Report Date: July 20, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000059.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-16  
P.O. Number  
Number of Samples: 126

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	121	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	126	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	126	Analysis sample split/packet			WHI
Split -150	126	Analysis sample split/packet			WHI
EN002	126	Environmental disposal charge-Fire assay lead waste			VAN
FS631	122	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	126	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	126	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 6 **Part:** 1 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832411	Drill Core	6.48	446	<0.005	<0.01	<0.17	39.05	0.20	13.68	16.52	70.8	226	9.6	6.6	184	1.68	4.9	0.9	0.8	40.2
1832412	Drill Core	4.66	471	<0.005	<0.01	<0.17	41.00	0.21	14.36	13.74	65.0	144	10.8	7.3	186	1.78	7.0	0.9	0.3	38.8
1832413	Drill Core	4.54	438	0.005	<0.01	<0.17	31.20	0.27	15.89	22.54	89.3	203	14.2	8.6	352	2.47	4.3	1.0	0.4	44.8
1832414	Drill Core	2.78	460	<0.005	<0.01	<0.17	41.49	0.32	28.17	65.77	106.0	354	13.2	10.0	331	2.06	5.1	0.9	1.4	51.3
1832415	Drill Core	5.00	463	0.006	<0.01	<0.17	34.39	0.44	30.24	20.51	48.1	345	10.5	7.8	203	1.66	4.7	0.9	<0.2	48.2
1832416	Drill Core	4.33	463	<0.005	<0.01	<0.17	31.52	0.45	24.94	33.28	83.6	483	13.0	10.3	307	2.25	4.7	1.2	1.0	33.8
1832417	Drill Core	4.43	475	<0.005	<0.01	<0.17	35.77	0.27	19.74	13.48	90.0	1330	13.4	8.9	381	2.48	3.0	0.9	0.3	33.9
1832418	Drill Core	4.46	475	<0.005	<0.01	<0.17	20.65	0.31	18.65	9.67	58.6	302	11.1	6.8	277	1.98	3.6	1.2	4.9	30.1
1832419	Drill Core	4.09	391	<0.005	<0.01	<0.17	29.08	0.41	17.86	14.47	55.5	203	11.4	7.8	175	1.61	4.9	0.9	4.2	48.4
1832420	Rock Pulp	0.13	91	0.469				2.36	428.32	19.34	49.3	296	614.2	26.2	469	2.72	20.3	0.6	507.6	2.2
1832421	Drill Core	4.76	508	<0.005	<0.01	<0.17	36.95	0.36	21.94	12.26	60.4	206	11.5	8.1	201	1.58	4.8	0.8	<0.2	57.3
1832422	Drill Core	4.60	471	<0.005	<0.01	<0.17	26.88	0.53	12.15	11.48	24.7	159	4.5	4.6	156	0.98	4.1	0.9	1.3	49.5
1832423	Drill Core	4.45	517	<0.005	<0.01	<0.17	32.00	0.16	3.53	17.49	23.6	129	0.5	0.7	79	0.53	1.0	1.2	1.8	23.7
1832424	Drill Core	2.47	515	<0.005	<0.01	<0.17	32.66	0.18	2.25	36.12	19.8	327	0.9	1.0	100	0.59	1.2	1.3	2.4	17.5
1832425	Drill Core	4.62	495	0.006	<0.01	<0.17	33.98	0.59	2.84	47.80	65.2	218	0.5	0.5	89	0.61	1.0	1.5	1.2	12.9
1832426	Drill Core	4.06	415	0.006	<0.01	<0.17	19.84	0.17	3.99	36.24	45.7	220	0.4	0.5	95	0.54	1.8	1.7	1.5	17.8
1832427	Drill Core	2.66	453	<0.005	<0.01	<0.17	33.04	0.21	7.05	58.01	56.2	289	0.9	0.9	130	0.74	3.6	2.0	0.7	21.4
1832428	Drill Core	2.26	416	0.005	<0.01	<0.17	26.85	0.24	4.53	54.74	79.1	192	2.8	2.6	384	0.99	5.0	1.8	2.2	57.2
1832429	Drill Core	5.10	438	0.006	<0.01	<0.17	29.91	0.21	12.05	26.39	40.2	287	2.6	2.5	207	0.99	5.7	1.7	3.9	41.1
1832430	Drill Core	4.59	452	<0.005	<0.01	<0.17	30.38	0.25	9.00	15.29	43.4	165	4.6	3.8	217	1.20	1.7	1.4	1.4	37.5
1832431	Drill Core	5.84	461	<0.005	<0.01	<0.17	32.92	0.39	8.24	17.77	34.6	198	4.4	3.6	199	1.18	2.0	1.6	0.3	55.8
1832432	Drill Core	4.18	461	0.006	<0.01	<0.17	34.99	0.43	17.72	11.46	111.6	297	14.6	9.5	309	2.60	2.4	1.6	0.5	46.5
1832433	Drill Core	4.58	451	0.008	<0.01	<0.17	36.09	0.22	19.27	259.52	453.7	729	4.6	3.4	208	1.33	0.8	1.3	2.3	22.8
1832434	Drill Core	2.21	417	0.005	<0.01	<0.17	34.01	0.11	10.47	84.42	181.1	249	0.4	0.7	106	0.56	0.9	1.2	1.6	12.8
1832435	Drill Core	2.28	460	<0.005	<0.01	<0.17	21.71	0.13	7.26	20.93	150.5	165	2.4	2.3	154	1.01	1.5	1.7	0.2	36.4
1832436	Drill Core	4.96	461	<0.005	<0.01	<0.17	32.21	0.19	8.14	16.52	62.0	226	4.3	3.4	187	1.09	0.9	1.5	1.5	104.7
1832437	Drill Core	5.16	416	<0.005	<0.01	<0.17	20.84	0.18	6.85	35.27	49.4	266	3.0	3.0	168	0.90	1.2	1.9	1.4	61.3
1832438	Drill Core	4.27	443	0.006	<0.01	<0.17	28.55	0.24	7.13	16.58	45.3	282	2.5	2.9	162	0.83	0.9	3.5	0.6	43.2
1832439	Drill Core	5.10	423	<0.005	<0.01	<0.17	21.02	0.13	6.81	14.08	30.6	221	1.8	2.1	138	0.67	0.6	1.5	0.9	32.9
1832440	Rock Pulp	0.12	84	<0.005				2.37	96.31	3.71	37.4	111	4.7	8.6	357	2.57	1.2	0.9	0.9	65.9



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 6

**Part:** 2 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832411	Drill Core	0.32	0.29	0.08	10	0.73	0.064	9.4	15.5	0.71	356.1	0.106	1	1.43	0.044	0.30	0.3	2.7	0.09	<0.02	<5			
1832412	Drill Core	0.21	0.24	0.10	13	0.80	0.066	9.6	17.2	0.75	386.1	0.112	<1	1.47	0.046	0.36	0.2	3.8	0.10	<0.02	<5			
1832413	Drill Core	0.34	0.27	0.06	20	0.76	0.076	13.6	26.1	1.10	321.6	0.105	<1	1.80	0.046	0.30	0.2	4.7	0.11	<0.02	<5			
1832414	Drill Core	0.43	0.39	0.09	17	0.69	0.072	7.3	21.2	0.78	287.7	0.119	<1	1.46	0.043	0.30	0.2	3.7	0.14	<0.02	<5			
1832415	Drill Core	0.41	0.22	0.10	14	0.57	0.070	10.2	16.7	0.50	366.5	0.113	1	1.13	0.045	0.41	0.2	3.1	0.15	<0.02	<5			
1832416	Drill Core	0.63	0.30	0.10	21	0.52	0.090	18.2	26.7	0.84	364.7	0.110	1	1.42	0.044	0.43	0.2	5.1	0.15	<0.02	<5			
1832417	Drill Core	0.68	0.45	0.25	25	0.51	0.075	27.1	32.9	0.96	340.1	0.065	1	1.50	0.051	0.43	0.8	6.2	0.19	<0.02	<5			
1832418	Drill Core	0.38	0.19	0.05	20	0.46	0.072	16.8	23.8	0.58	331.9	0.108	<1	0.95	0.063	0.34	0.2	5.0	0.13	<0.02	<5			
1832419	Drill Core	0.23	0.20	0.06	15	0.58	0.071	8.1	19.3	0.58	365.5	0.117	<1	1.21	0.036	0.39	0.1	3.7	0.12	<0.02	<5			
1832420	Rock Pulp	0.20	0.32	0.29	52	1.54	0.033	4.6	107.3	1.85	80.2	0.078	3	2.20	0.221	0.15	1.3	3.5	0.10	0.18	26			
1832421	Drill Core	0.26	0.23	0.07	15	0.63	0.074	7.9	20.1	0.61	371.5	0.123	<1	1.22	0.040	0.42	0.1	3.1	0.13	<0.02	<5			
1832422	Drill Core	0.24	0.23	0.10	8	0.60	0.049	13.2	9.4	0.21	353.4	0.072	<1	0.66	0.043	0.34	<0.1	2.9	0.12	<0.02	5			
1832423	Drill Core	0.24	0.18	0.21	<1	0.16	0.009	20.3	1.7	0.12	422.3	0.031	<1	0.56	0.076	0.32	0.1	2.4	0.10	<0.02	<5			
1832424	Drill Core	0.26	0.23	0.52	1	0.26	0.009	34.3	3.0	0.13	444.7	0.018	<1	0.55	0.063	0.31	0.1	2.6	0.10	<0.02	<5			
1832425	Drill Core	0.35	0.25	0.17	<1	0.15	0.007	35.3	1.5	0.15	383.4	0.025	<1	0.59	0.084	0.29	0.3	3.6	0.09	<0.02	<5			
1832426	Drill Core	0.41	0.39	0.14	<1	0.20	0.007	30.7	1.6	0.14	406.2	0.028	1	0.65	0.071	0.36	0.3	3.2	0.11	<0.02	8			
1832427	Drill Core	0.50	0.62	0.19	2	0.30	0.012	32.1	3.7	0.18	426.9	0.033	1	0.78	0.040	0.42	0.6	3.4	0.15	<0.02	8			
1832428	Drill Core	1.55	0.73	0.07	7	1.42	0.041	32.5	10.8	0.34	527.8	0.042	2	1.02	0.037	0.54	0.7	4.0	0.24	<0.02	10			
1832429	Drill Core	0.70	0.63	0.10	6	0.68	0.024	28.1	8.1	0.30	436.7	0.036	1	0.86	0.027	0.48	0.4	3.8	0.23	<0.02	10			
1832430	Drill Core	0.34	0.51	0.12	9	0.74	0.032	25.7	13.9	0.49	320.2	0.042	<1	0.87	0.027	0.46	0.2	4.5	0.24	<0.02	<5			
1832431	Drill Core	0.30	0.33	0.12	8	1.04	0.034	24.6	9.9	0.41	337.1	0.037	<1	0.69	0.029	0.45	<0.1	3.9	0.22	0.16	<5			
1832432	Drill Core	2.53	0.46	<0.02	30	0.75	0.077	27.7	33.3	1.28	277.8	0.081	<1	1.53	0.028	0.43	0.2	7.4	0.26	0.04	<5			
1832433	Drill Core	1.52	0.48	0.33	10	0.33	0.030	32.8	11.7	0.48	303.3	0.029	<1	0.86	0.039	0.35	0.1	3.6	0.20	<0.02	14			
1832434	Drill Core	0.49	0.33	0.15	<1	0.20	0.007	32.9	1.7	0.15	305.6	0.009	<1	0.46	0.040	0.25	0.1	2.2	0.08	<0.02	15			
1832435	Drill Core	1.66	0.74	0.06	7	0.49	0.023	29.0	10.5	0.34	406.7	0.046	<1	0.92	0.036	0.39	0.2	4.6	0.20	<0.02	30			
1832436	Drill Core	1.09	0.49	0.17	8	1.11	0.032	24.2	10.8	0.49	406.9	0.037	2	0.74	0.018	0.28	0.2	3.4	0.10	0.10	9			
1832437	Drill Core	0.47	0.33	0.24	6	0.85	0.030	21.7	8.6	0.33	451.4	0.034	2	0.62	0.027	0.38	0.1	3.5	0.14	0.16	<5			
1832438	Drill Core	0.36	0.38	0.27	5	0.56	0.028	12.7	7.8	0.32	381.3	0.046	2	0.63	0.033	0.30	0.2	3.3	0.15	0.11	<5			
1832439	Drill Core	0.33	0.31	0.18	4	0.55	0.024	10.1	5.7	0.23	464.3	0.046	2	0.59	0.024	0.31	0.1	2.4	0.10	0.07	<5			
1832440	Rock Pulp	0.06	0.13	0.06	88	0.82	0.064	6.7	10.0	0.72	129.9	0.096	3	1.48	0.159	0.21	2.9	2.6	0.04	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 6

**Part:** 3 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1832411	Drill Core	<0.1	<0.02	4.0	0.51	<0.1	0.02	0.24	12.7	0.5	<0.05	0.6	6.03	18.3	<0.02	<1	0.5	9.4	<10	<2
1832412	Drill Core	<0.1	<0.02	4.6	0.56	<0.1	0.04	0.26	14.1	0.6	<0.05	0.8	7.02	19.1	<0.02	<1	0.5	12.4	<10	<2
1832413	Drill Core	<0.1	<0.02	6.0	0.81	<0.1	0.04	0.25	14.3	0.6	<0.05	0.8	8.70	27.6	0.02	<1	0.5	17.1	<10	<2
1832414	Drill Core	<0.1	<0.02	4.4	1.08	<0.1	0.03	0.30	16.2	0.5	<0.05	0.8	6.00	15.3	<0.02	<1	0.5	11.8	<10	<2
1832415	Drill Core	<0.1	<0.02	3.7	1.10	<0.1	0.06	0.28	19.3	0.6	<0.05	1.3	6.65	20.4	<0.02	<1	0.4	9.3	<10	<2
1832416	Drill Core	<0.1	<0.02	5.1	1.07	<0.1	0.12	0.22	18.7	0.7	<0.05	2.9	10.04	36.5	0.02	<1	0.5	15.0	<10	<2
1832417	Drill Core	<0.1	<0.02	5.6	4.63	<0.1	0.18	0.10	21.4	0.9	<0.05	5.7	16.96	51.2	0.03	<1	0.6	17.9	<10	<2
1832418	Drill Core	<0.1	<0.02	3.6	6.61	<0.1	0.14	0.23	15.3	0.6	<0.05	3.5	9.15	33.5	<0.02	<1	0.5	9.3	<10	<2
1832419	Drill Core	<0.1	<0.02	4.1	1.08	<0.1	0.05	0.28	16.8	0.5	<0.05	1.3	6.28	16.5	<0.02	<1	0.4	10.9	<10	<2
1832420	Rock Pulp	0.4	0.16	4.7	0.65	<0.1	0.06	<0.02	6.4	0.4	<0.05	1.1	3.76	9.8	<0.02	2	0.1	8.4	261	123
1832421	Drill Core	<0.1	<0.02	3.9	1.16	<0.1	0.04	0.22	19.0	0.5	<0.05	0.6	5.94	15.5	<0.02	<1	0.4	11.1	<10	<2
1832422	Drill Core	<0.1	<0.02	2.0	1.42	<0.1	0.03	0.24	15.5	0.5	<0.05	0.7	8.80	25.8	<0.02	<1	0.2	4.7	<10	<2
1832423	Drill Core	<0.1	<0.02	2.0	0.38	<0.1	0.08	0.45	14.0	0.6	<0.05	2.2	14.74	41.5	0.02	<1	0.3	3.1	<10	<2
1832424	Drill Core	<0.1	<0.02	1.8	0.64	<0.1	0.24	0.23	14.2	0.5	<0.05	4.3	18.04	68.1	0.02	<1	0.3	3.6	<10	<2
1832425	Drill Core	<0.1	<0.02	2.3	0.56	<0.1	0.29	0.36	13.3	0.7	<0.05	7.5	22.90	70.0	0.04	<1	0.4	4.5	<10	<2
1832426	Drill Core	<0.1	<0.02	2.3	0.55	<0.1	0.16	0.48	15.9	0.7	<0.05	4.7	20.16	64.3	0.03	<1	0.4	4.5	<10	<2
1832427	Drill Core	<0.1	<0.02	3.0	0.96	<0.1	0.05	0.34	20.7	0.8	<0.05	1.2	17.92	61.2	0.04	<1	0.5	6.4	<10	<2
1832428	Drill Core	<0.1	<0.02	3.8	1.75	<0.1	0.08	0.29	29.4	0.7	<0.05	1.6	16.46	64.6	0.03	<1	0.5	9.3	<10	<2
1832429	Drill Core	<0.1	<0.02	3.0	3.28	<0.1	0.15	0.25	26.8	0.6	<0.05	1.2	16.11	57.6	0.03	<1	0.5	9.3	<10	<2
1832430	Drill Core	<0.1	<0.02	3.0	3.78	<0.1	0.08	0.23	26.9	0.6	<0.05	2.5	17.19	53.2	0.02	<1	0.3	9.1	<10	<2
1832431	Drill Core	0.1	<0.02	2.5	3.11	<0.1	0.16	0.21	25.0	0.5	<0.05	3.1	15.52	49.2	<0.02	<1	0.3	7.3	<10	<2
1832432	Drill Core	<0.1	<0.02	6.5	3.82	<0.1	0.28	0.08	28.0	0.7	<0.05	7.9	16.74	56.1	0.03	<1	0.5	24.4	<10	<2
1832433	Drill Core	0.1	0.03	3.5	2.67	<0.1	0.14	0.11	22.7	0.5	<0.05	4.4	16.35	65.9	0.03	<1	0.5	12.1	<10	<2
1832434	Drill Core	<0.1	<0.02	2.2	0.66	<0.1	0.08	0.11	13.1	0.5	<0.05	2.1	17.56	68.1	0.02	<1	0.3	5.0	<10	<2
1832435	Drill Core	<0.1	<0.02	3.8	1.70	<0.1	0.09	0.36	25.5	0.8	<0.05	2.2	20.36	60.7	0.04	<1	0.6	9.4	<10	<2
1832436	Drill Core	0.2	<0.02	2.9	0.99	<0.1	0.09	0.26	14.9	0.7	<0.05	2.3	16.12	47.1	0.02	<1	0.4	11.5	<10	<2
1832437	Drill Core	0.2	<0.02	2.4	1.72	<0.1	0.10	0.34	21.1	0.6	<0.05	2.7	14.09	42.2	0.02	<1	0.3	7.0	<10	<2
1832438	Drill Core	0.2	<0.02	2.7	1.34	<0.1	0.08	0.53	20.3	0.7	<0.05	1.7	9.93	25.0	<0.02	<1	0.4	8.9	<10	<2
1832439	Drill Core	0.1	<0.02	2.3	0.54	<0.1	0.05	0.54	16.8	0.6	<0.05	0.9	7.43	20.3	0.02	<1	0.3	7.1	<10	<2
1832440	Rock Pulp	<0.1	<0.02	4.4	0.33	<0.1	0.06	0.09	7.1	0.3	<0.05	0.6	4.47	14.8	<0.02	<1	<0.1	6.9	13	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 2 of 6

Part: 4 of 4

## CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	FA530
Analyte	Ag
Unit	gm/t
MDL	20
1832411	Drill Core
1832412	Drill Core
1832413	Drill Core
1832414	Drill Core
1832415	Drill Core
1832416	Drill Core
1832417	Drill Core
1832418	Drill Core
1832419	Drill Core
1832420	Rock Pulp
1832421	Drill Core
1832422	Drill Core
1832423	Drill Core
1832424	Drill Core
1832425	Drill Core
1832426	Drill Core
1832427	Drill Core
1832428	Drill Core
1832429	Drill Core
1832430	Drill Core
1832431	Drill Core
1832432	Drill Core
1832433	Drill Core
1832434	Drill Core
1832435	Drill Core
1832436	Drill Core
1832437	Drill Core
1832438	Drill Core
1832439	Drill Core
1832440	Rock Pulp



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 6

**Part:** 1 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832441	Drill Core	4.70	464	0.005	<0.01	<0.17	24.52	0.10	3.38	16.55	19.2	158	0.7	0.8	86	0.47	1.0	1.3	0.8	10.3	25.0
1832442	Drill Core	5.45	463	0.006	<0.01	<0.17	24.06	0.17	6.68	13.92	29.0	250	1.6	2.1	130	0.68	0.9	1.3	0.4	7.4	31.4
1832443	Drill Core	4.85	455	0.005	<0.01	<0.17	25.22	0.16	5.02	19.56	19.7	231	1.0	1.1	88	0.49	1.2	1.3	0.7	10.4	26.2
1832444	Drill Core	4.34	439	0.005	<0.01	<0.17	21.48	0.15	3.89	27.43	17.1	191	0.5	0.7	86	0.43	0.8	1.0	0.6	12.6	36.0
1832445	Drill Core	4.97	456	<0.005	<0.01	<0.17	23.81	0.15	3.88	16.21	14.6	161	0.7	0.6	88	0.49	1.1	0.9	0.4	13.9	34.2
1832446	Drill Core	3.88	434	0.005	<0.01	<0.17	38.79	0.66	13.90	12.91	60.2	221	9.7	6.9	366	1.90	2.7	2.2	<0.2	12.7	70.1
1832447	Drill Core	5.56	467	0.005	<0.01	<0.17	25.01	0.48	16.38	20.10	61.5	294	8.6	7.0	270	1.89	4.1	2.4	0.9	11.7	62.3
1832448	Drill Core	4.74	440	0.021	0.02	<0.17	25.33	0.21	8.70	16.22	32.9	220	3.9	3.4	167	1.06	3.1	3.6	22.4	12.6	40.1
1832449	Drill Core	5.01	442	0.016	0.01	<0.17	21.16	0.37	15.62	12.99	61.1	267	10.8	7.7	224	2.00	5.2	1.7	15.0	11.1	51.0
1832450	Drill Core	5.46	435	0.020	0.02	<0.17	24.79	0.68	22.96	15.82	62.5	382	11.3	7.9	180	1.89	4.1	1.9	11.5	9.8	46.5
1832451	Drill Core	4.88	451	<0.005	<0.01	<0.17	34.81	0.74	19.22	16.06	68.3	243	12.5	8.5	178	2.33	4.1	2.1	0.5	10.5	59.9
1832452	Drill Core	5.12	448	<0.005	<0.01	<0.17	17.00	0.82	18.39	11.22	70.9	242	14.0	9.0	182	2.48	6.9	1.9	0.9	9.5	49.7
1832453	Drill Core	4.47	424	<0.005	<0.01	<0.17	19.57	0.96	33.07	23.45	83.0	546	16.2	8.9	335	2.38	4.9	1.7	0.2	9.0	65.2
1832454	Drill Core	4.24	431	<0.005	<0.01	<0.17	14.98	0.68	33.27	43.72	109.1	582	16.1	9.4	433	2.39	2.3	1.9	<0.2	8.7	78.1
1832455	Drill Core	4.75	462	0.031	0.03	<0.17	21.08	1.09	25.31	36.49	79.9	513	11.8	8.5	465	2.28	2.4	6.0	16.6	10.7	90.5
1832456	Drill Core	5.52	446	0.038	0.04	<0.17	22.59	0.35	55.98	112.85	182.1	967	12.1	8.4	492	2.32	1.9	1.4	23.2	11.0	93.0
1832457	Drill Core	3.94	414	0.007	<0.01	<0.17	23.83	0.40	32.50	32.05	121.3	686	15.3	9.2	458	2.44	1.8	1.5	3.9	9.8	80.2
1832458	Drill Core	2.28	457	0.070	0.07	<0.17	20.08	1.21	33.42	66.17	110.2	993	10.1	7.0	368	1.82	2.7	1.5	43.5	10.6	54.0
1832459	Drill Core	3.82	450	0.047	0.05	<0.17	21.96	1.17	16.03	15.40	78.2	368	11.3	8.9	404	2.28	4.6	1.8	35.1	8.5	118.9
1832460	Core DUP		457	0.035	0.03	<0.17	29.20	1.07	15.96	14.84	77.1	360	11.5	8.9	404	2.20	4.1	1.8	46.5	8.2	110.9
1832461	Drill Core	4.52	427	0.006	<0.01	<0.17	21.43	0.59	32.22	35.41	97.5	552	13.8	8.8	484	2.40	0.9	1.9	3.8	11.3	72.8
1832462	Drill Core	4.77	392	0.006	<0.01	<0.17	25.85	1.04	28.97	51.65	102.5	495	17.2	10.3	735	2.75	1.9	2.3	2.8	11.7	112.1
1832463	Drill Core	5.11	475	<0.005	<0.01	<0.17	24.40	0.71	13.32	11.28	64.4	196	10.4	8.1	425	2.30	5.4	2.4	1.0	12.5	89.5
1832464	Drill Core	4.81	455	<0.005	<0.01	<0.17	31.62	0.29	14.35	7.77	57.8	213	9.7	5.9	274	1.91	3.6	1.6	<0.2	10.0	50.7
1832465	Drill Core	4.80	455	<0.005	<0.01	<0.17	40.72	0.84	14.50	16.53	63.4	242	11.7	8.5	471	2.18	8.5	1.8	<0.2	11.0	150.1
1832466	Drill Core	4.98	439	<0.005	<0.01	<0.17	23.60	3.87	30.18	10.60	44.7	185	19.4	11.4	349	1.74	7.5	3.3	<0.2	9.9	223.4
1832467	Drill Core	4.67	407	<0.005	<0.01	<0.17	26.21	0.48	24.75	15.91	58.1	237	11.2	7.3	484	2.35	6.6	1.7	<0.2	11.5	237.9
1832468	Drill Core	4.88	415	<0.005	<0.01	<0.17	22.79	1.19	28.73	16.67	48.0	278	10.9	8.7	274	2.11	2.8	2.6	0.8	7.7	148.3
1832469	Drill Core	5.26	443	0.006	<0.01	<0.17	23.95	0.95	29.06	23.16	61.2	356	11.9	6.9	435	2.21	<0.1	2.5	2.3	8.5	313.4
1832470	Drill Core	4.22	360	<0.005	<0.01	<0.17	40.84	0.68	11.81	18.11	58.6	237	10.5	6.0	400	1.98	0.4	2.2	0.5	10.2	226.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 6

**Part:** 2 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832441	Drill Core	0.35	0.32	0.14	1	0.31	0.012	25.4	2.3	0.12	364.6	0.025	1	0.42	0.035	0.24	<0.1	2.5	0.07	<0.02	<5			
1832442	Drill Core	0.38	0.55	0.19	4	0.45	0.025	14.5	5.5	0.19	439.8	0.044	2	0.56	0.028	0.29	0.1	2.8	0.10	0.02	<5			
1832443	Drill Core	0.37	0.28	0.22	2	0.33	0.016	28.2	3.6	0.12	318.3	0.026	2	0.43	0.029	0.28	<0.1	2.5	0.09	<0.02	<5			
1832444	Drill Core	0.36	0.24	0.27	<1	0.50	0.010	36.8	1.5	0.07	243.9	0.002	1	0.32	0.029	0.28	0.1	1.2	0.08	<0.02	6			
1832445	Drill Core	0.36	0.21	0.19	<1	0.38	0.008	37.8	1.6	0.09	375.1	0.002	1	0.38	0.034	0.29	0.1	1.4	0.07	<0.02	31			
1832446	Drill Core	0.60	0.83	0.10	15	0.99	0.062	25.8	18.7	0.99	327.2	0.059	1	1.22	0.009	0.47	0.4	5.0	0.22	<0.02	17			
1832447	Drill Core	0.74	0.79	0.15	18	0.85	0.062	17.2	18.7	0.86	430.0	0.069	1	1.08	0.025	0.58	0.5	5.6	0.28	0.15	15			
1832448	Drill Core	0.38	0.55	0.13	7	0.55	0.030	21.9	9.3	0.43	312.4	0.032	2	0.67	0.027	0.47	0.5	3.2	0.16	0.11	9			
1832449	Drill Core	0.23	1.08	<0.02	22	0.64	0.067	16.2	26.8	0.86	223.8	0.085	2	1.10	0.035	0.73	0.7	4.9	0.36	0.06	<5			
1832450	Drill Core	0.26	1.35	0.04	20	0.54	0.068	14.0	25.6	0.81	219.2	0.074	1	1.06	0.026	0.70	0.7	4.3	0.36	0.04	6			
1832451	Drill Core	0.23	0.95	0.04	28	0.75	0.075	16.4	30.3	0.84	309.6	0.095	1	1.05	0.041	0.69	0.5	7.0	0.46	0.10	6			
1832452	Drill Core	0.28	1.19	<0.02	34	0.65	0.073	14.5	35.0	0.98	226.2	0.100	1	1.15	0.042	0.60	0.7	6.5	0.44	0.12	<5			
1832453	Drill Core	0.50	1.01	0.12	30	1.00	0.076	15.0	34.3	1.05	231.1	0.118	1	1.28	0.030	0.71	0.9	6.5	0.50	0.06	8			
1832454	Drill Core	0.81	0.88	0.09	32	1.13	0.076	16.1	35.5	1.12	179.8	0.124	1	1.39	0.023	0.51	1.4	6.2	0.39	0.02	12			
1832455	Drill Core	1.30	0.72	0.12	22	1.32	0.069	17.7	26.0	0.90	186.1	0.090	1	1.27	0.023	0.46	0.8	5.3	0.30	0.11	<5			
1832456	Drill Core	1.14	0.74	0.09	26	1.41	0.061	24.5	26.7	0.91	139.1	0.077	1	1.25	0.022	0.28	1.0	4.9	0.18	0.04	11			
1832457	Drill Core	1.22	0.78	0.08	30	1.06	0.080	20.6	34.3	0.98	183.7	0.090	1	1.36	0.032	0.30	0.7	5.5	0.15	<0.02	6			
1832458	Drill Core	0.82	0.80	0.18	18	0.66	0.060	19.8	21.1	0.72	186.7	0.070	1	1.11	0.026	0.38	0.9	3.9	0.23	0.03	8			
1832459	Drill Core	0.57	1.20	0.10	26	1.55	0.096	18.1	26.5	1.09	198.7	0.110	2	1.50	0.022	0.43	1.3	6.5	0.25	0.15	<5			
1832460	Core DUP	0.50	1.11	0.10	24	1.49	0.096	17.2	25.9	1.07	175.0	0.100	2	1.40	0.019	0.40	1.1	5.8	0.25	0.15	<5			
1832461	Drill Core	0.51	1.09	0.18	24	1.04	0.079	28.4	29.3	0.91	221.2	0.078	1	1.38	0.023	0.43	0.7	5.7	0.29	<0.02	6			
1832462	Drill Core	0.82	0.82	0.11	33	2.09	0.078	27.8	38.8	1.09	182.9	0.063	1	1.43	0.022	0.38	0.4	5.8	0.27	0.07	7			
1832463	Drill Core	0.22	0.69	0.09	24	1.22	0.066	28.5	26.3	0.86	265.5	0.061	<1	1.16	0.040	0.38	0.4	5.9	0.23	0.10	5			
1832464	Drill Core	0.20	0.58	0.07	22	0.63	0.057	22.3	26.1	0.80	239.8	0.063	1	0.97	0.040	0.26	0.3	5.0	0.13	0.05	<5			
1832465	Drill Core	0.39	0.63	0.13	22	1.96	0.070	21.8	22.8	0.77	432.1	0.050	1	1.01	0.032	0.46	0.4	5.4	0.25	0.15	<5			
1832466	Drill Core	0.30	0.63	0.07	16	1.89	0.081	22.3	13.9	0.55	400.1	0.051	1	0.71	0.022	0.42	<0.1	5.3	0.26	0.24	<5			
1832467	Drill Core	0.29	0.30	0.13	19	1.76	0.077	22.5	18.5	0.75	543.4	0.041	<1	0.93	0.045	0.35	<0.1	6.4	0.14	0.20	<5			
1832468	Drill Core	0.51	0.46	0.20	17	1.11	0.111	17.7	11.0	0.60	333.2	0.099	1	0.83	0.021	0.42	0.1	5.9	0.19	0.50	<5			
1832469	Drill Core	0.36	0.45	0.32	18	2.00	0.104	16.9	14.9	0.75	331.8	0.085	1	1.06	0.015	0.41	0.1	6.9	0.19	0.33	<5			
1832470	Drill Core	0.33	0.27	0.26	16	1.70	0.072	22.5	16.2	0.72	531.7	0.036	1	0.84	0.019	0.45	<0.1	5.6	0.24	0.15	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 6

**Part:** 3 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1832441	Drill Core	<0.1	<0.02	1.7	0.58	<0.1	0.11	0.47	12.9	0.7	<0.05	2.7	16.75	49.1	0.03	<1	0.3	4.6	<10	<2
1832442	Drill Core	<0.1	<0.02	2.1	0.65	<0.1	0.05	0.46	16.4	0.6	<0.05	1.1	11.26	29.7	<0.02	<1	0.4	7.4	<10	<2
1832443	Drill Core	<0.1	<0.02	1.5	0.72	<0.1	0.14	0.45	14.8	0.5	<0.05	3.9	16.90	54.7	0.03	<1	0.3	3.9	38	<2
1832444	Drill Core	<0.1	<0.02	1.0	0.77	<0.1	0.19	0.09	13.1	0.3	<0.05	4.7	16.83	72.1	<0.02	<1	0.3	3.6	<10	<2
1832445	Drill Core	<0.1	<0.02	1.3	0.82	<0.1	0.11	0.04	13.7	0.4	<0.05	3.3	11.49	73.4	<0.02	<1	0.3	4.3	<10	3
1832446	Drill Core	<0.1	<0.02	4.1	2.70	<0.1	0.10	0.09	30.4	0.6	<0.05	3.4	14.73	50.7	0.02	<1	0.5	24.1	<10	<2
1832447	Drill Core	0.5	<0.02	3.6	4.75	<0.1	0.16	0.13	36.4	0.6	<0.05	4.6	12.76	34.3	<0.02	1	0.4	16.2	<10	<2
1832448	Drill Core	<0.1	<0.02	2.7	2.32	<0.1	0.13	0.22	24.5	0.5	<0.05	4.1	11.65	42.4	<0.02	<1	0.4	8.3	<10	3
1832449	Drill Core	<0.1	<0.02	4.5	5.11	<0.1	0.27	0.11	44.8	0.6	<0.05	7.3	10.32	32.1	0.02	<1	0.5	15.0	<10	<2
1832450	Drill Core	0.2	<0.02	4.2	5.22	<0.1	0.22	0.09	44.3	0.5	<0.05	6.3	9.75	28.6	<0.02	2	0.5	14.4	<10	<2
1832451	Drill Core	<0.1	<0.02	4.6	9.46	<0.1	0.25	0.09	48.0	0.7	<0.05	7.1	11.94	32.4	<0.02	2	0.5	13.1	<10	2
1832452	Drill Core	0.1	<0.02	5.2	8.92	<0.1	0.22	0.11	42.6	0.7	<0.05	6.4	11.34	30.2	<0.02	2	0.5	14.0	<10	<2
1832453	Drill Core	<0.1	<0.02	4.7	9.00	<0.1	0.11	0.15	52.1	0.8	<0.05	3.0	12.58	31.8	<0.02	<1	0.7	16.4	<10	<2
1832454	Drill Core	<0.1	0.02	5.8	5.47	<0.1	0.10	0.15	37.3	0.7	<0.05	2.9	12.11	33.2	<0.02	<1	0.7	20.5	<10	<2
1832455	Drill Core	0.9	<0.02	5.4	4.16	<0.1	0.10	0.14	33.4	0.6	<0.05	2.6	12.19	36.1	0.04	<1	0.7	19.3	<10	<2
1832456	Drill Core	<0.1	0.03	7.4	1.90	<0.1	0.14	0.10	20.1	0.6	<0.05	3.3	14.40	47.4	0.03	<1	0.7	22.2	<10	<2
1832457	Drill Core	<0.1	<0.02	6.7	1.32	<0.1	0.09	0.13	17.9	0.6	<0.05	2.3	12.37	40.2	0.02	<1	0.7	20.0	<10	<2
1832458	Drill Core	<0.1	0.03	4.8	2.71	<0.1	0.08	0.16	25.0	0.6	<0.05	2.2	11.26	39.5	<0.02	<1	0.6	16.4	<10	3
1832459	Drill Core	0.3	<0.02	6.9	3.17	<0.1	0.13	0.23	31.3	0.7	<0.05	3.0	14.13	36.7	0.03	<1	1.0	23.4	<10	<2
1832460	Core DUP	0.5	<0.02	6.5	3.09	<0.1	0.16	0.21	29.5	0.7	<0.05	2.8	13.45	35.4	0.02	<1	0.7	22.0	<10	<2
1832461	Drill Core	<0.1	0.02	5.7	3.94	<0.1	0.09	0.13	34.4	0.6	<0.05	2.5	19.80	56.0	0.03	<1	0.6	25.5	<10	<2
1832462	Drill Core	0.5	<0.02	7.2	5.00	<0.1	0.08	0.04	30.6	0.8	<0.05	2.1	18.18	54.1	<0.02	3	0.6	23.9	<10	<2
1832463	Drill Core	0.5	<0.02	5.6	4.78	<0.1	0.08	0.09	27.3	0.8	<0.05	2.0	17.68	54.3	0.04	<1	0.6	15.8	<10	3
1832464	Drill Core	<0.1	<0.02	4.6	4.10	<0.1	0.14	0.09	17.5	0.7	<0.05	3.2	14.40	43.9	0.03	<1	0.5	13.6	<10	<2
1832465	Drill Core	0.3	0.03	4.4	7.49	<0.1	0.06	0.08	29.4	0.6	<0.05	1.7	13.44	43.1	0.02	<1	0.4	12.5	<10	<2
1832466	Drill Core	0.5	<0.02	2.5	8.31	<0.1	0.04	0.14	24.1	0.5	<0.05	1.0	12.87	44.6	0.04	5	0.3	7.4	<10	<2
1832467	Drill Core	0.4	0.03	3.5	19.69	<0.1	0.06	0.09	24.7	0.4	<0.05	1.5	11.49	44.2	0.04	<1	0.3	8.9	<10	<2
1832468	Drill Core	1.2	0.04	2.8	8.89	<0.1	0.04	0.30	22.3	0.4	<0.05	1.2	11.68	35.4	0.03	2	0.3	10.7	<10	<2
1832469	Drill Core	0.8	0.06	3.5	3.12	<0.1	0.04	0.18	20.2	0.4	<0.05	1.5	12.50	34.3	0.04	2	0.3	14.6	<10	<2
1832470	Drill Core	0.3	0.06	2.8	14.68	<0.1	0.07	0.06	27.4	0.4	<0.05	2.4	11.99	43.5	0.03	<1	0.3	13.1	11	<2





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 3 of 6

Part: 4 of 4

## CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	FA530
Analyte	Ag
Unit	gm/t
MDL	20
1832441	Drill Core
1832442	Drill Core
1832443	Drill Core
1832444	Drill Core
1832445	Drill Core
1832446	Drill Core
1832447	Drill Core
1832448	Drill Core
1832449	Drill Core
1832450	Drill Core
1832451	Drill Core
1832452	Drill Core
1832453	Drill Core
1832454	Drill Core
1832455	Drill Core
1832456	Drill Core
1832457	Drill Core
1832458	Drill Core
1832459	Drill Core
1832460	Core DUP
1832461	Drill Core
1832462	Drill Core
1832463	Drill Core
1832464	Drill Core
1832465	Drill Core
1832466	Drill Core
1832467	Drill Core
1832468	Drill Core
1832469	Drill Core
1832470	Drill Core



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 6

**Part:** 1 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832471	Drill Core	5.02	421	<0.005	<0.01	<0.17	20.63	0.77	11.40	17.73	45.8	166	11.8	6.4	273	1.92	1.7	2.7	1.6	10.4	122.1
1832472	Drill Core	5.07	469	<0.005	<0.01	<0.17	43.11	0.67	14.47	16.74	50.4	158	13.2	7.8	312	1.99	8.1	2.2	0.8	11.3	99.6
1832473	Drill Core	4.15	376	<0.005	<0.01	<0.17	21.89	0.92	8.75	23.67	55.4	205	13.6	8.2	399	2.30	14.3	1.6	2.5	11.2	106.7
1832474	Drill Core	5.01	384	0.011	0.01	<0.17	21.36	0.75	15.33	19.07	50.8	263	14.3	6.8	328	1.82	7.7	1.9	8.3	11.3	114.5
1832475	Drill Core	3.72	372	<0.005	<0.01	<0.17	26.63	1.20	14.04	25.45	33.1	442	8.4	5.0	274	1.44	14.6	2.0	1.4	12.8	96.9
1832476	Drill Core	4.62	381	<0.005	<0.01	<0.17	24.78	3.00	22.28	24.60	36.6	685	13.6	6.0	307	1.64	25.9	2.6	1.4	11.9	77.4
1832477	Drill Core	4.58	380	<0.005	<0.01	<0.17	22.85	2.30	24.39	21.51	32.3	552	18.2	6.5	257	1.58	33.5	3.5	1.0	11.0	58.7
1832478	Drill Core	5.45	384	0.005	<0.01	<0.17	31.25	0.37	21.17	102.95	97.2	359	8.9	4.0	327	1.22	6.7	1.2	2.4	14.2	28.0
1832479	Drill Core	2.88	447	0.006	<0.01	<0.17	28.28	0.49	24.03	102.42	127.1	471	12.1	5.9	545	1.84	7.7	0.9	3.4	8.9	142.7
1832480	Rock	0.22	160	<0.005	<0.01	<0.17	24.79	0.72	1.26	1.19	1.8	11	1.6	0.4	104	0.98	0.8	0.2	<0.2	0.9	1.7
1832481	Drill Core	2.75	486	0.006	<0.01	<0.17	38.72	0.80	14.37	18.99	75.3	304	13.7	6.8	643	2.03	11.1	1.0	2.0	6.7	309.0
1832482	Drill Core	4.98	431	<0.005	<0.01	<0.17	29.31	1.04	16.89	18.76	42.8	318	12.4	5.4	302	1.54	32.9	3.2	<0.2	11.4	95.5
1832483	Drill Core	5.17	392	0.006	<0.01	<0.17	25.93	0.70	17.80	14.51	117.8	333	9.9	6.4	404	2.28	4.6	1.6	0.4	7.6	75.6
1832484	Drill Core	4.30	359	<0.005	<0.01	<0.17	24.14	0.74	16.70	21.10	103.8	385	12.1	6.1	255	1.72	3.0	1.6	<0.2	9.9	52.7
1832485	Drill Core	4.42	374	<0.005	<0.01	<0.17	23.95	1.14	31.75	24.00	68.0	575	26.9	9.2	317	2.03	7.6	1.1	<0.2	6.4	52.5
1832486	Drill Core	4.40	376	<0.005	<0.01	<0.17	30.22	2.68	41.76	14.24	70.5	776	27.9	10.2	346	2.26	7.6	1.7	0.3	6.6	51.7
1832487	Drill Core	4.81	405	0.033	0.03	<0.17	28.85	4.12	32.29	8.95	92.5	801	33.9	12.4	415	2.74	11.1	2.9	33.1	9.8	74.7
1832488	Drill Core	3.92	404	0.996	1.08	2.10	29.46	2.66	60.96	4.75	41.0	11260	17.5	7.8	288	1.80	15.0	1.5	847.3	6.5	43.0
1832489	Drill Core	4.93	416	0.240	0.26	0.45	42.36	0.73	6.26	1.79	48.1	781	8.8	2.0	878	2.52	7.3	7.8	188.8	11.3	360.1
1832490	Drill Core	3.78	392	0.083	0.10	0.25	36.35	0.54	9.09	1.70	50.6	2025	12.1	3.4	729	2.39	3.9	4.2	103.3	10.5	268.5
1832491	Drill Core	3.31	425	0.110	0.12	0.17	46.53	0.45	5.73	2.42	35.8	383	13.7	4.6	569	1.97	8.0	3.0	123.7	10.0	204.8
1832492	Drill Core	2.19	454	0.202	0.21	0.24	42.36	1.84	38.84	24.71	91.5	2561	41.3	15.1	436	2.64	17.4	1.9	184.5	7.1	113.0
1832493	Drill Core	2.44	438	0.372	0.37	0.30	36.38	1.94	26.43	8.84	65.2	1693	26.9	11.4	379	2.51	16.7	2.2	272.7	10.0	83.5
1832494	Drill Core	2.67	475	0.766	0.79	1.08	35.07	1.35	22.71	8.65	46.8	3716	11.2	10.1	468	2.44	16.2	2.7	879.2	10.3	121.5
1832495	Drill Core	4.69	419	0.339	0.34	0.30	30.34	1.31	20.87	12.58	76.9	814	13.3	10.1	469	2.59	6.6	3.0	289.9	8.8	75.1
1832496	Drill Core	3.38	487	0.063	0.06	<0.17	19.72	1.03	33.10	68.84	114.6	798	13.0	9.1	570	2.51	5.6	2.1	114.9	9.3	63.9
1832497	Drill Core	2.28	489	0.209	0.21	0.22	22.80	0.76	39.19	102.09	128.4	979	12.6	8.2	536	2.42	5.8	1.7	186.9	8.6	86.2
1832498	Drill Core	4.68	510	0.183	0.18	<0.17	23.01	1.11	12.98	11.47	59.5	415	13.9	8.4	408	1.99	7.1	2.6	174.0	8.4	67.5
1832499	Drill Core	2.71	402	0.619	0.89	5.13	23.76	1.33	27.00	14.24	81.6	875	12.4	11.6	489	3.09	18.5	4.5	926.4	8.5	72.7
1832500	Rock Pulp	0.12	102	7.301				9.78	181.22	20.89	77.5	874	14.1	12.2	574	4.91	14.4	0.9	7906.2	2.9	73.8



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 6

**Part:** 2 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832471	Drill Core	0.22	0.53	0.16	13	1.05	0.057	26.1	12.5	0.76	303.5	0.026	2	0.99	0.030	0.49	<0.1	5.2	0.20	<5
1832472	Drill Core	0.26	0.62	0.06	15	1.08	0.066	26.9	13.8	0.86	285.4	0.048	1	0.98	0.026	0.55	<0.1	5.9	0.28	<5
1832473	Drill Core	0.22	1.01	0.08	17	1.05	0.069	24.1	19.2	0.90	309.5	0.024	<1	1.14	0.033	0.47	0.2	5.8	0.19	<5
1832474	Drill Core	0.42	0.89	0.20	14	1.26	0.065	28.6	15.1	0.73	277.2	0.055	<1	0.95	0.026	0.47	0.5	4.8	0.19	<5
1832475	Drill Core	0.46	1.05	0.61	10	1.32	0.064	34.3	9.4	0.41	315.0	0.035	<1	0.81	0.050	0.48	0.4	3.2	0.19	<5
1832476	Drill Core	0.50	1.09	1.06	17	1.21	0.075	33.0	15.8	0.38	263.5	0.057	1	0.81	0.047	0.33	0.6	4.0	0.15	<5
1832477	Drill Core	0.37	0.80	0.84	14	0.93	0.073	33.1	14.5	0.30	311.2	0.051	<1	0.70	0.038	0.44	0.2	4.1	0.21	<5
1832478	Drill Core	0.62	0.28	0.33	11	0.47	0.047	38.1	13.5	0.30	181.1	0.006	<1	0.70	0.027	0.31	0.1	2.2	0.12	<5
1832479	Drill Core	1.52	0.27	0.24	23	3.25	0.064	24.9	27.3	0.50	188.2	0.012	<1	0.90	0.022	0.29	<0.1	4.2	0.10	<5
1832480	Rock	0.01	0.05	<0.02	1	0.02	0.002	1.9	5.3	<0.01	11.6	0.002	<1	0.06	0.005	0.02	<0.1	0.2	<0.02	<5
1832481	Drill Core	1.06	0.43	0.23	23	6.57	0.075	22.8	22.5	0.59	288.4	0.012	<1	1.07	0.005	0.46	0.1	5.3	0.20	<5
1832482	Drill Core	0.35	0.72	0.29	15	1.81	0.060	30.6	15.5	0.37	350.6	0.031	<1	0.74	0.045	0.41	0.1	4.6	0.20	<5
1832483	Drill Core	1.24	0.60	0.11	27	1.41	0.087	23.9	25.5	0.70	297.9	0.123	<1	1.18	0.057	0.39	0.5	7.9	0.19	<5
1832484	Drill Core	1.31	0.58	0.29	16	0.95	0.063	28.4	18.0	0.72	263.3	0.098	<1	1.17	0.036	0.42	0.5	5.6	0.14	<5
1832485	Drill Core	0.40	0.76	0.21	20	0.88	0.065	16.8	25.0	0.83	238.6	0.114	<1	1.17	0.021	0.32	0.4	6.4	0.11	<5
1832486	Drill Core	0.59	1.25	0.21	24	1.00	0.067	16.5	27.5	0.78	221.4	0.128	1	1.33	0.032	0.34	0.7	6.1	0.12	<5
1832487	Drill Core	0.55	1.92	0.05	27	1.21	0.116	19.5	35.4	1.24	227.1	0.141	1	1.64	0.035	0.47	0.8	6.4	0.21	<5
1832488	Drill Core	0.51	4.68	0.14	11	0.61	0.054	13.4	15.9	0.62	258.5	0.052	1	0.90	0.028	0.51	1.3	4.2	0.24	<5
1832489	Drill Core	0.19	2.98	<0.02	24	4.56	0.115	18.1	28.0	1.84	347.1	0.073	2	1.86	0.020	0.85	4.7	9.6	0.44	<5
1832490	Drill Core	0.16	3.02	<0.02	30	3.49	0.103	19.9	31.3	2.00	424.8	0.092	<1	2.13	0.027	0.68	5.2	8.3	0.26	<5
1832491	Drill Core	0.13	1.61	<0.02	21	2.70	0.104	15.8	23.7	1.33	329.4	0.075	2	1.57	0.024	0.72	3.4	6.7	0.28	<5
1832492	Drill Core	0.52	1.68	0.22	34	1.55	0.093	11.8	68.7	1.44	233.6	0.101	2	1.63	0.014	0.73	1.3	5.2	0.36	<5
1832493	Drill Core	0.37	1.48	0.10	30	1.19	0.089	14.0	55.2	1.18	235.6	0.081	2	1.44	0.022	0.67	0.9	4.5	0.32	11
1832494	Drill Core	0.28	1.54	0.13	14	1.97	0.094	12.5	14.8	0.85	101.4	0.063	2	1.14	0.014	0.80	1.0	4.0	0.38	31
1832495	Drill Core	0.55	0.99	0.08	25	1.43	0.077	18.8	31.3	0.96	191.4	0.113	<1	1.39	0.028	0.44	0.9	5.0	0.21	9
1832496	Drill Core	1.03	0.92	0.08	28	1.06	0.082	21.3	32.8	0.99	191.3	0.113	<1	1.48	0.037	0.37	1.4	5.8	0.17	<5
1832497	Drill Core	1.16	0.90	0.10	25	1.50	0.077	18.0	29.2	0.93	192.1	0.104	<1	1.44	0.033	0.38	1.1	6.0	0.17	8
1832498	Drill Core	0.41	0.75	0.11	23	1.19	0.081	16.6	25.2	0.81	235.4	0.085	1	1.25	0.035	0.48	0.8	5.3	0.23	<5
1832499	Drill Core	0.50	1.23	0.12	26	1.27	0.112	18.5	27.2	1.00	330.0	0.119	2	1.66	0.028	0.55	1.2	6.8	0.29	5
1832500	Rock Pulp	0.22	5.01	0.59	114	1.03	0.070	8.7	18.7	0.86	130.9	0.131	3	1.95	0.207	0.24	4.2	4.2	0.08	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 6

**Part:** 3 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1832471	Drill Core	0.3	<0.02	3.1	3.51	<0.1	0.33	0.08	20.3	0.5	<0.05	12.3	11.68	48.1	0.02	2	0.3	14.8	<10	<2
1832472	Drill Core	0.3	<0.02	3.6	4.50	<0.1	0.46	0.11	26.6	0.8	<0.05	14.6	14.41	49.6	0.03	2	0.4	11.5	<10	<2
1832473	Drill Core	0.3	0.03	4.7	2.04	<0.1	0.38	0.07	21.3	0.6	<0.05	15.4	11.48	44.9	0.02	1	0.6	18.9	<10	<2
1832474	Drill Core	0.5	0.03	3.5	2.08	<0.1	0.32	0.15	21.6	0.7	<0.05	10.5	15.25	51.2	0.02	2	0.4	13.6	<10	<2
1832475	Drill Core	0.5	0.04	2.8	2.35	<0.1	0.32	0.15	21.8	0.6	<0.05	10.8	14.87	60.8	0.03	<1	0.4	8.8	<10	<2
1832476	Drill Core	0.7	0.08	4.2	2.15	<0.1	0.40	0.20	17.0	0.7	<0.05	14.8	17.32	60.6	0.04	2	0.7	11.4	<10	<2
1832477	Drill Core	0.7	0.05	3.0	2.06	<0.1	0.38	0.24	23.8	0.5	<0.05	13.1	15.42	56.4	0.04	3	0.4	7.3	<10	<2
1832478	Drill Core	<0.1	0.03	3.5	1.72	<0.1	0.25	0.02	17.5	0.4	<0.05	9.0	14.26	71.2	0.02	1	0.4	8.8	<10	<2
1832479	Drill Core	0.2	0.03	4.3	1.76	<0.1	0.34	0.03	14.4	0.3	<0.05	12.8	12.45	44.4	0.02	1	0.6	12.6	<10	<2
1832480	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.12	0.04	1.0	0.2	<0.05	3.1	0.84	3.6	0.03	<1	<0.1	0.7	<10	<2
1832481	Drill Core	0.5	0.02	4.0	2.81	<0.1	0.21	0.04	24.3	0.3	<0.05	10.0	14.46	38.1	0.02	<1	0.7	14.3	<10	<2
1832482	Drill Core	1.0	0.02	2.8	3.71	<0.1	0.34	0.14	22.8	0.6	<0.05	10.9	13.79	56.8	0.02	5	0.4	8.7	<10	<2
1832483	Drill Core	0.3	<0.02	4.9	4.35	<0.1	0.12	0.26	22.0	0.7	<0.05	3.3	15.87	42.0	0.03	<1	0.7	14.3	<10	<2
1832484	Drill Core	0.1	<0.02	4.0	1.12	<0.1	0.19	0.26	19.6	0.6	<0.05	4.5	15.86	50.6	0.02	<1	0.6	14.2	<10	<2
1832485	Drill Core	0.2	0.05	4.3	1.02	<0.1	0.17	0.26	14.2	0.5	<0.05	5.4	11.83	31.4	<0.02	<1	0.5	17.7	<10	<2
1832486	Drill Core	0.1	0.04	5.1	0.90	<0.1	0.07	0.32	15.7	0.6	<0.05	2.6	12.49	31.3	0.03	2	0.5	15.5	<10	<2
1832487	Drill Core	0.2	<0.02	6.3	2.25	<0.1	0.13	0.20	24.0	0.6	<0.05	4.4	15.44	37.1	0.02	4	0.6	23.5	<10	<2
1832488	Drill Core	<0.1	0.04	3.7	3.07	<0.1	0.14	0.14	26.2	0.5	<0.05	5.2	8.38	25.0	<0.02	<1	0.5	10.9	<10	<2
1832489	Drill Core	<0.1	<0.02	6.9	6.61	<0.1	0.17	0.07	44.5	0.6	<0.05	3.6	17.22	33.5	0.03	2	1.0	21.9	<10	<2
1832490	Drill Core	<0.1	<0.02	7.9	3.70	<0.1	0.09	0.11	31.1	0.7	<0.05	2.8	21.79	36.9	0.04	<1	1.0	26.1	16	<2
1832491	Drill Core	<0.1	0.03	6.4	3.60	<0.1	0.11	0.12	36.0	0.5	<0.05	3.8	14.63	29.3	0.02	<1	0.8	19.4	<10	<2
1832492	Drill Core	0.1	0.02	5.2	5.21	<0.1	0.10	0.18	41.4	0.5	<0.05	3.5	9.60	22.9	<0.02	1	0.8	22.5	<10	<2
1832493	Drill Core	0.2	0.05	5.0	4.26	<0.1	0.10	0.14	36.4	0.6	<0.05	3.3	10.13	26.4	<0.02	<1	0.5	18.7	<10	<2
1832494	Drill Core	0.4	0.07	4.6	4.35	<0.1	0.05	0.20	43.0	0.5	<0.05	2.4	10.31	24.7	<0.02	1	0.6	13.9	<10	<2
1832495	Drill Core	0.1	0.02	5.8	2.15	<0.1	0.10	0.22	22.7	0.7	<0.05	3.0	12.11	33.0	0.02	3	0.6	17.4	<10	<2
1832496	Drill Core	<0.1	0.02	6.8	1.93	0.1	0.11	0.23	19.0	0.8	<0.05	3.4	12.97	39.7	0.02	<1	0.8	19.4	<10	<2
1832497	Drill Core	0.4	0.03	6.8	1.61	<0.1	0.10	0.21	20.1	0.7	<0.05	3.4	12.32	33.4	0.03	<1	0.8	19.3	<10	<2
1832498	Drill Core	0.3	0.02	5.4	2.25	<0.1	0.11	0.19	25.6	0.8	<0.05	3.3	11.04	30.6	0.02	2	0.7	14.8	<10	<2
1832499	Drill Core	0.7	0.05	7.5	2.75	<0.1	0.10	0.22	29.6	0.7	<0.05	4.0	14.82	35.0	0.02	3	0.8	21.9	<10	<2
1832500	Rock Pulp	<0.1	0.17	5.8	0.73	0.1	0.10	0.11	8.4	1.8	<0.05	1.9	5.82	17.3	0.05	<1	0.2	7.4	<10	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 4 of 6

Part: 4 of 4

## CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method	FA530
Analyte	Ag	
Unit	gm/t	
MDL	20	
1832471	Drill Core	
1832472	Drill Core	
1832473	Drill Core	
1832474	Drill Core	
1832475	Drill Core	
1832476	Drill Core	
1832477	Drill Core	
1832478	Drill Core	
1832479	Drill Core	
1832480	Rock	
1832481	Drill Core	
1832482	Drill Core	
1832483	Drill Core	
1832484	Drill Core	
1832485	Drill Core	
1832486	Drill Core	
1832487	Drill Core	
1832488	Drill Core	
1832489	Drill Core	
1832490	Drill Core	
1832491	Drill Core	
1832492	Drill Core	
1832493	Drill Core	
1832494	Drill Core	
1832495	Drill Core	
1832496	Drill Core	
1832497	Drill Core	
1832498	Drill Core	
1832499	Drill Core	
1832500	Rock Pulp	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 5 of 6

**Part:** 1 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832501	Drill Core	4.89	501	0.032	0.03	<0.17	18.05	0.71	14.88	14.21	81.6	265	18.7	12.4	873	2.95	8.6	1.6	29.0	6.3	161.2
1832502	Drill Core	4.10	450	0.005	<0.01	<0.17	19.05	1.06	18.72	7.38	289.7	273	28.2	14.8	673	3.16	13.2	2.3	4.5	6.1	118.3
1832503	Drill Core	2.31	474	<0.005	<0.01	<0.17	25.53	1.64	20.68	12.59	82.6	251	28.0	13.0	637	3.02	25.5	2.2	1.5	6.9	111.1
1832504	Drill Core	4.96	441	0.015	0.01	<0.17	24.24	1.40	17.91	12.14	72.2	317	26.2	13.5	512	2.62	12.3	3.6	11.2	5.8	97.7
1832505	Drill Core	4.90	525	0.014	0.01	<0.17	23.23	1.05	17.81	12.23	84.2	253	21.6	12.8	619	2.87	18.3	2.2	8.4	7.4	87.5
1832506	Drill Core	5.26	555	0.005	<0.01	<0.17	42.49	0.99	29.83	4.88	76.2	377	30.5	15.2	605	3.27	12.9	1.3	5.6	7.1	104.4
1832507	Drill Core	3.72	402	<0.005	<0.01	<0.17	21.77	1.42	30.31	7.28	88.6	209	26.5	12.0	579	3.26	51.2	1.5	2.6	7.6	110.0
1832508	Drill Core	3.27	442	0.005	<0.01	<0.17	19.93	1.53	25.20	5.26	80.8	275	27.7	13.9	557	3.26	51.5	2.0	6.1	6.8	101.1
1832509	Drill Core	2.58	530	0.029	0.03	<0.17	21.42	1.93	19.26	4.01	59.2	273	24.0	12.8	537	3.00	17.2	3.2	29.4	6.5	166.2
1832510	Drill Core	4.23	493	0.007	<0.01	<0.17	22.27	1.40	24.72	11.57	92.5	388	28.6	18.0	630	3.41	12.1	1.9	4.5	7.0	127.4
1832511	Drill Core	5.03	516	<0.005	<0.01	<0.17	29.40	1.34	21.61	13.38	94.3	313	29.4	17.6	622	3.47	23.0	3.5	4.8	7.1	110.6
1832512	Drill Core	4.89	483	0.008	<0.01	<0.17	23.56	1.29	26.80	12.58	83.5	289	24.9	14.3	592	3.17	55.7	2.6	4.3	6.1	115.6
1832513	Drill Core	4.64	513	<0.005	<0.01	<0.17	16.68	1.51	26.96	15.55	88.1	302	22.1	11.8	472	3.26	164.0	1.9	4.1	7.1	66.1
1832514	Drill Core	4.26	454	<0.005	<0.01	<0.17	37.56	0.98	30.56	14.05	76.9	383	19.5	9.1	467	2.87	101.6	1.7	4.1	7.5	45.1
1832515	Drill Core	4.61	408	<0.005	<0.01	<0.17	30.31	1.35	27.62	15.95	69.1	279	18.3	8.6	473	2.74	37.0	0.8	2.6	7.7	42.0
1832516	Drill Core	5.00	439	0.129	0.13	<0.17	33.24	1.47	20.81	14.30	89.3	354	18.0	9.1	625	2.72	102.3	1.4	106.1	7.9	47.2
1832517	Drill Core	4.90	446	1.178	1.23	2.19	23.73	2.28	46.44	49.23	290.1	1465	20.5	13.8	451	3.21	42.6	2.7	1187.4	3.9	18.6
1832518	Drill Core	3.75	442	0.007	<0.01	<0.17	29.67	0.45	1.47	0.69	7.5	36	1.0	0.4	79	0.55	1.8	<0.1	15.8	<0.1	0.9
1832519	Drill Core	4.22	416	0.031	0.03	<0.17	30.76	2.81	47.55	79.87	348.1	1360	33.3	13.2	927	3.54	252.8	1.8	42.4	4.0	36.3
1832520	Rock Pulp	0.12	101	0.469				2.41	460.36	19.68	51.0	298	594.5	27.4	430	2.64	19.0	0.6	429.3	1.6	59.3
1832521	Drill Core	4.48	407	0.005	<0.01	<0.17	39.82	2.39	51.58	37.19	176.7	583	34.3	17.7	867	3.82	295.7	2.1	5.8	4.4	31.6
1832522	Drill Core	4.86	434	0.006	<0.01	<0.17	39.80	2.69	54.27	16.08	114.0	462	30.4	14.4	816	3.58	110.4	3.5	5.1	4.2	25.8
1832523	Drill Core	2.99	444	0.209	0.28	0.86	50.18	2.61	49.03	19.57	114.7	813	27.2	13.9	608	4.28	86.2	4.7	214.0	3.7	57.1
1832524	Drill Core	4.39	420	0.044	0.22	2.20	34.05	3.26	53.12	21.49	149.6	671	37.0	18.2	1048	4.40	134.8	2.0	30.4	4.0	31.2
1832525	Drill Core	2.27	417	0.007	<0.01	<0.17	43.42	3.31	39.69	15.50	154.0	354	36.2	16.0	660	4.01	89.3	1.5	4.8	4.1	15.2
1832526	Drill Core	2.22	429	0.107	0.11	<0.17	31.32	2.82	25.79	13.88	82.7	416	30.0	14.6	800	3.59	44.7	1.6	74.8	3.4	18.0
1832527	Drill Core	4.36	457	0.008	<0.01	<0.17	44.93	2.58	47.30	18.84	129.7	559	38.3	17.8	735	4.09	130.1	1.4	2.6	4.2	18.1
1832528	Drill Core	5.24	459	<0.005	<0.01	<0.17	36.26	2.67	40.02	8.37	106.0	347	17.0	7.6	300	3.59	160.5	1.8	5.4	3.9	50.2
1832529	Drill Core	3.82	404	>10	982.46	10825.4	33.39	8.74	56.00	15.87	195.0	>100000	63.3	32.3	892	3.78	152.0	2.7	>100000	5.4	45.0
1832530	Drill Core	4.47	462	0.252	0.56	3.58	42.76	4.27	69.21	75.25	169.7	1993	40.1	14.2	408	3.85	229.9	1.8	576.5	3.8	41.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 5 of 6

**Part:** 2 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832501	Drill Core	0.44	0.63	0.13	46	2.86	0.080	16.7	99.6	1.62	378.4	0.102	<1	1.77	0.026	0.43	0.8	7.9	0.25	0.09	6			
1832502	Drill Core	5.08	0.56	0.05	61	2.06	0.086	13.9	152.7	1.98	152.4	0.121	<1	2.09	0.041	0.33	0.5	8.7	0.19	0.03	9			
1832503	Drill Core	0.34	0.59	0.08	56	2.13	0.078	18.1	118.8	1.57	239.5	0.058	<1	1.64	0.043	0.27	0.2	10.1	0.14	0.09	<5			
1832504	Drill Core	0.34	0.42	0.08	56	1.85	0.071	16.2	129.4	1.49	228.8	0.106	<1	1.57	0.050	0.24	0.2	7.2	0.12	0.06	<5			
1832505	Drill Core	0.50	0.21	0.11	49	1.95	0.084	23.6	108.6	1.42	284.3	0.022	<1	1.68	0.021	0.25	<0.1	9.2	0.09	0.05	9			
1832506	Drill Core	0.41	0.79	0.06	60	1.89	0.068	23.0	161.0	1.68	180.6	0.009	1	1.93	0.024	0.19	0.1	6.3	0.09	0.03	<5			
1832507	Drill Core	0.59	0.85	0.09	50	2.48	0.074	12.7	120.9	1.61	289.9	0.009	<1	1.82	0.026	0.23	<0.1	10.6	0.09	0.17	<5			
1832508	Drill Core	0.43	1.17	0.07	48	2.35	0.063	12.8	127.0	1.61	236.9	0.028	<1	1.81	0.025	0.28	0.1	8.6	0.12	0.21	<5			
1832509	Drill Core	0.09	1.20	0.06	47	2.60	0.115	14.6	110.4	1.66	217.0	0.030	<1	1.76	0.018	0.36	0.3	6.6	0.15	0.15	<5			
1832510	Drill Core	0.34	0.89	0.13	57	2.35	0.081	19.0	172.6	2.01	178.7	0.014	<1	2.14	0.024	0.23	<0.1	7.8	0.09	0.09	<5			
1832511	Drill Core	0.53	1.69	0.07	67	2.14	0.082	19.5	185.1	2.03	122.4	0.017	<1	2.17	0.032	0.16	0.1	9.7	0.07	0.10	<5			
1832512	Drill Core	0.37	1.61	0.08	50	2.68	0.070	15.4	131.8	1.87	214.6	0.017	<1	2.01	0.029	0.20	<0.1	8.4	0.06	0.21	<5			
1832513	Drill Core	0.64	2.44	0.18	31	1.64	0.075	14.8	68.5	1.81	231.7	0.019	<1	2.00	0.017	0.30	0.1	5.0	0.09	0.23	<5			
1832514	Drill Core	0.33	2.00	0.19	28	1.40	0.065	15.6	59.3	1.50	227.3	0.014	<1	1.77	0.020	0.31	0.1	4.7	0.10	0.07	<5			
1832515	Drill Core	0.29	1.22	0.04	21	0.99	0.058	17.8	27.3	1.58	198.9	0.007	<1	1.78	0.018	0.28	<0.1	2.9	0.07	0.05	<5			
1832516	Drill Core	0.46	1.21	0.13	17	1.13	0.065	17.3	26.0	1.45	230.0	0.013	1	1.73	0.013	0.36	0.1	3.2	0.11	0.08	<5			
1832517	Drill Core	2.29	1.00	0.60	21	0.15	0.042	11.7	16.2	0.91	300.9	0.009	2	1.27	0.004	0.43	0.2	2.9	0.14	<0.02	16			
1832518	Drill Core	0.10	0.14	<0.02	<1	<0.01	<0.001	<0.5	2.6	0.02	10.4	<0.001	<1	0.03	0.002	0.02	<0.1	<0.1	<0.02	<0.02	<5			
1832519	Drill Core	3.91	3.10	0.71	37	0.56	0.086	10.9	28.3	1.65	230.1	0.028	<1	1.86	0.006	0.55	0.4	4.4	0.17	<0.02	7			
1832520	Rock Pulp	0.21	0.46	0.30	50	1.43	0.031	4.5	105.4	1.78	79.3	0.076	2	2.06	0.204	0.14	1.3	3.1	0.09	0.19	21			
1832521	Drill Core	1.64	4.34	0.17	39	0.71	0.091	12.7	24.9	1.77	215.1	0.018	<1	2.00	0.006	0.36	0.2	4.5	0.12	<0.02	<5			
1832522	Drill Core	0.74	2.87	0.11	32	0.56	0.100	12.0	20.8	1.45	202.2	0.007	<1	1.78	0.007	0.34	<0.1	3.2	0.11	<0.02	<5			
1832523	Drill Core	0.99	0.97	0.22	36	0.24	0.089	11.0	21.7	1.66	262.1	0.005	<1	2.03	0.008	0.35	0.1	3.2	0.10	0.11	<5			
1832524	Drill Core	1.07	1.31	0.20	40	0.68	0.094	10.0	28.4	2.26	206.8	0.005	<1	2.43	0.006	0.29	0.2	4.1	0.09	0.11	<5			
1832525	Drill Core	0.55	1.16	0.13	43	0.26	0.089	12.8	28.1	2.03	186.8	0.003	<1	2.34	0.005	0.30	0.1	3.4	0.08	<0.02	<5			
1832526	Drill Core	0.59	1.62	0.11	35	0.26	0.070	10.5	21.6	1.43	186.9	0.004	1	1.66	0.005	0.32	0.1	3.0	0.09	0.25	<5			
1832527	Drill Core	0.62	1.96	0.12	45	0.22	0.090	9.8	30.5	2.13	159.0	0.004	<1	2.43	0.005	0.27	<0.1	3.7	0.08	0.08	<5			
1832528	Drill Core	0.35	2.06	0.05	30	0.17	0.088	9.1	21.4	1.60	182.4	0.003	<1	1.96	0.008	0.26	<0.1	2.4	0.12	0.06	<5			
1832529	Drill Core	1.04	3.89	0.09	38	0.21	0.081	5.9	25.1	1.69	106.8	0.004	3	2.09	0.004	0.17	0.3	2.7	0.10	0.06	1478			
1832530	Drill Core	0.89	2.18	0.16	32	0.24	0.088	9.0	21.7	1.28	164.6	0.003	<1	1.74	0.008	0.27	0.2	2.7	0.07	0.17	13			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 5 of 6

**Part:** 3 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1832501	Drill Core	0.2	<0.02	7.0	4.81	<0.1	0.11	0.12	25.7	0.5	<0.05	4.3	13.48	29.2	0.03	3	0.7	28.3	<10	<2
1832502	Drill Core	0.2	<0.02	7.4	4.96	<0.1	0.11	0.20	20.4	0.6	<0.05	3.8	13.40	25.9	0.03	1	0.6	30.7	<10	<2
1832503	Drill Core	0.2	0.02	6.3	2.44	<0.1	0.05	0.07	13.4	0.5	<0.05	1.6	13.27	33.0	0.04	2	0.3	13.8	<10	<2
1832504	Drill Core	0.2	0.03	6.2	2.41	<0.1	0.10	0.19	12.5	0.7	<0.05	2.2	12.67	29.5	0.03	4	0.5	15.1	<10	<2
1832505	Drill Core	0.5	<0.02	6.3	1.59	<0.1	0.15	0.03	11.3	0.4	<0.05	1.3	12.07	40.8	0.03	<1	0.5	23.3	<10	<2
1832506	Drill Core	<0.1	0.05	7.2	2.26	<0.1	0.13	<0.02	11.8	0.3	<0.05	1.1	12.62	44.2	0.04	1	0.5	31.0	11	<2
1832507	Drill Core	0.7	0.02	7.5	0.85	<0.1	0.03	0.03	11.2	0.3	<0.05	1.4	6.07	25.5	0.06	5	0.3	18.2	<10	2
1832508	Drill Core	0.8	0.02	7.4	1.36	<0.1	0.03	0.04	13.6	0.4	<0.05	1.6	8.96	24.4	0.03	4	0.3	22.9	<10	2
1832509	Drill Core	<0.1	<0.02	6.0	2.74	<0.1	0.05	0.04	18.2	0.4	<0.05	3.3	13.18	28.1	0.03	4	0.6	30.2	<10	<2
1832510	Drill Core	<0.1	0.02	8.5	1.64	<0.1	0.05	0.03	12.2	0.2	<0.05	2.0	13.93	35.8	0.03	2	0.6	31.5	<10	<2
1832511	Drill Core	0.3	<0.02	9.7	1.50	<0.1	0.07	0.04	9.2	0.3	<0.05	2.8	14.44	37.3	0.04	3	0.5	32.3	<10	<2
1832512	Drill Core	0.7	<0.02	6.8	0.48	<0.1	0.10	0.14	8.3	0.2	<0.05	3.2	10.60	29.0	0.02	2	0.3	23.5	<10	<2
1832513	Drill Core	1.0	0.04	5.8	0.95	<0.1	0.14	0.04	12.1	0.3	<0.05	4.9	9.27	28.2	0.02	3	0.3	28.5	21	<2
1832514	Drill Core	1.5	0.03	5.3	1.86	<0.1	0.21	<0.02	13.1	0.3	<0.05	10.0	7.29	29.8	0.02	4	0.4	28.4	<10	<2
1832515	Drill Core	0.3	<0.02	5.5	0.77	<0.1	0.30	<0.02	10.2	0.2	<0.05	10.6	8.72	34.6	<0.02	<1	0.4	20.7	<10	<2
1832516	Drill Core	0.4	0.04	4.9	1.55	<0.1	0.39	0.02	14.6	0.2	<0.05	13.6	8.59	33.1	<0.02	3	0.4	23.9	<10	<2
1832517	Drill Core	1.7	0.11	3.8	2.62	<0.1	0.31	<0.02	18.5	0.5	<0.05	11.0	6.41	21.1	0.07	<1	0.5	19.5	<10	<2
1832518	Drill Core	<0.1	<0.02	0.2	0.06	<0.1	<0.02	<0.02	0.4	<0.1	<0.05	0.4	0.20	0.4	<0.02	<1	<0.1	0.5	<10	<2
1832519	Drill Core	1.1	0.08	4.4	5.21	<0.1	0.28	0.03	23.3	0.5	<0.05	9.5	8.89	19.4	0.04	1	0.4	21.6	<10	<2
1832520	Rock Pulp	0.5	0.18	4.3	0.65	<0.1	0.05	0.05	6.2	0.4	<0.05	1.6	3.30	8.7	<0.02	2	<0.1	8.3	260	119
1832521	Drill Core	0.7	0.06	4.5	1.97	<0.1	0.23	<0.02	14.9	0.3	<0.05	9.1	8.22	22.6	<0.02	<1	0.3	28.8	<10	<2
1832522	Drill Core	0.6	0.04	4.0	1.93	<0.1	0.20	<0.02	12.7	0.2	<0.05	8.7	6.05	22.3	<0.02	1	0.3	23.0	<10	<2
1832523	Drill Core	1.3	0.05	5.0	1.96	<0.1	0.14	<0.02	14.4	0.3	<0.05	7.1	6.34	20.4	<0.02	2	0.3	39.4	<10	<2
1832524	Drill Core	0.9	0.04	6.1	1.24	<0.1	0.15	<0.02	11.4	0.2	<0.05	9.5	6.35	18.6	<0.02	1	0.4	41.0	<10	<2
1832525	Drill Core	0.5	0.05	6.4	1.01	<0.1	0.17	<0.02	12.2	0.2	<0.05	7.9	5.28	24.0	<0.02	<1	0.3	35.1	<10	<2
1832526	Drill Core	1.1	0.03	4.7	1.43	<0.1	0.16	<0.02	14.0	0.3	<0.05	7.2	7.24	18.6	<0.02	<1	0.4	28.3	12	<2
1832527	Drill Core	0.8	0.05	5.6	1.02	<0.1	0.21	<0.02	11.2	0.2	<0.05	8.5	6.25	19.2	<0.02	2	0.3	36.7	<10	<2
1832528	Drill Core	1.4	0.04	4.2	1.24	<0.1	0.13	<0.02	9.0	0.1	<0.05	6.0	3.56	16.6	<0.02	1	0.2	21.1	<10	2
1832529	Drill Core	<0.1	1.00	5.2	0.97	<0.1	0.23	<0.02	5.3	0.1	<0.05	7.7	5.13	10.7	<0.02	<1	0.1	40.8	<10	<2
1832530	Drill Core	1.4	0.09	4.2	1.29	<0.1	0.16	<0.02	8.9	0.2	<0.05	9.0	5.15	16.5	<0.02	3	0.5	27.0	<10	3





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 5 of 6

Part: 4 of 4

## CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	FA530
Analyte	Ag
Unit	gm/t
MDL	20
1832501	Drill Core
1832502	Drill Core
1832503	Drill Core
1832504	Drill Core
1832505	Drill Core
1832506	Drill Core
1832507	Drill Core
1832508	Drill Core
1832509	Drill Core
1832510	Drill Core
1832511	Drill Core
1832512	Drill Core
1832513	Drill Core
1832514	Drill Core
1832515	Drill Core
1832516	Drill Core
1832517	Drill Core
1832518	Drill Core
1832519	Drill Core
1832520	Rock Pulp
1832521	Drill Core
1832522	Drill Core
1832523	Drill Core
1832524	Drill Core
1832525	Drill Core
1832526	Drill Core
1832527	Drill Core
1832528	Drill Core
1832529	Drill Core
1832530	Drill Core



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 6 of 6

**Part:** 1 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832531	Drill Core	2.37	534	0.562	0.86	4.59	38.98	2.84	40.49	25.55	109.1	2152	24.2	11.8	557	2.54	85.7	1.0	2707.4	2.8	26.1
1832532	Drill Core	4.51	495	0.008	<0.01	<0.17	49.55	2.13	46.94	39.91	258.3	564	32.8	15.4	866	3.27	116.0	0.7	4.8	3.4	42.3
1832533	Drill Core	4.56	488	0.040	0.06	0.31	35.46	2.36	63.79	31.61	547.1	659	31.4	15.4	1019	3.57	33.7	0.8	6.1	3.6	48.7
1832534	Drill Core	4.75	498	0.018	0.02	<0.17	36.54	2.55	62.08	25.23	361.6	573	38.8	17.7	1017	3.99	158.2	0.9	2.8	4.0	35.4
1832535	Drill Core	4.80	496	0.014	0.01	<0.17	40.58	2.99	87.29	79.81	360.9	1142	34.2	14.1	803	4.49	62.6	0.7	3.9	3.8	25.7
1832536	Drill Core	3.03	407	0.006	<0.01	<0.17	27.67	2.59	60.93	56.00	254.9	707	32.8	14.5	843	3.90	117.7	0.6	1.7	3.7	29.4



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 6 of 6

**Part:** 2 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832531	Drill Core	0.95	1.68	0.12	20	0.18	0.057	8.2	11.1	0.51	182.7	0.003	<1	0.95	0.007	0.27	<0.1	1.9	0.10	0.12	9
1832532	Drill Core	1.93	1.38	0.41	31	1.33	0.074	5.8	17.6	1.42	191.5	0.005	<1	1.58	0.010	0.29	<0.1	3.3	0.08	0.54	<5
1832533	Drill Core	4.27	0.58	0.58	32	1.61	0.075	5.1	19.0	1.72	161.7	0.003	1	1.80	0.009	0.21	<0.1	2.9	0.05	0.40	5
1832534	Drill Core	3.97	1.60	0.33	38	1.08	0.073	7.6	22.8	1.78	164.3	0.003	1	1.98	0.009	0.21	<0.1	3.5	0.07	0.18	8
1832535	Drill Core	2.54	0.79	0.75	45	0.67	0.083	6.9	24.0	2.10	175.1	0.004	1	2.35	0.007	0.22	<0.1	3.5	0.05	0.28	<5
1832536	Drill Core	2.06	1.16	0.32	40	0.76	0.073	7.7	23.8	2.16	171.5	0.003	<1	2.21	0.007	0.22	<0.1	3.2	0.06	0.16	<5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 6 of 6

**Part:** 3 of 4

# CERTIFICATE OF ANALYSIS

WHI19000059.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1832531	Drill Core	1.9	0.03	2.4	1.07	<0.1	0.14	<0.02	8.4	0.2	<0.05	6.5	3.62	15.0	<0.02	<1	0.2	13.0	<10	2	
1832532	Drill Core	2.6	0.07	3.6	0.75	<0.1	0.13	<0.02	8.8	0.2	<0.05	6.5	4.62	11.0	<0.02	2	0.2	17.7	<10	<2	
1832533	Drill Core	2.4	0.05	4.1	0.37	<0.1	0.16	<0.02	6.2	0.2	<0.05	5.0	5.29	9.5	0.04	4	<0.1	19.1	<10	<2	
1832534	Drill Core	1.9	0.03	4.7	1.32	<0.1	0.14	<0.02	7.2	0.2	<0.05	8.2	6.33	13.6	0.02	3	0.2	23.9	<10	<2	
1832535	Drill Core	1.7	0.08	6.2	1.02	<0.1	0.17	<0.02	7.3	0.2	<0.05	10.4	6.16	13.1	0.04	<1	0.2	24.9	<10	<2	
1832536	Drill Core	1.0	0.05	5.3	0.60	<0.1	0.19	<0.02	6.8	0.2	<0.05	9.7	6.04	14.0	<0.02	<1	<0.1	27.7	<10	<2	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 6 of 6 Part: 4 of 4

## CERTIFICATE OF ANALYSIS

WHI19000059.1

Method	FA530
Analyte	Ag
Unit	gm/t
MDL	20
1832531	Drill Core
1832532	Drill Core
1832533	Drill Core
1832534	Drill Core
1832535	Drill Core
1832536	Drill Core



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 20, 2019

Page:

1 of 4

Part:

1 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1832422	Drill Core	4.60	471	<0.005	<0.01	<0.17	26.88	0.53	12.15	11.48	24.7	159	4.5	4.6	156	0.98	4.1	0.9	1.3	4.6	49.5	
REP 1832422	QC							0.53	12.17	11.84	25.8	166	4.5	4.8	160	0.99	4.0	0.9	0.3	5.0	50.8	
1832447	Drill Core	5.56	467	0.005	<0.01	<0.17	25.01	0.48	16.38	20.10	61.5	294	8.6	7.0	270	1.89	4.1	2.4	0.9	11.7	62.3	
REP 1832447	QC			<0.005																		
1832456	Drill Core	5.52	446	0.038	0.04	<0.17	22.59	0.35	55.98	112.85	182.1	967	12.1	8.4	492	2.32	1.9	1.4	23.2	11.0	93.0	
REP 1832456	QC							0.37	58.01	114.81	185.7	981	12.1	8.5	506	2.33	1.9	1.4	27.5	11.2	92.6	
1832458	Drill Core	2.28	457	0.070	0.07	<0.17	20.08	1.21	33.42	66.17	110.2	993	10.1	7.0	368	1.82	2.7	1.5	43.5	10.6	54.0	
REP 1832458	QC			0.049																		
1832491	Drill Core	3.31	425	0.110	0.12	0.17	46.53	0.45	5.73	2.42	35.8	383	13.7	4.6	569	1.97	8.0	3.0	123.7	10.0	204.8	
REP 1832491	QC							0.51	5.79	2.46	34.5	374	13.4	4.7	559	1.96	7.7	3.0	94.3	10.1	203.2	
1832516	Drill Core	5.00	439	0.129	0.13	<0.17	33.24	1.47	20.81	14.30	89.3	354	18.0	9.1	625	2.72	102.3	1.4	106.1	7.9	47.2	
REP 1832516	QC			0.124																		
1832524	Drill Core	4.39	420	0.044	0.22	2.20	34.05	3.26	53.12	21.49	149.6	671	37.0	18.2	1048	4.40	134.8	2.0	30.4	4.0	31.2	
REP 1832524	QC							3.02	50.99	19.83	153.5	613	33.0	17.7	991	4.36	129.0	2.0	32.3	4.0	29.9	
1832525	Drill Core	2.27	417	0.007	<0.01	<0.17	43.42	3.31	39.69	15.50	154.0	354	36.2	16.0	660	4.01	89.3	1.5	4.8	4.1	15.2	
REP 1832525	QC			0.007																		
REP 1832529	QC																					
Core Reject Duplicates																						
1832427	Drill Core	2.66	453	<0.005	<0.01	<0.17	33.04	0.21	7.05	58.01	56.2	289	0.9	0.9	130	0.74	3.6	2.0	0.7	12.2	21.4	
DUP 1832427	QC		460	<0.005	<0.01	<0.17	45.87	0.13	6.59	55.29	54.6	295	0.7	0.8	105	0.58	3.7	1.8	1.0	11.2	18.3	
1832461	Drill Core	4.52	427	0.006	<0.01	<0.17	21.43	0.59	32.22	35.41	97.5	552	13.8	8.8	484	2.40	0.9	1.9	3.8	11.3	72.8	
DUP 1832461	QC		433	<0.005	<0.01	<0.17	32.14	0.49	32.62	35.65	94.7	526	13.8	8.7	487	2.33	0.8	2.0	2.3	11.7	74.4	
1832495	Drill Core	4.69	419	0.339	0.34	0.30	30.34	1.31	20.87	12.58	76.9	814	13.3	10.1	469	2.59	6.6	3.0	289.9	8.8	75.1	
DUP 1832495	QC		429	0.288	0.29	0.33	24.55	1.34	21.14	12.50	77.1	856	13.6	9.7	481	2.57	6.7	3.1	332.6	9.2	74.9	
1832529	Drill Core	3.82	404	>10	982.46	10825.4	33.39	8.74	56.00	15.87	195.0>100000	63.3	32.3	892	3.78	152.0	2.7>100000		5.4	45.0		
DUP 1832529	QC		400	>10	1036.47	9178.38	40.48	9.32	54.05	14.44	174.0>100000	59.0	33.0	877	3.75	149.8	2.5>100000		4.8	45.2		
Reference Materials																						
STD AGPROOF	Standard																					



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 1 of 4

**Part:** 2 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832422	Drill Core	0.24	0.23	0.10	8	0.60	0.049	13.2	9.4	0.21	353.4	0.072	<1	0.66	0.043	0.34	<0.1	2.9	0.12	<0.02	5
REP 1832422	QC	0.23	0.25	0.10	8	0.61	0.053	13.8	9.4	0.21	363.3	0.074	1	0.65	0.041	0.34	<0.1	3.0	0.11	<0.02	<5
1832447	Drill Core	0.74	0.79	0.15	18	0.85	0.062	17.2	18.7	0.86	430.0	0.069	1	1.08	0.025	0.58	0.5	5.6	0.28	0.15	15
REP 1832447	QC																				
1832456	Drill Core	1.14	0.74	0.09	26	1.41	0.061	24.5	26.7	0.91	139.1	0.077	1	1.25	0.022	0.28	1.0	4.9	0.18	0.04	11
REP 1832456	QC	1.18	0.79	0.08	26	1.40	0.064	25.4	27.1	0.92	142.5	0.081	1	1.27	0.025	0.28	0.8	4.7	0.16	0.04	10
1832458	Drill Core	0.82	0.80	0.18	18	0.66	0.060	19.8	21.1	0.72	186.7	0.070	1	1.11	0.026	0.38	0.9	3.9	0.23	0.03	8
REP 1832458	QC																				
1832491	Drill Core	0.13	1.61	<0.02	21	2.70	0.104	15.8	23.7	1.33	329.4	0.075	2	1.57	0.024	0.72	3.4	6.7	0.28	0.29	<5
REP 1832491	QC	0.13	1.57	<0.02	21	2.69	0.103	15.6	23.2	1.33	331.3	0.071	2	1.49	0.024	0.71	3.6	6.2	0.29	0.28	<5
1832516	Drill Core	0.46	1.21	0.13	17	1.13	0.065	17.3	26.0	1.45	230.0	0.013	1	1.73	0.013	0.36	0.1	3.2	0.11	0.08	<5
REP 1832516	QC																				
1832524	Drill Core	1.07	1.31	0.20	40	0.68	0.094	10.0	28.4	2.26	206.8	0.005	<1	2.43	0.006	0.29	0.2	4.1	0.09	0.11	<5
REP 1832524	QC	1.00	1.21	0.19	41	0.68	0.095	9.8	27.1	2.22	196.7	0.005	<1	2.48	0.005	0.29	0.2	4.2	0.08	0.11	<5
1832525	Drill Core	0.55	1.16	0.13	43	0.26	0.089	12.8	28.1	2.03	186.8	0.003	<1	2.34	0.005	0.30	0.1	3.4	0.08	<0.02	<5
REP 1832525	QC																				
REP 1832529	QC																				
Core Reject Duplicates																					
1832427	Drill Core	0.50	0.62	0.19	2	0.30	0.012	32.1	3.7	0.18	426.9	0.033	1	0.78	0.040	0.42	0.6	3.4	0.15	<0.02	8
DUP 1832427	QC	0.45	0.55	0.18	2	0.26	0.011	30.1	2.9	0.16	332.3	0.031	1	0.62	0.026	0.34	0.5	2.8	0.13	<0.02	11
1832461	Drill Core	0.51	1.09	0.18	24	1.04	0.079	28.4	29.3	0.91	221.2	0.078	1	1.38	0.023	0.43	0.7	5.7	0.29	<0.02	6
DUP 1832461	QC	0.50	1.06	0.18	23	1.06	0.080	29.3	28.0	0.90	213.9	0.077	<1	1.33	0.020	0.42	0.7	5.3	0.28	<0.02	<5
1832495	Drill Core	0.55	0.99	0.08	25	1.43	0.077	18.8	31.3	0.96	191.4	0.113	<1	1.39	0.028	0.44	0.9	5.0	0.21	0.41	9
DUP 1832495	QC	0.55	0.96	0.08	25	1.41	0.091	18.2	31.7	0.96	198.9	0.114	1	1.43	0.028	0.45	0.9	5.4	0.22	0.40	8
1832529	Drill Core	1.04	3.89	0.09	38	0.21	0.081	5.9	25.1	1.69	106.8	0.004	3	2.09	0.004	0.17	0.3	2.7	0.10	0.06	1478
DUP 1832529	QC	1.28	3.91	0.09	37	0.20	0.078	6.0	25.4	1.64	114.1	0.003	<1	2.06	0.004	0.18	0.3	2.9	0.08	0.05	1576
Reference Materials																					
STD AGPROOF	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 20, 2019

Page:

1 of 4

Part:

3 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																					
1832422	Drill Core	<0.1	<0.02	2.0	1.42	<0.1	0.03	0.24	15.5	0.5	<0.05	0.7	8.80	25.8	<0.02	<1	0.2	4.7	<10	<2	
REP 1832422	QC	<0.1	<0.02	2.1	1.45	<0.1	0.03	0.26	16.0	0.5	<0.05	0.7	9.57	26.8	<0.02	<1	0.3	4.7	<10	<2	
1832447	Drill Core	0.5	<0.02	3.6	4.75	<0.1	0.16	0.13	36.4	0.6	<0.05	4.6	12.76	34.3	<0.02	1	0.4	16.2	<10	<2	
REP 1832447	QC																				
1832456	Drill Core	<0.1	0.03	7.4	1.90	<0.1	0.14	0.10	20.1	0.6	<0.05	3.3	14.40	47.4	0.03	<1	0.7	22.2	<10	<2	
REP 1832456	QC	<0.1	0.04	7.1	1.94	<0.1	0.13	0.10	20.1	0.6	<0.05	3.5	14.70	48.4	0.02	<1	0.7	22.0	<10	<2	
1832458	Drill Core	<0.1	0.03	4.8	2.71	<0.1	0.08	0.16	25.0	0.6	<0.05	2.2	11.26	39.5	<0.02	<1	0.6	16.4	<10	3	
REP 1832458	QC																				
1832491	Drill Core	<0.1	0.03	6.4	3.60	<0.1	0.11	0.12	36.0	0.5	<0.05	3.8	14.63	29.3	0.02	<1	0.8	19.4	<10	<2	
REP 1832491	QC	<0.1	<0.02	6.3	3.64	<0.1	0.10	0.11	35.9	0.5	<0.05	3.8	14.76	29.4	0.03	1	0.7	18.8	<10	2	
1832516	Drill Core	0.4	0.04	4.9	1.55	<0.1	0.39	0.02	14.6	0.2	<0.05	13.6	8.59	33.1	<0.02	3	0.4	23.9	<10	<2	
REP 1832516	QC																				
1832524	Drill Core	0.9	0.04	6.1	1.24	<0.1	0.15	<0.02	11.4	0.2	<0.05	9.5	6.35	18.6	<0.02	1	0.4	41.0	<10	<2	
REP 1832524	QC	0.8	0.06	5.9	1.15	<0.1	0.19	<0.02	10.7	0.2	<0.05	8.4	5.89	19.1	<0.02	2	0.3	36.7	16	<2	
1832525	Drill Core	0.5	0.05	6.4	1.01	<0.1	0.17	<0.02	12.2	0.2	<0.05	7.9	5.28	24.0	<0.02	<1	0.3	35.1	<10	<2	
REP 1832525	QC																				
REP 1832529	QC																				
Core Reject Duplicates																					
1832427	Drill Core	<0.1	<0.02	3.0	0.96	<0.1	0.05	0.34	20.7	0.8	<0.05	1.2	17.92	61.2	0.04	<1	0.5	6.4	<10	<2	
DUP 1832427	QC	<0.1	<0.02	2.3	0.95	<0.1	0.03	0.34	17.1	0.6	<0.05	1.0	16.39	56.5	0.02	<1	0.4	5.4	<10	<2	
1832461	Drill Core	<0.1	0.02	5.7	3.94	<0.1	0.09	0.13	34.4	0.6	<0.05	2.5	19.80	56.0	0.03	<1	0.6	25.5	<10	<2	
DUP 1832461	QC	<0.1	<0.02	5.6	4.16	<0.1	0.10	0.13	33.4	0.6	<0.05	2.5	20.06	56.3	0.02	<1	0.7	25.6	<10	<2	
1832495	Drill Core	0.1	0.02	5.8	2.15	<0.1	0.10	0.22	22.7	0.7	<0.05	3.0	12.11	33.0	0.02	3	0.6	17.4	<10	<2	
DUP 1832495	QC	<0.1	<0.02	5.6	2.14	0.1	0.09	0.24	24.0	0.7	<0.05	2.8	12.17	33.8	<0.02	2	0.6	17.0	<10	<2	
1832529	Drill Core	<0.1	1.00	5.2	0.97	<0.1	0.23	<0.02	5.3	0.1	<0.05	7.7	5.13	10.7	<0.02	<1	0.1	40.8	<10	<2	94.5
DUP 1832529	QC	<0.1	1.00	4.9	0.94	<0.1	0.12	<0.02	5.8	0.2	<0.05	8.1	4.96	10.9	0.03	<1	0.3	37.5	<10	<2	118.5
Reference Materials																					
STD AGPROOF	Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 1 of 4

Part: 4 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

	Method	FA530
Analyte	Ag	
Unit	gm/t	
MDL	20	
Pulp Duplicates		
1832422	Drill Core	
REP 1832422	QC	
1832447	Drill Core	
REP 1832447	QC	
1832456	Drill Core	
REP 1832456	QC	
1832458	Drill Core	
REP 1832458	QC	
1832491	Drill Core	
REP 1832491	QC	
1832516	Drill Core	
REP 1832516	QC	
1832524	Drill Core	
REP 1832524	QC	
1832525	Drill Core	
REP 1832525	QC	
REP 1832529	QC	I.S.
Core Reject Duplicates		
1832427	Drill Core	
DUP 1832427	QC	
1832461	Drill Core	
DUP 1832461	QC	
1832495	Drill Core	
DUP 1832495	QC	
1832529	Drill Core	943
DUP 1832529	QC	1128
Reference Materials		
STD AGPROOF	Standard	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 4

**Part:** 1 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard							10.46	4419.64	186.01	1719.1	2461	159.6	25.6	730	3.72	129.3	4.0	216.4	18.0	56.0
STD BVGEO01	Standard							11.93	4428.65	199.04	1831.6	2654	155.1	26.8	653	3.71	120.0	4.1	230.2	14.7	59.6
STD DS11	Standard							15.32	148.91	138.00	338.8	1763	84.3	14.6	1074	3.26	44.5	2.8	83.8	8.4	66.6
STD DS11	Standard							15.75	151.33	141.41	352.6	1740	80.0	13.6	1043	3.19	45.9	2.8	111.8	9.4	72.5
STD DS11	Standard							15.15	157.06	135.87	333.6	1690	82.9	14.3	1034	3.10	41.6	2.7	70.2	7.7	66.9
STD DS11	Standard							15.21	168.07	140.62	348.1	1739	86.1	14.7	1037	3.20	43.8	2.7	84.8	8.2	66.3
STD OREAS262	Standard							0.61	115.17	57.25	144.7	444	60.1	26.9	548	3.21	37.6	1.3	66.9	10.6	35.8
STD OREAS262	Standard							0.68	115.15	58.44	150.4	479	68.2	29.0	546	3.30	37.0	1.3	66.6	10.0	35.4
STD OREAS256	Standard			7.719																	
STD OREAS263	Standard			0.212																	
STD OREAS253	Standard			1.240																	
STD OREAS262	Standard							0.63	114.82	57.16	152.4	459	64.3	26.8	540	3.36	37.4	1.3	83.0	11.0	35.9
STD OREAS262	Standard							0.75	126.75	57.23	149.6	474	63.2	28.4	506	3.51	36.3	1.3	71.1	9.5	36.9
STD OREAS262	Standard							0.64	109.71	53.23	142.7	422	59.3	24.7	480	3.08	32.3	1.1	58.1	8.6	32.6
STD OREAS256	Standard			7.967																	
STD OREAS263	Standard			0.216																	
STD OREAS253	Standard			1.298																	
STD OREAS262	Standard							0.66	123.84	57.27	148.0	439	66.8	29.3	551	3.30	35.3	1.2	59.7	9.4	35.2
STD OXC145	Standard			0.217																	
STD OXH139	Standard			1.293																	
STD OXN134	Standard			7.960																	
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 20, 2019

Page:

2 of 4

Part:

2 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard	6.79	3.85	27.08	73	1.32	0.075	26.4	178.3	1.31	296.3	0.222	5	2.36	0.196	0.90	5.4	6.8	0.60	0.67	88
STD BVGEO01	Standard	7.01	4.09	27.32	71	1.41	0.072	27.9	208.3	1.31	264.7	0.247	3	2.47	0.198	0.89	5.6	6.5	0.67	0.62	92
STD DS11	Standard	2.60	8.66	11.99	50	1.10	0.083	19.9	64.6	0.87	377.1	0.100	8	1.24	0.076	0.41	2.7	3.7	4.79	0.27	257
STD DS11	Standard	2.34	7.70	12.05	48	1.08	0.075	20.1	61.3	0.86	384.8	0.097	7	1.25	0.076	0.41	3.1	3.5	5.26	0.26	276
STD DS11	Standard	2.27	8.76	11.25	49	1.05	0.068	19.7	59.7	0.84	354.6	0.102	6	1.21	0.072	0.40	2.8	3.0	4.75	0.27	248
STD DS11	Standard	2.41	7.71	11.88	49	1.06	0.070	18.3	65.5	0.84	349.6	0.101	7	1.17	0.073	0.40	2.7	3.1	4.63	0.27	239
STD OREAS262	Standard	0.62	5.26	1.05	22	2.92	0.042	16.3	41.9	1.16	255.8	0.002	4	1.36	0.069	0.31	0.2	3.4	0.48	0.25	161
STD OREAS262	Standard	0.68	3.83	1.09	23	3.13	0.047	19.0	48.1	1.19	259.0	0.003	4	1.51	0.069	0.34	0.2	3.6	0.46	0.25	163
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.68	4.23	1.05	21	3.11	0.042	17.7	45.8	1.17	254.5	0.003	5	1.42	0.068	0.32	0.2	3.5	0.48	0.24	169
STD OREAS262	Standard	0.72	6.33	1.03	22	3.21	0.043	19.0	46.7	1.19	260.1	0.003	3	1.50	0.068	0.34	0.2	3.5	0.49	0.25	160
STD OREAS262	Standard	0.56	4.69	0.95	21	2.75	0.037	16.7	42.7	1.08	236.2	0.003	4	1.31	0.065	0.30	0.2	2.9	0.43	0.23	144
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.62	4.10	1.01	21	2.89	0.038	15.5	46.5	1.14	231.3	0.004	3	1.26	0.066	0.29	0.2	3.1	0.42	0.25	153
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 4

**Part:** 3 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 -Au ppm 0.9
STD AGPROOF	Standard																				<0.9
STD AGPROOF	Standard																				<0.9
STD AGPROOF	Standard																				<0.9
STD AGPROOF	Standard																				
STD BVGEO01	Standard	5.0	1.04	7.4	7.69	0.1	0.29	0.33	93.5	6.3	<0.05	6.8	15.07	53.4	0.50	4	0.6	22.1	99	196	
STD BVGEO01	Standard	4.6	1.07	7.6	7.76	0.1	0.36	0.31	94.2	6.1	<0.05	9.0	14.40	54.6	0.47	5	0.6	24.3	114	188	
STD DS11	Standard	1.9	4.68	5.2	3.03	<0.1	0.08	1.63	33.3	2.0	<0.05	3.2	8.43	38.2	0.24	47	0.6	24.3	104	172	
STD DS11	Standard	2.1	4.72	5.3	3.05	<0.1	0.08	1.54	36.1	1.9	<0.05	2.7	8.73	41.5	0.24	48	0.7	24.0	104	170	
STD DS11	Standard	2.0	4.37	4.8	2.94	0.1	0.07	1.49	32.5	1.8	<0.05	2.7	8.02	37.9	0.22	49	0.5	21.8	107	166	
STD DS11	Standard	2.1	4.34	4.7	2.80	0.1	0.05	1.28	32.3	1.8	<0.05	2.7	7.50	34.7	0.24	51	0.6	21.3	93	164	
STD OREAS262	Standard	0.4	0.24	3.9	2.89	<0.1	0.26	<0.02	19.9	0.6	<0.05	7.7	11.23	34.3	0.04	1	1.1	19.3	<10	<2	
STD OREAS262	Standard	0.2	0.23	4.4	2.73	<0.1	0.23	<0.02	20.2	0.6	<0.05	9.6	11.44	35.8	0.04	<1	1.1	19.0	<10	<2	
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.3	0.20	4.3	2.71	<0.1	0.23	<0.02	20.4	0.6	<0.05	8.1	11.29	36.6	0.03	<1	1.2	19.2	<10	<2	
STD OREAS262	Standard	0.3	0.25	4.1	3.38	<0.1	0.28	<0.02	21.6	0.6	<0.05	11.2	10.79	36.7	0.04	1	1.1	18.3	<10	<2	
STD OREAS262	Standard	0.3	0.20	3.5	2.55	<0.1	0.24	<0.02	16.9	0.5	<0.05	10.1	9.88	31.4	0.03	1	0.9	16.0	<10	<2	
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.1	0.20	3.9	2.42	<0.1	0.21	<0.02	17.0	0.5	<0.05	9.7	9.89	29.7	0.02	2	1.0	15.4	<10	<2	
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				34.0
STD OXQ114	Standard																				35.4
STD OXQ114	Standard																				35.4



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 4

**Part:** 4 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		FA530 Ag gm/t 20
STD AGPROOF	Standard	
STD AGPROOF	Standard	
STD AGPROOF	Standard	
STD AGPROOF	Standard	96
STD BVGEO01	Standard	
STD BVGEO01	Standard	
STD DS11	Standard	
STD DS11	Standard	
STD DS11	Standard	
STD DS11	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS256	Standard	
STD OREAS263	Standard	
STD OREAS253	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS256	Standard	
STD OREAS263	Standard	
STD OREAS253	Standard	
STD OREAS262	Standard	
STD OXC145	Standard	
STD OXH139	Standard	
STD OXN134	Standard	
STD OXQ114	Standard	121
STD OXQ114	Standard	
STD OXQ114	Standard	
STD OXQ114	Standard	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 4

**Part:** 1 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ114	Standard																				
STD OXQ90	Standard					25.08	30.02														
STD OXQ90	Standard					25.13	30.16														
STD OXQ90	Standard					25.38	30.18														
STD OXQ90	Standard					25.26	30.09														
STD OXQ90	Standard					25.23	29.97														
STD OXQ90	Standard					25.02	30.09														
STD OXQ90	Standard					24.82	30.06														
STD OXQ90	Standard					25.00	30.00														
STD OXQ90	Standard					25.12	30.06														
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	0.01	0.02	0.3	<2	<0.1	<0.1	1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 4

**Part:** 2 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 4

**Part:** 3 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD SP49	Standard	18.6																			
STD SP49	Standard	18.2																			
STD SP49	Standard	17.8																			
STD SP49	Standard																				
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 3 of 4

Part: 4 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		FA530 Ag gm/t 20
STD OXQ114	Standard	125
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD OXQ90	Standard	
STD SP49	Standard	54
STD SP49	Standard	
STD SP49	Standard	
STD SP49	Standard	
STD SP49	Standard	60
STD BVGEO01 Expected		
STD AGPROOF Expected		94
STD SP49 Expected		60.2
STD OXQ114 Expected		127.1
STD DS11 Expected		
STD OREAS262 Expected		
STD OXQ90 Expected		
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 4

**Part:** 1 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank																				
BLK	Blank							<0.01	0.06	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank					0.006															
BLK	Blank					0.007															
BLK	Blank							<0.01	0.02	0.06	0.3	4	<0.1	<0.1	<1	<0.01	<0.1	<0.1	11.6	<0.1	<0.5
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		463	<0.005	<0.01	<0.17	37.56	0.78	3.49	1.57	30.8	10	0.8	3.9	481	1.89	1.4	0.5	<0.2	2.3	29.1
ROCK-WHI	Prep Blank		417	<0.005	<0.01	<0.17	28.23	0.89	2.19	1.35	27.4	15	0.9	3.8	505	1.93	1.0	0.5	<0.2	2.5	29.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 4

**Part:** 2 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	<0.02	<0.02	25	0.72	0.045	7.6	2.6	0.43	70.9	0.099	2	1.08	0.124	0.12	<0.1	3.5	<0.02	<0.02	6
ROCK-WHI	Prep Blank	0.01	<0.02	<0.02	24	0.85	0.045	7.6	3.0	0.44	73.5	0.098	2	1.03	0.122	0.12	0.1	3.4	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 20, 2019

Page:

4 of 4

Part:

3 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 -Au ppm 0.9
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				
BLK	Blank																				<0.9
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				<0.9
BLK	Blank																				<0.9
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.16	<0.1	0.14	0.18	3.1	0.4	<0.05	2.9	9.59	14.7	<0.02	<1	0.2	2.6	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.14	<0.1	0.14	0.16	3.2	0.5	<0.05	3.4	10.08	15.5	<0.02	<1	0.2	2.1	<10	<2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 4

**Part:** 4 of 4

## QUALITY CONTROL REPORT

WHI19000059.1

		FA530 Ag gm/t 20
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<20
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<20
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
Prep Wash		
ROCK-WHI	Prep Blank	
ROCK-WHI	Prep Blank	