



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 18, 2019
Report Date: July 09, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000060.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-16
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	66	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	69	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	69	Analysis sample split/packet			WHI
Split -150	69	Analysis sample split/packet			WHI
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
FS631	67	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	69	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828354	Drill Core	2.28	426	0.040	0.04	<0.17	28.71	0.78	19.39	25.76	60.0	665	11.3	8.5	503	2.47	6.9	1.0	33.5	8.1	57.7
1828355	Drill Core	3.25	416	0.083	0.08	<0.17	20.29	0.78	16.89	38.38	66.4	349	12.0	10.8	542	2.47	6.8	1.2	73.8	9.3	80.3
1828356	Drill Core	4.90	485	0.044	0.04	<0.17	33.20	0.54	11.43	23.90	39.8	231	4.5	5.3	371	1.67	4.5	1.2	41.8	12.9	57.3
1828357	Drill Core	2.48	471	0.047	0.04	<0.17	27.15	1.03	8.45	18.97	36.9	247	6.2	6.3	353	1.88	5.5	1.4	38.9	11.5	50.7
1828358	Drill Core	4.95	443	0.198	0.20	0.27	26.37	1.01	10.52	9.39	34.4	330	7.2	6.0	376	1.78	10.3	1.4	408.0	10.6	55.2
1828359	Drill Core	3.90	374	0.013	0.01	<0.17	27.93	0.83	18.03	11.71	52.1	186	11.2	7.2	462	2.33	11.8	1.8	7.9	8.4	49.7
1828360	Core DUP		433	0.013	0.01	<0.17	22.31	0.74	17.29	11.61	53.3	217	11.4	7.3	453	2.33	11.4	1.8	8.9	8.3	48.9
1828361	Drill Core	5.81	495	0.007	<0.01	<0.17	32.91	1.05	20.57	16.13	58.0	204	12.7	8.0	489	2.37	10.8	2.1	3.6	9.3	53.6
1828362	Drill Core	4.09	488	0.135	0.13	<0.17	31.21	1.07	12.47	10.75	39.6	258	9.5	6.6	427	2.00	110.7	1.6	128.2	9.9	66.7
1828363	Drill Core	1.99	400	0.443	0.53	1.69	26.61	0.91	11.15	7.32	34.7	494	9.2	6.0	444	2.14	152.4	1.9	370.3	8.0	87.3
1828364	Drill Core	2.24	541	0.459	0.54	1.88	30.27	0.65	14.50	7.21	30.2	490	10.4	8.1	388	2.20	46.1	1.5	416.9	9.0	112.2
1828365	Drill Core	2.60	454	0.147	0.14	<0.17	23.45	0.65	17.68	19.93	57.4	420	11.5	7.7	564	2.33	233.9	1.5	151.7	9.7	80.3
1828366	Drill Core	3.62	363	0.053	0.05	<0.17	23.89	0.86	21.09	13.73	52.2	325	11.9	8.1	510	2.29	13.5	1.3	45.1	8.0	80.3
1828367	Drill Core	3.70	394	0.088	0.08	<0.17	33.73	0.76	18.68	12.86	50.1	339	10.1	7.0	435	2.25	10.4	1.2	89.3	7.8	90.4
1828368	Drill Core	4.18	403	0.017	0.02	<0.17	25.89	0.62	13.88	18.85	56.6	245	10.7	6.8	455	2.36	11.3	1.4	17.2	8.5	69.8
1828369	Drill Core	2.79	501	0.015	0.01	<0.17	22.47	0.89	20.56	19.30	70.6	278	14.6	9.0	495	2.55	11.1	1.5	4.2	11.6	53.8
1828370	Drill Core	2.80	484	0.005	<0.01	<0.17	35.65	0.89	22.58	13.65	61.5	196	13.6	8.5	405	2.40	11.7	1.5	2.0	11.2	58.1
1828371	Drill Core	3.35	387	0.019	0.04	0.38	23.41	1.13	15.67	17.54	58.4	237	12.4	8.1	449	2.38	10.0	1.7	17.2	10.0	84.1
1828372	Drill Core	3.60	504	0.203	0.23	0.75	22.64	1.49	20.30	4.75	38.5	332	12.1	8.3	401	2.01	9.4	1.7	225.6	9.1	76.8
1828373	Drill Core	4.17	517	0.027	0.03	<0.17	28.80	0.87	21.76	11.01	49.7	251	11.2	7.9	336	1.96	13.2	1.7	33.4	10.2	68.0
1828374	Drill Core	2.84	555	0.542	2.01	28.78	28.84	0.87	25.81	15.05	60.1	696	12.4	8.9	660	2.49	13.9	2.1	481.2	10.8	118.5
1828375	Drill Core	4.64	434	0.028	0.03	<0.17	23.88	0.65	18.89	13.02	62.4	338	11.8	8.1	489	2.34	8.8	1.7	25.0	10.5	77.8
1828376	Drill Core	2.73	514	0.008	<0.01	<0.17	29.19	0.59	10.23	10.70	65.8	147	12.0	7.5	529	2.39	8.7	1.6	4.1	10.3	53.8
1828377	Drill Core	4.73	532	0.005	<0.01	<0.17	42.62	0.62	17.29	15.24	57.8	159	11.6	7.6	454	2.23	9.6	1.3	2.5	9.6	103.1
1828378	Drill Core	4.82	416	<0.005	<0.01	<0.17	33.03	0.72	13.80	19.98	56.4	164	11.4	7.6	457	2.33	8.1	1.7	1.3	8.5	116.1
1828379	Drill Core	3.72	511	0.007	<0.01	<0.17	32.09	0.81	17.02	14.58	57.0	172	11.3	7.3	555	2.31	10.2	1.8	3.5	9.7	121.9
1828380	Rock	0.22	158	<0.005	<0.01	<0.17	23.68	0.72	1.56	1.81	3.4	14	1.7	0.5	113	1.05	1.1	0.2	0.4	1.0	4.5
1828381	Drill Core	3.97	497	0.058	0.05	<0.17	24.03	0.57	14.76	16.36	57.8	187	10.1	6.8	356	2.31	10.0	1.2	43.0	10.2	43.9
1828382	Drill Core	3.89	443	0.010	<0.01	<0.17	22.74	0.50	12.56	22.46	51.4	191	8.9	5.6	186	1.95	12.7	1.1	4.0	10.8	19.1
1828383	Drill Core	5.07	500	0.093	0.09	<0.17	22.45	0.49	10.40	17.07	50.7	182	8.3	5.8	211	1.82	9.9	1.0	116.6	11.2	22.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828354	Drill Core	0.35	0.70	0.22	16	0.69	0.058	19.8	17.1	1.16	199.8	0.039	2	1.31	0.021	0.52	1.4	3.4	0.23	<0.02	<5
1828355	Drill Core	0.42	0.83	0.34	15	0.88	0.060	21.8	17.4	1.20	192.6	0.037	2	1.32	0.023	0.53	0.2	3.3	0.24	<0.02	7
1828356	Drill Core	0.21	0.67	0.18	5	0.56	0.041	32.2	6.6	0.75	264.3	0.022	1	0.99	0.021	0.49	0.1	1.7	0.17	<0.02	<5
1828357	Drill Core	0.13	0.65	0.17	8	0.56	0.043	28.8	9.0	0.90	192.8	0.018	<1	1.03	0.020	0.48	0.1	2.3	0.19	<0.02	<5
1828358	Drill Core	0.15	0.92	0.19	7	0.85	0.047	25.5	8.5	0.79	236.3	0.019	<1	0.96	0.017	0.49	0.2	2.5	0.20	<0.02	<5
1828359	Drill Core	0.28	0.55	0.06	13	0.98	0.058	24.2	15.0	0.64	219.5	0.027	3	1.07	0.026	0.39	0.3	4.5	0.15	<0.02	14
1828360	Core DUP	0.24	0.51	0.08	14	0.98	0.058	25.3	14.7	0.65	222.5	0.030	1	1.10	0.026	0.42	0.3	4.5	0.16	<0.02	<5
1828361	Drill Core	0.31	0.50	0.13	14	1.23	0.073	30.8	14.6	0.65	251.8	0.021	2	1.19	0.017	0.43	0.4	4.8	0.15	<0.02	15
1828362	Drill Core	0.22	0.52	0.06	11	1.59	0.061	28.0	10.9	0.63	231.3	0.013	2	1.01	0.019	0.41	0.3	4.2	0.14	<0.02	18
1828363	Drill Core	0.29	0.56	0.05	7	0.85	0.070	20.7	8.2	0.48	322.1	0.007	1	0.84	0.022	0.43	0.3	3.3	0.12	0.07	23
1828364	Drill Core	0.23	0.71	0.04	7	0.82	0.073	20.4	8.1	0.36	340.7	0.009	2	0.75	0.023	0.49	0.4	2.8	0.14	0.08	19
1828365	Drill Core	0.29	0.88	0.09	14	1.36	0.073	29.5	14.7	0.74	249.0	0.028	1	1.12	0.022	0.49	0.5	4.9	0.16	<0.02	13
1828366	Drill Core	0.31	0.41	0.07	12	1.19	0.064	25.2	14.1	0.75	246.0	0.016	2	1.06	0.016	0.38	0.5	4.1	0.13	<0.02	10
1828367	Drill Core	0.24	0.32	0.10	11	1.27	0.052	21.5	12.9	0.69	233.4	0.011	<1	0.98	0.016	0.36	0.1	3.6	0.13	<0.02	<5
1828368	Drill Core	0.25	0.55	0.11	14	1.10	0.061	25.1	15.8	0.81	217.1	0.015	2	1.16	0.014	0.42	0.3	4.7	0.17	<0.02	6
1828369	Drill Core	0.35	0.59	0.17	16	0.95	0.073	30.1	16.2	0.89	270.0	0.022	<1	1.29	0.014	0.52	0.2	5.9	0.22	<0.02	18
1828370	Drill Core	0.30	0.50	0.05	14	1.12	0.068	29.7	15.4	0.78	276.2	0.032	1	1.15	0.015	0.51	0.4	5.2	0.20	<0.02	12
1828371	Drill Core	0.36	0.38	0.15	14	1.62	0.061	29.5	16.5	0.73	276.7	0.035	2	1.12	0.023	0.45	0.3	4.6	0.16	<0.02	9
1828372	Drill Core	0.36	0.30	<0.02	10	1.40	0.066	26.2	11.8	0.51	273.9	0.020	1	0.84	0.012	0.41	0.2	3.5	0.12	<0.02	8
1828373	Drill Core	0.28	0.40	0.06	11	1.26	0.064	29.2	11.9	0.62	308.0	0.024	2	0.98	0.012	0.49	0.2	3.8	0.16	<0.02	<5
1828374	Drill Core	0.47	0.42	0.09	11	2.04	0.058	30.7	14.1	0.89	275.9	0.030	1	1.15	0.014	0.46	0.3	4.7	0.15	<0.02	10
1828375	Drill Core	0.32	0.33	0.04	14	1.25	0.065	28.0	15.6	0.84	240.1	0.013	1	1.14	0.018	0.40	0.1	5.0	0.14	<0.02	10
1828376	Drill Core	0.34	0.46	0.05	15	0.90	0.063	25.7	15.4	0.89	253.0	0.025	<1	1.23	0.009	0.49	<0.1	6.2	0.19	<0.02	11
1828377	Drill Core	0.29	0.30	0.07	14	1.41	0.062	25.7	14.5	0.76	242.8	0.013	<1	1.08	0.016	0.38	<0.1	5.6	0.13	<0.02	<5
1828378	Drill Core	0.30	0.34	0.11	16	2.21	0.058	24.8	16.2	0.77	233.8	0.019	2	1.11	0.018	0.39	0.2	5.6	0.14	<0.02	7
1828379	Drill Core	0.26	0.41	0.08	16	2.26	0.061	28.9	14.4	0.79	243.4	0.008	1	1.21	0.012	0.39	<0.1	5.0	0.15	<0.02	8
1828380	Rock	<0.01	0.10	<0.02	1	0.04	0.002	1.9	5.4	0.02	117.3	0.002	1	0.07	0.007	0.02	<0.1	0.2	<0.02	<0.02	<5
1828381	Drill Core	0.18	0.30	<0.02	11	0.74	0.054	29.3	10.5	0.79	210.9	0.003	<1	1.20	0.017	0.34	<0.1	4.4	0.11	<0.02	<5
1828382	Drill Core	0.09	0.27	<0.02	9	0.21	0.051	29.5	9.4	0.64	226.9	0.003	1	1.05	0.023	0.33	0.1	3.8	0.11	<0.02	<5
1828383	Drill Core	0.16	0.29	<0.02	9	0.28	0.050	29.5	8.8	0.62	212.1	0.003	<1	1.02	0.020	0.34	<0.1	3.6	0.11	<0.02	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828354	Drill Core	<0.1	0.02	4.0	2.29	<0.1	0.27	<0.02	24.5	0.8	<0.05	12.0	4.44	35.8	<0.02	<1	0.3	10.0	<10	<2
1828355	Drill Core	<0.1	0.03	4.3	2.19	<0.1	0.32	<0.02	24.3	0.6	<0.05	11.2	5.13	39.9	<0.02	<1	0.6	11.8	<10	<2
1828356	Drill Core	<0.1	<0.02	3.0	0.78	<0.1	0.46	0.03	20.2	0.4	<0.05	15.3	5.37	57.2	<0.02	<1	0.3	7.1	13	<2
1828357	Drill Core	<0.1	0.02	3.1	1.20	<0.1	0.36	<0.02	21.7	0.3	<0.05	12.7	5.62	50.7	<0.02	<1	0.4	8.1	<10	<2
1828358	Drill Core	<0.1	0.02	2.6	1.69	<0.1	0.39	0.03	22.9	0.3	<0.05	13.9	4.69	45.6	<0.02	<1	0.3	7.1	<10	<2
1828359	Drill Core	<0.1	<0.02	3.4	1.18	<0.1	0.07	0.04	17.2	0.4	<0.05	2.3	6.98	44.6	0.03	<1	0.4	8.6	<10	<2
1828360	Core DUP	<0.1	<0.02	3.3	1.10	<0.1	0.08	0.03	17.2	0.4	<0.05	2.5	7.08	45.5	0.04	<1	0.4	8.1	<10	3
1828361	Drill Core	<0.1	<0.02	3.8	0.90	<0.1	0.02	0.03	16.8	0.6	<0.05	1.1	9.06	56.3	0.02	<1	0.4	9.5	<10	2
1828362	Drill Core	<0.1	0.02	2.8	0.84	<0.1	0.04	<0.02	15.6	0.3	<0.05	1.8	6.85	51.0	0.03	<1	0.3	7.4	<10	<2
1828363	Drill Core	<0.1	0.03	2.4	0.86	<0.1	0.02	<0.02	15.6	0.2	<0.05	1.0	6.98	38.3	0.03	<1	0.4	6.6	<10	<2
1828364	Drill Core	0.5	<0.02	1.9	1.08	<0.1	0.03	0.05	18.4	0.4	<0.05	1.3	6.14	37.6	<0.02	<1	0.2	4.5	<10	<2
1828365	Drill Core	<0.1	0.02	3.0	1.51	<0.1	0.08	0.02	20.6	0.5	<0.05	3.5	7.20	52.3	0.02	<1	0.4	6.8	<10	<2
1828366	Drill Core	<0.1	<0.02	2.8	1.02	<0.1	0.13	0.02	16.3	0.3	<0.05	5.5	5.97	45.9	<0.02	<1	0.2	7.4	<10	<2
1828367	Drill Core	0.2	<0.02	2.8	1.02	<0.1	0.04	<0.02	15.1	0.4	<0.05	2.0	5.81	40.5	<0.02	<1	0.3	7.5	<10	<2
1828368	Drill Core	<0.1	<0.02	3.6	3.77	<0.1	0.11	<0.02	19.8	0.3	<0.05	4.1	6.46	46.0	<0.02	<1	0.4	8.3	<10	<2
1828369	Drill Core	<0.1	<0.02	3.7	2.82	<0.1	0.09	<0.02	23.6	0.4	<0.05	3.4	6.08	54.4	0.02	<1	0.3	8.5	<10	<2
1828370	Drill Core	0.2	<0.02	3.2	2.23	<0.1	0.05	0.02	21.4	0.5	<0.05	1.6	5.50	54.3	0.02	<1	0.1	6.6	<10	<2
1828371	Drill Core	<0.1	<0.02	3.1	1.86	<0.1	0.04	0.03	18.3	0.5	<0.05	1.2	6.27	53.6	0.03	1	0.5	6.0	<10	<2
1828372	Drill Core	0.3	0.02	2.4	0.90	<0.1	<0.02	0.04	14.7	0.3	<0.05	1.1	6.60	48.1	<0.02	<1	0.1	4.9	<10	<2
1828373	Drill Core	<0.1	<0.02	2.8	1.41	<0.1	0.02	0.04	18.7	0.5	<0.05	1.2	6.09	52.9	<0.02	<1	0.4	6.0	<10	<2
1828374	Drill Core	<0.1	0.04	3.0	1.28	<0.1	0.11	0.03	18.4	0.4	<0.05	4.0	7.92	54.4	<0.02	<1	0.5	7.1	<10	<2
1828375	Drill Core	<0.1	<0.02	3.5	1.45	<0.1	0.13	<0.02	15.9	0.4	<0.05	5.6	5.57	51.0	0.02	2	0.5	6.7	<10	2
1828376	Drill Core	0.2	<0.02	3.6	2.12	<0.1	0.16	0.03	22.4	0.3	<0.05	6.4	6.00	47.1	0.02	<1	0.4	7.4	<10	3
1828377	Drill Core	0.2	0.03	3.3	1.23	<0.1	0.07	<0.02	15.6	0.4	<0.05	3.1	6.69	46.0	0.02	1	0.4	6.2	<10	<2
1828378	Drill Core	<0.1	<0.02	3.4	1.56	<0.1	0.03	<0.02	16.5	0.4	<0.05	1.1	7.83	46.2	0.03	<1	0.2	7.2	<10	2
1828379	Drill Core	<0.1	<0.02	3.8	2.27	<0.1	0.05	<0.02	17.5	0.5	<0.05	2.0	8.98	52.1	0.03	<1	0.6	9.8	<10	<2
1828380	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.11	0.05	1.1	0.1	<0.05	2.9	0.93	3.4	<0.02	<1	0.1	0.9	<10	<2
1828381	Drill Core	<0.1	<0.02	3.7	1.18	<0.1	0.25	<0.02	14.3	0.2	<0.05	9.9	7.26	52.9	<0.02	<1	0.3	13.4	<10	<2
1828382	Drill Core	<0.1	<0.02	3.4	0.72	<0.1	0.26	<0.02	13.3	0.2	<0.05	10.3	4.81	53.1	<0.02	<1	0.4	9.1	<10	<2
1828383	Drill Core	<0.1	<0.02	3.4	1.04	<0.1	0.30	<0.02	13.8	0.3	<0.05	10.7	4.94	54.4	<0.02	2	0.5	9.3	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828384	Drill Core	4.54	446	0.006	<0.01	<0.17	37.31	0.50	9.39	17.81	57.4	140	8.7	5.7	406	2.18	12.4	1.2	1.9	11.3	42.9
1828385	Drill Core	3.54	408	0.010	<0.01	<0.17	24.87	0.52	10.03	17.29	56.7	181	9.7	5.9	268	2.41	12.1	1.3	6.1	12.2	17.9
1828386	Drill Core	5.44	426	0.174	0.17	<0.17	21.60	0.44	13.47	18.46	55.9	192	9.5	6.7	283	2.16	8.9	1.9	54.6	10.6	20.7
1828387	Drill Core	5.26	431	0.010	<0.01	<0.17	22.15	0.79	17.23	20.98	63.3	249	12.0	7.8	345	2.30	16.2	2.2	4.3	12.0	59.5
1828388	Drill Core	4.82	460	0.012	0.01	<0.17	22.91	0.79	11.74	21.00	52.8	224	9.8	6.7	332	2.17	8.9	1.7	2.5	10.9	61.1
1828389	Drill Core	3.48	434	<0.005	<0.01	<0.17	39.39	0.75	6.97	20.48	53.0	177	10.1	6.9	330	2.15	8.4	1.6	2.4	10.0	68.1
1828390	Drill Core	1.70	431	0.007	<0.01	<0.17	35.62	0.79	13.60	25.95	42.8	255	9.0	6.2	427	1.92	11.6	1.5	2.8	6.1	90.0
1828391	Drill Core	4.75	456	0.028	0.03	<0.17	23.40	1.10	20.49	11.85	50.6	172	12.4	8.2	420	2.17	11.1	2.7	23.8	9.2	92.3
1828392	Drill Core	5.78	429	0.008	<0.01	<0.17	35.73	1.21	15.34	15.02	45.2	133	9.7	7.0	329	1.97	18.1	2.2	4.5	8.5	67.7
1828393	Drill Core	2.36	448	0.033	0.05	0.19	47.90	1.54	16.39	15.08	54.4	230	12.0	7.4	333	2.15	14.2	2.4	18.0	8.8	52.8
1828394	Drill Core	3.35	453	0.138	0.14	0.21	37.45	0.93	16.80	12.33	51.3	414	12.1	7.5	494	2.44	4.3	2.0	73.5	9.3	78.5
1828395	Drill Core	1.08	415	0.022	0.02	<0.17	31.60	0.76	12.18	26.76	52.0	456	14.3	7.4	424	2.45	9.1	1.5	18.8	11.9	57.7
1828396	Drill Core	4.75	457	0.118	0.24	2.29	25.33	0.45	22.99	8.29	32.4	842	8.4	7.0	591	2.09	6.1	1.8	150.0	13.0	123.1
1828397	Drill Core	2.83	436	0.557	0.64	1.85	28.17	0.56	11.28	8.94	41.1	672	8.7	8.2	563	2.50	4.4	2.3	1317.9	12.3	80.8
1828398	Drill Core	1.67	452	0.107	0.10	<0.17	32.65	0.50	7.61	7.14	18.6	287	3.5	2.8	315	1.32	1.5	1.0	140.3	4.5	59.9
1828399	Drill Core	1.74	405	0.153	0.14	<0.17	28.51	0.45	19.68	5.20	58.6	474	8.7	7.5	487	2.49	2.6	1.9	108.6	12.4	86.4
1828400	Rock Pulp	0.12	101	7.224				9.04	187.85	18.71	69.3	825	13.2	11.2	550	4.37	13.0	0.9	7153.4	2.5	64.9
1828401	Drill Core	3.96	429	0.102	0.14	0.81	24.60	0.49	15.74	9.44	67.3	474	9.1	7.2	375	2.45	2.7	1.9	156.5	13.0	42.9
1828402	Drill Core	2.31	436	0.250	0.54	4.67	29.13	0.47	5.20	2.31	8.5	229	1.4	0.8	130	0.72	0.7	0.2	212.7	1.2	12.4
1828403	Drill Core	3.37	466	0.082	0.08	<0.17	26.63	0.64	5.21	12.05	15.8	256	2.9	1.7	166	0.95	1.0	0.5	126.9	2.2	15.6
1828404	Drill Core	5.61	418	0.403	0.67	3.10	40.61	1.00	17.95	16.68	45.5	503	8.5	6.9	284	1.79	4.9	1.3	251.5	9.3	45.4
1828405	Drill Core	5.07	435	<0.005	<0.01	<0.17	28.20	0.57	9.58	23.64	46.3	195	8.1	5.6	350	1.92	5.0	1.3	1.0	9.9	94.1
1828406	Drill Core	5.14	462	0.006	<0.01	<0.17	34.28	0.39	5.99	16.88	45.4	117	6.5	4.9	308	1.75	5.4	1.1	1.7	11.7	75.4
1828407	Drill Core	5.11	459	<0.005	<0.01	<0.17	23.06	0.38	8.04	12.15	47.9	100	5.1	4.8	349	1.80	3.3	1.1	<0.2	11.5	81.6
1828408	Drill Core	6.03	452	<0.005	<0.01	<0.17	38.84	1.05	22.87	16.09	55.8	278	12.3	8.0	322	2.37	6.5	1.2	1.1	10.8	76.5
1828409	Drill Core	4.75	447	<0.005	<0.01	<0.17	25.12	0.85	9.89	9.09	50.0	153	10.0	6.6	357	2.27	6.2	0.9	<0.2	8.8	123.9
1828410	Drill Core	4.58	437	<0.005	<0.01	<0.17	32.93	1.03	16.41	21.81	57.6	333	10.8	7.3	327	2.28	6.5	0.9	1.0	10.0	84.6
1828411	Drill Core	5.01	421	<0.005	<0.01	<0.17	23.54	0.86	14.15	15.80	57.2	234	11.1	7.0	332	2.19	6.9	1.3	1.6	11.6	63.4
1828412	Drill Core	4.75	429	<0.005	<0.01	<0.17	32.04	1.21	7.61	27.84	47.0	246	10.6	6.5	340	1.88	10.1	1.2	1.0	10.8	77.3
1828413	Drill Core	4.21	459	<0.005	<0.01	<0.17	30.08	0.84	13.00	23.59	54.5	204	9.6	6.9	365	1.91	11.2	1.8	1.5	11.3	72.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828384	Drill Core	0.26	0.34	<0.02	12	0.87	0.048	31.3	12.1	0.82	179.6	0.005	<1	1.17	0.022	0.33	<0.1	4.1	0.13	<0.02	<5			
1828385	Drill Core	0.16	0.29	<0.02	18	0.17	0.051	34.6	19.5	1.01	179.0	0.005	<1	1.28	0.032	0.31	<0.1	4.0	0.12	<0.02	<5			
1828386	Drill Core	0.17	0.37	<0.02	14	0.21	0.051	32.2	13.7	0.77	189.6	0.028	1	1.06	0.024	0.33	0.3	4.8	0.13	<0.02	10			
1828387	Drill Core	0.32	0.80	0.31	16	0.94	0.060	34.9	15.7	0.87	250.2	0.029	1	1.13	0.023	0.39	0.2	7.3	0.15	<0.02	11			
1828388	Drill Core	0.23	0.35	0.27	14	1.21	0.053	31.8	15.2	0.76	198.7	0.006	<1	1.02	0.026	0.29	0.1	5.4	0.11	<0.02	6			
1828389	Drill Core	0.26	0.38	0.18	16	1.46	0.053	31.7	17.5	0.83	218.8	0.004	2	1.08	0.019	0.31	<0.1	5.3	0.10	<0.02	<5			
1828390	Drill Core	0.27	0.38	0.20	12	1.97	0.053	19.1	12.7	0.66	219.1	0.007	<1	0.93	0.013	0.31	0.2	3.8	0.09	<0.02	<5			
1828391	Drill Core	0.33	0.44	0.07	14	2.07	0.066	29.5	12.8	0.69	293.5	0.008	1	1.06	0.012	0.42	0.2	6.0	0.12	<0.02	<5			
1828392	Drill Core	0.26	0.77	0.10	13	1.49	0.058	26.1	11.5	0.60	239.8	0.007	<1	1.00	0.010	0.42	0.3	5.5	0.12	<0.02	22			
1828393	Drill Core	0.31	0.58	0.10	15	1.17	0.070	26.0	18.1	0.60	250.7	0.005	1	1.03	0.026	0.36	0.2	5.7	0.11	<0.02	8			
1828394	Drill Core	0.35	0.38	0.08	11	1.36	0.049	24.0	19.5	0.80	140.4	0.005	<1	0.98	0.042	0.20	<0.1	4.7	0.07	<0.02	<5			
1828395	Drill Core	0.24	0.42	0.17	15	0.80	0.044	31.4	24.8	0.98	94.6	0.005	<1	1.15	0.055	0.16	<0.1	5.3	0.06	<0.02	<5			
1828396	Drill Core	0.31	0.42	0.04	6	2.04	0.038	32.2	8.3	0.85	211.0	0.003	<1	1.10	0.026	0.36	<0.1	3.8	0.10	<0.02	<5			
1828397	Drill Core	0.35	0.46	0.05	6	1.60	0.029	32.4	11.8	0.85	175.5	0.005	<1	1.05	0.039	0.34	0.1	4.6	0.11	<0.02	10			
1828398	Drill Core	0.20	0.29	0.04	3	1.10	0.011	12.7	9.7	0.37	35.4	0.005	<1	0.41	0.052	0.08	<0.1	2.3	0.03	<0.02	<5			
1828399	Drill Core	0.59	0.30	0.04	10	1.48	0.036	32.3	20.0	0.94	98.6	0.008	<1	1.07	0.069	0.21	<0.1	5.1	0.07	<0.02	<5			
1828400	Rock Pulp	0.21	4.66	0.55	105	0.82	0.060	7.3	17.2	0.81	115.1	0.111	3	1.61	0.163	0.21	3.5	3.0	0.06	<0.02	209			
1828401	Drill Core	0.40	0.44	0.06	13	0.66	0.041	33.7	19.7	0.87	128.3	0.023	<1	1.05	0.062	0.31	0.1	4.8	0.12	<0.02	<5			
1828402	Drill Core	0.05	0.26	<0.02	1	0.22	0.003	3.4	4.9	0.11	9.0	0.002	<1	0.11	0.020	0.02	<0.1	0.6	<0.02	<0.02	<5			
1828403	Drill Core	0.07	0.32	0.09	2	0.21	0.016	6.0	6.0	0.23	47.3	0.002	<1	0.27	0.026	0.06	<0.1	1.0	<0.02	<0.02	<5			
1828404	Drill Core	0.33	0.42	0.16	9	0.85	0.057	23.8	11.0	0.56	276.0	0.017	<1	0.87	0.025	0.45	0.1	3.0	0.13	<0.02	<5			
1828405	Drill Core	0.20	0.35	0.14	11	1.47	0.055	26.2	12.5	0.72	220.5	0.025	<1	1.01	0.029	0.39	0.1	3.7	0.13	<0.02	<5			
1828406	Drill Core	0.17	0.32	0.09	9	1.04	0.054	29.4	10.6	0.60	266.7	0.017	1	0.96	0.024	0.42	0.1	3.3	0.12	<0.02	8			
1828407	Drill Core	0.22	0.31	0.03	10	1.14	0.046	30.3	10.4	0.66	288.2	0.011	<1	1.05	0.019	0.42	<0.1	3.4	0.12	<0.02	<5			
1828408	Drill Core	0.22	0.22	0.09	19	1.30	0.070	27.3	21.4	0.86	287.9	0.005	<1	1.22	0.014	0.37	<0.1	4.5	0.10	<0.02	7			
1828409	Drill Core	0.17	0.15	0.04	20	1.87	0.053	25.0	21.3	0.90	253.1	0.005	<1	1.24	0.019	0.35	<0.1	4.5	0.09	<0.02	9			
1828410	Drill Core	0.19	0.19	0.14	19	1.33	0.060	23.6	22.8	0.83	210.5	0.005	<1	1.14	0.020	0.31	<0.1	4.4	0.09	<0.02	<5			
1828411	Drill Core	0.23	0.22	0.05	17	1.08	0.059	28.8	20.3	0.80	223.6	0.006	<1	1.15	0.027	0.34	<0.1	4.5	0.11	<0.02	<5			
1828412	Drill Core	0.22	0.28	0.10	12	1.36	0.057	29.6	15.3	0.81	226.4	0.003	<1	1.09	0.011	0.38	<0.1	3.3	0.11	<0.02	<5			
1828413	Drill Core	0.33	0.32	0.05	12	1.39	0.059	29.3	14.3	0.72	264.8	0.012	1	1.07	0.023	0.39	<0.1	4.1	0.11	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828384	Drill Core	<0.1	<0.02	4.4	1.64	<0.1	0.28	<0.02	15.4	0.4	<0.05	10.9	7.01	56.3	0.02	<1	0.4	12.4	<10
1828385	Drill Core	<0.1	<0.02	5.4	1.13	<0.1	0.26	<0.02	13.9	0.4	<0.05	10.1	8.09	63.4	<0.02	<1	0.4	13.8	<10
1828386	Drill Core	<0.1	0.03	3.9	1.41	<0.1	0.27	0.04	15.0	0.3	<0.05	10.8	8.50	57.8	0.03	<1	0.2	10.2	<10
1828387	Drill Core	<0.1	0.02	3.6	1.69	<0.1	0.30	0.04	18.7	0.6	<0.05	10.0	10.24	61.6	0.05	<1	0.7	8.4	<10
1828388	Drill Core	<0.1	<0.02	3.6	0.91	<0.1	0.17	<0.02	11.9	0.6	<0.05	5.7	9.30	58.0	0.03	<1	0.3	7.7	<10
1828389	Drill Core	<0.1	<0.02	3.7	0.70	<0.1	0.14	<0.02	12.6	0.4	<0.05	6.1	9.79	55.3	<0.02	<1	0.5	9.4	<10
1828390	Drill Core	<0.1	<0.02	2.9	0.79	<0.1	0.04	<0.02	12.1	0.3	<0.05	1.5	8.98	35.6	<0.02	<1	0.2	7.0	<10
1828391	Drill Core	0.1	<0.02	3.5	0.89	<0.1	0.03	0.03	15.0	0.3	<0.05	1.1	11.99	53.7	0.03	<1	0.3	6.8	<10
1828392	Drill Core	<0.1	<0.02	3.0	1.55	<0.1	0.02	0.03	16.4	0.4	<0.05	1.4	11.14	48.4	0.02	<1	0.5	6.8	<10
1828393	Drill Core	<0.1	<0.02	3.2	1.57	<0.1	0.05	<0.02	14.3	0.4	<0.05	1.9	9.97	49.4	0.04	<1	0.5	7.2	<10
1828394	Drill Core	0.3	<0.02	2.9	1.03	<0.1	0.14	<0.02	8.1	0.3	<0.05	5.5	8.97	43.8	<0.02	<1	0.3	9.6	<10
1828395	Drill Core	0.1	0.03	3.9	0.78	<0.1	0.39	<0.02	6.9	0.3	<0.05	13.0	8.16	58.4	0.03	1	0.2	12.3	<10
1828396	Drill Core	<0.1	<0.02	2.9	1.11	<0.1	0.42	<0.02	13.9	0.3	<0.05	16.1	9.78	59.6	<0.02	<1	0.2	10.0	<10
1828397	Drill Core	0.2	0.02	2.8	1.29	<0.1	0.43	<0.02	13.7	0.3	<0.05	16.4	8.96	57.5	0.02	<1	0.2	9.8	<10
1828398	Drill Core	<0.1	<0.02	1.2	0.45	<0.1	0.15	<0.02	3.4	0.1	<0.05	5.1	3.98	23.5	<0.02	2	0.1	3.5	<10
1828399	Drill Core	<0.1	<0.02	3.1	1.17	<0.1	0.37	<0.02	9.1	0.2	<0.05	11.5	8.20	59.9	<0.02	1	0.3	10.6	<10
1828400	Rock Pulp	0.1	0.17	4.4	0.67	0.1	0.08	0.11	7.6	1.6	<0.05	1.6	4.88	14.4	0.05	2	0.2	7.0	<10
1828401	Drill Core	<0.1	<0.02	3.6	1.47	<0.1	0.42	<0.02	14.1	0.4	<0.05	14.0	7.78	61.9	0.03	2	0.2	8.1	<10
1828402	Drill Core	<0.1	<0.02	0.4	0.16	<0.1	0.04	<0.02	1.0	0.2	<0.05	1.6	1.40	5.9	<0.02	1	<0.1	1.0	<10
1828403	Drill Core	<0.1	<0.02	0.8	0.23	<0.1	0.06	<0.02	2.5	<0.1	<0.05	2.0	2.36	11.7	<0.02	1	<0.1	1.9	<10
1828404	Drill Core	<0.1	0.02	2.5	2.13	<0.1	0.20	0.02	18.2	0.2	<0.05	6.9	5.42	44.2	<0.02	1	0.6	5.2	<10
1828405	Drill Core	<0.1	<0.02	3.3	1.31	<0.1	0.20	0.02	17.0	0.3	<0.05	7.5	6.18	47.8	<0.02	<1	0.2	6.6	<10
1828406	Drill Core	<0.1	<0.02	3.2	1.17	<0.1	0.28	0.02	17.3	0.3	<0.05	9.6	5.93	54.3	<0.02	1	0.5	6.1	<10
1828407	Drill Core	<0.1	<0.02	3.6	0.82	<0.1	0.25	<0.02	16.7	0.3	<0.05	9.7	6.43	57.3	<0.02	<1	0.5	8.4	<10
1828408	Drill Core	<0.1	<0.02	4.8	0.74	<0.1	0.07	<0.02	13.6	0.3	<0.05	3.2	10.62	50.6	0.02	<1	0.2	9.0	<10
1828409	Drill Core	<0.1	<0.02	4.8	0.69	<0.1	0.07	<0.02	12.7	0.4	<0.05	2.8	8.88	46.3	0.02	<1	0.3	9.0	<10
1828410	Drill Core	<0.1	<0.02	5.0	0.93	<0.1	0.05	<0.02	12.4	0.3	<0.05	3.0	9.46	46.3	0.02	1	0.5	9.8	<10
1828411	Drill Core	<0.1	<0.02	4.7	0.88	<0.1	0.16	<0.02	13.8	0.3	<0.05	6.4	8.14	55.4	<0.02	<1	0.3	9.7	<10
1828412	Drill Core	<0.1	<0.02	4.1	1.24	<0.1	0.07	<0.02	15.6	0.2	<0.05	2.9	8.84	56.1	0.02	<1	0.5	10.8	<10
1828413	Drill Core	<0.1	<0.02	3.4	1.12	<0.1	0.18	<0.02	15.7	0.3	<0.05	6.1	6.99	55.0	<0.02	2	0.5	8.4	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828414	Drill Core	1.89	414	0.041	0.04	<0.17	33.50	1.03	11.83	7.71	47.8	218	9.1	6.3	296	1.75	13.3	1.9	35.4	10.9	51.6
1828415	Drill Core	1.64	459	0.886	2.12	21.72	27.17	0.82	10.82	11.43	23.1	715	4.1	3.2	231	1.35	15.3	2.1	1279.9	5.8	49.0
1828416	Drill Core	3.13	439	0.032	0.06	0.39	33.45	0.59	12.91	8.54	47.5	370	7.8	6.2	283	1.93	9.1	2.0	544.0	10.5	38.5
1828417	Drill Core	4.23	429	0.012	0.01	<0.17	26.91	0.50	11.55	18.00	51.7	192	9.2	5.6	292	2.11	9.9	1.1	8.0	11.1	34.2
1828418	Drill Core	2.19	411	0.042	0.04	<0.17	32.92	0.77	26.82	19.13	37.3	407	8.9	5.7	311	1.69	15.0	1.1	39.3	11.7	31.9
1828419	Drill Core	2.55	438	0.353	0.36	0.49	24.42	1.00	15.50	7.34	47.8	338	10.2	6.3	386	1.87	15.1	1.5	241.3	10.4	31.7
1828420	Rock Pulp	0.12	100	0.446				2.32	447.73	18.54	48.6	290	600.8	27.5	430	2.54	19.1	0.6	546.7	1.6	56.1
1828421	Drill Core	2.21	446	0.011	0.01	<0.17	26.85	0.55	12.38	14.47	49.4	188	7.6	4.8	250	1.87	21.9	1.1	6.0	10.1	28.8
1828422	Drill Core	4.17	436	0.007	<0.01	<0.17	28.81	0.61	10.61	18.01	57.3	163	10.2	5.1	340	2.24	24.0	1.1	<0.2	11.4	32.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828414	Drill Core	0.29	0.42	0.03	9	1.00	0.058	25.7	11.2	0.58	284.7	0.020	1	0.92	0.019	0.43	0.1	3.4	0.14	<0.02	<5
1828415	Drill Core	0.23	0.37	0.05	4	0.63	0.039	14.4	6.1	0.31	162.0	0.002	<1	0.53	0.016	0.24	<0.1	2.2	0.06	<0.02	<5
1828416	Drill Core	0.22	0.47	0.04	8	0.55	0.052	25.8	9.9	0.59	226.1	0.004	<1	0.99	0.023	0.32	<0.1	3.2	0.08	<0.02	<5
1828417	Drill Core	0.16	0.31	0.10	10	0.40	0.052	28.6	11.8	0.76	219.2	0.003	1	1.16	0.025	0.31	<0.1	3.2	0.08	<0.02	<5
1828418	Drill Core	0.17	0.34	0.17	6	0.36	0.049	31.3	7.9	0.54	296.3	0.003	<1	0.97	0.016	0.40	<0.1	2.2	0.10	<0.02	<5
1828419	Drill Core	0.24	0.33	0.04	7	0.30	0.046	26.7	8.1	0.53	281.1	0.003	<1	0.95	0.019	0.37	<0.1	2.5	0.11	<0.02	<5
1828420	Rock Pulp	0.20	0.40	0.29	50	1.28	0.031	4.1	100.9	1.75	75.2	0.072	2	1.94	0.183	0.14	1.2	2.5	0.09	0.19	29
1828421	Drill Core	0.13	0.34	0.12	9	0.27	0.048	24.0	9.4	0.65	221.7	0.003	<1	1.05	0.021	0.30	<0.1	2.8	0.08	<0.02	<5
1828422	Drill Core	0.17	0.30	0.16	13	0.31	0.055	28.2	12.8	0.85	213.1	0.005	<1	1.23	0.022	0.31	<0.1	4.0	0.10	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000060.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828414	Drill Core	<0.1	<0.02	2.7	1.16	<0.1	0.19	0.02	17.6	0.4	<0.05	7.8	6.34	46.7	<0.02	1	0.4	7.5	<10
1828415	Drill Core	<0.1	0.05	1.4	0.77	<0.1	0.09	<0.02	8.2	0.2	<0.05	3.7	4.30	26.9	<0.02	<1	0.2	4.1	<10
1828416	Drill Core	<0.1	<0.02	3.0	0.75	<0.1	0.22	<0.02	11.7	0.3	<0.05	8.5	5.57	47.8	<0.02	<1	0.4	10.1	<10
1828417	Drill Core	<0.1	<0.02	3.7	0.68	<0.1	0.29	<0.02	12.2	0.3	<0.05	11.1	6.23	54.2	<0.02	<1	0.4	13.3	<10
1828418	Drill Core	<0.1	0.03	3.0	0.53	<0.1	0.30	<0.02	15.1	0.3	<0.05	12.3	5.93	58.1	<0.02	<1	0.4	9.9	<10
1828419	Drill Core	<0.1	<0.02	2.6	0.84	<0.1	0.32	<0.02	14.1	0.2	<0.05	12.9	6.90	50.9	<0.02	<1	0.4	9.4	<10
1828420	Rock Pulp	0.5	0.14	4.1	0.61	<0.1	0.06	0.03	5.8	0.4	<0.05	1.6	3.32	8.4	<0.02	3	0.1	7.8	278
1828421	Drill Core	<0.1	<0.02	3.3	0.83	<0.1	0.28	<0.02	12.5	0.2	<0.05	10.7	5.37	45.9	<0.02	<1	0.4	13.1	<10
1828422	Drill Core	<0.1	<0.02	4.3	0.71	<0.1	0.40	<0.02	12.5	0.3	<0.05	13.4	5.45	53.5	0.03	<1	0.2	15.2	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000060.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1828358	Drill Core	4.95	443	0.198	0.20	0.27	26.37	1.01	10.52	9.39	34.4	330	7.2	6.0	376	1.78	10.3	1.4	408.0	10.6	55.2
REP 1828358	QC							1.01	10.20	9.70	33.5	271	7.0	6.1	364	1.76	9.9	1.4	216.7	10.1	54.3
1828360	Core DUP		433	0.013	0.01	<0.17	22.31	0.74	17.29	11.61	53.3	217	11.4	7.3	453	2.33	11.4	1.8	8.9	8.3	48.9
REP 1828360	QC			0.012																	
1828387	Drill Core	5.26	431	0.010	<0.01	<0.17	22.15	0.79	17.23	20.98	63.3	249	12.0	7.8	345	2.30	16.2	2.2	4.3	12.0	59.5
REP 1828387	QC			0.007																	
1828391	Drill Core	4.75	456	0.028	0.03	<0.17	23.40	1.10	20.49	11.85	50.6	172	12.4	8.2	420	2.17	11.1	2.7	23.8	9.2	92.3
REP 1828391	QC							1.14	20.92	12.52	50.0	172	12.7	8.2	419	2.26	11.1	2.7	22.9	9.6	94.9
Core Reject Duplicates																					
1828372	Drill Core	3.60	504	0.203	0.23	0.75	22.64	1.49	20.30	4.75	38.5	332	12.1	8.3	401	2.01	9.4	1.7	225.6	9.1	76.8
DUP 1828372	QC		521	0.170	0.16	<0.17	27.40	1.57	21.37	5.00	37.9	325	12.0	8.6	416	2.03	9.9	1.7	156.0	9.7	77.2
1828406	Drill Core	5.14	462	0.006	<0.01	<0.17	34.28	0.39	5.99	16.88	45.4	117	6.5	4.9	308	1.75	5.4	1.1	1.7	11.7	75.4
DUP 1828406	QC		461	<0.005	<0.01	<0.17	29.32	0.39	5.87	16.55	46.9	111	6.3	4.7	310	1.67	5.1	1.1	0.7	12.2	74.2
Reference Materials																					
STD BVGEO01	Standard							10.95	4267.45	182.91	1753.1	2521	150.9	24.5	701	3.60	113.3	3.8	216.1	13.9	51.2
STD DS11	Standard							14.57	158.02	134.85	337.4	1647	81.7	14.5	998	3.04	42.1	2.6	73.4	7.6	67.7
STD DS11	Standard							15.00	151.88	137.72	342.3	1726	83.2	14.1	1018	3.09	42.2	2.7	81.7	7.9	68.3
STD OREAS262	Standard							0.68	120.49	57.02	147.8	447	64.9	27.5	516	3.26	34.9	1.2	53.1	8.9	34.7
STD OREAS262	Standard							0.69	117.61	57.35	148.0	477	66.3	27.4	546	3.36	35.6	1.3	67.3	9.6	35.4
STD OREAS262	Standard							0.62	117.20	55.84	147.7	459	64.9	26.9	531	3.27	34.8	1.2	55.2	8.9	34.1
STD OXC145	Standard			0.216																	
STD OXC145	Standard			0.210																	
STD OXH139	Standard			1.311																	
STD OXH139	Standard			1.314																	
STD OXN134	Standard			7.499																	
STD OXN134	Standard			7.652																	
STD OXQ90	Standard					25.19	30.05														
STD OXQ90	Standard					25.21	30.11														



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 09, 2019

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000060.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828358	Drill Core	0.15	0.92	0.19	7	0.85	0.047	25.5	8.5	0.79	236.3	0.019	<1	0.96	0.017	0.49	0.2	2.5	0.20	<0.02	<5
REP 1828358	QC	0.16	0.93	0.18	7	0.86	0.045	25.6	8.4	0.77	235.2	0.018	<1	0.95	0.017	0.50	0.2	2.5	0.20	<0.02	<5
1828360	Core DUP	0.24	0.51	0.08	14	0.98	0.058	25.3	14.7	0.65	222.5	0.030	1	1.10	0.026	0.42	0.3	4.5	0.16	<0.02	<5
REP 1828360	QC																				
1828387	Drill Core	0.32	0.80	0.31	16	0.94	0.060	34.9	15.7	0.87	250.2	0.029	1	1.13	0.023	0.39	0.2	7.3	0.15	<0.02	11
REP 1828387	QC																				
1828391	Drill Core	0.33	0.44	0.07	14	2.07	0.066	29.5	12.8	0.69	293.5	0.008	1	1.06	0.012	0.42	0.2	6.0	0.12	<0.02	<5
REP 1828391	QC	0.29	0.40	0.07	14	2.12	0.065	31.0	13.8	0.71	302.2	0.009	<1	1.12	0.012	0.44	0.2	6.4	0.13	<0.02	<5
Core Reject Duplicates																					
1828372	Drill Core	0.36	0.30	<0.02	10	1.40	0.066	26.2	11.8	0.51	273.9	0.020	1	0.84	0.012	0.41	0.2	3.5	0.12	<0.02	8
DUP 1828372	QC	0.34	0.29	<0.02	10	1.34	0.070	28.8	12.2	0.52	300.3	0.023	1	0.86	0.012	0.43	0.2	3.6	0.14	<0.02	5
1828406	Drill Core	0.17	0.32	0.09	9	1.04	0.054	29.4	10.6	0.60	266.7	0.017	1	0.96	0.024	0.42	0.1	3.3	0.12	<0.02	8
DUP 1828406	QC	0.20	0.34	0.09	9	0.97	0.055	28.1	10.2	0.59	257.9	0.017	<1	0.93	0.023	0.41	0.1	3.1	0.12	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.41	4.12	25.30	69	1.23	0.069	26.6	174.7	1.23	265.0	0.230	2	2.17	0.179	0.84	5.6	5.3	0.60	0.62	111
STD DS11	Standard	2.24	8.42	11.44	50	1.01	0.066	19.1	60.4	0.86	362.3	0.099	6	1.17	0.070	0.40	2.9	2.9	4.79	0.27	268
STD DS11	Standard	2.39	7.69	11.85	51	1.07	0.068	19.1	59.7	0.86	360.8	0.100	7	1.19	0.071	0.41	2.6	3.0	4.82	0.29	276
STD OREAS262	Standard	0.61	4.05	0.99	22	3.00	0.037	17.3	43.9	1.17	245.2	0.003	3	1.37	0.069	0.33	0.2	3.2	0.44	0.26	148
STD OREAS262	Standard	0.60	5.97	1.06	22	2.94	0.040	17.1	44.7	1.16	257.2	0.003	3	1.35	0.067	0.32	0.2	3.2	0.49	0.25	160
STD OREAS262	Standard	0.59	3.75	0.97	22	3.07	0.039	17.0	43.9	1.13	247.3	0.003	4	1.38	0.069	0.33	0.1	3.4	0.46	0.26	157
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000060.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828358	Drill Core	<0.1	0.02	2.6	1.69	<0.1	0.39	0.03	22.9	0.3	<0.05	13.9	4.69	45.6	<0.02	<1	0.3	7.1	<10	<2
REP 1828358	QC	<0.1	0.02	2.5	1.75	<0.1	0.38	<0.02	22.5	0.3	<0.05	13.3	4.52	46.3	<0.02	<1	0.3	7.9	<10	2
1828360	Core DUP	<0.1	<0.02	3.3	1.10	<0.1	0.08	0.03	17.2	0.4	<0.05	2.5	7.08	45.5	0.04	<1	0.4	8.1	<10	3
REP 1828360	QC																			
1828387	Drill Core	<0.1	0.02	3.6	1.69	<0.1	0.30	0.04	18.7	0.6	<0.05	10.0	10.24	61.6	0.05	<1	0.7	8.4	<10	<2
REP 1828387	QC																			
1828391	Drill Core	0.1	<0.02	3.5	0.89	<0.1	0.03	0.03	15.0	0.3	<0.05	1.1	11.99	53.7	0.03	<1	0.3	6.8	<10	<2
REP 1828391	QC	0.3	<0.02	3.6	0.85	<0.1	<0.02	<0.02	15.9	0.4	<0.05	1.2	12.14	55.0	0.03	<1	0.3	6.5	<10	<2
Core Reject Duplicates																				
1828372	Drill Core	0.3	0.02	2.4	0.90	<0.1	<0.02	0.04	14.7	0.3	<0.05	1.1	6.60	48.1	<0.02	<1	0.1	4.9	<10	<2
DUP 1828372	QC	0.4	<0.02	2.6	0.94	<0.1	0.04	0.05	16.5	0.3	<0.05	1.2	6.83	53.4	<0.02	<1	0.2	4.9	<10	<2
1828406	Drill Core	<0.1	<0.02	3.2	1.17	<0.1	0.28	0.02	17.3	0.3	<0.05	9.6	5.93	54.3	<0.02	1	0.5	6.1	<10	<2
DUP 1828406	QC	<0.1	<0.02	3.3	1.17	<0.1	0.25	0.03	17.2	0.3	<0.05	9.7	5.73	51.8	<0.02	<1	0.3	6.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	1.08	6.7	7.09	0.1	0.31	0.41	90.2	5.5	<0.05	8.8	13.50	51.7	0.45	5	0.6	20.6	144	183
STD DS11	Standard	2.0	4.66	5.0	2.84	<0.1	0.07	1.52	32.3	1.8	<0.05	2.9	7.84	37.8	0.21	45	0.6	21.5	119	178
STD DS11	Standard	2.2	4.58	4.7	2.79	<0.1	0.08	1.51	32.6	1.8	<0.05	3.2	8.04	38.0	0.21	48	0.7	22.8	93	171
STD OREAS262	Standard	0.2	0.21	3.9	2.51	<0.1	0.24	<0.02	17.9	0.6	<0.05	10.5	10.69	33.1	<0.02	<1	0.9	15.8	<10	<2
STD OREAS262	Standard	0.3	0.24	3.9	2.99	<0.1	0.25	<0.02	19.2	0.5	<0.05	11.3	10.72	33.5	0.03	2	0.8	18.1	<10	<2
STD OREAS262	Standard	0.3	0.22	3.8	2.40	<0.1	0.22	<0.02	18.0	0.6	<0.05	9.5	10.81	32.9	0.03	<1	0.9	19.0	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000060.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.31	29.71														
STD OXQ90	Standard					25.25	30.26														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			0.008																	
Prep Wash																					
ROCK-WHI	Prep Blank		523	<0.005	<0.01	<0.17	35.77	1.08	5.79	1.32	29.2	12	1.3	4.5	494	2.02	0.9	0.5	2.1	2.4	23.2
ROCK-WHI	Prep Blank		515	0.006	0.03	0.62	19.44	1.02	3.03	1.29	27.9	8	0.8	3.7	465	1.86	1.0	0.4	0.5	2.3	22.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000060.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.03	<0.02	29	0.68	0.039	6.3	2.8	0.50	56.2	0.095	6	0.96	0.086	0.08	0.1	3.0	<0.02	0.03	<5
ROCK-WHI	Prep Blank	0.03	0.02	<0.02	25	0.61	0.038	6.2	2.3	0.44	57.0	0.079	3	0.88	0.082	0.09	<0.1	2.7	<0.02	<0.02	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 09, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000060.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD BVGE001 Expected		5.09	1.07	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.16	<0.1	0.17	0.15	2.0	0.4	<0.05	3.5	8.61	12.4	<0.02	<1	0.3	2.7	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.14	<0.1	0.13	0.19	2.1	0.3	<0.05	3.2	7.83	11.6	<0.02	<1	0.1	2.0	<10