



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 18, 2019  
Report Date: July 13, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000061.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-16  
P.O. Number  
Number of Samples: 91

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	87	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	91	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	91	Analysis sample split/packet			WHI
Split -150	91	Analysis sample split/packet			WHI
EN002	91	Environmental disposal charge-Fire assay lead waste			VAN
FS631	88	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	91	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	91	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830292	Drill Core	2.76	530	0.417	0.42	0.49	32.74	1.69	14.61	9.50	24.6	586	8.1	4.3	193	1.09	7.3	0.7	165.9	5.0	15.7
1830293	Drill Core	2.68	515	0.729	0.75	0.91	52.93	2.43	24.82	10.64	29.9	765	13.0	5.8	229	1.64	16.0	1.5	563.0	7.8	21.6
1830294	Drill Core	4.32	360	0.273	0.28	0.41	24.60	2.83	28.53	10.11	47.9	1019	11.2	7.8	394	1.89	8.6	1.5	254.4	9.8	28.1
1830295	Drill Core	2.35	391	0.205	0.19	<0.17	34.69	1.38	13.00	5.65	35.5	466	9.2	7.2	480	1.88	13.2	1.1	228.1	11.6	43.7
1830296	Drill Core	4.11	394	0.103	0.10	<0.17	50.83	1.05	12.16	10.39	37.8	441	9.1	5.9	364	1.58	7.3	0.9	73.5	11.8	50.2
1830297	Drill Core	1.92	376	0.720	1.10	3.88	45.11	0.71	8.93	7.28	28.4	981	11.0	5.8	347	1.39	12.9	1.1	998.4	12.4	49.5
1830298	Drill Core	3.04	427	2.098	3.18	15.85	33.70	0.58	11.50	7.01	30.4	1928	9.8	6.0	292	1.38	6.3	1.1	3910.0	9.4	32.4
1830299	Drill Core	2.55	475	2.007	3.00	17.91	29.64	0.74	23.51	5.51	39.4	1919	9.1	6.5	501	1.70	3.3	0.9	3679.3	6.1	25.7
1830300	Rock Pulp	0.13	84	0.015				2.12	90.69	3.57	34.5	136	4.7	8.7	349	2.50	0.6	0.8	3.4	2.6	66.2
1830301	Drill Core	2.72	475	>10	78.78	606.74	43.47	0.89	14.12	3.92	38.9	13947	6.7	5.1	411	1.48	4.3	0.7	85829.4	6.2	40.0
1830302	Drill Core	2.91	532	1.127	1.48	4.45	56.82	0.66	25.19	7.70	46.1	854	8.3	6.9	514	1.77	2.7	0.9	1398.2	7.7	51.9
1830303	Drill Core	5.15	437	0.167	0.16	<0.17	30.81	1.24	18.59	14.57	62.5	368	9.7	6.2	433	1.84	2.9	1.1	157.3	8.9	40.5
1830304	Drill Core	5.39	510	2.720	3.26	11.42	31.78	1.41	19.16	4.54	42.2	1037	9.9	7.4	601	1.71	4.0	1.5	1936.5	8.2	23.4
1830305	Drill Core	4.18	393	0.015	0.01	<0.17	40.05	0.71	11.49	7.53	45.7	176	10.4	6.9	481	2.10	4.0	1.0	6.3	8.6	55.3
1830306	Drill Core	2.34	548	0.322	0.37	0.96	38.42	0.44	14.83	9.28	45.6	320	9.4	6.1	392	1.57	2.3	1.2	244.1	9.1	40.0
1830307	Drill Core	2.34	414	4.306	9.16	46.98	47.11	0.50	11.39	1.19	14.7	2679	4.9	3.7	282	1.04	1.6	0.5	11634.0	4.5	13.5
1830308	Drill Core	5.00	446	0.387	0.39	0.39	35.72	0.63	15.04	12.23	48.4	519	12.6	6.4	413	1.78	2.7	1.1	1199.7	8.1	43.4
1830309	Drill Core	5.03	441	0.166	0.15	<0.17	31.54	1.01	19.62	26.96	59.4	431	11.1	7.0	379	1.80	4.0	1.6	88.7	7.6	66.0
1830310	Drill Core	5.13	471	0.238	0.61	3.78	50.06	0.72	17.53	11.91	72.5	565	12.6	7.1	315	1.92	4.3	1.4	303.2	8.7	63.8
1830311	Drill Core	3.02	473	0.026	0.02	<0.17	24.31	0.37	14.04	5.48	66.7	359	12.3	7.3	351	1.85	3.8	1.3	20.8	9.4	51.8
1830312	Drill Core	2.42	467	1.023	1.20	2.73	48.28	0.32	21.04	7.93	39.0	681	9.4	6.3	305	1.47	5.2	1.3	729.8	15.8	40.0
1830313	Drill Core	2.65	532	0.444	0.55	1.68	46.48	0.40	23.87	11.36	44.3	698	11.1	5.1	279	1.32	3.4	1.4	682.6	10.8	29.4
1830314	Drill Core	2.57	494	0.275	0.26	0.17	52.02	0.49	23.38	15.15	33.1	567	9.4	4.3	254	1.13	4.5	1.1	272.0	9.3	23.0
1830315	Drill Core	2.32	457	0.005	0.02	0.33	27.12	0.51	29.35	9.81	39.5	563	16.4	5.7	375	1.87	3.5	1.3	<0.2	11.3	49.6
1830316	Drill Core	5.62	461	<0.005	<0.01	<0.17	45.98	0.21	16.59	4.75	42.5	382	14.8	6.3	442	2.17	0.8	1.4	1.1	11.7	108.1
1830317	Drill Core	2.97	459	<0.005	<0.01	<0.17	51.44	0.14	18.76	7.66	55.8	427	13.1	6.8	438	1.98	0.6	1.3	<0.2	10.5	103.9
1830318	Drill Core	5.71	557	<0.005	<0.01	<0.17	65.75	0.31	17.20	7.20	75.9	304	12.5	7.6	531	2.25	1.0	1.9	<0.2	9.4	83.7
1830319	Drill Core	5.17	418	0.006	<0.01	<0.17	48.90	0.63	16.92	7.68	66.4	280	11.1	6.8	607	2.22	0.4	1.7	1.2	10.7	113.4
1830320	Rock Pulp	0.13	79	0.442				2.40	428.10	18.82	49.1	277	603.6	25.9	426	2.57	18.6	0.6	542.2	1.7	55.0
1830321	Drill Core	4.94	437	0.005	<0.01	<0.17	55.09	0.38	16.36	18.30	68.3	247	11.9	6.9	477	1.99	1.6	1.2	4.6	9.8	64.0



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830292	Drill Core		0.19	0.42	0.15	7	0.17	0.035	11.7	9.3	0.35	217.7	0.018	<1	0.53	0.009	0.29	0.8	1.6	0.12	<0.02	5		
1830293	Drill Core		0.26	0.80	0.21	9	0.25	0.040	14.6	11.5	0.51	305.6	0.032	<1	0.77	0.006	0.49	0.7	2.1	0.18	<0.02	<5		
1830294	Drill Core		0.41	1.05	0.15	12	0.29	0.052	17.7	15.4	0.81	267.7	0.052	2	1.04	0.016	0.62	0.8	2.9	0.29	0.03	<5		
1830295	Drill Core		0.26	0.91	0.07	9	0.55	0.053	19.7	10.2	0.81	312.2	0.032	1	1.05	0.017	0.67	0.6	2.9	0.26	0.06	16		
1830296	Drill Core		0.24	1.13	0.25	9	0.57	0.053	20.7	10.7	0.76	267.7	0.045	2	1.01	0.013	0.63	0.5	2.3	0.26	<0.02	6		
1830297	Drill Core		0.24	2.07	0.14	11	0.37	0.044	21.5	12.5	0.73	263.6	0.051	<1	1.00	0.011	0.55	0.8	2.4	0.19	<0.02	<5		
1830298	Drill Core		0.32	0.82	0.11	6	0.33	0.047	15.1	7.8	0.58	298.8	0.023	<1	0.84	0.009	0.53	0.4	2.1	0.19	0.10	5		
1830299	Drill Core		0.40	1.12	0.07	6	0.27	0.035	10.5	6.8	0.59	281.9	0.027	<1	0.82	0.009	0.51	0.4	2.0	0.19	0.27	8		
1830300	Rock Pulp		0.05	0.10	0.04	92	0.83	0.058	6.6	9.7	0.71	120.6	0.104	2	1.43	0.159	0.22	2.8	2.4	0.04	<0.02	<5		
1830301	Drill Core		0.33	1.14	<0.02	6	0.46	0.033	12.0	7.0	0.57	259.8	0.028	<1	0.79	0.011	0.53	0.3	2.0	0.19	0.11	15		
1830302	Drill Core		0.46	1.12	0.04	7	0.57	0.041	10.4	6.7	0.68	277.5	0.027	1	0.87	0.009	0.57	0.4	2.3	0.20	0.31	9		
1830303	Drill Core		0.31	2.33	0.05	11	0.45	0.053	16.6	13.4	0.87	225.5	0.069	<1	1.11	0.016	0.67	0.6	2.6	0.25	0.03	10		
1830304	Drill Core		0.29	1.29	0.02	7	0.22	0.042	15.1	8.8	0.63	275.9	0.038	<1	0.86	0.011	0.51	0.5	2.6	0.19	0.08	8		
1830305	Drill Core		0.17	0.74	<0.02	13	0.70	0.052	15.1	13.9	0.93	244.5	0.078	<1	1.15	0.020	0.61	0.5	3.8	0.19	0.10	<5		
1830306	Drill Core		0.17	0.63	0.03	11	0.48	0.051	18.8	12.7	0.80	242.4	0.070	1	1.03	0.013	0.51	0.6	2.8	0.16	0.05	<5		
1830307	Drill Core		0.16	0.37	<0.02	4	0.12	0.017	11.4	6.5	0.29	156.7	0.008	<1	0.43	0.008	0.28	0.2	1.2	0.09	<0.02	10		
1830308	Drill Core		0.20	0.82	0.20	12	0.51	0.050	14.8	14.2	0.85	237.8	0.071	1	1.09	0.013	0.61	0.6	2.6	0.19	0.15	<5		
1830309	Drill Core		0.35	0.74	0.27	14	0.82	0.054	13.9	16.6	0.93	182.7	0.075	<1	1.04	0.018	0.44	0.8	3.1	0.16	0.16	<5		
1830310	Drill Core		0.40	1.14	0.16	15	0.75	0.051	15.5	18.1	0.91	214.2	0.082	<1	1.12	0.022	0.41	0.8	4.0	0.14	0.17	18		
1830311	Drill Core		0.40	0.95	0.07	14	0.63	0.054	20.4	17.2	0.93	214.4	0.069	<1	1.17	0.016	0.43	0.7	3.7	0.16	0.03	<5		
1830312	Drill Core		0.27	0.69	0.12	12	0.56	0.043	32.2	15.0	0.60	254.9	0.047	1	0.90	0.021	0.35	0.7	3.1	0.12	<0.02	<5		
1830313	Drill Core		0.34	0.64	0.24	10	0.40	0.064	28.5	11.9	0.39	260.1	0.046	<1	0.82	0.017	0.32	0.9	2.4	0.12	<0.02	14		
1830314	Drill Core		0.40	0.56	0.22	7	0.39	0.067	27.1	7.1	0.25	334.1	0.055	<1	0.72	0.013	0.36	0.8	2.5	0.10	<0.02	23		
1830315	Drill Core		0.30	0.49	0.47	24	0.85	0.067	25.1	25.4	0.52	162.8	0.069	<1	0.91	0.037	0.20	0.5	4.1	0.06	<0.02	<5		
1830316	Drill Core		0.14	0.43	0.33	29	1.65	0.044	30.7	35.1	0.73	112.0	0.084	<1	1.04	0.055	0.13	0.4	5.8	0.06	<0.02	17		
1830317	Drill Core		0.37	0.35	0.23	23	1.64	0.045	28.5	30.1	0.66	103.3	0.043	<1	0.93	0.044	0.14	0.4	3.8	0.06	<0.02	10		
1830318	Drill Core		0.29	0.54	0.12	23	1.55	0.058	26.9	27.6	1.00	181.3	0.041	<1	1.31	0.022	0.29	0.4	4.5	0.12	<0.02	15		
1830319	Drill Core		0.37	0.56	0.08	20	2.29	0.064	28.6	24.8	1.02	178.2	0.009	<1	1.36	0.015	0.33	0.1	4.1	0.15	<0.02	16		
1830320	Rock Pulp		0.22	0.32	0.29	52	1.29	0.030	4.1	95.8	1.73	74.5	0.074	2	1.92	0.194	0.15	1.3	2.5	0.09	0.21	21		
1830321	Drill Core		0.45	0.40	0.13	17	1.33	0.055	27.3	22.0	0.79	155.7	0.005	<1	1.16	0.016	0.33	0.1	3.2	0.14	<0.02	16		



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830292	Drill Core	<0.1	0.03	1.8	1.01	<0.1	0.11	0.09	15.1	0.3	<0.05	4.2	5.88	22.1	<0.02	<1	0.5	5.6	<10	<2
1830293	Drill Core	0.2	0.07	2.4	1.37	<0.1	0.19	0.13	23.3	1.4	<0.05	8.0	7.51	25.2	<0.02	<1	0.5	8.6	<10	<2
1830294	Drill Core	0.4	0.04	3.1	3.11	<0.1	0.14	0.09	34.9	0.5	<0.05	5.3	7.77	33.5	<0.02	2	0.4	11.5	<10	<2
1830295	Drill Core	<0.1	<0.02	2.9	2.75	<0.1	0.07	0.05	34.2	0.4	<0.05	2.8	7.80	37.6	<0.02	<1	0.6	10.1	<10	<2
1830296	Drill Core	<0.1	<0.02	2.9	3.15	<0.1	0.11	0.07	30.4	0.4	<0.05	4.7	7.83	39.0	<0.02	1	0.3	10.9	<10	<2
1830297	Drill Core	<0.1	0.05	3.4	2.42	<0.1	0.22	0.14	25.8	0.8	<0.05	7.7	9.70	42.1	<0.02	<1	0.6	10.5	<10	<2
1830298	Drill Core	0.2	0.30	2.6	1.30	<0.1	0.37	0.06	23.5	0.3	<0.05	13.6	5.74	29.2	<0.02	<1	0.5	9.7	<10	<2
1830299	Drill Core	0.4	0.16	2.4	1.55	<0.1	0.24	0.06	23.6	0.3	<0.05	9.1	4.71	20.2	<0.02	<1	0.4	8.3	<10	<2
1830300	Rock Pulp	<0.1	<0.02	4.3	0.30	<0.1	0.08	0.07	6.3	0.2	<0.05	1.0	4.18	14.0	<0.02	<1	0.2	6.2	<10	<2
1830301	Drill Core	<0.1	0.02	2.3	1.63	<0.1	0.20	0.05	25.4	0.3	<0.05	8.8	4.26	22.3	<0.02	<1	0.3	7.8	<10	<2
1830302	Drill Core	<0.1	0.04	2.6	1.92	<0.1	0.31	0.04	25.6	0.3	<0.05	11.9	5.20	20.1	<0.02	<1	0.5	10.2	<10	2
1830303	Drill Core	<0.1	<0.02	3.2	2.89	<0.1	0.27	0.06	33.6	0.3	<0.05	9.7	6.88	31.9	0.02	2	0.2	12.0	<10	<2
1830304	Drill Core	0.2	0.07	2.7	1.52	<0.1	0.26	0.06	22.3	0.3	<0.05	10.1	6.23	28.9	<0.02	<1	0.5	10.2	<10	<2
1830305	Drill Core	<0.1	<0.02	4.0	2.32	<0.1	0.34	0.07	27.9	0.4	<0.05	12.2	7.25	29.1	<0.02	<1	0.6	12.6	<10	<2
1830306	Drill Core	<0.1	<0.02	3.5	1.40	<0.1	0.33	0.07	22.2	0.3	<0.05	11.3	9.52	34.5	<0.02	<1	0.3	11.1	<10	2
1830307	Drill Core	<0.1	0.02	1.7	1.15	<0.1	0.11	<0.02	12.8	0.4	<0.05	4.9	3.99	21.7	<0.02	<1	0.3	6.8	<10	<2
1830308	Drill Core	<0.1	<0.02	3.2	1.90	<0.1	0.29	0.07	28.2	0.3	<0.05	11.8	7.41	27.4	<0.02	<1	0.6	13.0	<10	<2
1830309	Drill Core	0.1	<0.02	3.8	1.49	<0.1	0.28	0.07	20.4	0.5	<0.05	10.0	9.64	26.4	<0.02	1	0.6	12.9	<10	<2
1830310	Drill Core	0.1	0.02	4.5	1.30	<0.1	0.37	0.10	19.3	0.5	<0.05	13.1	11.32	30.4	<0.02	<1	0.6	13.6	<10	<2
1830311	Drill Core	<0.1	<0.02	4.5	1.45	<0.1	0.34	0.06	21.2	0.4	<0.05	14.7	11.67	37.8	<0.02	<1	0.6	16.5	<10	3
1830312	Drill Core	<0.1	<0.02	4.1	0.58	<0.1	0.37	0.10	15.7	0.6	<0.05	13.0	14.21	61.7	<0.02	<1	0.8	12.4	<10	<2
1830313	Drill Core	<0.1	0.05	3.3	0.68	<0.1	0.11	0.14	14.0	0.3	<0.05	4.5	12.16	54.7	0.02	<1	0.6	10.9	<10	3
1830314	Drill Core	<0.1	<0.02	2.8	0.47	<0.1	0.04	0.21	14.7	0.4	<0.05	2.1	12.34	52.2	<0.02	<1	0.8	7.6	<10	<2
1830315	Drill Core	<0.1	0.04	4.8	0.67	<0.1	0.22	0.15	8.2	0.8	<0.05	7.9	14.27	49.1	0.07	<1	0.5	11.9	<10	<2
1830316	Drill Core	<0.1	<0.02	7.2	0.54	<0.1	0.31	0.13	6.6	1.0	<0.05	10.6	15.46	58.9	0.08	<1	0.9	15.2	<10	<2
1830317	Drill Core	<0.1	0.04	6.0	0.60	<0.1	0.27	0.07	7.4	0.7	<0.05	10.2	15.39	55.3	0.06	<1	0.9	11.8	<10	<2
1830318	Drill Core	<0.1	<0.02	5.7	0.94	<0.1	0.14	0.05	15.3	0.6	<0.05	6.2	16.88	50.4	0.03	<1	0.7	20.4	<10	<2
1830319	Drill Core	<0.1	<0.02	5.4	1.99	<0.1	0.08	<0.02	18.3	0.5	<0.05	3.0	17.60	54.7	0.03	<1	0.6	23.4	<10	<2
1830320	Rock Pulp	0.5	0.16	3.8	0.58	<0.1	0.05	0.02	5.6	0.4	<0.05	1.4	3.16	8.3	<0.02	2	0.1	7.9	275	112
1830321	Drill Core	<0.1	<0.02	4.9	2.42	<0.1	0.03	<0.02	19.3	0.4	<0.05	2.5	15.33	51.5	0.02	<1	0.8	19.9	<10	2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830322	Drill Core	5.35	452	0.028	0.03	<0.17	37.31	0.79	14.72	18.50	110.1	480	11.7	8.1	377	2.49	14.3	1.5	21.9	13.4	25.2
1830323	Drill Core	1.86	498	0.058	0.06	<0.17	50.27	1.22	33.15	15.58	59.9	598	10.4	8.4	405	2.44	18.2	1.5	55.7	15.9	13.5
1830324	Drill Core	4.42	431	0.084	0.08	<0.17	28.74	0.66	38.72	20.12	55.1	902	7.8	6.6	306	1.81	6.4	1.2	76.9	14.0	23.5
1830325	Drill Core	2.28	510	0.266	0.28	0.51	35.16	0.57	26.07	24.64	46.9	598	5.9	4.8	236	1.55	11.1	0.9	149.0	10.4	14.0
1830326	Drill Core	4.41	414	0.051	0.05	<0.17	41.23	0.61	17.59	14.08	62.4	338	9.8	7.5	456	2.16	2.2	1.4	47.3	13.4	85.2
1830327	Drill Core	4.44	395	0.007	<0.01	<0.17	30.35	0.70	7.19	7.53	48.9	190	8.5	6.5	331	1.78	2.0	1.3	5.2	11.3	50.0
1830328	Drill Core	2.33	459	0.006	<0.01	<0.17	50.75	1.20	25.43	10.67	52.5	390	10.5	7.6	374	2.02	1.2	1.4	5.4	8.4	43.0
1830329	Drill Core	2.25	450	<0.005	<0.01	<0.17	39.69	1.19	23.72	34.45	77.2	388	9.2	7.0	397	1.75	1.3	1.3	0.6	9.8	67.5
1830330	Drill Core	4.94	452	<0.005	<0.01	<0.17	34.79	0.87	19.51	15.06	75.1	331	13.8	9.4	353	2.18	1.4	1.4	<0.2	9.8	52.1
1830331	Drill Core	5.18	459	<0.005	<0.01	<0.17	44.87	0.67	28.50	9.93	76.6	459	14.0	9.2	405	2.34	1.3	1.6	0.5	9.4	60.4
1830332	Drill Core	5.27	525	0.006	<0.01	<0.17	37.32	1.77	38.04	66.71	123.4	960	11.9	7.9	412	2.23	1.5	1.0	1.2	8.3	57.1
1830333	Drill Core	3.28	432	<0.005	<0.01	<0.17	48.01	0.81	16.79	12.74	79.4	266	13.0	9.0	299	2.09	2.5	1.9	<0.2	10.7	57.3
1830334	Drill Core	3.11	431	<0.005	<0.01	<0.17	32.34	0.61	11.57	7.58	62.8	189	12.5	9.2	283	2.05	4.7	1.9	<0.2	10.9	72.6
1830335	Drill Core	3.03	398	0.005	<0.01	<0.17	26.36	0.25	6.54	15.00	54.2	155	3.6	3.3	219	1.04	1.1	3.9	<0.2	10.3	50.3
1830336	Drill Core	3.79	458	0.019	0.02	<0.17	27.64	0.23	4.95	13.42	24.6	159	1.6	1.7	188	0.61	1.4	1.6	11.1	10.6	44.9
1830337	Drill Core	3.54	412	0.682	0.82	2.48	31.82	0.63	13.56	11.05	52.8	821	7.7	6.7	186	1.52	8.7	2.1	986.3	10.2	30.3
1830338	Drill Core	6.55	510	5.615	22.23	187.08	46.66	0.81	16.25	15.02	55.3	1738	10.4	8.0	340	1.84	7.6	1.5	6630.8	9.3	115.7
1830339	Drill Core	2.25	409	0.567	0.59	0.78	36.03	0.71	12.16	8.52	55.5	739	10.9	8.9	279	2.06	11.8	1.8	507.8	8.5	34.6
1830340	Rock Pulp	0.12	83	0.020				2.16	90.38	3.40	33.7	117	4.4	8.1	339	2.37	1.1	0.8	3.9	3.0	57.8
1830341	Drill Core	5.14	446	0.038	0.04	<0.17	24.03	0.84	16.78	9.62	55.6	646	10.6	8.8	247	2.12	57.3	1.3	38.6	8.7	40.1
1830342	Drill Core	3.19	426	0.071	0.07	<0.17	25.89	0.60	25.22	13.21	60.8	747	12.3	8.7	289	2.07	31.1	1.5	137.8	9.6	30.7
1830343	Drill Core	2.13	427	0.266	0.27	0.35	42.75	0.70	15.27	5.37	42.8	1107	11.1	9.6	260	1.91	14.2	1.3	244.3	8.7	43.9
1830344	Drill Core	4.51	389	0.534	0.57	1.04	29.87	0.45	5.53	5.41	33.9	454	6.5	4.8	253	1.47	23.0	0.9	799.6	4.4	33.5
1830345	Drill Core	4.92	445	1.073	1.25	3.99	27.33	0.49	4.89	9.92	33.5	574	8.7	6.2	282	1.72	11.3	1.5	1202.7	4.8	28.5
1830346	Drill Core	2.11	366	0.370	0.39	0.63	35.01	0.37	13.28	7.80	66.5	690	10.4	8.4	335	1.95	11.1	1.5	390.8	8.9	52.9
1830347	Drill Core	5.13	457	0.063	0.06	<0.17	46.11	0.24	11.12	10.00	37.0	411	5.8	5.3	269	1.32	5.2	1.3	51.2	9.4	73.8
1830348	Drill Core	2.77	492	0.006	<0.01	<0.17	42.83	0.15	3.83	12.97	31.2	213	3.6	3.2	186	0.98	1.8	1.8	3.0	10.8	75.9
1830349	Drill Core	5.46	520	0.016	0.01	<0.17	49.63	0.13	10.78	10.98	34.2	347	4.1	4.0	204	1.03	2.3	2.3	19.6	11.1	105.6
1830350	Drill Core	5.38	449	0.338	0.37	0.61	46.25	0.13	2.87	17.03	13.1	269	0.6	0.8	56	0.46	1.5	1.0	209.4	11.9	11.1
1830351	Drill Core	3.11	447	0.866	1.12	3.67	40.31	0.56	14.44	5.52	38.3	781	7.8	6.5	384	1.84	4.7	5.0	1457.9	9.6	139.6



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 3 of 5 **Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830322	Drill Core	0.81	1.36	0.11	18	0.43	0.067	35.6	21.9	0.87	169.5	0.002	<1	1.41	0.009	0.37	0.1	3.1	0.16	<0.02	18			
1830323	Drill Core	0.53	3.58	0.10	23	0.24	0.064	37.4	25.6	0.75	236.2	0.002	<1	1.29	0.016	0.33	<0.1	3.7	0.12	<0.02	11			
1830324	Drill Core	0.46	1.34	0.16	11	0.41	0.064	32.8	12.8	0.58	208.5	0.003	1	1.03	0.012	0.34	0.1	2.4	0.13	<0.02	18			
1830325	Drill Core	0.28	1.25	0.22	10	0.19	0.062	22.3	11.9	0.48	178.9	0.002	1	0.83	0.010	0.25	0.1	2.0	0.10	<0.02	16			
1830326	Drill Core	0.34	0.84	0.08	15	1.72	0.059	29.0	19.7	1.01	158.1	0.007	1	1.36	0.011	0.38	0.1	3.0	0.19	<0.02	17			
1830327	Drill Core	0.18	0.71	0.11	11	1.09	0.056	25.3	15.6	0.76	205.8	0.006	<1	1.14	0.011	0.36	0.2	2.3	0.18	<0.02	33			
1830328	Drill Core	0.29	0.84	0.07	16	1.06	0.066	17.9	20.9	0.77	352.7	0.044	1	1.12	0.019	0.32	1.2	3.5	0.17	<0.02	12			
1830329	Drill Core	0.60	1.12	0.07	16	1.58	0.057	19.1	20.4	0.76	907.3	0.047	<1	1.12	0.011	0.33	1.8	3.6	0.17	<0.02	17			
1830330	Drill Core	0.43	0.73	0.09	22	1.06	0.075	18.1	29.2	1.03	239.0	0.060	<1	1.37	0.016	0.35	0.6	4.3	0.18	<0.02	14			
1830331	Drill Core	0.42	1.03	0.06	28	1.25	0.070	20.7	36.3	1.07	183.5	0.086	<1	1.48	0.027	0.26	0.7	5.1	0.14	<0.02	23			
1830332	Drill Core	0.46	1.14	0.10	23	1.20	0.073	16.5	26.5	1.04	221.3	0.076	<1	1.37	0.022	0.23	1.0	4.3	0.11	0.02	28			
1830333	Drill Core	0.59	1.36	0.06	25	1.11	0.078	24.2	28.4	1.03	311.9	0.097	<1	1.43	0.019	0.41	0.6	6.0	0.21	0.08	11			
1830334	Drill Core	0.29	1.06	0.05	20	1.35	0.064	19.7	22.4	0.99	347.5	0.076	<1	1.16	0.015	0.36	0.5	5.4	0.17	0.26	19			
1830335	Drill Core	0.38	0.74	0.11	8	1.06	0.026	24.8	14.0	0.44	361.3	0.034	<1	0.87	0.016	0.30	0.3	3.2	0.11	0.05	36			
1830336	Drill Core	0.31	0.49	0.12	3	1.11	0.018	24.7	4.5	0.17	359.3	0.006	<1	0.52	0.013	0.32	0.1	1.5	0.09	0.04	42			
1830337	Drill Core	0.43	0.84	0.09	9	0.44	0.045	20.2	11.5	0.44	550.3	0.007	<1	0.87	0.017	0.39	0.2	2.6	0.14	0.03	49			
1830338	Drill Core	0.37	0.83	0.07	14	1.48	0.064	13.0	16.5	0.92	284.5	0.034	<1	1.03	0.013	0.42	0.5	3.9	0.16	0.18	16			
1830339	Drill Core	0.45	1.24	0.06	9	0.49	0.046	17.5	11.0	0.54	413.6	0.021	<1	0.82	0.016	0.48	0.5	3.6	0.15	0.02	19			
1830340	Rock Pulp	0.06	0.09	0.04	80	0.73	0.062	6.3	9.5	0.68	114.0	0.092	<1	1.36	0.141	0.20	3.2	2.1	0.05	<0.02	<5			
1830341	Drill Core	0.31	3.00	0.07	13	0.47	0.062	14.0	13.9	0.85	284.8	0.037	<1	0.97	0.019	0.68	0.4	4.4	0.27	<0.02	7			
1830342	Drill Core	0.37	5.93	0.12	16	0.36	0.060	16.5	19.7	0.91	275.7	0.054	<1	1.07	0.018	0.63	0.6	4.3	0.25	<0.02	7			
1830343	Drill Core	0.33	1.83	0.04	8	0.49	0.044	12.5	9.8	0.67	310.9	0.021	<1	0.82	0.015	0.55	0.4	3.2	0.19	0.08	8			
1830344	Drill Core	0.26	0.93	0.03	7	0.48	0.029	9.4	9.0	0.48	221.9	0.015	<1	0.61	0.026	0.32	0.3	2.5	0.12	0.03	<5			
1830345	Drill Core	0.31	0.90	0.09	8	0.31	0.030	10.3	11.1	0.50	231.1	0.018	<1	0.61	0.020	0.30	0.4	2.9	0.11	<0.02	6			
1830346	Drill Core	0.48	1.87	0.06	11	0.61	0.057	11.9	11.5	0.67	413.5	0.025	<1	0.89	0.018	0.56	0.4	3.6	0.17	0.16	20			
1830347	Drill Core	0.29	0.94	0.10	8	1.03	0.048	11.2	9.4	0.56	401.4	0.022	<1	0.70	0.016	0.45	0.2	3.0	0.13	0.14	12			
1830348	Drill Core	0.35	0.54	0.11	7	0.90	0.041	14.1	8.8	0.48	707.7	0.030	<1	0.65	0.010	0.29	0.5	2.1	0.07	0.13	10			
1830349	Drill Core	0.39	0.48	0.13	7	1.15	0.041	16.5	8.6	0.42	566.6	0.025	<1	0.61	0.020	0.30	0.3	2.4	0.08	0.28	17			
1830350	Drill Core	0.16	0.41	0.14	<1	0.09	0.028	24.0	1.6	0.07	315.8	0.004	<1	0.34	0.024	0.27	0.1	1.0	0.06	0.14	30			
1830351	Drill Core	0.40	1.55	0.07	12	1.58	0.054	15.3	12.9	0.75	407.8	0.039	<1	1.01	0.013	0.61	0.8	3.9	0.18	0.44	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830322	Drill Core	0.1	<0.02	6.7	3.29	<0.1	<0.02	<0.02	21.6	0.4	<0.05	1.2	15.19	66.9	0.03	<1	0.9	28.1	<10	<2
1830323	Drill Core	0.1	<0.02	7.2	1.51	<0.1	0.03	<0.02	15.6	0.4	<0.05	1.5	12.39	69.0	<0.02	<1	0.4	25.1	<10	3
1830324	Drill Core	<0.1	0.02	4.6	1.78	<0.1	<0.02	<0.02	18.9	0.5	<0.05	1.1	14.37	63.7	0.03	<1	0.4	17.8	<10	<2
1830325	Drill Core	0.1	<0.02	3.9	1.66	<0.1	0.03	<0.02	13.7	0.3	<0.05	0.9	10.51	42.0	<0.02	<1	0.3	15.6	<10	<2
1830326	Drill Core	<0.1	<0.02	6.3	3.58	<0.1	0.04	<0.02	25.4	0.4	<0.05	1.7	16.52	57.2	0.02	<1	0.8	22.4	<10	<2
1830327	Drill Core	<0.1	<0.02	4.8	3.52	<0.1	0.04	<0.02	23.2	0.3	<0.05	1.0	13.44	48.7	<0.02	<1	0.6	18.9	<10	<2
1830328	Drill Core	<0.1	<0.02	4.4	2.16	<0.1	0.04	0.03	18.6	0.5	<0.05	1.1	13.65	35.0	<0.02	<1	0.5	17.8	<10	<2
1830329	Drill Core	<0.1	<0.02	4.7	2.20	<0.1	0.07	0.03	20.0	0.4	<0.05	1.4	16.74	37.7	<0.02	<1	0.9	17.8	<10	<2
1830330	Drill Core	<0.1	<0.02	5.5	2.02	<0.1	0.08	0.03	20.7	0.4	<0.05	2.9	11.84	34.8	<0.02	<1	0.6	20.7	<10	<2
1830331	Drill Core	<0.1	<0.02	6.7	2.02	<0.1	0.08	0.07	17.3	0.7	<0.05	2.0	12.42	40.3	0.02	<1	0.6	23.1	<10	<2
1830332	Drill Core	<0.1	<0.02	6.3	1.16	<0.1	0.05	0.06	13.4	0.4	<0.05	1.2	9.32	31.8	<0.02	<1	0.5	21.4	<10	<2
1830333	Drill Core	0.3	<0.02	5.8	2.25	<0.1	0.09	0.10	24.6	0.8	<0.05	2.2	15.09	45.3	<0.02	1	0.5	18.2	<10	<2
1830334	Drill Core	0.5	<0.02	4.2	2.30	<0.1	0.11	0.07	20.9	0.6	<0.05	4.0	14.51	38.5	<0.02	3	0.6	16.5	<10	<2
1830335	Drill Core	0.1	<0.02	3.7	0.66	<0.1	0.07	0.23	15.2	0.6	<0.05	1.6	14.95	47.1	<0.02	<1	0.4	10.3	<10	<2
1830336	Drill Core	<0.1	<0.02	1.7	0.93	<0.1	0.03	0.06	14.5	0.2	<0.05	0.9	12.97	47.4	<0.02	<1	0.3	6.0	<10	<2
1830337	Drill Core	<0.1	0.03	3.1	1.76	<0.1	0.06	<0.02	18.1	0.3	<0.05	2.6	7.95	38.8	<0.02	<1	0.5	12.5	<10	<2
1830338	Drill Core	0.5	0.04	3.6	1.89	<0.1	0.20	<0.02	21.6	0.3	<0.05	6.8	9.79	25.6	<0.02	<1	0.4	16.0	<10	<2
1830339	Drill Core	0.2	0.09	2.7	1.81	<0.1	0.24	<0.02	19.9	0.3	<0.05	8.4	5.63	33.5	<0.02	<1	0.5	10.1	<10	<2
1830340	Rock Pulp	<0.1	<0.02	4.0	0.31	<0.1	0.05	0.05	6.6	0.2	<0.05	1.0	4.07	13.5	<0.02	<1	<0.1	6.1	<10	<2
1830341	Drill Core	<0.1	0.03	2.8	4.54	<0.1	0.20	<0.02	33.1	0.3	<0.05	6.7	5.88	26.8	<0.02	<1	0.3	13.5	<10	<2
1830342	Drill Core	<0.1	0.02	3.3	4.09	<0.1	0.21	<0.02	29.8	0.5	<0.05	6.6	8.51	31.6	<0.02	<1	0.5	16.4	<10	<2
1830343	Drill Core	0.2	0.03	2.3	2.74	<0.1	0.28	<0.02	25.7	0.2	<0.05	9.8	5.31	24.4	<0.02	<1	0.4	12.3	<10	<2
1830344	Drill Core	<0.1	0.03	2.0	1.32	<0.1	0.14	<0.02	14.3	0.3	<0.05	4.8	3.76	17.9	<0.02	<1	0.3	9.7	<10	<2
1830345	Drill Core	<0.1	0.06	2.4	1.34	<0.1	0.18	<0.02	12.5	0.3	<0.05	6.2	4.80	20.8	<0.02	<1	0.4	9.1	<10	<2
1830346	Drill Core	0.2	0.02	3.2	1.96	<0.1	0.38	<0.02	24.1	0.3	<0.05	14.8	7.52	22.8	<0.02	<1	0.6	14.0	<10	<2
1830347	Drill Core	<0.1	<0.02	2.2	1.72	<0.1	0.30	0.03	20.1	0.3	<0.05	12.0	7.56	21.8	<0.02	<1	0.3	8.5	<10	<2
1830348	Drill Core	<0.1	<0.02	2.6	0.62	<0.1	0.36	0.10	12.0	0.3	<0.05	15.2	9.09	27.7	<0.02	<1	0.4	8.4	<10	<2
1830349	Drill Core	0.2	<0.02	2.3	0.56	<0.1	0.20	0.08	13.3	0.3	<0.05	6.6	7.99	31.8	<0.02	<1	0.3	8.9	<10	<2
1830350	Drill Core	<0.1	<0.02	1.0	0.57	<0.1	0.06	0.08	10.7	0.2	<0.05	1.8	6.15	45.5	<0.02	<1	0.3	3.1	<10	<2
1830351	Drill Core	0.6	0.04	3.1	2.18	<0.1	0.08	0.11	25.1	0.5	<0.05	2.3	7.65	29.6	0.02	<1	0.4	11.6	<10	<2





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830352	Drill Core	5.23	454	0.054	0.05	<0.17	28.39	0.80	16.49	15.54	60.0	375	10.8	8.4	443	2.33	7.1	2.3	52.2	9.2	110.5
1830353	Drill Core	5.05	443	0.222	0.22	0.23	47.44	0.76	21.30	13.89	53.6	573	10.5	8.5	536	2.18	10.0	3.1	153.9	9.4	255.7
1830354	Drill Core	3.38	428	0.105	0.10	<0.17	32.41	1.25	16.18	9.49	54.8	262	12.9	7.5	196	2.11	4.7	2.5	12.7	8.6	68.0
1830355	Drill Core	2.63	403	0.138	0.13	<0.17	33.46	0.62	16.86	8.83	64.9	428	11.2	8.4	262	2.38	7.6	2.1	176.1	9.0	88.6
1830356	Drill Core	4.64	375	0.340	0.30	<0.17	39.32	0.73	19.09	10.10	56.1	570	11.3	7.9	293	2.15	10.3	1.5	286.6	9.4	68.1
1830357	Drill Core	5.13	443	0.006	<0.01	<0.17	43.91	0.93	17.79	18.22	65.0	355	12.3	8.1	351	2.09	6.9	1.1	1.7	10.0	66.7
1830358	Drill Core	3.16	522	0.130	0.13	<0.17	48.56	1.04	40.59	10.06	59.8	2224	9.4	6.8	373	2.04	12.3	2.0	121.2	5.6	84.0
1830359	Drill Core	3.53	530	0.332	0.36	0.60	48.09	0.86	28.70	4.92	56.5	2974	6.4	6.1	454	2.19	26.0	0.8	352.0	6.2	133.1
1830360	Core DUP		422	0.263	0.37	1.55	36.18	0.86	29.16	5.04	55.3	3065	6.2	6.0	443	2.26	25.6	0.8	425.7	6.0	126.0
1830361	Drill Core	2.28	450	0.069	0.06	<0.17	26.79	0.30	3.00	5.28	25.9	205	7.0	6.1	648	1.75	29.0	0.7	71.9	4.5	180.5
1830362	Drill Core	4.77	464	0.009	<0.01	<0.17	23.76	0.68	15.18	12.23	49.3	239	12.2	7.5	333	1.84	29.2	1.9	4.5	9.9	78.4
1830363	Drill Core	5.01	433	0.006	<0.01	<0.17	25.63	0.80	14.28	21.27	35.0	306	8.6	4.4	256	1.26	25.9	2.5	2.1	10.8	73.2
1830364	Drill Core	5.03	449	0.006	<0.01	<0.17	36.22	1.74	17.74	25.21	25.5	495	11.0	4.9	160	1.06	53.2	1.8	3.0	10.9	46.4
1830365	Drill Core	4.64	461	0.006	<0.01	<0.17	28.72	0.72	12.86	15.57	35.1	204	9.4	5.1	344	1.43	45.4	2.4	2.2	11.0	121.0
1830366	Drill Core	4.34	417	0.005	<0.01	<0.17	27.68	0.70	14.62	21.11	46.5	265	9.0	4.7	304	1.58	32.5	2.0	2.8	12.1	91.3
1830367	Drill Core	2.72	451	0.006	<0.01	<0.17	26.32	1.18	13.56	32.68	47.5	375	9.4	5.6	317	1.66	140.3	2.4	2.8	11.5	46.0
1830368	Drill Core	5.49	459	<0.005	<0.01	<0.17	25.86	0.48	13.17	17.17	40.6	349	7.4	5.0	229	1.45	274.4	1.9	2.1	11.1	42.7
1830369	Drill Core	3.03	448	<0.005	<0.01	<0.17	28.30	0.67	23.07	8.03	70.7	292	26.1	9.5	310	2.17	21.0	1.6	1.7	7.4	43.3
1830370	Drill Core	4.18	449	<0.005	<0.01	<0.17	21.66	1.03	17.27	2.97	38.0	256	25.4	8.6	310	2.03	20.6	1.1	1.5	7.3	63.2
1830371	Drill Core	3.36	436	0.005	<0.01	<0.17	42.08	1.48	46.69	5.53	46.4	624	29.3	11.1	306	2.30	19.4	1.5	1.8	5.6	42.8
1830372	Drill Core	3.30	449	<0.005	<0.01	<0.17	22.55	4.22	26.64	3.69	59.2	148	26.3	9.6	221	2.01	10.4	3.7	0.6	7.1	36.7
1830373	Drill Core	5.37	443	<0.005	<0.01	<0.17	32.61	1.90	27.18	10.34	69.1	252	26.4	9.2	326	2.35	13.2	2.0	0.7	7.4	57.8
1830374	Drill Core	4.92	423	0.006	<0.01	<0.17	22.63	2.68	24.98	9.99	60.4	253	22.2	8.6	289	2.12	20.3	2.0	0.9	8.9	38.2
1830375	Drill Core	5.59	445	<0.005	<0.01	<0.17	24.56	1.06	24.11	8.43	59.6	267	23.4	8.3	270	1.89	13.0	1.1	<0.2	7.0	38.1
1830376	Drill Core	5.21	438	<0.005	<0.01	<0.17	24.04	0.89	26.84	9.00	67.0	405	24.4	9.5	379	2.19	11.0	1.1	1.3	7.4	58.8
1830377	Drill Core	5.76	533	0.011	<0.01	<0.17	51.03	0.60	22.86	12.30	62.8	482	12.3	7.8	471	2.54	9.4	1.4	6.0	9.3	57.2
1830378	Drill Core	2.57	517	0.013	0.01	<0.17	51.11	0.80	9.39	3.24	53.3	217	14.4	8.9	504	2.56	7.8	1.6	6.4	9.3	74.7
1830379	Drill Core	3.42	363	0.032	0.03	<0.17	44.11	1.10	35.86	26.00	112.0	611	9.7	9.1	646	3.61	23.1	2.0	25.0	7.4	105.8
1830380	Rock	0.23	152	<0.005	<0.01	<0.17	28.24	0.20	0.75	0.69	2.3	7	1.0	0.5	39	0.32	0.8	<0.1	0.4	0.7	1.7
1830381	Drill Core	2.41	441	0.016	0.01	<0.17	47.85	0.67	15.54	3.61	50.2	270	7.3	9.2	670	3.35	5.2	1.8	10.3	7.1	166.2





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830352	Drill Core	0.31	2.22	0.11	19	1.76	0.066	14.1	21.7	0.95	255.5	0.073	<1	1.21	0.019	0.66	0.4	4.2	0.20	0.28	5			
1830353	Drill Core	0.57	1.87	0.06	18	3.13	0.070	11.2	16.8	0.77	318.0	0.076	1	1.05	0.018	0.74	0.7	5.1	0.31	0.44	<5			
1830354	Drill Core	0.20	1.53	<0.02	20	0.75	0.063	12.4	19.9	0.76	232.1	0.083	1	1.01	0.026	0.70	0.3	5.3	0.31	0.10	<5			
1830355	Drill Core	0.24	1.34	0.03	23	1.12	0.061	11.0	28.1	0.96	149.4	0.083	<1	1.02	0.036	0.64	0.8	4.4	0.27	0.31	5			
1830356	Drill Core	0.21	1.73	0.07	19	0.88	0.061	11.5	22.5	0.86	200.3	0.085	<1	1.00	0.021	0.65	0.7	3.7	0.26	0.24	7			
1830357	Drill Core	0.24	1.53	0.13	18	0.94	0.072	17.0	20.6	0.77	220.1	0.072	<1	1.05	0.024	0.70	0.5	3.9	0.26	<0.02	<5			
1830358	Drill Core	0.45	1.73	0.12	11	1.52	0.079	7.3	9.3	0.67	227.3	0.033	<1	0.87	0.009	0.61	0.4	3.6	0.22	0.16	9			
1830359	Drill Core	0.47	2.62	0.11	12	1.90	0.095	8.3	7.7	0.78	280.5	0.036	2	1.02	0.009	0.79	0.5	5.1	0.25	0.21	6			
1830360	Core DUP	0.50	2.67	0.11	11	1.98	0.095	8.8	8.2	0.78	293.7	0.036	2	1.04	0.007	0.81	0.5	5.2	0.25	0.22	<5			
1830361	Drill Core	0.21	1.03	0.06	7	2.48	0.032	5.4	7.9	0.59	182.3	0.020	2	0.64	0.015	0.38	0.5	3.7	0.12	0.52	<5			
1830362	Drill Core	0.25	2.38	0.04	10	0.88	0.060	9.0	9.2	0.72	244.4	0.041	1	0.91	0.015	0.59	0.2	4.2	0.22	0.46	<5			
1830363	Drill Core	0.36	1.83	0.44	9	0.98	0.052	16.6	8.5	0.44	224.5	0.050	<1	0.68	0.022	0.46	0.3	3.2	0.20	0.22	<5			
1830364	Drill Core	0.35	1.72	0.97	10	0.79	0.053	25.3	8.7	0.23	241.4	0.066	1	0.50	0.027	0.40	0.2	3.4	0.22	0.22	<5			
1830365	Drill Core	0.25	2.09	0.23	18	2.91	0.050	23.3	19.8	0.45	214.7	0.063	<1	0.69	0.022	0.51	0.3	4.2	0.26	0.14	<5			
1830366	Drill Core	0.38	2.05	0.33	21	1.89	0.060	24.4	20.2	0.46	189.4	0.055	<1	0.75	0.035	0.31	0.3	4.3	0.14	0.19	<5			
1830367	Drill Core	0.32	4.73	0.53	19	1.16	0.054	25.8	18.4	0.44	217.4	0.049	<1	0.77	0.042	0.32	0.4	4.8	0.18	0.21	<5			
1830368	Drill Core	0.25	4.09	0.43	12	1.03	0.047	23.1	11.6	0.51	219.2	0.060	<1	0.82	0.025	0.35	0.7	4.2	0.15	0.10	7			
1830369	Drill Core	0.36	1.71	0.12	26	0.90	0.063	15.7	27.0	0.95	199.6	0.140	<1	1.18	0.016	0.48	1.2	8.1	0.23	0.12	<5			
1830370	Drill Core	0.08	1.54	0.06	24	1.28	0.066	16.8	23.9	0.90	214.3	0.104	<1	1.13	0.008	0.31	0.5	6.6	0.10	0.06	<5			
1830371	Drill Core	0.22	1.45	0.08	25	0.81	0.064	14.6	25.9	0.78	197.9	0.102	<1	1.21	0.019	0.26	0.3	5.6	0.11	0.22	<5			
1830372	Drill Core	0.42	0.42	0.04	17	0.89	0.061	19.0	15.8	0.72	235.4	0.073	<1	0.92	0.015	0.45	<0.1	5.0	0.20	0.22	<5			
1830373	Drill Core	0.33	1.74	0.14	22	1.35	0.068	21.3	22.4	1.03	253.9	0.051	<1	1.28	0.015	0.38	0.2	6.3	0.15	0.11	<5			
1830374	Drill Core	0.37	2.09	0.18	25	0.81	0.078	25.1	29.7	0.96	225.9	0.060	<1	1.21	0.016	0.43	0.3	5.2	0.17	0.07	<5			
1830375	Drill Core	0.30	1.97	0.07	19	0.61	0.064	18.9	20.7	0.75	215.5	0.068	<1	1.10	0.017	0.38	0.2	5.0	0.15	0.11	<5			
1830376	Drill Core	0.26	1.37	0.11	29	1.04	0.076	21.4	37.5	0.93	171.2	0.040	<1	1.29	0.014	0.33	0.2	4.4	0.13	<0.02	<5			
1830377	Drill Core	0.39	0.57	0.14	27	1.24	0.067	26.1	29.4	0.75	127.6	0.005	<1	1.28	0.021	0.27	<0.1	3.6	0.11	<0.02	7			
1830378	Drill Core	0.31	0.41	0.02	31	1.30	0.075	29.2	37.1	0.88	121.3	0.004	<1	1.39	0.022	0.28	<0.1	4.0	0.12	<0.02	8			
1830379	Drill Core	0.82	0.82	0.14	41	1.62	0.107	24.5	35.5	1.20	129.7	0.007	<1	1.72	0.017	0.25	0.1	6.2	0.10	<0.02	6			
1830380	Rock	<0.01	0.03	<0.02	2	0.02	0.002	1.4	2.2	0.03	6.9	0.003	<1	0.05	0.002	0.01	<0.1	0.2	<0.02	<0.02	<5			
1830381	Drill Core	0.15	0.39	<0.02	39	2.69	0.096	25.0	37.4	1.22	102.1	0.007	<1	1.72	0.014	0.25	0.1	6.7	0.10	<0.02	6			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 4 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830352	Drill Core	0.5	<0.02	3.7	2.46	<0.1	0.05	0.10	27.4	0.4	<0.05	1.5	9.02	27.7	<0.02	1	0.3	14.4	<10	<2
1830353	Drill Core	0.4	0.02	3.5	2.73	<0.1	0.13	0.13	34.1	0.6	<0.05	4.2	10.21	21.0	<0.02	1	0.4	13.1	<10	<2
1830354	Drill Core	<0.1	<0.02	3.4	3.66	<0.1	0.16	0.11	38.5	0.5	<0.05	6.4	7.32	23.8	<0.02	3	0.3	12.8	<10	<2
1830355	Drill Core	0.2	<0.02	4.4	3.46	<0.1	0.19	<0.02	35.3	0.5	<0.05	5.5	9.29	21.6	<0.02	<1	0.4	11.8	<10	<2
1830356	Drill Core	0.3	<0.02	3.8	3.42	<0.1	0.13	0.06	36.9	0.5	<0.05	3.7	9.00	22.6	<0.02	<1	0.5	13.1	<10	<2
1830357	Drill Core	<0.1	0.02	3.9	3.70	<0.1	0.10	0.03	37.6	0.5	<0.05	2.5	9.70	32.7	<0.02	<1	0.5	13.5	<10	<2
1830358	Drill Core	0.3	<0.02	2.7	3.87	<0.1	0.05	<0.02	31.0	0.3	<0.05	1.1	5.77	14.2	<0.02	2	0.3	11.5	<10	<2
1830359	Drill Core	0.3	0.02	2.6	5.20	<0.1	0.04	0.04	39.7	0.4	<0.05	1.3	7.74	16.6	0.03	<1	0.4	14.5	<10	<2
1830360	Core DUP	0.4	<0.02	2.6	5.18	<0.1	0.05	0.04	39.9	0.4	<0.05	1.4	7.68	17.1	0.02	<1	0.5	14.1	<10	<2
1830361	Drill Core	1.0	0.03	2.0	1.27	<0.1	0.22	0.02	15.7	0.3	<0.05	8.1	6.13	10.7	<0.02	<1	0.4	9.0	<10	<2
1830362	Drill Core	0.7	<0.02	2.6	2.20	<0.1	0.23	0.05	27.7	0.4	<0.05	7.6	5.90	17.6	<0.02	1	0.3	12.2	<10	<2
1830363	Drill Core	0.7	0.03	2.4	1.41	<0.1	0.14	0.15	21.4	0.5	<0.05	4.2	9.44	31.9	<0.02	<1	0.4	9.0	<10	<2
1830364	Drill Core	0.7	0.06	2.0	1.17	<0.1	0.25	0.33	22.1	0.6	<0.05	7.8	14.61	49.2	0.03	1	0.4	6.4	<10	<2
1830365	Drill Core	0.4	0.02	2.7	3.32	<0.1	0.28	0.17	28.0	0.6	<0.05	10.3	14.36	44.8	<0.02	<1	0.5	8.6	<10	<2
1830366	Drill Core	0.5	0.02	3.7	1.35	<0.1	0.33	0.11	15.0	0.7	<0.05	10.5	14.64	48.1	0.03	<1	0.5	11.2	<10	<2
1830367	Drill Core	0.7	0.03	3.6	2.00	<0.1	0.18	0.13	17.0	0.8	<0.05	5.5	14.84	50.3	0.03	3	0.6	10.8	<10	<2
1830368	Drill Core	0.4	0.03	3.5	1.76	<0.1	0.09	0.14	17.1	0.7	<0.05	2.3	13.18	45.3	0.03	<1	0.5	9.2	<10	<2
1830369	Drill Core	0.5	0.02	4.7	2.77	<0.1	0.20	0.16	25.7	0.7	<0.05	6.3	13.53	32.2	0.02	1	0.5	14.5	<10	<2
1830370	Drill Core	0.3	0.04	4.9	0.66	<0.1	0.14	0.09	12.5	0.5	<0.05	4.7	11.56	33.2	0.03	2	0.5	15.8	<10	<2
1830371	Drill Core	1.3	0.04	5.2	0.78	<0.1	0.06	0.14	11.8	0.5	<0.05	1.4	11.07	29.0	<0.02	4	0.5	17.9	<10	<2
1830372	Drill Core	0.9	0.03	3.2	3.00	<0.1	0.09	0.12	23.2	0.4	<0.05	2.7	13.76	38.2	0.02	4	0.3	9.8	<10	<2
1830373	Drill Core	0.8	0.03	4.7	1.77	<0.1	0.05	0.05	17.5	0.5	<0.05	1.6	14.85	40.6	0.02	2	0.5	18.3	<10	<2
1830374	Drill Core	0.8	0.03	4.4	1.92	<0.1	0.11	0.05	21.3	0.6	<0.05	3.2	14.62	49.2	0.03	1	0.5	18.6	<10	<2
1830375	Drill Core	0.5	<0.02	3.5	1.27	<0.1	0.15	0.08	18.7	0.4	<0.05	4.6	12.36	38.1	<0.02	2	0.5	16.2	<10	<2
1830376	Drill Core	0.2	0.03	5.1	1.55	<0.1	0.10	<0.02	18.0	0.4	<0.05	3.3	14.80	42.2	<0.02	<1	0.5	21.1	<10	<2
1830377	Drill Core	0.2	0.03	6.3	2.37	<0.1	0.03	<0.02	16.4	0.3	<0.05	1.4	15.21	52.1	<0.02	<1	0.5	20.2	<10	<2
1830378	Drill Core	0.2	<0.02	7.9	3.02	<0.1	0.03	<0.02	19.2	0.3	<0.05	1.8	17.81	59.0	0.02	<1	0.5	29.8	<10	<2
1830379	Drill Core	0.6	<0.02	10.4	2.98	<0.1	0.05	<0.02	14.3	0.4	<0.05	2.5	15.60	47.7	0.03	<1	0.6	41.9	<10	<2
1830380	Rock	<0.1	<0.02	0.2	0.07	<0.1	0.04	<0.02	0.6	<0.1	<0.05	0.9	0.68	3.1	<0.02	<1	<0.1	1.0	<10	<2
1830381	Drill Core	<0.1	<0.02	10.0	3.25	<0.1	0.05	<0.02	15.5	0.3	<0.05	2.0	19.19	49.0	0.04	<1	0.8	39.4	<10	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 13, 2019

Page: 5 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method																				
	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Unit	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	MDL	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830382	Drill Core	2.09	418	0.022	0.02	<0.17	37.81	1.38	16.05	29.17	92.8	354	22.9	11.9	651	2.97	26.8	2.2	21.3	7.8	147.6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 13, 2019

Page: 5 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830382	Drill Core	0.75	0.72	0.14	54	2.64	0.083	26.2	166.6	1.31	152.1	0.004	<1	1.70	0.022	0.19	0.1	6.8	0.07	<0.02	8



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 13, 2019

Page: 5 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000061.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830382	Drill Core	0.3	<0.02	10.5	2.91	<0.1	0.06	<0.02	10.0	0.4	<0.05	2.7	14.57	49.2	0.04	<1	0.5	41.9	<10	<2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
REP 1830294	QC							2.69	28.62	10.36	48.5	1072	11.3	7.3	383	1.88	9.1	1.5	384.9	9.5	28.7
1830300	Rock Pulp	0.13	84	0.015				2.12	90.69	3.57	34.5	136	4.7	8.7	349	2.50	0.6	0.8	3.4	2.6	66.2
REP 1830300	QC	<0.005																			
REP 1830328	QC							1.15	24.86	10.49	55.1	398	10.7	7.8	369	2.03	1.3	1.4	1.3	8.2	43.8
REP 1830328	QC	0.006																			
1830353	Drill Core	5.05	443	0.222	0.22	0.23	47.44	0.76	21.30	13.89	53.6	573	10.5	8.5	536	2.18	10.0	3.1	153.9	9.4	255.7
REP 1830353	QC							0.77	21.16	13.66	56.0	591	10.9	8.1	551	2.16	10.0	3.1	159.1	9.8	266.4
REP 1830362	QC							0.67	15.50	12.19	48.4	240	12.2	7.1	331	1.82	28.7	1.8	4.6	9.9	78.6
1830374	Drill Core	4.92	423	0.006	<0.01	<0.17	22.63	2.68	24.98	9.99	60.4	253	22.2	8.6	289	2.12	20.3	2.0	0.9	8.9	38.2
REP 1830374	QC	0.005																			
Core Reject Duplicates																					
1830294	Drill Core	4.32	360	0.273	0.28	0.41	24.60	2.83	28.53	10.11	47.9	1019	11.2	7.8	394	1.89	8.6	1.5	254.4	9.8	28.1
DUP 1830294	QC		420	0.330	0.36	0.63	38.24	2.67	27.90	10.13	45.3	1011	11.3	7.5	391	1.85	8.8	1.5	269.9	9.7	28.6
1830328	Drill Core	2.33	459	0.006	<0.01	<0.17	50.75	1.20	25.43	10.67	52.5	390	10.5	7.6	374	2.02	1.2	1.4	5.4	8.4	43.0
DUP 1830328	QC		493	0.006	<0.01	<0.17	31.07	1.23	26.31	10.91	56.1	396	10.4	7.8	394	2.03	1.3	1.4	2.3	8.0	45.6
1830362	Drill Core	4.77	464	0.009	<0.01	<0.17	23.76	0.68	15.18	12.23	49.3	239	12.2	7.5	333	1.84	29.2	1.9	4.5	9.9	78.4
DUP 1830362	QC		460	0.008	<0.01	<0.17	24.51	0.66	15.49	12.75	48.7	242	12.2	7.2	327	1.83	28.2	1.9	2.6	9.9	78.8
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard							15.00	151.88	137.72	342.3	1726	83.2	14.1	1018	3.09	42.2	2.7	81.7	7.9	68.3
STD DS11	Standard							14.86	147.22	138.01	347.0	1828	78.5	13.7	1017	3.22	46.4	2.6	70.7	8.7	73.2
STD DS11	Standard							15.58	153.40	142.80	349.3	1737	79.0	13.7	1016	3.19	41.6	2.7	79.1	7.9	70.9
STD OREAS256	Standard	7.693																			
STD OREAS263	Standard	0.210																			
STD OREAS253	Standard	1.181																			
STD OREAS262	Standard							0.62	117.20	55.84	147.7	459	64.9	26.9	531	3.27	34.8	1.2	55.2	8.9	34.1
STD OREAS262	Standard							0.61	115.63	54.29	153.1	458	61.4	27.0	544	3.32	37.7	1.1	54.3	9.6	36.4
STD OREAS262	Standard							0.64	117.40	57.13	150.0	461	61.5	26.4	526	3.19	35.9	1.2	77.7	10.8	34.9



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 13, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1830294	QC	0.33	1.06	0.16	12	0.30	0.056	17.6	15.4	0.81	290.0	0.054	<1	1.07	0.017	0.64	0.8	3.1	0.30	0.04	<5
1830300	Rock Pulp	0.05	0.10	0.04	92	0.83	0.058	6.6	9.7	0.71	120.6	0.104	2	1.43	0.159	0.22	2.8	2.4	0.04	<0.02	<5
REP 1830300	QC																				
REP 1830328	QC	0.30	0.81	0.06	17	1.07	0.064	18.1	21.0	0.77	350.1	0.043	<1	1.11	0.018	0.32	1.2	3.5	0.16	<0.02	10
REP 1830328	QC																				
1830353	Drill Core	0.57	1.87	0.06	18	3.13	0.070	11.2	16.8	0.77	318.0	0.076	1	1.05	0.018	0.74	0.7	5.1	0.31	0.44	<5
REP 1830353	QC	0.55	1.90	0.06	17	3.07	0.067	11.2	18.1	0.77	326.2	0.080	1	1.05	0.018	0.72	0.6	5.1	0.29	0.42	5
REP 1830362	QC	0.25	2.42	0.04	10	0.91	0.059	8.6	9.1	0.71	225.9	0.039	1	0.90	0.014	0.59	0.2	4.1	0.22	0.48	<5
1830374	Drill Core	0.37	2.09	0.18	25	0.81	0.078	25.1	29.7	0.96	225.9	0.060	<1	1.21	0.016	0.43	0.3	5.2	0.17	0.07	<5
REP 1830374	QC																				
Core Reject Duplicates																					
1830294	Drill Core	0.41	1.05	0.15	12	0.29	0.052	17.7	15.4	0.81	267.7	0.052	2	1.04	0.016	0.62	0.8	2.9	0.29	0.03	<5
DUP 1830294	QC	0.34	1.11	0.17	12	0.30	0.057	17.9	15.7	0.80	285.4	0.056	2	1.07	0.017	0.63	0.8	3.0	0.29	0.04	6
1830328	Drill Core	0.29	0.84	0.07	16	1.06	0.066	17.9	20.9	0.77	352.7	0.044	1	1.12	0.019	0.32	1.2	3.5	0.17	<0.02	12
DUP 1830328	QC	0.33	0.85	0.07	16	1.15	0.062	18.1	20.9	0.76	378.1	0.045	2	1.11	0.017	0.32	1.9	3.3	0.17	<0.02	12
1830362	Drill Core	0.25	2.38	0.04	10	0.88	0.060	9.0	9.2	0.72	244.4	0.041	1	0.91	0.015	0.59	0.2	4.2	0.22	0.46	<5
DUP 1830362	QC	0.25	2.41	0.04	10	0.93	0.061	9.3	9.6	0.71	255.1	0.042	1	0.90	0.015	0.59	0.2	4.3	0.22	0.46	<5
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard	2.39	7.69	11.85	51	1.07	0.068	19.1	59.7	0.86	360.8	0.100	7	1.19	0.071	0.41	2.6	3.0	4.82	0.29	276
STD DS11	Standard	2.42	8.46	11.98	51	1.08	0.078	19.4	60.2	0.84	389.6	0.098	7	1.21	0.072	0.41	3.2	3.6	4.95	0.28	261
STD DS11	Standard	2.48	8.45	11.93	52	1.07	0.070	19.5	61.0	0.85	359.2	0.098	8	1.24	0.074	0.42	3.0	3.4	5.05	0.28	238
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.59	3.75	0.97	22	3.07	0.039	17.0	43.9	1.13	247.3	0.003	4	1.38	0.069	0.33	0.1	3.4	0.46	0.26	157
STD OREAS262	Standard	0.62	4.32	1.03	23	2.95	0.044	16.2	43.5	1.16	243.7	0.003	4	1.36	0.067	0.32	0.2	3.6	0.46	0.26	159
STD OREAS262	Standard	0.63	5.58	1.03	21	2.92	0.041	17.0	42.1	1.15	252.4	0.003	3	1.35	0.066	0.31	0.2	3.3	0.47	0.25	169





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																					
REP 1830294	QC	0.3	0.05	3.3	3.08	<0.1	0.16	0.09	34.9	0.5	<0.05	5.0	7.57	35.0	<0.02	<1	0.6	10.9	<10	<2	
1830300	Rock Pulp	<0.1	<0.02	4.3	0.30	<0.1	0.08	0.07	6.3	0.2	<0.05	1.0	4.18	14.0	<0.02	<1	0.2	6.2	<10	<2	
REP 1830300	QC																				
REP 1830328	QC	<0.1	<0.02	4.4	2.12	<0.1	0.04	<0.02	18.6	0.4	<0.05	1.1	13.46	34.9	<0.02	<1	0.5	18.2	<10	<2	
REP 1830328	QC																				
1830353	Drill Core	0.4	0.02	3.5	2.73	<0.1	0.13	0.13	34.1	0.6	<0.05	4.2	10.21	21.0	<0.02	1	0.4	13.1	<10	<2	
REP 1830353	QC	0.3	<0.02	3.5	2.83	<0.1	0.11	0.13	34.3	0.7	<0.05	3.9	10.63	21.1	<0.02	2	0.4	13.7	<10	<2	
REP 1830362	QC	0.7	<0.02	2.6	2.25	<0.1	0.20	0.05	27.5	0.4	<0.05	7.3	5.99	17.1	<0.02	2	0.4	12.5	<10	<2	
1830374	Drill Core	0.8	0.03	4.4	1.92	<0.1	0.11	0.05	21.3	0.6	<0.05	3.2	14.62	49.2	0.03	1	0.5	18.6	<10	<2	
REP 1830374	QC																				
Core Reject Duplicates																					
1830294	Drill Core	0.4	0.04	3.1	3.11	<0.1	0.14	0.09	34.9	0.5	<0.05	5.3	7.77	33.5	<0.02	2	0.4	11.5	<10	<2	
DUP 1830294	QC	0.2	0.03	3.1	3.05	<0.1	0.16	0.07	33.8	0.4	<0.05	5.0	7.52	34.9	<0.02	1	0.3	10.6	<10	3	
1830328	Drill Core	<0.1	<0.02	4.4	2.16	<0.1	0.04	0.03	18.6	0.5	<0.05	1.1	13.65	35.0	<0.02	<1	0.5	17.8	<10	<2	
DUP 1830328	QC	<0.1	<0.02	4.3	2.13	<0.1	0.04	<0.02	18.6	0.4	<0.05	1.1	13.63	35.4	<0.02	<1	0.5	17.9	<10	<2	
1830362	Drill Core	0.7	<0.02	2.6	2.20	<0.1	0.23	0.05	27.7	0.4	<0.05	7.6	5.90	17.6	<0.02	1	0.3	12.2	<10	<2	
DUP 1830362	QC	0.7	<0.02	2.7	2.23	<0.1	0.24	0.06	27.8	0.4	<0.05	7.8	6.18	18.8	<0.02	1	0.3	12.3	<10	<2	
Reference Materials																					
STD AGPROOF	Standard																				<0.9
STD DS11	Standard	2.2	4.58	4.7	2.79	<0.1	0.08	1.51	32.6	1.8	<0.05	3.2	8.04	38.0	0.21	48	0.7	22.8	93	171	
STD DS11	Standard	2.4	4.82	5.1	3.00	<0.1	0.06	2.01	35.2	1.8	<0.05	2.7	8.82	40.9	0.25	48	0.7	24.7	113	188	
STD DS11	Standard	2.1	4.65	5.2	2.88	0.1	0.06	1.70	32.6	1.8	<0.05	2.9	8.35	39.2	0.26	50	0.4	22.1	106	169	
STD OREAS256	Standard																				
STD OREAS263	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.3	0.22	3.8	2.40	<0.1	0.22	<0.02	18.0	0.6	<0.05	9.5	10.81	32.9	0.03	<1	0.9	19.0	<10	<2	
STD OREAS262	Standard	0.5	0.24	3.9	2.51	<0.1	0.24	<0.02	18.8	0.6	<0.05	9.1	11.01	33.3	0.03	<1	1.1	17.8	<10	<2	
STD OREAS262	Standard	0.3	0.27	3.9	3.16	<0.1	0.20	<0.02	19.7	0.5	<0.05	8.6	11.02	34.5	0.04	<1	1.1	17.8	<10	<2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.70	117.27	58.18	154.9	461	63.8	26.3	535	3.28	35.5	1.3	59.9	9.6	36.8
STD OXC145	Standard			0.216																	
STD OXC145	Standard			0.212																	
STD OXH139	Standard			1.311																	
STD OXH139	Standard			1.299																	
STD OXN134	Standard			7.499																	
STD OXN134	Standard			7.633																	
STD OXQ114	Standard																				
STD OXQ90	Standard					25.21	30.07														
STD OXQ90	Standard					25.12	30.06														
STD OXQ90	Standard					25.06	30.05														
STD OXQ90	Standard					24.87	30.04														
STD OXQ90	Standard					25.31	29.71														
STD OXQ90	Standard					25.25	30.26														
STD OXQ90	Standard					25.11	30.19														
STD OXQ90	Standard					25.06	29.97														
STD SP49	Standard																				
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.65	5.10	1.05	23	2.91	0.040	18.6	45.1	1.17	259.0	0.003	4	1.49	0.068	0.35	0.2	3.4	0.45	0.25	162
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 13, 2019

Page:

2 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OREAS262	Standard	0.5	0.24	4.3	2.84	<0.1	0.24	<0.02	20.6	0.6	<0.05	10.1	10.82	37.0	0.03	<1	1.3	17.5	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ114	Standard																			34.8
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD SP49	Standard																			18.4
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	2	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		400	0.006	<0.01	<0.17	39.71	0.85	3.45	1.30	29.5	11	0.7	3.7	446	1.78	1.4	0.4	<0.2	2.3	20.6
ROCK-WHI	Prep Blank		383	<0.005	<0.01	<0.17	39.06	0.89	1.46	1.09	26.9	7	0.7	3.6	477	1.85	0.9	0.4	<0.2	2.4	20.6



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.6	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.03	0.02	23	0.62	0.040	6.1	2.1	0.41	63.2	0.073	2	0.81	0.073	0.09	<0.1	3.0	<0.02	<0.02	6
ROCK-WHI	Prep Blank	0.02	<0.02	<0.02	23	0.60	0.040	6.7	2.1	0.44	60.2	0.081	4	0.85	0.084	0.09	<0.1	3.0	<0.02	<0.02	5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 13, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000061.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.9																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.20	0.1	0.14	0.20	2.2	0.3	<0.05	3.1	8.36	12.1	<0.02	<1	0.2	2.1	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.13	0.20	2.2	0.4	<0.05	3.5	8.50	13.0	<0.02	1	<0.1	1.8	<10	<2	