



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 25, 2019
Report Date: July 13, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000078.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-17
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	125	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	130	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	130	Analysis sample split/packet			WHI
Split -150	130	Analysis sample split/packet			WHI
EN002	130	Environmental disposal charge-Fire assay lead waste			VAN
FS631	126	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	130	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	130	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828423	Drill Core	3.82	413	0.015	0.01	<0.17	43.76	0.34	15.74	121.06	86.1	394	1.1	1.1	124	0.68	4.3	1.0	12.7	11.6	4.1
1828424	Drill Core	3.13	443	0.059	0.06	<0.17	49.83	0.24	22.78	185.00	96.4	328	1.0	1.7	146	0.74	7.7	1.1	57.6	12.0	4.1
1828425	Drill Core	2.22	426	0.033	0.03	<0.17	35.85	0.51	38.38	201.15	50.7	1613	0.9	1.0	109	0.73	4.4	0.9	27.3	3.0	1.9
1828426	Drill Core	2.69	441	0.088	0.08	<0.17	44.85	0.37	26.08	151.45	100.3	369	1.1	0.8	96	0.75	7.3	1.2	43.5	10.4	4.4
1828427	Drill Core	2.63	415	0.015	0.01	<0.17	38.20	0.42	9.26	42.01	44.7	140	0.6	0.5	74	0.63	4.1	1.1	7.9	11.2	2.9
1828428	Drill Core	3.57	424	0.083	0.08	<0.17	36.18	1.30	36.59	179.31	319.9	535	2.2	2.3	151	1.02	21.3	2.4	47.9	11.4	6.4
1828429	Drill Core	4.26	400	0.018	0.02	<0.17	26.22	0.30	14.56	115.63	160.6	464	3.2	2.9	217	1.10	8.9	1.7	10.2	13.7	7.5
1828430	Drill Core	4.66	427	0.018	0.02	<0.17	23.72	0.34	13.55	39.21	165.2	599	8.4	6.9	431	1.83	14.2	1.5	10.7	12.8	11.9
1828431	Drill Core	4.54	456	0.014	0.01	<0.17	29.73	0.21	9.82	36.31	80.2	342	2.5	2.5	182	1.02	8.1	1.3	9.0	13.2	6.6
1828432	Drill Core	4.56	423	0.018	0.02	<0.17	23.39	0.29	16.96	13.61	82.8	608	11.7	8.9	400	2.43	19.9	1.5	12.2	10.2	16.1
1828433	Drill Core	4.22	439	0.013	0.01	<0.17	29.97	0.26	15.10	11.34	74.9	466	13.3	8.7	334	2.39	12.8	1.3	7.7	11.1	17.4
1828434	Drill Core	4.79	448	0.011	<0.01	<0.17	27.78	0.18	22.50	11.17	74.9	348	15.1	9.2	299	2.60	11.2	1.2	4.9	10.4	22.4
1828435	Drill Core	4.93	411	0.012	0.01	<0.17	21.97	0.25	26.79	15.33	68.1	306	14.9	9.4	259	2.57	9.4	1.3	5.3	10.2	20.0
1828436	Drill Core	2.56	413	0.008	<0.01	<0.17	25.29	0.36	15.92	25.31	47.4	212	10.2	6.2	299	1.95	2.8	0.8	3.0	7.0	19.5
1828437	Drill Core	3.01	403	0.010	<0.01	<0.17	21.65	0.52	23.78	27.04	58.0	297	16.5	9.6	402	2.35	6.6	0.9	4.0	10.5	30.0
1828438	Drill Core	3.19	455	0.006	<0.01	<0.17	32.65	0.53	12.12	20.42	40.8	270	9.7	6.5	333	1.82	6.9	0.8	3.7	7.7	25.9
1828439	Drill Core	3.46	449	0.007	<0.01	<0.17	41.11	0.44	21.44	8.38	56.3	243	11.0	8.2	392	2.27	5.9	1.3	1.8	9.3	42.7
1828440	Rock Pulp	0.13	97	<0.005				2.42	96.47	3.65	34.0	123	4.5	8.1	373	2.60	0.6	0.8	4.7	2.7	66.9
1828441	Drill Core	4.72	442	<0.005	<0.01	<0.17	47.44	0.61	17.80	15.01	55.2	290	11.7	7.8	360	2.12	5.7	1.5	1.1	7.8	76.5
1828442	Drill Core	4.04	464	0.010	<0.01	<0.17	48.89	0.50	16.11	11.38	32.6	204	7.8	6.9	349	1.50	7.6	0.9	1.6	6.5	66.3
1828443	Drill Core	2.87	453	<0.005	<0.01	<0.17	29.91	1.61	23.75	15.48	38.3	367	8.2	6.9	298	1.53	5.4	1.5	1.4	9.0	59.9
1828444	Drill Core	2.91	448	<0.005	<0.01	<0.17	40.49	1.34	13.78	17.88	45.8	250	9.5	6.3	291	1.83	4.6	1.4	<0.2	8.7	49.8
1828445	Drill Core	4.95	449	<0.005	<0.01	<0.17	41.98	1.22	19.47	13.63	43.2	213	11.3	7.3	242	1.85	4.8	2.0	<0.2	9.7	51.3
1828446	Drill Core	3.64	453	<0.005	<0.01	<0.17	52.83	1.00	18.01	15.06	37.5	161	11.0	7.1	355	1.84	4.9	1.6	<0.2	9.0	103.1
1828447	Drill Core	2.29	469	<0.005	<0.01	<0.17	29.07	0.59	12.08	13.21	35.9	102	9.2	5.6	427	1.68	3.0	1.5	1.7	6.8	199.5
1828448	Drill Core	4.03	444	<0.005	<0.01	<0.17	50.35	0.89	14.70	17.37	49.3	142	10.9	7.3	403	2.05	3.4	2.2	<0.2	11.7	181.1
1828449	Drill Core	5.04	453	<0.005	<0.01	<0.17	49.31	0.59	16.88	11.97	52.3	106	10.4	6.8	441	2.13	5.6	1.9	<0.2	10.5	155.6
1828450	Drill Core	4.80	421	0.005	<0.01	<0.17	53.00	0.68	18.37	12.28	63.4	202	20.4	9.6	551	2.58	18.7	1.2	0.7	7.9	124.3
1828451	Drill Core	4.70	421	0.005	<0.01	<0.17	29.70	0.88	19.09	15.17	65.4	205	13.5	7.4	581	2.60	54.7	0.9	1.2	9.6	150.6
1828452	Drill Core	5.15	428	<0.005	<0.01	<0.17	49.49	0.88	12.66	16.33	65.8	310	11.0	5.2	471	2.44	46.2	1.0	1.7	7.0	142.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828423	Drill Core	0.22	0.28	0.17	2	0.05	0.012	27.9	2.9	0.09	317.1	0.001	2	0.40	0.026	0.30	0.2	1.1	0.09	<0.02	<5			
1828424	Drill Core	0.55	0.30	0.08	2	0.05	0.014	40.1	3.2	0.09	300.2	0.001	3	0.45	0.028	0.32	0.2	1.2	0.11	<0.02	8			
1828425	Drill Core	0.16	1.03	0.08	2	0.02	0.004	11.1	3.0	0.03	106.6	<0.001	<1	0.18	0.004	0.12	0.2	0.4	0.05	<0.02	<5			
1828426	Drill Core	0.31	0.35	0.07	3	0.05	0.010	38.3	2.8	0.07	231.0	0.001	1	0.42	0.020	0.28	0.1	0.9	0.11	<0.02	15			
1828427	Drill Core	0.25	0.36	0.07	1	0.02	0.005	33.3	2.1	0.05	246.6	<0.001	1	0.32	0.018	0.25	<0.1	0.7	0.09	<0.02	<5			
1828428	Drill Core	0.78	0.83	0.10	3	0.08	0.018	44.8	4.3	0.18	265.1	<0.001	2	0.61	0.008	0.32	0.1	1.0	0.13	<0.02	<5			
1828429	Drill Core	0.85	0.31	0.14	4	0.10	0.019	37.8	6.1	0.33	316.0	<0.001	<1	0.83	0.020	0.38	<0.1	1.5	0.14	<0.02	5			
1828430	Drill Core	3.79	0.37	0.27	10	0.21	0.049	38.0	14.2	0.52	529.6	0.002	2	1.11	0.009	0.41	0.2	3.3	0.17	<0.02	15			
1828431	Drill Core	1.39	0.28	0.18	4	0.09	0.022	40.7	6.0	0.21	321.9	0.002	<1	0.62	0.021	0.34	0.2	1.4	0.14	<0.02	<5			
1828432	Drill Core	2.60	0.45	0.09	18	0.28	0.078	31.7	22.4	0.54	352.4	0.003	2	1.20	0.021	0.41	0.1	5.0	0.18	<0.02	<5			
1828433	Drill Core	1.93	0.36	0.08	18	0.27	0.070	33.3	23.7	0.63	362.7	0.003	1	1.28	0.030	0.39	<0.1	4.7	0.16	<0.02	<5			
1828434	Drill Core	1.21	0.30	0.04	21	0.28	0.079	35.2	25.3	0.68	348.5	0.004	2	1.33	0.031	0.38	<0.1	6.2	0.16	<0.02	<5			
1828435	Drill Core	0.42	0.30	0.06	23	0.25	0.074	32.2	22.7	0.63	386.5	0.014	2	1.07	0.043	0.34	<0.1	7.9	0.13	<0.02	24			
1828436	Drill Core	0.21	0.16	0.09	17	0.26	0.060	21.3	16.9	0.53	492.9	0.037	<1	0.78	0.047	0.32	0.1	5.6	0.12	0.03	<5			
1828437	Drill Core	0.28	0.24	0.15	22	0.48	0.068	29.9	22.3	0.73	485.8	0.048	1	1.07	0.032	0.46	<0.1	7.3	0.19	<0.02	<5			
1828438	Drill Core	0.23	0.58	0.15	17	0.44	0.066	21.4	18.1	0.60	313.9	0.064	2	0.82	0.031	0.44	0.1	4.9	0.24	<0.02	<5			
1828439	Drill Core	0.48	1.23	0.04	22	0.49	0.069	22.5	26.7	0.82	292.8	0.096	2	1.16	0.038	0.66	0.6	5.8	0.41	<0.02	8			
1828440	Rock Pulp	0.04	0.13	0.05	87	0.84	0.060	6.7	10.3	0.73	121.3	0.100	3	1.47	0.155	0.21	3.0	2.6	0.06	<0.02	<5			
1828441	Drill Core	0.26	0.98	0.12	23	0.87	0.064	19.0	27.1	0.74	374.6	0.120	2	1.13	0.038	0.54	0.4	6.0	0.28	0.07	<5			
1828442	Drill Core	0.29	0.27	0.08	12	0.79	0.060	14.4	13.6	0.33	339.9	0.086	2	0.66	0.048	0.38	<0.1	3.9	0.17	<0.02	<5			
1828443	Drill Core	0.21	0.21	0.18	16	0.97	0.069	25.0	18.4	0.47	515.7	0.106	<1	0.74	0.039	0.42	0.1	3.1	0.14	0.17	<5			
1828444	Drill Core	0.20	0.21	0.18	17	0.73	0.066	23.6	19.9	0.54	563.8	0.103	2	0.76	0.048	0.40	0.1	3.5	0.14	0.09	<5			
1828445	Drill Core	0.25	0.18	0.15	14	0.64	0.071	24.7	16.5	0.49	532.6	0.103	<1	0.70	0.045	0.43	0.1	3.2	0.14	0.23	<5			
1828446	Drill Core	0.19	0.21	0.13	14	1.18	0.068	23.0	15.4	0.48	531.2	0.110	<1	0.79	0.042	0.41	0.1	3.9	0.14	0.09	<5			
1828447	Drill Core	0.27	0.29	0.07	12	2.09	0.047	19.7	12.8	0.46	340.6	0.028	2	0.72	0.029	0.31	0.1	4.0	0.10	0.13	<5			
1828448	Drill Core	0.22	0.28	0.11	16	1.72	0.059	31.2	16.3	0.69	485.5	0.039	<1	1.05	0.054	0.42	0.1	5.7	0.13	0.09	<5			
1828449	Drill Core	0.23	0.20	0.05	15	1.84	0.063	28.4	15.2	0.64	634.3	0.035	1	0.93	0.039	0.43	<0.1	5.6	0.13	0.10	7			
1828450	Drill Core	0.37	0.43	0.12	27	1.88	0.071	25.3	28.3	0.96	420.2	0.010	2	1.31	0.029	0.37	<0.1	8.0	0.10	<0.02	<5			
1828451	Drill Core	0.32	1.25	0.15	20	2.13	0.084	28.4	17.9	0.87	288.8	0.008	1	1.41	0.022	0.35	0.1	6.5	0.13	<0.02	<5			
1828452	Drill Core	0.25	1.20	0.34	22	1.59	0.087	21.6	21.1	0.98	255.5	0.032	1	1.46	0.028	0.37	0.2	6.4	0.14	<0.02	5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828423	Drill Core	<0.1	<0.02	1.4	0.75	<0.1	0.07	0.07	13.9	0.2	<0.05	2.9	9.70	61.9	<0.02	<1	0.3	3.7	<10	<2			
1828424	Drill Core	<0.1	0.03	1.5	0.94	<0.1	0.03	0.05	14.6	0.3	<0.05	1.1	10.89	70.0	<0.02	<1	0.5	4.0	<10	<2			
1828425	Drill Core	<0.1	0.06	0.6	0.69	<0.1	<0.02	0.03	5.7	0.2	<0.05	0.6	5.57	18.7	<0.02	<1	<0.1	1.8	<10	4			
1828426	Drill Core	<0.1	<0.02	1.3	1.22	<0.1	0.07	0.03	12.8	0.3	<0.05	2.3	13.80	62.7	<0.02	2	0.6	2.8	<10	<2			
1828427	Drill Core	<0.1	<0.02	1.0	0.94	<0.1	0.09	0.03	11.3	0.2	<0.05	3.3	9.32	64.8	<0.02	2	0.1	2.2	<10	<2			
1828428	Drill Core	0.2	<0.02	1.9	4.79	<0.1	0.10	<0.02	17.2	0.7	<0.05	4.2	11.93	72.6	<0.02	<1	0.6	5.9	<10	2			
1828429	Drill Core	<0.1	<0.02	3.4	1.42	<0.1	0.07	<0.02	19.9	0.4	<0.05	2.9	12.03	78.6	<0.02	<1	0.7	8.8	<10	<2			
1828430	Drill Core	<0.1	<0.02	3.8	2.16	<0.1	0.07	<0.02	22.0	0.5	<0.05	2.4	14.93	72.8	<0.02	<1	0.5	18.5	<10	<2			
1828431	Drill Core	<0.1	0.02	2.7	1.40	<0.1	0.06	0.02	17.8	0.4	<0.05	2.1	14.00	74.7	0.02	<1	0.5	6.7	<10	<2			
1828432	Drill Core	<0.1	<0.02	5.6	3.57	<0.1	0.06	<0.02	22.8	0.4	<0.05	1.7	14.98	61.3	0.04	<1	0.6	18.0	<10	<2			
1828433	Drill Core	<0.1	<0.02	5.0	3.56	<0.1	0.09	0.02	18.8	0.4	<0.05	4.5	14.53	67.6	<0.02	2	0.5	19.1	<10	<2			
1828434	Drill Core	<0.1	<0.02	5.4	3.09	<0.1	0.14	<0.02	19.0	0.3	<0.05	6.2	13.70	64.6	0.03	<1	0.5	18.6	<10	<2			
1828435	Drill Core	<0.1	0.02	4.2	2.71	<0.1	0.19	0.02	15.1	0.5	<0.05	8.4	12.32	62.1	0.04	<1	0.3	13.7	<10	3			
1828436	Drill Core	<0.1	0.04	3.1	3.53	<0.1	0.10	0.05	14.7	0.6	<0.05	3.3	11.99	40.5	0.02	<1	0.5	7.8	<10	<2			
1828437	Drill Core	<0.1	<0.02	4.1	3.40	<0.1	0.07	0.08	21.7	0.6	<0.05	1.8	17.07	58.5	0.02	2	0.5	9.5	<10	<2			
1828438	Drill Core	<0.1	0.02	2.7	3.68	<0.1	0.04	0.12	23.6	0.5	<0.05	1.2	11.62	40.4	<0.02	<1	0.5	10.5	<10	<2			
1828439	Drill Core	<0.1	<0.02	4.6	6.15	<0.1	0.07	0.18	38.9	0.8	<0.05	2.0	12.45	42.5	0.03	<1	0.7	17.1	11	<2			
1828440	Rock Pulp	<0.1	<0.02	4.4	0.31	0.1	0.07	0.13	6.4	0.3	<0.05	1.2	4.35	14.5	<0.02	<1	<0.1	6.5	<10	<2			
1828441	Drill Core	0.2	<0.02	5.2	5.70	<0.1	0.08	0.27	31.3	0.8	<0.05	2.2	11.23	36.9	<0.02	2	0.5	14.8	<10	<2			
1828442	Drill Core	<0.1	<0.02	2.6	4.35	<0.1	0.04	0.32	18.9	0.6	<0.05	1.0	9.79	28.4	<0.02	<1	0.6	6.9	<10	<2			
1828443	Drill Core	<0.1	0.06	2.9	8.93	<0.1	0.08	0.28	19.7	0.5	<0.05	3.5	12.89	49.4	<0.02	2	0.3	8.0	<10	<2			
1828444	Drill Core	<0.1	0.04	3.1	16.47	<0.1	0.18	0.34	22.6	0.6	<0.05	6.2	11.70	47.3	<0.02	<1	0.4	7.3	<10	<2			
1828445	Drill Core	0.2	0.03	2.8	22.29	<0.1	0.17	0.35	25.8	0.5	<0.05	4.5	11.97	47.4	0.02	1	0.3	5.6	<10	<2			
1828446	Drill Core	<0.1	0.05	2.8	9.28	<0.1	0.04	0.29	20.0	0.6	<0.05	1.2	13.47	44.5	<0.02	<1	0.5	6.3	<10	<2			
1828447	Drill Core	<0.1	<0.02	3.1	4.32	<0.1	0.03	0.07	15.7	0.4	<0.05	0.8	11.58	37.3	0.03	<1	0.4	6.1	11	<2			
1828448	Drill Core	<0.1	0.04	3.8	5.98	<0.1	0.17	0.07	19.2	0.6	<0.05	4.9	15.56	60.1	0.03	<1	0.3	9.9	<10	<2			
1828449	Drill Core	<0.1	<0.02	3.4	22.24	<0.1	0.07	0.09	23.5	0.5	<0.05	1.9	14.65	54.1	0.03	1	0.4	7.3	<10	<2			
1828450	Drill Core	<0.1	0.06	3.7	5.28	<0.1	0.06	0.08	14.5	0.5	<0.05	2.3	10.67	47.9	0.02	<1	0.3	11.9	<10	<2			
1828451	Drill Core	<0.1	0.03	5.0	1.71	<0.1	0.02	0.11	14.4	0.5	<0.05	1.0	15.50	54.4	0.03	<1	0.1	12.8	<10	3			
1828452	Drill Core	<0.1	0.05	4.7	1.08	<0.1	0.09	0.12	15.3	0.5	<0.05	2.2	15.81	40.3	<0.02	<1	0.5	19.0	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828453	Drill Core	4.92	438	<0.005	<0.01	<0.17	49.39	0.93	16.91	23.75	44.3	591	13.8	6.1	294	1.87	54.2	3.1	0.7	13.1	72.4
1828454	Drill Core	5.26	411	0.005	<0.01	<0.17	48.27	2.25	29.56	20.19	101.8	517	42.9	9.9	461	2.64	124.2	1.0	1.9	6.8	67.9
1828455	Drill Core	5.10	422	<0.005	<0.01	<0.17	23.56	4.62	33.96	25.34	72.2	665	35.5	7.8	387	2.43	79.3	1.6	0.9	5.8	142.8
1828456	Drill Core	5.10	537	<0.005	<0.01	<0.17	37.80	0.99	25.25	20.44	59.8	476	29.4	7.5	327	2.10	18.5	3.3	3.8	11.9	88.2
1828457	Drill Core	4.96	520	<0.005	<0.01	<0.17	42.94	0.39	8.29	24.32	32.6	228	4.7	3.6	169	1.15	4.7	3.3	1.5	14.3	168.1
1828458	Drill Core	4.48	477	<0.005	<0.01	<0.17	37.15	0.68	13.48	19.49	37.9	247	6.9	4.7	264	1.65	5.0	2.7	1.2	11.8	156.4
1828459	Drill Core	5.32	542	<0.005	<0.01	<0.17	52.01	0.79	14.80	13.32	52.9	207	10.2	5.9	334	2.08	6.5	2.5	1.8	7.4	115.1
1828460	Core DUP		451	0.005	<0.01	<0.17	42.42	0.94	15.28	13.36	57.1	231	10.7	6.2	346	2.15	6.8	2.6	1.0	8.2	116.2
1828461	Drill Core	5.10	558	<0.005	<0.01	<0.17	52.30	0.96	15.30	27.38	25.9	324	10.1	3.9	241	1.18	2.2	5.6	0.9	14.1	132.3
1828462	Drill Core	4.82	465	<0.005	<0.01	<0.17	51.98	0.94	13.04	14.03	46.4	119	13.5	7.2	307	1.82	8.6	2.0	1.0	10.2	54.9
1828463	Drill Core	4.84	462	<0.005	<0.01	<0.17	24.20	0.93	16.94	17.73	59.0	173	13.8	7.7	365	2.15	33.0	1.8	0.6	10.2	44.1
1828464	Drill Core	4.08	448	<0.005	<0.01	<0.17	51.54	1.86	21.28	25.68	62.9	278	14.1	8.2	397	2.21	29.0	2.1	<0.2	10.8	45.3
1828465	Drill Core	3.03	389	<0.005	<0.01	<0.17	42.18	1.39	17.40	27.31	23.2	381	7.1	4.3	247	1.32	47.9	1.2	<0.2	15.2	66.7
1828466	Drill Core	2.11	454	<0.005	<0.01	<0.17	43.65	0.66	18.74	23.24	34.5	267	4.7	4.1	250	1.38	53.9	1.1	<0.2	15.5	34.5
1828467	Drill Core	4.48	441	0.006	<0.01	<0.17	22.66	2.13	24.17	25.67	31.3	642	15.8	6.0	226	1.49	97.5	1.3	0.5	12.2	33.6
1828468	Drill Core	5.22	522	0.037	0.03	<0.17	44.71	1.45	21.50	17.43	38.5	658	15.8	7.2	236	1.87	18.9	1.4	6.6	9.8	19.0
1828469	Drill Core	2.32	394	0.947	1.09	2.07	49.19	1.80	80.79	48.61	40.2	21718	15.2	6.8	232	1.95	25.7	2.4	750.5	9.1	26.5
1828470	Drill Core	4.92	500	0.115	0.12	<0.17	51.82	1.17	21.45	15.96	33.0	1229	20.5	6.2	358	1.56	25.5	1.0	112.3	10.4	23.4
1828471	Drill Core	4.80	550	0.186	0.17	<0.17	33.94	0.58	7.45	13.75	19.4	598	5.3	2.7	165	0.85	8.5	0.7	26.8	11.9	10.1
1828472	Drill Core	4.40	458	0.009	<0.01	<0.17	52.72	0.89	18.32	22.79	48.6	509	14.0	5.1	505	1.66	12.8	1.2	7.7	14.0	66.8
1828473	Drill Core	4.40	469	0.319	0.31	0.24	28.90	0.72	22.96	15.94	35.4	872	17.3	5.3	290	1.55	15.5	1.0	290.4	11.6	18.9
1828474	Drill Core	3.59	499	0.045	0.06	0.20	49.48	0.83	17.33	17.94	39.5	437	11.7	4.7	254	1.49	9.9	1.4	40.2	12.4	30.1
1828475	Drill Core	5.11	509	0.173	0.17	0.17	40.72	1.26	16.50	7.43	79.4	449	10.4	7.9	616	2.57	13.3	1.9	173.1	5.2	67.5
1828476	Drill Core	5.01	521	0.008	<0.01	<0.17	50.44	0.88	16.14	11.68	49.3	327	14.9	5.8	262	1.75	11.5	1.3	5.5	7.8	43.6
1828477	Drill Core	5.78	434	<0.005	<0.01	<0.17	27.28	2.54	29.21	7.75	54.0	233	27.7	8.8	287	2.20	54.2	2.1	1.1	7.4	56.4
1828478	Drill Core	3.75	441	<0.005	<0.01	<0.17	50.98	1.39	30.17	18.71	63.0	361	25.5	8.4	328	2.15	14.0	2.2	7.3	6.6	49.5
1828479	Drill Core	3.23	458	0.017	0.02	<0.17	41.76	2.42	28.68	20.80	83.4	370	31.6	9.9	363	2.25	11.7	4.0	3.9	7.1	71.6
1828480	Rock	0.23	159	0.055	0.04	<0.17	51.74	0.78	1.55	1.25	2.1	7	1.9	0.5	105	1.03	1.5	0.2	25.6	1.1	1.8
1828481	Drill Core	3.60	507	<0.005	<0.01	<0.17	39.43	6.25	24.94	19.68	48.6	420	21.6	7.9	208	1.73	7.2	1.2	1.7	6.7	44.5
1828482	Drill Core	3.31	513	0.049	0.04	<0.17	47.12	1.90	13.14	12.88	58.5	356	23.7	7.9	328	1.98	3.7	1.2	21.3	6.6	101.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: July 13, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828453	Drill Core	0.26	1.39	0.84	16	0.77	0.052	27.3	18.1	0.67	358.7	0.047	2	1.01	0.044	0.47	0.2	4.6	0.23	0.03	<5
1828454	Drill Core	0.72	1.93	0.38	35	0.66	0.068	18.0	48.0	1.09	270.6	0.061	3	1.45	0.012	0.59	0.5	5.5	0.24	<0.02	<5
1828455	Drill Core	0.56	1.37	0.67	26	0.74	0.051	13.0	32.1	0.84	336.1	0.057	<1	1.07	0.013	0.56	0.2	4.9	0.33	0.05	<5
1828456	Drill Core	0.48	0.78	0.70	20	0.82	0.061	24.3	19.4	0.72	430.9	0.043	2	0.96	0.023	0.49	0.2	4.9	0.21	0.30	<5
1828457	Drill Core	0.25	0.45	0.33	7	1.38	0.035	35.2	6.2	0.33	386.2	0.008	<1	0.63	0.039	0.34	<0.1	2.2	0.11	0.12	<5
1828458	Drill Core	0.27	0.52	0.28	10	1.50	0.051	29.0	8.1	0.60	285.6	0.010	<1	0.90	0.026	0.41	<0.1	3.5	0.15	0.16	6
1828459	Drill Core	0.27	0.55	0.22	17	1.38	0.068	23.8	13.6	0.75	360.9	0.024	<1	1.08	0.017	0.52	<0.1	6.1	0.21	0.08	<5
1828460	Core DUP	0.34	0.56	0.23	17	1.33	0.068	25.8	14.6	0.76	360.5	0.027	2	1.07	0.018	0.51	0.1	6.2	0.21	0.08	15
1828461	Drill Core	0.33	0.44	0.52	8	1.41	0.044	35.7	7.2	0.25	365.6	0.031	<1	0.60	0.027	0.39	0.1	2.8	0.13	0.07	18
1828462	Drill Core	0.29	0.74	0.08	14	0.69	0.053	21.1	15.5	0.75	287.9	0.070	<1	0.99	0.026	0.50	0.2	4.7	0.19	0.13	<5
1828463	Drill Core	0.29	1.37	0.08	17	0.62	0.056	15.1	19.0	0.97	275.9	0.063	<1	1.21	0.027	0.55	0.2	5.5	0.25	0.14	<5
1828464	Drill Core	0.53	1.72	0.30	14	0.73	0.054	16.2	13.3	0.94	311.1	0.062	<1	1.15	0.018	0.73	0.2	5.6	0.38	0.20	11
1828465	Drill Core	0.36	2.63	0.58	6	0.72	0.053	39.3	6.7	0.17	354.4	0.007	<1	0.57	0.040	0.33	<0.1	1.3	0.12	<0.02	13
1828466	Drill Core	0.49	1.91	0.42	9	0.55	0.037	37.0	8.4	0.23	339.9	0.044	1	0.65	0.046	0.30	0.4	2.4	0.11	<0.02	13
1828467	Drill Core	0.46	3.65	1.14	14	0.53	0.099	34.5	13.2	0.26	329.4	0.044	<1	0.74	0.037	0.35	0.7	3.0	0.12	<0.02	12
1828468	Drill Core	0.42	2.02	0.66	19	0.32	0.054	29.2	20.6	0.39	277.3	0.038	<1	0.89	0.029	0.37	0.3	4.5	0.15	0.03	<5
1828469	Drill Core	0.61	3.03	0.73	10	0.40	0.061	22.1	11.7	0.27	323.9	0.024	<1	0.72	0.028	0.40	0.2	3.7	0.17	0.15	26
1828470	Drill Core	0.41	0.92	0.38	13	0.35	0.059	30.3	15.3	0.28	267.1	0.010	<1	0.75	0.016	0.39	0.1	2.8	0.13	<0.02	<5
1828471	Drill Core	0.36	0.30	0.20	4	0.14	0.040	28.8	4.9	0.14	259.1	0.003	<1	0.45	0.039	0.32	0.1	1.5	0.09	<0.02	13
1828472	Drill Core	0.67	0.53	0.27	18	1.22	0.063	38.2	22.6	0.39	261.7	0.013	<1	0.92	0.031	0.37	0.2	3.3	0.14	<0.02	14
1828473	Drill Core	0.49	0.34	0.31	13	0.28	0.056	31.7	15.2	0.25	279.8	0.004	<1	0.68	0.025	0.36	<0.1	2.4	0.12	<0.02	7
1828474	Drill Core	0.48	0.50	0.31	12	0.53	0.067	30.0	12.0	0.27	242.2	0.024	<1	0.70	0.054	0.30	0.3	3.1	0.12	0.15	16
1828475	Drill Core	0.51	1.76	0.13	31	1.13	0.098	15.2	27.6	0.78	220.4	0.134	<1	1.27	0.024	0.38	1.6	8.6	0.18	0.08	<5
1828476	Drill Core	0.23	1.60	0.17	18	0.80	0.059	16.8	16.6	0.61	226.5	0.082	<1	1.00	0.027	0.40	0.6	4.8	0.15	0.08	8
1828477	Drill Core	0.35	3.91	0.09	16	0.95	0.063	17.2	16.0	0.75	306.9	0.060	<1	1.04	0.015	0.63	0.3	7.3	0.33	0.15	8
1828478	Drill Core	0.31	2.24	0.14	20	0.94	0.055	16.3	21.7	0.86	261.5	0.070	1	1.17	0.021	0.42	0.3	6.1	0.18	0.04	10
1828479	Drill Core	0.48	2.19	0.13	24	1.29	0.066	16.9	31.5	0.89	190.9	0.097	<1	1.25	0.035	0.30	1.1	5.7	0.14	0.11	10
1828480	Rock	<0.01	0.11	<0.02	2	0.01	0.002	1.8	4.9	0.02	9.0	0.003	<1	0.08	0.006	0.02	<0.1	0.3	<0.02	0.02	6
1828481	Drill Core	0.43	1.91	0.14	16	0.76	0.066	14.5	20.9	0.62	224.9	0.084	<1	0.94	0.025	0.39	0.5	4.4	0.19	0.05	<5
1828482	Drill Core	0.35	1.38	0.12	23	1.32	0.054	14.3	28.1	0.94	151.0	0.104	<1	1.15	0.024	0.21	1.3	5.2	0.10	0.03	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828453	Drill Core	<0.1	0.08	3.7	7.09	<0.1	0.29	0.12	24.3	0.8	<0.05	6.9	14.81	51.9	<0.02	<1	0.6	15.1	<10	<2
1828454	Drill Core	<0.1	0.08	5.5	4.26	<0.1	0.20	0.09	30.5	0.6	<0.05	9.0	9.59	32.3	0.02	<1	0.7	21.3	<10	<2
1828455	Drill Core	0.6	0.04	3.1	5.26	<0.1	0.18	0.11	29.7	0.4	<0.05	7.3	9.56	22.6	<0.02	<1	0.6	16.7	<10	<2
1828456	Drill Core	0.8	<0.02	3.2	13.29	<0.1	0.17	0.13	26.8	0.5	<0.05	4.3	15.25	44.4	0.02	3	0.5	11.9	13	<2
1828457	Drill Core	<0.1	<0.02	2.9	5.00	<0.1	0.04	0.05	15.6	0.4	<0.05	1.3	15.09	62.8	0.02	5	0.5	7.6	<10	<2
1828458	Drill Core	<0.1	<0.02	2.6	1.89	<0.1	0.05	0.03	18.4	0.5	<0.05	2.7	13.72	52.9	<0.02	<1	0.3	13.7	26	<2
1828459	Drill Core	0.6	<0.02	3.2	2.92	<0.1	0.06	0.05	23.5	0.5	<0.05	2.7	13.66	44.8	0.03	2	0.6	13.3	13	<2
1828460	Core DUP	0.5	<0.02	3.3	3.10	<0.1	0.09	0.06	24.2	0.7	<0.05	3.0	14.94	48.7	0.02	5	0.4	13.9	<10	<2
1828461	Drill Core	0.7	0.07	2.5	1.23	<0.1	0.12	0.17	15.9	0.6	<0.05	4.2	17.96	66.2	<0.02	3	0.7	7.7	<10	<2
1828462	Drill Core	0.2	0.03	3.4	1.21	<0.1	0.32	0.17	23.8	0.5	<0.05	10.5	13.68	40.6	<0.02	2	0.3	12.9	<10	<2
1828463	Drill Core	0.9	<0.02	4.3	1.75	<0.1	0.50	0.15	27.0	0.4	<0.05	14.6	12.86	28.5	<0.02	<1	0.5	14.3	<10	<2
1828464	Drill Core	1.4	<0.02	3.4	2.91	<0.1	0.44	0.09	42.7	0.6	<0.05	15.0	14.35	30.8	<0.02	2	0.7	15.0	<10	<2
1828465	Drill Core	0.3	<0.02	2.3	1.51	<0.1	0.28	0.03	14.1	0.5	<0.05	8.2	18.29	73.7	<0.02	4	0.3	8.5	12	<2
1828466	Drill Core	0.2	<0.02	3.8	1.44	<0.1	0.24	0.13	13.2	0.7	<0.05	6.7	13.56	70.6	<0.02	4	0.7	11.1	<10	<2
1828467	Drill Core	0.5	0.03	3.8	1.28	<0.1	0.14	0.14	15.5	0.7	<0.05	8.0	18.85	64.7	<0.02	<1	0.2	11.3	<10	<2
1828468	Drill Core	0.5	<0.02	3.7	1.73	<0.1	0.41	0.08	17.4	0.5	<0.05	15.3	16.17	54.4	0.02	<1	0.5	13.4	<10	<2
1828469	Drill Core	1.2	<0.02	2.5	1.13	<0.1	0.31	0.07	18.2	0.5	<0.05	11.5	12.26	44.0	0.04	2	0.5	10.1	<10	<2
1828470	Drill Core	<0.1	<0.02	2.7	1.68	<0.1	0.19	0.03	19.5	0.3	<0.05	8.5	14.00	55.0	0.03	<1	0.3	11.1	17	<2
1828471	Drill Core	<0.1	<0.02	1.9	0.68	<0.1	0.19	<0.02	14.8	0.2	<0.05	7.2	8.65	52.8	<0.02	<1	0.3	5.9	<10	<2
1828472	Drill Core	<0.1	<0.02	4.3	1.99	<0.1	0.40	0.03	19.0	0.4	<0.05	15.2	14.64	68.5	0.04	<1	0.3	13.0	<10	<2
1828473	Drill Core	<0.1	<0.02	2.8	1.84	<0.1	0.42	<0.02	18.0	0.3	<0.05	15.9	10.78	58.5	<0.02	2	0.4	8.8	<10	<2
1828474	Drill Core	0.6	<0.02	3.3	1.56	<0.1	0.33	0.06	14.3	0.4	<0.05	10.2	12.54	55.3	<0.02	4	0.5	9.2	<10	<2
1828475	Drill Core	0.4	<0.02	5.3	2.05	<0.1	0.14	0.15	19.5	0.4	<0.05	4.1	13.63	28.4	0.02	2	0.8	17.2	32	<2
1828476	Drill Core	0.6	<0.02	3.5	1.50	<0.1	0.10	0.13	19.0	0.5	<0.05	3.7	10.72	31.7	<0.02	1	0.4	14.0	<10	<2
1828477	Drill Core	1.4	<0.02	2.8	6.06	<0.1	0.15	0.09	33.9	0.4	<0.05	5.3	9.41	33.4	<0.02	1	0.3	10.1	<10	<2
1828478	Drill Core	0.2	<0.02	4.1	2.26	<0.1	0.10	0.08	19.6	0.5	<0.05	3.3	11.30	32.3	0.03	4	0.4	14.5	12	<2
1828479	Drill Core	0.4	0.03	5.2	1.91	<0.1	0.06	0.20	15.1	0.5	<0.05	2.3	12.39	32.1	<0.02	6	0.3	14.6	13	<2
1828480	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.10	0.05	0.9	<0.1	<0.05	3.1	0.86	3.7	<0.02	<1	0.2	1.0	<10	<2
1828481	Drill Core	0.6	<0.02	3.4	2.49	0.1	0.13	0.22	19.7	0.5	<0.05	6.1	10.13	27.4	0.03	2	0.2	13.9	<10	<2
1828482	Drill Core	<0.1	<0.02	4.8	0.89	0.1	0.16	0.14	10.4	0.5	<0.05	4.6	11.48	29.4	0.03	2	0.6	19.2	<10	5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828483	Drill Core	3.37	394	0.067	0.06	<0.17	49.93	1.61	23.38	10.81	48.0	628	28.1	9.8	272	2.06	4.9	1.3	41.1	7.4	80.6
1828484	Drill Core	5.03	555	0.007	<0.01	<0.17	40.85	0.68	19.48	6.75	68.4	342	26.5	8.6	376	2.53	9.5	1.2	4.0	7.4	69.4
1828485	Drill Core	5.94	506	0.009	<0.01	<0.17	37.92	0.38	29.04	99.30	162.0	610	24.9	9.4	415	2.72	9.7	0.9	7.3	7.3	21.6
1828486	Drill Core	4.82	512	0.006	<0.01	<0.17	36.22	1.41	40.94	177.86	208.3	705	26.5	8.7	545	2.41	2.8	0.9	0.8	7.3	39.6
1828487	Drill Core	3.20	407	<0.005	<0.01	<0.17	41.14	0.55	26.09	5.53	70.2	471	27.8	8.3	395	2.35	3.8	1.1	1.9	7.2	50.6
1828488	Drill Core	2.92	424	0.008	<0.01	<0.17	40.40	0.70	21.37	4.12	57.4	416	25.2	8.7	408	2.38	1.0	1.1	3.5	7.3	66.1
1828489	Drill Core	2.25	500	0.007	<0.01	<0.17	46.71	0.47	32.48	18.35	71.5	532	23.4	8.3	608	2.50	1.0	1.2	0.6	7.4	123.6
1828490	Drill Core	2.74	408	0.005	<0.01	<0.17	43.84	0.35	23.34	5.21	63.4	470	28.7	8.6	422	2.76	1.9	1.3	0.6	7.6	75.5
1828491	Drill Core	3.14	447	0.012	0.01	<0.17	28.26	0.43	23.56	17.12	74.2	541	22.7	7.5	392	2.13	1.3	1.2	6.0	7.7	70.5
1828492	Drill Core	2.51	481	0.025	0.02	<0.17	24.97	0.49	22.65	15.87	62.0	612	22.1	7.7	381	1.78	0.6	1.0	17.7	7.3	79.9
1828493	Drill Core	3.46	351	0.024	0.02	<0.17	24.75	0.34	28.16	44.09	77.8	694	22.0	8.8	556	2.16	1.8	1.1	12.3	7.3	95.8
1828494	Drill Core	2.13	371	0.016	0.01	<0.17	24.42	0.56	23.46	27.66	93.7	682	13.5	8.9	576	2.48	6.2	1.4	7.8	9.9	50.5
1828495	Drill Core	2.02	430	0.011	0.01	<0.17	26.82	0.51	33.33	59.78	176.0	771	14.5	9.5	522	2.30	14.9	0.9	3.9	9.0	27.0
1828496	Drill Core	5.10	438	0.008	<0.01	<0.17	26.51	0.30	31.34	35.42	101.2	489	14.2	9.1	589	2.63	3.6	1.4	<0.2	8.9	61.4
1828497	Drill Core	5.05	448	0.007	<0.01	<0.17	29.74	0.27	43.72	42.47	146.5	825	16.0	8.9	514	2.44	7.1	1.3	1.9	8.1	34.8
1828498	Drill Core	4.65	422	<0.005	<0.01	<0.17	28.00	0.40	17.36	6.75	94.8	283	7.1	9.9	555	2.93	18.2	0.8	1.1	3.4	38.4
1828499	Drill Core	2.67	454	<0.005	<0.01	<0.17	48.09	0.75	36.87	10.92	98.0	435	20.8	12.3	640	3.10	17.2	1.1	0.9	7.4	83.1
1828500	Rock Pulp	0.13	87	7.091				9.16	192.90	19.14	74.8	884	13.7	10.6	564	4.45	13.3	0.9	8568.8	2.7	66.9
1828501	Drill Core	2.83	436	<0.005	<0.01	<0.17	42.41	0.63	25.66	6.32	77.6	230	23.8	13.1	629	2.77	15.3	0.8	0.7	6.3	111.7
1828502	Drill Core	2.50	451	<0.005	<0.01	<0.17	45.33	0.63	32.92	10.08	79.0	263	24.7	10.1	660	2.91	30.1	0.6	3.4	6.3	121.9
1828503	Drill Core	2.70	514	0.009	<0.01	<0.17	46.21	0.87	23.74	8.50	104.6	261	28.5	19.3	902	3.06	94.0	0.9	6.1	6.8	153.0
1828504	Drill Core	4.91	437	0.006	<0.01	<0.17	33.59	1.63	24.24	7.36	70.7	227	27.1	12.6	505	2.58	29.5	3.5	<0.2	6.4	81.0
1828505	Drill Core	5.66	520	<0.005	<0.01	<0.17	50.47	1.64	22.10	8.97	64.8	235	26.7	12.1	545	2.39	21.1	1.7	<0.2	6.0	95.5
1828506	Drill Core	4.26	347	<0.005	<0.01	<0.17	28.13	1.38	25.64	9.98	55.2	273	25.7	12.3	338	2.13	21.8	0.9	1.7	3.8	49.8
1828507	Drill Core	2.20	402	0.007	<0.01	<0.17	31.43	1.84	24.11	6.92	55.3	171	24.0	11.5	356	2.14	20.6	1.9	3.3	4.7	55.2
1828508	Drill Core	2.51	491	0.006	<0.01	<0.17	37.58	1.50	24.05	9.60	72.1	244	25.0	12.2	581	2.89	39.4	2.5	2.7	6.3	119.9
1828509	Drill Core	2.66	529	0.005	<0.01	<0.17	45.15	1.19	21.14	9.50	83.5	186	28.7	13.2	553	3.00	25.3	2.7	<0.2	6.7	87.5
1828510	Drill Core	4.15	382	0.006	<0.01	<0.17	29.15	0.80	22.33	6.12	82.4	334	27.5	12.6	610	2.96	7.5	3.1	<0.2	6.8	103.4
1828511	Drill Core	3.02	431	<0.005	<0.01	<0.17	40.70	2.90	24.54	6.42	99.1	299	26.9	13.6	548	3.10	19.6	2.5	0.9	7.2	92.9
1828512	Drill Core	5.43	394	0.006	<0.01	<0.17	23.61	1.02	19.31	15.47	82.2	312	18.7	9.7	546	2.65	15.5	0.9	1.4	6.4	100.7



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828483	Drill Core	0.35	0.93	0.10	20	1.11	0.062	21.2	24.6	0.73	216.8	0.105	<1	1.10	0.030	0.29	1.1	5.2	0.12	0.11	6			
1828484	Drill Core	0.47	0.87	0.07	25	1.13	0.065	23.3	30.2	1.20	167.3	0.094	<1	1.58	0.025	0.32	0.3	5.6	0.16	<0.02	7			
1828485	Drill Core	1.30	0.60	0.13	22	0.45	0.062	23.8	29.5	1.41	175.4	0.021	1	1.78	0.019	0.31	0.1	4.3	0.16	<0.02	22			
1828486	Drill Core	1.13	0.48	0.08	21	0.73	0.061	24.7	27.8	1.02	188.3	0.023	<1	1.45	0.023	0.27	0.2	4.5	0.13	<0.02	17			
1828487	Drill Core	0.45	0.77	0.05	21	0.92	0.056	19.4	27.4	1.14	215.5	0.058	<1	1.55	0.026	0.30	0.2	5.8	0.14	<0.02	15			
1828488	Drill Core	0.26	0.54	0.06	18	1.27	0.059	20.8	26.0	1.22	186.1	0.024	1	1.55	0.016	0.30	<0.1	4.0	0.13	<0.02	23			
1828489	Drill Core	0.36	0.65	0.12	23	2.27	0.059	23.1	29.8	1.37	152.2	0.026	<1	1.64	0.013	0.32	0.1	5.3	0.16	<0.02	<5			
1828490	Drill Core	0.60	0.67	0.07	20	1.30	0.060	22.0	27.1	1.49	210.2	0.029	2	1.87	0.014	0.35	<0.1	4.4	0.17	<0.02	<5			
1828491	Drill Core	0.63	0.74	0.16	19	1.07	0.053	20.4	26.8	1.13	159.6	0.062	2	1.40	0.017	0.30	0.4	4.3	0.14	<0.02	9			
1828492	Drill Core	0.71	0.71	0.14	21	1.23	0.064	20.3	33.0	0.85	194.2	0.046	2	1.22	0.016	0.36	0.3	3.7	0.18	<0.02	7			
1828493	Drill Core	0.67	0.87	0.22	31	1.50	0.066	19.7	45.6	1.02	152.8	0.072	2	1.49	0.020	0.38	0.4	5.0	0.20	<0.02	17			
1828494	Drill Core	1.98	0.76	0.08	21	0.76	0.073	25.8	26.9	0.95	248.4	0.051	2	1.54	0.016	0.44	0.5	5.3	0.25	<0.02	12			
1828495	Drill Core	2.38	0.60	0.11	19	0.36	0.084	22.4	24.6	0.81	218.9	0.013	2	1.23	0.014	0.29	0.3	4.0	0.16	<0.02	9			
1828496	Drill Core	1.24	0.99	0.05	27	1.16	0.073	24.1	35.1	1.00	173.2	0.088	2	1.63	0.031	0.32	0.5	5.9	0.16	<0.02	8			
1828497	Drill Core	1.26	0.81	0.17	29	0.65	0.067	21.7	33.9	0.96	180.4	0.071	3	1.53	0.034	0.31	0.5	5.5	0.16	<0.02	13			
1828498	Drill Core	0.69	0.54	0.03	22	0.79	0.089	9.5	24.7	1.01	206.2	0.099	3	1.66	0.030	0.24	0.3	6.0	0.10	<0.02	22			
1828499	Drill Core	0.48	0.42	0.06	49	1.89	0.082	21.7	97.8	1.44	250.7	0.040	1	1.76	0.030	0.25	0.2	9.1	0.11	<0.02	16			
1828500	Rock Pulp	0.15	4.48	0.57	105	0.84	0.061	7.3	17.5	0.81	119.8	0.115	2	1.64	0.166	0.21	4.1	3.7	0.07	<0.02	200			
1828501	Drill Core	0.41	0.40	0.03	59	2.21	0.064	20.2	134.4	1.58	204.6	0.016	2	1.63	0.024	0.18	<0.1	9.6	0.09	<0.02	6			
1828502	Drill Core	0.47	0.50	0.06	51	2.44	0.069	19.5	117.6	1.55	218.0	0.008	<1	1.69	0.035	0.18	<0.1	10.3	0.07	<0.02	10			
1828503	Drill Core	1.00	1.91	0.02	55	3.09	0.069	23.5	122.3	1.44	242.9	0.004	<1	1.71	0.021	0.19	0.2	7.3	0.06	<0.02	6			
1828504	Drill Core	0.38	0.76	0.06	47	1.66	0.067	18.3	99.4	1.11	237.5	0.086	1	1.29	0.034	0.26	0.1	8.3	0.11	0.14	14			
1828505	Drill Core	0.27	0.50	0.09	39	1.95	0.068	14.6	85.7	1.01	217.5	0.095	1	1.20	0.022	0.27	0.1	6.5	0.12	0.04	13			
1828506	Drill Core	0.32	0.57	0.10	33	0.98	0.071	8.4	80.2	0.92	287.8	0.115	2	1.17	0.031	0.23	0.2	5.0	0.10	0.08	9			
1828507	Drill Core	0.32	0.35	0.05	29	1.25	0.073	10.2	69.4	0.85	246.5	0.103	2	1.01	0.020	0.24	<0.1	5.0	0.11	0.12	<5			
1828508	Drill Core	0.31	0.34	0.05	54	2.66	0.071	19.5	119.6	1.59	182.2	0.053	<1	1.64	0.026	0.20	0.1	6.5	0.07	0.12	10			
1828509	Drill Core	0.33	0.60	0.04	61	2.00	0.067	21.9	135.3	1.86	197.1	0.033	<1	1.88	0.025	0.22	<0.1	9.3	0.11	0.16	7			
1828510	Drill Core	0.34	0.28	0.04	63	1.97	0.068	20.6	174.2	1.94	192.4	0.024	<1	1.98	0.028	0.17	<0.1	7.5	0.07	0.09	<5			
1828511	Drill Core	0.59	0.47	0.04	55	1.59	0.074	13.1	137.1	2.06	180.9	0.039	1	2.08	0.026	0.29	0.1	9.3	0.16	0.18	20			
1828512	Drill Core	0.47	0.40	0.12	25	1.84	0.067	8.8	49.1	1.41	161.3	0.005	1	1.56	0.020	0.21	<0.1	4.4	0.07	0.20	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 4 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828483	Drill Core	<0.1	0.05	5.3	1.04	<0.1	0.15	0.19	15.2	0.5	<0.05	3.9	14.64	40.3	<0.02	<1	0.6	19.3	13	<2			
1828484	Drill Core	<0.1	<0.02	6.3	1.99	0.1	0.07	0.11	19.1	0.4	<0.05	2.7	15.35	43.9	0.02	4	0.2	29.5	19	<2			
1828485	Drill Core	<0.1	<0.02	6.0	3.02	<0.1	0.05	0.04	19.6	0.4	<0.05	1.9	13.22	45.6	<0.02	<1	0.5	26.7	29	5			
1828486	Drill Core	0.2	<0.02	5.8	1.57	<0.1	0.06	<0.02	15.1	0.2	<0.05	2.6	12.97	45.8	0.03	<1	0.5	25.3	15	<2			
1828487	Drill Core	<0.1	<0.02	5.2	1.90	<0.1	0.09	0.10	17.5	0.4	<0.05	3.0	14.00	37.8	<0.02	<1	0.5	19.1	<10	<2			
1828488	Drill Core	<0.1	<0.02	5.3	3.03	<0.1	0.05	0.02	17.8	0.4	<0.05	1.7	14.08	37.0	<0.02	<1	0.3	22.2	<10	<2			
1828489	Drill Core	<0.1	<0.02	6.9	5.28	<0.1	0.12	<0.02	21.4	0.4	<0.05	3.3	16.27	43.8	<0.02	<1	0.5	29.6	<10	<2			
1828490	Drill Core	<0.1	<0.02	5.5	4.40	0.1	0.05	0.03	21.0	0.3	<0.05	1.9	15.58	42.5	<0.02	4	1.1	29.0	<10	<2			
1828491	Drill Core	<0.1	0.03	5.4	3.50	<0.1	0.11	0.12	18.6	0.4	<0.05	3.1	13.71	39.9	<0.02	<1	0.9	26.6	<10	2			
1828492	Drill Core	<0.1	0.03	4.3	2.78	<0.1	0.12	0.10	23.1	0.4	<0.05	3.7	13.65	38.4	<0.02	2	0.6	20.6	18	<2			
1828493	Drill Core	<0.1	0.07	5.6	3.50	0.1	0.14	0.14	25.2	0.6	<0.05	5.3	13.27	37.7	<0.02	<1	0.3	27.1	<10	<2			
1828494	Drill Core	<0.1	0.04	6.9	4.11	<0.1	0.11	0.11	28.7	0.7	<0.05	4.2	17.11	49.0	<0.02	<1	0.9	26.9	<10	3			
1828495	Drill Core	<0.1	0.02	5.9	2.55	<0.1	0.06	<0.02	18.1	0.3	<0.05	2.4	14.13	46.5	<0.02	<1	0.6	21.1	<10	<2			
1828496	Drill Core	<0.1	0.05	7.1	2.66	<0.1	0.12	0.17	19.7	0.5	<0.05	2.9	14.87	47.5	<0.02	<1	0.9	23.4	15	3			
1828497	Drill Core	<0.1	0.04	6.3	2.85	<0.1	0.07	0.13	18.7	0.7	<0.05	2.6	12.34	43.4	<0.02	<1	0.3	23.6	13	<2			
1828498	Drill Core	<0.1	0.05	5.3	1.39	<0.1	0.05	0.19	12.1	0.4	<0.05	1.1	7.08	18.8	<0.02	<1	0.5	18.7	13	<2			
1828499	Drill Core	<0.1	<0.02	6.6	2.30	<0.1	<0.02	0.06	12.8	0.5	<0.05	1.2	12.01	42.8	0.04	<1	0.3	28.7	13	<2			
1828500	Rock Pulp	<0.1	0.15	5.1	0.67	0.1	0.07	0.13	7.6	1.7	<0.05	1.5	5.07	15.0	0.03	2	<0.1	7.3	17	2			
1828501	Drill Core	<0.1	<0.02	6.1	2.15	<0.1	0.03	0.03	9.5	0.3	<0.05	3.3	9.89	39.9	0.04	<1	0.2	26.0	<10	<2			
1828502	Drill Core	<0.1	<0.02	5.8	0.77	<0.1	<0.02	0.02	7.5	0.3	<0.05	0.9	10.10	38.1	<0.02	<1	0.6	17.6	21	<2			
1828503	Drill Core	<0.1	0.05	6.1	1.06	<0.1	0.02	<0.02	7.8	0.4	<0.05	1.6	14.85	45.8	<0.02	<1	0.3	22.5	<10	<2			
1828504	Drill Core	0.7	0.04	4.2	1.74	<0.1	0.06	0.09	10.8	0.5	<0.05	1.7	12.17	35.9	0.03	5	0.5	15.6	18	<2			
1828505	Drill Core	<0.1	0.04	4.4	2.52	<0.1	0.09	0.14	12.2	0.5	<0.05	1.0	11.33	28.1	0.03	<1	0.3	17.0	16	<2			
1828506	Drill Core	0.3	0.04	4.5	0.99	<0.1	<0.02	0.23	9.3	0.4	<0.05	1.0	7.05	16.5	<0.02	2	0.4	14.3	<10	<2			
1828507	Drill Core	0.5	<0.02	4.2	1.86	<0.1	0.05	0.20	10.5	0.4	<0.05	3.1	8.20	20.5	0.03	7	0.3	12.5	<10	<2			
1828508	Drill Core	0.2	0.06	6.5	1.53	<0.1	0.03	0.08	8.4	0.4	<0.05	1.2	13.12	39.3	0.03	7	0.2	19.4	23	3			
1828509	Drill Core	0.4	0.04	7.0	1.38	<0.1	0.09	0.06	10.3	0.3	<0.05	3.6	12.77	43.7	<0.02	5	0.7	18.4	14	<2			
1828510	Drill Core	<0.1	0.03	8.6	2.43	<0.1	0.10	0.05	9.9	0.4	<0.05	3.5	14.09	40.0	<0.02	3	0.4	24.1	<10	<2			
1828511	Drill Core	0.6	<0.02	6.6	1.75	<0.1	0.08	0.04	15.3	0.4	<0.05	4.4	11.18	27.0	0.03	5	0.5	22.8	12	<2			
1828512	Drill Core	0.8	0.02	5.4	0.89	<0.1	0.17	<0.02	7.9	0.3	<0.05	7.4	5.44	17.7	<0.02	2	0.2	19.4	33	4			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828513	Drill Core	4.94	505	0.005	<0.01	<0.17	35.40	1.68	18.63	12.69	80.9	219	18.4	7.6	481	2.53	12.2	1.2	0.7	48.2
1828514	Drill Core	4.73	440	<0.005	<0.01	<0.17	29.19	0.72	18.49	21.36	76.3	234	18.7	10.2	419	2.45	11.5	0.4	0.4	18.9
1828515	Drill Core	2.73	504	0.005	<0.01	<0.17	36.16	0.55	13.09	19.63	76.2	168	17.2	9.6	528	2.43	8.2	0.4	1.7	17.8
1828516	Drill Core	2.82	509	0.011	0.01	<0.17	41.91	0.60	12.11	16.61	73.7	145	16.9	6.4	539	2.57	9.6	0.4	<0.2	22.5
1828517	Drill Core	5.53	457	0.044	0.04	<0.17	31.25	1.06	19.06	23.77	118.3	286	18.2	8.5	542	2.71	17.7	0.8	17.1	21.8
1828518	Drill Core	4.93	445	0.113	0.13	0.31	49.08	2.33	111.24	127.18	492.1	2609	21.2	11.2	634	3.88	146.7	4.3	86.6	44.9
1828519	Drill Core	5.06	403	0.477	0.46	0.27	29.25	4.25	181.47	107.68	855.4	2391	20.1	10.8	766	4.40	155.3	4.7	315.6	159.1
1828520	Rock Pulp	0.12	81	0.472				2.11	415.23	18.00	46.7	251	577.3	24.8	424	2.49	18.6	0.5	498.8	55.5
1828521	Drill Core	5.07	478	0.014	0.01	<0.17	42.70	2.45	46.55	24.51	338.4	620	35.2	13.2	1067	3.38	463.6	2.2	7.5	19.6
1828522	Drill Core	4.77	442	<0.005	<0.01	<0.17	28.39	2.64	54.81	75.44	326.4	653	42.2	14.4	946	3.35	449.8	1.7	1.5	19.8
1828523	Drill Core	4.75	484	<0.005	<0.01	<0.17	42.97	2.46	59.47	20.47	250.1	422	39.6	12.9	917	3.29	172.3	1.3	7.5	41.7
1828524	Drill Core	5.10	464	<0.005	<0.01	<0.17	37.56	2.57	69.69	40.49	368.0	691	26.3	13.9	1122	3.60	102.3	1.7	2.5	57.6
1828525	Drill Core	5.00	434	0.006	<0.01	<0.17	36.98	2.44	63.41	16.80	348.5	553	34.5	13.8	884	3.49	1041.5	0.8	1.2	58.3
1828526	Drill Core	4.77	492	0.018	0.02	<0.17	44.72	2.45	71.31	37.89	250.0	829	37.8	13.1	1046	3.35	706.2	1.5	8.9	36.4
1828527	Drill Core	3.69	388	0.005	<0.01	<0.17	44.48	2.63	61.40	25.00	242.1	490	35.0	12.9	931	3.34	77.2	2.3	1.3	21.8
1828528	Drill Core	2.72	471	<0.005	<0.01	<0.17	48.80	1.82	33.52	42.55	246.5	553	26.5	10.4	1269	2.95	38.4	0.7	0.2	52.3
1828529	Drill Core	2.84	465	0.017	0.01	<0.17	59.89	2.36	50.57	30.09	254.2	473	37.2	13.4	887	3.05	36.3	1.9	1.7	25.3
1828530	Drill Core	2.75	434	<0.005	<0.01	<0.17	39.97	2.40	79.13	36.13	245.7	731	37.5	13.4	810	3.14	52.5	1.9	<0.2	25.4
1828531	Drill Core	3.31	516	0.006	<0.01	<0.17	37.94	3.43	41.77	34.20	296.2	640	42.0	14.0	966	3.35	99.8	0.9	2.3	15.7
1828532	Drill Core	3.82	423	0.013	0.01	<0.17	44.61	2.50	59.68	12.45	313.0	762	32.0	12.1	749	3.64	89.6	1.1	8.5	20.0
1828533	Drill Core	2.86	425	<0.005	<0.01	<0.17	46.66	2.30	62.30	19.17	265.3	831	26.9	12.3	806	3.79	49.0	1.2	4.6	15.4
1828534	Drill Core	4.78	380	0.005	<0.01	<0.17	50.39	2.50	68.89	19.66	351.0	661	33.3	15.0	988	3.91	111.9	0.7	1.6	29.0
1828535	Drill Core	5.01	406	<0.005	<0.01	<0.17	41.79	3.81	53.26	16.76	250.0	486	39.4	17.6	743	3.40	228.5	1.3	0.9	21.2
1828536	Drill Core	4.74	389	0.007	<0.01	<0.17	51.24	3.49	69.91	27.62	423.2	512	36.3	17.2	1190	3.48	369.6	1.0	0.7	35.3
1828537	Drill Core	4.30	427	0.023	0.02	<0.17	47.98	2.32	63.52	98.26	695.3	1067	32.7	14.7	1264	3.15	196.2	0.8	12.1	84.7
1828538	Drill Core	2.63	442	0.761	0.77	0.86	52.46	2.73	47.27	37.25	196.2	1356	45.9	21.1	1543	4.48	75.4	1.7	830.3	103.3
1828539	Drill Core	4.24	380	0.441	0.44	0.41	49.08	2.69	43.72	43.95	323.1	1074	39.5	16.3	1563	4.28	101.5	1.4	369.7	87.7
1828540	Rock Pulp	0.12	81	0.010				2.17	91.18	3.59	33.5	126	5.3	7.9	372	2.53	0.9	0.9	2.9	72.1
1828541	Drill Core	4.24	459	0.007	<0.01	<0.17	45.31	4.65	61.43	33.68	475.0	733	47.9	28.9	1361	4.53	136.5	1.3	4.3	25.3
1828542	Drill Core	6.02	428	<0.005	<0.01	<0.17	50.65	2.25	37.36	33.29	206.7	484	24.2	9.5	498	3.49	47.7	0.7	2.5	13.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828513	Drill Core	0.41	0.27	0.04	26	0.79	0.065	11.8	36.8	1.72	161.2	0.007	<1	1.83	0.015	0.21	<0.1	3.4	0.06	<0.10
1828514	Drill Core	0.28	0.25	0.02	21	0.48	0.060	16.5	21.7	1.52	148.3	0.004	1	1.65	0.008	0.20	<0.1	2.5	0.05	<0.02
1828515	Drill Core	0.48	0.23	<0.02	22	0.54	0.058	18.9	21.9	1.49	154.3	0.003	1	1.68	0.017	0.21	<0.1	2.8	0.04	<0.02
1828516	Drill Core	0.24	0.28	<0.02	22	0.58	0.057	17.9	23.2	1.55	132.6	0.003	2	1.73	0.016	0.19	<0.1	2.6	0.04	<0.02
1828517	Drill Core	0.67	0.44	0.20	20	0.33	0.063	16.6	20.4	1.59	185.6	0.004	2	1.80	0.008	0.26	<0.1	2.7	0.05	<0.02
1828518	Drill Core	3.92	1.77	2.32	29	0.26	0.099	12.9	11.8	1.26	181.5	0.004	3	1.67	0.004	0.29	0.2	3.4	0.09	0.02
1828519	Drill Core	7.06	1.91	1.48	29	0.25	0.101	10.6	14.3	1.30	265.4	0.016	<1	1.52	0.007	0.42	0.5	3.6	0.16	0.18
1828520	Rock Pulp	0.17	0.35	0.28	51	1.23	0.029	3.9	92.9	1.72	73.6	0.063	3	1.86	0.182	0.14	1.3	2.8	0.09	0.19
1828521	Drill Core	4.95	1.45	0.40	34	0.24	0.083	11.0	20.2	1.74	140.2	0.008	<1	1.82	0.004	0.23	0.2	3.0	0.09	<0.02
1828522	Drill Core	2.16	2.09	0.36	36	0.39	0.092	9.8	25.3	1.69	166.0	0.013	<1	1.78	0.006	0.28	0.1	3.3	0.07	0.11
1828523	Drill Core	1.82	3.35	0.32	36	0.94	0.099	5.7	26.1	1.81	144.7	0.005	1	1.78	0.005	0.21	<0.1	3.0	0.05	0.42
1828524	Drill Core	3.54	2.39	0.58	34	1.48	0.093	4.8	18.7	1.88	175.2	0.006	2	1.86	0.005	0.24	<0.1	3.3	0.06	0.66
1828525	Drill Core	4.22	1.97	0.27	36	1.36	0.088	4.7	21.2	1.80	134.3	0.006	1	1.74	0.004	0.23	0.1	3.3	0.06	0.66
1828526	Drill Core	1.39	1.82	0.41	43	0.85	0.086	10.2	29.4	1.81	137.8	0.005	<1	1.84	0.004	0.27	0.1	3.5	0.08	0.11
1828527	Drill Core	1.54	2.43	0.31	40	0.38	0.084	10.1	26.5	1.63	168.7	0.024	2	1.76	0.008	0.33	0.1	3.5	0.12	0.03
1828528	Drill Core	1.77	1.81	0.47	40	1.85	0.059	6.4	24.0	1.81	135.7	0.005	2	1.77	0.008	0.19	<0.1	3.7	0.06	0.06
1828529	Drill Core	1.21	1.76	0.34	33	0.55	0.080	11.2	25.2	1.47	159.1	0.005	<1	1.61	0.008	0.24	<0.1	3.0	0.08	<0.02
1828530	Drill Core	1.72	1.86	0.40	36	0.29	0.087	12.4	28.0	1.47	161.3	0.009	1	1.62	0.008	0.24	<0.1	2.5	0.10	<0.02
1828531	Drill Core	1.38	1.59	0.48	48	0.27	0.103	12.1	31.6	1.81	147.6	0.003	<1	2.02	0.007	0.22	<0.1	3.0	0.08	<0.02
1828532	Drill Core	1.59	2.87	0.15	68	0.33	0.085	12.9	40.0	1.74	151.3	0.018	1	2.17	0.011	0.25	0.2	4.9	0.08	<0.02
1828533	Drill Core	1.60	1.81	0.34	72	0.24	0.086	12.6	38.9	2.06	137.1	0.004	<1	2.31	0.008	0.22	0.1	4.7	0.09	<0.02
1828534	Drill Core	3.53	2.39	0.32	50	0.96	0.079	10.6	27.5	2.22	184.6	0.004	1	2.39	0.008	0.23	<0.1	4.4	0.07	<0.02
1828535	Drill Core	1.83	5.86	0.25	34	0.26	0.094	12.3	22.6	1.51	193.7	0.003	<1	1.78	0.010	0.23	<0.1	2.8	0.13	<0.02
1828536	Drill Core	5.42	8.09	0.27	34	1.12	0.087	12.2	18.6	1.47	222.1	0.004	3	1.74	0.006	0.29	0.1	3.6	0.18	<0.02
1828537	Drill Core	4.06	2.23	0.85	34	2.17	0.078	10.8	18.7	1.61	164.6	0.013	<1	1.64	0.004	0.33	0.1	3.9	0.11	0.02
1828538	Drill Core	2.03	1.71	0.61	36	1.68	0.086	13.2	16.6	1.59	282.3	0.019	<1	1.79	0.007	0.46	0.3	4.5	0.14	0.04
1828539	Drill Core	5.62	1.02	0.59	40	2.31	0.087	14.0	22.7	1.91	206.7	0.005	2	2.05	0.005	0.35	0.2	4.5	0.08	<0.02
1828540	Rock Pulp	0.05	0.14	0.04	90	0.83	0.061	6.5	9.9	0.70	119.8	0.103	2	1.49	0.167	0.21	3.0	2.7	0.04	<0.02
1828541	Drill Core	3.37	2.38	0.37	41	0.50	0.109	15.2	22.9	2.00	181.1	0.003	2	2.36	0.004	0.30	0.2	3.5	0.08	<0.02
1828542	Drill Core	1.12	0.63	0.33	23	0.23	0.084	15.0	20.5	1.69	155.2	0.003	1	1.99	0.003	0.25	0.2	2.3	0.05	<0.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828513	Drill Core	0.7	0.04	6.1	0.72	<0.1	0.41	<0.02	8.8	0.2	<0.05	9.5	5.01	24.0	<0.02	2	0.5	21.3	<10	<2			
1828514	Drill Core	<0.1	0.02	5.5	0.67	<0.1	0.27	<0.02	7.6	0.2	<0.05	12.3	3.30	33.3	<0.02	<1	0.3	19.4	<10	<2			
1828515	Drill Core	<0.1	0.04	5.6	0.68	<0.1	0.30	<0.02	8.1	0.1	<0.05	11.6	3.36	37.2	0.02	<1	0.3	17.2	10	2			
1828516	Drill Core	<0.1	<0.02	5.9	0.57	<0.1	0.33	<0.02	7.0	0.2	<0.05	13.3	3.87	36.0	<0.02	2	0.3	20.9	<10	4			
1828517	Drill Core	0.3	<0.02	5.3	0.88	<0.1	0.38	<0.02	9.6	0.3	<0.05	14.2	5.10	33.3	<0.02	1	0.4	25.5	<10	3			
1828518	Drill Core	4.2	0.29	4.4	4.93	<0.1	0.23	<0.02	12.1	0.6	<0.05	12.5	7.04	26.5	0.16	<1	0.3	31.9	<10	<2			
1828519	Drill Core	6.6	0.25	4.8	3.73	<0.1	0.23	<0.02	16.8	1.0	<0.05	13.1	6.27	21.0	0.28	<1	0.4	20.3	<10	<2			
1828520	Rock Pulp	0.2	0.16	3.7	0.58	<0.1	0.04	0.03	5.7	0.3	<0.05	1.5	2.96	8.3	<0.02	3	0.3	7.2	276	113			
1828521	Drill Core	1.1	0.05	4.8	1.25	<0.1	0.29	<0.02	8.6	0.2	<0.05	12.3	6.51	21.5	<0.02	3	0.2	25.0	<10	<2			
1828522	Drill Core	1.6	0.08	4.1	1.36	<0.1	0.29	<0.02	9.8	0.3	<0.05	14.5	6.44	19.3	<0.02	2	<0.1	17.8	<10	<2			
1828523	Drill Core	1.6	<0.02	4.6	0.55	<0.1	0.24	<0.02	6.8	0.2	<0.05	9.9	5.27	11.5	<0.02	2	0.3	20.7	<10	<2			
1828524	Drill Core	1.6	0.04	4.5	1.15	<0.1	0.23	<0.02	8.3	0.1	<0.05	10.6	6.32	9.6	0.02	7	0.2	20.9	13	<2			
1828525	Drill Core	1.7	0.07	4.5	1.50	<0.1	0.17	<0.02	8.5	0.2	<0.05	10.2	5.72	9.7	0.03	3	0.3	23.4	26	2			
1828526	Drill Core	1.0	0.06	5.1	2.39	<0.1	0.27	<0.02	11.2	0.4	<0.05	11.4	7.74	20.7	0.02	1	0.2	29.8	<10	<2			
1828527	Drill Core	1.1	0.04	4.2	2.77	<0.1	0.24	0.04	13.2	0.3	<0.05	11.0	7.89	20.1	<0.02	<1	0.2	22.7	<10	<2			
1828528	Drill Core	0.5	0.04	4.3	1.07	<0.1	0.17	<0.02	7.0	0.3	<0.05	9.0	5.83	12.9	<0.02	2	0.2	24.1	<10	<2			
1828529	Drill Core	0.7	0.07	4.3	1.41	<0.1	0.20	<0.02	8.1	0.3	<0.05	11.6	6.47	22.8	0.03	2	0.2	23.9	<10	<2			
1828530	Drill Core	1.0	<0.02	4.1	1.13	<0.1	0.22	<0.02	8.0	0.3	<0.05	10.8	7.21	24.5	<0.02	3	0.2	23.5	<10	<2			
1828531	Drill Core	0.6	0.11	6.2	1.16	<0.1	0.18	<0.02	8.6	0.2	<0.05	9.0	6.88	24.2	<0.02	<1	0.5	30.9	<10	<2			
1828532	Drill Core	1.0	0.03	6.6	1.52	<0.1	0.25	0.02	10.9	0.4	<0.05	11.5	8.33	25.5	0.02	<1	0.8	32.2	<10	3			
1828533	Drill Core	0.9	<0.02	7.2	1.35	<0.1	0.24	<0.02	8.7	0.3	<0.05	10.4	7.04	25.4	0.02	4	0.4	34.7	<10	<2			
1828534	Drill Core	1.3	0.05	6.2	0.35	<0.1	0.25	<0.02	6.7	0.3	<0.05	10.4	6.08	21.4	0.04	2	0.6	26.7	<10	<2			
1828535	Drill Core	0.8	0.04	4.7	0.58	<0.1	0.25	<0.02	7.1	0.2	<0.05	11.0	5.47	24.0	0.04	2	0.2	24.1	<10	<2			
1828536	Drill Core	1.0	0.04	4.1	0.87	<0.1	0.23	<0.02	8.7	0.2	<0.05	10.0	6.91	24.2	0.06	<1	0.5	25.3	12	<2			
1828537	Drill Core	0.9	0.08	3.7	2.48	<0.1	0.21	<0.02	11.3	0.3	<0.05	9.6	6.16	20.8	0.03	1	0.3	17.0	<10	<2			
1828538	Drill Core	2.0	0.17	6.2	2.64	<0.1	0.29	<0.02	15.9	0.5	<0.05	14.6	12.82	25.7	0.04	2	1.0	32.6	<10	2			
1828539	Drill Core	2.2	0.07	6.0	1.43	<0.1	0.27	<0.02	11.2	0.3	<0.05	13.5	9.65	27.0	0.06	2	0.5	39.5	<10	<2			
1828540	Rock Pulp	<0.1	<0.02	4.2	0.31	<0.1	0.07	0.08	6.6	0.2	<0.05	1.6	4.60	14.6	<0.02	2	0.2	5.8	<10	<2			
1828541	Drill Core	1.0	0.08	6.5	0.96	<0.1	0.15	<0.02	9.1	0.3	<0.05	8.1	8.25	29.9	<0.02	<1	0.4	48.0	<10	<2			
1828542	Drill Core	0.7	<0.02	5.4	0.36	<0.1	0.24	<0.02	7.5	0.1	<0.05	10.1	4.34	29.7	0.04	<1	0.2	22.1	17	5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
				Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
				kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
				0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828543	Drill Core			4.18	394	0.006	<0.01	<0.17	46.92	2.07	44.00	65.58	156.1	769	20.5	7.5	484	3.07	51.4	0.7	8.7	6.2	13.0	
1828544	Drill Core			4.13	401	0.040	0.04	<0.17	38.58	1.63	36.56	32.24	201.8	443	20.2	10.4	554	3.39	172.9	0.8	25.9	6.1	24.9	
1828545	Drill Core			5.55	477	<0.005	<0.01	<0.17	43.27	1.59	34.20	19.73	116.3	322	22.7	11.0	705	2.99	71.9	0.8	2.2	6.0	52.4	
1828546	Drill Core			6.16	481	<0.005	<0.01	<0.17	51.06	2.29	29.26	14.45	80.8	322	24.5	12.5	656	3.08	24.7	0.7	3.4	5.7	54.7	
1828547	Drill Core			2.71	451	<0.005	<0.01	<0.17	47.46	1.55	23.33	10.30	88.5	210	18.7	12.5	751	3.03	13.8	0.9	1.4	5.8	78.9	
1828548	Drill Core			2.06	438	0.049	0.04	<0.17	43.45	3.00	52.87	6.18	104.3	516	23.2	14.1	748	2.99	15.9	1.2	32.9	7.1	75.8	
1828549	Drill Core			4.03	410	0.078	0.07	<0.17	49.60	1.85	52.36	15.75	111.1	591	22.5	14.0	1062	3.23	7.7	1.1	82.5	5.0	186.1	
1828550	Drill Core			4.62	388	0.085	0.08	<0.17	46.13	1.79	33.06	13.15	118.1	438	27.4	15.2	807	3.36	12.7	1.0	29.9	4.7	100.5	
1828551	Drill Core			1.92	392	<0.005	<0.01	<0.17	35.17	1.82	36.38	12.92	104.5	521	29.1	13.6	641	3.33	16.7	0.5	3.5	4.9	66.2	
1828552	Drill Core			2.79	484	<0.005	<0.01	<0.17	48.06	1.86	39.54	14.00	155.6	500	33.4	17.0	827	3.94	15.9	0.7	1.9	5.1	69.6	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1828543	Drill Core	1.09	0.71	0.42	24	0.23	0.071	12.7	20.5	1.48	150.9	0.003	<1	1.71	0.007	0.23	<0.1	2.5	0.05	<0.02
1828544	Drill Core	1.29	1.49	0.15	26	0.43	0.081	11.4	20.9	1.71	183.6	0.005	1	1.97	0.008	0.28	<0.1	2.9	0.08	0.05
1828545	Drill Core	0.95	1.69	0.17	24	1.19	0.077	9.0	19.9	1.67	182.3	0.005	<1	1.88	0.007	0.26	<0.1	3.1	0.07	0.14
1828546	Drill Core	0.53	1.13	0.24	37	1.42	0.063	13.3	29.1	1.59	183.3	0.005	<1	1.95	0.011	0.27	<0.1	3.8	0.08	<0.02
1828547	Drill Core	0.53	0.49	0.06	41	1.67	0.067	15.3	30.8	1.47	282.9	0.007	1	1.92	0.014	0.29	0.1	4.1	0.09	<0.02
1828548	Drill Core	1.00	0.61	0.04	30	1.53	0.083	19.1	24.2	1.29	325.0	0.008	1	1.78	0.010	0.47	0.1	4.0	0.15	<0.02
1828549	Drill Core	1.11	0.54	0.26	56	3.14	0.066	13.9	41.7	1.81	191.8	0.006	<1	2.03	0.012	0.39	<0.1	5.9	0.15	<0.02
1828550	Drill Core	1.04	0.48	0.14	46	1.88	0.067	13.1	34.4	1.59	154.3	0.003	<1	1.93	0.008	0.25	<0.1	4.0	0.07	<0.02
1828551	Drill Core	0.37	0.45	0.05	47	0.99	0.076	13.0	33.5	1.93	126.0	0.003	<1	2.11	0.006	0.23	<0.1	3.2	0.07	<0.02
1828552	Drill Core	0.85	0.45	0.12	63	1.09	0.070	11.5	48.8	2.10	167.9	0.004	1	2.42	0.006	0.25	0.1	4.7	0.06	0.04



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000078.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828543	Drill Core	1.7	0.06	4.9	0.38	<0.1	0.24	<0.02	7.7	0.2	<0.05	12.4	4.35	24.7	<0.02	<1	0.4	21.8	<10
1828544	Drill Core	1.6	0.04	4.9	0.67	<0.1	0.24	<0.02	9.1	0.2	<0.05	11.7	5.86	22.3	<0.02	2	0.3	24.2	<10
1828545	Drill Core	1.6	0.04	4.7	0.38	<0.1	0.27	<0.02	7.3	0.2	<0.05	13.4	4.67	17.7	<0.02	2	0.3	18.0	18
1828546	Drill Core	<0.1	<0.02	5.7	1.21	<0.1	0.25	<0.02	10.3	0.3	<0.05	13.6	6.67	26.3	0.02	2	0.3	25.0	11
1828547	Drill Core	<0.1	0.06	6.8	3.11	0.1	0.32	<0.02	13.3	0.1	<0.05	15.1	9.24	30.4	0.02	<1	0.5	29.2	<10
1828548	Drill Core	0.6	<0.02	5.7	2.88	<0.1	0.39	<0.02	20.1	0.2	<0.05	19.1	9.37	34.9	<0.02	<1	0.5	31.2	<10
1828549	Drill Core	0.5	0.02	8.3	3.43	0.1	0.30	<0.02	18.1	0.2	<0.05	14.5	11.04	26.5	0.03	2	0.6	50.8	<10
1828550	Drill Core	0.7	<0.02	7.1	2.39	<0.1	0.24	<0.02	10.3	0.3	<0.05	10.7	8.82	24.7	<0.02	<1	0.5	40.9	<10
1828551	Drill Core	0.4	0.05	6.5	0.84	<0.1	0.27	<0.02	10.6	0.1	<0.05	10.7	6.87	24.8	0.03	2	0.1	33.7	<10
1828552	Drill Core	0.4	0.04	8.1	0.75	0.1	0.26	<0.02	9.4	<0.1	<0.05	10.7	6.45	22.3	0.02	<1	0.5	37.2	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 13, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000078.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1828439	Drill Core	3.46	449	0.007	<0.01	<0.17	41.11	0.44	21.44	8.38	56.3	243	11.0	8.2	392	2.27	5.9	1.3	1.8	9.3	42.7
REP 1828439	QC			0.005				0.47	20.60	7.92	55.7	220	12.0	8.2	381	2.25	5.7	1.2	2.1	9.0	40.3
1828473	Drill Core	4.40	469	0.319	0.31	0.24	28.90	0.72	22.96	15.94	35.4	872	17.3	5.3	290	1.55	15.5	1.0	290.4	11.6	18.9
REP 1828473	QC							0.74	22.70	14.90	34.4	849	16.8	4.6	286	1.56	14.6	1.0	290.5	10.9	18.4
1828502	Drill Core	2.50	451	<0.005	<0.01	<0.17	45.33	0.63	32.92	10.08	79.0	263	24.7	10.1	660	2.91	30.1	0.6	3.4	6.3	121.9
REP 1828502	QC			0.006																	
1828508	Drill Core	2.51	491	0.006	<0.01	<0.17	37.58	1.50	24.05	9.60	72.1	244	25.0	12.2	581	2.89	39.4	2.5	2.7	6.3	119.9
REP 1828508	QC							1.51	23.13	9.72	77.2	248	26.9	12.3	600	3.18	40.3	2.4	3.9	6.3	121.2
1828509	Drill Core	2.66	529	0.005	<0.01	<0.17	45.15	1.19	21.14	9.50	83.5	186	28.7	13.2	553	3.00	25.3	2.7	<0.2	6.7	87.5
REP 1828509	QC			<0.005																	
1828539	Drill Core	4.24	380	0.441	0.44	0.41	49.08	2.69	43.72	43.95	323.1	1074	39.5	16.3	1563	4.28	101.5	1.4	369.7	4.1	87.7
REP 1828539	QC							2.44	45.69	45.03	328.2	1139	41.0	16.8	1568	4.31	105.6	1.5	515.4	4.4	91.3
Core Reject Duplicates																					
1828427	Drill Core	2.63	415	0.015	0.01	<0.17	38.20	0.42	9.26	42.01	44.7	140	0.6	0.5	74	0.63	4.1	1.1	7.9	11.2	2.9
DUP 1828427	QC		414	0.019	0.02	<0.17	48.62	0.42	9.47	43.37	48.1	134	0.6	0.5	74	0.64	4.0	1.1	11.5	11.4	2.9
1828461	Drill Core	5.10	558	<0.005	<0.01	<0.17	52.30	0.96	15.30	27.38	25.9	324	10.1	3.9	241	1.18	2.2	5.6	0.9	14.1	132.3
DUP 1828461	QC		475	<0.005	<0.01	<0.17	49.71	1.02	15.40	28.10	24.4	325	10.0	4.0	247	1.23	1.7	5.8	0.6	14.8	133.8
1828495	Drill Core	2.02	430	0.011	0.01	<0.17	26.82	0.51	33.33	59.78	176.0	771	14.5	9.5	522	2.30	14.9	0.9	3.9	9.0	27.0
DUP 1828495	QC		472	0.012	0.01	<0.17	29.54	0.47	33.16	60.45	184.2	786	14.0	9.7	540	2.37	14.9	1.0	5.8	9.1	27.6
1828529	Drill Core	2.84	465	0.017	0.01	<0.17	59.89	2.36	50.57	30.09	254.2	473	37.2	13.4	887	3.05	36.3	1.9	1.7	4.4	25.3
DUP 1828529	QC		467	<0.005	<0.01	<0.17	41.68	2.44	49.08	30.36	250.4	472	38.5	13.3	878	3.08	35.5	1.9	1.6	4.5	25.0
Reference Materials																					
STD BVGEO01	Standard							10.84	4431.07	193.05	1757.4	2590	158.6	25.1	760	3.79	123.9	3.9	218.8	14.4	61.1
STD BVGEO01	Standard							11.62	4391.55	196.92	1733.7	2370	163.8	24.9	707	3.67	115.7	3.9	218.0	14.6	55.1
STD DS11	Standard							15.07	152.64	139.22	336.0	1648	81.8	14.1	1050	3.17	42.7	2.5	107.8	7.8	67.3
STD DS11	Standard							14.66	147.66	135.24	333.0	1667	78.8	13.6	1038	3.10	41.8	2.5	75.7	7.6	66.8
STD OREAS256	Standard			7.638																	
STD OREAS263	Standard			0.218																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 13, 2019

Page:

1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000078.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828439	Drill Core	0.48	1.23	0.04	22	0.49	0.069	22.5	26.7	0.82	292.8	0.096	2	1.16	0.038	0.66	0.6	5.8	0.41	<0.02	8
REP 1828439	QC	0.49	1.12	0.04	22	0.49	0.070	20.8	26.5	0.82	276.1	0.094	2	1.16	0.037	0.66	0.5	5.6	0.42	<0.02	<5
1828473	Drill Core	0.49	0.34	0.31	13	0.28	0.056	31.7	15.2	0.25	279.8	0.004	<1	0.68	0.025	0.36	<0.1	2.4	0.12	<0.02	7
REP 1828473	QC	0.44	0.30	0.26	13	0.28	0.055	30.8	14.3	0.25	261.5	0.004	<1	0.69	0.025	0.36	0.1	1.9	0.13	<0.02	25
1828502	Drill Core	0.47	0.50	0.06	51	2.44	0.069	19.5	117.6	1.55	218.0	0.008	<1	1.69	0.035	0.18	<0.1	10.3	0.07	<0.02	10
REP 1828502	QC																				
1828508	Drill Core	0.31	0.34	0.05	54	2.66	0.071	19.5	119.6	1.59	182.2	0.053	<1	1.64	0.026	0.20	0.1	6.5	0.07	0.12	10
REP 1828508	QC	0.37	0.31	0.05	54	2.97	0.071	19.4	121.2	1.46	183.1	0.053	2	1.52	0.028	0.21	0.1	6.5	0.07	0.11	<5
1828509	Drill Core	0.33	0.60	0.04	61	2.00	0.067	21.9	135.3	1.86	197.1	0.033	<1	1.88	0.025	0.22	<0.1	9.3	0.11	0.16	7
REP 1828509	QC																				
1828539	Drill Core	5.62	1.02	0.59	40	2.31	0.087	14.0	22.7	1.91	206.7	0.005	2	2.05	0.005	0.35	0.2	4.5	0.08	<0.02	8
REP 1828539	QC	5.40	1.07	0.60	40	2.36	0.087	13.9	23.1	1.92	211.4	0.005	<1	2.06	0.005	0.34	0.1	4.5	0.08	<0.02	19
Core Reject Duplicates																					
1828427	Drill Core	0.25	0.36	0.07	1	0.02	0.005	33.3	2.1	0.05	246.6	<0.001	1	0.32	0.018	0.25	<0.1	0.7	0.09	<0.02	<5
DUP 1828427	QC	0.22	0.43	0.10	<1	0.02	0.005	34.4	2.3	0.05	256.7	<0.001	2	0.33	0.019	0.26	<0.1	0.7	0.08	<0.02	<5
1828461	Drill Core	0.33	0.44	0.52	8	1.41	0.044	35.7	7.2	0.25	365.6	0.031	<1	0.60	0.027	0.39	0.1	2.8	0.13	0.07	18
DUP 1828461	QC	0.30	0.43	0.53	8	1.42	0.046	36.9	7.8	0.24	378.8	0.032	<1	0.61	0.028	0.39	0.1	2.5	0.13	0.07	13
1828495	Drill Core	2.38	0.60	0.11	19	0.36	0.084	22.4	24.6	0.81	218.9	0.013	2	1.23	0.014	0.29	0.3	4.0	0.16	<0.02	9
DUP 1828495	QC	2.64	0.60	0.09	19	0.37	0.085	23.6	25.5	0.83	215.2	0.014	<1	1.27	0.014	0.29	0.3	4.2	0.17	<0.02	15
1828529	Drill Core	1.21	1.76	0.34	33	0.55	0.080	11.2	25.2	1.47	159.1	0.005	<1	1.61	0.008	0.24	<0.1	3.0	0.08	<0.02	12
DUP 1828529	QC	1.26	1.69	0.34	35	0.54	0.082	12.1	25.9	1.51	171.5	0.005	<1	1.66	0.007	0.25	<0.1	2.9	0.08	<0.02	13
Reference Materials																					
STD BVGEO01	Standard	6.44	3.58	26.43	76	1.29	0.080	27.1	203.9	1.32	298.4	0.242	4	2.38	0.200	0.92	4.8	6.4	0.61	0.67	102
STD BVGEO01	Standard	5.88	3.04	25.83	74	1.31	0.073	26.4	191.9	1.30	249.6	0.243	3	2.36	0.188	0.90	4.9	5.6	0.57	0.68	104
STD DS11	Standard	2.39	8.16	11.58	48	1.08	0.070	18.4	60.5	0.86	360.4	0.093	6	1.21	0.073	0.41	2.8	3.1	4.79	0.27	228
STD DS11	Standard	2.42	8.30	11.65	48	1.05	0.070	17.7	60.1	0.83	359.9	0.092	7	1.17	0.071	0.39	2.8	3.2	4.71	0.27	269
STD OREAS256	Standard																				
STD OREAS263	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000078.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828439	Drill Core	<0.1	<0.02	4.6	6.15	<0.1	0.07	0.18	38.9	0.8	<0.05	2.0	12.45	42.5	0.03	<1	0.7	17.1	11	<2
REP 1828439	QC	<0.1	0.03	4.8	5.87	<0.1	0.03	0.15	37.1	0.7	<0.05	1.8	12.20	40.6	0.03	<1	0.6	16.9	<10	<2
1828473	Drill Core	<0.1	<0.02	2.8	1.84	<0.1	0.42	<0.02	18.0	0.3	<0.05	15.9	10.78	58.5	<0.02	2	0.4	8.8	<10	<2
REP 1828473	QC	<0.1	<0.02	2.7	1.70	<0.1	0.37	<0.02	17.3	0.4	<0.05	14.5	9.99	56.5	<0.02	1	0.5	7.6	<10	<2
1828502	Drill Core	<0.1	<0.02	5.8	0.77	<0.1	<0.02	0.02	7.5	0.3	<0.05	0.9	10.10	38.1	<0.02	<1	0.6	17.6	21	<2
REP 1828502	QC																			
1828508	Drill Core	0.2	0.06	6.5	1.53	<0.1	0.03	0.08	8.4	0.4	<0.05	1.2	13.12	39.3	0.03	7	0.2	19.4	23	3
REP 1828508	QC	0.1	<0.02	7.2	1.59	0.1	0.04	0.12	8.4	0.4	<0.05	1.2	13.68	39.3	0.03	7	0.4	20.0	24	3
1828509	Drill Core	0.4	0.04	7.0	1.38	<0.1	0.09	0.06	10.3	0.3	<0.05	3.6	12.77	43.7	<0.02	5	0.7	18.4	14	<2
REP 1828509	QC																			
1828539	Drill Core	2.2	0.07	6.0	1.43	<0.1	0.27	<0.02	11.2	0.3	<0.05	13.5	9.65	27.0	0.06	2	0.5	39.5	<10	<2
REP 1828539	QC	1.9	0.15	6.1	1.41	<0.1	0.27	<0.02	11.2	0.3	<0.05	13.4	9.84	26.7	0.02	2	0.7	40.9	<10	3
Core Reject Duplicates																				
1828427	Drill Core	<0.1	<0.02	1.0	0.94	<0.1	0.09	0.03	11.3	0.2	<0.05	3.3	9.32	64.8	<0.02	2	0.1	2.2	<10	<2
DUP 1828427	QC	<0.1	<0.02	1.0	1.03	0.1	0.08	0.02	11.6	0.2	<0.05	3.4	9.45	66.1	<0.02	1	0.3	2.6	<10	<2
1828461	Drill Core	0.7	0.07	2.5	1.23	<0.1	0.12	0.17	15.9	0.6	<0.05	4.2	17.96	66.2	<0.02	3	0.7	7.7	<10	<2
DUP 1828461	QC	0.7	0.03	2.4	1.27	<0.1	0.12	0.19	16.0	0.7	<0.05	3.7	18.03	67.0	<0.02	5	0.2	7.6	15	<2
1828495	Drill Core	<0.1	0.02	5.9	2.55	<0.1	0.06	<0.02	18.1	0.3	<0.05	2.4	14.13	46.5	<0.02	<1	0.6	21.1	<10	<2
DUP 1828495	QC	<0.1	0.03	6.3	2.63	<0.1	0.07	<0.02	18.4	0.4	<0.05	2.6	14.21	47.8	0.02	<1	0.7	22.4	<10	<2
1828529	Drill Core	0.7	0.07	4.3	1.41	<0.1	0.20	<0.02	8.1	0.3	<0.05	11.6	6.47	22.8	0.03	2	0.2	23.9	<10	<2
DUP 1828529	QC	0.7	<0.02	4.1	1.38	<0.1	0.25	<0.02	8.0	0.2	<0.05	11.6	6.36	24.3	0.03	1	0.6	22.1	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.4	1.07	7.5	7.45	0.1	0.34	0.31	96.1	5.7	<0.05	10.3	14.70	56.2	0.42	5	0.7	21.5	141	194
STD BVGE001	Standard	4.8	0.98	7.3	7.02	<0.1	0.33	0.27	88.7	5.5	<0.05	8.2	14.05	53.7	0.44	6	0.6	21.9	181	158
STD DS11	Standard	1.9	4.40	4.6	2.80	<0.1	0.08	1.57	32.2	1.7	<0.05	2.8	7.82	37.8	0.22	53	0.5	23.5	121	172
STD DS11	Standard	1.9	4.62	4.8	2.85	0.1	0.06	1.51	32.7	1.8	<0.05	2.7	7.67	36.8	0.20	42	0.8	23.1	111	174
STD OREAS256	Standard																			
STD OREAS263	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000078.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS253	Standard			1.197																	
STD OREAS262	Standard							0.70	121.91	57.45	149.8	427	66.3	26.8	554	3.36	35.5	1.2	57.3	9.3	36.0
STD OREAS262	Standard							0.72	115.13	55.05	151.1	477	66.7	26.4	561	3.37	36.3	1.2	54.0	9.3	36.0
STD OREAS262	Standard							0.67	111.74	55.18	144.9	422	62.9	25.8	540	3.25	35.0	1.2	56.6	8.6	35.2
STD OREAS262	Standard							0.68	118.90	58.62	149.7	435	64.1	27.0	545	3.23	35.7	1.3	50.8	9.5	35.5
STD OXC145	Standard			0.216																	
STD OXC145	Standard			0.219																	
STD OXH139	Standard			1.278																	
STD OXH139	Standard			1.290																	
STD OXN134	Standard																				
STD OXN134	Standard			7.685																	
STD OXQ90	Standard					25.26	30.01														
STD OXQ90	Standard					25.14	30.35														
STD OXQ90	Standard					25.28	29.95														
STD OXQ90	Standard					25.10	29.92														
STD OXQ90	Standard					25.33	29.97														
STD OXQ90	Standard					25.19	30.01														
STD OXQ90	Standard					25.20	30.00														
STD OXQ90	Standard					25.04	30.03														
STD OXQ90	Standard					25.28	29.79														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000078.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS253	Standard																				
STD OREAS262	Standard	0.70	4.19	1.04	22	3.22	0.039	17.2	44.1	1.20	253.3	0.003	4	1.38	0.070	0.32	0.2	3.5	0.42	0.25	158
STD OREAS262	Standard	0.57	4.94	1.07	23	3.00	0.042	16.6	43.8	1.18	260.6	0.003	3	1.41	0.068	0.33	0.2	3.3	0.45	0.26	188
STD OREAS262	Standard	0.64	4.23	1.00	21	2.85	0.038	15.3	43.1	1.13	251.5	0.003	6	1.27	0.066	0.31	0.2	3.3	0.42	0.25	179
STD OREAS262	Standard	0.66	3.95	1.10	22	2.94	0.040	17.9	44.8	1.19	255.5	0.003	4	1.42	0.069	0.32	0.1	3.6	0.45	0.27	203
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000078.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS253	Standard																			
STD OREAS262	Standard	<0.1	0.29	3.7	2.55	<0.1	0.22	<0.02	18.4	0.5	<0.05	10.5	10.73	34.7	0.04	<1	1.1	17.7	<10	<2
STD OREAS262	Standard	<0.1	0.26	4.3	2.77	<0.1	0.27	<0.02	19.0	0.5	<0.05	11.5	10.70	34.5	0.02	2	1.4	16.8	<10	<2
STD OREAS262	Standard	<0.1	0.23	4.0	2.55	<0.1	0.24	<0.02	18.0	0.5	<0.05	10.3	10.32	32.0	<0.02	1	1.5	17.8	<10	<2
STD OREAS262	Standard	0.1	0.18	3.9	2.67	<0.1	0.26	<0.02	18.3	0.6	<0.05	9.8	10.70	35.2	0.03	<1	0.9	18.4	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000078.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.07	<0.01	0.5	<2	<0.1	<0.1	2	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.008																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.03	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		448	0.007	<0.01	<0.17	48.67	0.89	3.37	1.41	27.9	7	1.2	4.0	460	1.96	1.2	0.5	2.2	2.4	24.9
ROCK-WHI	Prep Blank		426	0.006	<0.01	<0.17	42.69	1.06	4.16	1.20	30.6	6	0.8	4.1	490	1.98	1.4	0.4	2.5	2.4	27.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000078.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	0.02	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.03	0.03	26	0.65	0.037	6.4	2.3	0.42	59.7	0.084	3	0.91	0.089	0.08	<0.1	2.7	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.05	<0.02	26	0.68	0.040	6.4	2.5	0.46	56.3	0.085	2	0.97	0.102	0.09	<0.1	3.1	<0.02	<0.02	8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 13, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000078.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	0.02	<0.1	<0.02	<1	0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	0.02	<0.1	<0.02	<1	<0.1	<0.1	11
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	0.2	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	18
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.14	0.21	2.4	0.3	<0.05	3.3	8.36	12.8	0.03	2	0.3	2.5	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.16	0.1	0.14	0.25	2.2	0.4	<0.05	3.6	8.86	13.0	<0.02	1	0.4	2.1	<10