



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 25, 2019  
Report Date: July 18, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000081.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-18  
P.O. Number  
Number of Samples: 116

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code  | Number of Samples | Code Description                                      | Test Wgt (g) | Report Status | Lab |
|-----------------|-------------------|---|--------------|---------------|-----|
| PRP70-500       | 112               | Crush, split and pulverize 500g rock to 200 mesh      |              |               | WHI |
| SPTRF           | 1                 | Split samples by riffle splitter                      |              |               | WHI |
| PUL85           | 1                 | Pulverize to 85% passing 200 mesh                     |              |               | WHI |
| SLBHP           | 3                 | Sort, label and box pulps                             |              |               | WHI |
| FS631           | 116               | Metallic Sieve 500g to 150 mesh                       |              |               | WHI |
| Split +150 mesh | 116               | Analysis sample split/packet                          |              |               | WHI |
| Split -150      | 116               | Analysis sample split/packet                          |              |               | WHI |
| EN002           | 116               | Environmental disposal charge-Fire assay lead waste   |              |               | VAN |
| FS631           | 113               | Metallics Fire Assay for Au                           | 30           | Completed     | VAN |
| AQ251_EXT       | 116               | 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis | 15           | Completed     | VAN |
| SHP01           | 116               | Per sample shipping charges for branch shipments      |              |               | VAN |

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251  | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251  | AQ251 | AQ251 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu     | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm    | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01   | 0.01  | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1   | 0.2    | 0.1   | 0.5   |
| 1830383 | Drill Core                       | 2.29 | 452   | 0.029  | 0.03  | <0.17 | 43.85 | 1.03  | 17.96  | 13.02 | 55.9  | 635   | 12.0  | 7.3   | 407   | 2.15  | 22.2  | 0.9   | 21.9   | 7.8   | 33.4  |
| 1830384 | Drill Core                       | 3.20 | 444   | 0.007  | <0.01 | <0.17 | 50.64 | 1.61  | 19.46  | 19.69 | 57.5  | 261   | 12.4  | 8.2   | 402   | 2.26  | 175.4 | 1.2   | 1.9    | 11.6  | 27.3  |
| 1830385 | Drill Core                       | 3.74 | 394   | 0.006  | <0.01 | <0.17 | 40.44 | 1.22  | 14.39  | 13.58 | 48.8  | 182   | 10.3  | 6.4   | 491   | 2.02  | 18.3  | 1.1   | 0.6    | 8.3   | 99.1  |
| 1830386 | Drill Core                       | 3.58 | 439   | 0.007  | <0.01 | <0.17 | 32.79 | 0.33  | 7.28   | 6.09  | 57.6  | 112   | 9.5   | 5.8   | 436   | 2.13  | 9.4   | 0.7   | 0.6    | 8.0   | 69.1  |
| 1830387 | Drill Core                       | 4.28 | 414   | 0.120  | 0.12  | <0.17 | 48.95 | 0.74  | 22.12  | 8.49  | 49.5  | 519   | 9.9   | 6.0   | 352   | 1.82  | 11.3  | 1.0   | 88.8   | 8.2   | 38.8  |
| 1830388 | Drill Core                       | 2.96 | 420   | 0.228  | 0.22  | 0.18  | 50.63 | 1.72  | 32.14  | 7.37  | 35.5  | 1199  | 13.4  | 9.4   | 320   | 2.34  | 27.7  | 2.2   | 264.1  | 11.4  | 28.3  |
| 1830389 | Drill Core                       | 2.30 | 497   | 0.017  | 0.02  | <0.17 | 51.39 | 0.55  | 19.10  | 4.84  | 49.5  | 431   | 9.0   | 6.2   | 414   | 1.92  | 16.6  | 0.9   | 5.8    | 7.1   | 45.6  |
| 1830390 | Drill Core                       | 2.57 | 556   | <0.005 | <0.01 | <0.17 | 48.65 | 0.35  | 12.30  | 9.16  | 61.5  | 159   | 10.3  | 6.6   | 585   | 2.23  | 6.3   | 1.0   | 0.6    | 8.2   | 78.1  |
| 1830391 | Drill Core                       | 3.69 | 474   | <0.005 | <0.01 | <0.17 | 50.18 | 0.36  | 16.51  | 17.68 | 62.9  | 202   | 11.2  | 7.0   | 620   | 2.33  | 5.9   | 1.0   | 0.3    | 7.4   | 102.5 |
| 1830392 | Drill Core                       | 5.55 | 525   | <0.005 | <0.01 | <0.17 | 38.52 | 0.45  | 17.48  | 6.87  | 59.1  | 189   | 12.3  | 7.5   | 521   | 2.31  | 6.4   | 0.8   | 0.5    | 8.2   | 64.9  |
| 1830393 | Drill Core                       | 4.80 | 541   | <0.005 | <0.01 | <0.17 | 49.80 | 0.96  | 16.41  | 7.57  | 42.6  | 197   | 11.6  | 6.7   | 409   | 1.86  | 17.5  | 0.9   | 0.4    | 8.0   | 81.0  |
| 1830394 | Drill Core                       | 4.77 | 564   | 0.006  | <0.01 | <0.17 | 50.95 | 0.86  | 17.03  | 11.46 | 45.6  | 247   | 11.9  | 7.1   | 434   | 1.90  | 13.9  | 1.1   | 1.9    | 8.0   | 79.3  |
| 1830395 | Drill Core                       | 1.92 | 462   | 0.403  | 0.40  | 0.40  | 42.37 | 0.94  | 9.98   | 7.99  | 29.7  | 331   | 9.7   | 5.3   | 370   | 1.51  | 6.5   | 1.0   | 295.0  | 4.5   | 62.0  |
| 1830396 | Drill Core                       | 2.93 | 395   | 0.016  | 0.02  | <0.17 | 29.88 | 0.86  | 16.08  | 4.37  | 46.8  | 227   | 11.8  | 7.9   | 555   | 2.05  | 8.3   | 1.3   | 10.6   | 8.7   | 84.2  |
| 1830397 | Drill Core                       | 3.90 | 476   | 0.006  | <0.01 | <0.17 | 47.66 | 0.55  | 20.88  | 12.14 | 41.5  | 272   | 8.9   | 6.1   | 515   | 1.85  | 7.7   | 0.9   | 1.7    | 7.3   | 94.5  |
| 1830398 | Drill Core                       | 1.78 | 437   | 0.036  | 0.03  | <0.17 | 24.77 | 0.49  | 12.41  | 67.39 | 50.4  | 498   | 8.1   | 6.1   | 544   | 1.95  | 3.9   | 1.1   | 43.3   | 8.6   | 104.7 |
| 1830399 | Drill Core                       | 4.77 | 409   | 0.022  | 0.05  | 0.52  | 24.85 | 0.29  | 14.57  | 13.72 | 53.9  | 262   | 9.0   | 6.4   | 477   | 2.01  | 3.4   | 1.4   | 9.0    | 9.1   | 68.3  |
| 1830400 | Rock Pulp                        | 0.12 | 88    | 7.246  |       |       |       | 8.70  | 182.51 | 16.24 | 71.1  | 848   | 12.9  | 10.6  | 549   | 4.38  | 12.6  | 0.7   | 6218.3 | 2.2   | 66.8  |
| 1830401 | Drill Core                       | 2.06 | 408   | 0.300  | 0.39  | 1.39  | 34.47 | 0.48  | 11.80  | 3.22  | 44.7  | 356   | 9.2   | 6.9   | 498   | 1.89  | 2.6   | 1.4   | 302.3  | 9.7   | 54.7  |
| 1830402 | Drill Core                       | 4.57 | 388   | 0.013  | 0.17  | 2.16  | 27.84 | 0.26  | 5.40   | 3.39  | 79.4  | 78    | 10.3  | 8.1   | 499   | 2.77  | 2.9   | 1.3   | 7.1    | 12.5  | 68.8  |
| 1830403 | Drill Core                       | 2.25 | 456   | 0.010  | <0.01 | <0.17 | 42.84 | 0.83  | 19.64  | 5.51  | 49.8  | 259   | 8.5   | 7.0   | 537   | 2.02  | 7.7   | 1.3   | 3.5    | 7.1   | 93.8  |
| 1830404 | Drill Core                       | 3.50 | 429   | <0.005 | <0.01 | <0.17 | 32.57 | 0.83  | 16.23  | 10.61 | 61.8  | 250   | 11.8  | 7.6   | 699   | 2.26  | 7.0   | 2.4   | 0.6    | 9.1   | 66.9  |
| 1830405 | Drill Core                       | 3.92 | 408   | 0.006  | <0.01 | <0.17 | 39.87 | 0.32  | 10.71  | 5.20  | 62.7  | 156   | 11.7  | 7.5   | 536   | 2.35  | 6.5   | 1.3   | <0.2   | 9.8   | 98.6  |
| 1830406 | Drill Core                       | 4.95 | 421   | <0.005 | <0.01 | <0.17 | 30.29 | 0.42  | 12.39  | 19.56 | 58.8  | 205   | 10.3  | 7.2   | 547   | 2.28  | 5.6   | 1.5   | <0.2   | 10.6  | 66.8  |
| 1830407 | Drill Core                       | 3.50 | 355   | 0.256  | 0.26  | 0.33  | 36.30 | 1.06  | 19.29  | 5.94  | 49.7  | 393   | 10.3  | 8.1   | 485   | 2.27  | 6.7   | 2.6   | 224.9  | 11.7  | 47.9  |
| 1830408 | Drill Core                       | 3.80 | 387   | 0.083  | 0.08  | <0.17 | 27.33 | 0.51  | 14.16  | 4.70  | 56.9  | 208   | 10.0  | 7.9   | 761   | 2.13  | 7.3   | 2.5   | 68.6   | 8.8   | 56.8  |
| 1830409 | Drill Core                       | 2.08 | 447   | 0.190  | 0.19  | 0.22  | 46.27 | 0.67  | 3.54   | 6.61  | 22.4  | 238   | 11.0  | 8.4   | 648   | 2.36  | 7.9   | 1.9   | 136.0  | 6.7   | 73.7  |
| 1830410 | Drill Core                       | 4.35 | 372   | 0.117  | 0.12  | <0.17 | 28.31 | 0.81  | 17.41  | 7.70  | 54.2  | 363   | 11.5  | 9.0   | 622   | 2.27  | 18.5  | 1.8   | 125.2  | 9.2   | 73.8  |
| 1830411 | Drill Core                       | 4.49 | 371   | 0.372  | 0.37  | 0.29  | 24.51 | 0.33  | 14.25  | 7.43  | 62.9  | 450   | 11.5  | 9.3   | 636   | 2.43  | 9.6   | 1.7   | 509.7  | 8.9   | 124.9 |
| 1830412 | Drill Core                       | 4.35 | 369   | 1.105  | 1.24  | 2.74  | 29.91 | 0.78  | 19.35  | 16.39 | 37.0  | 746   | 10.5  | 8.2   | 480   | 2.11  | 11.5  | 1.8   | 1343.7 | 8.9   | 79.7  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method     | Analyte | Unit | MDL   | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |      |      |     |
|---------|------------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-----|
|         |            |         |      |       | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Sc    | Tl   | S    | Hg  |
|         |            |         |      |       | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm  | %    | ppb |
|         |            |         |      |       | 0.01  | 0.02  | 0.02  | 1     | 0.01  | 0.001 | 0.5   | 0.5   | 0.01  | 0.5   | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.1   | 0.02 | 0.02 | 5   |
| 1830383 | Drill Core | 0.22    | 1.97 | 0.16  | 16    | 0.55  | 0.049 | 14.1  | 15.3  | 0.80  | 188.6 | 0.031 | 1     | 1.08  | 0.013 | 0.34  | 5.1   | 5.1   | 0.18  | 0.05  | <5    |      |      |     |
| 1830384 | Drill Core | 0.39    | 6.90 | 0.17  | 15    | 0.48  | 0.064 | 25.7  | 13.1  | 0.79  | 297.7 | 0.037 | <1    | 1.14  | 0.011 | 0.60  | 0.2   | 6.3   | 0.28  | <0.02 | <5    |      |      |     |
| 1830385 | Drill Core | 0.30    | 0.94 | 0.09  | 13    | 1.72  | 0.057 | 15.6  | 11.7  | 0.78  | 280.5 | 0.044 | <1    | 0.91  | 0.014 | 0.55  | <0.1  | 5.5   | 0.25  | <0.02 | <5    |      |      |     |
| 1830386 | Drill Core | 0.19    | 0.31 | <0.02 | 16    | 0.91  | 0.055 | 17.5  | 15.7  | 0.86  | 252.2 | 0.054 | <1    | 1.02  | 0.020 | 0.59  | <0.1  | 5.6   | 0.25  | <0.02 | <5    |      |      |     |
| 1830387 | Drill Core | 0.34    | 0.62 | 0.06  | 10    | 0.51  | 0.051 | 17.5  | 10.2  | 0.66  | 197.2 | 0.023 | 1     | 0.88  | 0.015 | 0.50  | 0.2   | 3.6   | 0.16  | <0.02 | <5    |      |      |     |
| 1830388 | Drill Core | 0.27    | 1.38 | 0.05  | 9     | 0.14  | 0.037 | 22.8  | 8.9   | 0.51  | 227.7 | 0.014 | 2     | 0.97  | 0.007 | 0.57  | 0.3   | 3.8   | 0.20  | 0.02  | <5    |      |      |     |
| 1830389 | Drill Core | 0.27    | 1.12 | 0.02  | 10    | 0.68  | 0.050 | 14.3  | 9.8   | 0.77  | 184.4 | 0.020 | 1     | 0.96  | 0.010 | 0.55  | 0.3   | 3.4   | 0.18  | 0.02  | <5    |      |      |     |
| 1830390 | Drill Core | 0.22    | 0.54 | <0.02 | 18    | 1.04  | 0.055 | 19.2  | 18.5  | 0.93  | 160.8 | 0.031 | 1     | 1.11  | 0.022 | 0.45  | <0.1  | 5.3   | 0.14  | <0.02 | <5    |      |      |     |
| 1830391 | Drill Core | 0.27    | 0.38 | <0.02 | 20    | 1.27  | 0.059 | 18.8  | 18.8  | 0.99  | 185.8 | 0.034 | <1    | 1.13  | 0.018 | 0.49  | <0.1  | 5.3   | 0.18  | <0.02 | <5    |      |      |     |
| 1830392 | Drill Core | 0.21    | 0.36 | 0.05  | 17    | 0.84  | 0.063 | 19.4  | 15.8  | 0.84  | 251.5 | 0.043 | <1    | 1.04  | 0.019 | 0.59  | <0.1  | 5.4   | 0.27  | <0.02 | <5    |      |      |     |
| 1830393 | Drill Core | 0.39    | 0.45 | 0.16  | 12    | 1.77  | 0.065 | 19.0  | 11.1  | 0.50  | 224.1 | 0.026 | <1    | 0.84  | 0.007 | 0.46  | <0.1  | 4.1   | 0.17  | <0.02 | <5    |      |      |     |
| 1830394 | Drill Core | 0.33    | 0.50 | 0.14  | 12    | 1.48  | 0.064 | 20.9  | 12.1  | 0.57  | 233.3 | 0.036 | <1    | 0.86  | 0.010 | 0.55  | 0.2   | 4.2   | 0.21  | <0.02 | <5    |      |      |     |
| 1830395 | Drill Core | 0.26    | 0.24 | 0.07  | 9     | 0.88  | 0.054 | 13.3  | 9.8   | 0.51  | 167.5 | 0.012 | <1    | 0.67  | 0.013 | 0.32  | 0.2   | 2.5   | 0.10  | <0.02 | 6     |      |      |     |
| 1830396 | Drill Core | 0.35    | 0.37 | 0.05  | 12    | 1.32  | 0.070 | 23.3  | 11.8  | 0.73  | 249.6 | 0.034 | <1    | 0.97  | 0.011 | 0.62  | 0.1   | 4.0   | 0.22  | <0.02 | <5    |      |      |     |
| 1830397 | Drill Core | 0.24    | 0.36 | 0.08  | 10    | 1.25  | 0.054 | 14.8  | 10.6  | 0.62  | 217.5 | 0.046 | <1    | 0.82  | 0.016 | 0.60  | 0.1   | 3.9   | 0.25  | 0.05  | <5    |      |      |     |
| 1830398 | Drill Core | 0.33    | 0.39 | 0.33  | 11    | 1.31  | 0.056 | 18.2  | 12.6  | 0.73  | 198.2 | 0.038 | <1    | 0.91  | 0.017 | 0.51  | 0.2   | 3.5   | 0.20  | 0.03  | 8     |      |      |     |
| 1830399 | Drill Core | 0.21    | 0.37 | 0.04  | 13    | 0.86  | 0.053 | 21.4  | 14.0  | 0.76  | 195.0 | 0.048 | <1    | 1.01  | 0.029 | 0.50  | 0.2   | 4.0   | 0.21  | 0.05  | <5    |      |      |     |
| 1830400 | Rock Pulp  | 0.16    | 4.45 | 0.46  | 106   | 0.90  | 0.055 | 6.5   | 16.9  | 0.80  | 103.3 | 0.109 | 3     | 1.70  | 0.173 | 0.22  | 3.2   | 3.2   | 0.05  | <0.02 | 200   |      |      |     |
| 1830401 | Drill Core | 0.25    | 0.37 | 0.02  | 7     | 0.76  | 0.044 | 20.5  | 10.4  | 0.56  | 197.4 | 0.026 | 1     | 0.73  | 0.026 | 0.39  | 0.3   | 3.2   | 0.16  | 0.07  | 8     |      |      |     |
| 1830402 | Drill Core | 0.24    | 0.39 | 0.02  | 17    | 0.89  | 0.091 | 25.4  | 16.9  | 1.10  | 248.1 | 0.061 | 1     | 1.45  | 0.033 | 0.76  | <0.1  | 4.4   | 0.35  | 0.04  | <5    |      |      |     |
| 1830403 | Drill Core | 0.20    | 0.25 | <0.02 | 12    | 1.20  | 0.061 | 12.6  | 10.4  | 0.63  | 229.4 | 0.020 | <1    | 0.92  | 0.012 | 0.42  | <0.1  | 2.7   | 0.17  | 0.10  | 6     |      |      |     |
| 1830404 | Drill Core | 0.27    | 0.28 | 0.06  | 15    | 1.39  | 0.063 | 19.8  | 17.6  | 0.67  | 195.5 | 0.004 | <1    | 0.99  | 0.019 | 0.28  | <0.1  | 4.6   | 0.10  | 0.07  | <5    |      |      |     |
| 1830405 | Drill Core | 0.26    | 0.30 | <0.02 | 14    | 1.15  | 0.074 | 20.4  | 15.4  | 0.89  | 235.1 | 0.023 | 2     | 1.15  | 0.020 | 0.47  | <0.1  | 4.2   | 0.19  | 0.04  | <5    |      |      |     |
| 1830406 | Drill Core | 0.24    | 0.25 | 0.05  | 17    | 0.87  | 0.056 | 26.1  | 20.7  | 0.81  | 205.6 | 0.007 | <1    | 1.11  | 0.027 | 0.25  | <0.1  | 4.0   | 0.09  | <0.02 | <5    |      |      |     |
| 1830407 | Drill Core | 0.28    | 0.43 | 0.03  | 10    | 0.47  | 0.056 | 28.4  | 13.0  | 0.47  | 236.6 | 0.004 | <1    | 0.82  | 0.023 | 0.27  | <0.1  | 3.5   | 0.08  | 0.03  | 7     |      |      |     |
| 1830408 | Drill Core | 0.35    | 0.46 | <0.02 | 10    | 1.21  | 0.062 | 19.2  | 10.8  | 0.60  | 225.1 | 0.007 | <1    | 0.98  | 0.014 | 0.38  | <0.1  | 3.2   | 0.13  | 0.05  | <5    |      |      |     |
| 1830409 | Drill Core | 0.14    | 0.36 | 0.02  | 4     | 1.54  | 0.034 | 12.0  | 4.7   | 0.36  | 168.8 | 0.003 | <1    | 0.51  | 0.010 | 0.30  | 0.1   | 3.3   | 0.09  | 0.05  | 6     |      |      |     |
| 1830410 | Drill Core | 0.38    | 0.44 | 0.05  | 10    | 1.08  | 0.061 | 23.1  | 11.0  | 0.78  | 223.8 | 0.014 | <1    | 1.08  | 0.012 | 0.51  | 0.1   | 3.3   | 0.15  | <0.02 | <5    |      |      |     |
| 1830411 | Drill Core | 0.30    | 0.35 | 0.06  | 12    | 1.33  | 0.061 | 23.2  | 12.8  | 0.92  | 204.6 | 0.013 | <1    | 1.19  | 0.016 | 0.44  | 0.2   | 3.7   | 0.13  | 0.02  | <5    |      |      |     |
| 1830412 | Drill Core | 0.31    | 0.27 | 0.17  | 11    | 1.35  | 0.067 | 20.9  | 12.7  | 0.58  | 290.1 | 0.014 | 1     | 0.91  | 0.016 | 0.42  | 0.2   | 3.5   | 0.11  | 0.08  | 11    |      |      |     |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

| Method  | AQ251      | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Se         | Te    | Ga    | Cs    | Ge    | Hf    | Nb    | Rb    | Sn    | Ta    | Zr    | Y     | Ce    | In    | Re    | Be    | Li    | Pd    | Pt    |
| Unit    | ppm        | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppb   | ppb   |
| MDL     | 0.1        | 0.02  | 0.1   | 0.02  | 0.1   | 0.02  | 0.02  | 0.1   | 0.1   | 0.05  | 0.1   | 0.01  | 0.1   | 0.02  | 1     | 0.1   | 0.1   | 10    | 2     |
| 1830383 | Drill Core | 0.3   | 0.03  | 3.6   | 1.53  | <0.1  | 0.11  | 0.09  | 19.1  | 0.3   | <0.05 | 5.3   | 6.33  | 28.0  | 0.02  | <1    | 0.3   | 7.9   | <10   |
| 1830384 | Drill Core | 0.4   | <0.02 | 3.8   | 2.05  | <0.1  | 0.05  | 0.05  | 31.8  | 0.5   | <0.05 | 2.2   | 6.65  | 49.6  | 0.03  | <1    | 0.4   | 10.9  | <10   |
| 1830385 | Drill Core | 0.2   | <0.02 | 2.9   | 2.79  | <0.1  | 0.11  | 0.05  | 32.9  | 0.3   | <0.05 | 4.7   | 5.13  | 30.5  | 0.02  | <1    | 0.3   | 6.9   | <10   |
| 1830386 | Drill Core | <0.1  | <0.02 | 3.6   | 2.71  | <0.1  | 0.19  | 0.04  | 32.9  | 0.4   | <0.05 | 8.2   | 5.28  | 33.8  | 0.02  | <1    | 0.3   | 7.3   | <10   |
| 1830387 | Drill Core | 0.2   | <0.02 | 2.6   | 1.55  | <0.1  | 0.14  | 0.04  | 24.4  | 0.2   | <0.05 | 6.5   | 4.91  | 33.8  | <0.02 | <1    | 0.3   | 6.8   | <10   |
| 1830388 | Drill Core | 0.6   | 0.04  | 2.4   | 1.79  | <0.1  | 0.30  | 0.04  | 27.2  | 0.2   | <0.05 | 14.9  | 6.24  | 43.9  | <0.02 | <1    | 0.4   | 7.9   | <10   |
| 1830389 | Drill Core | 0.2   | <0.02 | 2.7   | 1.74  | <0.1  | 0.24  | 0.02  | 26.1  | 0.2   | <0.05 | 11.0  | 4.04  | 27.8  | <0.02 | <1    | 0.3   | 6.5   | <10   |
| 1830390 | Drill Core | <0.1  | <0.02 | 4.2   | 1.52  | <0.1  | 0.19  | 0.03  | 20.4  | 0.3   | <0.05 | 8.4   | 5.25  | 37.0  | 0.03  | <1    | 0.3   | 7.6   | <10   |
| 1830391 | Drill Core | 0.1   | <0.02 | 4.4   | 1.78  | <0.1  | 0.18  | <0.02 | 23.9  | 0.3   | <0.05 | 8.3   | 4.80  | 36.8  | 0.03  | <1    | 0.4   | 7.4   | <10   |
| 1830392 | Drill Core | 0.2   | <0.02 | 3.4   | 3.34  | <0.1  | 0.19  | 0.02  | 33.7  | 0.3   | <0.05 | 8.3   | 4.19  | 37.8  | 0.03  | <1    | 0.3   | 6.8   | <10   |
| 1830393 | Drill Core | 0.4   | 0.04  | 2.5   | 1.21  | <0.1  | 0.03  | 0.04  | 21.6  | 0.2   | <0.05 | 0.9   | 5.61  | 37.2  | 0.03  | <1    | 0.2   | 5.4   | <10   |
| 1830394 | Drill Core | 0.4   | 0.03  | 2.5   | 1.59  | <0.1  | 0.04  | 0.04  | 26.0  | 0.3   | <0.05 | 1.8   | 5.59  | 40.7  | 0.02  | <1    | 0.2   | 5.1   | <10   |
| 1830395 | Drill Core | 0.3   | 0.03  | 2.1   | 0.79  | <0.1  | <0.02 | <0.02 | 14.0  | 0.2   | <0.05 | 0.9   | 5.25  | 25.9  | <0.02 | <1    | 0.2   | 4.7   | <10   |
| 1830396 | Drill Core | 0.2   | <0.02 | 2.7   | 1.76  | <0.1  | 0.07  | 0.03  | 31.0  | 0.2   | <0.05 | 3.1   | 6.75  | 45.4  | <0.02 | <1    | 0.3   | 6.0   | <10   |
| 1830397 | Drill Core | 0.3   | 0.02  | 2.4   | 1.82  | <0.1  | 0.20  | 0.03  | 31.3  | 0.3   | <0.05 | 8.1   | 4.41  | 28.9  | <0.02 | <1    | 0.3   | 4.1   | <10   |
| 1830398 | Drill Core | 0.3   | 0.06  | 3.0   | 1.32  | <0.1  | 0.24  | 0.04  | 24.5  | 0.4   | <0.05 | 10.5  | 5.72  | 35.3  | <0.02 | <1    | 0.3   | 6.1   | <10   |
| 1830399 | Drill Core | 0.2   | <0.02 | 3.3   | 1.48  | <0.1  | 0.25  | 0.05  | 25.8  | 0.4   | <0.05 | 10.6  | 6.32  | 41.6  | 0.02  | <1    | 0.4   | 7.3   | <10   |
| 1830400 | Rock Pulp  | 0.2   | 0.18  | 5.0   | 0.57  | <0.1  | 0.08  | 0.09  | 7.9   | 1.6   | <0.05 | 1.7   | 5.12  | 13.3  | 0.05  | 1     | 0.1   | 6.6   | <10   |
| 1830401 | Drill Core | <0.1  | <0.02 | 2.4   | 1.15  | <0.1  | 0.20  | 0.03  | 19.4  | 0.3   | <0.05 | 7.6   | 5.46  | 39.4  | 0.04  | <1    | 0.3   | 6.1   | <10   |
| 1830402 | Drill Core | <0.1  | <0.02 | 4.7   | 2.53  | <0.1  | 0.21  | 0.03  | 36.5  | 0.4   | <0.05 | 7.8   | 6.02  | 48.2  | 0.02  | <1    | 0.4   | 10.0  | <10   |
| 1830403 | Drill Core | <0.1  | <0.02 | 3.1   | 0.84  | <0.1  | 0.11  | <0.02 | 19.1  | 0.3   | <0.05 | 4.5   | 4.15  | 23.6  | <0.02 | <1    | 0.5   | 6.7   | <10   |
| 1830404 | Drill Core | <0.1  | <0.02 | 3.5   | 0.98  | <0.1  | 0.16  | <0.02 | 12.0  | 0.3   | <0.05 | 7.2   | 7.67  | 37.9  | 0.03  | <1    | 0.5   | 7.8   | <10   |
| 1830405 | Drill Core | <0.1  | <0.02 | 3.8   | 1.49  | <0.1  | 0.21  | <0.02 | 22.5  | 0.3   | <0.05 | 8.7   | 5.68  | 39.7  | <0.02 | <1    | 0.5   | 8.4   | <10   |
| 1830406 | Drill Core | <0.1  | <0.02 | 5.0   | 0.50  | <0.1  | 0.26  | <0.02 | 11.4  | 0.4   | <0.05 | 9.1   | 7.07  | 48.7  | <0.02 | <1    | 0.3   | 7.8   | <10   |
| 1830407 | Drill Core | 0.1   | 0.03  | 3.1   | 0.43  | <0.1  | 0.26  | <0.02 | 11.5  | 0.2   | <0.05 | 10.1  | 7.35  | 53.0  | 0.03  | <1    | 0.3   | 6.8   | <10   |
| 1830408 | Drill Core | <0.1  | <0.02 | 2.8   | 1.09  | <0.1  | 0.24  | <0.02 | 17.6  | 0.2   | <0.05 | 9.7   | 7.41  | 36.0  | <0.02 | <1    | 0.3   | 8.7   | <10   |
| 1830409 | Drill Core | 0.5   | 0.06  | 1.5   | 1.06  | <0.1  | 0.23  | <0.02 | 12.5  | 0.2   | <0.05 | 10.0  | 5.54  | 23.1  | <0.02 | <1    | 0.3   | 3.9   | <10   |
| 1830410 | Drill Core | 0.3   | <0.02 | 2.8   | 1.08  | <0.1  | 0.31  | <0.02 | 21.6  | 0.2   | <0.05 | 12.5  | 5.85  | 43.8  | <0.02 | <1    | 0.4   | 9.3   | <10   |
| 1830411 | Drill Core | <0.1  | 0.04  | 3.2   | 1.01  | <0.1  | 0.20  | <0.02 | 17.3  | 0.3   | <0.05 | 8.8   | 6.34  | 44.2  | 0.02  | <1    | 0.3   | 9.5   | <10   |
| 1830412 | Drill Core | 0.3   | 0.06  | 2.9   | 0.74  | <0.1  | 0.06  | <0.02 | 15.3  | 0.3   | <0.05 | 2.5   | 6.58  | 39.2  | 0.02  | <1    | 0.3   | 6.2   | <10   |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251  | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251  | AQ251 | AQ251 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu     | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm    | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01   | 0.01  | 0.01  | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1    | 0.2   | 0.1   |
| 1830413 | Drill Core                       | 4.37 | 415   | 0.006  | <0.01 | <0.17 | 50.73 | 0.84  | 14.26  | 11.39 | 44.8  | 164   | 9.9   | 7.2   | 474   | 1.97  | 13.4  | 1.4   | <0.2   | 9.0   | 85.9  |
| 1830414 | Drill Core                       | 4.39 | 431   | <0.005 | <0.01 | <0.17 | 40.38 | 0.94  | 19.01  | 12.80 | 57.8  | 202   | 13.5  | 8.4   | 419   | 2.26  | 11.3  | 1.3   | <0.2   | 10.1  | 56.2  |
| 1830415 | Drill Core                       | 4.64 | 401   | <0.005 | <0.01 | <0.17 | 29.60 | 0.66  | 12.21  | 21.74 | 50.8  | 204   | 11.0  | 6.5   | 373   | 2.09  | 10.2  | 0.7   | <0.2   | 8.9   | 46.3  |
| 1830416 | Drill Core                       | 4.09 | 349   | <0.005 | <0.01 | <0.17 | 29.92 | 0.24  | 9.41   | 13.68 | 53.4  | 86    | 7.9   | 4.8   | 429   | 1.91  | 9.2   | 0.7   | <0.2   | 12.5  | 45.1  |
| 1830417 | Drill Core                       | 4.09 | 340   | <0.005 | <0.01 | <0.17 | 31.15 | 0.31  | 12.74  | 17.17 | 55.4  | 142   | 10.9  | 6.3   | 402   | 2.20  | 9.6   | 0.7   | <0.2   | 12.1  | 46.5  |
| 1830418 | Drill Core                       | 4.40 | 407   | <0.005 | <0.01 | <0.17 | 27.37 | 0.30  | 13.08  | 18.18 | 54.3  | 137   | 11.1  | 6.9   | 419   | 2.03  | 7.4   | 0.6   | <0.2   | 10.7  | 55.8  |
| 1830419 | Drill Core                       | 4.09 | 357   | 0.005  | <0.01 | <0.17 | 43.50 | 0.53  | 12.10  | 10.84 | 49.3  | 140   | 11.0  | 7.1   | 376   | 2.08  | 10.7  | 1.0   | <0.2   | 11.8  | 52.7  |
| 1830420 | Rock Pulp                        | 0.12 | 88    | 0.453  |       |       |       | 2.23  | 439.25 | 18.30 | 47.0  | 275   | 601.2 | 27.6  | 432   | 2.51  | 18.9  | 0.6   | 419.3  | 1.6   | 54.9  |
| 1830421 | Drill Core                       | 4.51 | 368   | 0.006  | <0.01 | <0.17 | 30.62 | 0.83  | 10.92  | 9.84  | 36.6  | 119   | 8.3   | 5.5   | 347   | 1.62  | 10.7  | 1.2   | <0.2   | 10.6  | 111.6 |
| 1830422 | Drill Core                       | 4.37 | 401   | <0.005 | <0.01 | <0.17 | 44.66 | 1.39  | 15.61  | 19.26 | 44.6  | 171   | 10.3  | 6.9   | 360   | 1.86  | 8.4   | 2.0   | <0.2   | 11.1  | 106.5 |
| 1830423 | Drill Core                       | 3.85 | 426   | 0.008  | <0.01 | <0.17 | 50.23 | 1.53  | 20.53  | 10.21 | 58.1  | 180   | 14.7  | 8.8   | 561   | 2.36  | 14.6  | 2.8   | 1.0    | 10.4  | 65.9  |
| 1830424 | Drill Core                       | 4.50 | 370   | <0.005 | <0.01 | <0.17 | 24.36 | 0.57  | 16.64  | 15.98 | 59.2  | 230   | 13.0  | 7.8   | 470   | 2.42  | 13.8  | 1.1   | <0.2   | 10.2  | 96.5  |
| 1830425 | Drill Core                       | 4.31 | 368   | <0.005 | <0.01 | <0.17 | 34.36 | 0.61  | 17.72  | 14.26 | 56.9  | 225   | 12.0  | 7.9   | 472   | 2.31  | 9.6   | 1.1   | <0.2   | 9.9   | 117.8 |
| 1830426 | Drill Core                       | 4.79 | 410   | <0.005 | <0.01 | <0.17 | 48.45 | 0.77  | 19.46  | 9.74  | 66.7  | 222   | 15.0  | 9.5   | 724   | 2.71  | 8.7   | 1.4   | <0.2   | 10.5  | 130.0 |
| 1830427 | Drill Core                       | 4.28 | 422   | 0.005  | <0.01 | <0.17 | 29.38 | 0.26  | 11.62  | 12.28 | 54.9  | 161   | 10.9  | 7.5   | 502   | 2.13  | 7.9   | 0.5   | <0.2   | 9.3   | 70.1  |
| 1830428 | Drill Core                       | 3.77 | 364   | <0.005 | <0.01 | <0.17 | 26.61 | 0.54  | 11.53  | 14.63 | 48.8  | 181   | 10.7  | 6.6   | 405   | 2.21  | 9.8   | 0.6   | <0.2   | 8.0   | 57.6  |
| 1830429 | Drill Core                       | 4.09 | 363   | <0.005 | <0.01 | <0.17 | 31.64 | 0.51  | 16.41  | 17.44 | 54.6  | 175   | 12.1  | 7.4   | 483   | 2.32  | 14.4  | 0.8   | <0.2   | 10.3  | 72.2  |
| 1830430 | Drill Core                       | 4.24 | 393   | <0.005 | <0.01 | <0.17 | 26.49 | 0.75  | 16.41  | 15.13 | 47.7  | 156   | 11.5  | 6.7   | 486   | 2.28  | 13.6  | 0.7   | <0.2   | 10.1  | 74.7  |
| 1830431 | Drill Core                       | 2.67 | 439   | 0.005  | <0.01 | <0.17 | 47.59 | 1.00  | 15.10  | 11.24 | 40.4  | 202   | 11.1  | 7.9   | 431   | 1.90  | 15.8  | 1.7   | <0.2   | 9.1   | 82.7  |
| 1830432 | Drill Core                       | 2.42 | 420   | 0.160  | 0.34  | 2.07  | 39.59 | 1.70  | 17.52  | 6.40  | 44.0  | 335   | 9.3   | 7.8   | 375   | 1.92  | 11.1  | 2.4   | 127.6  | 9.6   | 58.9  |
| 1830433 | Drill Core                       | 2.42 | 528   | 1.032  | 1.14  | 2.17  | 52.09 | 2.06  | 12.90  | 11.12 | 55.3  | 517   | 10.1  | 7.5   | 375   | 1.89  | 7.3   | 2.4   | 883.1  | 8.5   | 51.1  |
| 1830434 | Drill Core                       | 4.53 | 416   | 0.075  | 0.07  | <0.17 | 44.86 | 1.03  | 20.48  | 26.08 | 64.2  | 430   | 12.9  | 9.3   | 496   | 2.46  | 11.0  | 2.3   | 46.6   | 10.4  | 89.3  |
| 1830435 | Drill Core                       | 4.57 | 477   | 0.005  | 0.15  | 1.39  | 49.79 | 0.50  | 15.86  | 13.10 | 57.7  | 229   | 11.6  | 7.6   | 421   | 2.24  | 6.4   | 1.6   | 1.1    | 9.1   | 58.8  |
| 1830436 | Drill Core                       | 4.78 | 427   | 0.013  | 0.01  | <0.17 | 46.64 | 0.53  | 14.75  | 14.18 | 57.2  | 258   | 11.9  | 8.0   | 436   | 2.43  | 9.0   | 2.1   | 7.6    | 10.5  | 87.2  |
| 1830437 | Drill Core                       | 4.41 | 442   | 0.005  | <0.01 | <0.17 | 34.53 | 1.30  | 15.99  | 9.39  | 57.5  | 204   | 13.2  | 8.5   | 360   | 2.34  | 11.4  | 1.6   | 1.4    | 10.4  | 53.1  |
| 1830438 | Drill Core                       | 4.71 | 445   | 0.006  | <0.01 | <0.17 | 41.22 | 1.75  | 14.80  | 24.68 | 68.7  | 245   | 13.6  | 8.3   | 359   | 2.44  | 11.7  | 1.9   | 1.6    | 10.4  | 91.6  |
| 1830439 | Drill Core                       | 4.28 | 460   | 0.006  | <0.01 | <0.17 | 50.69 | 0.77  | 16.80  | 20.55 | 74.6  | 234   | 13.1  | 8.3   | 366   | 2.51  | 12.1  | 1.8   | 0.8    | 10.0  | 73.7  |
| 1830440 | Rock Pulp                        | 0.12 | 86    | 0.010  |       |       |       | 2.15  | 83.19  | 3.48  | 30.0  | 115   | 4.5   | 7.7   | 338   | 2.43  | 0.6   | 0.8   | 0.7    | 2.5   | 61.8  |
| 1830441 | Drill Core                       | 3.65 | 481   | 0.801  | 1.53  | 8.83  | 43.59 | 0.98  | 29.03  | 29.07 | 43.2  | 18129 | 10.6  | 5.1   | 375   | 1.95  | 12.1  | 1.5   | 6147.1 | 7.5   | 82.1  |
| 1830442 | Drill Core                       | 4.41 | 441   | 0.169  | 0.16  | <0.17 | 40.35 | 0.97  | 21.71  | 16.13 | 53.5  | 633   | 10.9  | 7.7   | 386   | 2.05  | 14.3  | 2.0   | 157.3  | 10.4  | 86.0  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method     | Analyte | Unit | MDL   | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |      |      |     |
|---------|------------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-----|
|         |            |         |      |       | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Sc    | Tl   | S    | Hg  |
|         |            |         |      |       | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm  | %    | ppb |
|         |            |         |      |       | 0.01  | 0.02  | 0.02  | 1     | 0.01  | 0.001 | 0.5   | 0.5   | 0.01  | 0.5   | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.1   | 0.02 | 0.02 | 5   |
| 1830413 | Drill Core | 0.32    | 0.33 | 0.04  | 10    | 1.89  | 0.061 | 20.8  | 10.8  | 0.55  | 237.2 | 0.016 | <1    | 0.93  | 0.009 | 0.38  | 0.1   | 3.1   | 0.10  | <0.02 | 6     |      |      |     |
| 1830414 | Drill Core | 0.30    | 0.45 | 0.09  | 14    | 1.23  | 0.065 | 19.8  | 13.1  | 0.85  | 263.9 | 0.033 | <1    | 1.15  | 0.010 | 0.48  | 0.2   | 6.0   | 0.17  | <0.02 | <5    |      |      |     |
| 1830415 | Drill Core | 0.20    | 0.29 | 0.13  | 13    | 0.92  | 0.067 | 17.0  | 13.0  | 0.84  | 361.4 | 0.055 | <1    | 0.97  | 0.015 | 0.59  | <0.1  | 6.0   | 0.25  | <0.02 | <5    |      |      |     |
| 1830416 | Drill Core | 0.13    | 0.18 | 0.02  | 10    | 0.63  | 0.053 | 25.2  | 10.9  | 0.74  | 433.9 | 0.043 | <1    | 0.83  | 0.030 | 0.51  | <0.1  | 5.4   | 0.20  | <0.02 | <5    |      |      |     |
| 1830417 | Drill Core | 0.17    | 0.26 | 0.06  | 12    | 0.65  | 0.055 | 27.4  | 12.8  | 0.80  | 483.9 | 0.020 | <1    | 0.95  | 0.027 | 0.51  | <0.1  | 5.5   | 0.18  | <0.02 | <5    |      |      |     |
| 1830418 | Drill Core | 0.20    | 0.21 | 0.08  | 11    | 0.81  | 0.056 | 28.4  | 12.4  | 0.75  | 402.4 | 0.004 | <1    | 0.84  | 0.024 | 0.32  | <0.1  | 5.3   | 0.08  | <0.02 | <5    |      |      |     |
| 1830419 | Drill Core | 0.23    | 0.30 | 0.04  | 13    | 0.93  | 0.060 | 30.7  | 12.9  | 0.71  | 273.3 | 0.003 | <1    | 1.00  | 0.022 | 0.33  | 0.1   | 4.9   | 0.09  | <0.02 | 7     |      |      |     |
| 1830420 | Rock Pulp  | 0.19    | 0.30 | 0.29  | 49    | 1.25  | 0.029 | 3.9   | 100.6 | 1.75  | 68.0  | 0.065 | 2     | 1.96  | 0.184 | 0.14  | 1.2   | 2.5   | 0.09  | 0.19  | 18    |      |      |     |
| 1830421 | Drill Core | 0.28    | 0.59 | 0.06  | 9     | 2.23  | 0.056 | 30.8  | 8.9   | 0.46  | 248.1 | 0.007 | <1    | 0.80  | 0.019 | 0.33  | <0.1  | 3.7   | 0.08  | <0.02 | <5    |      |      |     |
| 1830422 | Drill Core | 0.28    | 1.47 | 0.10  | 13    | 1.91  | 0.059 | 30.5  | 11.3  | 0.58  | 278.5 | 0.031 | <1    | 0.94  | 0.019 | 0.40  | <0.1  | 5.3   | 0.18  | <0.02 | 6     |      |      |     |
| 1830423 | Drill Core | 0.32    | 1.16 | 0.05  | 18    | 1.09  | 0.070 | 30.0  | 16.2  | 0.66  | 321.4 | 0.039 | <1    | 0.95  | 0.018 | 0.38  | 0.1   | 6.9   | 0.30  | <0.02 | <5    |      |      |     |
| 1830424 | Drill Core | 0.25    | 0.39 | 0.11  | 21    | 1.32  | 0.068 | 27.4  | 21.5  | 0.74  | 411.6 | 0.006 | <1    | 0.96  | 0.028 | 0.33  | <0.1  | 5.5   | 0.11  | <0.02 | <5    |      |      |     |
| 1830425 | Drill Core | 0.30    | 0.23 | 0.07  | 19    | 1.74  | 0.069 | 25.7  | 19.5  | 0.71  | 382.8 | 0.029 | <1    | 0.87  | 0.027 | 0.34  | <0.1  | 5.9   | 0.14  | <0.02 | <5    |      |      |     |
| 1830426 | Drill Core | 0.49    | 0.33 | 0.04  | 24    | 2.74  | 0.068 | 28.5  | 25.7  | 0.91  | 344.6 | 0.071 | <1    | 1.02  | 0.035 | 0.45  | <0.1  | 9.6   | 0.27  | <0.02 | <5    |      |      |     |
| 1830427 | Drill Core | 0.24    | 0.27 | 0.05  | 17    | 1.30  | 0.056 | 18.5  | 17.6  | 0.91  | 406.9 | 0.042 | <1    | 0.90  | 0.019 | 0.45  | <0.1  | 6.5   | 0.21  | <0.02 | <5    |      |      |     |
| 1830428 | Drill Core | 0.17    | 0.23 | 0.11  | 17    | 0.93  | 0.055 | 20.7  | 17.0  | 0.80  | 395.8 | 0.042 | <1    | 0.87  | 0.028 | 0.45  | <0.1  | 6.4   | 0.23  | <0.02 | <5    |      |      |     |
| 1830429 | Drill Core | 0.22    | 0.33 | 0.08  | 15    | 1.16  | 0.066 | 22.5  | 15.5  | 0.87  | 466.4 | 0.049 | <1    | 0.97  | 0.020 | 0.53  | <0.1  | 7.3   | 0.24  | <0.02 | <5    |      |      |     |
| 1830430 | Drill Core | 0.23    | 0.42 | 0.04  | 12    | 1.33  | 0.055 | 19.4  | 12.3  | 0.71  | 460.3 | 0.055 | <1    | 0.89  | 0.018 | 0.57  | <0.1  | 6.0   | 0.24  | <0.02 | <5    |      |      |     |
| 1830431 | Drill Core | 0.24    | 0.41 | 0.08  | 11    | 2.50  | 0.061 | 20.5  | 11.0  | 0.66  | 217.5 | 0.022 | <1    | 0.99  | 0.009 | 0.50  | <0.1  | 3.6   | 0.13  | <0.02 | <5    |      |      |     |
| 1830432 | Drill Core | 0.28    | 0.50 | 0.06  | 9     | 1.75  | 0.081 | 20.7  | 10.5  | 0.65  | 249.1 | 0.021 | <1    | 0.94  | 0.008 | 0.54  | 0.3   | 3.1   | 0.14  | <0.02 | 7     |      |      |     |
| 1830433 | Drill Core | 0.46    | 0.43 | <0.02 | 7     | 0.85  | 0.063 | 21.9  | 8.8   | 0.54  | 230.5 | 0.017 | <1    | 0.74  | 0.007 | 0.40  | 0.3   | 3.0   | 0.11  | <0.02 | 10    |      |      |     |
| 1830434 | Drill Core | 0.42    | 0.44 | 0.10  | 14    | 1.69  | 0.067 | 23.8  | 17.3  | 0.89  | 231.7 | 0.044 | <1    | 1.18  | 0.014 | 0.53  | 0.4   | 4.5   | 0.17  | <0.02 | 6     |      |      |     |
| 1830435 | Drill Core | 0.28    | 0.36 | 0.04  | 15    | 1.20  | 0.060 | 22.5  | 16.0  | 0.90  | 183.1 | 0.059 | <1    | 1.11  | 0.014 | 0.47  | 0.3   | 4.4   | 0.18  | <0.02 | <5    |      |      |     |
| 1830436 | Drill Core | 0.26    | 0.46 | 0.04  | 18    | 1.41  | 0.062 | 23.4  | 16.5  | 0.94  | 203.3 | 0.040 | <1    | 1.21  | 0.019 | 0.50  | 0.4   | 5.2   | 0.21  | <0.02 | <5    |      |      |     |
| 1830437 | Drill Core | 0.24    | 0.39 | 0.06  | 17    | 1.19  | 0.068 | 24.2  | 18.0  | 0.82  | 228.6 | 0.055 | <1    | 1.09  | 0.018 | 0.56  | 0.4   | 5.9   | 0.25  | <0.02 | <5    |      |      |     |
| 1830438 | Drill Core | 0.39    | 0.46 | 0.10  | 19    | 1.47  | 0.068 | 26.3  | 21.1  | 0.90  | 250.5 | 0.080 | <1    | 1.14  | 0.024 | 0.56  | 0.5   | 6.7   | 0.26  | <0.02 | 9     |      |      |     |
| 1830439 | Drill Core | 0.44    | 0.52 | 0.07  | 18    | 1.15  | 0.062 | 21.5  | 18.3  | 0.96  | 201.8 | 0.071 | <1    | 1.17  | 0.019 | 0.57  | 0.4   | 5.8   | 0.25  | <0.02 | <5    |      |      |     |
| 1830440 | Rock Pulp  | 0.07    | 0.12 | 0.06  | 88    | 0.83  | 0.055 | 5.8   | 9.4   | 0.69  | 105.9 | 0.094 | 1     | 1.43  | 0.158 | 0.20  | 2.8   | 2.0   | 0.04  | <0.02 | <5    |      |      |     |
| 1830441 | Drill Core | 0.31    | 0.50 | 0.15  | 10    | 1.31  | 0.045 | 18.3  | 10.4  | 0.82  | 194.4 | 0.038 | <1    | 0.95  | 0.014 | 0.49  | 35.2  | 3.4   | 0.18  | <0.02 | 9     |      |      |     |
| 1830442 | Drill Core | 0.38    | 0.58 | 0.08  | 12    | 1.44  | 0.057 | 26.7  | 14.4  | 0.80  | 224.3 | 0.046 | 1     | 1.02  | 0.018 | 0.49  | 0.8   | 4.6   | 0.19  | <0.02 | <5    |      |      |     |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

| Method  | AQ251      | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Se         | Te    | Ga    | Cs    | Ge    | Hf    | Nb    | Rb    | Sn    | Ta    | Zr    | Y     | Ce    | In    | Re    | Be    | Li    | Pd    | Pt    |
| Unit    | ppm        | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppb   | ppb   |
| MDL     | 0.1        | 0.02  | 0.1   | 0.02  | 0.1   | 0.02  | 0.02  | 0.1   | 0.1   | 0.05  | 0.1   | 0.01  | 0.1   | 0.02  | 1     | 0.1   | 0.1   | 10    | 2     |
| 1830413 | Drill Core | 0.1   | <0.02 | 2.9   | 1.12  | <0.1  | 0.03  | <0.02 | 14.4  | 0.2   | <0.05 | 1.2   | 5.71  | 40.4  | <0.02 | <1    | 0.3   | 5.7   | <10   |
| 1830414 | Drill Core | 0.3   | 0.02  | 3.4   | 1.90  | <0.1  | 0.08  | <0.02 | 21.7  | 0.4   | <0.05 | 3.5   | 6.28  | 38.0  | 0.02  | <1    | 0.3   | 7.4   | <10   |
| 1830415 | Drill Core | <0.1  | <0.02 | 2.9   | 2.72  | <0.1  | 0.21  | 0.03  | 27.1  | 0.3   | <0.05 | 6.8   | 4.82  | 31.5  | <0.02 | <1    | 0.4   | 5.2   | <10   |
| 1830416 | Drill Core | <0.1  | <0.02 | 3.2   | 3.01  | <0.1  | 0.18  | 0.05  | 23.3  | 0.4   | <0.05 | 7.0   | 7.37  | 49.3  | <0.02 | <1    | 0.3   | 3.9   | <10   |
| 1830417 | Drill Core | <0.1  | <0.02 | 3.5   | 4.50  | <0.1  | 0.20  | <0.02 | 21.5  | 0.3   | <0.05 | 6.7   | 6.59  | 53.4  | 0.02  | <1    | 0.3   | 6.2   | 10    |
| 1830418 | Drill Core | <0.1  | <0.02 | 3.0   | 3.59  | <0.1  | 0.14  | <0.02 | 10.3  | 0.2   | <0.05 | 5.9   | 6.14  | 54.1  | 0.03  | <1    | 0.3   | 6.7   | <10   |
| 1830419 | Drill Core | <0.1  | <0.02 | 3.5   | 1.62  | <0.1  | 0.10  | <0.02 | 10.8  | 0.3   | <0.05 | 3.9   | 7.87  | 56.7  | 0.03  | <1    | 0.3   | 9.1   | <10   |
| 1830420 | Rock Pulp  | 0.5   | 0.14  | 4.2   | 0.58  | <0.1  | 0.04  | <0.02 | 5.5   | 0.4   | <0.05 | 1.2   | 3.04  | 8.1   | <0.02 | 4     | <0.1  | 7.6   | 262   |
| 1830421 | Drill Core | 0.2   | <0.02 | 3.3   | 0.95  | <0.1  | 0.04  | <0.02 | 10.6  | 0.4   | <0.05 | 0.9   | 10.28 | 57.7  | 0.02  | <1    | 0.2   | 7.8   | <10   |
| 1830422 | Drill Core | 0.3   | 0.02  | 3.7   | 1.20  | <0.1  | 0.06  | 0.03  | 14.2  | 0.5   | <0.05 | 1.7   | 13.00 | 56.7  | 0.03  | 1     | 0.3   | 9.8   | <10   |
| 1830423 | Drill Core | 0.5   | 0.02  | 3.2   | 2.94  | <0.1  | 0.06  | 0.04  | 15.7  | 0.5   | <0.05 | 2.2   | 13.87 | 58.3  | 0.02  | 1     | 0.3   | 12.1  | 18    |
| 1830424 | Drill Core | <0.1  | 0.02  | 3.8   | 3.15  | <0.1  | 0.04  | <0.02 | 10.2  | 0.3   | <0.05 | 1.7   | 11.80 | 52.1  | 0.03  | <1    | 0.3   | 7.8   | <10   |
| 1830425 | Drill Core | <0.1  | 0.02  | 3.6   | 4.62  | <0.1  | 0.06  | <0.02 | 15.4  | 0.4   | <0.05 | 1.7   | 11.63 | 48.8  | <0.02 | <1    | 0.3   | 6.3   | <10   |
| 1830426 | Drill Core | 0.2   | <0.02 | 3.8   | 6.31  | <0.1  | 0.06  | 0.05  | 27.2  | 0.6   | <0.05 | 2.1   | 13.48 | 55.2  | 0.04  | <1    | 0.3   | 7.2   | <10   |
| 1830427 | Drill Core | <0.1  | <0.02 | 3.7   | 5.88  | <0.1  | 0.13  | 0.04  | 25.9  | 0.3   | <0.05 | 4.6   | 7.77  | 35.8  | 0.02  | <1    | 0.2   | 5.1   | <10   |
| 1830428 | Drill Core | 0.1   | <0.02 | 3.3   | 5.70  | <0.1  | 0.06  | 0.04  | 27.6  | 0.3   | <0.05 | 2.2   | 7.68  | 39.0  | 0.03  | 1     | 0.2   | 4.3   | <10   |
| 1830429 | Drill Core | <0.1  | <0.02 | 3.4   | 5.91  | <0.1  | 0.14  | 0.04  | 31.2  | 0.4   | <0.05 | 4.5   | 7.88  | 44.3  | <0.02 | <1    | 0.4   | 4.1   | <10   |
| 1830430 | Drill Core | 0.1   | <0.02 | 2.7   | 5.16  | <0.1  | 0.06  | 0.05  | 30.4  | 0.3   | <0.05 | 2.0   | 6.50  | 36.7  | 0.02  | <1    | 0.2   | 3.3   | <10   |
| 1830431 | Drill Core | <0.1  | <0.02 | 2.9   | 1.94  | <0.1  | <0.02 | <0.02 | 21.4  | 0.2   | <0.05 | 0.7   | 7.09  | 39.8  | <0.02 | <1    | 0.2   | 6.4   | <10   |
| 1830432 | Drill Core | 0.2   | <0.02 | 2.5   | 1.54  | <0.1  | <0.02 | <0.02 | 20.8  | 0.2   | <0.05 | 0.7   | 7.87  | 39.6  | <0.02 | <1    | 0.3   | 5.9   | <10   |
| 1830433 | Drill Core | 0.2   | 0.04  | 2.2   | 0.90  | <0.1  | 0.03  | <0.02 | 14.8  | 0.2   | <0.05 | 0.8   | 7.10  | 42.0  | <0.02 | <1    | 0.3   | 5.2   | <10   |
| 1830434 | Drill Core | 0.1   | <0.02 | 3.2   | 1.74  | <0.1  | 0.08  | <0.02 | 22.0  | 0.3   | <0.05 | 2.5   | 8.81  | 45.9  | <0.02 | <1    | 0.3   | 7.7   | <10   |
| 1830435 | Drill Core | <0.1  | <0.02 | 3.2   | 1.93  | <0.1  | 0.15  | <0.02 | 21.8  | 0.3   | <0.05 | 4.8   | 7.81  | 42.3  | 0.02  | <1    | 0.4   | 7.2   | <10   |
| 1830436 | Drill Core | 0.1   | <0.02 | 3.7   | 2.90  | <0.1  | 0.18  | 0.03  | 24.1  | 0.4   | <0.05 | 5.0   | 7.67  | 45.4  | 0.02  | <1    | 0.4   | 9.2   | <10   |
| 1830437 | Drill Core | 0.1   | <0.02 | 3.2   | 2.56  | <0.1  | 0.08  | 0.05  | 27.2  | 0.4   | <0.05 | 2.5   | 8.95  | 45.4  | 0.03  | <1    | 0.4   | 8.6   | <10   |
| 1830438 | Drill Core | <0.1  | <0.02 | 3.5   | 3.14  | <0.1  | 0.08  | 0.06  | 28.8  | 0.6   | <0.05 | 1.9   | 11.05 | 50.9  | 0.04  | 2     | 0.5   | 7.5   | <10   |
| 1830439 | Drill Core | <0.1  | 0.02  | 3.6   | 3.03  | <0.1  | 0.19  | 0.04  | 30.4  | 0.4   | <0.05 | 5.2   | 9.41  | 41.7  | 0.03  | <1    | 0.2   | 8.0   | <10   |
| 1830440 | Rock Pulp  | <0.1  | <0.02 | 3.7   | 0.27  | <0.1  | 0.06  | 0.07  | 5.8   | 0.3   | <0.05 | 1.0   | 3.97  | 12.3  | <0.02 | <1    | <0.1  | 5.8   | <10   |
| 1830441 | Drill Core | 0.2   | 0.06  | 2.5   | 1.60  | <0.1  | 0.13  | 0.03  | 23.2  | 0.3   | <0.05 | 4.7   | 7.11  | 35.2  | 0.02  | <1    | 0.4   | 7.3   | <10   |
| 1830442 | Drill Core | <0.1  | 0.02  | 3.1   | 1.74  | <0.1  | 0.08  | 0.03  | 26.3  | 0.4   | <0.05 | 2.5   | 9.11  | 51.0  | 0.02  | <1    | 0.3   | 7.4   | <10   |





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: July 18, 2019

Page: 4 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01  | 0.01  | 0.01  | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1   | 0.2   | 0.1   |
| 1830443 | Drill Core                       | 4.60 | 435   | 0.007  | <0.01 | <0.17 | 51.08 | 2.56  | 17.28 | 9.36  | 50.9  | 247   | 12.0  | 7.8   | 298   | 2.14  | 12.2  | 1.7   | 1.6   | 10.3  | 64.9  |
| 1830444 | Drill Core                       | 5.09 | 508   | 0.006  | <0.01 | <0.17 | 47.06 | 4.55  | 19.22 | 7.76  | 48.5  | 230   | 13.7  | 8.7   | 376   | 2.34  | 14.0  | 1.8   | 1.2   | 10.5  | 141.5 |
| 1830445 | Drill Core                       | 4.99 | 482   | 0.060  | 0.06  | <0.17 | 48.40 | 1.48  | 19.57 | 9.70  | 58.1  | 249   | 12.3  | 8.0   | 341   | 2.30  | 9.8   | 1.6   | 57.9  | 9.7   | 106.1 |
| 1830446 | Drill Core                       | 2.76 | 497   | 0.014  | 0.01  | <0.17 | 47.63 | 1.05  | 21.38 | 11.29 | 61.6  | 239   | 13.3  | 7.9   | 336   | 2.28  | 8.2   | 1.9   | 12.3  | 10.8  | 77.0  |
| 1830447 | Drill Core                       | 2.30 | 456   | 0.650  | 0.68  | 0.90  | 50.21 | 1.52  | 22.70 | 11.42 | 62.1  | 443   | 11.6  | 7.7   | 365   | 2.28  | 10.4  | 2.1   | 641.8 | 8.4   | 106.3 |
| 1830448 | Drill Core                       | 4.99 | 513   | 0.010  | <0.01 | <0.17 | 48.04 | 1.11  | 21.71 | 7.26  | 66.9  | 214   | 14.4  | 8.6   | 415   | 2.76  | 14.6  | 2.0   | 6.2   | 10.9  | 66.1  |
| 1830449 | Drill Core                       | 2.91 | 474   | <0.005 | <0.01 | <0.17 | 51.63 | 0.55  | 9.06  | 5.23  | 58.4  | 99    | 13.3  | 9.0   | 409   | 2.69  | 13.4  | 1.2   | 0.6   | 9.3   | 74.9  |
| 1830450 | Drill Core                       | 3.83 | 388   | <0.005 | <0.01 | <0.17 | 27.27 | 0.49  | 19.09 | 9.00  | 58.7  | 154   | 12.1  | 7.9   | 410   | 2.50  | 12.0  | 1.5   | <0.2  | 11.9  | 65.3  |
| 1830451 | Drill Core                       | 3.30 | 424   | 0.009  | <0.01 | <0.17 | 23.67 | 0.56  | 8.45  | 5.41  | 66.1  | 85    | 12.9  | 8.8   | 482   | 2.62  | 11.9  | 1.5   | 3.1   | 10.0  | 105.5 |
| 1830452 | Drill Core                       | 4.67 | 453   | 0.011  | <0.01 | <0.17 | 48.50 | 0.47  | 12.05 | 12.46 | 64.5  | 155   | 12.2  | 8.4   | 409   | 2.57  | 10.7  | 1.5   | 4.4   | 9.3   | 85.6  |
| 1830453 | Drill Core                       | 5.00 | 456   | 0.033  | 0.03  | <0.17 | 44.47 | 0.59  | 20.85 | 11.60 | 58.8  | 356   | 13.7  | 8.3   | 371   | 2.48  | 17.8  | 2.1   | 25.0  | 8.9   | 99.0  |
| 1830454 | Drill Core                       | 4.43 | 419   | 0.008  | <0.01 | <0.17 | 32.44 | 0.51  | 17.65 | 17.13 | 58.3  | 240   | 12.0  | 8.0   | 415   | 2.39  | 13.9  | 1.8   | 4.0   | 8.4   | 94.9  |
| 1830455 | Drill Core                       | 4.50 | 447   | 0.088  | 0.08  | <0.17 | 30.10 | 0.58  | 17.61 | 17.98 | 63.1  | 192   | 12.1  | 7.6   | 329   | 2.53  | 17.1  | 1.8   | 63.5  | 8.9   | 66.9  |
| 1830456 | Drill Core                       | 3.16 | 548   | 0.007  | <0.01 | <0.17 | 49.20 | 0.59  | 18.73 | 12.56 | 66.8  | 189   | 12.6  | 6.8   | 315   | 2.61  | 17.4  | 2.1   | 2.2   | 10.0  | 67.4  |
| 1830457 | Drill Core                       | 4.24 | 411   | 0.005  | <0.01 | <0.17 | 45.67 | 0.47  | 16.70 | 13.92 | 69.9  | 162   | 15.6  | 8.3   | 382   | 2.61  | 15.2  | 1.8   | 2.8   | 10.2  | 88.8  |
| 1830458 | Drill Core                       | 4.95 | 492   | 0.005  | <0.01 | <0.17 | 50.43 | 0.30  | 10.53 | 15.13 | 71.3  | 137   | 15.3  | 9.9   | 442   | 2.75  | 12.6  | 1.1   | 0.5   | 9.5   | 88.2  |
| 1830459 | Drill Core                       | 4.83 | 483   | 0.005  | <0.01 | <0.17 | 44.34 | 0.35  | 16.24 | 12.19 | 70.6  | 218   | 12.7  | 7.7   | 416   | 2.70  | 9.7   | 1.1   | 1.1   | 9.2   | 59.2  |
| 1830460 | Core DUP                         |      | 486   | <0.005 | <0.01 | <0.17 | 35.10 | 0.37  | 17.11 | 12.64 | 71.8  | 228   | 12.7  | 7.5   | 424   | 2.69  | 9.8   | 1.1   | 1.0   | 9.6   | 61.0  |
| 1830461 | Drill Core                       | 4.84 | 472   | 0.007  | <0.01 | <0.17 | 47.86 | 0.46  | 15.93 | 51.28 | 71.8  | 330   | 12.1  | 7.4   | 404   | 2.52  | 14.9  | 1.3   | 1.1   | 9.5   | 55.5  |
| 1830462 | Drill Core                       | 4.53 | 418   | 0.007  | <0.01 | <0.17 | 42.74 | 0.82  | 14.90 | 15.52 | 72.1  | 213   | 12.9  | 9.1   | 450   | 2.71  | 14.9  | 1.5   | 2.8   | 10.7  | 45.2  |
| 1830463 | Drill Core                       | 4.83 | 491   | 0.009  | <0.01 | <0.17 | 46.54 | 0.55  | 11.62 | 23.71 | 55.2  | 193   | 10.4  | 7.0   | 498   | 2.31  | 9.1   | 1.2   | 1.2   | 8.0   | 65.0  |
| 1830464 | Drill Core                       | 2.65 | 459   | 0.006  | <0.01 | <0.17 | 51.08 | 0.40  | 16.74 | 16.45 | 53.0  | 165   | 9.1   | 5.7   | 436   | 2.25  | 12.4  | 1.3   | 1.8   | 11.4  | 62.4  |
| 1830465 | Drill Core                       | 3.31 | 526   | 0.010  | <0.01 | <0.17 | 32.24 | 0.89  | 18.23 | 16.56 | 70.5  | 216   | 12.5  | 9.5   | 716   | 2.67  | 27.8  | 1.7   | 6.5   | 9.5   | 85.3  |
| 1830466 | Drill Core                       | 3.64 | 476   | 0.009  | <0.01 | <0.17 | 40.56 | 0.76  | 14.77 | 6.85  | 34.9  | 148   | 8.1   | 5.0   | 387   | 1.65  | 11.4  | 1.4   | 3.6   | 6.1   | 81.0  |
| 1830467 | Drill Core                       | 2.09 | 552   | 0.008  | <0.01 | <0.17 | 48.06 | 1.23  | 10.93 | 6.51  | 42.2  | 126   | 8.7   | 5.5   | 443   | 1.87  | 12.2  | 1.8   | 4.3   | 8.4   | 62.3  |
| 1830468 | Drill Core                       | 4.32 | 454   | 0.006  | <0.01 | <0.17 | 52.39 | 1.20  | 12.13 | 12.77 | 43.1  | 148   | 9.3   | 6.0   | 448   | 1.98  | 19.3  | 2.2   | 2.2   | 9.8   | 54.2  |
| 1830469 | Drill Core                       | 3.97 | 363   | 0.010  | <0.01 | <0.17 | 35.97 | 1.50  | 28.06 | 13.55 | 59.2  | 266   | 13.9  | 7.8   | 485   | 2.50  | 28.0  | 2.4   | 6.4   | 10.3  | 72.8  |
| 1830470 | Drill Core                       | 4.87 | 444   | 0.009  | <0.01 | <0.17 | 49.65 | 0.81  | 20.68 | 17.50 | 55.7  | 246   | 11.7  | 7.1   | 518   | 2.31  | 18.9  | 1.7   | 3.4   | 8.6   | 115.6 |
| 1830471 | Drill Core                       | 3.06 | 492   | 0.010  | <0.01 | <0.17 | 45.22 | 0.95  | 14.52 | 13.81 | 55.7  | 217   | 11.2  | 7.2   | 484   | 2.23  | 22.4  | 1.6   | 5.2   | 8.1   | 94.1  |
| 1830472 | Drill Core                       | 4.41 | 472   | 0.008  | <0.01 | <0.17 | 39.38 | 0.89  | 17.62 | 9.66  | 65.2  | 184   | 12.6  | 8.1   | 486   | 2.52  | 20.4  | 1.8   | 2.3   | 8.5   | 83.4  |





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |     |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Sc    | Tl    | S     | Hg  |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | %     | ppb |
|         |                                  | 0.01  | 0.02  | 0.02  | 1     | 0.01  | 0.001 | 0.5   | 0.5   | 0.01  | 0.5   | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.1   | 0.02  | 0.02  | 5   |
| 1830443 | Drill Core                       | 0.28  | 0.40  | 0.04  | 14    | 1.46  | 0.065 | 21.8  | 14.4  | 0.79  | 236.2 | 0.065 | <1    | 1.01  | 0.016 | 0.50  | 0.8   | 5.2   | 0.19  | <0.02 | 9   |
| 1830444 | Drill Core                       | 0.23  | 0.38  | 0.06  | 16    | 2.26  | 0.068 | 20.2  | 14.8  | 0.82  | 248.3 | 0.074 | 1     | 1.06  | 0.013 | 0.55  | 0.6   | 5.6   | 0.26  | <0.02 | 5   |
| 1830445 | Drill Core                       | 0.24  | 0.33  | 0.05  | 17    | 1.77  | 0.063 | 22.1  | 16.0  | 0.86  | 268.1 | 0.063 | <1    | 1.13  | 0.015 | 0.52  | 0.4   | 5.9   | 0.20  | <0.02 | <5  |
| 1830446 | Drill Core                       | 0.27  | 0.38  | 0.04  | 20    | 1.17  | 0.067 | 25.1  | 21.4  | 0.88  | 208.4 | 0.077 | <1    | 1.12  | 0.019 | 0.47  | 1.0   | 6.1   | 0.19  | <0.02 | <5  |
| 1830447 | Drill Core                       | 0.41  | 0.43  | 0.05  | 19    | 1.46  | 0.058 | 23.1  | 20.3  | 0.85  | 219.7 | 0.053 | <1    | 1.02  | 0.027 | 0.38  | 0.7   | 5.9   | 0.14  | <0.02 | 8   |
| 1830448 | Drill Core                       | 0.30  | 0.38  | 0.03  | 22    | 1.12  | 0.076 | 25.3  | 23.3  | 0.98  | 242.9 | 0.061 | 1     | 1.23  | 0.023 | 0.60  | 0.4   | 7.1   | 0.24  | <0.02 | <5  |
| 1830449 | Drill Core                       | 0.07  | 0.30  | 0.06  | 26    | 0.98  | 0.071 | 17.6  | 24.5  | 1.21  | 177.4 | 0.041 | <1    | 1.44  | 0.022 | 0.47  | 0.2   | 6.4   | 0.19  | <0.02 | <5  |
| 1830450 | Drill Core                       | 0.16  | 0.32  | 0.04  | 19    | 0.86  | 0.067 | 20.1  | 18.4  | 0.98  | 204.5 | 0.051 | <1    | 1.24  | 0.028 | 0.49  | 0.2   | 5.8   | 0.21  | <0.02 | <5  |
| 1830451 | Drill Core                       | 0.18  | 0.35  | 0.03  | 22    | 1.25  | 0.068 | 22.0  | 21.2  | 1.13  | 201.6 | 0.058 | <1    | 1.34  | 0.018 | 0.48  | 0.3   | 6.4   | 0.22  | <0.02 | 7   |
| 1830452 | Drill Core                       | 0.23  | 0.37  | 0.06  | 20    | 1.06  | 0.063 | 22.1  | 18.3  | 1.15  | 184.1 | 0.052 | 2     | 1.36  | 0.015 | 0.49  | 0.2   | 5.0   | 0.21  | <0.02 | <5  |
| 1830453 | Drill Core                       | 0.26  | 0.55  | 0.05  | 15    | 1.19  | 0.058 | 20.3  | 15.1  | 1.02  | 194.0 | 0.030 | <1    | 1.24  | 0.009 | 0.45  | 0.2   | 4.3   | 0.16  | 0.02  | 6   |
| 1830454 | Drill Core                       | 0.26  | 0.39  | 0.07  | 17    | 1.17  | 0.059 | 22.8  | 17.7  | 0.98  | 197.3 | 0.035 | <1    | 1.24  | 0.016 | 0.51  | <0.1  | 5.3   | 0.19  | <0.02 | <5  |
| 1830455 | Drill Core                       | 0.29  | 0.34  | 0.05  | 18    | 0.87  | 0.062 | 22.7  | 17.9  | 1.01  | 178.6 | 0.033 | <1    | 1.26  | 0.013 | 0.52  | <0.1  | 6.2   | 0.23  | <0.02 | <5  |
| 1830456 | Drill Core                       | 0.26  | 0.45  | 0.05  | 21    | 1.08  | 0.068 | 27.5  | 20.3  | 1.11  | 190.1 | 0.026 | <1    | 1.41  | 0.017 | 0.49  | <0.1  | 6.1   | 0.22  | <0.02 | 8   |
| 1830457 | Drill Core                       | 0.31  | 0.37  | 0.03  | 22    | 1.28  | 0.071 | 28.8  | 22.0  | 1.09  | 159.7 | 0.011 | <1    | 1.40  | 0.015 | 0.36  | 0.1   | 5.1   | 0.16  | <0.02 | <5  |
| 1830458 | Drill Core                       | 0.21  | 0.24  | 0.05  | 25    | 1.43  | 0.068 | 27.9  | 27.5  | 1.23  | 157.2 | 0.007 | 1     | 1.49  | 0.019 | 0.30  | <0.1  | 5.2   | 0.11  | <0.02 | <5  |
| 1830459 | Drill Core                       | 0.28  | 0.21  | 0.02  | 27    | 0.91  | 0.068 | 28.1  | 26.1  | 1.17  | 136.5 | 0.002 | <1    | 1.46  | 0.014 | 0.24  | <0.1  | 4.4   | 0.07  | <0.02 | <5  |
| 1830460 | Core DUP                         | 0.29  | 0.21  | 0.02  | 27    | 0.93  | 0.068 | 28.5  | 27.3  | 1.19  | 158.6 | 0.003 | <1    | 1.53  | 0.016 | 0.28  | <0.1  | 4.5   | 0.08  | <0.02 | <5  |
| 1830461 | Drill Core                       | 0.28  | 0.29  | 0.18  | 21    | 0.92  | 0.062 | 28.4  | 20.2  | 1.12  | 153.1 | 0.002 | <1    | 1.41  | 0.010 | 0.25  | <0.1  | 4.4   | 0.07  | <0.02 | <5  |
| 1830462 | Drill Core                       | 0.27  | 0.35  | 0.07  | 22    | 0.68  | 0.064 | 31.7  | 21.1  | 1.15  | 161.4 | 0.002 | <1    | 1.55  | 0.008 | 0.31  | <0.1  | 4.0   | 0.10  | <0.02 | <5  |
| 1830463 | Drill Core                       | 0.27  | 0.21  | 0.11  | 19    | 0.99  | 0.056 | 23.0  | 22.0  | 1.01  | 100.2 | 0.002 | <1    | 1.26  | 0.014 | 0.20  | <0.1  | 3.3   | 0.06  | <0.02 | <5  |
| 1830464 | Drill Core                       | 0.17  | 0.24  | 0.03  | 16    | 0.93  | 0.053 | 31.2  | 15.4  | 0.96  | 151.1 | 0.002 | 1     | 1.32  | 0.023 | 0.27  | <0.1  | 4.2   | 0.10  | <0.02 | <5  |
| 1830465 | Drill Core                       | 0.34  | 0.73  | 0.03  | 26    | 1.51  | 0.059 | 28.4  | 26.5  | 1.09  | 149.5 | 0.003 | <1    | 1.48  | 0.018 | 0.26  | <0.1  | 5.5   | 0.12  | <0.02 | 11  |
| 1830466 | Drill Core                       | 0.23  | 0.41  | 0.04  | 10    | 1.71  | 0.046 | 19.9  | 11.0  | 0.60  | 173.4 | 0.011 | 1     | 0.87  | 0.007 | 0.32  | 0.2   | 3.6   | 0.11  | <0.02 | <5  |
| 1830467 | Drill Core                       | 0.22  | 0.40  | 0.05  | 13    | 1.32  | 0.051 | 25.7  | 13.4  | 0.56  | 195.3 | 0.021 | 2     | 0.93  | 0.015 | 0.34  | 0.4   | 4.4   | 0.12  | <0.02 | <5  |
| 1830468 | Drill Core                       | 0.25  | 0.69  | 0.14  | 14    | 1.20  | 0.058 | 29.5  | 13.5  | 0.62  | 196.2 | 0.032 | 1     | 0.99  | 0.015 | 0.36  | 0.5   | 5.3   | 0.14  | <0.02 | <5  |
| 1830469 | Drill Core                       | 0.29  | 0.71  | 0.07  | 23    | 1.18  | 0.069 | 31.3  | 22.1  | 0.83  | 233.7 | 0.009 | 2     | 1.29  | 0.023 | 0.36  | 0.1   | 6.3   | 0.13  | <0.02 | 7   |
| 1830470 | Drill Core                       | 0.24  | 0.49  | 0.08  | 20    | 1.89  | 0.075 | 26.9  | 18.6  | 0.88  | 194.7 | 0.009 | 1     | 1.22  | 0.013 | 0.31  | 0.3   | 6.3   | 0.11  | <0.02 | <5  |
| 1830471 | Drill Core                       | 0.26  | 0.56  | 0.07  | 15    | 1.92  | 0.060 | 23.6  | 14.7  | 0.84  | 182.7 | 0.007 | 1     | 1.14  | 0.013 | 0.37  | 0.2   | 5.6   | 0.12  | <0.02 | 5   |
| 1830472 | Drill Core                       | 0.23  | 0.57  | 0.03  | 17    | 1.60  | 0.060 | 23.0  | 16.7  | 0.94  | 150.0 | 0.019 | 1     | 1.25  | 0.015 | 0.33  | 0.3   | 6.4   | 0.12  | <0.02 | <5  |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 4 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method     | Analyte | Unit  | MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |     |     |     |
|---------|------------|---------|-------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|-----|
|         |            |         |       |     | Se    | Te    | Ga    | Cs    | Ge    | Hf    | Nb    | Rb    | Sn    | Ta    | Zr    | Y     | Ce    | In    | Re    | Be    | Li  | Pd  | Pt  |
|         |            |         |       |     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm | ppb | ppb |
|         |            |         |       |     | 0.1   | 0.02  | 0.1   | 0.02  | 0.1   | 0.02  | 0.02  | 0.1   | 0.1   | 0.05  | 0.1   | 0.01  | 0.1   | 0.02  | 1     | 0.1   | 0.1 | 10  | 2   |
| 1830443 | Drill Core | <0.1    | 0.03  | 3.1 | 1.91  | <0.1  | 0.05  | 0.06  | 23.1  | 0.4   | <0.05 | 2.1   | 9.23  | 41.1  | <0.02 | <1    | 0.4   | 6.4   | <10   | <2    |     |     |     |
| 1830444 | Drill Core | <0.1    | 0.03  | 3.4 | 2.54  | <0.1  | 0.08  | 0.06  | 26.2  | 0.4   | <0.05 | 1.8   | 10.45 | 39.3  | 0.02  | <1    | 0.2   | 8.4   | <10   | <2    |     |     |     |
| 1830445 | Drill Core | 0.2     | <0.02 | 4.0 | 2.26  | <0.1  | 0.06  | 0.03  | 24.7  | 0.4   | <0.05 | 1.9   | 9.08  | 42.0  | 0.02  | <1    | 0.5   | 7.8   | <10   | <2    |     |     |     |
| 1830446 | Drill Core | 0.1     | 0.02  | 4.0 | 1.89  | <0.1  | 0.15  | 0.05  | 23.2  | 0.5   | <0.05 | 4.3   | 10.62 | 48.2  | 0.03  | <1    | 0.2   | 7.7   | <10   | <2    |     |     |     |
| 1830447 | Drill Core | 0.1     | 0.03  | 4.0 | 1.74  | <0.1  | 0.14  | 0.02  | 17.8  | 0.5   | <0.05 | 3.9   | 8.51  | 42.8  | 0.02  | <1    | 0.4   | 7.9   | <10   | <2    |     |     |     |
| 1830448 | Drill Core | 0.2     | <0.02 | 4.0 | 3.26  | <0.1  | 0.13  | 0.03  | 35.7  | 0.5   | <0.05 | 3.9   | 7.83  | 48.7  | 0.02  | 1     | 0.4   | 9.4   | <10   | <2    |     |     |     |
| 1830449 | Drill Core | <0.1    | <0.02 | 5.2 | 1.88  | <0.1  | 0.26  | <0.02 | 24.3  | 0.3   | <0.05 | 7.4   | 5.60  | 35.6  | <0.02 | <1    | 0.6   | 10.8  | <10   | <2    |     |     |     |
| 1830450 | Drill Core | <0.1    | <0.02 | 4.3 | 2.32  | <0.1  | 0.23  | <0.02 | 25.0  | 0.4   | <0.05 | 8.0   | 6.76  | 39.7  | 0.03  | <1    | 0.2   | 11.0  | <10   | <2    |     |     |     |
| 1830451 | Drill Core | <0.1    | <0.02 | 4.4 | 2.13  | <0.1  | 0.26  | <0.02 | 24.9  | 0.4   | <0.05 | 8.6   | 7.58  | 42.9  | 0.02  | <1    | 0.5   | 11.5  | <10   | <2    |     |     |     |
| 1830452 | Drill Core | 0.2     | <0.02 | 3.9 | 2.13  | <0.1  | 0.29  | <0.02 | 24.1  | 0.3   | <0.05 | 9.5   | 7.38  | 43.7  | <0.02 | <1    | 0.6   | 11.3  | 10    | <2    |     |     |     |
| 1830453 | Drill Core | 0.4     | 0.03  | 3.6 | 2.44  | <0.1  | 0.33  | <0.02 | 20.3  | 0.3   | <0.05 | 10.2  | 6.55  | 40.4  | <0.02 | <1    | 0.5   | 10.6  | <10   | <2    |     |     |     |
| 1830454 | Drill Core | <0.1    | <0.02 | 3.9 | 2.11  | <0.1  | 0.26  | <0.02 | 24.2  | 0.5   | <0.05 | 8.4   | 5.84  | 45.3  | <0.02 | <1    | 0.3   | 8.9   | 12    | <2    |     |     |     |
| 1830455 | Drill Core | <0.1    | <0.02 | 4.3 | 1.96  | <0.1  | 0.26  | <0.02 | 26.7  | 0.4   | <0.05 | 7.9   | 5.20  | 43.6  | <0.02 | <1    | 0.3   | 8.7   | <10   | <2    |     |     |     |
| 1830456 | Drill Core | <0.1    | 0.02  | 4.6 | 1.75  | <0.1  | 0.26  | <0.02 | 24.7  | 0.5   | <0.05 | 8.4   | 5.81  | 54.0  | 0.03  | <1    | 0.3   | 11.2  | <10   | <2    |     |     |     |
| 1830457 | Drill Core | <0.1    | <0.02 | 4.8 | 2.21  | <0.1  | 0.24  | <0.02 | 18.9  | 0.4   | <0.05 | 8.6   | 6.77  | 55.1  | <0.02 | <1    | 0.5   | 13.8  | <10   | <2    |     |     |     |
| 1830458 | Drill Core | <0.1    | <0.02 | 5.6 | 1.13  | <0.1  | 0.25  | <0.02 | 13.7  | 0.3   | <0.05 | 9.1   | 7.88  | 55.3  | <0.02 | <1    | 0.5   | 15.5  | <10   | <2    |     |     |     |
| 1830459 | Drill Core | <0.1    | <0.02 | 5.7 | 0.94  | <0.1  | 0.23  | <0.02 | 10.4  | 0.2   | <0.05 | 7.6   | 9.23  | 53.2  | 0.03  | <1    | 0.3   | 16.2  | <10   | <2    |     |     |     |
| 1830460 | Core DUP   | 0.2     | <0.02 | 5.9 | 0.93  | <0.1  | 0.23  | <0.02 | 11.2  | 0.3   | <0.05 | 7.6   | 10.06 | 55.6  | 0.02  | 1     | 0.6   | 16.4  | <10   | <2    |     |     |     |
| 1830461 | Drill Core | 0.3     | <0.02 | 5.3 | 1.30  | <0.1  | 0.22  | <0.02 | 11.1  | 0.3   | <0.05 | 6.8   | 10.38 | 56.8  | <0.02 | <1    | 0.5   | 17.8  | <10   | <2    |     |     |     |
| 1830462 | Drill Core | 0.2     | 0.03  | 5.6 | 1.80  | <0.1  | 0.25  | <0.02 | 14.1  | 0.3   | <0.05 | 8.2   | 9.45  | 61.1  | <0.02 | <1    | 0.4   | 22.4  | <10   | <2    |     |     |     |
| 1830463 | Drill Core | <0.1    | <0.02 | 5.0 | 1.09  | <0.1  | 0.22  | <0.02 | 8.8   | 0.3   | <0.05 | 6.7   | 8.41  | 44.8  | <0.02 | <1    | 0.3   | 18.3  | 12    | <2    |     |     |     |
| 1830464 | Drill Core | <0.1    | <0.02 | 4.5 | 0.98  | <0.1  | 0.18  | <0.02 | 11.2  | 0.4   | <0.05 | 6.4   | 10.58 | 60.8  | 0.02  | <1    | 0.3   | 16.2  | <10   | <2    |     |     |     |
| 1830465 | Drill Core | <0.1    | <0.02 | 5.8 | 3.20  | <0.1  | 0.17  | <0.02 | 13.0  | 0.4   | <0.05 | 5.6   | 11.86 | 54.5  | 0.02  | <1    | 0.5   | 18.3  | <10   | <2    |     |     |     |
| 1830466 | Drill Core | <0.1    | <0.02 | 2.5 | 1.46  | <0.1  | 0.07  | <0.02 | 13.8  | 0.3   | <0.05 | 1.9   | 8.16  | 37.8  | <0.02 | <1    | 0.4   | 7.7   | <10   | <2    |     |     |     |
| 1830467 | Drill Core | 0.2     | <0.02 | 2.9 | 1.34  | <0.1  | 0.05  | <0.02 | 15.0  | 0.4   | <0.05 | 1.6   | 9.99  | 49.2  | 0.02  | <1    | 0.3   | 8.4   | <10   | <2    |     |     |     |
| 1830468 | Drill Core | <0.1    | <0.02 | 3.2 | 2.61  | <0.1  | 0.05  | <0.02 | 16.3  | 0.5   | <0.05 | 1.4   | 11.51 | 56.2  | 0.03  | <1    | 0.5   | 8.2   | <10   | <2    |     |     |     |
| 1830469 | Drill Core | 0.4     | <0.02 | 4.6 | 2.87  | 0.1   | 0.10  | <0.02 | 16.8  | 0.5   | <0.05 | 2.9   | 12.24 | 60.6  | 0.04  | <1    | 0.6   | 11.8  | <10   | <2    |     |     |     |
| 1830470 | Drill Core | <0.1    | <0.02 | 4.0 | 1.88  | <0.1  | 0.14  | <0.02 | 13.8  | 0.5   | <0.05 | 3.8   | 11.12 | 52.8  | 0.02  | <1    | 0.4   | 11.8  | <10   | <2    |     |     |     |
| 1830471 | Drill Core | 0.2     | 0.02  | 3.2 | 1.47  | <0.1  | 0.12  | <0.02 | 18.1  | 0.4   | <0.05 | 5.6   | 10.42 | 45.5  | 0.02  | <1    | 0.4   | 9.7   | <10   | <2    |     |     |     |
| 1830472 | Drill Core | <0.1    | 0.02  | 4.0 | 1.95  | <0.1  | 0.25  | <0.02 | 17.4  | 0.5   | <0.05 | 11.1  | 11.29 | 44.9  | 0.02  | <1    | 0.4   | 11.5  | <10   | <2    |     |     |     |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

| Method  | WGHT       | M150  | FA430 | FS600  | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251  | AQ251 |
|---------|------------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| Analyte | Wgt        | TotWt | -Au   | TotAu  | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th     | Sr    |
| Unit    | kg         | g     | gm/t  | gm/t   | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm    | ppm   |
| MDL     | 0.01       | 1     | 0.005 | 0.01   | 0.17  | 0.01  | 0.01  | 0.01  | 0.01  | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1   | 0.2   | 0.1    | 0.5   |
| 1830473 | Drill Core | 5.13  | 460   | 0.007  | <0.01 | <0.17 | 51.83 | 0.82  | 14.38 | 9.97  | 67.5  | 152   | 12.4  | 8.1   | 452   | 2.62  | 13.3  | 2.0   | 1.9    | 82.1  |
| 1830474 | Drill Core | 4.52  | 434   | 0.006  | <0.01 | <0.17 | 44.70 | 0.51  | 14.98 | 25.15 | 69.2  | 216   | 12.8  | 7.8   | 437   | 2.45  | 16.5  | 1.4   | 1.4    | 78.3  |
| 1830475 | Drill Core | 5.11  | 384   | 0.006  | <0.01 | <0.17 | 46.50 | 0.53  | 15.06 | 12.20 | 63.0  | 160   | 12.9  | 8.7   | 450   | 2.39  | 19.1  | 1.1   | 1.6    | 85.7  |
| 1830476 | Drill Core | 3.06  | 395   | 0.010  | 0.02  | <0.17 | 29.18 | 0.52  | 8.33  | 10.39 | 45.4  | 132   | 8.7   | 5.6   | 398   | 1.74  | 13.6  | 0.9   | 5.2    | 103.9 |
| 1830477 | Drill Core | 2.26  | 480   | 1.575  | 2.37  | 10.63 | 42.06 | 1.09  | 16.37 | 5.10  | 44.4  | 1812  | 10.1  | 6.7   | 416   | 1.92  | 18.4  | 1.6   | 8559.1 | 6.3   |
| 1830478 | Drill Core | 4.95  | 511   | 0.292  | 0.29  | 0.27  | 47.54 | 1.83  | 18.02 | 15.45 | 49.1  | 400   | 10.0  | 7.0   | 401   | 1.94  | 105.0 | 1.7   | 224.8  | 9.7   |
| 1830479 | Drill Core | 4.77  | 419   | 0.007  | <0.01 | <0.17 | 32.43 | 1.58  | 22.51 | 14.30 | 51.4  | 211   | 12.2  | 7.0   | 410   | 2.07  | 22.2  | 2.3   | 1.7    | 11.1  |
| 1830480 | Rock       | 0.23  | 165   | <0.005 |       |       | 31.05 | 0.38  | 0.93  | 1.42  | 2.7   | 7     | 0.9   | 0.3   | 60    | 0.54  | 0.7   | 0.1   | 0.2    | 0.7   |
| 1830481 | Drill Core | 3.21  | 516   | 0.007  | <0.01 | <0.17 | 38.47 | 0.96  | 13.63 | 17.28 | 59.6  | 136   | 11.1  | 7.0   | 476   | 2.06  | 33.9  | 1.8   | 2.8    | 88.3  |
| 1830482 | Drill Core | 3.04  | 507   | 0.012  | 0.01  | <0.17 | 39.85 | 1.07  | 12.42 | 16.84 | 61.1  | 159   | 10.3  | 7.0   | 376   | 2.08  | 130.5 | 2.3   | 7.3    | 10.1  |
| 1830483 | Drill Core | 3.81  | 408   | 0.021  | 0.02  | <0.17 | 29.22 | 0.87  | 11.26 | 12.91 | 38.6  | 126   | 6.9   | 5.6   | 257   | 1.41  | 231.5 | 1.2   | 15.7   | 9.9   |
| 1830484 | Drill Core | 4.24  | 424   | 0.010  | <0.01 | <0.17 | 38.41 | 0.71  | 14.82 | 16.95 | 51.1  | 102   | 8.9   | 6.9   | 452   | 1.77  | 335.2 | 1.7   | 5.4    | 9.6   |
| 1830485 | Drill Core | 2.82  | 458   | 0.013  | 0.01  | <0.17 | 35.10 | 0.52  | 13.21 | 19.06 | 50.8  | 132   | 8.1   | 5.7   | 267   | 1.75  | 321.0 | 1.6   | 5.7    | 10.2  |
| 1830486 | Drill Core | 2.63  | 485   | 0.010  | <0.01 | <0.17 | 39.32 | 0.32  | 12.37 | 21.90 | 52.1  | 156   | 8.4   | 5.6   | 240   | 1.76  | 235.4 | 1.5   | 4.6    | 9.8   |
| 1830487 | Drill Core | 2.12  | 377   | 0.007  | <0.01 | <0.17 | 33.16 | 0.40  | 13.20 | 16.43 | 54.5  | 135   | 9.1   | 6.6   | 261   | 1.96  | 162.8 | 1.3   | 2.8    | 9.8   |
| 1830488 | Drill Core | 4.44  | 374   | 0.007  | <0.01 | <0.17 | 29.64 | 0.45  | 13.26 | 9.83  | 48.7  | 104   | 9.9   | 6.3   | 302   | 2.05  | 109.8 | 1.4   | 3.0    | 9.4   |
| 1830489 | Drill Core | 4.86  | 390   | 0.006  | <0.01 | <0.17 | 28.30 | 0.53  | 12.75 | 11.23 | 54.2  | 97    | 10.0  | 6.7   | 339   | 2.19  | 41.5  | 1.4   | 1.3    | 9.6   |
| 1830490 | Drill Core | 4.65  | 413   | 0.006  | <0.01 | <0.17 | 39.75 | 0.53  | 13.33 | 13.00 | 56.7  | 116   | 10.0  | 6.7   | 320   | 2.16  | 21.5  | 1.3   | 0.4    | 9.5   |
| 1830491 | Drill Core | 4.57  | 396   | <0.005 | <0.01 | <0.17 | 27.82 | 0.78  | 13.41 | 7.36  | 48.3  | 104   | 10.0  | 6.8   | 281   | 2.14  | 30.6  | 1.5   | <0.2   | 9.6   |
| 1830492 | Drill Core | 4.71  | 403   | 0.006  | <0.01 | <0.17 | 49.89 | 0.87  | 13.87 | 12.00 | 44.2  | 135   | 8.8   | 5.7   | 242   | 1.69  | 158.9 | 1.2   | 1.2    | 8.4   |
| 1830493 | Drill Core | 4.59  | 392   | 0.006  | <0.01 | <0.17 | 37.68 | 0.77  | 11.19 | 12.28 | 49.3  | 109   | 9.4   | 5.8   | 259   | 1.94  | 86.1  | 1.5   | <0.2   | 9.8   |
| 1830494 | Drill Core | 4.31  | 365   | 0.006  | <0.01 | <0.17 | 38.83 | 1.43  | 19.23 | 16.44 | 43.5  | 168   | 10.7  | 6.5   | 419   | 1.86  | 45.3  | 1.9   | 0.3    | 7.5   |
| 1830495 | Drill Core | 4.22  | 364   | <0.005 | <0.01 | <0.17 | 36.74 | 1.49  | 19.69 | 7.45  | 52.4  | 121   | 12.4  | 8.1   | 319   | 2.13  | 17.9  | 2.1   | <0.2   | 9.5   |
| 1830496 | Drill Core | 4.99  | 454   | 0.005  | <0.01 | <0.17 | 51.87 | 1.19  | 15.83 | 12.43 | 52.6  | 171   | 11.2  | 6.8   | 239   | 2.03  | 34.3  | 1.7   | 0.3    | 9.8   |
| 1830497 | Drill Core | 4.93  | 403   | 0.005  | <0.01 | <0.17 | 31.23 | 1.10  | 20.30 | 17.73 | 47.7  | 185   | 9.4   | 6.8   | 228   | 2.06  | 13.4  | 3.2   | 0.2    | 10.5  |
| 1830498 | Drill Core | 2.81  | 401   | 0.006  | <0.01 | <0.17 | 27.47 | 0.75  | 16.71 | 16.27 | 43.4  | 170   | 8.7   | 5.7   | 206   | 1.84  | 56.6  | 2.0   | <0.2   | 9.7   |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Sc    | Tl    | S     | Hg    |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | %     | ppb   |
|         |                                  | 0.01  | 0.02  | 0.02  | 1     | 0.01  | 0.001 | 0.5   | 0.5   | 0.01  | 0.5   | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.1   | 0.02  | 0.02  | 5     |
| 1830473 | Drill Core                       | 0.25  | 0.49  | 0.03  | 21    | 1.55  | 0.060 | 22.4  | 19.7  | 1.00  | 138.3 | 0.018 | 1     | 1.33  | 0.016 | 0.36  | 0.2   | 6.1   | 0.13  | <0.02 | <5    |
| 1830474 | Drill Core                       | 0.26  | 0.72  | 0.06  | 19    | 1.59  | 0.059 | 17.8  | 18.0  | 0.96  | 146.6 | 0.035 | 2     | 1.27  | 0.011 | 0.49  | 0.3   | 6.7   | 0.19  | <0.02 | <5    |
| 1830475 | Drill Core                       | 0.26  | 0.64  | 0.02  | 14    | 1.68  | 0.068 | 16.8  | 14.1  | 0.92  | 183.3 | 0.047 | 1     | 1.19  | 0.008 | 0.58  | 0.3   | 5.9   | 0.21  | <0.02 | <5    |
| 1830476 | Drill Core                       | 0.21  | 0.50  | <0.02 | 10    | 1.78  | 0.046 | 10.5  | 10.9  | 0.72  | 132.0 | 0.022 | 1     | 0.88  | 0.010 | 0.42  | 0.2   | 3.9   | 0.14  | <0.02 | <5    |
| 1830477 | Drill Core                       | 0.29  | 0.50  | 0.03  | 8     | 1.44  | 0.052 | 14.6  | 10.4  | 0.62  | 187.2 | 0.014 | 1     | 0.80  | 0.012 | 0.38  | 0.3   | 3.5   | 0.11  | <0.02 | <5    |
| 1830478 | Drill Core                       | 0.28  | 0.77  | 0.09  | 8     | 1.64  | 0.063 | 21.9  | 8.9   | 0.65  | 179.1 | 0.029 | 1     | 0.91  | 0.008 | 0.38  | 0.4   | 4.0   | 0.12  | <0.02 | <5    |
| 1830479 | Drill Core                       | 0.25  | 0.84  | 0.08  | 12    | 1.11  | 0.063 | 31.7  | 13.8  | 0.59  | 304.5 | 0.069 | 1     | 1.08  | 0.021 | 0.55  | 0.9   | 6.4   | 0.20  | <0.02 | 7     |
| 1830480 | Rock                             | 0.01  | 0.05  | <0.02 | <1    | 0.04  | 0.001 | 1.2   | 3.0   | <0.01 | 8.8   | 0.001 | <1    | 0.04  | 0.003 | 0.01  | <0.1  | 0.1   | <0.02 | <0.02 | <5    |
| 1830481 | Drill Core                       | 0.21  | 1.10  | <0.02 | 18    | 1.40  | 0.055 | 25.2  | 17.8  | 0.74  | 143.7 | 0.018 | <1    | 1.05  | 0.020 | 0.26  | 0.2   | 5.7   | 0.11  | <0.02 | <5    |
| 1830482 | Drill Core                       | 0.29  | 4.03  | <0.02 | 17    | 0.83  | 0.051 | 27.4  | 15.5  | 0.75  | 136.0 | 0.005 | <1    | 1.05  | 0.015 | 0.26  | <0.1  | 5.8   | 0.12  | <0.02 | <5    |
| 1830483 | Drill Core                       | 0.18  | 5.36  | <0.02 | 9     | 0.75  | 0.047 | 23.3  | 9.6   | 0.47  | 176.4 | 0.009 | <1    | 0.75  | 0.022 | 0.31  | <0.1  | 3.7   | 0.12  | <0.02 | <5    |
| 1830484 | Drill Core                       | 0.24  | 7.37  | <0.02 | 11    | 1.65  | 0.048 | 20.6  | 10.1  | 0.63  | 139.2 | 0.007 | <1    | 0.87  | 0.020 | 0.28  | <0.1  | 4.5   | 0.16  | <0.02 | <5    |
| 1830485 | Drill Core                       | 0.19  | 6.78  | 0.03  | 11    | 0.83  | 0.049 | 18.8  | 10.3  | 0.63  | 151.1 | 0.008 | <1    | 0.87  | 0.023 | 0.32  | <0.1  | 4.2   | 0.15  | <0.02 | <5    |
| 1830486 | Drill Core                       | 0.22  | 4.40  | 0.03  | 12    | 0.92  | 0.049 | 13.9  | 11.5  | 0.69  | 131.0 | 0.017 | <1    | 0.86  | 0.023 | 0.35  | <0.1  | 4.4   | 0.12  | <0.02 | <5    |
| 1830487 | Drill Core                       | 0.22  | 3.02  | 0.03  | 15    | 0.82  | 0.050 | 14.2  | 15.1  | 0.75  | 139.3 | 0.017 | <1    | 0.97  | 0.029 | 0.39  | <0.1  | 4.8   | 0.13  | <0.02 | <5    |
| 1830488 | Drill Core                       | 0.16  | 2.26  | 0.02  | 17    | 1.22  | 0.053 | 12.6  | 17.2  | 0.82  | 128.3 | 0.031 | <1    | 0.96  | 0.029 | 0.42  | <0.1  | 5.5   | 0.15  | <0.02 | <5    |
| 1830489 | Drill Core                       | 0.18  | 1.62  | 0.02  | 20    | 1.32  | 0.055 | 15.0  | 20.1  | 0.88  | 155.2 | 0.042 | <1    | 1.04  | 0.033 | 0.45  | <0.1  | 6.2   | 0.17  | <0.02 | <5    |
| 1830490 | Drill Core                       | 0.20  | 0.97  | 0.06  | 20    | 1.15  | 0.054 | 16.1  | 19.4  | 0.86  | 170.1 | 0.033 | <1    | 1.02  | 0.027 | 0.46  | <0.1  | 6.2   | 0.16  | <0.02 | <5    |
| 1830491 | Drill Core                       | 0.19  | 1.34  | 0.08  | 19    | 1.32  | 0.060 | 16.0  | 18.1  | 0.75  | 199.4 | 0.032 | <1    | 0.97  | 0.029 | 0.47  | <0.1  | 6.4   | 0.16  | <0.02 | <5    |
| 1830492 | Drill Core                       | 0.27  | 3.14  | 0.08  | 11    | 1.72  | 0.058 | 14.5  | 11.6  | 0.60  | 195.2 | 0.018 | <1    | 0.85  | 0.014 | 0.43  | <0.1  | 4.9   | 0.14  | <0.02 | <5    |
| 1830493 | Drill Core                       | 0.24  | 3.78  | 0.06  | 15    | 1.33  | 0.055 | 15.6  | 16.4  | 0.70  | 190.0 | 0.018 | <1    | 0.94  | 0.026 | 0.43  | <0.1  | 6.0   | 0.16  | <0.02 | 7     |
| 1830494 | Drill Core                       | 0.27  | 4.28  | 0.08  | 13    | 2.73  | 0.058 | 17.8  | 12.6  | 0.60  | 203.5 | 0.011 | <1    | 0.87  | 0.013 | 0.33  | <0.1  | 5.2   | 0.12  | <0.02 | <5    |
| 1830495 | Drill Core                       | 0.26  | 3.00  | 0.03  | 15    | 1.93  | 0.066 | 24.6  | 14.4  | 0.81  | 273.6 | 0.009 | <1    | 1.14  | 0.012 | 0.44  | <0.1  | 5.7   | 0.16  | <0.02 | <5    |
| 1830496 | Drill Core                       | 0.26  | 2.07  | 0.07  | 15    | 1.43  | 0.064 | 22.9  | 13.5  | 0.73  | 226.9 | 0.008 | <1    | 0.99  | 0.016 | 0.35  | <0.1  | 5.8   | 0.12  | <0.02 | <5    |
| 1830497 | Drill Core                       | 0.25  | 2.24  | 0.11  | 13    | 1.67  | 0.054 | 26.4  | 10.4  | 0.49  | 243.4 | 0.039 | <1    | 0.76  | 0.032 | 0.31  | <0.1  | 6.6   | 0.15  | <0.02 | <5    |
| 1830498 | Drill Core                       | 0.22  | 1.80  | 0.09  | 10    | 1.08  | 0.050 | 23.7  | 9.2   | 0.57  | 212.8 | 0.029 | <1    | 0.75  | 0.026 | 0.40  | 0.2   | 6.0   | 0.21  | <0.02 | <5    |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 5 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000081.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Se    | Te    | Ga    | Cs    | Ge    | Hf    | Nb    | Rb    | Sn    | Ta    | Zr    | Y     | Ce    | In    | Re    | Be    | Li    | Pd    |
|         |                                  | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppb   |
|         |                                  | 0.1   | 0.02  | 0.1   | 0.02  | 0.1   | 0.02  | 0.02  | 0.1   | 0.1   | 0.05  | 0.1   | 0.01  | 0.1   | 0.02  | 1     | 0.1   | 0.1   | 10    |
| 1830473 | Drill Core                       | <0.1  | <0.02 | 4.8   | 2.18  | <0.1  | 0.28  | <0.02 | 18.4  | 0.5   | <0.05 | 12.7  | 11.92 | 43.4  | 0.03  | <1    | 0.5   | 13.4  | <10   |
| 1830474 | Drill Core                       | 0.2   | <0.02 | 3.8   | 3.52  | <0.1  | 0.30  | 0.03  | 25.7  | 0.4   | <0.05 | 13.1  | 10.31 | 35.7  | 0.03  | <1    | 0.5   | 14.2  | <10   |
| 1830475 | Drill Core                       | 0.2   | <0.02 | 3.2   | 2.52  | <0.1  | 0.29  | 0.03  | 29.7  | 0.3   | <0.05 | 12.6  | 9.66  | 33.2  | <0.02 | <1    | 0.4   | 12.4  | <10   |
| 1830476 | Drill Core                       | <0.1  | <0.02 | 2.4   | 2.13  | <0.1  | 0.19  | <0.02 | 20.5  | 0.2   | <0.05 | 8.5   | 5.14  | 20.6  | <0.02 | <1    | 0.3   | 8.2   | <10   |
| 1830477 | Drill Core                       | 0.2   | 0.03  | 2.3   | 1.54  | <0.1  | 0.15  | 0.03  | 16.4  | 0.2   | <0.05 | 6.8   | 6.13  | 28.2  | <0.02 | <1    | 0.3   | 6.9   | <10   |
| 1830478 | Drill Core                       | 0.2   | 0.03  | 2.6   | 1.62  | <0.1  | 0.04  | 0.06  | 18.9  | 0.3   | <0.05 | 1.6   | 9.17  | 42.7  | 0.02  | <1    | 0.3   | 7.5   | <10   |
| 1830479 | Drill Core                       | <0.1  | <0.02 | 3.1   | 2.49  | <0.1  | 0.09  | 0.17  | 26.3  | 0.6   | <0.05 | 2.6   | 12.41 | 58.7  | 0.03  | <1    | 0.5   | 9.4   | <10   |
| 1830480 | Rock                             | <0.1  | <0.02 | 0.2   | 0.06  | <0.1  | 0.06  | 0.05  | 0.7   | <0.1  | <0.05 | 1.7   | 0.57  | 2.4   | <0.02 | <1    | <0.1  | 0.6   | <10   |
| 1830481 | Drill Core                       | <0.1  | <0.02 | 4.5   | 2.40  | <0.1  | 0.20  | 0.02  | 13.0  | 0.5   | <0.05 | 8.6   | 12.67 | 49.2  | 0.03  | <1    | 0.5   | 9.8   | <10   |
| 1830482 | Drill Core                       | 0.1   | <0.02 | 4.7   | 3.80  | <0.1  | 0.23  | <0.02 | 13.9  | 0.5   | <0.05 | 10.7  | 11.81 | 52.7  | 0.03  | <1    | 0.7   | 11.0  | <10   |
| 1830483 | Drill Core                       | <0.1  | <0.02 | 2.8   | 1.71  | <0.1  | 0.32  | 0.02  | 14.4  | 0.6   | <0.05 | 13.1  | 10.51 | 45.2  | <0.02 | <1    | 0.4   | 6.2   | <10   |
| 1830484 | Drill Core                       | <0.1  | <0.02 | 3.5   | 1.61  | <0.1  | 0.30  | <0.02 | 13.5  | 0.8   | <0.05 | 12.9  | 11.26 | 39.8  | <0.02 | <1    | 0.5   | 8.2   | <10   |
| 1830485 | Drill Core                       | <0.1  | <0.02 | 3.4   | 1.29  | <0.1  | 0.30  | <0.02 | 14.9  | 0.5   | <0.05 | 12.6  | 9.65  | 36.5  | <0.02 | <1    | 0.4   | 8.3   | <10   |
| 1830486 | Drill Core                       | 0.2   | <0.02 | 3.3   | 1.20  | <0.1  | 0.34  | <0.02 | 16.0  | 0.4   | <0.05 | 13.7  | 9.79  | 27.1  | <0.02 | <1    | 0.4   | 8.1   | <10   |
| 1830487 | Drill Core                       | <0.1  | <0.02 | 4.1   | 1.49  | <0.1  | 0.35  | <0.02 | 16.9  | 0.5   | <0.05 | 14.8  | 10.41 | 27.8  | 0.02  | <1    | 0.4   | 9.4   | <10   |
| 1830488 | Drill Core                       | 0.2   | <0.02 | 4.1   | 1.92  | <0.1  | 0.32  | 0.03  | 19.7  | 0.5   | <0.05 | 13.6  | 10.73 | 24.8  | 0.02  | <1    | 0.4   | 9.6   | <10   |
| 1830489 | Drill Core                       | <0.1  | <0.02 | 4.6   | 2.22  | <0.1  | 0.35  | 0.03  | 21.4  | 0.6   | <0.05 | 14.7  | 11.34 | 29.5  | 0.02  | <1    | 0.5   | 10.0  | <10   |
| 1830490 | Drill Core                       | <0.1  | <0.02 | 4.4   | 1.98  | <0.1  | 0.32  | 0.03  | 21.3  | 0.6   | <0.05 | 13.6  | 11.31 | 31.5  | 0.03  | <1    | 0.5   | 9.9   | <10   |
| 1830491 | Drill Core                       | 0.2   | <0.02 | 3.9   | 2.06  | <0.1  | 0.23  | 0.03  | 21.1  | 0.6   | <0.05 | 10.0  | 11.63 | 31.5  | 0.03  | <1    | 0.5   | 8.7   | <10   |
| 1830492 | Drill Core                       | <0.1  | <0.02 | 2.6   | 2.12  | <0.1  | 0.08  | 0.03  | 18.3  | 0.4   | <0.05 | 3.7   | 10.50 | 28.7  | <0.02 | <1    | 0.4   | 7.6   | <10   |
| 1830493 | Drill Core                       | 0.4   | 0.03  | 3.3   | 2.10  | <0.1  | 0.24  | 0.02  | 19.9  | 0.6   | <0.05 | 9.9   | 11.14 | 30.8  | 0.02  | <1    | 0.5   | 8.3   | <10   |
| 1830494 | Drill Core                       | 0.2   | 0.02  | 2.7   | 1.58  | <0.1  | 0.04  | <0.02 | 12.7  | 0.6   | <0.05 | 1.6   | 13.01 | 34.6  | 0.02  | <1    | 0.5   | 9.2   | <10   |
| 1830495 | Drill Core                       | <0.1  | <0.02 | 3.4   | 1.21  | <0.1  | 0.03  | <0.02 | 16.1  | 0.6   | <0.05 | 1.6   | 12.66 | 48.2  | 0.03  | <1    | 0.5   | 13.4  | <10   |
| 1830496 | Drill Core                       | 0.3   | <0.02 | 3.2   | 1.48  | <0.1  | 0.08  | <0.02 | 13.2  | 0.5   | <0.05 | 3.6   | 11.43 | 45.1  | 0.03  | <1    | 0.4   | 11.1  | <10   |
| 1830497 | Drill Core                       | 0.5   | 0.02  | 3.1   | 1.93  | <0.1  | 0.15  | 0.10  | 12.3  | 0.6   | <0.05 | 6.3   | 11.58 | 51.4  | 0.03  | <1    | 0.4   | 8.1   | <10   |
| 1830498 | Drill Core                       | 0.2   | 0.03  | 2.8   | 2.36  | <0.1  | 0.22  | 0.06  | 19.3  | 0.5   | <0.05 | 9.3   | 8.74  | 46.0  | 0.02  | <1    | 0.4   | 7.4   | <10   |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 1 of 4

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|                        | Method<br>Analyte<br>Unit<br>MDL | WGHT  | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251   | AQ251  | AQ251  | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251  | AQ251 | AQ251 |
|------------------------|----------------------------------|-------|-------|--------|-------|-------|-------|-------|---------|--------|--------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|                        |                                  | Wgt   | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu      | Pb     | Zn     | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|                        |                                  | kg    | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm     | ppm    | ppm    | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|                        |                                  | 0.01  | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01    | 0.01   | 0.01   | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1    | 0.2   | 0.1   |
| Pulp Duplicates        |                                  |       |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| 1830404                | Drill Core                       | 3.50  | 429   | <0.005 | <0.01 | <0.17 | 32.57 | 0.83  | 16.23   | 10.61  | 61.8   | 250   | 11.8  | 7.6   | 699   | 2.26  | 7.0   | 2.4   | 0.6    | 9.1   | 66.9  |
| REP 1830404            | QC                               |       |       |        |       |       |       | 0.83  | 15.78   | 11.17  | 61.2   | 275   | 11.8  | 7.9   | 649   | 2.29  | 7.2   | 2.4   | <0.2   | 9.4   | 69.1  |
| 1830409                | Drill Core                       | 2.08  | 447   | 0.190  | 0.19  | 0.22  | 46.27 | 0.67  | 3.54    | 6.61   | 22.4   | 238   | 11.0  | 8.4   | 648   | 2.36  | 7.9   | 1.9   | 136.0  | 6.7   | 73.7  |
| REP 1830409            | QC                               | 0.198 |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| 1830423                | Drill Core                       | 3.85  | 426   | 0.008  | <0.01 | <0.17 | 50.23 | 1.53  | 20.53   | 10.21  | 58.1   | 180   | 14.7  | 8.8   | 561   | 2.36  | 14.6  | 2.8   | 1.0    | 10.4  | 65.9  |
| REP 1830423            | QC                               | 0.008 |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| 1830439                | Drill Core                       | 4.28  | 460   | 0.006  | <0.01 | <0.17 | 50.69 | 0.77  | 16.80   | 20.55  | 74.6   | 234   | 13.1  | 8.3   | 366   | 2.51  | 12.1  | 1.8   | 0.8    | 10.0  | 73.7  |
| REP 1830439            | QC                               |       |       |        |       |       |       | 0.72  | 15.84   | 19.52  | 68.8   | 230   | 12.6  | 8.0   | 376   | 2.34  | 11.5  | 1.7   | 0.6    | 9.6   | 68.3  |
| 1830473                | Drill Core                       | 5.13  | 460   | 0.007  | <0.01 | <0.17 | 51.83 | 0.82  | 14.38   | 9.97   | 67.5   | 152   | 12.4  | 8.1   | 452   | 2.62  | 13.3  | 2.0   | 1.9    | 8.6   | 82.1  |
| REP 1830473            | QC                               |       |       |        |       |       |       | 0.80  | 14.36   | 9.85   | 67.0   | 162   | 12.3  | 8.0   | 447   | 2.58  | 13.2  | 2.0   | 1.6    | 8.4   | 81.2  |
| 1830479                | Drill Core                       | 4.77  | 419   | 0.007  | <0.01 | <0.17 | 32.43 | 1.58  | 22.51   | 14.30  | 51.4   | 211   | 12.2  | 7.0   | 410   | 2.07  | 22.2  | 2.3   | 1.7    | 11.1  | 58.8  |
| REP 1830479            | QC                               |       |       |        |       |       |       | 1.52  | 21.21   | 14.15  | 53.0   | 206   | 12.4  | 7.3   | 414   | 2.08  | 21.5  | 2.3   | 1.4    | 11.0  | 57.0  |
| 1830483                | Drill Core                       | 3.81  | 408   | 0.021  | 0.02  | <0.17 | 29.22 | 0.87  | 11.26   | 12.91  | 38.6   | 126   | 6.9   | 5.6   | 257   | 1.41  | 231.5 | 1.2   | 15.7   | 9.9   | 44.9  |
| REP 1830483            | QC                               | 0.022 |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| 1830498                | Drill Core                       | 2.81  | 401   | 0.006  | <0.01 | <0.17 | 27.47 | 0.75  | 16.71   | 16.27  | 43.4   | 170   | 8.7   | 5.7   | 206   | 1.84  | 56.6  | 2.0   | <0.2   | 9.7   | 55.7  |
| REP 1830498            | QC                               | 0.007 |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| Core Reject Duplicates |                                  |       |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| 1830395                | Drill Core                       | 1.92  | 462   | 0.403  | 0.40  | 0.40  | 42.37 | 0.94  | 9.98    | 7.99   | 29.7   | 331   | 9.7   | 5.3   | 370   | 1.51  | 6.5   | 1.0   | 295.0  | 4.5   | 62.0  |
| DUP 1830395            | QC                               | 432   |       | 0.282  | 0.34  | 0.94  | 37.16 | 0.98  | 10.06   | 8.32   | 30.0   | 442   | 9.8   | 5.4   | 385   | 1.55  | 7.0   | 1.0   | 1046.3 | 4.6   | 65.4  |
| 1830429                | Drill Core                       | 4.09  | 363   | <0.005 | <0.01 | <0.17 | 31.64 | 0.51  | 16.41   | 17.44  | 54.6   | 175   | 12.1  | 7.4   | 483   | 2.32  | 14.4  | 0.8   | <0.2   | 10.3  | 72.2  |
| DUP 1830429            | QC                               | 337   |       | <0.005 | <0.01 | <0.17 | 24.71 | 0.54  | 15.71   | 16.72  | 52.0   | 167   | 10.7  | 7.4   | 459   | 2.24  | 14.5  | 0.7   | <0.2   | 9.9   | 70.2  |
| 1830463                | Drill Core                       | 4.83  | 491   | 0.009  | <0.01 | <0.17 | 46.54 | 0.55  | 11.62   | 23.71  | 55.2   | 193   | 10.4  | 7.0   | 498   | 2.31  | 9.1   | 1.2   | 1.2    | 8.0   | 65.0  |
| DUP 1830463            | QC                               | 506   |       | 0.007  | <0.01 | <0.17 | 49.68 | 0.51  | 11.36   | 24.72  | 49.6   | 202   | 10.3  | 6.7   | 473   | 2.14  | 8.3   | 1.2   | 4.1    | 7.3   | 61.4  |
| 1830497                | Drill Core                       | 4.93  | 403   | 0.005  | <0.01 | <0.17 | 31.23 | 1.10  | 20.30   | 17.73  | 47.7   | 185   | 9.4   | 6.8   | 228   | 2.06  | 13.4  | 3.2   | 0.2    | 10.5  | 101.4 |
| DUP 1830497            | QC                               | 345   |       | 0.007  | <0.01 | <0.17 | 29.76 | 1.12  | 20.32   | 18.42  | 48.1   | 185   | 9.6   | 6.8   | 234   | 2.12  | 13.5  | 3.2   | 0.3    | 10.8  | 102.9 |
| Reference Materials    |                                  |       |       |        |       |       |       |       |         |        |        |       |       |       |       |       |       |       |        |       |       |
| STD BVGEO01            | Standard                         |       |       |        |       |       |       | 11.00 | 4360.95 | 166.85 | 1835.1 | 2564  | 151.7 | 25.0  | 739   | 3.75  | 116.3 | 3.4   | 198.0  | 12.7  | 56.0  |
| STD BVGEO01            | Standard                         |       |       |        |       |       |       | 10.81 | 4289.91 | 180.84 | 1712.6 | 2447  | 159.6 | 25.2  | 779   | 3.65  | 113.9 | 3.5   | 206.4  | 13.9  | 54.4  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 18, 2019

Page:

1 of 4

Part: 2 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|                        | Method<br>Analyte<br>Unit<br>MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                        |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Sc    | Tl    | S     | Hg    |
|                        |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | %     | ppb   |
|                        |                                  | 0.01  | 0.02  | 0.02  | 1     | 0.01  | 0.001 | 0.5   | 0.5   | 0.01  | 0.5   | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.1   | 0.02  | 0.02  | 5     |
| Pulp Duplicates        |                                  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830404                | Drill Core                       | 0.27  | 0.28  | 0.06  | 15    | 1.39  | 0.063 | 19.8  | 17.6  | 0.67  | 195.5 | 0.004 | <1    | 0.99  | 0.019 | 0.28  | <0.1  | 4.6   | 0.10  | 0.07  | <5    |
| REP 1830404            | QC                               | 0.28  | 0.28  | 0.06  | 15    | 1.38  | 0.062 | 19.8  | 17.3  | 0.67  | 196.0 | 0.004 | <1    | 1.00  | 0.019 | 0.28  | <0.1  | 4.3   | 0.10  | 0.07  | <5    |
| 1830409                | Drill Core                       | 0.14  | 0.36  | 0.02  | 4     | 1.54  | 0.034 | 12.0  | 4.7   | 0.36  | 168.8 | 0.003 | <1    | 0.51  | 0.010 | 0.30  | 0.1   | 3.3   | 0.09  | 0.05  | 6     |
| REP 1830409            | QC                               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830423                | Drill Core                       | 0.32  | 1.16  | 0.05  | 18    | 1.09  | 0.070 | 30.0  | 16.2  | 0.66  | 321.4 | 0.039 | <1    | 0.95  | 0.018 | 0.38  | 0.1   | 6.9   | 0.30  | <0.02 | <5    |
| REP 1830423            | QC                               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830439                | Drill Core                       | 0.44  | 0.52  | 0.07  | 18    | 1.15  | 0.062 | 21.5  | 18.3  | 0.96  | 201.8 | 0.071 | <1    | 1.17  | 0.019 | 0.57  | 0.4   | 5.8   | 0.25  | <0.02 | <5    |
| REP 1830439            | QC                               | 0.43  | 0.50  | 0.07  | 17    | 1.08  | 0.061 | 21.0  | 17.0  | 0.91  | 205.5 | 0.068 | <1    | 1.14  | 0.017 | 0.54  | 0.4   | 5.6   | 0.24  | <0.02 | <5    |
| 1830473                | Drill Core                       | 0.25  | 0.49  | 0.03  | 21    | 1.55  | 0.060 | 22.4  | 19.7  | 1.00  | 138.3 | 0.018 | 1     | 1.33  | 0.016 | 0.36  | 0.2   | 6.1   | 0.13  | <0.02 | <5    |
| REP 1830473            | QC                               | 0.25  | 0.50  | 0.03  | 20    | 1.51  | 0.059 | 21.2  | 19.2  | 0.99  | 129.2 | 0.016 | 1     | 1.28  | 0.015 | 0.35  | 0.2   | 5.9   | 0.14  | <0.02 | <5    |
| 1830479                | Drill Core                       | 0.25  | 0.84  | 0.08  | 12    | 1.11  | 0.063 | 31.7  | 13.8  | 0.59  | 304.5 | 0.069 | 1     | 1.08  | 0.021 | 0.55  | 0.9   | 6.4   | 0.20  | <0.02 | 7     |
| REP 1830479            | QC                               | 0.25  | 0.82  | 0.08  | 12    | 1.12  | 0.062 | 30.8  | 13.4  | 0.60  | 295.4 | 0.067 | 1     | 1.10  | 0.022 | 0.56  | 0.9   | 6.3   | 0.20  | <0.02 | <5    |
| 1830483                | Drill Core                       | 0.18  | 5.36  | <0.02 | 9     | 0.75  | 0.047 | 23.3  | 9.6   | 0.47  | 176.4 | 0.009 | <1    | 0.75  | 0.022 | 0.31  | <0.1  | 3.7   | 0.12  | <0.02 | <5    |
| REP 1830483            | QC                               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830498                | Drill Core                       | 0.22  | 1.80  | 0.09  | 10    | 1.08  | 0.050 | 23.7  | 9.2   | 0.57  | 212.8 | 0.029 | <1    | 0.75  | 0.026 | 0.40  | 0.2   | 6.0   | 0.21  | <0.02 | <5    |
| REP 1830498            | QC                               |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Core Reject Duplicates |                                  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830395                | Drill Core                       | 0.26  | 0.24  | 0.07  | 9     | 0.88  | 0.054 | 13.3  | 9.8   | 0.51  | 167.5 | 0.012 | <1    | 0.67  | 0.013 | 0.32  | 0.2   | 2.5   | 0.10  | <0.02 | 6     |
| DUP 1830395            | QC                               | 0.23  | 0.26  | 0.06  | 9     | 0.89  | 0.056 | 13.2  | 10.2  | 0.52  | 166.7 | 0.011 | <1    | 0.66  | 0.013 | 0.32  | 0.2   | 2.5   | 0.10  | <0.02 | <5    |
| 1830429                | Drill Core                       | 0.22  | 0.33  | 0.08  | 15    | 1.16  | 0.066 | 22.5  | 15.5  | 0.87  | 466.4 | 0.049 | <1    | 0.97  | 0.020 | 0.53  | <0.1  | 7.3   | 0.24  | <0.02 | <5    |
| DUP 1830429            | QC                               | 0.23  | 0.33  | 0.08  | 15    | 1.16  | 0.060 | 19.4  | 14.5  | 0.82  | 424.7 | 0.044 | <1    | 0.89  | 0.020 | 0.51  | <0.1  | 6.7   | 0.23  | <0.02 | <5    |
| 1830463                | Drill Core                       | 0.27  | 0.21  | 0.11  | 19    | 0.99  | 0.056 | 23.0  | 22.0  | 1.01  | 100.2 | 0.002 | <1    | 1.26  | 0.014 | 0.20  | <0.1  | 3.3   | 0.06  | <0.02 | <5    |
| DUP 1830463            | QC                               | 0.26  | 0.21  | 0.14  | 20    | 0.92  | 0.052 | 21.6  | 20.2  | 0.99  | 94.5  | 0.002 | <1    | 1.20  | 0.012 | 0.18  | <0.1  | 3.3   | 0.06  | <0.02 | <5    |
| 1830497                | Drill Core                       | 0.25  | 2.24  | 0.11  | 13    | 1.67  | 0.054 | 26.4  | 10.4  | 0.49  | 243.4 | 0.039 | <1    | 0.76  | 0.032 | 0.31  | <0.1  | 6.6   | 0.15  | <0.02 | <5    |
| DUP 1830497            | QC                               | 0.27  | 2.21  | 0.11  | 13    | 1.68  | 0.055 | 27.7  | 11.2  | 0.50  | 257.5 | 0.043 | <1    | 0.77  | 0.034 | 0.32  | <0.1  | 6.8   | 0.15  | <0.02 | <5    |
| Reference Materials    |                                  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD BVGEO01            | Standard                         | 6.12  | 3.50  | 21.23 | 70    | 1.38  | 0.070 | 23.7  | 182.3 | 1.26  | 277.3 | 0.233 | 4     | 2.33  | 0.188 | 0.87  | 4.8   | 6.2   | 0.57  | 0.63  | 77    |
| STD BVGEO01            | Standard                         | 6.05  | 3.65  | 24.15 | 69    | 1.28  | 0.070 | 25.5  | 193.8 | 1.27  | 258.8 | 0.228 | 3     | 2.29  | 0.181 | 0.87  | 4.9   | 5.8   | 0.59  | 0.65  | 88    |





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 18, 2019

Page:

1 of 4

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

| Method<br>Analyte<br>Unit<br>MDL |            | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|----------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                                  |            | Se    | Te    | Ga    | Cs    | Ge    | Hf    | Nb    | Rb    | Sn    | Ta    | Zr    | Y     | Ce    | In    | Re    | Be    | Li    | Pd    | Pt    |
|                                  |            | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppb   | ppb   |
|                                  |            | 0.1   | 0.02  | 0.1   | 0.02  | 0.1   | 0.02  | 0.02  | 0.1   | 0.1   | 0.05  | 0.1   | 0.01  | 0.1   | 0.02  | 1     | 0.1   | 0.1   | 10    | 2     |
| Pulp Duplicates                  |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830404                          | Drill Core | <0.1  | <0.02 | 3.5   | 0.98  | <0.1  | 0.16  | <0.02 | 12.0  | 0.3   | <0.05 | 7.2   | 7.67  | 37.9  | 0.03  | <1    | 0.5   | 7.8   | <10   | <2    |
| REP 1830404                      | QC         | 0.1   | <0.02 | 3.5   | 0.97  | <0.1  | 0.15  | <0.02 | 11.9  | 0.3   | <0.05 | 7.0   | 7.72  | 37.6  | 0.03  | <1    | 0.3   | 7.8   | <10   | <2    |
| 1830409                          | Drill Core | 0.5   | 0.06  | 1.5   | 1.06  | <0.1  | 0.23  | <0.02 | 12.5  | 0.2   | <0.05 | 10.0  | 5.54  | 23.1  | <0.02 | <1    | 0.3   | 3.9   | <10   | <2    |
| REP 1830409                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830423                          | Drill Core | 0.5   | 0.02  | 3.2   | 2.94  | <0.1  | 0.06  | 0.04  | 15.7  | 0.5   | <0.05 | 2.2   | 13.87 | 58.3  | 0.02  | 1     | 0.3   | 12.1  | 18    | <2    |
| REP 1830423                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830439                          | Drill Core | <0.1  | 0.02  | 3.6   | 3.03  | <0.1  | 0.19  | 0.04  | 30.4  | 0.4   | <0.05 | 5.2   | 9.41  | 41.7  | 0.03  | <1    | 0.2   | 8.0   | <10   | <2    |
| REP 1830439                      | QC         | 0.1   | 0.03  | 3.4   | 3.00  | <0.1  | 0.16  | 0.04  | 28.4  | 0.4   | <0.05 | 5.3   | 8.83  | 40.4  | <0.02 | <1    | 0.3   | 7.6   | <10   | <2    |
| 1830473                          | Drill Core | <0.1  | <0.02 | 4.8   | 2.18  | <0.1  | 0.28  | <0.02 | 18.4  | 0.5   | <0.05 | 12.7  | 11.92 | 43.4  | 0.03  | <1    | 0.5   | 13.4  | <10   | <2    |
| REP 1830473                      | QC         | <0.1  | 0.03  | 4.7   | 2.22  | <0.1  | 0.24  | <0.02 | 17.8  | 0.4   | <0.05 | 11.6  | 11.47 | 41.0  | 0.02  | <1    | 0.5   | 13.2  | <10   | <2    |
| 1830479                          | Drill Core | <0.1  | <0.02 | 3.1   | 2.49  | <0.1  | 0.09  | 0.17  | 26.3  | 0.6   | <0.05 | 2.6   | 12.41 | 58.7  | 0.03  | <1    | 0.5   | 9.4   | <10   | <2    |
| REP 1830479                      | QC         | <0.1  | <0.02 | 2.8   | 2.43  | <0.1  | 0.09  | 0.15  | 26.3  | 0.5   | <0.05 | 2.2   | 12.23 | 57.2  | 0.03  | <1    | 0.5   | 9.9   | <10   | <2    |
| 1830483                          | Drill Core | <0.1  | <0.02 | 2.8   | 1.71  | <0.1  | 0.32  | 0.02  | 14.4  | 0.6   | <0.05 | 13.1  | 10.51 | 45.2  | <0.02 | <1    | 0.4   | 6.2   | <10   | <2    |
| REP 1830483                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830498                          | Drill Core | 0.2   | 0.03  | 2.8   | 2.36  | <0.1  | 0.22  | 0.06  | 19.3  | 0.5   | <0.05 | 9.3   | 8.74  | 46.0  | 0.02  | <1    | 0.4   | 7.4   | <10   | <2    |
| REP 1830498                      | QC         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Core Reject Duplicates           |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 1830395                          | Drill Core | 0.3   | 0.03  | 2.1   | 0.79  | <0.1  | <0.02 | <0.02 | 14.0  | 0.2   | <0.05 | 0.9   | 5.25  | 25.9  | <0.02 | <1    | 0.2   | 4.7   | <10   | <2    |
| DUP 1830395                      | QC         | 0.3   | 0.03  | 2.1   | 0.83  | <0.1  | 0.02  | 0.02  | 14.0  | 0.2   | <0.05 | 0.9   | 5.30  | 25.8  | <0.02 | <1    | 0.2   | 4.7   | <10   | <2    |
| 1830429                          | Drill Core | <0.1  | <0.02 | 3.4   | 5.91  | <0.1  | 0.14  | 0.04  | 31.2  | 0.4   | <0.05 | 4.5   | 7.88  | 44.3  | <0.02 | <1    | 0.4   | 4.1   | <10   | <2    |
| DUP 1830429                      | QC         | 0.2   | 0.02  | 3.2   | 5.55  | <0.1  | 0.11  | 0.06  | 30.0  | 0.3   | <0.05 | 4.3   | 6.94  | 37.0  | 0.03  | <1    | 0.4   | 4.1   | <10   | <2    |
| 1830463                          | Drill Core | <0.1  | <0.02 | 5.0   | 1.09  | <0.1  | 0.22  | <0.02 | 8.8   | 0.3   | <0.05 | 6.7   | 8.41  | 44.8  | <0.02 | <1    | 0.3   | 18.3  | 12    | <2    |
| DUP 1830463                      | QC         | <0.1  | 0.03  | 4.4   | 1.03  | <0.1  | 0.15  | <0.02 | 8.6   | 0.2   | <0.05 | 6.3   | 8.10  | 41.8  | <0.02 | <1    | 0.2   | 17.5  | <10   | <2    |
| 1830497                          | Drill Core | 0.5   | 0.02  | 3.1   | 1.93  | <0.1  | 0.15  | 0.10  | 12.3  | 0.6   | <0.05 | 6.3   | 11.58 | 51.4  | 0.03  | <1    | 0.4   | 8.1   | <10   | <2    |
| DUP 1830497                      | QC         | 0.4   | <0.02 | 3.2   | 1.98  | <0.1  | 0.16  | 0.11  | 12.8  | 0.6   | <0.05 | 6.6   | 11.87 | 53.3  | 0.03  | <1    | 0.4   | 8.2   | <10   | <2    |
| Reference Materials              |            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD BVGE001                      | Standard   | 4.6   | 1.05  | 7.4   | 6.76  | 0.1   | 0.32  | 0.28  | 97.4  | 5.6   | <0.05 | 10.3  | 14.80 | 48.4  | 0.46  | 2     | 0.7   | 21.0  | 171   | 162   |
| STD BVGE001                      | Standard   | 4.6   | 1.04  | 6.8   | 6.92  | 0.2   | 0.28  | 0.25  | 88.7  | 5.6   | <0.05 | 6.7   | 13.39 | 50.7  | 0.45  | 3     | 0.3   | 19.1  | 132   | 184   |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 18, 2019

Page:

2 of 4

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|              |          | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251  | AQ251  | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|--------------|----------|------|-------|--------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|              |          | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu     | Pb     | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|              |          | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm    | ppm    | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|              |          | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01   | 0.01   | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1   | 0.2   | 0.1   | 0.5   |
| STD DS11     | Standard |      |       |        |       |       |       | 14.19 | 145.60 | 117.15 | 322.9 | 1712  | 75.9  | 13.1  | 982   | 2.95  | 40.6  | 2.2   | 50.2  | 6.7   | 64.4  |
| STD DS11     | Standard |      |       |        |       |       |       | 14.76 | 152.13 | 132.22 | 325.5 | 1676  | 78.1  | 13.8  | 1044  | 3.16  | 42.9  | 2.6   | 72.0  | 7.9   | 69.9  |
| STD DS11     | Standard |      |       |        |       |       |       | 14.69 | 151.66 | 135.42 | 326.0 | 1692  | 81.2  | 13.9  | 995   | 3.14  | 41.5  | 2.7   | 91.2  | 8.1   | 67.1  |
| STD OREAS262 | Standard |      |       |        |       |       |       | 0.67  | 116.32 | 49.85  | 141.2 | 460   | 62.5  | 26.6  | 527   | 3.17  | 34.1  | 1.1   | 64.6  | 8.2   | 34.6  |
| STD OREAS262 | Standard |      |       |        |       |       |       | 0.69  | 115.52 | 48.49  | 140.4 | 442   | 62.7  | 26.6  | 526   | 3.27  | 34.5  | 1.1   | 61.4  | 7.8   | 33.9  |
| STD OREAS262 | Standard |      |       |        |       |       |       | 0.64  | 115.02 | 53.09  | 143.5 | 409   | 62.1  | 27.5  | 530   | 3.24  | 34.2  | 1.1   | 65.3  | 8.7   | 35.0  |
| STD OREAS262 | Standard |      |       |        |       |       |       | 0.64  | 117.02 | 56.40  | 148.9 | 456   | 65.8  | 28.9  | 548   | 3.25  | 34.7  | 1.2   | 58.8  | 9.2   | 35.0  |
| STD OREAS262 | Standard |      |       |        |       |       |       | 0.82  | 118.45 | 56.44  | 141.8 | 439   | 62.3  | 27.9  | 540   | 3.25  | 33.8  | 1.2   | 62.8  | 9.4   | 34.4  |
| STD OXC145   | Standard |      |       | 0.218  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXC145   | Standard |      |       | 0.211  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXC145   | Standard |      |       | 0.214  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXC145   | Standard |      |       | 0.219  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXC145   | Standard |      |       | 0.216  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXC145   | Standard |      |       | 0.202  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXH139   | Standard |      |       | 1.326  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXH139   | Standard |      |       | 1.277  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXH139   | Standard |      |       | 1.276  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXH139   | Standard |      |       | 1.290  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXH139   | Standard |      |       | 1.342  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXH139   | Standard |      |       | 1.339  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN134   | Standard |      |       | 7.796  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN134   | Standard |      |       | 7.657  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN134   | Standard |      |       | 7.528  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN134   | Standard |      |       | 7.685  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN134   | Standard |      |       | <0.005 |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXN134   | Standard |      |       | 7.305  |       |       |       |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90    | Standard |      |       |        |       | 25.40 | 29.72 |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90    | Standard |      |       |        |       | 25.34 | 29.75 |       |        |        |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90    | Standard |      |       |        |       | 25.23 | 30.16 |       |        |        |       |       |       |       |       |       |       |       |       |       |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 2 of 4

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|              |          | AQ251<br>Cd<br>ppm<br>0.01 | AQ251<br>Sb<br>ppm<br>0.02 | AQ251<br>Bi<br>ppm<br>0.02 | AQ251<br>V<br>ppm<br>1 | AQ251<br>Ca<br>%<br>0.01 | AQ251<br>P<br>%<br>0.001 | AQ251<br>La<br>ppm<br>0.5 | AQ251<br>Cr<br>ppm<br>0.5 | AQ251<br>Mg<br>%<br>0.01 | AQ251<br>Ba<br>ppm<br>0.5 | AQ251<br>Ti<br>%<br>0.001 | AQ251<br>B<br>ppm<br>1 | AQ251<br>Al<br>%<br>0.01 | AQ251<br>Na<br>%<br>0.001 | AQ251<br>K<br>%<br>0.01 | AQ251<br>W<br>ppm<br>0.1 | AQ251<br>Sc<br>ppm<br>0.1 | AQ251<br>Tl<br>ppm<br>0.02 | AQ251<br>S<br>%<br>0.02 | AQ251<br>Hg<br>ppb<br>5 |
|--------------|----------|----------------------------|----------------------------|----------------------------|------------------------|--------------------------|--------------------------|---------------------------|---------------------------|--------------------------|---------------------------|---------------------------|------------------------|--------------------------|---------------------------|-------------------------|--------------------------|---------------------------|----------------------------|-------------------------|-------------------------|
| STD DS11     | Standard | 2.23                       | 8.31                       | 9.51                       | 47                     | 1.02                     | 0.064                    | 15.9                      | 57.2                      | 0.81                     | 315.6                     | 0.088                     | 7                      | 1.16                     | 0.069                     | 0.39                    | 2.6                      | 3.2                       | 4.24                       | 0.27                    | 209                     |
| STD DS11     | Standard | 2.31                       | 8.88                       | 11.50                      | 52                     | 1.07                     | 0.070                    | 18.7                      | 59.8                      | 0.85                     | 372.9                     | 0.098                     | 7                      | 1.22                     | 0.074                     | 0.41                    | 3.0                      | 3.2                       | 4.72                       | 0.29                    | 250                     |
| STD DS11     | Standard | 2.29                       | 8.55                       | 11.32                      | 50                     | 1.08                     | 0.064                    | 19.7                      | 60.6                      | 0.83                     | 356.8                     | 0.105                     | 7                      | 1.26                     | 0.080                     | 0.41                    | 2.8                      | 3.8                       | 4.74                       | 0.28                    | 240                     |
| STD OREAS262 | Standard | 0.57                       | 5.66                       | 0.85                       | 22                     | 2.86                     | 0.037                    | 15.0                      | 43.6                      | 1.13                     | 221.7                     | 0.003                     | 4                      | 1.45                     | 0.064                     | 0.31                    | 0.2                      | 3.3                       | 0.43                       | 0.25                    | 143                     |
| STD OREAS262 | Standard | 0.56                       | 5.42                       | 0.85                       | 21                     | 3.07                     | 0.037                    | 13.7                      | 42.6                      | 1.16                     | 220.5                     | 0.002                     | 4                      | 1.29                     | 0.069                     | 0.30                    | 0.2                      | 3.2                       | 0.41                       | 0.24                    | 114                     |
| STD OREAS262 | Standard | 0.61                       | 5.34                       | 0.99                       | 22                     | 2.87                     | 0.037                    | 16.2                      | 44.2                      | 1.13                     | 237.1                     | 0.003                     | 4                      | 1.36                     | 0.067                     | 0.32                    | 0.2                      | 3.1                       | 0.43                       | 0.26                    | 167                     |
| STD OREAS262 | Standard | 0.59                       | 4.51                       | 1.00                       | 21                     | 2.84                     | 0.037                    | 16.0                      | 43.9                      | 1.18                     | 242.5                     | 0.003                     | 3                      | 1.39                     | 0.069                     | 0.31                    | 0.2                      | 3.2                       | 0.43                       | 0.25                    | 143                     |
| STD OREAS262 | Standard | 0.66                       | 4.98                       | 1.03                       | 23                     | 2.93                     | 0.037                    | 19.7                      | 47.8                      | 1.16                     | 252.1                     | 0.003                     | 5                      | 1.61                     | 0.069                     | 0.36                    | 0.2                      | 3.7                       | 0.45                       | 0.26                    | 148                     |
| STD OXC145   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXC145   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXC145   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXC145   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXC145   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXC145   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXH139   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXH139   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXH139   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXH139   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXH139   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXH139   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXN134   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXN134   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXN134   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXN134   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXN134   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXN134   | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXQ90    | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXQ90    | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |
| STD OXQ90    | Standard |                            |                            |                            |                        |                          |                          |                           |                           |                          |                           |                           |                        |                          |                           |                         |                          |                           |                            |                         |                         |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 18, 2019

Page:

2 of 4

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|              |          | AQ251<br>Se<br>ppm<br>0.1 | AQ251<br>Te<br>ppm<br>0.02 | AQ251<br>Ga<br>ppm<br>0.1 | AQ251<br>Cs<br>ppm<br>0.02 | AQ251<br>Ge<br>ppm<br>0.1 | AQ251<br>Hf<br>ppm<br>0.02 | AQ251<br>Nb<br>ppm<br>0.02 | AQ251<br>Rb<br>ppm<br>0.1 | AQ251<br>Sn<br>ppm<br>0.1 | AQ251<br>Ta<br>ppm<br>0.05 | AQ251<br>Zr<br>ppm<br>0.1 | AQ251<br>Y<br>ppm<br>0.01 | AQ251<br>Ce<br>ppm<br>0.1 | AQ251<br>In<br>ppm<br>0.02 | AQ251<br>Re<br>ppb<br>1 | AQ251<br>Be<br>ppm<br>0.1 | AQ251<br>Li<br>ppm<br>0.1 | AQ251<br>Pd<br>ppb<br>10 | AQ251<br>Pt<br>ppb<br>2 |
|--------------|----------|---------------------------|----------------------------|---------------------------|----------------------------|---------------------------|----------------------------|----------------------------|---------------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|----------------------------|-------------------------|---------------------------|---------------------------|--------------------------|-------------------------|
| STD DS11     | Standard | 2.1                       | 4.43                       | 4.9                       | 2.57                       | <0.1                      | 0.05                       | 1.38                       | 33.6                      | 1.8                       | <0.05                      | 2.8                       | 7.91                      | 32.4                      | 0.23                       | 38                      | 0.6                       | 21.9                      | 100                      | 144                     |
| STD DS11     | Standard | 2.2                       | 4.59                       | 4.9                       | 2.90                       | <0.1                      | 0.09                       | 1.55                       | 32.7                      | 1.9                       | <0.05                      | 3.4                       | 7.87                      | 38.1                      | 0.24                       | 50                      | 0.8                       | 22.9                      | 111                      | 163                     |
| STD DS11     | Standard | 2.1                       | 4.48                       | 5.0                       | 2.90                       | <0.1                      | 0.07                       | 1.67                       | 32.6                      | 1.9                       | <0.05                      | 2.8                       | 7.98                      | 38.6                      | 0.23                       | 42                      | 0.6                       | 22.6                      | 103                      | 173                     |
| STD OREAS262 | Standard | 0.5                       | 0.19                       | 4.1                       | 2.73                       | <0.1                      | 0.24                       | <0.02                      | 20.1                      | 0.5                       | <0.05                      | 12.1                      | 10.93                     | 30.4                      | 0.03                       | <1                      | 1.1                       | 17.2                      | <10                      | <2                      |
| STD OREAS262 | Standard | 0.5                       | 0.23                       | 4.0                       | 2.65                       | <0.1                      | 0.24                       | <0.02                      | 18.9                      | 0.5                       | <0.05                      | 12.2                      | 10.58                     | 28.1                      | 0.03                       | <1                      | 1.1                       | 16.9                      | <10                      | <2                      |
| STD OREAS262 | Standard | 0.4                       | 0.24                       | 3.9                       | 2.92                       | <0.1                      | 0.19                       | <0.02                      | 18.5                      | 0.6                       | <0.05                      | 12.1                      | 10.32                     | 33.0                      | 0.03                       | 1                       | 1.0                       | 16.1                      | <10                      | <2                      |
| STD OREAS262 | Standard | 0.3                       | 0.24                       | 3.9                       | 2.69                       | <0.1                      | 0.18                       | <0.02                      | 17.4                      | 0.5                       | <0.05                      | 10.5                      | 10.23                     | 31.5                      | 0.03                       | 2                       | 1.2                       | 16.5                      | <10                      | <2                      |
| STD OREAS262 | Standard | <0.1                      | 0.22                       | 4.0                       | 2.94                       | <0.1                      | 0.23                       | 0.02                       | 21.3                      | 0.6                       | <0.05                      | 11.0                      | 10.80                     | 37.8                      | 0.03                       | <1                      | 1.3                       | 16.7                      | <10                      | <2                      |
| STD OXC145   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXC145   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXC145   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXC145   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXC145   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXC145   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXH139   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXH139   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXH139   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXH139   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXH139   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXH139   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXN134   | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXQ90    | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXQ90    | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| STD OXQ90    | Standard |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 3 of 4

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|                       |          | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|-----------------------|----------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                       |          | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|                       |          | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|                       |          | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01  | 0.01  | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1   | 0.2   | 0.1   | 0.5   |
| STD OXQ90             | Standard |      |       |        |       | 25.20 | 29.80 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 24.98 | 30.03 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 24.97 | 30.04 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 24.98 | 30.07 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 24.88 | 30.03 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 25.28 | 29.79 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 25.23 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD OXQ90             | Standard |      |       |        |       | 25.15 | 29.90 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD BVGEO01 Expected  |          |      |       |        |       |       |       | 11.2  | 4415  | 187   | 1741  | 2530  | 163   | 25    | 733   | 3.7   | 121   | 3.77  | 219   | 14.4  | 55    |
| STD OXQ90 Expected    |          |      |       |        |       | 24.88 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| STD DS11 Expected     |          |      |       |        |       |       |       | 14.6  | 149   | 138   | 345   | 1710  | 77.7  | 14.2  | 1055  | 3.1   | 42.8  | 2.59  | 79    | 7.65  | 67.3  |
| STD OREAS262 Expected |          |      |       |        |       |       |       | 0.68  | 118   | 56    | 154   | 450   | 62    | 26.9  | 530   | 3.284 | 35.8  | 1.22  | 65    | 9.33  | 36    |
| BLK                   | Blank    |      |       | 0.007  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | 0.008  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK                   | Blank    |      |       | 0.005  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: July 18, 2019

Part: 2 of 3

## WHI19000081.1

[illegible]



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: July 18, 2019

Part: 3 of 3

## WHI19000081.1

[illegible]





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 4 of 4

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|           |            | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|-----------|------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|           |            | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|           |            | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppb   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|           |            | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.01  | 0.01  | 0.01  | 0.1   | 2     | 0.1   | 0.1   | 1     | 0.01  | 0.1   | 0.1   | 0.2   | 0.1   | 0.5   |
| BLK       | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       |       |       | <0.01 | <0.01 | <0.01 | <0.1  | <2    | <0.1  | <0.1  | <1    | <0.01 | <0.1  | <0.1  | <0.2  | <0.1  | <0.5  |
| BLK       | Blank      |      |       |        |       |       |       | <0.01 | <0.01 | <0.01 | <0.1  | <2    | <0.1  | <0.1  | <1    | <0.01 | 0.1   | <0.1  | <0.2  | <0.1  | <0.5  |
| BLK       | Blank      |      |       |        |       |       |       | <0.01 | 0.02  | <0.01 | <0.1  | <2    | <0.1  | <0.1  | <1    | <0.01 | <0.1  | <0.1  | <0.2  | <0.1  | <0.5  |
| BLK       | Blank      |      |       |        |       |       |       | <0.01 | <0.01 | 0.02  | <0.1  | <2    | <0.1  | <0.1  | <1    | <0.01 | <0.1  | <0.1  | <0.2  | <0.1  | <0.5  |
| BLK       | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       | <0.17 | 30.00 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BLK       | Blank      |      |       |        |       |       |       | <0.01 | <0.01 | <0.01 | 0.1   | <2    | <0.1  | <0.1  | <1    | <0.01 | <0.1  | <0.1  | <0.2  | <0.1  | <0.5  |
| Prep Wash |            |      |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ROCK-WHI  | Prep Blank |      | 432   | <0.005 | <0.01 | <0.17 | 32.04 | 0.60  | 1.24  | 0.89  | 27.2  | 6     | 0.5   | 3.3   | 392   | 1.58  | 0.9   | 0.3   | <0.2  | 1.8   | 15.4  |
| ROCK-WHI  | Prep Blank |      | 446   | <0.005 | <0.01 | <0.17 | 39.95 | 0.79  | 1.61  | 0.90  | 27.0  | 4     | 0.7   | 3.2   | 431   | 1.70  | 0.8   | 0.4   | <0.2  | 1.9   | 17.9  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 4 of 4

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|           |            | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251  | AQ251 | AQ251 | AQ251 | AQ251 | AQ251  | AQ251 | AQ251 | AQ251  | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|-----------|------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
|           |            | Cd    | Sb    | Bi    | V     | Ca    | P      | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na     | K     | W     | Sc    | Tl    | S     | Hg    |
|           |            | ppm   | ppm   | ppm   | ppm   | %     | %      | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %      | %     | ppm   | ppm   | ppm   | %     | ppb   |
|           |            | 0.01  | 0.02  | 0.02  | 1     | 0.01  | 0.001  | 0.5   | 0.5   | 0.01  | 0.5   | 0.001  | 1     | 0.01  | 0.001  | 0.01  | 0.1   | 0.1   | 0.02  | 0.02  | 5     |
| BLK       | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK       | Blank      | <0.01 | <0.02 | <0.02 | <1    | <0.01 | <0.001 | <0.5  | <0.5  | <0.01 | <0.5  | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.1  | <0.02 | <0.02 | <5    |
| BLK       | Blank      | <0.01 | <0.02 | <0.02 | <1    | <0.01 | <0.001 | <0.5  | <0.5  | <0.01 | <0.5  | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.1  | <0.02 | <0.02 | <5    |
| BLK       | Blank      | <0.01 | <0.02 | <0.02 | <1    | <0.01 | <0.001 | <0.5  | <0.5  | <0.01 | <0.5  | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.1  | <0.02 | <0.02 | <5    |
| BLK       | Blank      | <0.01 | <0.02 | <0.02 | <1    | <0.01 | <0.001 | <0.5  | <0.5  | <0.01 | <0.5  | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.1  | <0.02 | <0.02 | <5    |
| BLK       | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK       | Blank      |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| BLK       | Blank      | <0.01 | <0.02 | <0.02 | <1    | <0.01 | <0.001 | <0.5  | <0.5  | <0.01 | <0.5  | <0.001 | <1    | <0.01 | <0.001 | <0.01 | <0.1  | <0.1  | <0.02 | <0.02 | <5    |
| Prep Wash |            |       |       |       |       |       |        |       |       |       |       |        |       |       |        |       |       |       |       |       |       |
| ROCK-WHI  | Prep Blank | 0.01  | 0.02  | <0.02 | 22    | 0.53  | 0.037  | 4.5   | 1.2   | 0.42  | 31.4  | 0.055  | 1     | 0.69  | 0.034  | 0.04  | <0.1  | 2.1   | <0.02 | <0.02 | <5    |
| ROCK-WHI  | Prep Blank | 0.01  | 0.02  | <0.02 | 21    | 0.55  | 0.035  | 4.8   | 1.9   | 0.41  | 41.2  | 0.069  | 1     | 0.81  | 0.074  | 0.08  | <0.1  | 2.3   | <0.02 | <0.02 | <5    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 18, 2019

**Page:** 4 of 4

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000081.1

|           |            | AQ251<br>Se<br>ppm<br>0.1 | AQ251<br>Te<br>ppm<br>0.02 | AQ251<br>Ga<br>ppm<br>0.1 | AQ251<br>Cs<br>ppm<br>0.02 | AQ251<br>Ge<br>ppm<br>0.1 | AQ251<br>Hf<br>ppm<br>0.02 | AQ251<br>Nb<br>ppm<br>0.02 | AQ251<br>Rb<br>ppm<br>0.1 | AQ251<br>Sn<br>ppm<br>0.1 | AQ251<br>Ta<br>ppm<br>0.05 | AQ251<br>Zr<br>ppm<br>0.1 | AQ251<br>Y<br>ppm<br>0.01 | AQ251<br>Ce<br>ppm<br>0.1 | AQ251<br>In<br>ppm<br>0.02 | AQ251<br>Re<br>ppb<br>1 | AQ251<br>Be<br>ppm<br>0.1 | AQ251<br>Li<br>ppm<br>0.1 | AQ251<br>Pd<br>ppb<br>10 | AQ251<br>Pt<br>ppb<br>2 |
|-----------|------------|---------------------------|----------------------------|---------------------------|----------------------------|---------------------------|----------------------------|----------------------------|---------------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|----------------------------|-------------------------|---------------------------|---------------------------|--------------------------|-------------------------|
| BLK       | Blank      |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| BLK       | Blank      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.02                      | <0.1                      | <0.1                      | <0.05                      | <0.1                      | <0.01                     | <0.1                      | <0.02                      | <1                      | <0.1                      | <0.1                      | <10                      | <2                      |
| BLK       | Blank      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.02                      | <0.1                      | <0.1                      | <0.05                      | <0.1                      | <0.01                     | <0.1                      | <0.02                      | <1                      | <0.1                      | <0.1                      | <10                      | <2                      |
| BLK       | Blank      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.02                      | <0.1                      | <0.1                      | <0.05                      | 0.3                       | <0.01                     | <0.1                      | <0.02                      | 1                       | <0.1                      | <0.1                      | <10                      | <2                      |
| BLK       | Blank      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.02                      | <0.1                      | <0.1                      | <0.05                      | 0.5                       | <0.01                     | <0.1                      | <0.02                      | <1                      | <0.1                      | <0.1                      | <10                      | <2                      |
| BLK       | Blank      |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| BLK       | Blank      |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| BLK       | Blank      |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| BLK       | Blank      |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| BLK       | Blank      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.1                      | <0.02                      | <0.02                      | <0.1                      | <0.1                      | <0.05                      | <0.1                      | <0.01                     | <0.1                      | <0.02                      | <1                      | <0.1                      | <0.1                      | <10                      | <2                      |
| Prep Wash |            |                           |                            |                           |                            |                           |                            |                            |                           |                           |                            |                           |                           |                           |                            |                         |                           |                           |                          |                         |
| ROCK-WHI  | Prep Blank | <0.1                      | <0.02                      | 3.2                       | 0.15                       | <0.1                      | 0.08                       | 0.20                       | 1.2                       | 0.3                       | <0.05                      | 2.3                       | 7.42                      | 9.2                       | <0.02                      | <1                      | 0.2                       | 1.9                       | <10                      | <2                      |
| ROCK-WHI  | Prep Blank | <0.1                      | <0.02                      | 3.4                       | 0.13                       | <0.1                      | 0.11                       | 0.20                       | 2.0                       | 0.3                       | <0.05                      | 3.2                       | 7.68                      | 9.7                       | <0.02                      | <1                      | 0.2                       | 1.9                       | <10                      | <2                      |