



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 25, 2019
Report Date: July 20, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000082.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-19
P.O. Number
Number of Samples: 82

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	79	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	82	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	82	Analysis sample split/packet			WHI
Split -150	82	Analysis sample split/packet			WHI
EN002	82	Environmental disposal charge-Fire assay lead waste			VAN
FS631	80	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	82	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	82	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832537	Drill Core	4.81	464	0.005	<0.01	<0.17	44.80	0.40	15.61	37.17	117.9	468	9.9	5.4	341	1.54	2.6	0.9	1.9	21.8
1832538	Drill Core	3.02	401	<0.005	<0.01	<0.17	31.52	0.64	13.01	13.55	49.5	325	10.8	5.7	340	1.57	2.0	0.7	1.7	18.4
1832539	Drill Core	3.83	371	<0.005	<0.01	<0.17	32.64	0.48	16.63	21.32	55.5	292	10.2	6.3	360	1.94	2.3	1.1	0.7	16.2
1832540	Rock Pulp	0.13	80	0.008				2.11	87.99	3.49	32.5	129	4.3	7.7	317	2.24	0.7	0.8	14.4	59.5
1832541	Drill Core	5.17	516	<0.005	<0.01	<0.17	47.40	0.75	41.40	23.95	70.1	427	10.1	6.7	383	1.73	1.9	0.9	<0.2	21.9
1832542	Drill Core	3.71	440	<0.005	<0.01	<0.17	43.00	0.86	16.97	7.10	45.0	177	9.9	6.1	360	1.72	3.1	0.7	0.9	21.3
1832543	Drill Core	5.52	401	0.006	<0.01	<0.17	36.93	0.69	12.16	5.75	47.7	168	11.1	6.5	339	1.89	4.3	0.7	6.5	31.2
1832544	Drill Core	4.90	410	0.778	0.89	1.92	39.16	1.57	17.67	8.84	30.6	455	8.5	6.3	429	1.59	2.6	0.8	752.5	29.0
1832545	Drill Core	5.39	438	0.008	<0.01	<0.17	39.69	0.72	17.20	7.11	49.4	220	10.0	6.4	416	1.75	2.6	0.8	38.4	26.1
1832546	Drill Core	5.26	400	0.005	<0.01	<0.17	34.76	0.73	9.90	11.21	41.8	140	8.5	5.9	460	1.64	2.4	1.0	2.0	51.2
1832547	Drill Core	5.33	468	0.284	0.92	7.00	44.56	1.12	22.94	5.55	38.1	280	7.5	5.5	461	1.53	2.5	0.9	291.2	40.9
1832548	Drill Core	3.60	362	0.613	0.79	2.54	32.64	0.53	26.96	5.37	38.1	484	6.7	5.3	521	1.62	1.8	1.2	430.2	67.6
1832549	Drill Core	2.42	449	2.042	3.00	14.61	34.37	0.80	10.36	10.43	28.3	820	6.5	5.5	325	1.29	2.7	0.8	1927.1	21.7
1832550	Drill Core	3.22	473	0.454	0.49	0.86	44.33	0.59	14.54	7.79	39.7	535	8.6	6.3	445	1.58	4.1	1.3	435.1	72.2
1832551	Drill Core	3.48	417	0.459	0.72	4.81	25.18	0.39	1.59	0.45	3.4	240	1.1	0.5	112	0.48	0.9	0.1	589.4	5.2
1832552	Drill Core	4.45	397	2.441	2.71	6.44	27.18	1.18	13.26	9.20	23.9	1756	6.6	4.6	324	1.31	4.3	0.9	4583.3	19.9
1832553	Drill Core	4.31	463	0.448	0.56	1.98	32.77	0.43	18.35	7.10	42.3	618	8.2	6.3	341	1.53	4.9	0.9	601.0	29.5
1832554	Drill Core	4.69	443	0.155	0.15	<0.17	36.85	0.34	12.99	7.15	40.7	502	8.6	6.1	414	1.62	6.0	1.0	148.0	50.7
1832555	Drill Core	4.47	453	0.690	0.83	2.21	42.63	0.59	16.13	4.71	39.9	826	10.1	5.8	378	1.45	11.5	0.8	620.6	39.8
1832556	Drill Core	5.58	448	0.781	0.80	0.96	44.71	0.61	19.12	8.14	34.5	1128	10.8	5.6	431	1.49	9.7	1.3	435.3	88.5
1832557	Drill Core	3.97	409	0.182	0.18	<0.17	42.70	1.10	22.88	20.71	44.5	1254	7.3	4.7	424	1.54	8.0	2.7	168.9	95.6
1832558	Drill Core	2.69	404	0.924	1.06	2.29	39.72	1.27	26.12	10.18	47.2	1183	8.0	5.2	357	1.55	12.6	1.8	1099.1	63.7
1832559	Drill Core	5.91	465	0.296	0.34	0.82	36.43	0.92	22.53	5.22	59.2	739	11.9	7.5	335	1.68	17.6	2.1	502.3	42.9
1832560	Core DUP		460	0.270	0.28	0.37	51.05	0.90	23.14	5.38	61.6	623	12.7	7.5	322	1.67	17.4	2.1	249.8	42.0
1832561	Drill Core	2.68	430	0.237	0.24	0.35	25.36	0.42	5.50	3.72	16.9	455	7.0	3.5	179	0.99	11.0	0.8	586.2	18.5
1832562	Drill Core	4.02	448	0.906	0.92	1.14	27.12	0.65	19.11	12.80	38.7	687	13.8	6.2	232	1.60	11.6	2.8	170.8	24.1
1832563	Drill Core	5.17	438	0.007	<0.01	<0.17	26.97	0.97	19.59	16.74	64.5	593	13.7	6.4	309	1.70	6.6	1.8	5.1	35.5
1832564	Drill Core	4.56	447	0.011	<0.01	<0.17	31.22	0.50	13.07	11.70	55.2	300	7.2	5.1	322	1.70	2.9	0.7	4.5	37.8
1832565	Drill Core	4.71	447	0.656	0.83	3.61	26.28	0.81	10.17	14.46	56.5	1448	8.4	6.2	331	1.73	10.9	2.1	12324.5	57.7
1832566	Drill Core	5.31	433	0.006	<0.01	<0.17	49.91	1.60	25.36	17.20	76.0	403	19.7	9.3	363	2.20	4.4	1.2	1.4	42.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832537	Drill Core	0.89	0.48	0.27	13	0.36	0.050	18.0	17.9	0.79	156.5	0.052	2	1.02	0.018	0.34	0.9	3.0	0.20	<0.02	<5			
1832538	Drill Core	0.79	0.46	0.34	12	0.30	0.055	17.9	13.6	0.81	199.0	0.064	2	1.01	0.016	0.48	0.5	3.3	0.29	<0.02	<5			
1832539	Drill Core	0.26	0.36	0.17	13	0.26	0.054	15.0	14.0	0.89	199.9	0.082	2	1.11	0.020	0.62	0.3	3.6	0.33	0.03	<5			
1832540	Rock Pulp	0.05	0.13	0.04	80	0.75	0.059	6.1	8.8	0.65	114.1	0.087	3	1.30	0.141	0.19	3.0	2.6	0.05	<0.02	<5			
1832541	Drill Core	0.31	0.40	0.30	13	0.30	0.056	14.1	14.6	0.89	213.0	0.081	2	1.08	0.016	0.67	0.4	2.9	0.31	<0.02	<5			
1832542	Drill Core	0.19	0.31	0.05	13	0.29	0.055	14.1	13.1	0.86	217.1	0.089	2	1.04	0.016	0.71	0.4	3.3	0.30	0.03	<5			
1832543	Drill Core	0.21	0.34	0.02	16	0.35	0.054	12.8	19.4	0.99	216.8	0.097	<1	1.11	0.026	0.69	0.8	4.0	0.27	0.06	<5			
1832544	Drill Core	0.25	0.25	0.03	9	0.44	0.053	9.8	9.9	0.65	220.4	0.040	1	0.78	0.014	0.54	0.5	2.5	0.20	0.20	<5			
1832545	Drill Core	0.18	0.27	<0.02	14	0.34	0.056	14.4	14.7	0.89	242.9	0.091	1	1.07	0.018	0.74	0.5	3.6	0.29	0.05	<5			
1832546	Drill Core	0.15	0.22	0.02	13	0.81	0.048	12.2	13.2	0.82	242.7	0.069	1	0.96	0.018	0.63	0.3	3.6	0.26	0.09	<5			
1832547	Drill Core	0.25	0.41	0.02	9	0.63	0.047	13.5	9.4	0.72	234.8	0.047	2	0.93	0.014	0.66	0.4	3.0	0.23	0.07	<5			
1832548	Drill Core	0.30	0.70	0.03	8	0.92	0.044	10.0	8.8	0.75	201.3	0.043	<1	0.93	0.013	0.66	0.5	2.6	0.21	0.25	<5			
1832549	Drill Core	0.18	0.78	0.07	6	0.20	0.036	9.8	6.4	0.49	180.4	0.025	2	0.69	0.009	0.48	0.4	1.9	0.16	0.09	<5			
1832550	Drill Core	0.31	0.94	0.04	8	0.89	0.048	8.9	8.3	0.70	206.9	0.033	1	0.87	0.009	0.58	0.4	2.2	0.18	0.36	<5			
1832551	Drill Core	0.03	0.21	<0.02	<1	0.03	0.006	1.6	2.3	0.06	26.4	0.003	<1	0.08	0.003	0.04	<0.1	0.4	<0.02	<0.02	<5			
1832552	Drill Core	0.25	0.97	0.05	4	0.16	0.026	11.4	6.3	0.40	162.6	0.017	2	0.58	0.008	0.33	0.4	2.1	0.12	0.04	<5			
1832553	Drill Core	0.23	1.24	0.05	6	0.36	0.041	10.2	6.9	0.57	228.3	0.032	2	0.76	0.007	0.53	0.4	1.9	0.16	0.37	<5			
1832554	Drill Core	0.23	1.58	0.06	9	0.64	0.045	10.8	10.5	0.77	225.4	0.056	1	0.95	0.009	0.64	0.6	2.4	0.22	0.22	<5			
1832555	Drill Core	0.35	1.34	0.12	7	0.51	0.047	9.2	7.3	0.57	218.9	0.018	1	0.75	0.008	0.52	0.4	1.9	0.17	0.29	<5			
1832556	Drill Core	0.52	1.24	0.30	8	1.26	0.051	8.6	8.2	0.54	247.3	0.021	1	0.70	0.012	0.48	0.4	2.6	0.18	0.57	<5			
1832557	Drill Core	0.36	0.94	0.28	7	1.19	0.041	7.4	7.6	0.65	182.6	0.031	1	0.74	0.015	0.54	0.4	2.4	0.21	0.44	<5			
1832558	Drill Core	0.37	1.16	0.18	9	0.76	0.034	9.0	10.4	0.64	184.7	0.037	<1	0.78	0.021	0.49	0.5	2.7	0.22	0.31	5			
1832559	Drill Core	0.39	1.23	0.11	11	0.56	0.051	11.1	13.7	0.85	203.0	0.057	<1	1.00	0.015	0.64	0.7	2.9	0.27	0.27	<5			
1832560	Core DUP	0.39	1.23	0.09	11	0.55	0.053	10.6	13.8	0.86	195.3	0.060	<1	0.98	0.015	0.64	0.8	3.0	0.27	0.26	<5			
1832561	Drill Core	0.14	0.62	0.08	6	0.23	0.028	12.0	6.2	0.36	228.7	0.012	1	0.57	0.010	0.41	0.3	1.7	0.14	0.14	<5			
1832562	Drill Core	0.26	0.99	0.57	12	0.37	0.065	13.6	13.7	0.44	204.5	0.050	<1	0.66	0.027	0.44	0.7	2.1	0.20	0.53	<5			
1832563	Drill Core	0.47	0.85	0.70	15	0.48	0.065	12.5	16.5	0.69	227.5	0.060	<1	0.88	0.023	0.59	0.5	3.0	0.31	0.30	<5			
1832564	Drill Core	0.22	0.99	0.19	17	0.52	0.057	14.2	19.2	0.74	174.1	0.058	<1	0.88	0.019	0.58	0.6	3.0	0.27	<0.02	<5			
1832565	Drill Core	0.57	1.11	0.19	12	0.68	0.061	11.7	13.5	0.67	181.8	0.051	<1	0.83	0.024	0.54	0.7	3.6	0.33	0.11	9			
1832566	Drill Core	0.42	1.07	0.13	25	0.68	0.065	11.3	30.9	0.93	148.5	0.081	1	1.13	0.021	0.62	0.6	4.7	0.44	0.06	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832537	Drill Core	<0.1	<0.02	3.8	3.18	<0.1	0.09	0.17	21.8	0.5	<0.05	3.2	9.01	33.8	<0.02	<1	0.4	9.7	<10	<2			
1832538	Drill Core	<0.1	<0.02	3.4	4.58	<0.1	0.23	0.11	31.3	0.4	<0.05	8.6	7.68	34.2	0.02	<1	0.4	10.5	<10	<2			
1832539	Drill Core	<0.1	0.02	3.6	3.44	<0.1	0.23	0.11	38.2	0.3	<0.05	8.4	6.08	28.3	<0.02	<1	0.3	9.6	<10	<2			
1832540	Rock Pulp	<0.1	<0.02	3.6	0.28	<0.1	0.06	0.09	6.0	0.2	<0.05	1.0	3.76	12.5	<0.02	<1	<0.1	5.7	<10	<2			
1832541	Drill Core	<0.1	0.02	3.3	3.22	<0.1	0.20	0.11	39.0	0.4	<0.05	7.8	5.82	26.9	<0.02	<1	0.5	9.2	<10	<2			
1832542	Drill Core	<0.1	<0.02	3.2	2.83	<0.1	0.19	0.11	38.3	0.3	<0.05	8.0	6.32	26.8	<0.02	1	0.3	8.2	<10	4			
1832543	Drill Core	<0.1	<0.02	3.9	2.54	<0.1	0.26	0.14	35.8	0.4	<0.05	9.3	6.38	25.0	<0.02	<1	0.4	8.3	<10	<2			
1832544	Drill Core	<0.1	0.04	2.6	1.49	<0.1	0.22	0.13	24.3	0.3	<0.05	8.7	5.20	18.6	<0.02	<1	0.4	6.3	<10	<2			
1832545	Drill Core	<0.1	<0.02	3.7	2.86	<0.1	0.27	0.10	37.1	0.3	<0.05	9.5	6.56	28.0	<0.02	1	0.4	8.9	<10	2			
1832546	Drill Core	<0.1	<0.02	3.1	2.03	<0.1	0.25	0.07	31.4	0.3	<0.05	8.3	4.96	23.4	<0.02	<1	0.3	6.9	<10	<2			
1832547	Drill Core	<0.1	<0.02	2.5	2.21	<0.1	0.21	0.10	30.0	0.2	<0.05	8.6	4.93	24.8	<0.02	1	0.3	7.5	<10	<2			
1832548	Drill Core	<0.1	0.03	2.4	2.01	<0.1	0.24	0.09	29.0	0.2	<0.05	8.3	4.75	19.1	<0.02	<1	0.4	8.5	<10	2			
1832549	Drill Core	<0.1	0.15	1.7	1.75	<0.1	0.19	0.12	21.5	0.2	<0.05	6.7	4.17	18.8	<0.02	<1	0.2	6.8	<10	<2			
1832550	Drill Core	0.2	0.03	2.3	1.30	<0.1	0.20	0.09	24.0	0.2	<0.05	7.0	4.82	17.1	<0.02	<1	0.3	6.7	<10	<2			
1832551	Drill Core	<0.1	<0.02	0.3	0.17	<0.1	0.02	0.06	1.6	<0.1	<0.05	0.6	0.78	3.2	<0.02	<1	<0.1	0.8	<10	<2			
1832552	Drill Core	<0.1	0.04	1.8	1.12	<0.1	0.13	0.09	14.8	0.2	<0.05	5.0	4.61	21.7	<0.02	<1	0.3	5.8	<10	<2			
1832553	Drill Core	0.2	0.07	2.1	1.37	<0.1	0.24	0.14	22.2	0.6	<0.05	9.1	4.59	20.1	<0.02	<1	0.3	6.4	<10	<2			
1832554	Drill Core	0.2	0.05	2.6	1.50	<0.1	0.21	0.13	29.3	0.2	<0.05	9.0	5.45	21.2	<0.02	<1	0.4	7.8	<10	<2			
1832555	Drill Core	0.2	0.03	2.1	1.99	<0.1	0.21	0.07	25.4	0.2	<0.05	7.4	4.38	17.0	<0.02	1	0.3	6.6	<10	<2			
1832556	Drill Core	0.6	0.07	2.2	1.33	<0.1	0.18	0.08	21.2	0.2	<0.05	6.6	5.18	15.8	<0.02	1	0.5	7.6	<10	<2			
1832557	Drill Core	<0.1	<0.02	2.0	2.47	<0.1	0.20	0.07	25.6	0.2	<0.05	7.6	4.03	13.8	<0.02	2	0.3	7.8	<10	<2			
1832558	Drill Core	<0.1	0.07	2.7	2.43	<0.1	0.22	0.10	25.6	0.3	<0.05	8.1	4.77	17.3	<0.02	2	0.4	7.8	<10	<2			
1832559	Drill Core	0.2	0.05	2.9	2.82	<0.1	0.26	0.11	33.4	0.3	<0.05	11.0	6.77	21.0	<0.02	1	0.5	10.6	<10	<2			
1832560	Core DUP	0.3	0.05	2.7	2.89	<0.1	0.32	0.13	34.0	0.3	<0.05	11.3	6.60	20.6	<0.02	1	0.4	10.9	<10	<2			
1832561	Drill Core	<0.1	<0.02	1.8	1.28	<0.1	0.29	0.09	18.3	0.3	<0.05	9.4	3.86	22.8	<0.02	<1	0.4	6.7	<10	<2			
1832562	Drill Core	0.8	0.05	2.4	1.63	<0.1	0.26	0.27	21.0	0.4	<0.05	9.1	6.58	26.9	<0.02	3	0.6	6.2	<10	<2			
1832563	Drill Core	0.5	0.04	2.9	3.08	<0.1	0.28	0.15	29.8	0.4	<0.05	11.3	6.93	23.3	<0.02	1	0.5	9.1	<10	<2			
1832564	Drill Core	<0.1	<0.02	3.2	5.11	<0.1	0.21	0.13	34.7	0.5	<0.05	4.8	6.54	27.1	<0.02	1	0.3	8.8	<10	<2			
1832565	Drill Core	<0.1	0.02	3.0	3.92	<0.1	0.12	0.14	32.5	0.3	<0.05	4.1	7.33	22.1	<0.02	1	0.3	9.7	<10	<2			
1832566	Drill Core	0.2	<0.02	3.6	6.82	<0.1	0.06	0.12	42.2	0.4	<0.05	2.3	7.98	22.1	<0.02	2	0.3	12.7	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832567	Drill Core	4.93	410	0.006	<0.01	<0.17	22.98	1.02	18.58	20.38	85.0	301	11.5	7.2	354	2.21	4.2	1.4	1.7	10.6	37.7
1832568	Drill Core	6.21	437	<0.005	<0.01	<0.17	34.05	1.12	37.80	176.65	152.3	661	11.7	8.1	369	2.00	3.5	1.2	0.4	9.3	34.7
1832569	Drill Core	5.55	462	<0.005	<0.01	<0.17	36.28	0.86	16.15	15.07	72.7	248	10.7	6.5	258	1.80	2.8	1.2	<0.2	7.5	63.3
1832570	Drill Core	4.97	442	<0.005	<0.01	<0.17	36.61	0.73	12.13	8.16	74.6	195	11.1	8.6	341	1.81	2.8	0.6	0.4	3.7	32.5
1832571	Drill Core	4.65	418	<0.005	<0.01	<0.17	24.42	0.86	14.54	11.82	60.5	257	9.8	5.5	210	1.71	7.6	0.5	0.3	2.3	20.0
1832572	Drill Core	5.04	404	0.005	<0.01	<0.17	40.77	0.50	10.90	7.97	56.9	202	8.9	6.0	163	1.56	3.2	0.4	0.3	1.8	17.9
1832573	Drill Core	2.60	395	<0.005	<0.01	<0.17	25.22	0.44	11.92	8.61	60.5	213	9.8	6.3	177	1.86	2.3	1.1	<0.2	3.8	20.4
1832574	Drill Core	2.78	431	<0.005	<0.01	<0.17	32.05	0.71	11.90	7.24	68.3	187	10.7	7.0	203	1.61	3.3	0.9	<0.2	1.9	22.0
1832575	Drill Core	4.24	422	<0.005	<0.01	<0.17	42.84	0.51	14.57	59.92	129.0	334	10.7	6.8	245	1.85	3.0	1.0	<0.2	4.0	34.8
1832576	Drill Core	4.06	444	<0.005	<0.01	<0.17	33.68	0.48	14.41	35.18	172.6	251	9.7	7.7	245	1.55	3.0	0.6	<0.2	4.0	36.0
1832577	Drill Core	4.62	405	<0.005	<0.01	<0.17	30.32	0.40	16.36	208.54	110.7	520	9.0	5.8	290	1.72	1.9	1.0	0.4	7.8	29.5
1832578	Drill Core	4.78	443	<0.005	<0.01	<0.17	26.98	0.38	12.12	98.77	114.7	250	9.6	6.6	339	1.67	1.2	0.9	0.8	6.8	37.5
1832579	Drill Core	5.30	453	0.028	0.03	<0.17	40.76	1.02	28.21	130.30	160.9	802	11.1	7.3	372	1.83	1.1	1.0	11.5	7.5	61.7
1832580	Rock	0.23	167	<0.005	<0.01	<0.17	28.47	0.40	0.95	1.18	3.0	7	1.2	0.4	68	0.61	0.6	0.1	<0.2	0.9	1.2
1832581	Drill Core	4.73	457	<0.005	<0.01	<0.17	38.42	1.06	23.39	29.65	95.1	384	13.9	8.5	331	2.29	1.1	1.3	0.5	7.4	45.4
1832582	Drill Core	4.87	407	<0.005	<0.01	<0.17	29.39	1.00	15.11	12.97	76.0	258	14.8	8.3	297	2.27	1.3	1.1	0.3	6.9	42.1
1832583	Drill Core	4.99	465	0.005	<0.01	<0.17	40.02	0.52	9.97	6.64	62.5	193	10.0	6.6	272	1.69	2.3	1.0	<0.2	5.9	29.0
1832584	Drill Core	5.60	459	0.006	<0.01	<0.17	40.67	1.75	11.68	9.00	60.8	246	11.6	7.0	234	1.80	2.6	2.9	0.3	5.3	29.5
1832585	Drill Core	4.83	448	0.006	<0.01	<0.17	48.72	1.60	22.68	17.55	78.1	426	12.6	8.0	292	1.95	2.0	2.4	0.8	7.2	43.8
1832586	Drill Core	5.00	431	0.037	0.03	<0.17	41.44	2.22	16.57	10.87	65.4	357	11.9	7.8	293	1.87	2.4	1.8	37.5	6.9	61.1
1832587	Drill Core	3.83	414	0.186	0.18	<0.17	36.11	2.71	13.61	13.42	76.3	446	10.0	7.3	319	1.93	9.5	1.3	107.0	6.6	82.6
1832588	Drill Core	4.32	460	0.070	0.06	<0.17	32.83	0.94	15.44	11.47	52.7	294	8.7	6.3	272	1.68	4.7	1.2	77.8	6.9	67.2
1832589	Drill Core	4.85	496	0.006	<0.01	<0.17	50.91	0.74	14.79	10.66	62.2	234	13.3	7.4	308	2.02	2.6	1.2	0.8	6.2	81.0
1832590	Drill Core	4.88	445	0.005	<0.01	<0.17	46.50	0.27	10.73	9.89	51.0	252	7.7	5.1	207	1.45	1.6	2.2	<0.2	7.9	41.4
1832591	Drill Core	4.70	477	0.007	<0.01	<0.17	43.13	0.34	6.54	11.30	51.0	225	2.7	2.4	188	1.04	1.2	1.4	2.5	8.1	39.4
1832592	Drill Core	4.71	430	0.005	<0.01	<0.17	44.43	0.26	13.44	8.78	60.4	255	11.2	6.7	232	1.77	3.4	1.2	1.2	7.1	64.2
1832593	Drill Core	4.72	423	0.032	0.03	<0.17	44.22	0.69	13.56	6.44	54.7	219	11.6	7.9	254	2.14	6.0	1.7	15.9	7.5	62.8
1832594	Drill Core	4.79	494	0.036	0.03	<0.17	49.39	0.68	13.18	17.44	149.3	298	10.6	7.5	295	1.88	13.5	1.1	39.8	7.5	70.5
1832595	Drill Core	4.34	438	<0.005	<0.01	<0.17	38.23	1.08	11.73	9.55	69.3	182	15.3	8.6	340	2.49	3.2	1.4	1.2	8.5	93.8
1832596	Drill Core	4.89	409	0.005	<0.01	<0.17	32.82	1.04	22.33	11.29	73.3	355	16.5	9.6	280	2.37	4.1	1.7	2.2	8.1	80.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832567	Drill Core	0.65	0.94	0.08	24	0.55	0.058	18.1	29.0	0.88	196.5	0.105	<1	1.15	0.038	0.56	0.8	5.5	0.42	<0.02	<5
1832568	Drill Core	0.93	0.90	0.07	19	0.63	0.063	16.8	23.8	0.93	191.7	0.073	1	1.24	0.019	0.61	0.7	4.6	0.42	0.03	8
1832569	Drill Core	0.42	0.57	0.07	20	1.01	0.063	19.7	25.1	0.82	160.0	0.061	<1	1.12	0.027	0.49	0.3	4.3	0.29	<0.02	<5
1832570	Drill Core	0.32	0.31	0.05	14	0.56	0.058	7.1	20.3	0.91	130.4	0.072	<1	1.20	0.025	0.33	0.2	2.0	0.20	<0.02	<5
1832571	Drill Core	0.17	0.33	0.09	11	0.48	0.056	4.2	14.9	0.86	177.2	0.074	<1	1.12	0.022	0.38	0.2	1.4	0.19	0.05	<5
1832572	Drill Core	0.16	0.20	0.09	10	0.55	0.052	2.9	14.2	0.68	149.3	0.063	<1	0.88	0.030	0.23	<0.1	1.1	0.10	0.14	<5
1832573	Drill Core	0.12	0.18	0.07	17	0.45	0.055	5.4	23.5	0.82	135.7	0.087	<1	1.05	0.051	0.20	0.1	2.2	0.09	0.07	<5
1832574	Drill Core	0.18	0.22	0.06	11	0.46	0.060	3.3	15.4	0.87	173.9	0.068	<1	1.08	0.018	0.31	0.1	1.2	0.14	0.06	<5
1832575	Drill Core	0.77	0.33	0.16	17	0.77	0.056	5.2	24.6	0.93	131.7	0.084	<1	1.19	0.037	0.28	0.2	2.3	0.15	0.03	<5
1832576	Drill Core	0.92	0.42	0.05	11	0.73	0.057	5.6	15.6	0.77	156.0	0.069	<1	1.07	0.024	0.25	0.2	1.7	0.13	0.02	<5
1832577	Drill Core	0.75	0.65	0.25	15	0.72	0.052	14.1	19.1	0.77	153.0	0.045	<1	1.15	0.025	0.19	0.3	2.9	0.08	0.02	9
1832578	Drill Core	0.93	0.87	0.07	15	0.72	0.055	14.4	19.6	0.89	128.8	0.048	<1	1.21	0.017	0.22	0.3	2.6	0.13	<0.02	<5
1832579	Drill Core	0.92	0.88	0.18	19	0.95	0.065	13.8	24.6	1.02	139.8	0.069	<1	1.28	0.019	0.40	0.6	3.4	0.32	<0.02	14
1832580	Rock	<0.01	0.05	0.03	1	0.02	0.002	1.7	2.9	0.02	9.0	0.003	<1	0.06	0.004	0.01	<0.1	0.2	<0.02	<0.02	<5
1832581	Drill Core	0.41	0.50	0.07	27	0.77	0.067	12.0	31.8	1.21	203.3	0.076	<1	1.34	0.019	0.58	0.4	5.0	0.46	0.05	<5
1832582	Drill Core	0.30	0.67	0.04	25	0.78	0.068	13.7	31.5	1.22	185.2	0.069	<1	1.42	0.019	0.45	0.4	4.4	0.33	0.03	<5
1832583	Drill Core	0.20	0.50	0.06	13	0.60	0.056	12.0	16.7	0.87	160.0	0.058	<1	1.20	0.017	0.24	0.2	2.2	0.12	<0.02	<5
1832584	Drill Core	0.12	0.44	0.07	17	0.67	0.060	10.4	22.2	0.99	183.2	0.080	<1	1.33	0.025	0.33	0.2	2.7	0.14	0.02	<5
1832585	Drill Core	0.37	0.76	0.13	22	0.92	0.064	14.8	28.0	1.08	129.6	0.074	<1	1.30	0.019	0.39	0.6	3.7	0.20	0.07	<5
1832586	Drill Core	0.28	0.90	0.11	21	1.09	0.066	10.7	27.3	1.03	151.5	0.075	<1	1.16	0.012	0.51	0.6	3.2	0.22	0.09	10
1832587	Drill Core	0.59	0.85	0.10	16	1.39	0.065	7.7	20.0	0.85	170.0	0.064	<1	0.92	0.015	0.57	0.6	3.2	0.30	0.35	10
1832588	Drill Core	0.37	0.71	0.07	15	1.30	0.054	12.5	14.9	0.75	184.3	0.056	<1	0.95	0.011	0.45	0.5	3.4	0.24	0.12	12
1832589	Drill Core	0.23	0.76	0.06	28	1.53	0.058	11.3	32.1	1.08	165.3	0.083	<1	1.17	0.024	0.37	0.6	5.4	0.20	0.12	8
1832590	Drill Core	0.46	0.88	0.11	14	0.74	0.045	17.7	19.6	0.80	336.7	0.069	<1	1.01	0.013	0.39	0.5	3.8	0.21	0.11	13
1832591	Drill Core	0.34	0.70	0.07	9	0.76	0.020	22.9	10.9	0.41	252.9	0.034	<1	0.75	0.021	0.30	0.5	3.1	0.13	<0.02	18
1832592	Drill Core	0.23	0.60	0.06	20	1.03	0.055	13.2	21.8	0.86	373.3	0.070	<1	0.95	0.018	0.42	0.5	4.6	0.19	0.19	6
1832593	Drill Core	0.08	0.72	0.02	23	0.95	0.060	13.6	24.7	1.11	260.6	0.068	<1	1.12	0.020	0.48	0.4	5.2	0.20	0.19	8
1832594	Drill Core	0.69	1.09	0.23	18	1.19	0.056	13.4	16.5	0.81	297.5	0.056	<1	0.94	0.018	0.55	0.2	4.9	0.22	0.05	5
1832595	Drill Core	0.20	0.34	0.08	28	1.39	0.068	13.4	25.0	1.19	260.0	0.076	<1	1.30	0.019	0.72	<0.1	7.6	0.36	0.06	<5
1832596	Drill Core	0.20	0.37	0.07	26	0.92	0.065	23.5	27.5	0.98	244.3	0.018	<1	1.25	0.024	0.43	0.2	4.9	0.18	0.05	5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832567	Drill Core	<0.1	<0.02	4.8	6.15	<0.1	0.08	0.21	37.5	0.7	<0.05	3.8	10.74	34.1	0.02	2	0.3	11.5	<10	<2			
1832568	Drill Core	<0.1	0.05	4.3	5.71	<0.1	0.06	0.14	39.5	0.6	<0.05	1.8	8.51	32.3	<0.02	<1	0.4	12.1	<10	<2			
1832569	Drill Core	<0.1	<0.02	4.1	3.53	<0.1	0.07	0.15	29.3	0.6	<0.05	1.9	9.53	36.7	<0.02	<1	0.5	10.1	<10	<2			
1832570	Drill Core	0.1	<0.02	4.0	1.79	<0.1	0.04	0.16	20.0	0.4	<0.05	1.2	4.40	13.9	<0.02	<1	0.5	10.7	<10	<2			
1832571	Drill Core	0.1	<0.02	3.2	2.22	<0.1	0.03	0.21	21.9	0.3	<0.05	1.1	2.75	8.1	<0.02	<1	0.4	11.5	<10	<2			
1832572	Drill Core	0.5	<0.02	3.0	1.12	<0.1	0.02	0.25	11.1	0.2	<0.05	0.7	2.32	5.8	<0.02	1	0.3	7.2	<10	<2			
1832573	Drill Core	0.4	<0.02	4.7	1.04	<0.1	0.03	0.24	10.2	0.5	<0.05	0.9	4.81	10.9	<0.02	<1	0.4	8.1	<10	<2			
1832574	Drill Core	0.3	<0.02	3.3	1.45	<0.1	0.03	0.19	15.5	0.3	<0.05	0.8	2.66	6.8	<0.02	<1	0.4	10.9	<10	<2			
1832575	Drill Core	0.8	0.03	4.6	1.91	<0.1	0.05	0.20	16.0	0.5	<0.05	1.2	4.40	10.7	<0.02	<1	0.5	12.2	<10	<2			
1832576	Drill Core	0.1	<0.02	3.6	1.29	<0.1	0.04	0.21	13.6	0.4	<0.05	1.2	3.92	11.0	<0.02	<1	0.5	10.9	<10	<2			
1832577	Drill Core	1.4	0.06	4.9	0.75	<0.1	0.04	0.13	9.1	0.5	<0.05	1.2	8.30	28.0	<0.02	<1	0.5	11.5	<10	<2			
1832578	Drill Core	0.5	0.03	5.1	1.05	<0.1	0.06	0.13	12.6	0.5	<0.05	1.3	6.84	28.3	<0.02	<1	0.5	13.9	<10	<2			
1832579	Drill Core	0.5	0.07	5.4	3.24	0.1	0.07	0.16	28.0	0.5	<0.05	2.3	7.96	27.8	<0.02	<1	0.8	16.8	<10	<2			
1832580	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.10	0.05	0.8	<0.1	<0.05	2.4	0.82	3.4	<0.02	<1	<0.1	0.9	<10	<2			
1832581	Drill Core	0.8	<0.02	5.4	6.13	<0.1	0.22	0.10	41.6	0.5	<0.05	7.5	8.67	25.1	<0.02	1	0.6	15.5	<10	<2			
1832582	Drill Core	0.4	<0.02	5.2	4.79	<0.1	0.09	0.10	31.1	0.4	<0.05	3.4	8.77	27.7	<0.02	<1	0.6	14.9	<10	<2			
1832583	Drill Core	0.2	<0.02	4.4	1.27	<0.1	0.05	0.16	13.0	0.4	<0.05	1.2	6.25	24.3	<0.02	<1	0.4	10.7	<10	<2			
1832584	Drill Core	0.5	0.02	4.5	1.35	<0.1	0.04	0.17	15.9	0.4	<0.05	1.1	5.94	22.1	<0.02	3	0.5	11.4	<10	<2			
1832585	Drill Core	0.6	0.03	5.3	2.92	0.1	0.08	0.14	23.6	0.5	<0.05	1.8	9.04	29.7	<0.02	3	0.5	14.3	<10	<2			
1832586	Drill Core	0.4	0.02	4.8	2.72	<0.1	0.07	0.15	27.7	0.5	<0.05	1.9	7.84	22.6	<0.02	3	0.6	12.3	<10	<2			
1832587	Drill Core	0.5	0.04	3.8	3.78	<0.1	0.06	0.11	33.7	0.4	<0.05	1.7	7.52	16.1	<0.02	<1	0.5	9.1	<10	<2			
1832588	Drill Core	0.5	0.03	4.0	2.36	<0.1	0.06	0.14	27.0	0.6	<0.05	1.7	8.73	24.8	<0.02	<1	0.5	12.0	<10	<2			
1832589	Drill Core	0.5	0.02	5.0	2.23	<0.1	0.18	0.12	22.3	0.6	<0.05	6.4	10.40	24.0	<0.02	<1	0.6	15.0	<10	<2			
1832590	Drill Core	0.6	0.02	4.0	1.67	<0.1	0.17	0.20	23.6	0.6	<0.05	5.2	13.20	34.8	<0.02	1	0.5	12.6	<10	<2			
1832591	Drill Core	0.3	<0.02	3.7	0.90	<0.1	0.06	0.27	15.3	0.7	<0.05	1.8	15.77	45.6	0.02	<1	0.4	8.0	<10	<2			
1832592	Drill Core	0.6	<0.02	4.0	2.18	<0.1	0.22	0.15	23.8	0.4	<0.05	8.2	10.00	26.0	<0.02	<1	0.4	10.1	<10	<2			
1832593	Drill Core	0.5	0.02	4.6	2.08	<0.1	0.45	0.09	25.0	0.4	<0.05	16.8	14.42	27.0	<0.02	<1	0.5	10.6	<10	<2			
1832594	Drill Core	0.4	0.03	3.6	2.26	<0.1	0.29	0.07	27.7	0.5	<0.05	11.4	8.49	26.7	0.12	<1	0.4	8.4	<10	<2			
1832595	Drill Core	0.4	0.04	4.7	3.38	<0.1	0.34	0.05	42.2	0.4	<0.05	12.6	8.95	26.6	<0.02	<1	0.5	10.0	<10	<2			
1832596	Drill Core	0.4	0.03	4.8	1.47	<0.1	0.23	0.02	21.9	0.3	<0.05	9.3	9.92	46.7	<0.02	<1	0.5	14.3	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832597	Drill Core	4.88	505	0.006	<0.01	<0.17	46.20	0.98	14.52	9.81	56.7	179	12.4	7.0	292	1.91	3.1	1.3	1.0	8.2	119.4
1832598	Drill Core	4.26	382	0.007	<0.01	<0.17	42.89	0.64	18.62	16.83	73.4	310	12.5	8.8	332	2.48	3.4	1.7	2.7	9.1	99.3
1832599	Drill Core	4.98	401	<0.005	<0.01	<0.17	30.81	0.24	6.89	10.74	30.5	168	2.4	2.5	192	0.81	0.6	1.0	0.6	6.2	69.1
1832600	Rock Pulp	0.12	90	7.216				8.41	184.38	15.55	66.1	795	12.5	9.8	538	4.34	11.9	0.7	6450.2	2.2	59.0
1832601	Drill Core	4.50	413	0.005	<0.01	<0.17	46.66	0.56	8.43	12.27	37.1	185	5.5	4.0	244	1.21	2.1	1.3	1.9	8.9	86.3
1832602	Drill Core	4.86	494	0.010	<0.01	<0.17	48.75	0.15	6.71	15.63	27.3	235	2.6	2.4	163	0.76	0.8	1.0	3.8	9.0	65.7
1832603	Drill Core	4.90	498	0.046	0.04	<0.17	46.25	0.14	3.82	13.58	20.4	241	1.0	1.0	100	0.53	0.6	1.0	1.8	7.7	28.3
1832604	Drill Core	2.55	451	0.007	<0.01	<0.17	47.14	0.20	4.68	14.69	14.7	293	1.3	1.7	112	0.52	0.8	0.8	1.3	5.8	43.3
1832605	Drill Core	2.28	502	0.005	<0.01	<0.17	43.46	0.10	2.83	18.59	13.5	190	0.3	0.4	80	0.37	1.1	1.1	4.4	12.1	25.7
1832606	Drill Core	4.64	445	0.006	<0.01	<0.17	49.11	0.17	3.59	19.01	9.1	198	0.3	0.2	66	0.30	0.9	1.5	4.5	13.1	29.8
1832607	Drill Core	2.19	443	0.060	0.05	<0.17	39.86	0.25	5.01	19.78	19.3	243	2.2	2.3	166	0.72	2.5	1.2	45.9	12.0	82.6
1832608	Drill Core	4.73	379	0.006	<0.01	<0.17	40.24	0.63	11.28	15.47	37.8	228	5.4	4.2	273	1.27	2.6	2.1	5.1	10.4	99.0
1832609	Drill Core	4.92	423	<0.005	<0.01	<0.17	33.29	1.14	17.88	15.35	46.0	269	9.2	6.4	196	1.24	3.7	1.4	4.4	3.2	29.3
1832610	Drill Core	4.45	377	<0.005	<0.01	<0.17	35.82	0.16	4.42	16.70	22.7	162	1.0	1.2	118	0.55	0.8	3.4	2.6	9.7	35.0
1832611	Drill Core	5.12	424	<0.005	<0.01	<0.17	42.89	0.35	10.50	26.77	42.7	237	5.4	4.6	192	1.12	2.8	1.3	1.6	10.1	66.9
1832612	Drill Core	5.31	478	0.006	<0.01	<0.17	44.43	0.51	21.81	12.12	42.1	284	8.8	6.3	152	1.31	3.9	1.7	1.5	9.9	33.2
1832613	Drill Core	4.58	404	<0.005	<0.01	<0.17	31.65	1.03	17.90	11.56	39.3	203	9.0	7.0	125	1.23	5.9	2.0	2.6	8.8	29.3
1832614	Drill Core	5.12	434	<0.005	<0.01	<0.17	34.13	0.99	16.16	12.36	52.0	169	10.8	6.7	184	1.81	4.6	2.6	<0.2	9.2	65.1
1832615	Drill Core	5.20	466	<0.005	<0.01	<0.17	47.65	0.63	13.48	11.03	59.4	140	12.3	7.0	237	1.86	6.5	2.3	0.4	9.7	59.3
1832616	Drill Core	4.70	378	<0.005	<0.01	<0.17	41.47	1.00	14.19	12.39	50.7	147	8.9	5.8	389	1.86	4.3	2.9	<0.2	10.9	89.1
1832617	Drill Core	4.16	427	<0.005	<0.01	<0.17	37.41	0.89	16.43	10.15	70.6	155	12.1	7.8	299	1.99	5.2	2.2	0.5	9.2	47.9
1832618	Drill Core	4.55	395	<0.005	<0.01	<0.17	37.94	1.15	20.90	11.26	46.1	367	11.9	7.0	245	1.88	6.8	1.1	0.9	7.7	52.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832597	Drill Core	0.16	0.27	0.04	18	1.45	0.058	17.9	15.2	0.83	199.9	0.009	<1	0.93	0.014	0.34	0.1	4.7	0.14	0.18	<5
1832598	Drill Core	0.28	0.33	0.12	23	1.24	0.054	21.5	21.9	1.15	220.3	0.028	<1	1.21	0.025	0.47	<0.1	6.4	0.25	0.22	<5
1832599	Drill Core	0.24	0.32	0.12	5	0.94	0.024	16.2	6.6	0.24	290.8	0.032	<1	0.51	0.021	0.29	0.1	3.0	0.09	0.04	<5
1832600	Rock Pulp	0.16	4.32	0.45	105	0.82	0.057	6.0	15.9	0.80	98.5	0.105	3	1.58	0.154	0.22	3.7	2.8	0.06	<0.02	198
1832601	Drill Core	0.21	0.31	0.09	9	1.09	0.040	27.6	9.6	0.47	316.1	0.014	<1	0.65	0.022	0.33	<0.1	3.4	0.10	0.04	<5
1832602	Drill Core	0.24	0.28	0.14	4	0.79	0.024	26.0	5.3	0.25	332.7	0.009	<1	0.47	0.021	0.26	<0.1	2.5	0.08	0.09	<5
1832603	Drill Core	0.28	0.36	0.14	2	0.47	0.015	19.1	3.3	0.12	259.7	0.022	<1	0.40	0.028	0.26	0.1	1.9	0.09	0.07	<5
1832604	Drill Core	0.42	0.35	0.17	2	0.70	0.018	16.5	3.2	0.09	255.1	0.024	<1	0.35	0.022	0.23	<0.1	2.0	0.08	0.10	<5
1832605	Drill Core	0.38	0.24	0.18	<1	0.43	0.007	27.2	1.2	0.05	184.6	0.009	1	0.24	0.027	0.18	0.1	1.9	0.05	0.05	<5
1832606	Drill Core	0.23	0.41	0.21	<1	0.33	0.006	32.5	1.4	0.04	251.4	0.006	1	0.29	0.033	0.26	0.1	1.6	0.07	0.02	8
1832607	Drill Core	0.37	0.74	0.17	4	1.08	0.020	21.4	4.2	0.19	290.5	0.015	1	0.42	0.019	0.32	0.2	2.2	0.12	0.04	12
1832608	Drill Core	0.65	0.56	0.15	9	1.32	0.034	21.6	7.8	0.45	292.9	0.026	1	0.64	0.024	0.40	0.1	4.6	0.20	0.15	6
1832609	Drill Core	0.23	0.46	0.11	10	0.42	0.066	6.4	12.6	0.50	238.5	0.060	2	0.71	0.017	0.38	0.1	1.9	0.20	0.14	<5
1832610	Drill Core	0.34	0.15	0.15	2	0.52	0.014	19.3	3.1	0.16	318.0	0.019	2	0.41	0.016	0.34	0.1	1.8	0.11	0.12	<5
1832611	Drill Core	0.14	0.38	0.15	10	0.72	0.045	24.0	13.6	0.48	270.5	0.054	1	0.65	0.016	0.45	0.2	3.3	0.24	0.07	<5
1832612	Drill Core	0.20	0.32	0.03	12	0.38	0.070	22.0	14.5	0.50	398.9	0.079	<1	0.74	0.018	0.54	0.2	3.1	0.30	0.14	<5
1832613	Drill Core	0.17	0.25	0.02	12	0.33	0.070	15.5	14.3	0.41	319.7	0.062	<1	0.59	0.021	0.41	0.1	2.1	0.21	0.23	10
1832614	Drill Core	0.23	0.46	<0.02	17	0.78	0.062	18.3	17.8	0.61	388.9	0.037	<1	0.73	0.029	0.43	0.2	4.1	0.27	0.15	<5
1832615	Drill Core	0.20	0.31	0.04	18	0.54	0.073	17.2	19.7	0.68	429.4	0.052	<1	0.76	0.030	0.50	0.1	3.7	0.24	0.14	<5
1832616	Drill Core	0.24	0.34	0.07	13	1.18	0.055	21.7	15.1	0.57	391.5	0.050	<1	0.73	0.034	0.44	0.1	4.0	0.28	0.15	<5
1832617	Drill Core	0.51	0.50	0.06	21	0.64	0.062	17.1	24.5	0.81	184.4	0.094	<1	0.96	0.034	0.56	0.4	4.5	0.42	0.10	<5
1832618	Drill Core	0.21	0.50	0.22	18	0.79	0.068	13.5	18.1	0.70	185.0	0.075	<1	0.94	0.017	0.61	0.3	5.3	0.35	<0.02	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000082.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832597	Drill Core	0.5	0.03	3.3	0.91	<0.1	0.38	<0.02	15.1	0.3	<0.05	15.9	8.67	35.2	<0.02	<1	0.3	11.0	<10	<2
1832598	Drill Core	0.6	0.04	4.5	1.99	<0.1	0.45	0.04	26.8	0.4	<0.05	16.7	10.89	41.8	0.02	<1	0.3	9.6	<10	<2
1832599	Drill Core	0.3	0.03	1.9	0.56	<0.1	0.03	0.34	11.5	0.4	<0.05	1.0	9.48	32.2	0.02	<1	0.2	4.1	<10	<2
1832600	Rock Pulp	0.3	0.16	4.6	0.59	0.1	0.09	0.11	7.2	1.5	<0.05	1.6	4.40	12.3	0.04	<1	0.1	6.0	<10	<2
1832601	Drill Core	0.4	0.03	2.5	0.93	<0.1	0.21	0.09	13.2	0.4	<0.05	7.5	14.39	54.3	0.02	<1	0.3	6.1	<10	<2
1832602	Drill Core	0.4	0.02	1.9	0.57	<0.1	0.20	0.14	10.6	0.3	<0.05	7.6	15.41	51.2	<0.02	<1	0.2	3.8	<10	<2
1832603	Drill Core	0.3	<0.02	1.9	0.70	<0.1	0.07	0.38	12.7	0.4	<0.05	2.2	13.11	37.7	<0.02	<1	0.3	3.0	<10	<2
1832604	Drill Core	0.4	<0.02	1.3	0.60	<0.1	0.04	0.34	9.9	0.3	<0.05	1.3	11.77	31.4	<0.02	<1	0.2	2.3	<10	<2
1832605	Drill Core	<0.1	<0.02	0.9	0.46	<0.1	0.30	0.38	8.7	0.4	<0.05	9.9	16.84	51.0	<0.02	<1	0.2	1.6	<10	<2
1832606	Drill Core	<0.1	<0.02	1.0	0.33	<0.1	0.26	0.24	10.3	0.5	<0.05	9.7	13.53	60.3	0.02	<1	0.3	1.6	<10	3
1832607	Drill Core	<0.1	<0.02	1.3	0.87	<0.1	0.13	0.21	14.8	0.4	<0.05	6.4	7.07	41.1	<0.02	<1	0.2	3.5	<10	<2
1832608	Drill Core	<0.1	<0.02	2.4	2.24	<0.1	0.06	0.20	21.7	0.5	<0.05	2.5	12.50	41.6	0.03	2	0.5	6.0	<10	<2
1832609	Drill Core	<0.1	<0.02	2.4	2.18	<0.1	0.04	0.30	20.9	0.2	<0.05	1.1	4.22	12.4	<0.02	2	0.2	7.0	<10	<2
1832610	Drill Core	<0.1	<0.02	1.2	0.62	<0.1	0.07	0.42	14.0	0.3	<0.05	4.0	10.75	35.7	<0.02	<1	0.2	4.1	<10	<2
1832611	Drill Core	<0.1	<0.02	2.4	2.52	<0.1	0.11	0.25	25.1	0.5	<0.05	3.7	13.72	45.1	<0.02	<1	0.2	7.2	<10	<2
1832612	Drill Core	<0.1	<0.02	2.8	3.05	<0.1	0.13	0.28	29.1	0.4	<0.05	4.8	9.71	41.0	<0.02	2	0.3	7.2	<10	<2
1832613	Drill Core	<0.1	<0.02	2.3	3.22	<0.1	0.16	0.28	21.1	0.3	<0.05	5.5	7.75	29.6	<0.02	2	0.2	5.9	<10	<2
1832614	Drill Core	<0.1	<0.02	2.8	8.46	<0.1	0.15	0.12	26.3	0.4	<0.05	6.0	9.54	34.5	<0.02	1	0.3	7.1	<10	<2
1832615	Drill Core	<0.1	<0.02	2.9	15.57	<0.1	0.13	0.22	32.5	0.4	<0.05	3.8	10.00	31.7	<0.02	2	0.2	7.5	<10	<2
1832616	Drill Core	<0.1	<0.02	3.0	12.35	<0.1	0.04	0.18	27.8	0.6	<0.05	1.1	11.92	42.0	<0.02	<1	0.3	7.3	<10	<2
1832617	Drill Core	<0.1	<0.02	4.3	8.19	<0.1	0.06	0.23	34.3	0.7	<0.05	1.8	9.39	32.5	<0.02	2	0.5	10.3	<10	<2
1832618	Drill Core	<0.1	<0.02	3.1	5.64	<0.1	0.06	0.15	38.8	0.4	<0.05	2.4	8.46	26.0	<0.02	<1	0.3	12.6	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000082.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1832554	Drill Core	4.69	443	0.155	0.15	<0.17	36.85	0.34	12.99	7.15	40.7	502	8.6	6.1	414	1.62	6.0	1.0	148.0	7.0	50.7
REP 1832554	QC							0.34	13.39	7.22	41.5	471	8.3	5.8	401	1.59	6.3	0.9	113.0	6.8	51.8
1832580	Rock	0.23	167	<0.005	<0.01	<0.17	28.47	0.40	0.95	1.18	3.0	7	1.2	0.4	68	0.61	0.6	0.1	<0.2	0.9	1.2
REP 1832580	QC			<0.005																	
1832584	Drill Core	5.60	459	0.006	<0.01	<0.17	40.67	1.75	11.68	9.00	60.8	246	11.6	7.0	234	1.80	2.6	2.9	0.3	5.3	29.5
REP 1832584	QC			<0.005																	
1832588	Drill Core	4.32	460	0.070	0.06	<0.17	32.83	0.94	15.44	11.47	52.7	294	8.7	6.3	272	1.68	4.7	1.2	77.8	6.9	67.2
REP 1832588	QC							0.93	15.18	11.31	52.7	284	8.6	6.3	272	1.69	4.7	1.1	57.7	6.8	66.9
1832605	Drill Core	2.28	502	0.005	<0.01	<0.17	43.46	0.10	2.83	18.59	13.5	190	0.3	0.4	80	0.37	1.1	1.1	4.4	12.1	25.7
REP 1832605	QC			<0.005																	
Core Reject Duplicates																					
1832557	Drill Core	3.97	409	0.182	0.18	<0.17	42.70	1.10	22.88	20.71	44.5	1254	7.3	4.7	424	1.54	8.0	2.7	168.9	4.8	95.6
DUP 1832557	QC		414	0.210	0.21	0.24	28.87	1.14	21.95	20.90	41.7	1265	7.1	4.9	419	1.51	8.0	2.8	152.6	4.8	88.7
1832591	Drill Core	4.70	477	0.007	<0.01	<0.17	43.13	0.34	6.54	11.30	51.0	225	2.7	2.4	188	1.04	1.2	1.4	2.5	8.1	39.4
DUP 1832591	QC		486	0.007	<0.01	<0.17	43.86	0.34	6.08	11.45	51.1	226	2.7	2.4	188	1.03	1.1	1.4	2.1	8.1	40.0
Reference Materials																					
STD BVGEO01	Standard							10.19	4284.33	169.58	1699.1	2360	158.5	24.2	716	3.65	104.1	3.2	202.0	11.9	52.8
STD DS11	Standard							14.22	143.86	134.55	333.4	1633	72.7	12.5	967	2.99	42.5	2.5	95.3	7.9	67.0
STD DS11	Standard							13.02	141.64	129.33	315.7	1662	76.3	12.6	936	2.94	42.3	2.5	97.7	7.5	62.9
STD OREAS262	Standard							0.63	113.04	55.88	149.9	444	62.8	26.4	542	3.18	35.4	1.2	69.9	9.3	36.1
STD OREAS262	Standard							0.59	115.54	55.34	149.8	464	62.4	26.1	526	3.17	36.0	1.2	68.2	9.1	35.7
STD OREAS262	Standard							0.66	114.17	48.68	131.4	424	59.2	26.5	530	3.17	32.5	1.0	64.5	7.6	34.0
STD OXC145	Standard			0.251																	
STD OXC145	Standard			0.225																	
STD OXC145	Standard			0.217																	
STD OXH139	Standard			1.307																	
STD OXH139	Standard			1.368																	
STD OXH139	Standard			1.290																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000082.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832554	Drill Core	0.23	1.58	0.06	9	0.64	0.045	10.8	10.5	0.77	225.4	0.056	1	0.95	0.009	0.64	0.6	2.4	0.22	0.22	<5
REP 1832554	QC	0.21	1.55	0.06	9	0.62	0.046	10.4	10.3	0.74	227.7	0.053	<1	0.91	0.009	0.61	0.6	2.0	0.21	0.21	6
1832580	Rock	<0.01	0.05	0.03	1	0.02	0.002	1.7	2.9	0.02	9.0	0.003	<1	0.06	0.004	0.01	<0.1	0.2	<0.02	<0.02	<5
REP 1832580	QC																				
1832584	Drill Core	0.12	0.44	0.07	17	0.67	0.060	10.4	22.2	0.99	183.2	0.080	<1	1.33	0.025	0.33	0.2	2.7	0.14	0.02	<5
REP 1832584	QC																				
1832588	Drill Core	0.37	0.71	0.07	15	1.30	0.054	12.5	14.9	0.75	184.3	0.056	<1	0.95	0.011	0.45	0.5	3.4	0.24	0.12	12
REP 1832588	QC	0.36	0.69	0.07	15	1.31	0.054	12.8	14.8	0.75	183.9	0.056	<1	0.95	0.012	0.46	0.5	3.5	0.24	0.12	8
1832605	Drill Core	0.38	0.24	0.18	<1	0.43	0.007	27.2	1.2	0.05	184.6	0.009	1	0.24	0.027	0.18	0.1	1.9	0.05	0.05	<5
REP 1832605	QC																				
Core Reject Duplicates																					
1832557	Drill Core	0.36	0.94	0.28	7	1.19	0.041	7.4	7.6	0.65	182.6	0.031	1	0.74	0.015	0.54	0.4	2.4	0.21	0.44	<5
DUP 1832557	QC	0.31	0.93	0.29	7	1.16	0.039	6.3	6.9	0.64	166.0	0.028	<1	0.70	0.014	0.53	0.4	2.2	0.20	0.42	<5
1832591	Drill Core	0.34	0.70	0.07	9	0.76	0.020	22.9	10.9	0.41	252.9	0.034	<1	0.75	0.021	0.30	0.5	3.1	0.13	<0.02	18
DUP 1832591	QC	0.35	0.72	0.07	9	0.77	0.020	22.9	10.9	0.41	253.8	0.033	<1	0.75	0.020	0.30	0.5	3.2	0.13	<0.02	18
Reference Materials																					
STD BVGEO01	Standard	5.61	3.24	20.06	72	1.28	0.068	23.5	180.6	1.27	263.0	0.229	3	2.27	0.181	0.87	5.1	5.7	0.60	0.67	89
STD DS11	Standard	2.25	8.78	11.70	48	1.03	0.070	18.3	56.4	0.82	368.0	0.087	7	1.15	0.070	0.39	3.1	3.2	4.61	0.27	275
STD DS11	Standard	2.40	8.70	11.43	47	1.00	0.066	16.2	53.3	0.81	342.3	0.083	8	1.10	0.065	0.38	3.0	2.8	4.68	0.27	277
STD OREAS262	Standard	0.68	5.97	1.03	22	2.90	0.039	15.6	40.2	1.15	249.9	0.003	5	1.38	0.066	0.31	0.2	3.6	0.43	0.26	149
STD OREAS262	Standard	0.64	5.54	1.01	21	2.87	0.038	14.4	39.3	1.15	238.8	0.003	4	1.28	0.064	0.28	0.2	3.3	0.44	0.26	169
STD OREAS262	Standard	0.58	5.16	0.85	22	2.87	0.037	13.7	42.0	1.14	224.1	0.002	3	1.33	0.066	0.29	0.2	3.1	0.44	0.25	155
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000082.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832554	Drill Core	0.2	0.05	2.6	1.50	<0.1	0.21	0.13	29.3	0.2	<0.05	9.0	5.45	21.2	<0.02	<1	0.4	7.8	<10	<2
REP 1832554	QC	<0.1	<0.02	2.5	1.58	<0.1	0.23	0.12	29.3	0.2	<0.05	9.0	5.60	20.5	<0.02	<1	0.5	7.3	<10	<2
1832580	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.10	0.05	0.8	<0.1	<0.05	2.4	0.82	3.4	<0.02	<1	<0.1	0.9	<10	<2
REP 1832580	QC																			
1832584	Drill Core	0.5	0.02	4.5	1.35	<0.1	0.04	0.17	15.9	0.4	<0.05	1.1	5.94	22.1	<0.02	3	0.5	11.4	<10	<2
REP 1832584	QC																			
1832588	Drill Core	0.5	0.03	4.0	2.36	<0.1	0.06	0.14	27.0	0.6	<0.05	1.7	8.73	24.8	<0.02	<1	0.5	12.0	<10	<2
REP 1832588	QC	0.5	0.03	4.0	2.31	<0.1	0.06	0.12	27.1	0.6	<0.05	1.7	8.72	24.6	<0.02	<1	0.5	11.8	<10	<2
1832605	Drill Core	<0.1	<0.02	0.9	0.46	<0.1	0.30	0.38	8.7	0.4	<0.05	9.9	16.84	51.0	<0.02	<1	0.2	1.6	<10	<2
REP 1832605	QC																			
Core Reject Duplicates																				
1832557	Drill Core	<0.1	<0.02	2.0	2.47	<0.1	0.20	0.07	25.6	0.2	<0.05	7.6	4.03	13.8	<0.02	2	0.3	7.8	<10	<2
DUP 1832557	QC	0.3	0.04	2.0	2.49	<0.1	0.20	0.07	25.2	0.2	<0.05	7.3	3.60	12.0	<0.02	1	0.2	7.2	<10	<2
1832591	Drill Core	0.3	<0.02	3.7	0.90	<0.1	0.06	0.27	15.3	0.7	<0.05	1.8	15.77	45.6	0.02	<1	0.4	8.0	<10	<2
DUP 1832591	QC	0.3	<0.02	3.8	0.91	<0.1	0.06	0.27	15.6	0.7	<0.05	1.7	15.70	45.5	0.02	<1	0.4	7.9	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.9	0.96	7.1	6.46	0.2	0.33	0.28	93.6	4.9	<0.05	9.4	14.20	48.7	0.42	4	0.7	18.5	146	167
STD DS11	Standard	1.7	4.49	4.6	2.78	<0.1	0.07	1.36	32.2	1.8	<0.05	2.6	7.85	36.6	0.21	51	0.5	23.5	103	169
STD DS11	Standard	1.7	4.25	4.5	2.78	<0.1	0.07	1.37	31.1	1.6	<0.05	2.6	7.11	32.2	0.21	47	0.6	22.1	103	167
STD OREAS262	Standard	0.1	0.21	3.9	2.89	<0.1	0.25	0.02	18.2	0.5	<0.05	11.0	10.69	31.2	0.03	2	1.0	17.8	<10	3
STD OREAS262	Standard	<0.1	0.19	3.8	2.80	<0.1	0.21	<0.02	17.0	0.5	<0.05	10.7	10.39	28.9	0.03	3	1.1	17.2	<10	4
STD OREAS262	Standard	0.7	0.23	3.9	2.55	<0.1	0.27	<0.02	17.2	0.5	<0.05	11.9	9.75	28.3	0.03	<1	1.0	15.6	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000082.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.751																	
STD OXN134	Standard			7.779																	
STD OXN134	Standard			7.781																	
STD OXQ90	Standard					25.33	29.88														
STD OXQ90	Standard					25.16	30.21														
STD OXQ90	Standard					25.38	30.18														
STD OXQ90	Standard					25.11	29.67														
STD OXQ90	Standard					25.45	29.59														
STD OXQ90	Standard					25.29	30.01														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.009																	
BLK	Blank							<0.01	<0.01	<0.01	0.4	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		499	<0.005	<0.01	<0.17	44.61	0.73	2.23	1.72	30.1	12	0.6	3.3	453	1.68	1.3	0.4	1.5	2.2	18.8



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: July 20, 2019

Part: 2 of 3

WHI19000082.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.05	0.02	22	0.57	0.040	5.6	1.6	0.42	47.1	0.065	3	0.79	0.060	0.07	<0.1	3.5	<0.02	<0.02	<5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000082.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.20	<0.1	0.12	0.22	1.8	0.3	<0.05	2.5	8.07	11.1	<0.02	<1	0.2	2.8	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000082.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
ROCK-WHI	Prep Blank		507	<0.005	<0.01	<0.17	51.59	0.66	1.74	1.30	27.1	10	0.7	3.4	422	1.74	1.2	0.4	1.8	2.2	19.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000082.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
ROCK-WHI	Prep Blank	0.03	0.03	<0.02	23	0.57	0.041	5.6	1.7	0.42	50.6	0.063	3	0.80	0.066	0.07	<0.1	3.2	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000082.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.18	0.1	0.09	0.23	2.0	0.3	<0.05	2.8	8.04	11.3	<0.02	<1	0.2	2.3	<10