



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 26, 2019  
Report Date: July 20, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000102.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-20  
P.O. Number  
Number of Samples: 65

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	63	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	65	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	65	Analysis sample split/packet			WHI
Split -150	65	Analysis sample split/packet			WHI
EN002	65	Environmental disposal charge-Fire assay lead waste			VAN
FS631	63	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	65	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	65	Per sample shipping charges for branch shipments			VAN
FA530	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022161	Drill Core	2.99	448	0.009	<0.01	<0.17	46.14	0.35	15.41	19.36	69.2	432	12.4	6.3	328	2.02	10.8	0.8	1.8	10.2	13.6
2022162	Drill Core	4.40	430	0.007	<0.01	<0.17	27.93	0.25	8.84	19.81	45.1	223	9.7	4.4	273	1.40	1.9	0.8	<0.2	12.1	14.6
2022163	Drill Core	5.11	454	0.006	<0.01	<0.17	27.11	0.24	8.59	15.37	50.9	284	12.1	6.2	360	2.07	2.8	0.8	<0.2	10.9	20.5
2022164	Drill Core	4.67	437	0.317	0.32	0.36	30.28	0.39	18.23	60.53	51.3	689	10.2	6.5	297	1.83	10.0	0.7	228.9	9.2	21.9
2022165	Drill Core	2.39	455	0.206	0.29	0.99	47.29	0.38	12.12	9.32	32.5	458	6.0	4.3	168	1.12	8.1	0.4	379.3	5.3	11.2
2022166	Drill Core	2.27	459	0.021	0.02	<0.17	50.66	0.31	25.29	31.40	67.6	320	10.1	6.3	304	1.75	3.2	0.7	12.1	9.2	19.9
2022167	Drill Core	4.74	422	0.009	<0.01	<0.17	32.57	0.85	12.74	19.96	35.0	307	8.7	4.9	277	1.53	4.2	0.8	2.3	7.7	21.2
2022168	Drill Core	2.44	408	0.015	0.01	<0.17	26.83	0.83	17.51	5.44	39.6	563	10.1	7.0	433	2.03	12.9	0.9	6.8	10.9	25.6
2022169	Drill Core	4.10	454	0.012	0.01	<0.17	39.62	1.02	14.26	10.07	34.8	615	8.1	5.1	288	1.56	10.4	0.7	9.8	8.7	18.8
2022170	Drill Core	5.06	417	0.993	1.92	12.08	34.78	1.10	15.00	10.62	48.6	1145	7.2	4.7	351	1.58	8.1	0.8	949.3	8.3	20.2
2022171	Drill Core	4.34	455	0.515	0.51	0.42	35.64	0.56	18.86	14.26	44.4	707	11.5	6.2	309	1.73	9.1	1.0	486.7	10.6	24.6
2022172	Drill Core	5.02	435	0.008	<0.01	<0.17	48.41	0.89	15.47	17.81	58.7	333	10.2	6.0	348	2.02	9.1	1.3	1.4	10.5	49.2
2022173	Drill Core	4.68	448	0.006	<0.01	<0.17	45.60	2.25	19.02	16.30	67.1	301	12.0	6.7	329	2.09	7.5	1.6	0.6	11.7	37.8
2022174	Drill Core	4.64	462	0.007	<0.01	<0.17	46.30	1.87	13.05	15.82	43.2	245	8.2	5.7	321	1.58	9.1	1.2	<0.2	12.1	32.2
2022175	Drill Core	5.10	459	0.005	<0.01	<0.17	27.76	7.42	17.80	21.15	34.2	294	10.9	5.3	279	1.27	18.0	1.5	<0.2	10.9	72.0
2022201	Drill Core	5.00	439	0.005	<0.01	<0.17	46.09	1.93	15.14	18.85	67.2	226	13.9	7.4	373	2.02	13.1	1.4	<0.2	10.5	68.2
2022176	Drill Core	5.26	439	0.176	0.26	1.67	23.93	0.72	15.56	10.03	21.9	463	8.3	4.9	282	1.06	7.3	1.1	207.9	9.0	62.5
2022177	Drill Core	2.35	468	0.627	0.80	2.44	44.20	1.27	34.82	7.19	19.0	1354	8.4	5.3	543	1.38	15.9	0.9	1216.2	8.5	51.9
2022178	Drill Core	2.49	432	6.829	10.64	39.68	50.12	1.07	4.09	3.97	15.4	2532	9.0	7.1	338	1.66	5.7	1.2	14476.0	10.4	18.6
2022179	Drill Core	2.92	438	0.426	0.42	0.41	48.39	0.59	5.72	9.14	23.9	449	5.0	3.6	279	1.02	3.6	0.8	473.0	11.5	46.6
2022180	Rock	0.24	176	0.015	0.01	<0.17	28.40	0.46	0.98	0.85	2.3	11	1.0	0.4	53	0.50	0.9	0.2	6.3	1.2	1.3
2022181	Drill Core	2.35	454	2.999	19.66	163.41	47.14	1.12	15.99	5.05	39.8	1394	7.3	6.0	410	1.68	5.4	1.3	4535.0	7.9	75.2
2022182	Drill Core	4.81	443	0.011	<0.01	<0.17	30.39	1.64	15.43	14.79	37.3	226	6.7	5.0	511	1.70	2.6	1.1	3.5	8.1	77.0
2022183	Drill Core	2.59	422	1.236	1.97	7.47	49.39	1.29	21.14	5.80	29.2	2099	7.1	5.4	517	1.54	13.4	1.3	2584.5	6.1	48.8
2022184	Drill Core	2.33	432	1.643	2.05	8.00	27.49	0.88	10.77	3.19	22.7	1229	7.1	5.8	439	1.64	3.7	1.3	1707.1	6.6	19.6
2022185	Drill Core	2.45	439	0.555	0.56	0.61	41.32	0.65	33.10	5.74	60.0	1333	7.3	6.6	465	1.58	4.2	1.7	607.8	7.5	32.9
2022186	Drill Core	1.84	437	>10	20.15	91.36	34.01	1.13	5.18	8.20	15.8	3639	7.0	5.5	376	1.40	3.3	0.9	20437.0	5.1	15.3
2022187	Drill Core	3.44	419	2.392	2.75	6.04	40.70	1.47	11.41	5.39	109.2	1440	9.1	7.2	502	1.61	4.1	1.3	3666.7	8.5	24.9
2022188	Drill Core	3.93	421	0.110	0.12	0.21	23.51	0.83	16.80	6.74	30.7	188	6.2	6.2	653	1.55	2.7	1.3	44.7	7.9	72.7
2022189	Drill Core	4.75	443	1.063	1.42	4.17	50.64	1.98	14.24	5.46	28.6	891	8.2	7.3	488	1.55	3.6	1.2	1463.8	7.0	31.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022161	Drill Core	1.37	0.53	0.23	15	0.21	0.058	28.7	16.3	0.66	202.3	0.004	<1	1.08	0.016	0.30	0.3	3.5	0.12	<0.02	10			
2022162	Drill Core	0.30	0.38	0.31	10	0.20	0.048	28.5	11.7	0.57	211.2	0.009	<1	0.88	0.018	0.38	1.2	3.0	0.16	<0.02	<5			
2022163	Drill Core	0.36	0.52	0.20	17	0.32	0.059	24.5	19.9	0.79	172.6	0.039	<1	1.11	0.028	0.33	0.3	4.6	0.14	<0.02	<5			
2022164	Drill Core	0.58	0.67	0.42	12	0.23	0.045	20.4	14.9	0.55	176.1	0.018	<1	0.91	0.026	0.35	0.3	3.1	0.16	<0.02	<5			
2022165	Drill Core	0.20	0.47	0.07	6	0.11	0.025	11.7	8.1	0.27	148.9	0.004	<1	0.47	0.014	0.21	0.3	1.5	0.07	<0.02	7			
2022166	Drill Core	0.22	0.67	0.15	11	0.24	0.049	19.9	13.5	0.70	183.5	0.016	<1	1.01	0.012	0.39	0.3	2.7	0.14	<0.02	<5			
2022167	Drill Core	0.23	0.92	0.12	13	0.26	0.040	15.1	15.2	0.64	132.0	0.033	<1	0.85	0.021	0.29	0.3	3.3	0.11	<0.02	<5			
2022168	Drill Core	0.34	2.43	0.03	13	0.33	0.050	19.7	13.4	0.79	234.9	0.031	<1	1.04	0.018	0.56	0.5	4.2	0.25	<0.02	<5			
2022169	Drill Core	0.25	1.48	<0.02	8	0.21	0.043	17.2	8.3	0.56	204.8	0.017	<1	0.81	0.010	0.44	0.3	2.8	0.18	<0.02	5			
2022170	Drill Core	0.48	1.10	0.05	7	0.45	0.037	17.2	8.0	0.59	230.8	0.009	<1	0.82	0.012	0.41	0.2	2.7	0.15	<0.02	8			
2022171	Drill Core	0.26	0.77	0.21	9	0.34	0.055	20.3	10.4	0.66	229.7	0.010	<1	0.93	0.010	0.41	0.2	2.6	0.13	<0.02	6			
2022172	Drill Core	0.30	0.52	0.21	16	0.83	0.053	14.7	17.8	0.91	203.2	0.020	<1	1.11	0.023	0.41	0.1	4.2	0.13	0.06	<5			
2022173	Drill Core	0.29	0.38	0.16	15	0.69	0.055	20.6	18.4	0.88	215.3	0.011	<1	1.12	0.019	0.33	<0.1	3.7	0.11	<0.02	<5			
2022174	Drill Core	0.36	0.41	0.21	10	0.81	0.050	18.9	10.8	0.64	268.8	0.012	<1	0.87	0.014	0.42	<0.1	3.2	0.14	<0.02	<5			
2022175	Drill Core	0.42	0.76	0.30	7	1.22	0.050	9.6	8.2	0.46	287.9	0.011	<1	0.59	0.007	0.38	<0.1	2.3	0.11	0.33	<5			
2022201	Drill Core	0.55	0.49	0.12	15	0.97	0.056	13.2	15.3	0.88	240.5	0.026	<1	1.06	0.017	0.44	0.1	4.2	0.16	0.14	5			
2022176	Drill Core	0.23	0.58	0.23	4	0.94	0.043	8.4	4.4	0.38	223.8	0.006	<1	0.54	0.007	0.36	0.1	1.6	0.08	0.25	<5			
2022177	Drill Core	0.51	1.49	0.04	3	1.46	0.019	6.8	3.1	0.33	192.2	0.002	<1	0.44	0.003	0.28	<0.1	2.2	0.07	0.16	<5			
2022178	Drill Core	0.21	0.64	0.05	3	0.29	0.035	10.2	3.0	0.31	190.8	0.003	<1	0.47	0.004	0.34	0.1	1.5	0.09	0.14	15			
2022179	Drill Core	0.22	0.80	0.26	3	0.65	0.039	12.9	3.5	0.38	210.6	0.004	<1	0.56	0.004	0.38	0.1	1.5	0.09	0.06	8			
2022180	Rock	<0.01	0.02	<0.02	1	0.01	0.002	1.7	3.0	0.01	10.1	0.001	<1	0.06	0.004	0.02	<0.1	0.2	<0.02	<0.02	<5			
2022181	Drill Core	0.30	1.16	0.07	5	1.00	0.040	9.4	5.8	0.61	207.9	0.011	<1	0.77	0.008	0.41	0.2	2.5	0.12	0.21	<5			
2022182	Drill Core	0.27	0.95	0.06	7	1.06	0.049	13.5	7.9	0.63	220.5	0.013	<1	0.89	0.010	0.41	<0.1	2.4	0.10	0.04	<5			
2022183	Drill Core	0.36	3.36	0.07	4	1.20	0.040	7.8	4.3	0.42	215.5	0.004	<1	0.64	0.006	0.36	0.1	2.0	0.09	0.19	6			
2022184	Drill Core	0.22	1.55	0.04	5	0.45	0.027	13.5	5.4	0.36	274.3	0.003	1	0.68	0.009	0.38	0.2	2.3	0.09	0.06	8			
2022185	Drill Core	0.37	1.64	0.05	4	1.00	0.046	15.1	5.0	0.40	241.0	0.003	1	0.76	0.009	0.35	0.1	2.5	0.08	<0.02	18			
2022186	Drill Core	0.16	0.66	0.07	3	0.30	0.025	12.7	4.0	0.16	171.8	0.001	<1	0.42	0.007	0.24	<0.1	1.5	0.06	<0.02	7			
2022187	Drill Core	0.65	1.51	0.03	4	0.57	0.039	20.5	4.8	0.28	258.8	0.002	1	0.63	0.008	0.33	0.1	2.3	0.08	<0.02	15			
2022188	Drill Core	0.21	0.38	0.02	6	1.46	0.051	18.4	8.0	0.55	272.1	0.003	<1	0.96	0.009	0.37	0.1	2.5	0.09	<0.02	6			
2022189	Drill Core	0.18	0.45	0.02	5	0.80	0.042	13.1	6.1	0.43	237.7	0.002	1	0.79	0.009	0.35	0.1	2.4	0.09	0.09	5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 4 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
2022161	Drill Core	<0.1	<0.02	4.6	3.18	<0.1	0.10	<0.02	17.2	0.3	<0.05	3.0	14.55	54.3	<0.02	<1	0.6	17.9	<10	<2
2022162	Drill Core	<0.1	<0.02	3.4	2.72	<0.1	0.16	<0.02	22.3	0.3	<0.05	4.0	13.06	58.3	0.02	<1	0.4	10.9	<10	<2
2022163	Drill Core	<0.1	<0.02	4.9	3.64	<0.1	0.11	0.06	20.2	0.2	<0.05	3.4	12.95	48.1	0.02	<1	0.4	14.7	<10	<2
2022164	Drill Core	0.3	<0.02	3.6	3.03	<0.1	0.11	0.03	20.8	0.3	<0.05	2.8	8.38	40.8	<0.02	<1	0.4	12.1	<10	<2
2022165	Drill Core	<0.1	<0.02	2.0	1.32	<0.1	0.05	<0.02	10.7	<0.1	<0.05	2.2	4.37	23.4	<0.02	<1	0.2	7.4	<10	<2
2022166	Drill Core	<0.1	<0.02	4.0	1.78	<0.1	0.12	<0.02	21.5	0.3	<0.05	2.8	9.31	40.8	0.02	<1	0.4	13.7	<10	<2
2022167	Drill Core	<0.1	<0.02	3.4	1.81	<0.1	0.12	0.06	16.0	0.3	<0.05	2.7	8.21	30.4	0.02	<1	0.5	13.3	<10	<2
2022168	Drill Core	<0.1	<0.02	3.6	4.69	<0.1	0.16	0.04	34.5	0.4	<0.05	4.4	7.57	38.8	<0.02	<1	0.5	12.5	<10	<2
2022169	Drill Core	<0.1	<0.02	2.7	2.87	<0.1	0.18	0.03	23.6	0.3	<0.05	4.2	5.91	34.2	<0.02	<1	0.3	10.2	<10	<2
2022170	Drill Core	<0.1	0.02	2.6	1.47	<0.1	0.12	<0.02	18.1	0.3	<0.05	4.0	5.27	34.1	<0.02	<1	0.4	10.0	<10	<2
2022171	Drill Core	<0.1	0.03	2.9	1.82	<0.1	0.12	<0.02	18.9	0.1	<0.05	4.9	5.95	41.8	<0.02	<1	0.4	11.8	<10	<2
2022172	Drill Core	0.3	<0.02	4.1	1.99	<0.1	0.16	<0.02	18.6	0.2	<0.05	4.1	5.85	30.1	<0.02	<1	0.4	10.7	<10	<2
2022173	Drill Core	0.1	<0.02	4.5	1.62	<0.1	0.12	<0.02	15.0	0.2	<0.05	4.6	6.23	40.6	0.02	<1	0.4	11.8	<10	<2
2022174	Drill Core	0.2	<0.02	2.8	1.87	<0.1	0.15	<0.02	18.6	0.2	<0.05	4.4	4.72	37.5	<0.02	<1	0.4	9.3	<10	<2
2022175	Drill Core	0.5	0.02	2.0	1.33	<0.1	0.20	<0.02	16.3	<0.1	<0.05	5.1	4.24	19.0	<0.02	1	0.3	5.0	<10	<2
2022201	Drill Core	0.3	<0.02	4.1	2.61	<0.1	0.14	<0.02	20.3	0.2	<0.05	3.7	5.60	26.4	<0.02	1	0.3	8.9	<10	<2
2022176	Drill Core	0.3	0.04	1.6	0.94	<0.1	0.18	<0.02	14.4	0.2	<0.05	5.1	3.15	17.6	<0.02	<1	0.3	4.3	<10	2
2022177	Drill Core	0.3	0.14	1.7	0.81	<0.1	0.23	<0.02	10.9	<0.1	<0.05	6.9	3.71	14.3	<0.02	<1	0.3	4.7	<10	<2
2022178	Drill Core	0.5	0.26	1.7	1.50	<0.1	0.33	<0.02	13.8	0.2	<0.05	9.3	3.53	20.8	<0.02	<1	0.3	5.1	<10	<2
2022179	Drill Core	0.1	0.04	1.6	1.30	<0.1	0.38	0.03	16.0	0.1	<0.05	11.6	3.21	25.9	<0.02	<1	0.3	4.9	11	<2
2022180	Rock	<0.1	<0.02	0.3	0.09	<0.1	0.13	0.03	1.0	<0.1	<0.05	2.1	0.75	3.3	<0.02	<1	<0.1	1.2	<10	<2
2022181	Drill Core	0.2	0.04	2.4	1.34	<0.1	0.24	<0.02	18.6	<0.1	<0.05	6.8	4.15	19.3	<0.02	<1	0.3	7.1	<10	<2
2022182	Drill Core	<0.1	<0.02	2.5	1.25	<0.1	0.18	<0.02	18.0	0.1	<0.05	4.9	4.31	27.3	<0.02	<1	0.3	7.9	<10	<2
2022183	Drill Core	0.1	0.07	1.9	1.13	<0.1	0.15	<0.02	14.8	<0.1	<0.05	4.9	3.84	16.1	<0.02	<1	0.4	6.2	<10	<2
2022184	Drill Core	<0.1	0.07	2.2	0.85	<0.1	0.16	<0.02	13.2	0.2	<0.05	5.8	3.56	27.7	<0.02	<1	0.4	6.0	<10	<2
2022185	Drill Core	<0.1	0.04	1.9	1.36	<0.1	0.20	<0.02	14.1	0.2	<0.05	8.6	4.81	31.0	<0.02	<1	0.4	7.9	15	<2
2022186	Drill Core	<0.1	0.17	1.2	0.69	<0.1	0.15	<0.02	7.8	0.3	<0.05	5.8	3.49	26.0	<0.02	<1	0.2	3.7	<10	<2 14.1
2022187	Drill Core	<0.1	0.08	2.0	0.82	<0.1	0.19	<0.02	12.0	0.3	<0.05	7.7	5.06	42.0	<0.02	<1	0.4	6.9	<10	<2
2022188	Drill Core	<0.1	0.03	2.6	0.78	<0.1	0.16	<0.02	13.3	0.3	<0.05	6.3	6.18	38.0	<0.02	<1	0.3	8.8	<10	<2
2022189	Drill Core	0.2	0.07	2.2	1.03	<0.1	0.22	<0.02	13.0	0.2	<0.05	9.1	4.48	27.1	<0.02	<1	0.3	8.0	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022190	Drill Core	2.02	449	>10	113.60	1099.69	32.17	0.35	4.73	0.31	3.9	17188	0.9	0.7	123	0.48	2.5	<0.1>100000	<0.1	1.3	
2022191	Drill Core	2.20	408	2.056	2.25	3.64	49.70	0.59	17.03	4.18	28.9	1323	10.3	7.3	420	1.66	2.5	0.9	2516.4	7.5	28.6
2022192	Drill Core	2.90	457	0.201	0.21	0.29	24.15	0.82	12.04	6.69	38.4	483	7.9	6.4	587	1.74	4.1	1.0	331.1	7.2	34.8
2022193	Drill Core	4.68	433	0.015	0.01	<0.17	44.05	0.52	15.69	8.91	49.4	268	11.9	6.9	300	1.98	6.2	0.7	12.1	7.9	19.1
2022194	Drill Core	1.90	414	0.012	0.01	<0.17	27.61	0.97	16.38	7.47	58.0	218	10.4	6.8	325	1.86	6.7	0.8	9.7	7.7	18.1
2022195	Drill Core	4.43	547	0.011	0.01	<0.17	50.41	0.54	14.29	10.68	61.6	199	13.7	8.3	404	2.28	5.1	2.4	3.2	7.0	51.0
2022196	Drill Core	5.13	419	0.007	<0.01	<0.17	45.57	0.78	15.08	13.54	58.3	231	12.4	7.8	444	2.03	6.9	1.9	2.7	8.5	83.5
2022197	Drill Core	4.49	401	0.048	0.04	<0.17	34.08	1.07	19.28	12.82	40.2	441	13.0	5.6	327	1.54	103.6	1.7	37.4	10.3	69.3
2022198	Drill Core	5.16	460	0.007	<0.01	<0.17	33.76	0.58	18.98	17.63	49.8	589	14.3	6.1	405	1.80	45.6	2.2	2.2	9.5	43.6
2022199	Drill Core	5.23	490	0.007	<0.01	<0.17	45.97	0.40	10.14	14.50	52.1	207	4.3	5.7	708	2.18	6.5	2.0	1.4	9.4	110.7
2022200	Rock Pulp	0.12	84	7.190				9.78	180.23	18.96	72.4	859	14.1	11.7	579	4.70	13.9	0.8	7760.3	2.8	82.2
2022202	Drill Core	5.39	466	0.007	<0.01	<0.17	48.42	0.79	11.95	8.74	49.8	168	6.6	6.0	476	1.91	4.6	1.7	2.3	10.0	103.0
2022203	Drill Core	6.06	517	0.007	<0.01	<0.17	28.14	0.39	17.13	10.27	67.0	187	7.7	6.7	440	2.02	2.3	1.0	0.5	9.7	69.1
2022204	Drill Core	5.32	451	0.006	<0.01	<0.17	24.32	0.69	11.52	10.88	57.4	266	9.0	7.4	323	1.70	3.9	1.1	<0.2	6.1	62.9
2022205	Drill Core	4.91	419	0.006	<0.01	<0.17	37.64	0.87	12.29	10.56	73.2	155	11.7	8.6	404	2.33	5.6	1.1	0.6	6.9	56.4
2022206	Drill Core	5.12	449	0.007	<0.01	<0.17	37.43	0.46	11.43	9.14	49.3	169	8.8	6.5	202	1.51	9.0	1.0	1.6	6.4	53.8
2022207	Drill Core	4.17	367	0.012	0.01	<0.17	44.65	0.74	12.03	10.38	62.6	288	10.5	6.6	261	2.18	9.5	1.3	4.4	10.2	46.8
2022208	Drill Core	3.95	507	0.009	<0.01	<0.17	38.69	0.83	11.34	12.67	53.0	154	10.9	7.3	365	2.01	4.6	1.8	<0.2	10.3	59.4
2022209	Drill Core	5.71	511	0.005	<0.01	<0.17	51.59	0.78	10.40	14.58	54.3	149	9.6	6.9	316	2.02	8.8	2.2	1.7	10.6	64.8
2022210	Drill Core	5.03	464	0.007	<0.01	<0.17	42.69	0.49	13.94	14.46	57.7	157	10.0	6.8	195	2.26	13.7	2.1	2.4	11.1	47.0
2022211	Drill Core	3.66	469	<0.005	<0.01	<0.17	52.15	0.91	8.31	8.02	48.1	174	11.1	8.4	170	1.72	8.1	2.3	0.7	5.7	55.4
2022212	Drill Core	5.27	467	<0.005	<0.01	<0.17	29.43	0.88	10.21	11.11	60.1	169	10.2	7.1	165	1.51	5.6	0.6	<0.2	2.8	32.9
2022213	Drill Core	5.18	544	0.006	<0.01	<0.17	41.74	1.06	8.23	16.24	79.8	165	11.3	7.7	308	2.15	4.9	1.0	<0.2	4.2	24.8
2022214	Drill Core	5.02	526	0.006	<0.01	<0.17	36.09	1.26	14.60	10.68	58.9	203	11.0	7.7	231	1.84	5.7	1.3	<0.2	5.4	26.1
2022215	Drill Core	2.31	502	0.007	<0.01	<0.17	37.09	1.58	8.76	8.67	63.2	143	11.8	9.0	416	2.10	3.7	2.6	1.1	8.0	98.7
2022216	Drill Core	5.05	456	0.006	<0.01	<0.17	27.13	1.80	10.16	20.42	72.1	186	13.0	9.3	407	2.18	4.5	1.9	<0.2	7.4	76.6
2022217	Drill Core	2.36	432	1.407	1.51	2.69	35.67	1.36	13.75	12.96	44.6	1397	10.4	8.4	528	2.12	8.9	1.4	1659.2	7.6	101.8
2022218	Drill Core	4.38	432	0.488	0.44	<0.17	43.96	1.47	21.69	6.19	43.7	2310	8.7	8.1	360	1.99	24.7	1.6	466.8	9.3	114.7
2022219	Drill Core	2.67	474	0.297	0.29	0.26	50.09	1.82	22.36	18.94	67.2	1225	13.9	10.2	330	2.31	12.6	1.5	416.5	9.8	112.3
2022220	Rock Pulp	0.12	83	0.515				2.26	409.53	17.99	46.0	259	578.2	25.4	389	2.41	18.5	0.5	380.8	4.5	44.3



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022190	Drill Core	0.07	0.22	<0.02	<1	0.01	0.002	1.0	6.2	0.03	17.2	<0.001	<1	0.04	0.001	0.02	<0.1	<0.1	<0.02	<0.02	38	
2022191	Drill Core	0.47	0.65	0.02	4	0.59	0.035	11.7	4.8	0.36	227.2	0.002	<1	0.64	0.007	0.32	<0.1	2.1	0.07	0.22	15	
2022192	Drill Core	0.29	0.60	0.03	6	0.54	0.047	17.0	7.6	0.49	244.7	0.004	2	0.88	0.013	0.40	0.1	2.7	0.09	<0.02	8	
2022193	Drill Core	0.10	0.57	0.06	11	0.21	0.052	18.6	14.2	0.70	177.7	0.002	<1	1.15	0.011	0.33	<0.1	2.5	0.09	<0.02	<5	
2022194	Drill Core	0.13	0.52	0.06	10	0.21	0.050	18.7	11.9	0.60	198.8	0.002	1	1.03	0.015	0.30	0.1	2.7	0.08	<0.02	9	
2022195	Drill Core	0.22	0.59	0.08	16	0.99	0.054	12.0	18.5	0.93	255.8	0.022	<1	1.23	0.024	0.45	0.1	5.2	0.16	0.22	14	
2022196	Drill Core	0.29	0.60	0.14	13	1.30	0.054	13.9	15.6	0.72	239.6	0.016	<1	1.08	0.026	0.42	<0.1	4.6	0.14	0.17	11	
2022197	Drill Core	0.33	1.15	0.40	8	1.23	0.060	16.9	11.5	0.43	257.6	0.003	1	0.83	0.020	0.33	<0.1	2.6	0.09	0.20	10	
2022198	Drill Core	0.33	1.77	0.89	14	0.94	0.057	21.1	16.3	0.46	229.1	0.008	<1	0.85	0.033	0.24	<0.1	3.4	0.09	0.16	6	
2022199	Drill Core	0.20	0.98	0.23	16	2.16	0.055	23.1	18.1	0.61	265.2	0.006	<1	1.11	0.033	0.30	<0.1	5.1	0.10	<0.02	15	
2022200	Rock Pulp	0.16	5.12	0.55	110	1.01	0.058	7.5	18.9	0.85	127.9	0.120	3	1.89	0.198	0.23	4.3	4.4	0.08	<0.02	214	
2022202	Drill Core	0.27	0.74	0.08	13	1.89	0.055	20.5	15.8	0.66	232.6	0.022	1	1.08	0.019	0.48	0.2	4.5	0.19	0.03	15	
2022203	Drill Core	0.27	0.37	0.10	16	1.60	0.056	21.8	20.5	0.86	240.0	0.013	<1	1.20	0.026	0.30	<0.1	4.5	0.08	0.03	6	
2022204	Drill Core	0.23	0.63	0.08	12	1.43	0.053	12.3	16.6	0.66	219.9	0.068	<1	1.02	0.024	0.26	0.1	3.6	0.09	0.06	<5	
2022205	Drill Core	0.20	0.47	0.09	15	1.23	0.060	16.3	20.7	0.98	258.2	0.058	<1	1.45	0.025	0.28	<0.1	4.7	0.08	0.02	<5	
2022206	Drill Core	0.22	0.73	0.07	10	1.59	0.049	15.5	13.6	0.60	190.4	0.042	<1	1.10	0.021	0.28	<0.1	2.8	0.08	0.03	<5	
2022207	Drill Core	0.20	0.74	0.08	14	1.32	0.055	25.2	18.7	0.72	223.4	0.003	<1	1.39	0.010	0.39	0.1	3.2	0.16	<0.02	9	
2022208	Drill Core	0.29	1.01	0.09	14	1.81	0.057	28.6	17.3	0.69	221.5	0.007	1	1.24	0.016	0.34	0.2	5.3	0.14	0.06	26	
2022209	Drill Core	0.22	1.25	0.10	16	1.98	0.050	27.2	16.7	0.62	231.9	0.010	1	1.17	0.022	0.32	0.4	5.8	0.12	0.05	49	
2022210	Drill Core	0.20	1.88	0.09	21	1.24	0.055	23.0	21.9	0.65	196.3	0.044	1	1.21	0.031	0.31	1.0	6.9	0.13	0.03	40	
2022211	Drill Core	0.16	1.55	0.07	18	0.95	0.056	11.8	22.5	0.81	225.5	0.090	1	1.20	0.028	0.33	0.7	4.4	0.14	0.11	19	
2022212	Drill Core	0.17	0.35	0.07	10	0.64	0.060	4.6	15.5	0.70	223.1	0.077	<1	1.01	0.024	0.31	0.1	2.0	0.11	0.12	<5	
2022213	Drill Core	0.20	0.29	0.13	12	0.64	0.060	5.9	19.2	1.34	244.0	0.067	<1	1.55	0.017	0.32	0.1	2.5	0.12	0.10	<5	
2022214	Drill Core	0.17	0.64	0.13	13	0.67	0.058	8.3	19.2	1.00	215.9	0.074	<1	1.32	0.019	0.40	0.2	3.0	0.18	0.12	<5	
2022215	Drill Core	0.32	1.21	0.10	13	2.39	0.058	8.8	19.6	0.99	174.8	0.041	<1	1.23	0.011	0.57	0.2	3.4	0.33	0.19	8	
2022216	Drill Core	0.43	2.17	0.14	23	1.69	0.063	11.6	30.5	1.18	162.6	0.082	<1	1.47	0.017	0.53	0.4	4.7	0.23	0.10	9	
2022217	Drill Core	0.38	1.69	0.18	11	1.91	0.062	10.6	13.1	0.85	326.0	0.028	1	1.00	0.009	0.58	0.6	3.6	0.28	0.25	12	
2022218	Drill Core	0.45	2.19	0.09	9	1.75	0.060	10.9	10.3	0.74	286.8	0.026	<1	0.90	0.012	0.68	0.5	2.9	0.27	0.28	18	
2022219	Drill Core	0.50	1.84	0.20	17	1.49	0.063	10.9	21.0	0.98	228.6	0.053	<1	1.15	0.015	0.57	0.6	4.6	0.21	0.55	18	
2022220	Rock Pulp	0.19	0.36	0.27	49	1.09	0.029	3.4	86.8	1.55	66.5	0.051	4	1.72	0.172	0.14	1.3	2.4	0.09	0.20	12	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 3 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530		
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
2022190	Drill Core	<0.1	0.08	0.1	0.22	<0.1	<0.02	<0.02	0.7	0.1	<0.05	1.1	0.47	1.9	<0.02	<1	<0.1	0.6	<10	<2	37.5			
2022191	Drill Core	0.4	0.09	2.0	1.16	<0.1	0.25	<0.02	11.1	0.2	<0.05	10.3	5.09	24.7	<0.02	<1	0.3	6.3	<10	<2				
2022192	Drill Core	<0.1	0.03	2.5	1.64	<0.1	0.21	0.05	15.7	0.2	<0.05	8.2	5.80	35.1	<0.02	<1	0.4	9.7	<10	<2				
2022193	Drill Core	<0.1	<0.02	3.9	3.38	<0.1	0.19	<0.02	16.3	0.4	<0.05	7.9	5.59	37.7	<0.02	<1	0.4	14.1	<10	<2				
2022194	Drill Core	<0.1	<0.02	3.4	2.09	<0.1	0.19	<0.02	13.1	0.3	<0.05	8.1	5.92	38.5	<0.02	<1	0.4	12.8	<10	<2				
2022195	Drill Core	0.3	<0.02	4.8	2.07	<0.1	0.24	<0.02	21.8	0.3	<0.05	9.1	6.25	24.9	0.02	1	0.5	16.2	<10	<2				
2022196	Drill Core	0.3	<0.02	3.9	1.97	<0.1	0.24	<0.02	18.1	0.3	<0.05	11.0	6.40	29.1	0.02	<1	0.5	14.8	<10	<2				
2022197	Drill Core	0.6	0.03	2.6	0.88	<0.1	0.13	<0.02	13.5	0.3	<0.05	6.0	8.19	35.7	0.02	2	0.4	11.4	<10	<2				
2022198	Drill Core	0.8	0.07	3.7	1.07	<0.1	0.17	0.03	9.5	0.4	<0.05	7.1	11.98	43.9	0.04	3	0.5	12.7	<10	<2				
2022199	Drill Core	<0.1	<0.02	4.5	1.85	<0.1	0.06	<0.02	12.5	0.4	<0.05	2.3	11.79	47.2	0.03	<1	0.6	19.6	<10	<2				
2022200	Rock Pulp	<0.1	0.19	5.4	0.73	0.1	0.10	0.13	8.2	1.6	<0.05	1.7	5.48	16.2	0.05	<1	<0.1	6.5	<10	<2				
2022202	Drill Core	<0.1	<0.02	4.2	3.34	<0.1	0.04	0.05	23.2	0.4	<0.05	1.4	12.09	42.1	<0.02	<1	0.4	11.9	<10	<2				
2022203	Drill Core	<0.1	0.03	4.8	0.75	<0.1	0.08	0.09	11.5	0.4	<0.05	2.7	12.64	44.3	0.03	<1	0.4	8.6	<10	<2				
2022204	Drill Core	<0.1	<0.02	4.2	1.09	<0.1	0.04	0.29	11.6	0.5	<0.05	1.3	7.72	25.6	0.03	<1	0.4	10.9	<10	<2				
2022205	Drill Core	<0.1	<0.02	5.1	1.52	<0.1	0.04	0.17	10.6	0.6	<0.05	1.1	9.72	32.9	0.02	<1	0.4	14.9	<10	<2				
2022206	Drill Core	<0.1	<0.02	3.8	1.84	<0.1	0.04	0.17	12.4	0.4	<0.05	1.0	8.65	31.5	<0.02	<1	0.5	12.3	<10	<2				
2022207	Drill Core	<0.1	<0.02	5.3	4.36	<0.1	0.03	<0.02	22.4	0.4	<0.05	1.0	12.86	50.9	<0.02	<1	0.5	17.8	<10	<2				
2022208	Drill Core	0.1	<0.02	5.4	4.22	<0.1	0.05	0.02	18.2	0.5	<0.05	1.1	14.81	59.0	0.03	<1	0.5	13.1	<10	<2				
2022209	Drill Core	<0.1	<0.02	4.7	4.77	<0.1	0.04	0.04	15.3	0.6	<0.05	1.5	15.57	55.5	0.03	<1	0.4	13.0	<10	<2				
2022210	Drill Core	<0.1	<0.02	5.6	5.33	<0.1	0.06	0.10	15.0	0.9	<0.05	1.8	14.24	46.7	0.03	<1	0.5	15.2	<10	<2				
2022211	Drill Core	0.2	<0.02	5.1	1.78	<0.1	0.06	0.38	16.3	0.7	<0.05	1.6	8.21	25.2	<0.02	1	0.6	13.6	<10	<2				
2022212	Drill Core	<0.1	<0.02	3.4	1.25	<0.1	0.03	0.37	13.6	0.3	<0.05	0.7	3.52	9.6	<0.02	<1	0.3	9.1	<10	<2				
2022213	Drill Core	0.1	<0.02	4.7	1.66	<0.1	0.03	0.19	15.7	0.4	<0.05	0.6	4.15	12.8	<0.02	1	0.4	14.1	<10	<2				
2022214	Drill Core	0.3	<0.02	4.2	2.44	<0.1	0.06	0.24	20.7	0.5	<0.05	0.9	5.71	17.6	<0.02	1	0.3	11.5	<10	<2				
2022215	Drill Core	<0.1	<0.02	3.8	5.41	<0.1	0.14	0.10	29.4	0.3	<0.05	1.3	7.32	18.7	<0.02	2	0.3	15.3	<10	<2				
2022216	Drill Core	0.2	<0.02	5.5	3.43	<0.1	0.08	0.17	24.8	0.6	<0.05	2.5	9.46	25.0	0.02	1	0.5	18.3	<10	<2				
2022217	Drill Core	0.2	0.04	3.4	3.82	<0.1	0.03	0.06	24.4	0.3	<0.05	1.0	7.26	22.2	<0.02	<1	0.4	11.7	<10	<2				
2022218	Drill Core	0.5	0.05	2.6	4.23	<0.1	0.03	0.09	30.0	0.3	<0.05	1.2	7.01	23.4	<0.02	2	0.4	6.4	<10	<2				
2022219	Drill Core	0.6	0.03	4.2	2.39	<0.1	0.15	0.14	25.3	0.4	<0.05	5.3	9.98	23.2	0.02	2	0.4	14.7	<10	<2				
2022220	Rock Pulp	0.8	0.16	3.9	0.59	0.1	0.03	0.04	5.7	0.5	<0.05	0.6	2.56	7.4	<0.02	2	<0.1	7.1	269	113				



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022221	Drill Core	4.91	535	0.061	0.06	<0.17	51.64	1.39	15.58	13.49	53.2	393	8.9	7.6	376	1.98	9.5	1.9	32.1	9.8	91.3
2022222	Drill Core	4.57	493	0.007	<0.01	<0.17	40.85	1.26	17.25	14.15	56.8	206	11.1	8.1	422	2.14	7.4	3.3	3.7	10.3	101.0
2022223	Drill Core	4.94	478	0.008	<0.01	<0.17	41.01	1.06	12.11	12.70	57.3	186	10.4	7.6	316	1.92	11.0	1.6	0.3	9.2	72.0
2022224	Drill Core	4.85	463	0.007	<0.01	<0.17	35.19	0.95	14.90	11.26	57.9	234	10.9	7.6	229	1.95	6.0	2.6	2.8	9.2	52.3
2022225	Drill Core	4.14	416	0.015	0.01	<0.17	31.17	1.00	16.29	11.39	50.5	292	8.5	6.9	317	1.88	25.5	1.7	7.6	9.7	98.9





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 4 of 4

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022221	Drill Core	0.34	1.58	0.21	13	1.90	0.062	9.6	15.0	0.75	174.3	0.032	<1	0.93	0.010	0.52	0.3	3.3	0.24	0.26	7
2022222	Drill Core	0.31	1.57	0.11	11	2.14	0.063	7.0	13.6	0.80	196.5	0.019	1	0.99	0.011	0.50	0.1	3.6	0.22	0.34	<5
2022223	Drill Core	0.31	1.20	0.13	13	1.62	0.065	14.0	14.8	0.67	181.9	0.009	1	1.03	0.011	0.36	0.2	3.7	0.17	0.06	13
2022224	Drill Core	0.28	1.61	0.09	18	0.91	0.065	17.2	21.3	0.73	203.8	0.034	<1	1.09	0.018	0.41	0.5	4.8	0.28	0.04	16
2022225	Drill Core	0.29	1.27	0.07	13	2.04	0.064	13.7	13.0	0.72	203.3	0.018	<1	0.98	0.008	0.46	0.4	4.4	0.21	0.03	<5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: July 20, 2019

Page: 4 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000102.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
2022221	Drill Core	0.3	0.03	2.8	3.46	<0.1	0.10	0.06	26.5	0.4	<0.05	3.2	7.26	19.3	<0.02	<1	0.3	9.9	<10	<2	
2022222	Drill Core	0.6	<0.02	2.7	4.12	<0.1	0.04	0.03	26.5	0.3	<0.05	1.2	5.92	14.6	<0.02	1	0.2	7.8	<10	<2	
2022223	Drill Core	0.3	<0.02	3.4	3.64	<0.1	0.05	<0.02	17.3	0.2	<0.05	1.1	8.29	27.7	<0.02	<1	0.3	14.3	<10	<2	
2022224	Drill Core	0.2	<0.02	4.4	3.48	<0.1	0.07	0.06	22.4	0.4	<0.05	1.7	11.29	34.8	0.03	1	0.4	14.6	<10	<2	
2022225	Drill Core	<0.1	<0.02	3.2	3.01	<0.1	0.05	0.03	25.1	0.3	<0.05	1.3	9.50	27.7	0.03	<1	0.3	13.7	<10	<2	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 1 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000102.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
2022168	Drill Core	2.44	408	0.015	0.01	<0.17	26.83	0.83	17.51	5.44	39.6	563	10.1	7.0	433	2.03	12.9	0.9	6.8	10.9	25.6	
REP 2022168	QC							0.91	17.02	5.38	38.0	558	10.0	6.7	437	1.99	12.9	0.9	20.5	10.8	25.5	
2022198	Drill Core	5.16	460	0.007	<0.01	<0.17	33.76	0.58	18.98	17.63	49.8	589	14.3	6.1	405	1.80	45.6	2.2	2.2	9.5	43.6	
REP 2022198	QC	0.006																				
2022203	Drill Core	6.06	517	0.007	<0.01	<0.17	28.14	0.39	17.13	10.27	67.0	187	7.7	6.7	440	2.02	2.3	1.0	0.5	9.7	69.1	
REP 2022203	QC							0.40	17.63	10.14	69.1	199	7.5	6.6	440	2.03	2.3	1.0	1.7	9.8	73.5	
2022225	Drill Core	4.14	416	0.015	0.01	<0.17	31.17	1.00	16.29	11.39	50.5	292	8.5	6.9	317	1.88	25.5	1.7	7.6	9.7	98.9	
REP 2022225	QC							0.98	16.06	11.53	50.8	300	8.0	6.8	318	1.87	26.1	1.6	8.0	9.8	99.3	
Core Reject Duplicates																						
2022215	Drill Core	2.31	502	0.007	<0.01	<0.17	37.09	1.58	8.76	8.67	63.2	143	11.8	9.0	416	2.10	3.7	2.6	1.1	8.0	98.7	
DUP 2022215	QC	507		0.008	<0.01	<0.17	47.93	1.54	8.62	8.88	61.0	148	12.0	8.7	408	2.09	3.6	2.6	0.7	7.9	97.6	
Reference Materials																						
STD AGPROOF	Standard																					
STD BVGEO01	Standard							10.84	4336.77	186.15	1757.1	2412	159.8	24.9	703	3.57	114.0	3.5	214.1	13.6	53.1	
STD DS11	Standard							13.76	141.14	139.39	339.2	1770	76.7	13.6	991	3.11	44.2	2.6	87.2	9.4	62.4	
STD DS11	Standard							13.99	146.10	130.95	326.3	1611	73.1	12.9	966	2.95	39.3	2.4	66.8	8.4	57.0	
STD OREAS262	Standard							0.69	107.79	55.87	142.6	455	61.7	26.7	542	3.18	35.5	1.1	70.1	10.9	32.1	
STD OREAS262	Standard							0.69	113.50	55.53	146.6	448	58.3	25.0	496	3.07	33.6	1.2	70.7	9.8	30.9	
STD OREAS262	Standard							0.68	107.18	54.20	140.5	451	63.9	26.4	525	3.14	34.0	1.2	71.2	9.1	32.5	
STD OXC145	Standard	0.215																				
STD OXH139	Standard	1.317																				
STD OXN134	Standard	7.676																				
STD OXQ114	Standard																					
STD OXQ90	Standard					24.95	30.06															
STD OXQ90	Standard					25.17	30.07															
STD OXQ90	Standard					25.36	29.50															
STD OXQ90	Standard					25.20	29.92															
STD SP49	Standard																					



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 1 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000102.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022168	Drill Core	0.34	2.43	0.03	13	0.33	0.050	19.7	13.4	0.79	234.9	0.031	<1	1.04	0.018	0.56	0.5	4.2	0.25	<0.02	<5
REP 2022168	QC	0.34	2.32	0.03	13	0.33	0.051	19.7	13.2	0.78	224.3	0.031	<1	1.02	0.017	0.56	0.5	4.1	0.25	<0.02	<5
2022198	Drill Core	0.33	1.77	0.89	14	0.94	0.057	21.1	16.3	0.46	229.1	0.008	<1	0.85	0.033	0.24	<0.1	3.4	0.09	0.16	6
REP 2022198	QC																				
2022203	Drill Core	0.27	0.37	0.10	16	1.60	0.056	21.8	20.5	0.86	240.0	0.013	<1	1.20	0.026	0.30	<0.1	4.5	0.08	0.03	6
REP 2022203	QC	0.28	0.38	0.11	16	1.60	0.055	21.8	20.3	0.85	241.1	0.013	<1	1.18	0.025	0.29	<0.1	4.6	0.08	0.03	6
2022225	Drill Core	0.29	1.27	0.07	13	2.04	0.064	13.7	13.0	0.72	203.3	0.018	<1	0.98	0.008	0.46	0.4	4.4	0.21	0.03	<5
REP 2022225	QC	0.29	1.32	0.08	13	2.02	0.062	13.6	12.6	0.72	201.4	0.017	<1	0.97	0.009	0.46	0.3	4.4	0.21	0.03	12
Core Reject Duplicates																					
2022215	Drill Core	0.32	1.21	0.10	13	2.39	0.058	8.8	19.6	0.99	174.8	0.041	<1	1.23	0.011	0.57	0.2	3.4	0.33	0.19	8
DUP 2022215	QC	0.32	1.20	0.11	13	2.40	0.055	8.7	19.4	0.97	168.3	0.042	<1	1.19	0.010	0.55	0.2	3.3	0.34	0.19	7
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	5.66	3.39	22.95	69	1.30	0.067	23.8	194.4	1.29	270.4	0.227	3	2.39	0.197	0.86	5.1	6.3	0.59	0.63	90
STD DS11	Standard	2.46	8.93	11.19	50	1.04	0.070	16.5	57.9	0.83	352.7	0.077	6	1.12	0.068	0.39	3.1	3.2	5.04	0.28	246
STD DS11	Standard	2.17	7.91	10.26	48	1.03	0.065	16.2	54.8	0.79	333.2	0.074	6	1.11	0.068	0.39	2.7	2.8	4.72	0.28	274
STD OREAS262	Standard	0.64	5.59	0.94	22	2.84	0.039	13.3	40.9	1.13	236.9	0.002	4	1.22	0.067	0.29	0.2	3.3	0.46	0.26	148
STD OREAS262	Standard	0.62	5.66	0.89	21	2.79	0.036	13.7	39.3	1.10	235.3	0.002	2	1.21	0.064	0.30	0.2	3.0	0.46	0.25	174
STD OREAS262	Standard	0.59	5.68	0.94	22	2.97	0.036	16.4	45.3	1.14	252.6	0.002	3	1.44	0.065	0.33	0.2	3.3	0.48	0.24	147
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 1 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000102.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																					
2022168	Drill Core	<0.1	<0.02	3.6	4.69	<0.1	0.16	0.04	34.5	0.4	<0.05	4.4	7.57	38.8	<0.02	<1	0.5	12.5	<10	<2	
REP 2022168	QC	<0.1	<0.02	3.6	4.58	<0.1	0.16	0.04	33.4	0.4	<0.05	4.5	7.49	38.7	<0.02	1	0.6	11.5	<10	<2	
2022198	Drill Core	0.8	0.07	3.7	1.07	<0.1	0.17	0.03	9.5	0.4	<0.05	7.1	11.98	43.9	0.04	3	0.5	12.7	<10	<2	
REP 2022198	QC																				
2022203	Drill Core	<0.1	0.03	4.8	0.75	<0.1	0.08	0.09	11.5	0.4	<0.05	2.7	12.64	44.3	0.03	<1	0.4	8.6	<10	<2	
REP 2022203	QC	<0.1	0.02	4.7	0.77	<0.1	0.06	0.05	11.5	0.4	<0.05	2.2	12.43	44.5	0.03	<1	0.5	9.1	<10	<2	
2022225	Drill Core	<0.1	<0.02	3.2	3.01	<0.1	0.05	0.03	25.1	0.3	<0.05	1.3	9.50	27.7	0.03	<1	0.3	13.7	<10	<2	
REP 2022225	QC	0.1	<0.02	3.2	3.07	<0.1	0.05	0.03	24.8	0.3	<0.05	1.4	9.39	27.2	<0.02	<1	0.3	13.5	<10	<2	
Core Reject Duplicates																					
2022215	Drill Core	<0.1	<0.02	3.8	5.41	<0.1	0.14	0.10	29.4	0.3	<0.05	1.3	7.32	18.7	<0.02	2	0.3	15.3	<10	<2	
DUP 2022215	QC	0.3	0.03	3.8	5.28	<0.1	0.04	0.08	28.6	0.3	<0.05	1.1	7.43	18.2	<0.02	2	0.3	14.7	<10	<2	
Reference Materials																					
STD AGPROOF	Standard																				<0.9
STD BVGEO01	Standard	4.5	1.05	7.4	7.32	0.2	0.32	0.35	90.3	5.3	<0.05	9.0	13.39	51.5	0.43	5	0.7	19.2	134	183	
STD DS11	Standard	2.1	4.82	4.9	3.03	<0.1	0.04	1.51	35.2	1.9	<0.05	2.5	7.41	35.1	0.23	50	0.6	22.1	116	170	
STD DS11	Standard	2.0	4.60	4.8	2.87	<0.1	0.05	1.26	32.5	1.7	<0.05	2.2	7.16	34.2	0.25	48	0.7	21.5	107	149	
STD OREAS262	Standard	0.3	0.25	3.8	2.87	<0.1	0.21	<0.02	17.8	0.6	<0.05	8.0	9.85	28.2	0.03	<1	1.0	16.7	<10	<2	
STD OREAS262	Standard	0.4	0.26	3.9	3.08	<0.1	0.25	<0.02	18.2	0.5	<0.05	6.2	9.83	28.9	0.03	<1	1.1	17.0	<10	<2	
STD OREAS262	Standard	0.3	0.22	4.1	3.19	<0.1	0.26	<0.02	19.4	0.6	<0.05	10.7	10.26	35.4	0.03	1	1.1	15.7	<10	<2	
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				35.4
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				18.4



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000102.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90 Expected		24.88																			
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank																				
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		455	<0.005	<0.01	<0.17	45.89	0.72	2.29	0.92	31.9	7	0.6	3.3	406	1.59	0.7	0.4	<0.2	2.6	16.7
ROCK-WHI	Prep Blank		461	<0.005	<0.01	<0.17	32.16	0.75	1.56	1.08	26.3	6	0.8	3.5	464	1.78	1.0	0.4	<0.2	2.8	20.1



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000102.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	<0.02	<0.02	20	0.48	0.034	4.8	1.9	0.39	45.3	0.051	<1	0.71	0.056	0.06	<0.1	2.4	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	<0.02	<0.02	23	0.58	0.040	5.4	2.4	0.41	57.2	0.065	<1	0.80	0.070	0.08	0.1	2.5	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 20, 2019

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000102.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
STD OXQ90 Expected																					
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	<0.9
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.13	<0.1	0.10	0.23	1.6	0.2	<0.05	1.5	6.73	10.1	<0.02	<1	<0.1	1.7	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.14	<0.1	0.12	0.21	2.1	0.3	<0.05	2.0	7.48	11.0	<0.02	<1	0.2	1.6	<10	<2	