



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: June 26, 2019
Report Date: July 20, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000105.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-21
P.O. Number
Number of Samples: 114

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	109	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	114	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	114	Analysis sample split/packet			WHI
Split -150	114	Analysis sample split/packet			WHI
EN002	114	Environmental disposal charge-Fire assay lead waste			VAN
FS631	110	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	114	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	114	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832619	Drill Core	3.38	411	0.100	0.16	0.66	42.62	0.89	26.04	16.34	48.7	10380	12.5	6.7	452	2.18	15.1	1.0	106.9	10.0	17.6
1832620	Rock Pulp	0.12	90	0.513				2.44	433.00	19.48	49.0	292	597.5	27.8	458	2.56	17.8	0.6	575.8	1.7	60.0
1832621	Drill Core	3.35	432	0.078	0.07	<0.17	37.18	0.82	17.72	14.96	61.3	575	11.8	8.3	567	2.38	8.5	1.2	70.8	10.2	74.7
1832622	Drill Core	4.18	454	0.140	0.14	<0.17	32.27	0.84	52.91	4.64	55.1	1149	13.6	10.7	668	2.44	19.4	1.6	214.7	13.8	77.9
1832623	Drill Core	4.02	442	0.049	0.05	<0.17	44.17	0.59	25.48	9.92	62.9	821	13.4	9.2	535	2.60	6.4	1.5	40.4	11.4	48.6
1832624	Drill Core	4.94	459	0.059	0.06	<0.17	39.38	0.76	4.19	14.68	62.6	245	12.4	10.2	405	2.75	3.5	1.8	63.7	10.8	44.0
1832625	Drill Core	3.97	449	0.011	0.01	<0.17	42.19	0.64	7.76	19.64	51.2	202	7.8	5.6	455	1.97	2.3	1.2	7.5	12.2	47.7
1832626	Drill Core	5.25	460	0.008	<0.01	<0.17	29.49	1.04	15.16	14.66	67.3	284	13.0	9.0	440	2.53	9.1	1.7	3.0	11.2	74.1
1832627	Drill Core	5.25	436	0.030	0.03	<0.17	50.74	1.13	19.83	14.83	67.8	538	13.5	9.7	442	2.64	17.7	1.8	21.9	10.7	61.6
1832628	Drill Core	4.92	406	0.008	<0.01	<0.17	33.46	0.75	16.59	13.80	62.2	296	12.1	8.2	457	2.61	10.9	1.5	4.0	10.1	67.2
1832629	Drill Core	3.94	432	0.324	0.34	0.45	44.35	1.33	23.12	9.70	48.4	439	12.0	8.5	432	2.38	13.0	1.9	235.8	9.4	62.1
1832630	Drill Core	5.21	406	0.062	0.06	<0.17	23.80	0.55	12.56	12.81	62.5	238	10.6	7.2	551	2.41	7.8	1.6	61.2	9.2	83.6
1832631	Drill Core	2.85	468	0.175	0.18	0.22	41.07	0.54	15.53	6.28	56.6	374	10.7	7.4	428	2.18	5.7	1.7	345.3	9.1	53.2
1832632	Drill Core	3.26	440	0.021	0.02	<0.17	42.99	0.47	18.36	6.87	63.4	374	11.4	8.0	690	2.46	8.0	1.5	8.9	10.1	87.3
1832633	Drill Core	6.22	437	1.221	1.20	1.00	49.07	0.76	23.32	5.66	54.4	910	13.1	8.9	526	2.41	12.4	2.4	1413.8	9.8	74.4
1832634	Drill Core	3.10	420	4.783	5.17	11.01	26.34	0.88	28.03	6.88	23.5	1801	7.9	4.9	153	2.24	12.4	4.1	4364.8	8.2	64.1
1832635	Drill Core	3.69	426	1.091	1.08	0.94	31.90	0.87	14.90	8.46	40.1	616	12.1	8.2	257	2.17	13.5	3.1	747.0	9.1	23.3
1832636	Drill Core	5.58	455	0.030	0.03	<0.17	41.00	1.17	17.90	12.92	57.2	326	13.5	9.1	601	2.28	16.7	2.9	13.4	10.6	37.5
1832637	Drill Core	4.83	449	0.008	<0.01	<0.17	38.72	0.96	17.65	18.47	55.6	240	13.1	8.4	582	2.29	7.4	1.8	3.5	8.7	63.8
1832638	Drill Core	3.86	452	0.007	<0.01	<0.17	38.71	1.51	21.18	15.34	55.1	245	13.6	8.5	573	2.30	8.2	2.0	4.1	9.4	75.0
1832639	Drill Core	3.45	465	0.006	<0.01	<0.17	37.74	0.87	15.23	16.33	56.2	215	12.4	8.0	599	2.29	6.0	2.0	1.9	8.7	94.0
1832640	Rock Pulp	0.12	92	0.006				2.21	90.03	3.64	34.4	139	4.8	8.5	377	2.56	0.8	0.8	2.1	2.6	74.8
1832641	Drill Core	1.75	456	1.351	1.45	2.39	43.86	0.80	19.85	7.51	40.9	1442	13.1	8.6	538	2.11	6.1	2.1	5908.9	8.8	49.2
1832642	Drill Core	2.45	401	0.712	0.78	1.38	42.67	0.71	16.92	18.41	53.6	503	13.3	8.3	560	2.30	8.0	1.5	613.1	9.4	65.0
1832643	Drill Core	5.21	415	0.354	0.42	1.29	29.56	0.61	18.68	10.02	58.5	1149	13.7	8.2	577	2.37	7.6	1.6	422.0	9.2	66.1
1832644	Drill Core	2.54	440	0.028	0.02	<0.17	46.95	0.90	18.64	11.68	59.6	296	11.8	7.4	539	2.36	9.1	1.8	16.0	9.4	68.1
1832645	Drill Core	3.65	449	0.009	<0.01	<0.17	36.45	0.64	16.23	16.84	59.4	257	12.1	8.1	396	2.32	11.3	1.6	2.6	9.8	46.5
1832646	Drill Core	4.36	438	0.366	0.47	1.35	45.77	0.71	12.32	167.10	115.2	1393	10.2	6.9	404	2.19	5.5	1.4	689.9	7.7	59.1
1832647	Drill Core	2.58	437	0.013	0.01	<0.17	27.88	0.51	13.31	16.06	61.9	246	12.1	7.3	429	2.38	6.6	1.4	3.5	10.5	59.0
1832648	Drill Core	4.60	455	0.008	<0.01	<0.17	49.80	0.64	15.78	12.64	60.8	324	12.0	7.5	478	2.51	10.7	1.3	2.4	10.0	52.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832619	Drill Core	0.30	0.75	0.17	13	0.16	0.044	26.7	15.0	0.83	284.7	0.028	<1	1.19	0.040	0.47	28.3	3.9	0.18	<0.02	<5
1832620	Rock Pulp	0.20	0.38	0.30	52	1.39	0.030	4.4	106.3	1.77	75.2	0.079	2	2.11	0.215	0.15	1.3	4.2	0.10	0.16	22
1832621	Drill Core	0.34	0.76	0.09	16	1.08	0.063	27.4	16.5	0.98	335.7	0.047	3	1.42	0.026	0.63	1.0	4.7	0.25	<0.02	6
1832622	Drill Core	0.37	1.28	0.02	15	1.07	0.058	36.0	17.3	1.04	410.7	0.033	2	1.51	0.023	0.72	0.3	5.3	0.26	<0.02	<5
1832623	Drill Core	0.37	0.65	0.08	20	0.60	0.072	30.8	20.5	1.07	387.0	0.043	1	1.49	0.030	0.57	0.9	5.1	0.22	<0.02	<5
1832624	Drill Core	0.31	0.59	0.09	19	0.54	0.068	28.9	20.1	1.10	357.3	0.017	1	1.58	0.039	0.53	0.2	5.3	0.19	<0.02	<5
1832625	Drill Core	0.21	0.53	0.15	13	0.52	0.051	31.6	13.4	0.92	357.6	0.012	2	1.33	0.045	0.46	0.1	3.3	0.17	<0.02	6
1832626	Drill Core	0.38	0.75	0.16	19	0.72	0.061	27.3	21.5	1.18	357.3	0.040	2	1.55	0.031	0.59	0.2	5.7	0.26	<0.02	<5
1832627	Drill Core	0.30	1.02	0.12	18	0.72	0.066	27.0	18.3	1.15	357.2	0.050	3	1.59	0.022	0.71	0.6	5.5	0.31	<0.02	<5
1832628	Drill Core	0.32	1.01	0.15	19	0.99	0.061	28.0	19.8	0.87	366.2	0.057	2	1.41	0.048	0.68	0.3	7.2	0.30	<0.02	7
1832629	Drill Core	0.31	0.53	0.06	16	1.10	0.056	26.5	16.4	0.72	368.0	0.030	2	1.28	0.046	0.56	0.2	5.9	0.19	<0.02	8
1832630	Drill Core	0.26	0.65	0.07	18	1.20	0.056	25.8	18.2	0.98	304.9	0.053	2	1.42	0.052	0.58	0.2	6.8	0.23	<0.02	<5
1832631	Drill Core	0.21	0.68	0.05	16	0.71	0.060	24.4	15.9	0.78	370.0	0.039	2	1.35	0.040	0.65	0.3	5.0	0.22	<0.02	<5
1832632	Drill Core	0.30	0.67	0.03	18	1.19	0.057	26.4	18.4	0.97	307.4	0.054	2	1.49	0.044	0.66	0.2	6.2	0.26	<0.02	<5
1832633	Drill Core	0.33	0.61	0.04	14	1.03	0.072	27.4	14.7	0.74	406.5	0.040	1	1.35	0.030	0.74	0.3	6.1	0.24	<0.02	10
1832634	Drill Core	0.07	0.43	0.05	11	0.18	0.067	24.0	11.2	0.38	401.7	0.006	2	1.00	0.038	0.53	0.2	4.7	0.12	0.03	22
1832635	Drill Core	0.11	0.49	0.13	12	0.21	0.062	20.5	13.3	0.58	405.9	0.005	1	1.30	0.023	0.53	0.1	4.3	0.12	<0.02	8
1832636	Drill Core	0.38	0.54	0.08	16	0.81	0.076	30.7	17.0	0.66	338.1	0.006	1	1.32	0.019	0.47	0.3	4.6	0.14	<0.02	5
1832637	Drill Core	0.40	0.39	0.08	15	2.07	0.069	27.7	16.4	0.52	313.1	0.030	2	1.31	0.024	0.54	0.2	5.5	0.15	<0.02	10
1832638	Drill Core	0.31	0.35	0.08	16	2.09	0.077	28.3	16.8	0.51	352.0	0.039	1	1.23	0.030	0.56	0.2	6.0	0.16	<0.02	6
1832639	Drill Core	0.28	0.22	0.09	17	1.78	0.062	26.1	18.8	0.74	299.4	0.013	<1	1.31	0.042	0.45	<0.1	6.0	0.10	<0.02	6
1832640	Rock Pulp	0.06	0.12	0.05	91	0.97	0.057	6.9	9.9	0.71	117.5	0.115	1	1.67	0.196	0.21	3.1	3.5	0.04	<0.02	<5
1832641	Drill Core	0.28	0.29	0.03	13	1.31	0.070	26.4	15.2	0.49	356.3	0.031	<1	1.00	0.048	0.53	0.5	6.0	0.15	<0.02	5
1832642	Drill Core	0.29	0.38	0.17	17	1.35	0.064	23.8	17.9	0.86	368.5	0.056	2	1.33	0.043	0.72	0.3	6.9	0.27	<0.02	<5
1832643	Drill Core	0.31	0.40	0.08	16	1.24	0.058	25.7	17.0	0.81	326.3	0.039	1	1.29	0.035	0.56	2.3	5.2	0.18	<0.02	<5
1832644	Drill Core	0.26	0.39	0.05	16	1.47	0.061	27.2	16.9	0.89	299.3	0.040	<1	1.28	0.028	0.55	0.4	5.1	0.18	<0.02	7
1832645	Drill Core	0.29	0.58	0.10	14	1.17	0.062	25.3	14.2	0.88	281.9	0.037	2	1.37	0.018	0.66	0.3	4.7	0.25	<0.02	<5
1832646	Drill Core	1.90	0.52	0.67	16	1.18	0.064	21.8	17.4	0.78	232.1	0.039	<1	1.16	0.039	0.48	0.4	5.2	0.17	<0.02	67
1832647	Drill Core	0.27	0.31	0.04	20	1.13	0.057	27.9	21.1	0.91	244.2	0.046	1	1.26	0.054	0.39	0.4	6.6	0.13	<0.02	7
1832648	Drill Core	0.23	0.35	0.05	20	1.07	0.063	25.3	21.8	0.97	247.0	0.043	1	1.30	0.033	0.50	0.6	6.3	0.19	<0.02	11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832619	Drill Core	<0.1	0.03	4.2	1.58	<0.1	0.39	0.06	21.9	0.3	<0.05	12.2	5.79	49.9	0.02	<1	0.4	10.2	<10	<2			
1832620	Rock Pulp	0.2	0.15	4.2	0.60	<0.1	0.06	0.05	5.8	0.5	<0.05	1.6	3.39	8.9	<0.02	2	0.1	8.1	266	130			
1832621	Drill Core	0.2	<0.02	4.3	2.14	<0.1	0.33	0.05	29.6	0.4	<0.05	9.9	7.18	50.4	<0.02	<1	0.5	11.9	<10	<2			
1832622	Drill Core	<0.1	0.03	4.2	1.51	<0.1	0.26	0.05	30.1	0.4	<0.05	9.7	9.74	66.4	<0.02	<1	0.4	13.8	<10	<2			
1832623	Drill Core	0.1	<0.02	5.0	1.18	<0.1	0.25	0.05	26.2	0.4	<0.05	9.8	10.09	56.8	<0.02	<1	0.5	13.5	<10	<2			
1832624	Drill Core	<0.1	<0.02	5.4	1.16	<0.1	0.29	0.03	21.5	0.4	<0.05	12.0	6.91	53.7	<0.02	<1	0.7	14.1	<10	<2			
1832625	Drill Core	<0.1	<0.02	4.6	0.87	<0.1	0.30	0.03	19.7	0.4	<0.05	10.9	6.97	58.7	<0.02	<1	0.5	12.1	<10	<2			
1832626	Drill Core	0.3	<0.02	5.0	2.11	<0.1	0.40	0.05	29.1	0.4	<0.05	14.6	7.70	50.7	0.03	<1	0.6	13.2	<10	<2			
1832627	Drill Core	<0.1	0.03	4.5	2.53	<0.1	0.38	0.07	32.9	0.4	<0.05	15.2	7.83	50.5	<0.02	<1	0.5	15.2	<10	<2			
1832628	Drill Core	<0.1	<0.02	4.4	3.02	<0.1	0.16	0.08	32.1	0.4	<0.05	5.5	5.92	52.1	0.03	<1	0.5	8.5	<10	<2			
1832629	Drill Core	<0.1	0.02	3.9	1.72	<0.1	0.13	0.06	23.3	0.4	<0.05	5.4	6.37	49.3	0.02	<1	0.3	9.4	<10	<2			
1832630	Drill Core	<0.1	0.02	4.2	1.73	0.1	0.28	0.08	26.1	0.3	<0.05	9.3	6.41	48.8	0.02	<1	0.4	9.6	<10	<2			
1832631	Drill Core	<0.1	<0.02	4.0	1.35	<0.1	0.27	0.05	26.4	0.3	<0.05	9.9	5.44	45.8	<0.02	<1	0.4	10.0	12	<2			
1832632	Drill Core	<0.1	<0.02	4.4	2.00	<0.1	0.31	0.08	31.3	0.4	<0.05	12.7	6.42	50.8	0.02	<1	0.4	10.2	<10	<2			
1832633	Drill Core	<0.1	0.07	3.5	1.65	<0.1	0.11	0.08	29.7	0.3	<0.05	4.9	7.26	50.0	<0.02	<1	0.5	7.5	11	<2			
1832634	Drill Core	0.2	0.06	3.1	0.57	<0.1	0.08	0.05	17.6	0.3	<0.05	1.3	5.35	43.7	<0.02	<1	0.5	5.9	<10	<2			
1832635	Drill Core	0.1	0.03	3.5	0.48	<0.1	0.03	0.03	18.4	0.3	<0.05	2.0	6.28	42.9	<0.02	<1	0.5	9.7	<10	<2			
1832636	Drill Core	<0.1	<0.02	4.4	0.76	<0.1	0.03	0.03	19.5	0.3	<0.05	1.2	14.04	57.3	<0.02	<1	0.5	13.8	<10	<2			
1832637	Drill Core	<0.1	<0.02	3.8	0.80	<0.1	0.09	0.09	21.1	0.4	<0.05	1.5	9.16	50.2	0.02	<1	0.4	9.9	<10	<2			
1832638	Drill Core	<0.1	<0.02	4.1	0.98	<0.1	0.03	0.10	21.8	0.4	<0.05	1.6	8.34	55.1	0.03	<1	0.3	7.9	<10	<2			
1832639	Drill Core	<0.1	<0.02	3.9	0.48	<0.1	0.09	0.05	16.9	0.3	<0.05	1.5	9.34	49.7	0.03	<1	0.5	8.3	<10	<2			
1832640	Rock Pulp	<0.1	<0.02	4.6	0.30	<0.1	0.08	0.11	6.5	0.3	<0.05	1.4	4.67	14.9	<0.02	<1	0.1	6.0	<10	<2			
1832641	Drill Core	<0.1	0.07	2.8	0.90	<0.1	0.02	0.10	20.0	0.3	<0.05	2.4	7.42	48.8	0.02	<1	0.5	5.3	<10	<2			
1832642	Drill Core	0.2	0.03	3.5	1.88	<0.1	0.21	0.07	33.7	0.4	<0.05	7.9	6.15	45.5	<0.02	<1	0.5	7.0	<10	<2			
1832643	Drill Core	<0.1	<0.02	3.6	1.27	<0.1	0.18	0.06	24.3	0.3	<0.05	7.7	5.89	48.8	<0.02	<1	0.3	7.8	<10	<2			
1832644	Drill Core	<0.1	<0.02	3.4	1.70	<0.1	0.13	0.08	24.1	0.4	<0.05	3.8	7.23	51.4	<0.02	<1	0.5	7.6	<10	<2			
1832645	Drill Core	<0.1	<0.02	3.3	2.41	<0.1	0.22	0.04	30.7	0.4	<0.05	8.1	5.96	47.9	<0.02	<1	0.4	8.6	<10	<2			
1832646	Drill Core	<0.1	0.21	3.6	1.30	<0.1	0.15	0.07	20.5	0.3	<0.05	5.7	7.34	42.1	0.05	<1	0.3	6.8	<10	<2			
1832647	Drill Core	<0.1	<0.02	4.4	0.96	<0.1	0.23	0.09	17.4	0.5	<0.05	7.7	8.40	53.6	0.04	<1	0.6	8.3	<10	<2			
1832648	Drill Core	0.2	<0.02	4.1	1.60	<0.1	0.19	0.04	23.4	0.3	<0.05	7.4	6.65	48.1	0.03	<1	0.4	9.9	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832649	Drill Core	3.21	426	0.009	<0.01	<0.17	46.89	0.65	14.83	12.41	64.9	234	15.0	8.7	517	2.69	15.9	1.7	4.7	12.7
1832650	Drill Core	2.79	432	0.968	1.31	4.84	38.40	1.11	13.26	61.05	27.9	1409	9.4	6.2	347	1.79	12.2	1.3	1817.8	7.2
1832651	Drill Core	4.05	411	0.455	0.52	1.17	38.42	0.93	13.52	8.48	26.9	1148	7.7	4.8	284	1.81	18.6	1.4	1351.2	9.5
1832652	Drill Core	3.43	516	0.024	0.02	<0.17	40.84	0.64	14.10	12.56	51.8	238	10.4	6.5	382	2.26	17.7	1.4	19.3	11.9
2023501	Drill Core	0.55	496	0.007	<0.01	<0.17	44.13	1.40	18.45	6.58	39.6	157	9.3	4.6	250	1.56	12.9	0.6	4.1	6.8
2023502	Drill Core	5.07	459	0.012	0.01	<0.17	47.31	1.55	22.25	11.56	84.4	273	19.6	9.8	561	2.77	79.9	1.1	10.6	8.7
2023503	Drill Core	3.28	447	0.010	<0.01	<0.17	39.22	1.13	26.13	6.14	75.4	254	16.0	7.7	478	2.50	21.3	1.2	7.2	7.6
2023504	Drill Core	4.88	491	0.006	<0.01	<0.17	39.69	0.92	20.23	8.08	63.4	203	14.7	7.8	503	2.41	16.6	1.2	2.6	9.3
2023505	Drill Core	4.57	459	0.005	<0.01	<0.17	47.10	1.09	18.58	12.85	65.0	174	10.5	7.5	495	2.36	8.7	1.5	2.2	11.9
2023506	Drill Core	5.70	460	0.006	<0.01	<0.17	45.76	1.24	31.76	28.54	147.7	402	15.8	9.4	499	2.54	14.6	1.3	1.1	10.1
2023507	Drill Core	4.59	494	0.008	<0.01	<0.17	40.93	1.02	14.06	6.68	63.2	93	11.0	7.1	462	2.50	7.7	1.5	4.4	12.2
2023508	Drill Core	3.69	362	0.006	<0.01	<0.17	29.53	1.66	18.98	16.90	80.5	253	14.5	7.9	605	2.44	17.5	0.9	3.8	10.8
2023509	Drill Core	4.06	403	0.008	<0.01	<0.17	47.18	1.76	14.38	6.19	81.1	136	13.4	8.0	576	2.72	19.1	1.0	1.3	11.6
2023510	Drill Core	4.76	478	0.007	<0.01	<0.17	44.91	2.93	63.52	71.38	547.5	896	23.9	10.5	772	3.71	11.5	2.6	1.6	7.5
2023511	Drill Core	3.92	449	0.007	<0.01	<0.17	43.89	2.85	48.76	23.09	251.9	462	29.5	14.4	623	3.39	19.1	1.9	1.5	6.9
2023512	Drill Core	4.32	440	0.005	<0.01	<0.17	37.28	2.90	52.23	25.41	157.3	414	27.0	12.9	558	3.11	28.4	1.7	1.8	7.3
2023513	Drill Core	4.80	421	0.005	<0.01	<0.17	41.75	1.78	22.16	7.14	89.9	165	13.5	8.4	547	2.51	24.0	1.5	2.9	11.1
2023514	Drill Core	4.83	501	0.005	<0.01	<0.17	41.88	1.37	22.67	17.52	107.8	214	18.1	9.8	486	2.72	44.9	1.5	1.4	10.0
2023515	Drill Core	5.42	465	0.014	0.01	<0.17	33.80	2.03	19.90	10.70	78.7	189	18.8	12.0	645	2.98	58.0	1.7	6.0	8.7
2023516	Drill Core	5.60	390	0.008	<0.01	<0.17	35.32	2.15	23.55	9.74	77.5	141	33.3	15.0	584	2.96	47.6	2.7	3.5	8.8
2023517	Drill Core	4.91	368	0.008	<0.01	<0.17	42.89	1.32	22.03	7.32	81.7	166	28.3	14.0	624	3.10	29.6	3.7	3.0	9.1
2023518	Drill Core	5.00	533	0.006	<0.01	<0.17	44.68	1.36	23.45	7.85	81.9	162	29.6	14.0	609	3.05	19.9	2.1	0.5	8.5
2023519	Drill Core	4.88	529	0.008	<0.01	<0.17	45.98	1.74	25.62	14.09	84.2	210	37.5	15.8	622	2.93	92.1	3.4	3.2	8.4
2023520	Rock Pulp	0.12	95	0.473				2.35	437.55	18.93	47.8	279	582.4	26.6	430	2.58	18.9	0.6	437.6	1.9
2023521	Drill Core	5.08	488	0.012	0.01	<0.17	49.91	2.14	25.10	13.58	95.4	233	33.2	15.3	520	2.87	43.1	4.3	3.6	9.2
2023522	Drill Core	4.64	479	0.010	<0.01	<0.17	24.02	1.08	25.13	10.09	71.4	270	23.8	10.4	556	2.75	36.8	1.7	6.0	7.4
2023523	Drill Core	5.00	542	0.006	<0.01	<0.17	44.83	0.85	22.46	15.31	67.6	220	25.9	12.2	500	2.70	19.8	1.6	1.4	7.7
2023524	Drill Core	4.97	449	0.006	<0.01	<0.17	36.24	1.09	24.24	12.70	68.2	230	27.3	13.6	559	2.52	14.1	2.6	0.8	7.5
2023525	Drill Core	4.73	472	0.007	<0.01	<0.17	38.22	1.16	18.56	12.91	75.1	198	23.5	11.4	538	2.85	26.8	2.4	1.5	7.7
2023526	Drill Core	4.18	429	0.010	<0.01	<0.17	49.35	1.78	18.76	23.52	84.1	376	28.0	8.7	389	3.04	60.5	1.8	5.1	7.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832649	Drill Core	0.26	0.49	0.04	21	1.27	0.060	35.2	21.2	0.99	319.4	0.049	1	1.46	0.032	0.63	0.3	6.9	0.22	<0.02	<5			
1832650	Drill Core	0.19	0.39	0.49	8	1.16	0.128	19.1	10.0	0.47	301.0	0.015	2	0.82	0.025	0.45	1.3	3.9	0.12	<0.02	<5			
1832651	Drill Core	0.20	0.53	0.07	8	0.70	0.052	17.3	9.2	0.38	256.8	0.019	2	0.71	0.022	0.43	1.5	2.9	0.13	<0.02	9			
1832652	Drill Core	0.26	0.62	0.04	15	1.23	0.055	23.3	14.6	0.77	242.9	0.038	1	1.11	0.029	0.57	0.6	5.6	0.22	<0.02	10			
2023501	Drill Core	0.17	1.01	0.05	14	0.31	0.043	10.6	17.2	0.64	137.8	0.040	<1	0.97	0.030	0.20	0.2	2.1	0.07	<0.02	<5			
2023502	Drill Core	0.53	1.61	0.11	32	1.21	0.066	16.6	60.1	1.28	279.5	0.049	2	1.63	0.028	0.46	0.4	5.0	0.19	<0.02	<5			
2023503	Drill Core	0.42	1.30	0.05	28	1.00	0.062	15.4	32.4	0.98	258.6	0.037	1	1.41	0.026	0.42	0.3	4.2	0.16	<0.02	<5			
2023504	Drill Core	0.29	1.22	0.03	25	1.11	0.058	17.8	26.6	1.18	237.6	0.040	2	1.59	0.023	0.49	0.2	4.4	0.18	<0.02	<5			
2023505	Drill Core	0.27	0.37	0.05	16	1.04	0.055	20.4	13.6	1.14	248.6	0.037	2	1.56	0.024	0.52	<0.1	3.3	0.19	<0.02	<5			
2023506	Drill Core	2.34	0.33	0.21	20	0.75	0.058	21.6	14.8	1.36	224.8	0.027	1	1.68	0.018	0.46	<0.1	3.0	0.13	<0.02	<5			
2023507	Drill Core	0.18	0.24	0.04	19	0.63	0.055	27.0	16.0	1.24	236.9	0.029	<1	1.67	0.033	0.47	<0.1	3.3	0.12	<0.02	<5			
2023508	Drill Core	0.29	0.89	0.08	18	0.72	0.056	24.6	15.6	1.19	222.9	0.013	1	1.57	0.024	0.43	0.2	2.9	0.12	<0.02	<5			
2023509	Drill Core	0.29	0.56	0.03	19	0.37	0.057	29.7	17.0	1.32	211.0	0.010	1	1.67	0.028	0.35	<0.1	3.3	0.11	<0.02	<5			
2023510	Drill Core	3.02	0.63	0.76	30	0.32	0.070	20.1	22.1	1.73	215.6	0.015	1	1.89	0.004	0.40	<0.1	2.9	0.11	<0.02	<5			
2023511	Drill Core	1.62	1.83	0.26	32	0.36	0.076	19.9	19.9	1.42	238.8	0.027	1	1.78	0.008	0.44	<0.1	3.4	0.17	<0.02	<5			
2023512	Drill Core	0.64	2.93	0.26	29	0.74	0.077	19.7	16.4	1.20	237.6	0.022	2	1.61	0.008	0.52	0.1	3.3	0.26	<0.02	5			
2023513	Drill Core	0.39	2.31	0.05	16	0.91	0.055	26.6	13.7	1.09	231.2	0.015	2	1.41	0.015	0.49	0.1	2.8	0.21	<0.02	<5			
2023514	Drill Core	1.27	2.47	0.09	25	1.06	0.057	23.8	30.1	1.37	201.0	0.026	2	1.61	0.020	0.48	<0.1	4.1	0.22	0.03	<5			
2023515	Drill Core	0.40	1.53	0.10	45	1.92	0.069	22.7	88.9	1.45	295.1	0.042	1	1.75	0.027	0.49	<0.1	9.6	0.21	0.04	<5			
2023516	Drill Core	0.41	0.40	0.07	55	2.00	0.072	23.4	113.7	1.32	264.7	0.027	1	1.59	0.040	0.37	<0.1	10.5	0.15	0.04	<5			
2023517	Drill Core	0.45	0.32	0.06	55	2.24	0.070	23.5	116.7	1.52	336.3	0.016	1	1.87	0.040	0.37	<0.1	9.7	0.13	0.09	<5			
2023518	Drill Core	0.41	0.25	0.04	52	2.00	0.068	23.4	115.6	1.63	289.8	0.011	<1	1.83	0.033	0.31	<0.1	8.5	0.11	<0.02	<5			
2023519	Drill Core	0.76	0.36	0.08	44	2.30	0.071	20.9	97.6	1.63	263.2	0.010	1	1.77	0.032	0.35	<0.1	7.9	0.12	0.10	<5			
2023520	Rock Pulp	0.19	0.33	0.27	54	1.36	0.029	4.1	98.7	1.82	78.0	0.066	3	2.10	0.205	0.15	1.2	3.3	0.09	0.19	17			
2023521	Drill Core	0.81	0.38	0.07	36	1.95	0.073	21.7	73.4	1.27	281.6	0.013	1	1.52	0.032	0.37	<0.1	7.6	0.13	0.23	<5			
2023522	Drill Core	0.58	1.43	0.10	38	1.96	0.057	21.3	60.6	1.29	309.5	0.005	1	1.70	0.026	0.31	<0.1	7.3	0.13	0.07	<5			
2023523	Drill Core	0.45	1.27	0.07	50	1.81	0.063	21.5	96.5	1.44	310.8	0.016	1	1.61	0.031	0.33	<0.1	10.2	0.14	0.09	<5			
2023524	Drill Core	0.54	0.99	0.06	44	2.44	0.065	21.9	82.8	1.18	304.6	0.041	3	1.34	0.023	0.45	0.1	11.2	0.27	0.08	<5			
2023525	Drill Core	0.32	1.76	0.08	42	2.06	0.061	22.5	68.0	1.19	379.3	0.015	2	1.68	0.018	0.38	<0.1	9.1	0.21	0.09	<5			
2023526	Drill Core	0.36	2.21	0.13	27	0.82	0.060	24.2	29.0	1.25	256.0	0.002	1	1.83	0.013	0.29	0.1	5.2	0.12	0.03	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832649	Drill Core	<0.1	<0.02	4.4	1.58	<0.1	0.20	0.04	27.8	0.4	<0.05	7.9	7.48	67.0	0.03	<1	0.4	9.3	<10	<2			
1832650	Drill Core	<0.1	0.06	2.2	0.74	<0.1	0.02	0.04	16.6	0.3	<0.05	1.7	8.84	36.6	<0.02	<1	0.3	4.4	<10	<2			
1832651	Drill Core	<0.1	0.02	2.0	0.94	<0.1	<0.02	0.06	16.6	0.4	<0.05	0.3	4.71	34.6	<0.02	<1	0.3	4.6	<10	<2			
1832652	Drill Core	<0.1	<0.02	3.2	1.90	<0.1	0.17	<0.02	27.4	0.4	<0.05	3.6	6.02	46.2	0.03	<1	0.3	7.9	<10	<2			
2023501	Drill Core	<0.1	<0.02	3.2	0.83	<0.1	0.17	0.06	8.2	0.3	<0.05	4.1	7.02	24.0	<0.02	<1	0.2	10.6	<10	<2			
2023502	Drill Core	0.5	0.03	5.4	2.74	<0.1	0.14	0.04	18.8	0.4	<0.05	3.3	12.70	32.8	0.02	<1	0.5	21.2	<10	<2			
2023503	Drill Core	0.1	<0.02	4.6	1.92	<0.1	0.15	0.05	15.8	0.4	<0.05	3.5	10.73	31.5	<0.02	<1	0.5	17.7	<10	<2			
2023504	Drill Core	0.1	<0.02	5.0	2.79	<0.1	0.32	0.05	20.1	0.4	<0.05	6.7	10.87	36.5	0.02	<1	0.4	17.7	<10	<2			
2023505	Drill Core	<0.1	<0.02	4.6	3.51	<0.1	0.28	0.04	20.9	0.4	<0.05	7.4	10.96	41.4	<0.02	<1	0.4	17.5	<10	<2			
2023506	Drill Core	0.3	0.03	4.7	1.25	<0.1	0.25	0.03	15.6	0.4	<0.05	6.7	10.37	43.5	0.03	<1	0.3	14.0	<10	<2			
2023507	Drill Core	0.2	<0.02	5.1	1.18	<0.1	0.28	0.03	16.3	0.4	<0.05	7.3	12.36	53.9	<0.02	<1	0.5	14.0	<10	<2			
2023508	Drill Core	0.3	<0.02	4.7	1.67	<0.1	0.27	<0.02	14.9	0.3	<0.05	8.1	11.03	49.4	<0.02	<1	0.3	13.1	<10	<2			
2023509	Drill Core	0.4	<0.02	5.7	1.27	<0.1	0.25	<0.02	12.0	0.4	<0.05	7.4	12.55	59.5	<0.02	<1	0.5	14.4	<10	<2			
2023510	Drill Core	1.8	0.07	4.6	1.40	<0.1	0.10	<0.02	12.3	0.6	<0.05	4.5	10.07	39.2	0.14	1	0.2	16.1	<10	<2			
2023511	Drill Core	1.4	0.05	4.2	2.58	<0.1	0.09	<0.02	15.0	0.3	<0.05	3.8	9.57	39.6	<0.02	1	0.2	17.5	<10	<2			
2023512	Drill Core	1.2	0.03	4.0	5.00	<0.1	0.15	<0.02	20.6	0.4	<0.05	5.0	10.32	39.1	<0.02	<1	0.3	16.3	<10	<2			
2023513	Drill Core	0.5	<0.02	4.4	3.29	<0.1	0.27	<0.02	19.3	0.4	<0.05	8.1	9.41	52.8	<0.02	<1	0.3	15.8	<10	<2			
2023514	Drill Core	0.7	0.02	4.8	3.76	<0.1	0.26	<0.02	20.0	0.4	<0.05	7.4	10.65	47.6	<0.02	1	0.4	18.2	<10	<2			
2023515	Drill Core	0.2	<0.02	5.7	3.72	<0.1	0.17	0.02	21.4	0.4	<0.05	4.6	11.71	45.7	0.03	2	0.5	17.8	<10	<2			
2023516	Drill Core	0.6	<0.02	5.8	3.10	<0.1	0.09	<0.02	16.1	0.5	<0.05	2.8	10.72	47.2	0.04	4	0.4	13.6	<10	<2			
2023517	Drill Core	1.0	<0.02	7.1	2.67	<0.1	0.10	<0.02	15.1	0.4	<0.05	2.3	10.32	47.2	0.05	6	0.4	17.4	18	<2			
2023518	Drill Core	0.7	<0.02	6.5	2.39	<0.1	0.13	<0.02	13.1	0.5	<0.05	2.7	10.05	47.9	0.03	5	0.4	18.0	<10	<2			
2023519	Drill Core	1.4	0.02	5.7	2.89	<0.1	0.05	<0.02	13.5	0.4	<0.05	1.9	9.85	41.5	0.03	7	0.4	18.3	<10	<2			
2023520	Rock Pulp	0.6	0.16	4.3	0.60	<0.1	0.05	<0.02	5.9	0.4	<0.05	1.0	3.19	8.9	<0.02	<1	<0.1	7.6	278	119			
2023521	Drill Core	1.8	0.03	5.5	3.46	<0.1	0.06	<0.02	14.5	0.4	<0.05	1.7	10.45	43.1	0.04	8	0.3	16.5	<10	<2			
2023522	Drill Core	1.2	0.02	5.1	2.59	<0.1	0.06	<0.02	12.2	0.5	<0.05	1.3	10.27	42.1	<0.02	2	0.4	26.1	<10	<2			
2023523	Drill Core	0.5	0.02	5.3	4.10	<0.1	0.04	<0.02	14.0	0.7	<0.05	0.9	10.28	42.9	0.03	<1	0.4	19.3	<10	<2			
2023524	Drill Core	0.8	<0.02	4.4	7.81	<0.1	0.04	<0.02	22.1	0.8	<0.05	1.7	12.40	44.3	0.04	3	0.3	12.0	<10	<2			
2023525	Drill Core	0.4	0.02	6.1	6.88	<0.1	0.04	<0.02	19.6	0.6	<0.05	1.0	11.92	45.3	0.03	2	0.4	22.5	<10	<2			
2023526	Drill Core	0.7	<0.02	6.2	5.22	<0.1	0.03	<0.02	15.8	0.4	<0.05	0.7	11.34	48.7	0.02	<1	0.6	34.8	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023527	Drill Core	4.63	482	0.008	<0.01	<0.17	35.84	2.13	23.96	14.05	64.3	243	26.7	8.8	306	2.10	106.3	1.7	3.2	8.2	52.0	
2023528	Drill Core	4.61	496	0.027	0.02	<0.17	44.73	1.47	19.07	5.76	50.2	414	18.7	6.6	340	2.08	242.9	1.3	18.5	7.5	35.3	
2023529	Drill Core	4.60	521	0.038	0.03	<0.17	48.51	1.24	7.31	22.15	21.3	497	5.8	3.4	320	1.13	145.3	1.1	32.0	12.7	62.6	
2023530	Drill Core	4.63	441	0.010	<0.01	<0.17	51.07	1.41	17.44	14.12	30.0	370	12.4	5.3	217	1.36	137.2	2.5	5.1	14.0	53.7	
2023531	Drill Core	5.06	510	0.013	0.01	<0.17	34.13	0.59	9.40	16.20	36.4	263	6.8	4.3	235	1.41	48.2	2.5	7.5	12.7	66.0	
2023532	Drill Core	5.09	505	0.016	0.01	<0.17	49.29	0.68	10.46	19.29	33.6	243	9.0	4.7	207	1.32	80.8	2.1	9.0	14.2	86.4	
2023533	Drill Core	4.74	480	0.008	<0.01	<0.17	39.53	0.54	5.42	19.27	25.7	160	3.6	2.9	146	1.06	31.7	1.5	3.0	16.1	57.5	
2023534	Drill Core	4.76	494	0.006	<0.01	<0.17	39.65	0.44	7.90	19.09	24.7	240	3.7	2.5	106	1.02	37.8	1.3	1.0	13.2	41.9	
2023535	Drill Core	4.70	432	0.007	<0.01	<0.17	33.37	0.60	10.68	16.42	33.0	258	8.0	4.1	223	1.32	37.5	1.5	1.0	11.4	79.2	
2023536	Drill Core	5.07	433	0.011	<0.01	<0.17	44.25	1.73	20.45	12.90	64.3	509	20.7	7.6	588	2.28	146.6	1.7	5.3	6.9	191.9	
2023537	Drill Core	4.86	421	0.049	0.05	<0.17	36.53	2.24	24.33	16.31	69.8	751	32.2	9.1	434	2.16	351.3	2.8	37.2	6.5	75.9	
2023538	Drill Core	5.06	414	0.011	<0.01	<0.17	49.12	1.09	22.82	8.81	69.0	294	18.0	7.8	423	2.37	93.7	1.7	3.6	5.7	124.6	
2023539	Drill Core	5.00	456	0.008	<0.01	<0.17	29.14	11.61	26.27	27.39	57.5	589	20.2	6.5	370	2.07	70.1	2.2	1.5	7.9	101.9	
2023540	Rock Pulp	0.12	83	0.009				2.27	87.81	3.19	34.2	129	4.7	8.2	364	2.59	0.8	0.7	12.7	2.3	71.3	
2023541	Drill Core	4.64	442	0.007	<0.01	<0.17	44.10	1.06	3.71	27.98	36.3	145	3.6	2.3	269	1.30	13.7	0.7	1.7	3.5	38.0	
2023542	Drill Core	2.35	409	0.015	0.01	<0.17	46.65	1.08	11.90	56.62	50.5	522	9.4	5.2	248	1.66	53.4	1.0	9.1	5.7	27.9	
2023543	Drill Core	2.71	416	0.011	0.01	<0.17	34.89	0.66	21.96	8.47	68.1	352	14.1	9.1	216	2.59	36.8	2.3	6.0	8.3	39.1	
2023544	Drill Core	4.84	427	0.009	<0.01	<0.17	35.69	0.60	17.60	12.82	65.7	277	12.6	8.0	248	2.32	19.5	1.8	3.6	7.9	59.7	
2023545	Drill Core	4.70	430	0.008	<0.01	<0.17	42.90	1.13	11.87	10.79	55.6	207	8.6	6.1	465	2.06	17.3	2.4	2.4	9.5	88.0	
2023546	Drill Core	4.83	427	0.007	<0.01	<0.17	39.32	0.43	2.77	11.37	20.1	212	0.5	0.5	145	0.55	1.5	1.2	0.9	12.3	42.5	
2023547	Drill Core	4.92	439	0.042	0.04	<0.17	41.24	0.23	2.95	14.01	10.8	397	0.4	0.4	84	0.46	5.1	1.2	88.6	12.1	22.2	
2023548	Drill Core	3.51	425	0.014	0.01	<0.17	36.45	0.53	4.63	16.32	11.2	345	0.2	0.2	56	0.31	3.4	1.2	7.3	14.5	31.2	
2023549	Drill Core	3.59	467	0.066	0.07	<0.17	49.98	0.27	7.81	31.34	16.0	756	0.3	0.2	47	0.33	6.5	0.8	53.9	13.3	3.1	
2023550	Drill Core	2.51	461	0.051	0.05	<0.17	38.70	0.22	5.90	17.05	22.3	598	0.3	0.2	71	0.34	5.8	0.7	19.2	14.7	13.9	
2023551	Drill Core	4.49	410	0.009	0.08	0.55	50.83	0.48	4.48	15.42	19.9	288	0.3	0.2	67	0.32	7.9	0.8	11.5	13.0	17.7	
2023552	Drill Core	5.06	447	0.008	<0.01	<0.17	41.49	0.26	4.94	14.99	16.9	225	0.3	0.2	57	0.28	2.2	0.8	3.1	13.2	10.0	
2023553	Drill Core	5.45	440	0.009	<0.01	<0.17	47.33	0.17	2.23	16.73	11.1	93	0.3	0.1	48	0.28	0.7	0.8	1.7	14.4	4.3	
2023554	Drill Core	4.70	453	0.009	<0.01	<0.17	44.31	0.14	3.08	12.30	10.2	229	0.2	0.1	31	0.23	0.6	0.7	4.2	13.7	2.6	
2023555	Drill Core	5.17	448	0.033	0.03	<0.17	42.64	0.18	4.79	13.87	10.5	475	0.3	0.1	38	0.28	1.0	0.7	23.1	14.4	3.4	
2023556	Drill Core	5.04	455	0.009	<0.01	<0.17	34.38	0.22	3.92	15.32	13.3	392	0.3	0.3	65	0.32	1.5	0.8	4.6	12.8	92.9	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023527	Drill Core	0.46	1.81	0.12	19	1.46	0.060	25.0	17.2	0.68	308.8	0.002	1	1.24	0.019	0.35	0.1	6.6	0.13	<5
2023528	Drill Core	0.30	2.22	0.11	16	1.24	0.059	22.0	13.7	0.56	272.4	0.002	<1	1.12	0.019	0.34	<0.1	5.4	0.10	<0.02
2023529	Drill Core	0.24	1.21	0.21	6	1.57	0.038	33.8	6.8	0.23	208.7	<0.001	<1	0.77	0.008	0.36	0.1	1.7	0.14	<0.02
2023530	Drill Core	0.31	1.83	0.47	12	0.97	0.048	32.1	12.4	0.33	350.4	0.004	<1	0.82	0.025	0.41	0.1	2.8	0.15	<0.13
2023531	Drill Core	0.28	0.78	0.17	11	1.21	0.045	29.6	11.2	0.43	267.0	0.002	<1	0.91	0.028	0.38	<0.1	3.9	0.13	<0.08
2023532	Drill Core	0.23	1.29	0.25	10	1.19	0.038	32.5	10.1	0.31	306.7	0.002	<1	0.79	0.045	0.36	<0.1	4.0	0.11	<0.06
2023533	Drill Core	0.16	0.60	0.11	5	0.79	0.031	36.1	5.4	0.22	324.4	0.003	<1	0.74	0.050	0.40	<0.1	3.3	0.09	<0.02
2023534	Drill Core	0.19	1.28	0.18	5	0.44	0.035	33.9	4.8	0.20	304.7	0.013	1	0.64	0.039	0.37	0.1	3.1	0.10	<0.02
2023535	Drill Core	0.27	1.50	0.17	9	1.00	0.037	30.4	8.1	0.30	548.4	0.011	1	0.65	0.030	0.28	<0.1	3.8	0.11	<0.02
2023536	Drill Core	0.60	2.44	0.30	18	2.10	0.072	19.6	18.0	0.55	262.2	0.002	1	1.13	0.008	0.33	0.2	8.0	0.11	<0.16
2023537	Drill Core	0.45	3.71	0.38	20	1.42	0.063	18.7	20.3	0.62	334.2	0.002	1	0.98	0.009	0.31	0.1	8.1	0.08	<0.23
2023538	Drill Core	0.38	1.40	0.18	24	1.66	0.077	18.7	22.8	0.85	289.3	0.003	1	1.29	0.015	0.35	<0.1	7.5	0.12	<0.17
2023539	Drill Core	0.34	2.05	0.51	23	1.45	0.089	25.6	24.9	0.68	219.9	0.003	<1	1.10	0.012	0.30	<0.1	4.5	0.10	<0.03
2023540	Rock Pulp	0.06	0.12	0.05	92	0.90	0.057	6.2	9.5	0.73	112.5	0.101	2	1.58	0.174	0.21	2.8	2.4	0.04	<0.02
2023541	Drill Core	0.16	0.41	0.12	12	1.01	0.022	10.5	12.8	0.42	77.1	0.002	<1	0.58	0.023	0.09	<0.1	2.2	0.03	<0.02
2023542	Drill Core	0.21	0.70	0.42	17	0.77	0.036	18.4	18.2	0.50	187.9	0.001	<1	0.81	0.018	0.19	<0.1	2.9	0.06	<0.02
2023543	Drill Core	0.64	0.62	0.07	31	0.77	0.067	23.9	30.2	0.78	193.8	0.004	<1	1.18	0.044	0.20	0.1	7.0	0.06	<0.27
2023544	Drill Core	0.36	0.62	0.09	23	1.15	0.068	22.2	22.9	0.70	218.4	0.007	<1	1.04	0.035	0.23	<0.1	6.4	0.07	<0.28
2023545	Drill Core	0.47	0.60	0.08	13	2.21	0.050	19.1	11.8	0.80	361.0	0.002	1	1.22	0.012	0.36	0.1	5.9	0.11	<0.12
2023546	Drill Core	0.24	0.22	0.21	<1	0.94	0.006	33.0	1.0	0.19	279.0	0.001	<1	0.45	0.013	0.30	<0.1	1.8	0.08	<0.08
2023547	Drill Core	0.22	0.33	0.19	<1	0.37	0.006	37.9	0.9	0.05	448.2	0.002	<1	0.34	0.032	0.26	<0.1	1.3	0.09	<0.02
2023548	Drill Core	0.29	0.33	0.32	<1	0.32	0.004	40.1	0.7	0.05	927.5	<0.001	<1	0.31	0.014	0.27	<0.1	1.0	0.07	<0.03
2023549	Drill Core	0.28	0.55	0.14	<1	0.02	0.004	34.5	0.9	0.08	154.7	<0.001	<1	0.32	0.005	0.28	<0.1	0.5	0.07	<0.02
2023550	Drill Core	0.46	0.45	0.43	<1	0.13	0.004	37.4	0.8	0.09	437.9	<0.001	1	0.31	0.012	0.25	<0.1	0.7	0.05	<0.02
2023551	Drill Core	0.36	0.43	0.33	<1	0.12	0.005	34.4	1.0	0.08	750.8	<0.001	1	0.38	0.009	0.31	<0.1	0.7	0.07	<0.02
2023552	Drill Core	0.24	0.36	0.08	<1	0.10	0.005	34.8	0.9	0.06	286.6	<0.001	1	0.30	0.011	0.26	<0.1	0.4	0.06	<0.02
2023553	Drill Core	0.12	0.18	0.05	<1	0.01	0.005	37.5	0.9	0.06	260.2	<0.001	<1	0.28	0.026	0.25	<0.1	0.7	0.06	<0.02
2023554	Drill Core	0.09	0.19	0.10	<1	0.01	0.004	34.0	0.8	0.06	152.2	<0.001	<1	0.26	0.018	0.23	<0.1	0.5	0.05	<0.02
2023555	Drill Core	0.13	0.28	0.42	<1	0.01	0.004	36.8	0.9	0.06	155.2	<0.001	<1	0.32	0.011	0.30	<0.1	0.5	0.06	<0.02
2023556	Drill Core	0.41	0.32	0.25	<1	0.41	0.004	34.1	0.9	0.06	1209.8	<0.001	<1	0.30	0.021	0.26	<0.1	0.7	0.06	<0.03



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023527	Drill Core	0.7	0.02	3.8	3.61	<0.1	0.03	0.03	14.9	0.4	<0.05	0.8	12.08	49.4	0.04	<1	0.5	19.4	<10
2023528	Drill Core	0.6	<0.02	3.3	2.13	<0.1	0.06	<0.02	13.6	0.3	<0.05	1.5	9.55	43.6	0.03	<1	0.4	19.8	<10
2023529	Drill Core	0.2	0.04	2.7	4.75	<0.1	0.06	<0.02	19.2	0.3	<0.05	1.6	12.18	64.7	<0.02	<1	0.6	10.7	<10
2023530	Drill Core	1.0	0.04	2.8	2.61	<0.1	0.12	<0.02	20.2	0.5	<0.05	3.3	13.25	63.4	0.04	4	0.5	14.2	<10
2023531	Drill Core	0.8	<0.02	2.7	1.82	<0.1	0.08	<0.02	14.8	0.4	<0.05	2.1	11.69	58.0	<0.02	2	0.4	12.5	<10
2023532	Drill Core	0.8	0.02	2.7	1.48	<0.1	0.06	<0.02	13.9	0.5	<0.05	1.7	13.05	62.4	0.03	<1	0.4	10.5	<10
2023533	Drill Core	0.6	<0.02	2.4	1.30	<0.1	0.14	<0.02	13.9	0.5	<0.05	3.1	14.65	69.0	0.02	<1	0.5	9.6	<10
2023534	Drill Core	0.8	0.02	2.7	1.70	<0.1	0.20	0.11	13.4	0.6	<0.05	7.1	14.36	64.7	0.03	<1	0.4	9.0	<10
2023535	Drill Core	1.3	0.03	2.7	2.55	<0.1	0.12	0.07	10.8	0.5	<0.05	3.7	14.66	58.5	0.03	<1	0.4	11.2	<10
2023536	Drill Core	2.4	0.07	2.8	1.55	<0.1	0.07	<0.02	12.9	0.3	<0.05	3.1	13.36	37.5	0.03	2	0.5	23.7	<10
2023537	Drill Core	1.8	0.08	2.8	4.41	<0.1	0.09	<0.02	13.0	0.3	<0.05	4.3	11.89	35.9	0.03	2	0.4	21.9	<10
2023538	Drill Core	1.8	0.05	3.9	1.85	<0.1	0.03	<0.02	13.3	0.3	<0.05	1.6	11.17	36.8	0.03	3	0.4	20.8	<10
2023539	Drill Core	1.2	0.08	4.0	1.68	<0.1	0.04	<0.02	13.0	0.4	<0.05	1.8	14.18	47.1	0.03	2	0.4	17.8	<10
2023540	Rock Pulp	<0.1	<0.02	4.7	0.30	<0.1	0.07	0.11	6.5	0.2	<0.05	1.4	4.28	13.5	<0.02	<1	<0.1	6.1	<10
2023541	Drill Core	0.2	0.03	2.6	0.99	<0.1	0.03	<0.02	4.7	0.2	<0.05	1.2	5.40	20.4	<0.02	<1	0.2	10.8	<10
2023542	Drill Core	0.4	0.04	3.9	1.86	<0.1	0.10	<0.02	9.2	0.3	<0.05	4.7	6.96	36.7	<0.02	<1	0.3	14.7	<10
2023543	Drill Core	1.7	<0.02	5.1	1.68	<0.1	0.17	<0.02	8.7	0.6	<0.05	6.8	11.11	47.8	0.03	1	0.5	20.8	<10
2023544	Drill Core	0.8	0.03	4.4	1.90	<0.1	0.15	<0.02	10.2	0.4	<0.05	6.4	10.76	44.4	0.03	3	0.5	17.1	<10
2023545	Drill Core	0.5	0.03	3.6	2.61	<0.1	0.09	<0.02	15.3	0.4	<0.05	4.0	9.68	38.0	0.03	<1	0.5	20.9	<10
2023546	Drill Core	0.4	<0.02	1.7	0.80	<0.1	0.19	0.05	12.0	0.2	<0.05	8.4	12.71	65.3	<0.02	<1	0.3	4.7	<10
2023547	Drill Core	0.4	<0.02	1.7	1.38	<0.1	0.17	0.10	13.8	0.3	<0.05	6.3	19.48	74.3	<0.02	<1	0.3	3.1	<10
2023548	Drill Core	0.2	<0.02	1.6	0.98	<0.1	0.15	0.07	10.8	0.2	<0.05	5.6	13.85	80.4	<0.02	<1	0.2	2.2	<10
2023549	Drill Core	0.2	<0.02	1.5	2.15	<0.1	0.38	0.04	10.8	0.2	<0.05	13.2	6.75	70.1	<0.02	<1	0.3	2.1	<10
2023550	Drill Core	0.2	<0.02	1.5	1.34	<0.1	0.44	0.05	9.6	0.2	<0.05	14.2	6.37	77.7	<0.02	<1	0.3	2.4	<10
2023551	Drill Core	0.2	<0.02	1.6	1.16	<0.1	0.34	0.04	10.7	0.2	<0.05	12.6	5.56	68.6	<0.02	<1	0.3	3.1	<10
2023552	Drill Core	<0.1	<0.02	1.4	1.67	<0.1	0.39	0.05	9.6	0.2	<0.05	13.4	4.98	70.1	<0.02	<1	0.3	2.5	<10
2023553	Drill Core	<0.1	<0.02	1.6	0.53	<0.1	0.41	0.05	9.7	0.2	<0.05	12.9	6.98	75.4	<0.02	<1	0.3	1.2	<10
2023554	Drill Core	<0.1	<0.02	1.4	1.10	<0.1	0.37	0.06	8.8	0.2	<0.05	12.2	4.95	68.8	<0.02	<1	0.2	1.4	<10
2023555	Drill Core	<0.1	<0.02	1.6	0.75	<0.1	0.41	0.05	9.9	0.2	<0.05	13.2	4.58	75.2	<0.02	<1	0.3	1.5	<10
2023556	Drill Core	0.1	0.02	1.5	0.83	<0.1	0.30	0.05	10.2	0.2	<0.05	11.0	6.48	68.5	<0.02	<1	0.2	1.8	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023557	Drill Core	4.81	418	0.017	0.02	<0.17	38.93	2.45	3.75	24.76	12.6	400	0.4	0.4	92	0.39	1.3	0.8	10.5	12.4	35.4
2023558	Drill Core	4.78	426	0.007	<0.01	<0.17	28.72	0.19	5.80	16.03	10.6	261	0.9	1.2	107	0.43	1.0	1.0	1.5	11.9	56.2
2023559	Drill Core	5.81	462	0.052	0.07	0.25	51.77	0.22	3.63	18.25	7.9	535	0.4	0.5	109	0.38	3.0	1.0	30.7	12.3	48.9
2023560	Core DUP		434	0.081	0.12	0.46	49.69	0.21	3.64	18.50	7.4	595	0.4	0.5	108	0.36	3.1	1.0	32.7	12.4	49.6
2023561	Drill Core	4.12	455	0.052	0.13	0.74	52.37	0.25	1.75	12.33	8.5	477	0.3	0.3	64	0.35	3.3	0.8	37.2	11.2	8.7
2023562	Drill Core	4.72	444	0.222	0.21	<0.17	44.57	0.45	0.72	4.53	13.6	236	1.3	0.7	130	0.64	3.4	0.9	309.0	12.8	7.0
2023563	Drill Core	4.72	448	0.743	0.79	1.16	49.26	0.79	5.14	4.91	29.9	533	7.3	4.8	659	1.80	4.1	1.3	642.0	7.8	100.8
2023564	Drill Core	4.91	456	0.059	0.06	<0.17	50.46	0.66	17.26	8.64	52.4	367	10.1	7.7	409	1.99	10.8	2.1	99.1	7.6	95.3
2023565	Drill Core	5.58	458	0.020	0.02	<0.17	47.49	0.98	12.23	7.01	53.0	255	9.2	6.5	255	1.88	20.3	2.2	14.2	9.6	40.7
2023566	Drill Core	4.58	404	0.007	<0.01	<0.17	38.94	0.70	16.56	4.24	49.8	210	10.3	6.7	235	2.12	14.8	2.3	2.4	11.0	35.7
2023567	Drill Core	4.79	440	0.006	<0.01	<0.17	40.57	0.68	20.10	7.13	65.1	276	11.8	7.7	273	2.23	5.6	2.1	1.5	9.5	40.6
2023568	Drill Core	5.37	462	<0.005	<0.01	<0.17	34.02	0.84	11.92	10.31	54.3	227	9.3	6.8	232	1.66	2.0	1.4	0.4	6.3	60.1
2023569	Drill Core	4.91	406	<0.005	<0.01	<0.17	30.74	0.75	21.22	9.80	50.8	234	11.0	8.4	278	1.92	5.6	2.1	1.4	10.7	69.8
2023570	Drill Core	5.09	561	0.006	<0.01	<0.17	35.80	0.74	11.21	14.16	49.9	191	8.6	7.5	271	1.77	3.1	2.3	1.3	10.4	89.6
2023571	Drill Core	4.86	500	0.007	<0.01	<0.17	33.26	0.26	13.45	15.75	63.9	312	10.4	7.7	284	1.99	3.2	1.8	0.5	9.8	62.7
2023572	Drill Core	4.68	518	0.007	<0.01	<0.17	34.23	0.19	12.94	9.09	51.8	235	7.2	6.9	314	1.73	5.0	1.5	2.4	10.3	84.8
2023573	Drill Core	4.98	539	0.036	0.03	<0.17	41.61	2.67	1.99	27.42	48.0	404	1.2	1.1	385	0.89	8.8	2.1	28.2	14.0	121.6
2023574	Drill Core	4.64	503	0.014	0.01	<0.17	44.83	0.45	5.39	19.81	45.8	377	0.5	1.0	89	0.45	2.1	1.0	10.3	12.8	18.6
2023575	Drill Core	4.31	428	0.071	0.06	<0.17	49.04	0.18	3.48	16.53	22.9	416	0.3	0.6	109	0.39	2.8	1.0	3.2	12.7	37.4
2023576	Drill Core	4.90	512	0.008	<0.01	<0.17	40.03	0.18	4.07	18.54	20.3	235	0.5	0.7	151	0.42	0.3	1.0	2.4	13.5	34.7
2023577	Drill Core	4.00	384	0.036	0.03	<0.17	44.85	0.44	6.44	31.76	28.8	365	1.7	1.9	174	0.71	3.1	1.0	13.4	11.3	17.3
2023578	Drill Core	4.70	466	0.008	<0.01	<0.17	44.93	0.48	4.87	19.42	17.4	239	1.0	1.4	169	0.50	1.7	1.4	1.9	13.3	43.0
2023579	Drill Core	6.07	506	0.007	<0.01	<0.17	42.29	0.28	3.85	21.25	11.4	202	0.3	0.3	84	0.33	1.2	1.1	1.6	14.5	11.8
2023580	Rock	0.22	166	0.006	<0.01	<0.17	30.84	0.48	0.97	1.29	2.9	10	1.2	0.5	68	0.64	0.9	0.2	<0.2	1.1	1.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023557	Drill Core	0.45	0.33	0.24	<1	0.36	0.006	33.7	1.0	0.09	623.6	0.001	1	0.41	0.026	0.33	<0.1	1.0	0.08	0.03	26			
2023558	Drill Core	0.44	0.21	0.19	1	0.64	0.012	36.5	1.4	0.07	767.2	0.002	<1	0.36	0.022	0.29	<0.1	1.4	0.08	0.05	8			
2023559	Drill Core	0.41	0.34	0.19	<1	0.60	0.008	38.2	0.8	0.04	353.5	0.001	<1	0.35	0.030	0.29	<0.1	1.1	0.08	<0.02	25			
2023560	Core DUP	0.43	0.34	0.19	<1	0.60	0.008	38.5	0.8	0.04	336.7	0.001	<1	0.34	0.032	0.28	<0.1	1.0	0.08	<0.02	31			
2023561	Drill Core	0.31	0.37	0.13	<1	0.14	0.006	35.4	0.9	0.04	305.8	<0.001	1	0.32	0.035	0.25	<0.1	0.7	0.06	<0.02	65			
2023562	Drill Core	0.47	0.34	0.02	1	0.13	0.009	27.1	1.6	0.18	208.9	<0.001	2	0.48	0.020	0.29	<0.1	1.0	0.08	<0.02	31			
2023563	Drill Core	0.41	0.44	0.06	6	2.29	0.031	10.7	7.4	0.77	237.1	0.002	1	0.99	0.014	0.32	0.1	3.7	0.08	0.17	15			
2023564	Drill Core	0.29	0.64	0.08	13	1.70	0.058	16.1	15.2	0.75	300.3	0.004	<1	1.17	0.018	0.35	0.2	2.9	0.10	0.07	34			
2023565	Drill Core	0.23	0.99	0.07	14	0.92	0.055	27.8	14.9	0.66	248.5	0.003	1	1.27	0.011	0.39	0.1	3.3	0.13	0.03	27			
2023566	Drill Core	0.22	0.71	0.06	15	1.02	0.060	32.6	19.0	0.71	314.4	0.002	<1	1.26	0.017	0.30	0.2	3.0	0.11	<0.02	26			
2023567	Drill Core	0.43	1.03	0.05	20	1.00	0.062	26.8	23.6	0.83	434.0	0.022	<1	1.45	0.024	0.31	0.1	4.3	0.11	0.02	12			
2023568	Drill Core	0.19	1.18	0.07	14	1.12	0.058	14.0	16.2	0.73	284.1	0.063	<1	1.20	0.020	0.33	0.2	3.2	0.12	0.07	<5			
2023569	Drill Core	0.29	0.55	0.08	18	1.77	0.064	25.3	14.4	0.65	319.0	0.020	2	1.03	0.026	0.40	0.2	6.1	0.12	0.32	<5			
2023570	Drill Core	0.24	0.77	0.12	18	1.93	0.061	31.3	15.2	0.70	316.8	0.022	2	1.02	0.027	0.37	0.1	5.0	0.14	0.15	5			
2023571	Drill Core	0.23	0.77	0.24	22	1.07	0.061	28.1	20.0	0.80	259.9	0.014	2	1.24	0.042	0.38	0.2	4.4	0.13	0.09	7			
2023572	Drill Core	0.29	0.75	0.08	12	1.54	0.046	15.3	9.1	0.67	267.2	0.009	1	1.05	0.019	0.42	0.1	3.0	0.12	0.18	9			
2023573	Drill Core	0.93	0.41	0.26	3	2.36	0.006	17.2	2.2	0.55	289.1	0.003	1	0.84	0.004	0.39	<0.1	2.4	0.09	0.11	11			
2023574	Drill Core	0.36	0.43	0.15	1	0.31	0.008	33.1	1.8	0.09	280.9	<0.001	1	0.39	0.025	0.27	<0.1	0.9	0.08	<0.02	46			
2023575	Drill Core	0.43	0.45	0.17	<1	0.42	0.007	38.5	1.6	0.05	332.9	<0.001	2	0.35	0.031	0.29	<0.1	1.0	0.08	<0.02	64			
2023576	Drill Core	0.25	0.31	0.24	1	0.52	0.008	36.7	2.0	0.17	327.2	0.001	2	0.50	0.015	0.31	<0.1	1.4	0.08	0.03	9			
2023577	Drill Core	0.53	0.41	0.35	3	0.52	0.017	30.6	3.7	0.20	483.8	0.001	2	0.59	0.004	0.36	<0.1	1.5	0.10	<0.02	11			
2023578	Drill Core	0.50	0.33	0.23	2	0.73	0.014	40.5	3.0	0.13	302.5	0.001	<1	0.46	0.009	0.30	<0.1	1.5	0.09	<0.02	15			
2023579	Drill Core	0.20	0.18	0.19	1	0.18	0.009	40.0	1.9	0.10	367.3	<0.001	1	0.42	0.019	0.31	<0.1	0.9	0.08	<0.02	7			
2023580	Rock	0.01	0.07	<0.02	2	<0.01	0.001	1.7	4.3	0.01	11.0	0.002	<1	0.08	0.004	0.02	<0.1	0.2	<0.02	<0.02	<5			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000105.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2023557	Drill Core	0.2	<0.02	1.6	0.61	<0.1	0.34	0.06	11.9	0.3	<0.05	13.7	5.89	66.6	<0.02	<1	0.3	2.7	<10
2023558	Drill Core	0.3	<0.02	1.6	0.71	<0.1	0.17	0.09	12.1	0.2	<0.05	7.2	12.79	72.3	<0.02	<1	0.3	2.1	<10
2023559	Drill Core	0.1	<0.02	1.7	0.81	<0.1	0.12	0.06	12.4	0.2	<0.05	5.2	7.60	75.4	<0.02	<1	0.3	1.9	<10
2023560	Core DUP	0.2	<0.02	1.6	0.81	<0.1	0.12	0.11	11.7	0.2	<0.05	5.1	7.65	75.6	<0.02	<1	0.3	1.8	<10
2023561	Drill Core	<0.1	<0.02	1.6	0.92	<0.1	0.11	0.04	10.3	0.2	<0.05	4.7	4.49	70.1	<0.02	<1	0.3	1.6	<10
2023562	Drill Core	0.3	<0.02	2.0	2.18	<0.1	0.14	<0.02	11.2	0.2	<0.05	6.5	4.28	52.9	<0.02	<1	0.3	6.5	<10
2023563	Drill Core	1.1	0.05	3.7	1.58	<0.1	0.14	<0.02	11.8	0.3	<0.05	5.7	8.92	21.8	0.03	<1	0.5	17.8	<10
2023564	Drill Core	0.7	0.04	4.0	1.89	<0.1	0.06	<0.02	14.1	0.3	<0.05	3.2	9.15	31.9	<0.02	<1	0.5	21.0	<10
2023565	Drill Core	0.7	<0.02	5.5	4.55	<0.1	0.03	0.03	19.5	0.4	<0.05	1.3	13.54	53.8	<0.02	<1	0.6	19.6	<10
2023566	Drill Core	1.0	<0.02	6.4	3.73	<0.1	0.04	<0.02	16.4	0.4	<0.05	1.3	16.80	62.9	<0.02	<1	0.6	17.2	<10
2023567	Drill Core	0.6	<0.02	6.8	2.54	<0.1	0.05	0.05	15.4	0.5	<0.05	1.6	17.29	52.2	0.02	<1	0.6	17.5	<10
2023568	Drill Core	0.4	0.02	4.9	1.45	<0.1	0.05	0.17	16.2	0.5	<0.05	1.4	8.92	27.8	<0.02	<1	0.5	14.5	<10
2023569	Drill Core	0.8	<0.02	4.1	1.73	<0.1	0.06	0.06	16.8	0.7	<0.05	2.4	15.44	49.8	0.02	<1	0.4	13.7	<10
2023570	Drill Core	0.3	<0.02	4.3	2.64	<0.1	0.09	0.05	18.4	0.7	<0.05	3.1	16.93	60.9	0.04	<1	0.3	14.2	<10
2023571	Drill Core	0.2	0.02	4.2	2.69	<0.1	0.18	<0.02	17.9	0.5	<0.05	7.0	17.62	55.3	0.03	<1	0.4	16.9	<10
2023572	Drill Core	0.2	<0.02	3.1	2.81	<0.1	0.23	<0.02	17.8	0.3	<0.05	9.0	7.77	30.2	<0.02	1	0.4	14.1	<10
2023573	Drill Core	1.2	<0.02	1.9	1.08	<0.1	0.17	0.03	13.1	0.3	<0.05	5.1	5.57	35.2	0.02	2	0.4	11.1	<10
2023574	Drill Core	<0.1	<0.02	1.0	1.63	<0.1	0.10	<0.02	11.3	0.5	<0.05	3.6	4.22	64.3	<0.02	<1	0.3	3.3	<10
2023575	Drill Core	<0.1	<0.02	1.1	1.51	<0.1	0.09	0.03	12.8	0.3	<0.05	3.1	5.15	75.2	<0.02	<1	0.2	2.2	<10
2023576	Drill Core	<0.1	<0.02	1.2	1.37	<0.1	0.17	0.04	12.3	0.2	<0.05	5.9	4.46	72.8	<0.02	<1	0.3	4.8	<10
2023577	Drill Core	<0.1	<0.02	1.6	2.07	<0.1	0.21	<0.02	14.9	0.3	<0.05	7.1	4.99	59.5	<0.02	1	0.3	7.1	<10
2023578	Drill Core	<0.1	<0.02	1.3	1.86	<0.1	0.16	0.17	13.6	0.3	<0.05	3.8	8.72	78.6	<0.02	<1	0.2	4.4	<10
2023579	Drill Core	<0.1	<0.02	1.4	1.29	<0.1	0.31	<0.02	12.8	0.3	<0.05	7.3	8.15	81.2	<0.02	<1	0.2	3.0	<10
2023580	Rock	<0.1	<0.02	0.3	0.09	<0.1	0.10	<0.02	0.9	0.1	<0.05	1.8	0.81	3.6	<0.02	<1	<0.1	1.0	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000105.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1832629	Drill Core	3.94	432	0.324	0.34	0.45	44.35	1.33	23.12	9.70	48.4	439	12.0	8.5	432	2.38	13.0	1.9	235.8	9.4	62.1	
REP 1832629	QC	0.272																				
1832651	Drill Core	4.05	411	0.455	0.52	1.17	38.42	0.93	13.52	8.48	26.9	1148	7.7	4.8	284	1.81	18.6	1.4	1351.2	9.5	35.0	
REP 1832651	QC							0.97	13.50	8.79	27.3	802	7.7	4.9	301	1.84	18.8	1.5	437.2	8.7	35.9	
2023527	Drill Core	4.63	482	0.008	<0.01	<0.17	35.84	2.13	23.96	14.05	64.3	243	26.7	8.8	306	2.10	106.3	1.7	3.2	8.2	52.0	
REP 2023527	QC	0.011																				
2023534	Drill Core	4.76	494	0.006	<0.01	<0.17	39.65	0.44	7.90	19.09	24.7	240	3.7	2.5	106	1.02	37.8	1.3	1.0	13.2	41.9	
REP 2023534	QC							0.43	7.78	18.67	24.1	239	3.6	2.5	103	1.00	37.1	1.2	3.1	12.8	40.9	
2023546	Drill Core	4.83	427	0.007	<0.01	<0.17	39.32	0.43	2.77	11.37	20.1	212	0.5	0.5	145	0.55	1.5	1.2	0.9	12.3	42.5	
REP 2023546	QC	0.007																				
2023569	Drill Core	4.91	406	<0.005	<0.01	<0.17	30.74	0.75	21.22	9.80	50.8	234	11.0	8.4	278	1.92	5.6	2.1	1.4	10.7	69.8	
REP 2023569	QC							0.73	20.95	9.28	48.1	236	10.6	8.2	271	1.94	5.2	2.0	0.6	9.9	65.9	
2023573	Drill Core	4.98	539	0.036	0.03	<0.17	41.61	2.67	1.99	27.42	48.0	404	1.2	1.1	385	0.89	8.8	2.1	28.2	14.0	121.6	
REP 2023573	QC	0.036																				
Core Reject Duplicates																						
1832636	Drill Core	5.58	455	0.030	0.03	<0.17	41.00	1.17	17.90	12.92	57.2	326	13.5	9.1	601	2.28	16.7	2.9	13.4	10.6	37.5	
DUP 1832636	QC	463		0.060	0.05	<0.17	47.36	1.12	18.16	12.76	54.6	346	13.2	8.8	621	2.29	16.1	2.8	26.8	10.1	38.0	
2023518	Drill Core	5.00	533	0.006	<0.01	<0.17	44.68	1.36	23.45	7.85	81.9	162	29.6	14.0	609	3.05	19.9	2.1	0.5	8.5	85.0	
DUP 2023518	QC	537		<0.005	<0.01	<0.17	46.58	1.32	22.96	7.55	80.0	171	28.6	13.9	578	3.07	19.6	2.1	0.7	8.7	82.5	
2023552	Drill Core	5.06	447	0.008	<0.01	<0.17	41.49	0.26	4.94	14.99	16.9	225	0.3	0.2	57	0.28	2.2	0.8	3.1	13.2	10.0	
DUP 2023552	QC	466		0.012	0.01	<0.17	51.38	0.26	5.12	15.30	17.1	249	0.3	0.2	58	0.28	2.3	0.8	3.7	13.2	10.0	
Reference Materials																						
STD BVGEO01	Standard							10.45	4289.85	183.13	1686.4	2428	160.6	23.7	690	3.61	114.3	3.6	205.9	13.5	52.3	
STD BVGEO01	Standard							10.28	4277.88	183.60	1695.6	2441	159.5	24.7	696	3.68	113.0	3.7	202.6	16.5	52.0	
STD DS11	Standard							14.69	151.66	135.42	326.0	1692	81.2	13.9	995	3.14	41.5	2.7	91.2	8.1	67.1	
STD DS11	Standard							14.70	144.67	123.38	325.4	1740	76.6	12.9	1010	3.06	41.0	2.3	97.2	7.0	66.5	
STD OREAS262	Standard							0.82	118.45	56.44	141.8	439	62.3	27.9	540	3.25	33.8	1.2	62.8	9.4	34.4	
STD OREAS262	Standard							0.66	109.63	49.24	132.2	435	59.3	25.7	517	3.11	32.7	1.0	61.9	7.9	33.3	



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 20, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000105.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832629	Drill Core	0.31	0.53	0.06	16	1.10	0.056	26.5	16.4	0.72	368.0	0.030	2	1.28	0.046	0.56	0.2	5.9	0.19	<0.02	8
REP 1832629	QC																				
1832651	Drill Core	0.20	0.53	0.07	8	0.70	0.052	17.3	9.2	0.38	256.8	0.019	2	0.71	0.022	0.43	1.5	2.9	0.13	<0.02	9
REP 1832651	QC	0.19	0.51	0.08	8	0.70	0.054	18.1	9.1	0.39	262.8	0.020	2	0.72	0.020	0.43	1.4	2.9	0.14	<0.02	<5
2023527	Drill Core	0.46	1.81	0.12	19	1.46	0.060	25.0	17.2	0.68	308.8	0.002	1	1.24	0.019	0.35	0.1	6.6	0.13	0.03	<5
REP 2023527	QC																				
2023534	Drill Core	0.19	1.28	0.18	5	0.44	0.035	33.9	4.8	0.20	304.7	0.013	1	0.64	0.039	0.37	0.1	3.1	0.10	<0.02	6
REP 2023534	QC	0.17	1.29	0.17	4	0.44	0.035	32.9	4.6	0.20	290.6	0.012	1	0.61	0.035	0.36	0.1	3.0	0.09	<0.02	5
2023546	Drill Core	0.24	0.22	0.21	<1	0.94	0.006	33.0	1.0	0.19	279.0	0.001	<1	0.45	0.013	0.30	<0.1	1.8	0.08	0.08	6
REP 2023546	QC																				
2023569	Drill Core	0.29	0.55	0.08	18	1.77	0.064	25.3	14.4	0.65	319.0	0.020	2	1.03	0.026	0.40	0.2	6.1	0.12	0.32	<5
REP 2023569	QC	0.28	0.53	0.07	19	1.77	0.060	24.3	14.0	0.66	304.4	0.019	2	1.00	0.020	0.39	0.1	5.8	0.12	0.32	5
2023573	Drill Core	0.93	0.41	0.26	3	2.36	0.006	17.2	2.2	0.55	289.1	0.003	1	0.84	0.004	0.39	<0.1	2.4	0.09	0.11	11
REP 2023573	QC																				
Core Reject Duplicates																					
1832636	Drill Core	0.38	0.54	0.08	16	0.81	0.076	30.7	17.0	0.66	338.1	0.006	1	1.32	0.019	0.47	0.3	4.6	0.14	<0.02	5
DUP 1832636	QC	0.38	0.50	0.08	17	0.81	0.078	31.1	17.3	0.67	358.8	0.006	1	1.37	0.020	0.51	0.2	4.3	0.13	<0.02	<5
2023518	Drill Core	0.41	0.25	0.04	52	2.00	0.068	23.4	115.6	1.63	289.8	0.011	<1	1.83	0.033	0.31	<0.1	8.5	0.11	<0.02	<5
DUP 2023518	QC	0.42	0.23	0.04	53	2.01	0.067	23.2	112.8	1.62	291.0	0.011	<1	1.72	0.037	0.33	<0.1	8.5	0.11	<0.02	<5
2023552	Drill Core	0.24	0.36	0.08	<1	0.10	0.005	34.8	0.9	0.06	286.6	<0.001	1	0.30	0.011	0.26	<0.1	0.4	0.06	<0.02	14
DUP 2023552	QC	0.26	0.36	0.08	<1	0.10	0.005	35.2	0.9	0.06	281.2	<0.001	1	0.30	0.011	0.25	<0.1	0.4	0.06	<0.02	12
Reference Materials																					
STD BVGE001	Standard	5.93	3.24	23.09	77	1.30	0.069	24.7	186.2	1.31	267.9	0.201	4	2.39	0.197	0.88	5.0	6.2	0.62	0.66	74
STD BVGE001	Standard	6.25	2.97	22.95	73	1.31	0.069	24.6	182.8	1.29	236.7	0.199	3	2.36	0.195	0.88	4.9	6.0	0.62	0.67	68
STD DS11	Standard	2.29	8.55	11.32	50	1.08	0.064	19.7	60.6	0.83	356.8	0.105	7	1.26	0.080	0.41	2.8	3.8	4.74	0.28	240
STD DS11	Standard	2.20	8.39	10.10	49	1.04	0.066	17.2	58.7	0.83	335.2	0.092	7	1.21	0.072	0.40	2.8	3.3	4.72	0.27	253
STD OREAS262	Standard	0.66	4.98	1.03	23	2.93	0.037	19.7	47.8	1.16	252.1	0.003	5	1.61	0.069	0.36	0.2	3.7	0.45	0.26	148
STD OREAS262	Standard	0.60	5.02	0.87	22	2.82	0.036	14.6	42.9	1.13	226.8	0.002	4	1.38	0.065	0.32	0.2	3.2	0.45	0.25	162



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000105.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832629	Drill Core	<0.1	0.02	3.9	1.72	<0.1	0.13	0.06	23.3	0.4	<0.05	5.4	6.37	49.3	0.02	<1	0.3	9.4	<10	<2
REP 1832629	QC																			
1832651	Drill Core	<0.1	0.02	2.0	0.94	<0.1	<0.02	0.06	16.6	0.4	<0.05	0.3	4.71	34.6	<0.02	<1	0.3	4.6	<10	<2
REP 1832651	QC	<0.1	<0.02	2.1	0.95	<0.1	<0.02	0.04	17.2	0.3	<0.05	0.4	4.74	35.7	<0.02	<1	0.3	4.4	<10	<2
2023527	Drill Core	0.7	0.02	3.8	3.61	<0.1	0.03	0.03	14.9	0.4	<0.05	0.8	12.08	49.4	0.04	<1	0.5	19.4	<10	<2
REP 2023527	QC																			
2023534	Drill Core	0.8	0.02	2.7	1.70	<0.1	0.20	0.11	13.4	0.6	<0.05	7.1	14.36	64.7	0.03	<1	0.4	9.0	<10	<2
REP 2023534	QC	0.8	<0.02	2.7	1.67	<0.1	0.19	0.10	13.1	0.5	<0.05	6.9	13.94	62.7	0.02	<1	0.4	8.7	<10	<2
2023546	Drill Core	0.4	<0.02	1.7	0.80	<0.1	0.19	0.05	12.0	0.2	<0.05	8.4	12.71	65.3	<0.02	<1	0.3	4.7	<10	<2
REP 2023546	QC																			
2023569	Drill Core	0.8	<0.02	4.1	1.73	<0.1	0.06	0.06	16.8	0.7	<0.05	2.4	15.44	49.8	0.02	<1	0.4	13.7	<10	<2
REP 2023569	QC	0.7	<0.02	3.8	1.67	<0.1	0.06	0.06	16.2	0.6	<0.05	2.8	15.02	48.0	0.02	<1	0.4	12.8	<10	<2
2023573	Drill Core	1.2	<0.02	1.9	1.08	<0.1	0.17	0.03	13.1	0.3	<0.05	5.1	5.57	35.2	0.02	2	0.4	11.1	<10	<2
REP 2023573	QC																			
Core Reject Duplicates																				
1832636	Drill Core	<0.1	<0.02	4.4	0.76	<0.1	0.03	0.03	19.5	0.3	<0.05	1.2	14.04	57.3	<0.02	<1	0.5	13.8	<10	<2
DUP 1832636	QC	0.1	0.02	4.5	0.72	<0.1	<0.02	0.03	20.3	0.4	<0.05	1.1	13.88	57.8	0.02	<1	0.7	14.1	<10	<2
2023518	Drill Core	0.7	<0.02	6.5	2.39	<0.1	0.13	<0.02	13.1	0.5	<0.05	2.7	10.05	47.9	0.03	5	0.4	18.0	<10	<2
DUP 2023518	QC	0.7	<0.02	6.3	2.35	<0.1	0.08	<0.02	12.6	0.5	<0.05	2.1	9.86	46.4	0.04	3	0.3	17.1	<10	<2
2023552	Drill Core	<0.1	<0.02	1.4	1.67	<0.1	0.39	0.05	9.6	0.2	<0.05	13.4	4.98	70.1	<0.02	<1	0.3	2.5	<10	<2
DUP 2023552	QC	<0.1	<0.02	1.4	1.64	<0.1	0.39	0.04	9.5	0.2	<0.05	13.4	4.95	70.3	<0.02	<1	0.3	2.6	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.6	1.04	7.5	7.29	0.2	0.32	0.26	92.4	5.3	<0.05	7.3	13.69	52.0	0.46	5	0.6	20.4	134	170
STD BVGE001	Standard	4.6	0.95	7.2	7.14	0.2	0.30	0.27	90.8	5.6	<0.05	6.1	13.49	51.7	0.43	3	0.7	19.7	107	181
STD DS11	Standard	2.1	4.48	5.0	2.90	<0.1	0.07	1.67	32.6	1.9	<0.05	2.8	7.98	38.6	0.23	42	0.6	22.6	103	173
STD DS11	Standard	2.4	4.50	5.2	2.77	<0.1	0.07	1.47	33.0	1.7	<0.05	3.1	7.81	35.9	0.23	44	0.7	21.5	105	162
STD OREAS262	Standard	<0.1	0.22	4.0	2.94	<0.1	0.23	0.02	21.3	0.6	<0.05	11.0	10.80	37.8	0.03	<1	1.3	16.7	<10	<2
STD OREAS262	Standard	0.6	0.22	4.2	2.72	<0.1	0.25	<0.02	19.6	0.5	<0.05	11.5	9.92	30.2	0.03	1	1.1	15.9	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000105.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.70	111.97	57.10	146.2	465	63.5	27.3	536	3.16	35.6	1.2	68.7	8.3	34.6
STD OREAS262	Standard							0.66	112.38	58.02	147.9	453	62.8	28.1	552	3.20	37.0	1.3	53.8	11.0	34.3
STD OXC145	Standard			0.221																	
STD OXC145	Standard			0.208																	
STD OXH139	Standard			1.271																	
STD OXH139	Standard			1.338																	
STD OXN134	Standard			7.606																	
STD OXN134	Standard			7.784																	
STD OXQ90	Standard					25.15	29.98														
STD OXQ90	Standard					24.98	29.90														
STD OXQ90	Standard					24.96	29.97														
STD OXQ90	Standard					25.23	30.00														
STD OXQ90	Standard					25.15	29.90														
STD OXQ90	Standard					25.13	29.89														
STD OXQ90	Standard					24.87	29.99														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			0.006																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000105.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.67	5.29	0.99	27	2.93	0.039	16.8	44.6	1.16	267.1	0.002	4	1.52	0.067	0.33	0.2	3.4	0.49	0.25	168
STD OREAS262	Standard	0.65	3.99	0.94	23	2.94	0.038	16.0	44.6	1.15	257.7	0.002	4	1.49	0.065	0.32	0.2	3.3	0.47	0.26	154
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000105.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.5	0.26	4.4	3.14	<0.1	0.21	<0.02	21.0	0.7	<0.05	8.4	11.00	34.7	0.04	<1	1.0	18.0	<10	<2
STD OREAS262	Standard	0.4	0.22	4.0	2.65	<0.1	0.18	<0.02	19.8	0.6	<0.05	12.1	10.50	33.8	0.03	2	1.1	16.9	<10	2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000105.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			0.006																	
BLK	Blank			0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		451	<0.005	<0.01	<0.17	41.03	0.91	7.09	1.28	30.0	8	1.1	4.3	504	1.97	1.0	0.5	<0.2	2.4	25.8
ROCK-WHI	Prep Blank		442	0.006	<0.01	<0.17	41.15	0.93	2.85	1.33	30.5	14	0.9	4.1	551	1.93	0.9	0.6	<0.2	2.7	28.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000105.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.03	<0.02	27	0.70	0.040	7.2	2.6	0.45	64.6	0.100	2	1.07	0.147	0.12	0.1	4.3	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	25	0.74	0.043	8.2	2.5	0.43	71.3	0.112	1	1.14	0.183	0.15	0.1	5.5	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 20, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000105.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.5	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.15	<0.1	0.17	0.21	2.6	0.5	<0.05	4.7	9.07	13.6	<0.02	<1	0.1	2.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.5	0.20	0.2	0.21	0.33	3.0	0.4	<0.05	5.5	10.39	16.1	<0.02	<1	0.1	2.2	<10