



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 02, 2019
Report Date: July 29, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000133.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-23
P.O. Number
Number of Samples: 80

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	77	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	80	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	80	Analysis sample split/packet			WHI
Split -150	80	Analysis sample split/packet			WHI
EN002	80	Environmental disposal charge-Fire assay lead waste			VAN
FS631	77	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	80	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	80	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828566	Drill Core	4.57	476	<0.005	<0.01	<0.17	42.70	0.64	17.93	15.07	67.8	581	15.0	7.9	342	2.46	4.2	1.0	2.6	11.4	16.7
1828567	Drill Core	5.32	437	0.006	<0.01	<0.17	37.50	0.64	19.35	16.18	57.6	259	13.5	6.9	383	2.19	9.7	1.0	2.5	12.2	37.6
1828568	Drill Core	4.67	490	<0.005	<0.01	<0.17	29.46	0.49	19.86	18.36	39.1	239	13.0	5.8	405	1.70	16.0	0.8	0.5	12.5	87.7
1828569	Drill Core	5.25	463	0.008	<0.01	<0.17	46.44	0.90	13.68	14.70	49.2	190	13.2	6.5	440	2.39	17.9	1.2	4.0	12.0	59.4
1828570	Drill Core	4.75	501	0.005	<0.01	<0.17	47.80	1.48	17.72	14.27	53.8	239	13.7	7.1	429	2.43	15.9	1.2	1.7	11.5	36.4
1828571	Drill Core	3.67	439	<0.005	<0.01	<0.17	42.15	0.38	16.85	12.28	43.0	301	12.3	5.2	297	1.87	16.9	0.9	0.8	13.4	26.2
1828572	Drill Core	2.63	449	<0.005	<0.01	<0.17	39.66	0.76	17.76	22.67	70.7	322	10.8	6.2	425	2.34	24.0	1.0	1.1	11.8	53.7
1828573	Drill Core	4.39	449	0.006	<0.01	<0.17	48.14	1.67	13.15	21.43	78.5	226	12.0	7.4	457	2.59	21.2	1.8	2.7	12.8	42.8
1828574	Drill Core	4.63	521	<0.005	<0.01	<0.17	45.24	3.57	22.05	17.41	71.7	259	14.8	7.1	366	2.21	30.7	1.4	2.3	10.8	39.7
1828575	Drill Core	5.38	522	<0.005	<0.01	<0.17	45.26	2.34	15.73	10.18	59.0	183	10.2	6.6	413	2.20	22.9	4.3	2.0	11.8	60.4
1828576	Drill Core	4.84	472	0.005	<0.01	<0.17	39.77	1.95	15.89	28.53	74.6	266	10.2	6.1	441	2.34	14.4	1.4	0.4	11.6	60.1
1828577	Drill Core	3.69	362	0.008	<0.01	<0.17	50.61	1.08	9.93	22.55	63.3	172	8.8	6.1	478	2.20	10.8	1.5	1.3	12.4	54.3
1828578	Drill Core	4.89	467	<0.005	<0.01	<0.17	49.59	3.82	14.19	31.86	89.7	247	12.1	6.5	421	2.30	16.8	1.1	1.6	11.3	39.9
1828579	Drill Core	5.16	516	<0.005	<0.01	<0.17	44.21	1.88	15.39	12.25	61.2	166	11.4	6.7	416	2.17	13.9	3.8	0.5	11.6	82.3
1828580	Rock	0.24	174	<0.005	<0.01	<0.17	22.62	0.64	1.27	1.34	2.4	14	1.5	0.5	98	0.86	1.1	0.1	0.3	0.8	1.6
1828581	Drill Core	2.34	446	<0.005	<0.01	<0.17	26.07	0.92	17.49	31.15	51.7	485	10.9	5.2	366	1.71	17.7	1.7	0.7	11.3	41.0
1828582	Drill Core	3.35	425	<0.005	<0.01	<0.17	49.76	0.60	19.32	19.11	39.0	377	11.3	5.2	313	1.50	14.9	0.8	<0.2	12.8	37.7
1828583	Drill Core	4.07	423	<0.005	<0.01	<0.17	33.31	0.88	15.25	16.90	43.9	355	10.4	5.3	372	1.71	8.8	1.6	<0.2	12.2	49.6
1828584	Drill Core	3.00	488	<0.005	<0.01	<0.17	43.68	1.67	24.16	14.04	53.4	301	10.9	6.7	484	2.22	6.3	1.5	0.9	9.9	48.5
1828585	Drill Core	3.27	465	0.028	0.03	<0.17	30.87	1.97	20.23	5.32	56.7	215	10.2	6.2	465	2.10	3.6	1.2	2.1	10.5	39.1
1828586	Drill Core	2.59	390	0.128	0.12	<0.17	46.77	1.43	22.73	8.22	43.6	305	7.6	5.5	519	1.95	2.0	1.1	90.6	8.9	66.7
1828587	Drill Core	2.39	532	0.124	0.18	0.80	46.17	1.21	29.38	20.51	66.7	517	9.3	6.6	453	2.03	1.7	1.7	90.1	9.1	59.8
1828588	Drill Core	2.40	441	0.019	0.02	<0.17	42.82	2.03	24.51	7.76	61.2	399	10.5	7.4	546	2.16	1.5	1.4	13.4	11.7	78.5
1828589	Drill Core	2.42	391	1.404	1.81	7.69	25.49	1.19	22.36	4.95	54.5	714	9.1	6.3	485	1.94	0.5	1.1	1521.4	10.4	73.8
1828590	Drill Core	2.49	538	0.753	1.92	14.96	44.06	0.41	8.29	7.50	10.8	350	1.3	0.8	83	0.59	0.6	<0.1	864.6	0.9	2.1
1828591	Drill Core	2.23	500	0.133	0.97	12.59	33.69	0.47	9.99	2.40	5.3	89	1.0	0.7	90	0.57	0.4	<0.1	121.4	0.8	2.0
1828592	Drill Core	2.48	549	0.805	0.86	1.53	43.16	0.73	3.95	1.26	9.8	1073	3.8	2.4	206	0.91	1.0	0.4	22847.8	3.0	8.8
1828593	Drill Core	2.16	465	0.826	0.85	1.08	39.90	0.80	4.89	1.17	7.5	510	2.6	1.3	170	0.79	1.1	0.3	1455.7	1.8	8.1
1828594	Drill Core	2.37	486	4.255	4.57	7.44	48.09	1.65	23.58	4.41	33.5	1795	8.6	7.1	507	1.77	4.0	1.3	4317.7	9.4	23.6
1828595	Drill Core	2.69	529	0.006	<0.01	<0.17	45.66	1.89	14.12	8.73	51.7	211	10.3	7.4	495	2.02	1.7	3.2	2.4	11.0	56.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828566	Drill Core	0.29	0.56	0.30	27	0.25	0.068	25.7	30.7	1.08	225.6	0.020	1	1.45	0.036	0.31	0.7	4.6	0.11	<0.02	<5
1828567	Drill Core	0.27	0.42	0.21	17	0.59	0.062	21.2	17.2	0.77	316.1	0.011	<1	1.19	0.033	0.35	0.1	4.4	0.10	0.04	13
1828568	Drill Core	0.35	0.30	0.31	11	1.30	0.066	31.8	10.3	0.39	352.1	0.008	<1	0.93	0.046	0.34	<0.1	3.2	0.10	<0.02	11
1828569	Drill Core	0.22	0.97	0.19	21	0.93	0.061	28.2	18.3	0.67	307.9	0.034	1	1.15	0.044	0.39	0.2	6.3	0.13	<0.02	14
1828570	Drill Core	0.36	1.04	0.31	23	0.65	0.060	24.6	19.6	0.76	270.0	0.052	1	1.12	0.040	0.43	0.2	6.4	0.18	<0.02	7
1828571	Drill Core	0.31	0.44	0.23	14	0.46	0.058	28.8	11.7	0.69	300.5	0.035	<1	1.12	0.027	0.48	0.2	4.3	0.16	<0.02	5
1828572	Drill Core	0.32	0.37	0.14	23	0.95	0.057	19.9	22.9	0.97	219.1	0.036	<1	1.29	0.043	0.31	0.2	5.3	0.10	0.04	12
1828573	Drill Core	0.33	0.61	0.20	25	0.77	0.062	24.5	24.2	1.01	241.6	0.051	<1	1.43	0.051	0.31	0.3	6.4	0.11	<0.02	13
1828574	Drill Core	0.35	1.41	0.20	22	0.59	0.059	15.0	22.2	0.89	274.0	0.051	<1	1.20	0.025	0.42	0.3	5.5	0.15	0.10	<5
1828575	Drill Core	0.25	1.28	0.14	20	0.93	0.061	16.2	18.2	0.88	263.2	0.051	2	1.17	0.030	0.45	0.5	4.9	0.17	0.18	<5
1828576	Drill Core	0.32	0.83	0.28	22	0.98	0.060	19.5	22.6	0.97	220.4	0.055	2	1.31	0.045	0.35	0.4	5.4	0.10	0.05	8
1828577	Drill Core	0.36	0.65	0.14	18	1.01	0.056	24.6	19.5	0.79	305.8	0.042	<1	1.25	0.046	0.42	0.2	5.0	0.14	<0.02	13
1828578	Drill Core	0.49	1.10	0.21	18	0.63	0.057	18.2	18.2	0.98	251.4	0.031	<1	1.30	0.034	0.42	0.1	4.5	0.15	0.03	5
1828579	Drill Core	0.29	1.24	0.17	18	1.14	0.057	15.2	18.0	0.94	272.4	0.046	<1	1.19	0.030	0.47	0.2	3.8	0.17	0.15	<5
1828580	Rock	<0.01	0.08	<0.02	2	0.02	0.002	1.7	4.5	0.01	14.5	0.002	<1	0.06	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5
1828581	Drill Core	0.28	1.88	0.72	15	0.65	0.052	16.0	14.8	0.81	257.7	0.041	<1	1.02	0.015	0.47	0.3	3.0	0.14	0.11	<5
1828582	Drill Core	0.18	1.20	0.55	9	0.46	0.049	16.8	10.1	0.69	258.4	0.041	<1	0.90	0.015	0.42	0.3	2.6	0.13	0.06	<5
1828583	Drill Core	0.26	0.98	0.50	11	0.56	0.056	16.6	11.2	0.78	286.6	0.042	2	1.00	0.017	0.53	0.4	2.6	0.18	0.12	<5
1828584	Drill Core	0.23	0.83	0.21	17	0.61	0.058	15.2	15.9	0.97	222.5	0.079	<1	1.18	0.023	0.57	0.5	3.5	0.19	0.11	8
1828585	Drill Core	0.23	0.88	0.03	15	0.41	0.056	19.9	15.2	0.89	241.4	0.081	<1	1.20	0.025	0.67	0.7	3.1	0.22	<0.02	14
1828586	Drill Core	0.21	0.63	0.06	10	0.78	0.055	16.2	10.3	0.82	224.3	0.053	1	1.09	0.017	0.71	0.5	2.0	0.25	0.03	7
1828587	Drill Core	0.33	0.88	0.12	14	0.74	0.050	16.1	15.7	0.98	186.4	0.071	<1	1.20	0.023	0.53	0.6	3.0	0.18	0.11	5
1828588	Drill Core	0.23	1.04	0.06	14	0.92	0.060	26.0	14.4	0.93	224.9	0.067	<1	1.27	0.018	0.49	0.6	2.9	0.19	0.05	<5
1828589	Drill Core	0.23	1.21	<0.02	11	0.75	0.051	26.3	12.2	0.74	227.3	0.023	2	1.15	0.017	0.48	0.3	2.3	0.18	0.02	<5
1828590	Drill Core	0.04	0.26	<0.02	2	0.01	0.003	2.8	3.2	0.06	50.9	<0.001	1	0.13	0.003	0.07	0.1	0.3	0.02	<0.02	6
1828591	Drill Core	0.02	0.28	<0.02	1	0.01	0.002	2.2	3.1	0.05	28.4	<0.001	<1	0.09	0.002	0.05	<0.1	0.3	<0.02	<0.02	<5
1828592	Drill Core	0.08	0.33	<0.02	4	0.08	0.017	8.2	5.5	0.22	93.7	0.003	<1	0.35	0.006	0.16	0.2	0.7	0.06	<0.02	19
1828593	Drill Core	0.08	0.35	<0.02	3	0.06	0.010	5.0	4.8	0.10	69.6	0.007	<1	0.23	0.004	0.11	0.2	0.6	0.04	<0.02	<5
1828594	Drill Core	0.31	0.68	<0.02	8	0.24	0.039	17.3	9.4	0.62	230.7	0.029	<1	0.87	0.014	0.42	0.6	2.6	0.15	0.04	12
1828595	Drill Core	0.24	0.59	<0.02	15	0.76	0.059	20.2	14.9	0.94	247.2	0.068	1	1.28	0.028	0.48	0.4	3.9	0.22	0.07	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828566	Drill Core	<0.1	0.02	5.9	1.01	<0.1	0.11	0.04	14.7	0.4	<0.05	3.6	12.55	50.0	0.02	<1	0.6	16.3	<10
1828567	Drill Core	<0.1	<0.02	4.5	0.93	<0.1	0.06	0.03	13.7	0.4	<0.05	2.1	8.34	40.6	0.02	<1	0.5	12.2	<10
1828568	Drill Core	<0.1	<0.02	3.6	0.70	<0.1	0.03	0.06	11.8	0.4	<0.05	1.5	9.98	61.1	0.02	<1	0.3	5.4	<10
1828569	Drill Core	<0.1	<0.02	4.5	2.46	<0.1	0.11	0.08	17.7	0.5	<0.05	4.6	9.69	53.0	0.03	<1	0.7	13.2	<10
1828570	Drill Core	0.2	<0.02	4.7	3.15	<0.1	0.17	0.08	20.1	0.6	<0.05	5.2	9.58	45.6	0.02	<1	0.6	11.5	<10
1828571	Drill Core	<0.1	<0.02	3.8	1.70	<0.1	0.15	0.06	20.1	0.4	<0.05	4.4	9.32	54.0	0.03	<1	0.5	11.1	<10
1828572	Drill Core	<0.1	<0.02	5.4	1.27	<0.1	0.10	0.05	12.9	0.4	<0.05	4.0	8.21	36.1	0.02	<1	0.2	14.8	<10
1828573	Drill Core	0.1	<0.02	5.7	1.04	<0.1	0.14	0.07	12.3	0.6	<0.05	4.3	12.86	46.4	0.02	<1	0.6	18.7	<10
1828574	Drill Core	0.3	<0.02	4.4	1.15	<0.1	0.17	0.06	17.2	0.5	<0.05	5.8	11.53	27.6	<0.02	<1	0.5	15.9	<10
1828575	Drill Core	0.5	0.03	4.7	1.15	<0.1	0.09	0.07	17.5	0.5	<0.05	3.1	9.40	31.5	0.03	<1	0.5	13.1	<10
1828576	Drill Core	<0.1	0.02	5.2	0.90	<0.1	0.11	0.09	13.4	0.5	<0.05	3.1	12.35	37.7	0.03	<1	0.5	16.1	<10
1828577	Drill Core	<0.1	<0.02	5.1	1.26	<0.1	0.04	0.07	16.6	0.4	<0.05	1.4	11.29	46.7	0.02	<1	0.7	16.0	<10
1828578	Drill Core	0.1	0.03	4.5	1.95	<0.1	0.17	0.05	17.5	0.4	<0.05	6.2	7.91	34.4	<0.02	1	0.5	16.3	<10
1828579	Drill Core	0.6	<0.02	4.5	1.57	<0.1	0.08	0.05	19.3	0.4	<0.05	3.4	7.70	29.2	0.02	3	0.3	12.0	<10
1828580	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.10	0.06	1.1	<0.1	<0.05	2.5	0.81	3.5	<0.02	<1	<0.1	0.7	<10
1828581	Drill Core	0.2	0.04	3.3	1.18	<0.1	0.16	0.07	19.0	0.7	<0.05	5.0	8.10	31.0	<0.02	<1	0.3	10.4	<10
1828582	Drill Core	<0.1	0.04	3.4	1.15	<0.1	0.24	0.07	17.9	0.4	<0.05	8.1	10.36	32.1	<0.02	<1	0.5	9.7	<10
1828583	Drill Core	<0.1	0.04	3.3	1.40	<0.1	0.23	0.09	22.6	0.4	<0.05	8.1	7.61	31.8	<0.02	1	0.5	11.3	<10
1828584	Drill Core	0.1	<0.02	4.2	2.40	<0.1	0.19	0.07	26.5	0.5	<0.05	6.3	8.19	29.1	<0.02	1	0.2	12.7	<10
1828585	Drill Core	<0.1	<0.02	3.8	3.84	<0.1	0.23	0.06	32.0	0.4	<0.05	7.0	7.80	38.2	<0.02	<1	0.6	14.0	<10
1828586	Drill Core	<0.1	<0.02	2.8	3.56	<0.1	0.27	0.07	35.3	0.3	<0.05	7.4	6.40	30.5	<0.02	<1	0.5	11.9	<10
1828587	Drill Core	<0.1	<0.02	3.9	1.83	<0.1	0.21	0.08	25.5	0.3	<0.05	7.1	9.09	30.8	<0.02	<1	0.4	13.9	<10
1828588	Drill Core	<0.1	<0.02	4.2	1.45	<0.1	0.20	0.07	24.9	0.5	<0.05	6.7	13.49	50.0	<0.02	<1	0.5	16.9	<10
1828589	Drill Core	<0.1	<0.02	4.2	1.72	<0.1	0.16	<0.02	24.2	0.3	<0.05	6.0	12.63	49.8	<0.02	<1	0.6	17.0	<10
1828590	Drill Core	<0.1	<0.02	0.6	0.19	<0.1	0.03	<0.02	3.0	0.1	<0.05	1.1	0.87	5.2	<0.02	<1	<0.1	1.6	<10
1828591	Drill Core	<0.1	<0.02	0.4	0.24	<0.1	<0.02	<0.02	2.4	0.2	<0.05	0.7	0.85	4.0	<0.02	<1	<0.1	1.6	<10
1828592	Drill Core	<0.1	<0.02	1.7	0.51	<0.1	0.06	<0.02	8.5	0.2	<0.05	1.7	3.29	15.7	<0.02	<1	0.4	6.8	<10
1828593	Drill Core	<0.1	0.02	0.8	0.99	<0.1	0.03	0.04	5.2	0.2	<0.05	1.3	2.10	9.5	<0.02	<1	0.1	3.0	<10
1828594	Drill Core	0.3	0.15	3.1	2.70	<0.1	0.22	0.11	21.0	0.3	<0.05	7.9	8.65	32.5	<0.02	<1	0.5	14.1	<10
1828595	Drill Core	0.6	<0.02	3.9	1.58	<0.1	0.21	0.09	25.1	0.4	<0.05	6.7	10.05	38.9	<0.02	2	0.5	16.3	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828596	Drill Core	4.97	514	<0.005	<0.01	<0.17	47.00	1.48	11.42	13.05	45.2	164	9.5	6.6	487	1.95	0.6	1.5	2.6	9.4	54.6
1828597	Drill Core	5.28	563	0.005	<0.01	<0.17	36.70	1.33	15.51	7.68	45.5	177	10.1	6.4	370	1.93	2.7	1.1	1.4	9.9	39.9
1828598	Drill Core	5.07	456	<0.005	<0.01	<0.17	46.87	1.55	20.11	14.60	66.0	309	13.5	7.1	378	2.04	3.7	1.1	1.3	9.9	32.9
1828599	Drill Core	4.60	555	0.009	<0.01	<0.17	24.72	1.58	7.27	8.96	29.1	156	10.2	5.6	274	1.67	6.9	1.7	2.2	10.5	36.1
1828600	Rock Pulp	0.12	93	7.530				9.04	194.68	19.87	76.0	861	13.4	11.0	568	4.57	14.3	0.9	7387.6	3.0	73.2
1828601	Drill Core	5.06	551	0.007	<0.01	<0.17	44.55	1.95	18.78	12.09	29.2	515	14.0	5.1	176	1.35	7.5	2.2	2.7	9.1	17.0
1828602	Drill Core	5.01	505	0.006	<0.01	<0.17	26.92	0.76	18.87	15.76	56.2	568	14.3	7.0	376	1.89	6.7	1.5	3.7	10.7	32.7
1828603	Drill Core	4.89	509	0.317	0.32	0.36	44.00	1.11	26.08	14.40	51.8	698	15.5	7.8	399	2.07	16.9	2.5	301.0	9.2	80.4
1828604	Drill Core	3.07	445	0.046	0.04	<0.17	30.44	0.37	15.16	10.81	54.8	239	4.6	6.0	405	1.93	3.5	1.2	31.3	9.8	64.2
1828605	Drill Core	5.22	418	<0.005	<0.01	<0.17	37.29	0.72	22.29	15.33	72.5	263	6.3	8.9	340	2.22	4.4	2.7	0.5	10.4	38.2
1828606	Drill Core	4.97	501	<0.005	<0.01	<0.17	38.75	1.96	20.28	14.97	66.9	338	12.7	6.6	342	1.88	1.8	1.6	2.4	8.3	33.5
1828607	Drill Core	5.39	550	0.009	<0.01	<0.17	54.77	2.84	24.43	28.86	80.5	352	19.0	9.2	405	2.28	3.9	1.4	0.7	7.3	41.1
1828608	Drill Core	4.82	468	0.006	<0.01	<0.17	27.85	3.09	31.95	8.11	74.6	458	23.7	12.0	408	2.62	6.5	1.4	1.9	9.5	26.0
1828609	Drill Core	4.62	509	<0.005	<0.01	<0.17	27.66	1.54	11.26	14.89	76.6	217	10.9	7.9	334	1.98	2.6	1.2	<0.2	12.1	33.7
1828610	Drill Core	4.71	434	0.020	0.02	<0.17	38.47	1.30	11.81	12.42	58.9	219	9.5	6.8	322	1.91	5.2	1.4	14.6	11.2	44.2
1828611	Drill Core	5.11	480	0.124	0.12	<0.17	48.25	1.11	10.46	10.01	41.0	275	8.4	7.6	275	1.89	7.2	5.4	100.0	11.5	56.1
1828612	Drill Core	5.41	405	<0.005	<0.01	<0.17	30.34	1.21	24.04	56.90	107.8	403	11.1	8.4	353	1.95	2.8	1.7	1.6	9.7	66.4
1828613	Drill Core	5.32	411	<0.005	<0.01	<0.17	44.89	0.83	8.98	46.36	121.7	216	12.4	8.5	354	2.04	3.2	1.4	0.8	6.5	70.2
1828614	Drill Core	4.90	434	<0.005	<0.01	<0.17	26.12	1.56	14.87	60.31	104.8	286	11.5	7.2	335	2.08	3.9	1.9	<0.2	5.9	38.2
1828615	Drill Core	4.70	407	<0.005	<0.01	<0.17	33.03	1.02	16.27	29.27	81.8	270	10.7	6.8	235	1.68	3.9	4.1	<0.2	8.7	37.5
1828616	Drill Core	4.32	450	<0.005	<0.01	<0.17	37.46	0.59	26.36	149.67	116.8	665	10.5	6.7	266	1.93	1.4	1.3	<0.2	10.2	42.0
1828617	Drill Core	4.53	453	<0.005	<0.01	<0.17	33.86	0.48	13.73	13.69	74.8	226	9.1	6.2	228	1.85	1.3	1.3	0.2	10.5	36.1
1828618	Drill Core	4.59	399	0.024	0.02	<0.17	28.28	0.64	21.74	54.17	92.8	368	9.4	7.2	325	1.85	2.3	1.3	8.4	10.7	48.8
1828619	Drill Core	4.95	374	3.556	5.91	27.23	37.24	2.12	30.43	74.90	141.3	2777	10.1	8.9	334	2.21	13.1	1.4	4839.6	10.6	53.5
1828620	Rock Pulp	0.12	92	0.463				2.37	432.06	18.20	48.3	271	592.7	26.1	417	2.42	19.1	0.6	443.9	1.7	56.1
1828621	Drill Core	5.35	397	0.005	<0.01	<0.17	51.80	0.82	14.66	23.22	94.9	268	11.4	8.8	295	2.12	4.4	1.2	1.0	11.1	55.8
1828622	Drill Core	3.05	511	<0.005	<0.01	<0.17	29.62	0.74	15.88	8.60	86.5	210	14.5	8.7	252	2.19	6.3	1.1	3.1	9.4	47.9
1828623	Drill Core	2.69	390	0.005	<0.01	<0.17	38.23	0.91	19.36	8.12	85.6	234	14.5	9.6	266	2.22	10.1	1.1	0.8	8.7	62.8
1828624	Drill Core	3.39	463	0.022	0.02	<0.17	40.69	1.07	17.41	20.62	73.4	255	9.9	6.1	306	1.96	6.4	1.3	12.6	10.1	58.7
1828625	Drill Core	2.89	375	0.006	<0.01	<0.17	42.08	1.02	17.25	14.05	62.7	280	10.7	7.1	279	2.05	8.4	1.4	1.8	10.0	56.0



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828596	Drill Core	0.13	0.47	0.03	17	0.76	0.053	17.7	16.9	0.86	193.2	0.060	<1	1.12	0.026	0.42	0.4	4.0	0.22	0.05	7			
1828597	Drill Core	0.17	0.51	<0.02	16	0.47	0.055	16.4	16.7	0.87	225.9	0.083	<1	1.12	0.023	0.59	0.7	3.3	0.28	0.04	11			
1828598	Drill Core	0.22	0.76	0.21	18	0.45	0.056	13.7	21.3	0.95	168.6	0.065	<1	1.11	0.022	0.61	0.5	3.1	0.34	0.04	5			
1828599	Drill Core	0.14	2.61	0.10	19	0.53	0.044	19.2	19.6	0.70	195.6	0.069	<1	1.05	0.039	0.28	1.2	3.4	0.11	<0.02	24			
1828600	Rock Pulp	0.19	5.46	0.60	111	0.90	0.060	7.6	17.5	0.81	123.4	0.119	2	1.72	0.185	0.22	3.9	3.5	0.06	<0.02	214			
1828601	Drill Core	0.15	1.32	0.62	14	0.28	0.057	19.1	15.7	0.31	302.1	0.065	<1	0.74	0.026	0.37	1.2	2.6	0.17	<0.02	17			
1828602	Drill Core	0.32	1.18	0.74	22	0.46	0.058	20.3	26.4	0.54	192.6	0.081	<1	0.85	0.056	0.42	0.8	3.8	0.27	<0.02	6			
1828603	Drill Core	0.37	0.90	0.57	22	1.10	0.061	12.7	27.3	0.67	208.0	0.071	<1	0.86	0.047	0.49	1.4	3.6	0.33	0.46	17			
1828604	Drill Core	0.23	0.76	0.17	19	0.90	0.055	16.7	21.6	0.67	263.0	0.078	<1	1.03	0.035	0.62	0.9	3.6	0.37	0.09	14			
1828605	Drill Core	0.76	0.97	0.14	24	0.71	0.063	17.9	24.2	0.75	269.7	0.120	<1	1.19	0.034	0.72	1.2	4.3	0.50	0.08	32			
1828606	Drill Core	0.56	1.10	0.20	23	0.71	0.054	16.6	27.8	0.82	217.8	0.086	<1	1.14	0.028	0.61	1.1	4.2	0.45	0.03	20			
1828607	Drill Core	0.30	1.33	0.38	33	0.88	0.063	15.1	38.6	1.03	176.4	0.100	<1	1.33	0.038	0.52	1.1	5.5	0.39	<0.02	21			
1828608	Drill Core	0.38	2.07	0.11	36	0.48	0.071	17.7	41.4	1.09	233.7	0.106	<1	1.43	0.028	0.58	1.4	6.4	0.47	<0.02	14			
1828609	Drill Core	0.31	0.77	0.23	21	0.60	0.058	18.0	21.9	0.99	262.4	0.078	<1	1.26	0.026	0.65	0.7	4.2	0.42	<0.02	<5			
1828610	Drill Core	0.31	0.94	0.10	19	0.68	0.058	19.3	22.1	0.83	237.9	0.098	<1	1.16	0.033	0.65	1.2	4.0	0.38	<0.02	7			
1828611	Drill Core	0.52	0.99	0.12	17	0.88	0.062	15.0	18.8	0.70	263.8	0.074	<1	1.05	0.026	0.64	1.2	3.7	0.36	0.25	8			
1828612	Drill Core	0.49	1.19	0.15	22	1.10	0.066	19.0	28.0	0.84	195.3	0.090	<1	1.38	0.021	0.53	0.8	4.2	0.31	<0.02	12			
1828613	Drill Core	0.74	1.26	0.04	24	1.25	0.067	11.2	27.5	0.90	176.3	0.122	<1	1.48	0.029	0.38	0.4	4.0	0.21	<0.02	10			
1828614	Drill Core	0.33	0.48	0.09	19	0.70	0.060	8.8	23.1	0.92	222.3	0.098	<1	1.43	0.041	0.35	0.2	3.2	0.17	0.03	<5			
1828615	Drill Core	0.68	0.65	0.10	16	0.79	0.059	12.3	19.3	0.75	258.5	0.095	<1	1.30	0.035	0.49	0.2	3.3	0.27	0.04	<5			
1828616	Drill Core	0.68	1.13	0.17	19	0.67	0.059	19.0	23.6	0.79	242.2	0.070	<1	1.25	0.035	0.47	0.5	4.0	0.28	<0.02	<5			
1828617	Drill Core	0.57	0.92	0.05	21	0.59	0.054	19.1	26.4	0.79	192.2	0.074	<1	1.15	0.050	0.50	0.6	4.0	0.36	<0.02	25			
1828618	Drill Core	0.70	1.27	0.16	19	0.77	0.058	19.5	22.4	0.78	218.4	0.083	<1	1.22	0.041	0.58	0.7	3.4	0.39	<0.02	30			
1828619	Drill Core	1.21	1.32	0.67	15	0.62	0.084	19.3	17.1	0.78	307.2	0.065	2	1.15	0.020	0.63	1.3	3.3	0.43	0.02	29			
1828620	Rock Pulp	0.15	0.35	0.29	52	1.22	0.029	4.0	95.6	1.71	76.6	0.065	2	1.92	0.197	0.14	1.3	2.7	0.09	0.19	27			
1828621	Drill Core	0.50	1.23	0.11	23	0.95	0.068	19.9	27.5	1.02	231.0	0.101	<1	1.39	0.024	0.77	0.5	4.3	0.45	<0.02	11			
1828622	Drill Core	0.45	1.13	0.05	28	0.71	0.067	16.6	33.0	1.03	185.6	0.080	1	1.29	0.034	0.69	0.4	4.3	0.36	<0.02	6			
1828623	Drill Core	0.57	1.34	0.09	25	1.00	0.067	16.6	28.8	0.88	246.6	0.070	<1	1.20	0.032	0.71	0.8	4.4	0.39	<0.02	<5			
1828624	Drill Core	0.24	1.52	0.10	20	0.98	0.063	17.6	23.1	0.86	246.5	0.078	<1	1.30	0.021	0.68	0.7	3.7	0.37	0.04	12			
1828625	Drill Core	0.26	1.91	0.08	20	1.15	0.068	19.9	21.8	0.82	291.3	0.073	<1	1.35	0.016	0.76	0.5	3.8	0.37	0.02	7			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828596	Drill Core	<0.1	<0.02	4.4	2.31	<0.1	0.16	0.05	23.1	0.4	<0.05	5.8	8.43	33.7	<0.02	<1	0.6	14.9	<10
1828597	Drill Core	<0.1	<0.02	3.8	3.64	<0.1	0.29	0.08	33.5	0.4	<0.05	8.4	8.51	31.6	<0.02	<1	0.3	11.9	<10
1828598	Drill Core	<0.1	0.02	4.1	5.13	<0.1	0.23	0.09	38.1	0.4	<0.05	8.2	7.92	26.2	0.02	<1	0.3	15.5	<10
1828599	Drill Core	0.2	<0.02	4.8	0.90	<0.1	0.20	0.15	11.8	0.8	<0.05	5.6	9.64	36.2	0.02	<1	0.4	15.3	<10
1828600	Rock Pulp	<0.1	0.18	4.9	0.68	0.1	0.08	0.08	7.9	1.8	<0.05	1.6	5.13	15.2	0.06	<1	0.3	7.3	<10
1828601	Drill Core	0.6	0.05	3.1	1.09	<0.1	0.12	0.34	16.4	0.4	<0.05	3.6	9.58	35.4	<0.02	1	0.4	7.2	<10
1828602	Drill Core	0.5	0.04	4.4	3.72	0.1	0.22	0.32	28.0	0.7	<0.05	6.2	9.22	37.3	0.02	<1	0.7	6.9	<10
1828603	Drill Core	1.5	0.06	3.9	3.00	<0.1	0.24	0.21	29.1	0.5	<0.05	6.4	8.58	23.4	0.03	2	0.7	8.8	<10
1828604	Drill Core	<0.1	<0.02	3.8	4.25	<0.1	0.07	0.21	39.3	0.6	<0.05	2.1	9.06	31.1	<0.02	<1	0.8	9.0	<10
1828605	Drill Core	0.7	<0.02	4.8	4.83	0.1	0.06	0.28	43.6	0.7	<0.05	1.7	10.54	34.7	0.03	<1	0.5	10.1	<10
1828606	Drill Core	0.8	<0.02	4.1	5.62	<0.1	0.06	0.19	40.6	0.6	<0.05	1.9	11.18	30.5	<0.02	1	0.5	10.7	<10
1828607	Drill Core	0.1	<0.02	5.0	5.47	<0.1	0.08	0.13	34.6	0.7	<0.05	2.0	10.52	28.7	<0.02	<1	0.5	10.8	<10
1828608	Drill Core	0.1	<0.02	5.0	6.24	<0.1	0.09	0.15	40.2	0.5	<0.05	2.0	11.52	33.3	<0.02	1	0.7	15.4	<10
1828609	Drill Core	0.2	<0.02	4.4	4.77	<0.1	0.19	0.15	40.1	0.6	<0.05	4.7	9.67	33.0	<0.02	<1	0.9	14.9	<10
1828610	Drill Core	<0.1	<0.02	4.5	4.24	<0.1	0.11	0.22	40.9	0.6	<0.05	2.6	10.46	36.0	<0.02	<1	0.4	10.3	<10
1828611	Drill Core	0.6	0.03	4.2	3.62	<0.1	0.07	0.26	38.2	0.6	<0.05	1.8	9.66	27.6	<0.02	<1	0.7	10.4	<10
1828612	Drill Core	<0.1	0.03	5.3	3.60	<0.1	0.07	0.26	32.8	0.7	<0.05	2.0	9.80	36.2	<0.02	<1	0.7	13.4	<10
1828613	Drill Core	<0.1	<0.02	5.7	1.96	<0.1	0.06	0.34	21.5	0.7	<0.05	1.9	7.13	21.7	<0.02	<1	0.8	13.5	<10
1828614	Drill Core	0.1	<0.02	4.6	1.57	<0.1	0.04	0.25	18.2	0.5	<0.05	1.0	5.50	16.6	<0.02	<1	0.4	10.8	<10
1828615	Drill Core	0.5	0.03	4.6	2.99	<0.1	0.06	0.29	28.3	0.6	<0.05	1.3	6.52	24.1	<0.02	1	0.7	9.7	<10
1828616	Drill Core	0.4	0.03	5.0	3.34	<0.1	0.05	0.23	29.0	0.7	<0.05	1.3	9.05	36.2	0.02	<1	0.9	9.9	<10
1828617	Drill Core	<0.1	0.03	4.9	4.95	<0.1	0.05	0.20	33.1	0.7	<0.05	1.4	8.36	35.4	<0.02	<1	0.4	10.9	<10
1828618	Drill Core	0.1	<0.02	5.0	5.03	<0.1	0.06	0.26	37.7	0.6	<0.05	2.1	8.99	36.2	<0.02	<1	0.3	11.9	<10
1828619	Drill Core	0.4	0.24	4.3	5.68	0.1	0.07	0.17	40.1	0.6	<0.05	1.7	9.91	37.1	<0.02	<1	0.6	11.8	<10
1828620	Rock Pulp	0.6	0.17	4.0	0.60	<0.1	0.07	0.03	5.6	0.4	<0.05	1.4	2.96	8.1	<0.02	2	<0.1	6.8	256
1828621	Drill Core	<0.1	<0.02	5.2	6.04	<0.1	0.08	0.23	47.3	0.7	<0.05	1.9	10.78	37.3	0.02	<1	0.4	13.8	<10
1828622	Drill Core	<0.1	<0.02	5.2	5.89	<0.1	0.09	0.14	42.1	0.6	<0.05	2.8	9.42	31.2	0.03	<1	1.0	13.9	<10
1828623	Drill Core	0.2	<0.02	4.4	6.14	<0.1	0.11	0.10	42.2	0.6	<0.05	3.2	9.11	30.6	<0.02	<1	0.6	13.0	<10
1828624	Drill Core	<0.1	<0.02	5.3	4.11	<0.1	0.04	0.23	40.6	0.6	<0.05	2.0	9.09	33.0	<0.02	<1	0.4	13.2	<10
1828625	Drill Core	0.3	0.02	4.6	3.78	<0.1	0.06	0.23	42.0	0.6	<0.05	1.5	9.12	36.3	<0.02	<1	0.4	13.9	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828626	Drill Core	2.61	405	0.976	0.97	0.89	31.46	1.04	42.18	19.03	67.2	1437	10.9	7.4	307	2.24	12.6	1.7	3227.6	9.6	61.6
1828627	Drill Core	2.42	523	0.006	<0.01	<0.17	29.72	1.53	14.14	21.25	68.4	323	10.8	7.5	266	1.96	4.4	1.3	2.3	8.3	59.8
1828628	Drill Core	2.33	494	0.005	<0.01	<0.17	35.67	1.61	6.68	17.57	56.9	160	10.2	6.5	262	1.86	4.7	1.3	1.9	6.7	56.8
1828629	Drill Core	2.64	432	0.006	<0.01	<0.17	32.99	1.27	18.50	10.53	82.9	255	15.1	11.3	307	2.74	6.9	2.1	0.4	9.3	51.2
1828630	Drill Core	2.60	435	0.006	<0.01	<0.17	36.88	0.78	18.33	7.64	55.8	223	11.1	8.8	261	2.05	2.7	1.9	0.5	10.2	51.0
1828631	Drill Core	2.47	539	0.006	<0.01	<0.17	38.88	0.66	18.08	15.26	76.1	279	12.6	8.3	327	2.07	2.8	1.7	0.5	9.2	66.5
1828632	Drill Core	3.40	453	<0.005	<0.01	<0.17	51.51	0.51	8.82	14.51	45.1	238	4.0	3.7	210	1.20	1.3	1.7	<0.2	12.6	38.4
1828633	Drill Core	3.23	446	0.016	0.01	<0.17	47.68	0.50	9.08	10.14	54.8	238	8.0	5.3	331	1.81	1.3	1.7	1.0	10.3	78.3
1828634	Drill Core	4.02	476	0.006	<0.01	<0.17	27.00	0.90	18.18	8.67	73.8	285	16.1	8.6	270	2.28	3.3	2.0	2.7	9.5	75.2
1828635	Drill Core	4.91	440	0.005	<0.01	<0.17	47.08	0.96	17.94	15.92	69.9	332	12.0	7.9	272	2.24	3.4	2.4	1.3	8.4	72.4
1828636	Drill Core	3.45	500	0.006	<0.01	<0.17	33.08	0.45	22.17	24.15	69.2	396	12.5	8.7	301	2.20	3.8	1.6	2.0	9.8	63.7
1828637	Drill Core	4.80	448	0.005	<0.01	<0.17	47.04	0.89	18.38	11.68	73.2	278	15.5	8.2	302	2.41	4.9	3.9	0.5	9.0	58.3
1828638	Drill Core	4.56	357	0.005	<0.01	<0.17	38.96	0.77	20.23	3.30	84.4	314	20.2	9.3	353	2.82	1.5	3.0	1.5	9.0	60.7
1828639	Drill Core	5.10	489	0.006	<0.01	<0.17	40.84	1.73	6.62	24.07	73.4	289	14.0	7.2	290	2.25	1.3	1.0	0.9	9.3	36.0
1828640	Rock Pulp	0.12	90	0.012				2.07	90.31	3.48	33.3	121	4.1	6.9	335	2.35	0.6	0.8	0.8	2.3	67.4
1828641	Drill Core	4.06	421	0.005	<0.01	<0.17	28.31	1.48	10.95	16.02	53.1	226	12.2	6.1	286	1.77	2.2	1.7	<0.2	11.0	65.3
1828642	Drill Core	3.74	540	0.006	<0.01	<0.17	40.03	0.49	12.10	13.68	37.6	239	8.5	5.2	162	1.34	1.9	3.9	<0.2	11.2	33.8
1828643	Drill Core	3.65	505	<0.005	<0.01	<0.17	33.69	0.29	5.40	22.47	39.1	180	2.4	2.5	215	0.90	2.8	2.9	1.8	9.3	57.0
1828644	Drill Core	2.26	360	0.009	<0.01	<0.17	42.84	1.66	10.74	18.40	45.0	241	7.0	5.9	289	1.71	1.8	1.7	0.2	12.2	37.3
1828645	Drill Core	5.00	453	0.006	<0.01	<0.17	43.89	0.97	8.87	16.55	34.5	216	5.1	4.2	255	1.27	1.9	1.4	0.2	10.9	64.6



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828626	Drill Core	0.38	1.97	0.23	23	1.11	0.063	16.8	26.5	0.87	226.4	0.075	1	1.16	0.030	0.59	0.9	4.4	0.29	0.07	13
1828627	Drill Core	0.35	1.89	0.22	23	1.07	0.058	16.3	26.5	0.82	220.8	0.077	2	1.23	0.023	0.55	0.7	4.2	0.26	<0.02	14
1828628	Drill Core	0.27	1.60	0.11	23	0.98	0.051	13.8	26.6	0.81	194.9	0.067	<1	1.19	0.018	0.52	0.9	4.0	0.23	<0.02	15
1828629	Drill Core	0.40	1.33	0.05	33	0.82	0.075	16.8	37.5	1.22	254.3	0.102	1	1.61	0.034	0.69	1.0	6.0	0.39	0.11	23
1828630	Drill Core	0.30	1.26	<0.02	25	0.83	0.057	21.4	28.4	0.80	258.2	0.072	<1	1.15	0.040	0.37	1.1	4.9	0.18	<0.02	28
1828631	Drill Core	0.38	1.34	0.16	29	1.15	0.064	20.5	32.3	1.07	516.1	0.072	<1	1.27	0.030	0.54	0.9	5.1	0.31	<0.02	41
1828632	Drill Core	0.21	1.15	0.11	11	0.57	0.032	26.2	16.3	0.48	629.0	0.034	<1	0.89	0.018	0.45	0.7	4.0	0.25	<0.02	156
1828633	Drill Core	0.26	0.85	0.07	23	1.29	0.047	26.3	27.1	0.74	457.0	0.032	<1	1.05	0.025	0.26	0.4	4.9	0.11	0.04	38
1828634	Drill Core	0.24	1.94	<0.02	32	1.00	0.065	22.2	33.5	1.11	427.8	0.093	3	1.40	0.027	0.49	1.1	6.3	0.25	0.03	38
1828635	Drill Core	0.43	1.43	0.07	25	1.10	0.047	12.8	27.6	1.17	366.7	0.074	<1	1.20	0.024	0.61	0.7	5.0	0.34	0.11	28
1828636	Drill Core	0.19	1.53	0.17	24	0.86	0.067	14.8	26.2	1.06	652.5	0.093	2	1.23	0.029	0.74	0.5	6.1	0.41	0.10	24
1828637	Drill Core	0.50	1.49	0.07	32	0.80	0.059	12.8	33.8	1.12	299.1	0.115	4	1.28	0.044	0.80	0.9	5.7	0.45	0.17	14
1828638	Drill Core	0.40	0.78	<0.02	41	0.94	0.074	17.8	41.6	1.32	251.6	0.114	<1	1.52	0.044	0.69	0.7	6.4	0.38	0.06	<5
1828639	Drill Core	0.16	0.54	0.24	20	0.57	0.053	13.0	20.8	1.13	344.0	0.053	<1	1.41	0.019	0.69	0.3	4.6	0.34	0.08	<5
1828640	Rock Pulp	0.06	0.12	0.04	79	0.82	0.057	6.1	9.2	0.67	115.6	0.090	5	1.36	0.166	0.19	2.8	2.1	0.04	<0.02	<5
1828641	Drill Core	0.63	0.73	0.12	17	1.06	0.050	15.0	23.7	0.84	343.5	0.057	3	1.07	0.022	0.53	0.4	3.9	0.18	0.21	<5
1828642	Drill Core	0.20	1.05	0.11	14	0.57	0.044	23.7	14.2	0.61	434.5	0.056	2	0.97	0.020	0.62	0.3	3.3	0.18	0.19	<5
1828643	Drill Core	0.55	0.84	0.14	7	1.04	0.023	25.9	12.5	0.31	375.7	0.027	<1	0.77	0.027	0.46	0.5	3.6	0.15	0.04	10
1828644	Drill Core	0.46	0.80	0.19	11	0.71	0.043	28.2	12.5	0.54	423.9	0.027	1	0.92	0.022	0.55	0.5	4.5	0.18	<0.02	6
1828645	Drill Core	0.32	0.84	0.14	8	1.03	0.039	27.2	10.3	0.41	385.9	0.032	2	0.78	0.017	0.46	0.5	4.0	0.13	<0.02	5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000133.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828626	Drill Core	0.4	0.03	4.9	3.55	<0.1	0.13	0.18	34.0	0.5	<0.05	2.0	9.77	31.1	<0.02	<1	0.9	12.9	<10	<2
1828627	Drill Core	0.3	<0.02	4.7	2.93	<0.1	0.07	0.16	30.3	0.6	<0.05	1.4	9.16	31.1	<0.02	<1	0.6	12.6	<10	<2
1828628	Drill Core	<0.1	<0.02	4.5	3.03	<0.1	0.05	0.17	28.4	0.6	<0.05	1.7	8.22	26.6	<0.02	<1	0.9	11.4	<10	3
1828629	Drill Core	0.3	<0.02	6.4	6.16	<0.1	0.07	0.19	44.7	0.8	<0.05	2.0	10.66	32.1	<0.02	<1	0.7	17.5	<10	<2
1828630	Drill Core	<0.1	<0.02	5.0	2.63	<0.1	0.04	0.17	21.0	0.6	<0.05	1.4	10.04	40.4	0.03	<1	0.3	12.4	<10	<2
1828631	Drill Core	<0.1	0.02	5.2	4.98	<0.1	0.16	0.15	34.6	0.6	<0.05	5.3	11.04	38.1	<0.02	<1	0.7	13.9	<10	<2
1828632	Drill Core	<0.1	<0.02	3.9	2.60	<0.1	0.06	0.32	27.6	0.7	<0.05	1.9	13.63	51.0	0.02	<1	0.7	8.9	<10	<2
1828633	Drill Core	<0.1	<0.02	6.1	0.86	<0.1	0.11	0.12	13.4	0.6	<0.05	3.9	16.79	50.0	0.03	<1	0.4	13.3	<10	<2
1828634	Drill Core	0.6	<0.02	5.7	2.86	<0.1	0.29	0.19	28.2	0.7	<0.05	8.3	14.43	45.8	<0.02	<1	0.7	16.7	<10	<2
1828635	Drill Core	0.4	<0.02	4.6	4.77	<0.1	0.34	0.15	36.4	0.6	<0.05	10.3	11.76	26.1	<0.02	1	0.5	12.5	<10	<2
1828636	Drill Core	0.5	<0.02	5.0	6.34	<0.1	0.30	0.19	46.3	0.6	<0.05	11.0	13.32	30.3	<0.02	<1	0.6	13.8	<10	<2
1828637	Drill Core	1.2	<0.02	4.5	7.52	<0.1	0.20	0.17	54.7	0.6	<0.05	6.6	10.02	26.7	<0.02	3	0.5	14.6	12	<2
1828638	Drill Core	0.5	<0.02	7.0	5.31	<0.1	0.35	0.17	41.7	0.6	<0.05	9.9	12.26	32.9	<0.02	<1	1.2	20.8	<10	<2
1828639	Drill Core	0.3	0.03	4.5	3.97	<0.1	0.36	0.10	37.0	0.4	<0.05	14.1	8.48	24.8	<0.02	2	0.5	13.6	<10	<2
1828640	Rock Pulp	<0.1	<0.02	4.1	0.28	<0.1	0.04	0.12	6.6	0.2	<0.05	1.3	4.37	13.2	<0.02	<1	<0.1	5.2	<10	<2
1828641	Drill Core	0.7	<0.02	3.8	2.18	<0.1	0.25	0.20	25.4	0.5	<0.05	9.6	11.78	31.2	<0.02	1	0.7	8.5	<10	<2
1828642	Drill Core	<0.1	<0.02	3.0	1.70	<0.1	0.18	0.29	25.6	0.4	<0.05	6.3	12.62	45.4	<0.02	<1	<0.1	7.6	<10	<2
1828643	Drill Core	0.4	<0.02	2.8	0.90	<0.1	0.05	0.28	21.5	0.5	<0.05	1.8	15.21	51.9	<0.02	<1	<0.1	5.2	<10	<2
1828644	Drill Core	0.3	<0.02	2.9	1.93	<0.1	0.25	0.18	25.8	0.4	<0.05	8.3	18.39	57.1	<0.02	<1	0.2	7.3	<10	<2
1828645	Drill Core	0.3	<0.02	2.5	1.15	<0.1	0.19	0.26	18.6	0.4	<0.05	7.5	17.69	53.3	<0.02	<1	0.2	5.8	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 29, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000133.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
REP 1828580	QC							0.70	1.36	1.35	2.5	13	1.4	0.5	102	0.88	1.2	0.1	<0.2	1.0	1.6	
1828600	Rock Pulp	0.12	93	7.530				9.04	194.68	19.87	76.0	861	13.4	11.0	568	4.57	14.3	0.9	7387.6	3.0	73.2	
REP 1828600	QC	7.186																				
REP 1828614	QC							1.51	14.17	59.38	101.7	294	11.1	7.2	323	2.02	3.6	1.9	<0.2	5.9	37.1	
Core Reject Duplicates																						
1828580	Rock	0.24	174	<0.005	<0.01	<0.17	22.62	0.64	1.27	1.34	2.4	14	1.5	0.5	98	0.86	1.1	0.1	0.3	0.8	1.6	
DUP 1828580	QC	I.S.		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1828614	Drill Core	4.90	434	<0.005	<0.01	<0.17	26.12	1.56	14.87	60.31	104.8	286	11.5	7.2	335	2.08	3.9	1.9	<0.2	5.9	38.2	
DUP 1828614	QC	458		<0.005	<0.01	<0.17	25.73	1.62	14.28	61.55	103.2	282	10.9	7.2	328	2.07	3.5	1.8	<0.2	5.8	36.9	
Reference Materials																						
STD BVGEO01	Standard							10.22	4147.34	173.56	1603.6	2361	155.6	22.7	690	3.47	113.3	3.6	209.8	14.7	51.9	
STD DS11	Standard							15.33	138.03	141.86	326.2	1707	76.3	13.7	1040	3.12	42.9	2.9	82.6	8.6	68.2	
STD DS11	Standard							14.22	152.64	132.59	331.0	1693	76.4	13.5	994	3.15	44.5	2.5	136.6	8.4	67.5	
STD OREAS256	Standard	7.513																				
STD OREAS253	Standard	1.209																				
STD OREAS262	Standard							0.61	116.01	54.47	146.7	456	59.7	25.8	504	3.19	35.3	1.1	64.6	9.1	34.0	
STD OREAS262	Standard							0.67	119.85	56.79	153.8	435	63.2	27.7	527	3.31	37.1	1.2	65.0	10.2	36.4	
STD OREAS262	Standard							0.67	118.54	55.89	146.0	446	62.8	26.9	524	3.24	35.6	1.2	75.0	9.8	35.8	
STD OXC145	Standard	0.218																				
STD OXC145	Standard	0.206																				
STD OXC145	Standard	0.215																				
STD OXH139	Standard	1.340																				
STD OXH139	Standard	1.301																				
STD OXN134	Standard	7.834																				
STD OXN134	Standard	7.832																				
STD OXQ90	Standard	25.35					30.06															
STD OXQ90	Standard	25.33					29.77															
STD OXQ90	Standard	25.15					29.94															



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000133.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1828580	QC	<0.01	0.09	<0.02	2	0.02	0.002	1.8	4.6	0.02	14.8	0.003	<1	0.07	0.005	0.02	<0.1	0.2	<0.02	<0.02	<5
1828600	Rock Pulp	0.19	5.46	0.60	111	0.90	0.060	7.6	17.5	0.81	123.4	0.119	2	1.72	0.185	0.22	3.9	3.5	0.06	<0.02	214
REP 1828600	QC																				
REP 1828614	QC	0.31	0.55	0.08	18	0.64	0.062	8.3	22.3	0.91	220.2	0.097	<1	1.44	0.040	0.33	0.2	3.1	0.17	0.03	<5
Core Reject Duplicates																					
1828580	Rock	<0.01	0.08	<0.02	2	0.02	0.002	1.7	4.5	0.01	14.5	0.002	<1	0.06	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5
DUP 1828580	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1828614	Drill Core	0.33	0.48	0.09	19	0.70	0.060	8.8	23.1	0.92	222.3	0.098	<1	1.43	0.041	0.35	0.2	3.2	0.17	0.03	<5
DUP 1828614	QC	0.34	0.48	0.09	18	0.66	0.060	8.3	22.3	0.92	233.8	0.095	<1	1.45	0.038	0.36	0.2	2.8	0.17	0.03	<5
Reference Materials																					
STD BVGEO01	Standard	6.19	3.87	24.06	73	1.19	0.068	24.7	177.2	1.21	279.9	0.212	2	2.17	0.186	0.81	5.2	5.4	0.59	0.62	99
STD DS11	Standard	2.55	9.56	12.60	48	1.07	0.071	20.3	58.6	0.85	403.1	0.095	11	1.25	0.074	0.40	3.0	3.3	5.25	0.27	296
STD DS11	Standard	2.39	8.84	11.84	52	1.05	0.074	17.8	58.0	0.83	380.7	0.089	8	1.14	0.071	0.40	3.0	3.1	4.69	0.28	277
STD OREAS256	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.56	5.57	1.01	22	3.01	0.038	16.5	39.4	1.17	238.7	0.002	2	1.37	0.066	0.33	0.2	2.8	0.43	0.25	137
STD OREAS262	Standard	0.68	5.79	1.06	24	2.89	0.041	16.1	43.4	1.17	258.2	0.003	4	1.29	0.069	0.31	0.2	3.2	0.46	0.25	171
STD OREAS262	Standard	0.65	6.28	1.06	25	2.85	0.037	18.3	44.6	1.17	255.7	0.003	4	1.48	0.070	0.33	0.2	3.1	0.47	0.25	159
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000133.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 1828580	QC	<0.1	<0.02	0.3	0.11	<0.1	0.10	0.05	1.1	0.1	<0.05	2.4	0.84	3.5	<0.02	<1	<0.1	0.8	<10	<2
1828600	Rock Pulp	<0.1	0.18	4.9	0.68	0.1	0.08	0.08	7.9	1.8	<0.05	1.6	5.13	15.2	0.06	<1	0.3	7.3	<10	<2
REP 1828600	QC																			
REP 1828614	QC	<0.1	<0.02	4.3	1.53	<0.1	0.03	0.26	18.2	0.5	<0.05	1.1	5.26	16.2	<0.02	<1	0.4	10.7	<10	<2
Core Reject Duplicates																				
1828580	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.10	0.06	1.1	<0.1	<0.05	2.5	0.81	3.5	<0.02	<1	<0.1	0.7	<10	<2
DUP 1828580	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1828614	Drill Core	0.1	<0.02	4.6	1.57	<0.1	0.04	0.25	18.2	0.5	<0.05	1.0	5.50	16.6	<0.02	<1	0.4	10.8	<10	3
DUP 1828614	QC	0.3	0.03	4.4	1.51	<0.1	0.04	0.23	18.3	0.5	<0.05	0.9	5.25	16.0	<0.02	<1	0.5	10.5	11	<2
Reference Materials																				
STD BVGE001	Standard	5.0	0.95	6.8	6.52	0.1	0.26	0.41	83.8	5.4	<0.05	5.7	12.75	48.2	0.41	3	0.8	18.3	109	180
STD DS11	Standard	1.8	4.75	4.6	3.09	<0.1	0.07	1.69	34.7	2.1	<0.05	4.4	9.16	44.3	0.27	51	0.5	22.9	99	189
STD DS11	Standard	1.8	4.57	4.8	2.85	<0.1	0.08	1.32	31.9	1.9	<0.05	2.6	7.67	35.4	0.21	58	0.3	22.3	92	156
STD OREAS256	Standard																			
STD OREAS253	Standard																			
STD OREAS262	Standard	0.6	0.17	4.3	2.85	<0.1	0.24	<0.02	18.6	0.5	<0.05	10.7	10.15	34.5	0.03	2	0.9	16.2	<10	<2
STD OREAS262	Standard	0.3	0.25	3.9	2.85	<0.1	0.22	<0.02	17.9	0.6	<0.05	8.1	10.60	31.3	0.03	<1	1.0	17.0	<10	<2
STD OREAS262	Standard	0.4	0.23	3.7	2.98	<0.1	0.24	<0.02	19.4	0.6	<0.05	12.1	10.41	35.2	0.03	<1	1.1	17.4	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000133.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.08	29.90														
STD OXQ90	Standard					24.98	30.10														
STD OXQ90	Standard					24.87	30.08														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.1	2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	0.02	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		428	<0.005	<0.01	<0.17	38.59	1.03	2.27	1.82	28.7	15	0.9	3.7	504	2.02	1.6	0.5	3.1	3.9	25.2
ROCK-WHI	Prep Blank		479	<0.005	<0.01	<0.17	37.12	0.73	3.76	1.53	28.4	13	0.9	3.8	497	1.98	1.2	0.4	0.9	2.9	25.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000133.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.16	0.04	26	0.68	0.044	6.7	2.8	0.43	66.5	0.082	2	0.90	0.101	0.11	0.1	3.0	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.10	0.03	28	0.60	0.044	6.2	2.6	0.43	66.6	0.084	1	0.91	0.105	0.10	0.1	2.7	<0.02	<0.02	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 29, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000133.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.16	0.1	0.10	0.26	2.5	0.5	<0.05	2.7	8.58	13.3	<0.02	<1	0.2	2.0	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.16	<0.1	0.15	0.24	2.3	0.4	<0.05	2.6	8.26	12.6	<0.02	<1	0.2	2.1	<10