



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 02, 2019
Report Date: July 27, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000135.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-23
P.O. Number
Number of Samples: 99

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	95	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	99	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	99	Analysis sample split/packet			WHI
Split -150	99	Analysis sample split/packet			WHI
EN002	99	Environmental disposal charge-Fire assay lead waste			VAN
FS631	96	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	99	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	99	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022226	Drill Core	3.50	494	0.008	<0.01	<0.17	24.95	0.62	14.58	10.70	48.6	317	11.0	7.3	605	2.29	5.4	0.7	1.0	11.1	12.7
2022227	Drill Core	4.81	449	0.006	<0.01	<0.17	18.46	0.44	14.70	24.86	75.4	366	9.7	6.7	617	2.13	9.0	0.8	0.4	10.3	16.7
2022228	Drill Core	4.49	494	0.008	<0.01	<0.17	22.91	0.52	15.35	22.12	105.2	333	10.5	6.8	607	2.29	12.2	0.7	0.4	10.8	15.7
2022229	Drill Core	4.43	410	0.007	<0.01	<0.17	26.51	0.58	14.68	15.66	52.4	194	11.0	8.0	616	2.18	6.1	0.8	2.0	11.5	17.8
2022230	Drill Core	2.25	394	0.007	<0.01	<0.17	16.85	0.38	15.86	6.51	52.2	114	11.2	7.8	458	2.28	6.7	1.0	2.0	12.3	18.0
2022231	Drill Core	3.03	539	0.008	<0.01	<0.17	18.60	0.45	15.62	12.43	53.5	174	10.3	6.9	551	2.07	10.0	0.9	1.5	11.6	18.5
2022232	Drill Core	4.63	418	0.007	<0.01	<0.17	19.35	0.40	11.02	11.52	48.4	156	10.7	6.5	432	2.16	11.1	0.8	1.8	10.5	22.6
2022233	Drill Core	5.04	422	<0.005	<0.01	<0.17	31.61	0.56	8.05	13.94	40.1	126	10.8	7.5	429	2.05	7.6	0.8	0.5	11.5	22.7
2022234	Drill Core	4.68	453	0.006	<0.01	<0.17	17.88	0.49	17.16	6.94	45.4	233	10.3	6.5	439	2.16	13.7	1.1	0.5	11.2	20.9
2022235	Drill Core	2.50	477	0.007	<0.01	<0.17	19.85	0.50	16.88	12.99	51.4	205	11.0	6.5	452	2.18	14.5	1.0	1.0	12.2	25.9
2022236	Drill Core	2.50	488	0.006	<0.01	<0.17	16.95	0.35	10.62	13.94	44.8	131	8.8	5.8	423	2.00	7.1	0.9	0.5	10.0	26.4
2022237	Drill Core	5.69	485	0.007	<0.01	<0.17	22.58	0.69	13.40	9.94	42.5	156	9.7	6.7	468	2.01	25.9	1.1	0.8	11.7	26.6
2022238	Drill Core	4.35	442	0.005	<0.01	<0.17	22.52	0.48	12.63	8.72	44.8	128	9.7	6.8	450	1.97	3.0	0.9	<0.2	10.1	30.8
2022239	Drill Core	4.55	421	0.005	<0.01	<0.17	31.81	0.44	12.88	3.90	50.0	114	11.2	7.5	462	2.12	3.2	1.0	0.5	11.4	30.9
2022240	Rock Pulp	0.12	93	0.011				2.18	91.30	3.47	33.9	96	4.8	8.2	351	2.54	0.6	0.8	8.6	2.5	73.6
2022241	Drill Core	4.86	562	0.005	<0.01	<0.17	22.91	0.39	10.44	6.37	43.6	125	10.6	6.8	418	1.95	1.5	1.0	0.9	10.6	44.0
2022242	Drill Core	4.74	481	0.006	<0.01	<0.17	21.81	0.37	20.32	15.14	56.1	221	10.8	6.8	430	2.24	1.5	0.9	1.4	10.0	42.3
2022243	Drill Core	2.57	517	<0.005	<0.01	<0.17	24.08	0.50	19.43	18.99	57.3	243	11.2	6.4	435	2.23	0.7	1.0	0.3	9.5	47.3
2022244	Drill Core	4.63	504	0.005	<0.01	<0.17	18.19	0.73	31.96	209.40	144.2	665	13.1	7.6	394	2.24	2.5	1.2	<0.2	10.4	40.5
2022245	Drill Core	2.73	477	0.005	<0.01	<0.17	28.03	0.64	22.30	22.99	87.5	233	13.1	7.6	377	2.13	3.6	1.2	0.6	10.1	31.9
2022246	Drill Core	2.06	413	<0.005	<0.01	<0.17	35.66	0.62	16.51	21.03	32.3	248	8.8	4.4	284	1.22	3.6	1.5	<0.2	13.2	48.9
2022247	Drill Core	2.85	431	0.006	<0.01	<0.17	25.18	0.49	12.80	16.38	24.4	227	8.1	4.2	345	1.16	7.0	1.2	0.3	12.5	72.5
2022248	Drill Core	5.21	446	<0.005	<0.01	<0.17	27.19	0.52	17.89	23.32	33.8	392	10.1	3.8	260	1.24	5.4	1.5	<0.2	14.7	54.9
2022249	Drill Core	5.74	473	<0.005	<0.01	<0.17	25.69	0.57	26.48	36.17	87.4	650	14.0	6.6	413	1.98	2.6	1.7	<0.2	11.5	38.1
2022250	Drill Core	4.92	472	<0.005	<0.01	<0.17	43.71	0.26	39.41	108.38	366.2	397	7.3	7.8	595	2.14	1.7	1.3	<0.2	9.1	50.6
2022251	Drill Core	4.83	515	<0.005	<0.01	<0.17	37.91	0.24	62.63	246.10	290.5	1033	4.4	5.1	778	1.99	0.6	1.1	<0.2	7.5	54.4
2022252	Drill Core	5.34	454	<0.005	<0.01	<0.17	19.37	0.25	18.96	11.42	92.7	257	5.7	6.1	438	2.15	0.9	1.3	<0.2	7.4	49.0
2022253	Drill Core	4.33	442	<0.005	<0.01	<0.17	44.37	0.45	13.82	21.22	63.2	235	6.8	5.7	447	2.17	0.7	1.0	<0.2	9.9	77.7
2022254	Drill Core	5.32	504	<0.005	<0.01	<0.17	20.85	0.37	14.82	10.71	63.9	186	8.0	6.3	346	2.08	1.8	1.4	<0.2	11.8	54.6
2022255	Drill Core	5.03	496	<0.005	<0.01	<0.17	32.40	0.49	16.06	8.97	60.7	171	10.8	8.1	517	2.21	4.6	1.3	0.7	10.2	73.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022226	Drill Core	0.37	0.34	0.04	14	0.14	0.050	32.8	16.5	0.91	249.4	0.004	<1	1.32	0.023	0.32	0.6	3.8	0.16	<0.02	10			
2022227	Drill Core	0.37	0.33	0.09	15	0.17	0.050	33.0	17.6	0.86	337.1	0.020	1	1.32	0.053	0.49	0.1	7.7	0.20	<0.02	9			
2022228	Drill Core	0.50	0.69	0.16	17	0.16	0.050	31.1	18.6	0.96	273.0	0.013	<1	1.34	0.047	0.39	0.2	7.1	0.18	<0.02	14			
2022229	Drill Core	0.30	0.38	0.06	16	0.17	0.055	36.2	16.1	0.84	392.2	0.026	<1	1.32	0.039	0.53	0.3	6.7	0.24	<0.02	27			
2022230	Drill Core	0.11	0.31	0.02	16	0.19	0.061	35.7	17.9	0.93	325.2	0.021	<1	1.36	0.031	0.52	0.1	6.7	0.20	<0.02	12			
2022231	Drill Core	0.29	0.41	0.04	15	0.19	0.063	35.0	16.1	0.82	354.7	0.041	1	1.27	0.037	0.58	0.3	7.6	0.27	<0.02	16			
2022232	Drill Core	0.17	0.43	0.03	16	0.22	0.055	32.3	16.5	0.81	347.2	0.041	1	1.30	0.039	0.54	0.3	6.6	0.22	<0.02	22			
2022233	Drill Core	0.20	0.51	0.04	16	0.27	0.057	34.2	17.3	0.75	324.3	0.083	2	1.20	0.044	0.55	1.0	6.2	0.21	<0.02	17			
2022234	Drill Core	0.09	0.57	<0.02	16	0.26	0.057	31.1	15.9	0.87	319.6	0.092	<1	1.28	0.034	0.62	0.3	6.2	0.24	<0.02	26			
2022235	Drill Core	0.13	0.72	0.03	18	0.31	0.060	33.7	18.7	0.88	291.6	0.053	1	1.36	0.033	0.50	0.3	5.9	0.22	<0.02	34			
2022236	Drill Core	0.11	0.55	0.03	14	0.32	0.052	27.1	16.7	0.81	272.8	0.040	<1	1.25	0.033	0.42	0.2	6.4	0.19	<0.02	31			
2022237	Drill Core	0.20	0.86	0.02	14	0.31	0.059	32.3	14.1	0.75	339.4	0.064	1	1.26	0.033	0.56	0.4	6.5	0.22	<0.02	32			
2022238	Drill Core	0.14	0.36	0.03	14	0.48	0.052	26.9	14.0	0.79	311.9	0.080	1	1.14	0.037	0.70	0.2	5.7	0.27	<0.02	6			
2022239	Drill Core	0.12	0.38	<0.02	16	0.40	0.054	30.0	15.9	0.93	345.2	0.097	<1	1.26	0.035	0.64	0.4	7.4	0.23	<0.02	5			
2022240	Rock Pulp	0.05	0.10	0.05	94	0.88	0.057	6.7	9.5	0.75	116.0	0.104	1	1.59	0.185	0.21	2.5	3.3	0.04	<0.02	<5			
2022241	Drill Core	0.13	0.38	<0.02	18	0.63	0.052	26.5	18.8	0.93	296.5	0.111	<1	1.26	0.037	0.51	0.6	6.4	0.18	<0.02	<5			
2022242	Drill Core	0.25	0.35	0.08	17	0.68	0.052	26.8	17.1	0.91	295.5	0.104	<1	1.25	0.037	0.58	0.5	6.7	0.23	<0.02	7			
2022243	Drill Core	0.64	0.34	0.09	19	0.79	0.051	25.3	17.6	0.99	303.5	0.109	<1	1.33	0.034	0.67	0.4	5.9	0.27	0.08	<5			
2022244	Drill Core	0.58	0.38	0.21	20	0.52	0.061	29.9	20.6	1.06	349.4	0.104	<1	1.39	0.042	0.70	0.3	7.1	0.30	0.06	12			
2022245	Drill Core	0.64	0.35	0.18	20	0.64	0.058	28.5	19.9	0.97	301.4	0.103	<1	1.31	0.043	0.53	0.3	7.5	0.21	<0.02	5			
2022246	Drill Core	0.35	0.30	0.22	11	1.13	0.041	35.4	12.3	0.40	352.9	0.049	<1	0.94	0.046	0.44	0.2	6.0	0.12	0.05	9			
2022247	Drill Core	0.41	0.21	0.26	8	1.64	0.040	34.0	7.9	0.23	370.9	0.022	1	0.80	0.030	0.46	<0.1	5.7	0.12	<0.02	8			
2022248	Drill Core	0.26	0.45	0.33	11	1.05	0.051	37.6	12.5	0.32	382.2	0.057	<1	0.95	0.047	0.43	0.2	7.5	0.13	0.02	<5			
2022249	Drill Core	1.12	0.42	0.87	24	0.63	0.058	33.0	26.0	0.64	471.0	0.074	<1	0.99	0.086	0.35	0.3	8.2	0.15	0.11	9			
2022250	Drill Core	2.34	0.58	0.16	22	0.69	0.066	22.8	22.3	0.72	707.7	0.108	<1	1.16	0.052	0.57	0.7	8.4	0.33	0.02	7			
2022251	Drill Core	3.45	0.65	0.71	17	0.69	0.054	17.6	21.8	0.70	727.3	0.101	<1	1.05	0.071	0.38	0.5	7.1	0.19	0.03	10			
2022252	Drill Core	2.21	0.48	0.08	22	0.79	0.069	19.5	27.5	0.91	349.1	0.121	<1	1.43	0.054	0.51	0.3	9.1	0.28	<0.02	6			
2022253	Drill Core	0.63	0.44	0.19	20	1.53	0.054	28.7	25.2	0.93	256.2	0.035	<1	1.36	0.057	0.36	0.2	7.7	0.12	<0.02	<5			
2022254	Drill Core	0.34	0.50	0.09	19	0.94	0.059	30.5	24.5	0.92	255.1	0.048	<1	1.34	0.073	0.37	0.2	8.0	0.15	<0.02	16			
2022255	Drill Core	0.57	0.64	0.09	22	1.46	0.057	23.9	26.0	0.96	232.4	0.071	<1	1.35	0.061	0.40	0.2	8.2	0.24	<0.02	14			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022226	Drill Core	<0.1	<0.02	5.7	1.15	<0.1	0.16	<0.02	16.3	0.4	<0.05	6.5	10.82	59.7	<0.02	<1	0.3	17.0	<10	<2			
2022227	Drill Core	<0.1	<0.02	5.0	1.86	<0.1	0.17	0.07	23.2	0.5	<0.05	7.5	10.55	59.7	0.05	<1	0.6	14.9	<10	<2			
2022228	Drill Core	<0.1	<0.02	5.2	1.45	<0.1	0.18	0.09	17.6	0.7	<0.05	6.8	9.59	57.4	0.07	<1	0.6	15.1	<10	<2			
2022229	Drill Core	<0.1	<0.02	5.2	2.46	<0.1	0.25	0.10	25.3	0.4	<0.05	10.4	10.70	65.4	<0.02	<1	0.5	16.1	<10	<2			
2022230	Drill Core	<0.1	<0.02	5.2	1.90	<0.1	0.24	0.06	25.3	0.4	<0.05	10.1	12.01	69.1	<0.02	<1	0.6	16.4	<10	<2			
2022231	Drill Core	<0.1	<0.02	4.9	2.26	0.1	0.23	0.11	27.9	0.4	<0.05	10.5	12.71	65.8	<0.02	<1	0.6	15.0	<10	<2			
2022232	Drill Core	<0.1	<0.02	5.2	2.16	<0.1	0.20	0.06	25.9	0.6	<0.05	10.3	10.47	56.9	<0.02	<1	0.6	18.0	<10	3			
2022233	Drill Core	<0.1	<0.02	4.2	2.17	<0.1	0.33	0.11	25.3	0.5	<0.05	11.5	7.78	62.8	0.02	1	0.5	13.7	12	<2			
2022234	Drill Core	<0.1	<0.02	4.5	2.16	<0.1	0.22	0.11	31.6	0.5	<0.05	9.5	13.25	57.4	<0.02	<1	0.5	15.4	<10	4			
2022235	Drill Core	0.1	<0.02	5.6	1.83	<0.1	0.25	0.07	25.1	0.6	<0.05	8.3	13.58	62.6	0.03	<1	0.6	18.0	<10	<2			
2022236	Drill Core	<0.1	<0.02	4.8	1.50	<0.1	0.20	0.11	18.6	0.6	<0.05	7.4	11.10	49.1	<0.02	<1	0.5	17.5	16	<2			
2022237	Drill Core	<0.1	<0.02	4.1	2.57	0.1	0.29	0.14	25.9	0.6	<0.05	9.9	10.36	59.5	<0.02	<1	0.6	18.8	<10	<2			
2022238	Drill Core	<0.1	<0.02	3.9	3.91	<0.1	0.28	0.10	36.8	0.4	<0.05	12.1	7.25	51.0	0.03	<1	0.2	13.2	<10	<2			
2022239	Drill Core	<0.1	<0.02	4.1	2.36	<0.1	0.37	0.16	32.2	0.4	<0.05	13.1	9.91	56.3	<0.02	<1	0.4	13.9	<10	<2			
2022240	Rock Pulp	<0.1	<0.02	4.2	0.29	<0.1	0.08	0.07	6.1	0.2	<0.05	1.5	4.21	13.5	<0.02	<1	<0.1	5.4	<10	<2			
2022241	Drill Core	<0.1	<0.02	5.1	1.41	<0.1	0.31	0.14	24.4	0.6	<0.05	11.0	11.54	50.6	<0.02	<1	0.8	13.7	18	3			
2022242	Drill Core	<0.1	<0.02	5.1	2.71	<0.1	0.34	0.15	30.7	0.5	<0.05	12.6	11.53	50.9	0.03	<1	0.5	13.6	<10	<2			
2022243	Drill Core	0.2	<0.02	5.1	2.58	0.1	0.32	0.12	34.9	0.7	<0.05	12.0	10.80	47.0	0.03	<1	0.5	12.3	<10	<2			
2022244	Drill Core	0.3	0.03	4.7	3.07	0.1	0.40	0.17	36.9	0.7	<0.05	13.8	13.70	51.8	0.02	<1	0.4	13.9	11	<2			
2022245	Drill Core	<0.1	<0.02	4.7	1.80	<0.1	0.31	0.19	24.9	0.6	<0.05	11.7	16.13	51.5	0.03	1	0.5	14.1	<10	<2			
2022246	Drill Core	<0.1	<0.02	3.3	0.68	<0.1	0.09	0.31	16.4	0.7	<0.05	4.4	15.57	64.2	<0.02	<1	0.4	7.9	<10	<2			
2022247	Drill Core	<0.1	<0.02	2.4	1.05	<0.1	0.04	0.28	17.2	0.4	<0.05	2.8	16.75	61.9	<0.02	<1	0.3	6.4	<10	<2			
2022248	Drill Core	<0.1	<0.02	3.5	0.77	<0.1	0.09	0.46	17.4	0.8	<0.05	3.8	18.75	64.4	0.03	<1	0.3	7.2	<10	<2			
2022249	Drill Core	0.4	0.04	4.5	7.07	0.1	0.27	0.30	19.2	0.9	<0.05	9.5	16.82	60.1	0.03	1	0.6	9.5	15	<2			
2022250	Drill Core	<0.1	0.03	4.8	7.94	0.1	0.08	0.42	35.8	0.7	<0.05	2.6	12.91	41.0	0.02	<1	0.6	12.7	12	<2			
2022251	Drill Core	0.6	<0.02	4.0	12.78	0.1	0.06	0.42	22.8	0.7	<0.05	1.8	9.10	31.3	<0.02	1	0.3	9.6	<10	<2			
2022252	Drill Core	<0.1	<0.02	5.3	4.39	0.1	0.09	0.38	30.1	0.8	<0.05	2.4	11.21	35.4	0.02	<1	0.4	14.6	12	<2			
2022253	Drill Core	<0.1	<0.02	4.9	1.96	<0.1	0.11	0.15	16.8	0.5	<0.05	3.4	13.79	51.5	0.02	<1	0.4	14.1	<10	<2			
2022254	Drill Core	<0.1	<0.02	5.0	2.43	<0.1	0.11	0.20	19.1	0.7	<0.05	5.5	16.70	54.5	0.02	1	0.4	15.0	<10	<2			
2022255	Drill Core	<0.1	<0.02	5.2	4.41	<0.1	0.08	0.31	23.4	0.7	<0.05	2.5	15.13	43.8	<0.02	<1	0.8	16.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022256	Drill Core	5.43	508	<0.005	<0.01	<0.17	17.98	0.52	22.11	12.59	74.0	325	15.8	9.7	386	2.62	12.3	1.2	<0.2	49.6
2022257	Drill Core	4.99	499	<0.005	<0.01	<0.17	21.39	0.33	10.96	9.29	63.3	167	11.3	7.4	296	1.98	14.8	1.4	<0.2	49.7
2022258	Drill Core	4.29	425	<0.005	<0.01	<0.17	30.29	0.46	12.26	51.48	84.7	224	11.0	8.1	309	1.85	13.4	1.0	<0.2	50.1
2022259	Drill Core	4.55	439	<0.005	<0.01	<0.17	18.86	0.28	16.31	26.91	79.4	265	9.0	5.3	225	1.84	9.9	0.8	2.5	25.3
2022260	Core DUP		445	0.007	<0.01	<0.17	19.49	0.30	16.93	28.49	80.2	303	8.8	5.9	215	1.82	10.3	0.8	2.3	26.2
2022261	Drill Core	4.97	436	0.010	<0.01	<0.17	34.04	0.27	24.42	31.87	116.3	426	10.5	5.9	220	2.05	3.9	0.8	3.0	20.1
2022262	Drill Core	2.72	429	0.011	<0.01	<0.17	28.34	0.30	26.48	42.73	117.2	357	9.7	5.8	216	1.76	12.2	1.0	4.1	24.6
2022263	Drill Core	2.41	433	0.009	<0.01	<0.17	23.71	0.38	20.44	34.62	106.9	309	13.6	8.3	449	2.43	14.0	1.1	2.0	48.8
2022264	Drill Core	4.98	446	0.008	<0.01	<0.17	30.71	0.32	15.84	7.96	80.5	226	13.9	7.8	333	2.17	8.6	0.7	1.2	34.9
2022265	Drill Core	4.87	431	0.006	<0.01	<0.17	33.20	0.40	21.33	10.16	104.3	235	16.3	8.6	538	2.82	7.5	0.7	0.9	22.8
2022266	Drill Core	5.06	448	<0.005	<0.01	<0.17	27.96	0.98	26.72	58.94	118.3	441	15.0	9.8	429	2.62	2.7	1.2	0.7	41.2
2022267	Drill Core	4.90	451	0.005	<0.01	<0.17	26.91	0.68	11.53	12.46	82.9	249	14.7	9.0	441	2.57	2.0	1.0	0.2	41.1
2022268	Drill Core	4.68	432	<0.005	<0.01	<0.17	30.81	1.09	16.73	8.34	48.5	273	9.8	7.5	250	1.76	2.7	0.6	0.9	30.7
2022269	Drill Core	4.92	464	0.006	<0.01	<0.17	29.08	1.86	21.08	12.35	53.9	369	11.4	8.7	331	2.09	4.0	0.8	2.6	45.1
2022270	Drill Core	4.89	451	<0.005	<0.01	<0.17	28.94	1.87	17.35	8.53	60.6	264	11.9	8.3	297	1.88	3.7	0.7	0.9	39.4
2022271	Drill Core	5.12	412	<0.005	<0.01	<0.17	35.00	1.35	21.79	8.01	57.0	330	12.1	9.2	266	2.08	3.9	1.0	0.7	27.0
2022272	Drill Core	2.46	459	<0.005	<0.01	<0.17	34.51	1.02	18.29	8.40	63.1	259	12.0	8.4	320	2.03	4.6	0.7	<0.2	26.4
2022273	Drill Core	2.69	444	<0.005	<0.01	<0.17	37.33	0.92	21.54	11.76	80.3	227	14.3	9.1	498	2.35	2.0	0.9	<0.2	51.6
2022274	Drill Core	5.19	398	<0.005	<0.01	<0.17	25.48	0.88	19.80	12.57	82.0	249	13.3	7.5	483	2.45	2.4	1.0	<0.2	57.3
2022275	Drill Core	5.67	445	<0.005	<0.01	<0.17	25.74	1.35	29.35	11.25	66.7	332	12.9	7.2	333	2.27	4.3	0.8	0.4	31.4
2022276	Drill Core	3.45	450	<0.005	<0.01	<0.17	31.72	1.22	18.06	11.79	45.6	222	8.9	6.6	212	1.55	2.9	0.7	<0.2	29.6
2022277	Drill Core	4.35	414	<0.005	<0.01	<0.17	29.37	0.78	13.32	8.92	64.6	169	11.6	8.5	264	2.31	3.0	1.5	<0.2	75.8
2022278	Drill Core	5.00	428	<0.005	<0.01	<0.17	27.98	0.87	20.02	12.70	79.3	367	14.3	8.8	290	2.27	1.6	1.5	<0.2	71.5
2022279	Drill Core	5.40	433	0.018	0.02	<0.17	33.98	0.68	27.11	17.30	121.7	434	14.7	9.5	344	2.36	2.8	2.1	15.4	69.9
2022280	Rock	0.22	166	<0.005	<0.01	<0.17	30.58	0.69	1.73	1.05	3.3	14	2.0	0.5	93	0.79	0.6	0.2	0.6	2.2
2022281	Drill Core	5.45	424	0.079	0.07	<0.17	32.52	0.38	7.63	22.83	65.6	224	2.5	2.3	202	0.90	0.8	1.9	50.8	46.9
2022282	Drill Core	3.39	432	0.098	0.09	<0.17	30.42	0.51	6.04	37.32	21.2	301	1.7	1.7	163	0.82	2.6	1.1	88.5	29.2
2022283	Drill Core	4.48	453	<0.005	<0.01	<0.17	31.39	0.98	16.53	8.44	57.3	305	12.2	8.2	305	2.19	1.6	1.6	4.0	60.6
2022284	Drill Core	4.89	448	0.006	<0.01	<0.17	34.76	0.92	15.65	9.12	48.2	355	10.8	6.3	356	2.15	10.5	1.5	4.7	50.4
2022285	Drill Core	4.37	396	<0.005	<0.01	<0.17	35.02	1.18	23.05	8.39	56.4	326	12.6	8.4	323	2.22	2.3	1.6	1.9	57.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022256	Drill Core	0.24	0.50	0.10	26	0.79	0.073	13.1	32.1	1.07	291.9	0.106	<1	1.66	0.043	0.37	0.2	7.5	0.16	<0.02	37			
2022257	Drill Core	0.31	0.77	0.03	20	0.80	0.062	13.3	29.4	0.96	208.8	0.113	<1	1.52	0.065	0.33	0.3	7.2	0.16	<0.02	34			
2022258	Drill Core	0.42	0.54	0.05	15	0.73	0.055	10.1	20.2	0.82	272.5	0.091	<1	1.48	0.054	0.39	0.2	7.0	0.19	<0.02	39			
2022259	Drill Core	0.54	0.44	0.13	14	0.55	0.046	15.2	20.1	0.71	141.3	0.036	2	1.09	0.045	0.17	0.2	2.9	0.07	<0.02	7			
2022260	Core DUP	0.55	0.52	0.11	15	0.55	0.048	16.1	20.5	0.71	150.7	0.041	2	1.09	0.050	0.18	0.2	3.1	0.08	<0.02	10			
2022261	Drill Core	0.40	0.39	0.08	16	0.44	0.059	10.5	21.1	0.92	186.4	0.046	2	1.38	0.031	0.26	0.2	3.2	0.11	<0.02	<5			
2022262	Drill Core	0.73	0.97	0.09	15	0.44	0.049	20.0	19.6	0.73	171.5	0.015	2	1.17	0.037	0.26	0.2	3.4	0.13	<0.02	20			
2022263	Drill Core	0.84	0.98	0.06	25	0.92	0.074	15.8	34.0	1.30	159.6	0.039	2	1.80	0.024	0.43	0.4	4.5	0.21	<0.02	11			
2022264	Drill Core	0.45	0.41	0.04	19	0.67	0.067	6.7	24.0	1.22	226.7	0.083	2	1.58	0.023	0.31	0.2	3.1	0.16	<0.02	12			
2022265	Drill Core	0.48	0.39	0.07	23	0.54	0.072	6.1	34.6	1.59	170.0	0.098	2	1.93	0.032	0.21	0.1	3.6	0.11	<0.02	<5			
2022266	Drill Core	0.66	0.63	0.36	26	0.98	0.077	17.2	31.8	1.31	185.9	0.104	1	1.70	0.027	0.30	0.5	4.9	0.14	<0.02	<5			
2022267	Drill Core	0.23	0.47	0.15	24	0.93	0.068	8.6	30.4	1.42	186.0	0.111	1	1.67	0.024	0.36	0.4	4.2	0.18	<0.02	<5			
2022268	Drill Core	0.18	0.27	0.06	16	0.75	0.066	4.3	18.4	0.69	180.3	0.088	<1	0.95	0.035	0.29	0.2	2.5	0.13	<0.02	<5			
2022269	Drill Core	0.16	0.29	0.15	19	1.02	0.072	9.5	22.0	0.83	218.1	0.079	2	1.15	0.024	0.31	0.1	3.8	0.14	0.10	<5			
2022270	Drill Core	0.16	0.30	0.07	14	0.72	0.072	5.7	19.1	0.72	258.5	0.104	<1	1.16	0.027	0.35	0.1	3.3	0.17	0.04	<5			
2022271	Drill Core	0.26	0.31	0.14	18	0.55	0.073	11.4	19.9	0.78	272.1	0.105	<1	1.14	0.022	0.41	0.2	4.5	0.16	0.04	<5			
2022272	Drill Core	0.16	0.20	0.10	16	0.51	0.064	8.1	20.5	0.81	253.4	0.095	1	1.19	0.034	0.26	0.1	3.7	0.08	0.06	<5			
2022273	Drill Core	0.36	0.43	0.08	25	1.47	0.067	10.1	31.7	1.25	123.1	0.098	<1	1.53	0.031	0.19	0.4	3.8	0.09	<0.02	<5			
2022274	Drill Core	0.24	0.38	0.06	24	1.72	0.072	8.7	31.9	1.23	169.4	0.110	<1	1.58	0.041	0.23	0.3	4.7	0.10	<0.02	<5			
2022275	Drill Core	0.17	0.22	0.07	17	0.90	0.067	6.0	22.3	0.86	234.7	0.096	<1	1.29	0.039	0.24	0.2	3.5	0.07	0.03	<5			
2022276	Drill Core	0.14	0.23	0.06	11	0.56	0.072	9.1	14.2	0.53	425.9	0.092	1	0.86	0.030	0.36	0.1	2.5	0.10	0.05	<5			
2022277	Drill Core	0.21	0.41	<0.02	21	1.11	0.060	22.7	24.3	0.85	856.3	0.067	<1	1.00	0.038	0.36	0.2	6.4	0.13	0.11	<5			
2022278	Drill Core	0.33	0.70	0.06	32	1.22	0.062	21.9	38.2	1.01	244.5	0.092	<1	1.19	0.049	0.25	0.5	6.2	0.12	<0.02	<5			
2022279	Drill Core	0.96	0.64	0.13	26	1.28	0.070	17.2	36.5	1.28	204.1	0.077	<1	1.33	0.027	0.45	0.5	5.5	0.22	0.13	<5			
2022280	Rock	0.01	0.05	<0.02	1	0.05	0.002	2.0	4.4	0.02	12.3	0.003	2	0.08	0.009	0.02	<0.1	0.3	<0.02	<0.02	<5			
2022281	Drill Core	0.62	0.69	0.15	4	0.96	0.022	24.7	6.3	0.26	289.4	0.013	1	0.63	0.011	0.35	0.1	2.2	0.11	0.06	12			
2022282	Drill Core	0.33	1.12	0.19	2	0.70	0.029	33.5	3.5	0.14	339.1	0.002	1	0.47	0.012	0.32	0.2	1.5	0.10	<0.02	14			
2022283	Drill Core	0.19	0.61	0.08	20	1.09	0.066	27.9	24.2	0.87	303.4	0.018	1	1.21	0.022	0.44	0.1	5.1	0.19	0.04	<5			
2022284	Drill Core	0.21	1.17	0.08	18	1.23	0.055	21.2	19.3	0.69	170.5	0.003	1	1.05	0.018	0.27	<0.1	3.5	0.10	<0.02	<5			
2022285	Drill Core	0.20	0.75	0.03	22	1.02	0.072	26.1	23.6	0.90	241.8	0.029	2	1.13	0.024	0.51	<0.1	6.6	0.29	0.13	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022256	Drill Core	<0.1	<0.02	5.4	1.74	0.1	0.06	0.31	16.1	0.6	<0.05	1.9	8.77	24.1	0.02	<1	0.8	17.6	18	<2			
2022257	Drill Core	<0.1	<0.02	5.8	1.83	<0.1	0.10	0.38	18.2	0.7	<0.05	2.5	7.36	25.0	0.03	<1	0.7	16.8	<10	<2			
2022258	Drill Core	<0.1	<0.02	5.2	1.52	<0.1	0.07	0.39	19.7	0.6	<0.05	1.9	6.02	19.5	<0.02	<1	0.5	13.2	<10	<2			
2022259	Drill Core	<0.1	<0.02	4.2	1.04	<0.1	0.03	0.15	9.0	0.5	<0.05	1.0	7.54	29.7	<0.02	<1	0.8	10.5	<10	<2			
2022260	Core DUP	<0.1	<0.02	4.5	1.12	<0.1	0.04	0.13	9.8	0.6	<0.05	1.1	7.82	31.0	<0.02	1	0.9	11.0	<10	<2			
2022261	Drill Core	<0.1	<0.02	4.6	1.27	<0.1	0.05	0.17	13.6	0.5	<0.05	1.4	6.60	21.1	<0.02	2	0.5	13.2	<10	<2			
2022262	Drill Core	<0.1	<0.02	5.1	1.73	<0.1	0.04	0.10	15.3	0.5	<0.05	1.5	8.55	38.1	<0.02	<1	0.3	11.7	<10	<2			
2022263	Drill Core	<0.1	<0.02	6.0	2.76	<0.1	0.08	0.06	24.3	0.5	<0.05	2.1	9.28	32.1	<0.02	<1	0.6	18.7	<10	<2			
2022264	Drill Core	<0.1	<0.02	4.7	1.48	<0.1	0.03	0.20	18.1	0.4	<0.05	2.0	5.49	13.1	<0.02	<1	0.5	16.0	<10	<2			
2022265	Drill Core	<0.1	<0.02	5.8	0.98	<0.1	0.04	0.20	12.1	0.4	<0.05	1.6	5.59	13.1	<0.02	<1	0.4	18.5	<10	<2			
2022266	Drill Core	<0.1	0.03	6.2	1.55	<0.1	0.07	0.19	17.1	0.5	<0.05	2.2	10.34	34.0	<0.02	<1	0.5	17.1	<10	<2			
2022267	Drill Core	<0.1	<0.02	5.2	2.13	<0.1	0.06	0.18	20.5	0.5	<0.05	1.6	6.68	18.0	<0.02	<1	0.6	17.5	<10	<2			
2022268	Drill Core	<0.1	<0.02	3.3	1.42	<0.1	0.03	0.27	14.9	0.3	<0.05	1.1	3.87	8.6	<0.02	<1	0.4	8.1	<10	<2			
2022269	Drill Core	0.3	0.03	4.4	1.61	<0.1	0.03	0.24	16.3	0.4	<0.05	1.0	6.13	19.1	<0.02	2	0.5	11.4	<10	<2			
2022270	Drill Core	<0.1	<0.02	3.5	1.36	<0.1	0.04	0.33	17.6	0.4	<0.05	1.2	4.81	11.6	<0.02	<1	0.4	10.0	<10	<2			
2022271	Drill Core	0.2	0.03	3.8	2.06	<0.1	0.13	0.27	20.8	0.4	<0.05	4.4	7.76	22.5	<0.02	2	0.4	11.5	<10	<2			
2022272	Drill Core	0.3	<0.02	3.7	0.83	<0.1	0.08	0.26	11.4	0.4	<0.05	2.5	5.90	16.5	<0.02	<1	0.3	8.6	<10	3			
2022273	Drill Core	<0.1	<0.02	6.3	1.62	0.2	0.06	0.18	11.5	0.4	<0.05	2.0	7.52	20.5	<0.02	<1	0.5	17.1	<10	<2			
2022274	Drill Core	<0.1	<0.02	6.6	1.51	0.2	0.08	0.29	13.7	0.5	<0.05	1.7	7.06	17.3	<0.02	<1	0.7	15.9	<10	<2			
2022275	Drill Core	<0.1	<0.02	4.2	0.91	<0.1	0.05	0.29	10.7	0.4	<0.05	1.3	5.18	12.1	<0.02	<1	0.5	10.7	12	<2			
2022276	Drill Core	0.1	<0.02	3.0	2.38	<0.1	0.05	0.35	16.2	0.4	<0.05	1.3	5.84	17.5	<0.02	1	0.3	7.9	14	<2			
2022277	Drill Core	0.3	<0.02	3.8	13.77	<0.1	0.10	0.16	21.2	0.5	<0.05	3.3	13.70	43.8	0.02	2	0.7	9.1	<10	<2			
2022278	Drill Core	<0.1	<0.02	5.6	2.43	0.1	0.12	0.16	14.7	0.7	<0.05	3.6	12.71	41.1	<0.02	1	0.5	15.2	<10	<2			
2022279	Drill Core	0.3	<0.02	5.8	2.70	0.1	0.22	0.12	27.4	0.7	<0.05	6.7	10.86	33.6	0.02	1	0.6	19.0	<10	<2			
2022280	Rock	<0.1	<0.02	0.4	0.16	<0.1	0.12	0.04	1.1	<0.1	<0.05	2.7	0.95	4.1	<0.02	<1	<0.1	1.4	<10	<2			
2022281	Drill Core	0.3	<0.02	2.2	1.12	<0.1	0.07	0.20	17.5	0.3	<0.05	1.5	15.46	47.4	<0.02	1	0.3	6.8	<10	<2			
2022282	Drill Core	<0.1	<0.02	1.7	0.80	<0.1	0.02	<0.02	14.3	0.3	<0.05	0.8	13.58	62.2	<0.02	<1	0.3	5.5	<10	2			
2022283	Drill Core	0.1	<0.02	4.7	3.40	<0.1	0.08	<0.02	25.4	0.3	<0.05	3.7	15.18	54.5	<0.02	<1	0.7	16.2	<10	<2			
2022284	Drill Core	<0.1	<0.02	3.9	2.96	<0.1	0.11	<0.02	13.6	0.2	<0.05	4.4	11.03	41.1	<0.02	<1	0.5	17.9	<10	<2			
2022285	Drill Core	0.3	<0.02	4.2	3.79	<0.1	0.18	<0.02	32.5	0.3	<0.05	7.0	15.53	50.1	<0.02	3	0.3	13.0	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022286	Drill Core	5.05	455	0.006	<0.01	<0.17	34.96	0.80	14.71	9.57	46.5	201	9.3	6.5	368	1.83	2.6	1.4	0.7	8.2	105.8
2022287	Drill Core	4.54	432	0.005	<0.01	<0.17	35.96	1.03	19.98	13.66	57.7	314	14.0	8.3	451	2.33	4.2	1.5	2.5	7.8	102.3
2022288	Drill Core	4.81	405	0.006	<0.01	<0.17	31.53	1.75	12.75	15.73	71.4	334	15.3	8.2	420	2.21	1.5	1.5	1.8	8.4	112.5
2022289	Drill Core	4.65	403	0.006	<0.01	<0.17	27.89	0.90	4.86	4.01	44.3	145	13.1	6.9	467	2.50	0.4	1.3	0.4	7.5	147.7
2022290	Drill Core	4.66	449	0.030	0.03	<0.17	27.44	1.05	19.12	25.51	76.2	405	15.0	10.4	421	2.50	2.0	1.6	21.8	8.6	110.4
2022291	Drill Core	2.39	414	0.063	0.06	<0.17	33.12	1.09	13.12	25.16	91.0	305	14.8	8.9	338	2.44	5.4	1.6	42.7	8.6	77.7
2022292	Drill Core	4.57	400	0.027	0.02	<0.17	30.41	1.44	22.27	9.19	70.0	529	13.4	8.2	257	2.21	5.2	1.3	23.8	8.3	72.7
2022293	Drill Core	1.95	463	0.456	0.46	0.47	34.38	1.60	15.99	26.40	40.2	1503	8.9	7.3	311	1.95	17.7	1.7	402.8	7.4	71.6
2022294	Drill Core	4.85	511	0.024	0.02	<0.17	36.37	1.86	16.08	12.66	52.1	288	12.1	7.9	272	1.91	3.2	1.6	18.3	10.2	95.2
2022295	Drill Core	4.71	456	<0.005	<0.01	<0.17	31.11	1.23	19.54	26.32	74.2	409	14.9	9.2	381	2.70	1.6	1.5	1.9	10.5	110.1
2022296	Drill Core	4.75	469	0.005	<0.01	<0.17	32.30	1.01	22.79	7.07	51.8	370	13.6	8.3	283	2.08	2.1	1.3	1.1	9.9	101.4
2022297	Drill Core	2.45	541	0.005	<0.01	<0.17	33.51	1.21	13.06	12.82	58.0	152	14.5	8.5	315	2.07	3.3	1.6	0.8	9.0	122.2
2022298	Drill Core	4.89	521	0.007	<0.01	<0.17	36.64	0.87	17.78	14.63	61.0	228	12.3	8.5	311	2.25	4.9	2.0	0.7	9.9	95.9
2022299	Drill Core	4.84	483	0.034	0.03	<0.17	34.87	0.55	8.75	32.25	49.6	347	7.7	5.4	234	1.61	6.3	1.4	10.0	10.2	50.6
2022300	Rock Pulp	0.12	83	7.402				9.18	190.80	18.99	72.7	859	13.6	11.4	568	4.90	13.6	0.9	6948.8	2.8	89.4
2022301	Drill Core	4.63	447	0.017	0.02	<0.17	32.99	0.36	1.00	9.26	10.9	82	1.4	2.0	76	0.69	4.1	1.0	13.3	11.6	9.0
2022302	Drill Core	4.40	461	0.366	0.43	1.29	32.53	0.47	5.76	12.00	38.5	268	4.1	4.7	227	1.17	6.6	1.1	222.8	10.7	29.4
2022303	Drill Core	2.20	458	1.419	1.96	9.25	31.58	0.80	11.08	6.45	39.2	2193	7.7	5.6	372	1.67	7.0	1.2	6825.2	7.6	136.8
2022304	Drill Core	2.27	494	2.335	5.13	43.22	33.80	0.63	17.24	6.27	33.6	2102	8.2	6.7	317	1.77	14.4	1.2	2389.8	7.0	75.1
2022305	Drill Core	3.24	374	0.838	0.98	2.65	29.41	0.92	17.66	5.14	39.5	1356	8.9	7.8	441	2.10	37.4	1.7	768.9	7.9	65.9
2022306	Drill Core	2.84	419	0.788	0.77	0.62	32.45	0.66	42.34	5.00	59.0	2055	13.4	9.5	292	2.26	60.6	1.9	665.2	9.5	63.6
2022307	Drill Core	1.86	392	5.033	10.73	67.34	35.85	0.36	43.94	11.27	58.0	7796	10.6	7.4	173	2.13	14.0	2.1	10285.2	8.6	33.4
2022308	Drill Core	2.20	485	1.480	1.66	4.59	28.53	0.45	15.17	5.33	43.4	1016	11.8	8.1	313	2.39	11.6	1.7	1353.5	7.2	77.2
2022309	Drill Core	2.39	398	0.186	0.18	<0.17	33.79	1.02	22.96	9.41	56.3	1204	14.0	8.3	371	2.13	16.4	2.1	181.7	8.8	166.7
2022310	Drill Core	2.09	428	0.635	0.83	3.08	34.06	0.71	29.18	5.97	37.8	3259	11.4	6.8	442	1.81	15.8	3.3	668.6	8.7	205.7
2022311	Drill Core	2.62	508	0.526	0.53	0.55	34.30	0.83	15.80	10.61	51.1	1490	9.5	7.1	417	1.81	182.8	2.8	468.5	9.0	163.4
2022312	Drill Core	2.46	454	0.603	0.57	<0.17	27.63	0.94	67.07	10.55	817.6	9232	10.9	8.1	459	2.19	18.9	3.0	802.4	11.1	158.8
2022313	Drill Core	2.21	476	0.592	1.08	7.00	36.56	0.99	19.00	6.92	41.4	1098	11.5	9.0	404	2.06	16.2	1.5	726.1	9.2	171.3
2022314	Drill Core	2.05	423	1.719	1.70	1.49	34.15	0.67	71.50	6.11	54.1	9759	13.8	9.6	473	2.28	47.0	2.3	1434.0	9.8	202.5
2022315	Drill Core	2.35	413	1.432	1.57	3.20	32.17	1.01	74.47	6.11	45.7	8772	9.5	6.8	423	1.96	23.2	1.5	1716.0	10.0	82.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022286	Drill Core	0.29	0.52	0.05	15	1.69	0.058	23.3	16.2	0.70	324.9	0.030	2	0.86	0.021	0.52	<0.1	5.3	0.29	0.15	<5			
2022287	Drill Core	0.30	0.93	0.07	22	1.72	0.071	21.0	23.7	0.95	257.1	0.041	<1	1.15	0.024	0.58	<0.1	5.4	0.36	0.12	<5			
2022288	Drill Core	0.40	1.04	0.13	26	1.65	0.068	25.9	29.6	0.97	305.0	0.038	<1	1.18	0.025	0.44	0.2	5.6	0.20	0.03	<5			
2022289	Drill Core	0.09	1.56	<0.02	30	1.92	0.063	22.1	40.5	1.08	342.3	0.050	1	1.23	0.033	0.25	0.5	4.9	0.12	<0.02	<5			
2022290	Drill Core	0.41	1.37	0.10	26	1.32	0.066	23.9	31.0	1.14	499.2	0.051	<1	1.35	0.021	0.38	0.5	4.9	0.18	0.12	<5			
2022291	Drill Core	0.53	1.49	0.07	26	0.89	0.061	23.1	29.7	1.06	510.7	0.070	1	1.36	0.025	0.51	0.7	5.6	0.23	0.19	<5			
2022292	Drill Core	0.27	1.04	0.15	21	0.89	0.072	20.3	23.4	0.90	234.2	0.074	<1	1.16	0.029	0.60	0.4	6.3	0.32	0.08	<5			
2022293	Drill Core	0.27	1.34	0.42	10	1.06	0.064	16.0	11.8	0.56	226.9	0.032	<1	0.78	0.029	0.46	0.6	5.1	0.16	0.05	<5			
2022294	Drill Core	0.30	0.96	0.14	15	1.28	0.066	19.8	17.3	0.66	326.0	0.034	2	1.03	0.015	0.56	0.1	5.6	0.26	0.07	7			
2022295	Drill Core	0.31	0.98	0.19	28	1.50	0.063	22.3	33.0	1.19	270.9	0.031	1	1.57	0.023	0.59	0.1	5.9	0.29	0.06	12			
2022296	Drill Core	0.21	1.13	<0.02	20	1.26	0.062	21.7	24.7	0.90	304.9	0.020	<1	1.25	0.018	0.43	<0.1	5.2	0.17	0.10	<5			
2022297	Drill Core	0.26	0.57	<0.02	19	1.72	0.068	12.1	18.8	0.74	330.6	0.035	3	1.14	0.019	0.57	<0.1	6.3	0.21	0.13	8			
2022298	Drill Core	0.31	0.71	0.02	18	1.42	0.065	13.5	17.9	0.77	416.9	0.013	3	1.27	0.017	0.48	<0.1	6.1	0.16	0.17	5			
2022299	Drill Core	0.23	0.42	0.17	11	0.67	0.064	24.1	13.0	0.62	456.7	0.005	<1	1.05	0.021	0.37	0.1	3.4	0.11	<0.02	16			
2022300	Rock Pulp	0.16	5.39	0.57	122	1.19	0.058	7.9	18.8	0.85	122.9	0.143	4	2.01	0.220	0.23	3.7	4.2	0.07	<0.02	221			
2022301	Drill Core	0.09	0.18	0.09	2	0.06	0.025	31.7	3.3	0.10	498.7	0.002	1	0.52	0.023	0.36	0.1	1.1	0.09	<0.02	9			
2022302	Drill Core	0.39	0.34	0.11	6	0.46	0.041	26.7	5.7	0.28	382.4	0.004	1	0.66	0.024	0.33	0.2	2.5	0.07	0.03	11			
2022303	Drill Core	0.35	0.51	0.27	9	1.88	0.056	13.3	11.0	0.48	386.9	0.009	<1	0.84	0.018	0.40	0.2	3.5	0.09	0.41	12			
2022304	Drill Core	0.46	2.82	0.23	8	1.18	0.052	11.6	8.7	0.40	324.0	0.003	1	0.76	0.009	0.36	0.1	2.9	0.08	0.48	15			
2022305	Drill Core	0.34	1.89	0.08	10	1.54	0.078	13.8	11.0	0.43	417.5	0.004	2	1.00	0.014	0.48	0.1	3.7	0.10	0.36	6			
2022306	Drill Core	0.55	2.21	0.06	11	0.92	0.063	16.6	12.6	0.46	369.3	0.007	2	0.98	0.020	0.44	0.2	4.5	0.11	0.25	13			
2022307	Drill Core	0.36	4.95	0.20	9	0.32	0.047	18.3	11.4	0.35	328.7	0.006	2	0.81	0.023	0.44	0.2	3.3	0.11	0.16	20			
2022308	Drill Core	0.36	0.75	0.05	11	1.41	0.051	11.6	13.0	0.54	247.4	0.004	<1	0.88	0.021	0.33	<0.1	3.7	0.07	0.60	5			
2022309	Drill Core	0.43	1.54	0.07	13	1.93	0.069	12.4	15.6	0.66	326.1	0.021	<1	1.01	0.019	0.48	0.2	5.1	0.13	0.53	10			
2022310	Drill Core	0.51	3.42	0.07	9	2.38	0.050	9.2	10.6	0.57	245.3	0.018	1	0.78	0.014	0.48	0.3	3.8	0.12	0.78	19			
2022311	Drill Core	0.53	2.64	0.11	10	2.00	0.063	10.6	11.2	0.54	264.2	0.018	1	0.85	0.015	0.56	0.3	3.6	0.14	0.72	8			
2022312	Drill Core	11.25	22.10	0.12	12	1.99	0.077	14.8	15.4	0.63	293.6	0.034	2	1.03	0.019	0.65	0.5	4.6	0.20	0.70	93			
2022313	Drill Core	0.49	2.17	0.06	9	2.08	0.055	10.4	11.5	0.59	277.9	0.020	2	0.90	0.018	0.54	0.4	4.1	0.14	0.86	17			
2022314	Drill Core	0.84	18.24	0.15	11	2.37	0.065	11.5	13.0	0.76	203.4	0.025	2	1.02	0.021	0.59	0.5	4.6	0.16	1.20	20			
2022315	Drill Core	0.52	19.35	0.13	12	1.41	0.069	19.0	13.6	0.70	487.4	0.008	2	1.04	0.021	0.48	0.5	3.9	0.13	0.23	19			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022286	Drill Core	0.4	<0.02	3.3	3.49	<0.1	0.24	0.06	32.0	0.4	<0.05	6.7	12.78	44.6	<0.02	3	0.3	8.8	<10	<2			
2022287	Drill Core	0.2	0.02	4.3	4.75	<0.1	0.20	0.05	39.0	0.4	<0.05	8.3	13.81	41.1	<0.02	<1	0.6	14.7	<10	<2			
2022288	Drill Core	<0.1	<0.02	5.4	2.55	<0.1	0.17	0.04	25.2	0.4	<0.05	6.2	16.26	50.0	<0.02	<1	0.4	15.6	<10	<2			
2022289	Drill Core	<0.1	<0.02	7.0	3.54	0.2	0.11	0.05	16.3	0.5	<0.05	3.9	15.71	43.2	0.03	<1	0.8	20.0	<10	<2			
2022290	Drill Core	<0.1	<0.02	7.0	3.49	<0.1	0.15	0.04	22.6	0.5	<0.05	5.5	15.19	45.6	<0.02	1	0.9	20.4	<10	<2			
2022291	Drill Core	<0.1	<0.02	6.0	4.05	0.1	0.24	0.12	30.1	0.7	<0.05	8.5	14.61	43.8	<0.02	1	0.9	20.0	<10	<2			
2022292	Drill Core	<0.1	<0.02	4.5	4.60	<0.1	0.30	0.11	37.7	0.5	<0.05	8.6	12.76	39.8	0.02	2	0.6	14.7	<10	<2			
2022293	Drill Core	<0.1	0.04	2.5	2.77	<0.1	0.18	0.10	22.4	0.4	<0.05	6.1	8.87	30.9	0.03	<1	0.5	10.6	<10	<2			
2022294	Drill Core	<0.1	<0.02	3.1	3.95	<0.1	0.17	0.06	29.7	0.4	<0.05	6.5	8.55	37.7	0.04	<1	0.5	11.6	<10	<2			
2022295	Drill Core	<0.1	<0.02	5.9	4.47	<0.1	0.27	0.03	32.4	0.4	<0.05	10.5	11.61	42.8	0.03	<1	0.8	19.7	<10	<2			
2022296	Drill Core	<0.1	<0.02	4.7	2.16	<0.1	0.25	0.02	20.8	0.3	<0.05	10.4	9.95	40.6	<0.02	<1	0.6	14.0	<10	<2			
2022297	Drill Core	<0.1	<0.02	3.4	3.00	<0.1	0.38	0.04	26.5	0.4	<0.05	14.2	5.65	22.9	<0.02	1	0.4	12.9	<10	<2			
2022298	Drill Core	<0.1	<0.02	3.8	4.80	<0.1	0.35	<0.02	20.9	0.4	<0.05	14.0	6.59	25.3	<0.02	<1	0.4	16.3	<10	<2			
2022299	Drill Core	<0.1	<0.02	3.4	3.33	<0.1	0.21	<0.02	16.8	0.2	<0.05	8.8	8.40	47.9	<0.02	<1	0.4	14.1	<10	<2			
2022300	Rock Pulp	0.1	0.19	5.1	0.68	<0.1	0.09	0.12	8.0	1.7	<0.05	2.0	5.90	16.2	0.05	<1	0.2	6.7	<10	<2			
2022301	Drill Core	<0.1	<0.02	1.6	1.07	<0.1	0.05	0.02	13.2	0.3	<0.05	2.4	3.98	64.0	<0.02	<1	0.1	3.9	<10	<2			
2022302	Drill Core	<0.1	<0.02	1.8	1.24	<0.1	0.11	<0.02	12.0	0.5	<0.05	2.3	4.64	49.5	<0.02	<1	0.5	5.8	<10	<2			
2022303	Drill Core	0.4	0.03	2.1	0.95	<0.1	<0.02	0.02	13.8	0.3	<0.05	1.3	5.45	25.2	0.03	1	0.5	8.6	<10	<2			
2022304	Drill Core	0.3	0.07	2.2	0.85	<0.1	<0.02	<0.02	12.4	0.3	<0.05	2.3	5.18	22.4	<0.02	<1	0.4	7.5	<10	<2			
2022305	Drill Core	<0.1	<0.02	2.9	1.33	<0.1	0.06	<0.02	16.2	0.4	<0.05	1.9	7.30	26.4	<0.02	<1	0.3	10.2	<10	<2			
2022306	Drill Core	0.1	<0.02	2.5	1.75	<0.1	0.11	<0.02	16.3	0.3	<0.05	5.0	6.16	30.8	<0.02	<1	0.4	11.2	<10	<2			
2022307	Drill Core	0.3	0.05	2.8	1.37	<0.1	0.14	0.02	15.9	0.3	<0.05	6.4	4.00	34.5	0.03	<1	0.4	6.6	<10	<2			
2022308	Drill Core	0.5	0.03	2.6	0.97	<0.1	0.12	<0.02	11.6	0.2	<0.05	6.3	6.26	22.1	<0.02	<1	0.4	8.6	<10	<2			
2022309	Drill Core	<0.1	<0.02	2.9	1.53	<0.1	0.08	0.04	19.0	0.3	<0.05	3.2	5.66	24.8	0.02	2	0.5	10.0	<10	<2			
2022310	Drill Core	0.3	<0.02	2.5	1.31	<0.1	0.09	0.05	17.9	0.3	<0.05	1.3	5.26	17.5	0.03	2	0.5	5.1	<10	<2			
2022311	Drill Core	0.1	0.03	2.7	1.80	<0.1	<0.02	0.08	21.5	0.3	<0.05	1.1	5.47	20.4	<0.02	1	0.3	5.6	<10	<2			
2022312	Drill Core	0.4	<0.02	3.2	2.43	<0.1	0.05	0.14	26.2	0.5	<0.05	1.5	6.86	28.0	0.03	2	0.3	6.5	<10	<2			
2022313	Drill Core	0.7	<0.02	2.7	2.03	<0.1	0.07	0.06	21.4	0.3	<0.05	3.3	5.68	19.7	<0.02	<1	0.6	6.3	<10	2			
2022314	Drill Core	0.4	0.05	3.0	1.99	<0.1	0.08	0.09	23.6	0.3	<0.05	3.2	5.91	22.1	0.02	6	0.6	7.2	<10	2			
2022315	Drill Core	0.4	0.04	3.6	2.02	<0.1	0.05	0.02	18.4	0.4	<0.05	2.3	5.83	36.6	0.02	2	0.5	10.0	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022316	Drill Core	3.39	539	0.322	0.35	0.72	33.25	0.70	25.05	7.43	111.1	2607	8.6	7.8	516	2.25	33.0	1.7	482.3	6.1	133.1
2022317	Drill Core	2.36	400	0.587	0.68	1.68	33.90	0.67	32.21	4.98	78.0	3246	7.6	6.5	412	2.04	22.0	1.4	507.0	4.6	154.8
2022318	Drill Core	3.83	512	0.066	0.06	<0.17	36.84	0.98	18.26	7.48	59.7	403	7.9	6.5	475	2.26	23.7	1.3	62.3	5.8	183.1
2022319	Drill Core	2.85	440	1.116	1.68	10.03	27.72	0.80	16.66	14.00	45.7	1480	10.7	6.9	408	1.91	35.1	1.5	3902.3	9.4	144.8
2022320	Rock Pulp	0.12	86	0.475				2.37	432.71	17.98	46.0	262	595.9	26.4	417	2.66	17.6	0.6	370.2	1.7	63.7
2022321	Drill Core	4.90	428	0.052	0.05	<0.17	34.06	0.60	13.37	11.78	42.2	378	11.5	6.6	385	1.87	29.8	2.4	81.8	10.3	107.5
2022322	Drill Core	2.47	465	0.213	0.25	0.62	37.25	0.85	14.12	9.41	39.0	994	9.1	6.7	368	1.60	35.6	4.6	213.2	10.0	165.5
2022323	Drill Core	2.27	485	1.293	2.48	17.34	36.04	0.47	7.49	13.12	19.3	839	4.1	3.0	105	0.77	5.3	0.9	1306.3	13.2	17.9
2022324	Drill Core	3.81	481	0.685	0.72	1.15	32.11	0.59	14.22	9.78	23.2	715	8.3	4.2	113	1.04	7.3	1.2	651.1	10.6	14.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2022316	Drill Core	0.43	2.55	0.12	12	2.08	0.079	12.5	11.6	0.69	358.2	0.012	2	1.16	0.009	0.52	0.2	4.6	0.14	0.28
2022317	Drill Core	0.44	3.09	0.14	10	2.09	0.087	9.6	6.9	0.54	316.7	0.015	1	0.97	0.005	0.60	0.3	4.4	0.15	0.69
2022318	Drill Core	0.39	1.25	0.13	11	2.40	0.083	10.7	9.8	0.73	345.5	0.027	<1	1.07	0.008	0.60	0.2	5.5	0.16	0.37
2022319	Drill Core	0.51	1.23	0.15	7	1.81	0.050	9.5	8.0	0.52	306.9	0.013	2	0.85	0.008	0.51	0.2	4.5	0.14	0.55
2022320	Rock Pulp	0.19	0.45	0.27	54	1.58	0.029	4.3	107.7	1.83	72.0	0.085	4	2.20	0.224	0.15	1.3	3.1	0.09	0.18
2022321	Drill Core	0.23	0.91	0.05	9	1.27	0.055	13.1	9.6	0.76	307.7	0.013	2	1.05	0.017	0.46	0.1	4.1	0.13	0.37
2022322	Drill Core	0.47	1.77	0.13	6	1.96	0.049	9.0	6.8	0.59	268.1	0.007	2	0.89	0.008	0.55	0.2	3.3	0.15	0.64
2022323	Drill Core	0.10	0.41	0.27	3	0.18	0.056	28.2	4.3	0.16	337.9	0.002	2	0.61	0.025	0.44	0.1	1.0	0.11	0.13
2022324	Drill Core	0.22	0.49	0.23	4	0.15	0.053	23.7	6.0	0.19	247.8	0.002	1	0.55	0.023	0.35	0.1	1.1	0.09	0.02



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000135.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022316	Drill Core	0.4	0.02	3.1	2.00	<0.1	0.03	0.04	20.2	0.4	<0.05	1.4	6.26	24.5	<0.02	<1	0.4	11.9	<10
2022317	Drill Core	0.8	0.02	2.8	1.68	<0.1	0.04	0.04	21.9	0.2	<0.05	1.9	4.64	18.0	0.02	<1	0.4	7.2	<10
2022318	Drill Core	0.3	<0.02	2.6	2.59	<0.1	0.03	0.06	23.3	0.2	<0.05	1.8	5.51	21.4	0.03	1	0.2	7.1	<10
2022319	Drill Core	0.6	<0.02	2.0	1.55	<0.1	0.27	0.03	19.4	0.3	<0.05	8.6	4.73	17.7	<0.02	1	0.6	8.2	<10
2022320	Rock Pulp	0.5	0.13	4.2	0.56	0.1	0.06	0.03	5.5	0.4	<0.05	1.6	3.62	8.7	<0.02	3	0.2	7.4	227
2022321	Drill Core	0.2	<0.02	2.6	1.28	<0.1	0.24	0.02	17.4	0.2	<0.05	9.8	4.73	25.4	<0.02	5	0.4	10.6	<10
2022322	Drill Core	0.7	<0.02	2.2	1.43	<0.1	0.27	0.04	20.5	0.2	<0.05	11.8	4.70	17.3	<0.02	<1	0.6	9.3	<10
2022323	Drill Core	<0.1	<0.02	1.8	1.00	<0.1	0.07	<0.02	16.5	0.3	<0.05	2.9	5.46	54.0	<0.02	<1	0.2	5.0	<10
2022324	Drill Core	0.3	0.03	1.8	1.08	<0.1	0.17	<0.02	14.3	0.3	<0.05	8.8	5.56	44.7	<0.02	<1	0.3	5.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000135.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2022231	Drill Core	3.03	539	0.008	<0.01	<0.17	18.60	0.45	15.62	12.43	53.5	174	10.3	6.9	551	2.07	10.0	0.9	1.5	11.6	18.5
REP 2022231	QC							0.44	16.22	12.44	48.7	169	10.7	6.9	530	2.07	10.0	0.9	2.3	11.8	19.4
2022260	Core DUP		445	0.007	<0.01	<0.17	19.49	0.30	16.93	28.49	80.2	303	8.8	5.9	215	1.82	10.3	0.8	2.3	7.1	26.2
REP 2022260	QC			0.008																	
2022264	Drill Core	4.98	446	0.008	<0.01	<0.17	30.71	0.32	15.84	7.96	80.5	226	13.9	7.8	333	2.17	8.6	0.7	1.2	3.5	34.9
REP 2022264	QC							0.33	16.17	8.21	76.9	234	14.0	7.7	347	2.14	8.3	0.7	1.7	3.7	34.0
2022270	Drill Core	4.89	451	<0.005	<0.01	<0.17	28.94	1.87	17.35	8.53	60.6	264	11.9	8.3	297	1.88	3.7	0.7	0.9	2.5	39.4
REP 2022270	QC			<0.005																	
2022299	Drill Core	4.84	483	0.034	0.03	<0.17	34.87	0.55	8.75	32.25	49.6	347	7.7	5.4	234	1.61	6.3	1.4	10.0	10.2	50.6
REP 2022299	QC							0.57	8.66	32.59	48.4	357	8.0	5.1	232	1.59	6.3	1.4	29.3	10.4	51.5
Core Reject Duplicates																					
2022228	Drill Core	4.49	494	0.008	<0.01	<0.17	22.91	0.52	15.35	22.12	105.2	333	10.5	6.8	607	2.29	12.2	0.7	0.4	10.8	15.7
DUP 2022228	QC		496	0.006	<0.01	<0.17	24.16	0.49	16.32	26.07	111.8	359	10.5	6.7	599	2.30	13.9	0.7	0.7	10.5	16.2
2022262	Drill Core	2.72	429	0.011	<0.01	<0.17	28.34	0.30	26.48	42.73	117.2	357	9.7	5.8	216	1.76	12.2	1.0	4.1	8.5	24.6
DUP 2022262	QC		432	0.010	<0.01	<0.17	26.92	0.30	26.74	43.72	125.5	376	9.3	6.0	246	1.81	12.6	1.0	2.9	8.4	25.4
2022296	Drill Core	4.75	469	0.005	<0.01	<0.17	32.30	1.01	22.79	7.07	51.8	370	13.6	8.3	283	2.08	2.1	1.3	1.1	9.9	101.4
DUP 2022296	QC		448	<0.005	<0.01	<0.17	33.00	0.88	21.57	7.14	52.6	371	12.9	8.3	283	2.09	2.2	1.3	1.0	10.1	101.5
Reference Materials																					
STD BVGEO01	Standard							10.12	4234.39	170.99	1681.9	2560	153.4	22.3	693	3.54	115.5	3.3	200.3	12.0	50.1
STD DS11	Standard							15.85	155.33	131.06	358.3	1682	82.2	13.8	983	3.10	40.7	2.5	70.2	7.7	69.4
STD DS11	Standard							15.61	152.75	130.64	320.7	1615	81.4	14.1	994	3.22	40.9	2.6	83.0	8.5	69.9
STD OREAS256	Standard			7.506																	
STD OREAS253	Standard			1.198																	
STD OREAS262	Standard							0.65	119.43	52.94	140.3	432	60.9	25.7	504	3.12	35.1	1.1	63.8	7.9	30.4
STD OREAS262	Standard							0.62	119.61	53.76	146.2	444	63.0	26.4	502	3.26	33.4	1.2	56.0	9.0	34.7
STD OREAS262	Standard							0.71	116.16	52.93	140.1	416	63.8	26.9	498	3.29	33.8	1.2	70.9	9.2	33.6
STD OXC145	Standard			0.205																	
STD OXC145	Standard			0.211																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000135.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022231	Drill Core	0.29	0.41	0.04	15	0.19	0.063	35.0	16.1	0.82	354.7	0.041	1	1.27	0.037	0.58	0.3	7.6	0.27	<0.02	16
REP 2022231	QC	0.23	0.41	0.04	16	0.19	0.064	35.5	15.9	0.81	372.3	0.041	1	1.28	0.038	0.60	0.2	7.8	0.27	<0.02	16
2022260	Core DUP	0.55	0.52	0.11	15	0.55	0.048	16.1	20.5	0.71	150.7	0.041	2	1.09	0.050	0.18	0.2	3.1	0.08	<0.02	10
REP 2022260	QC																				
2022264	Drill Core	0.45	0.41	0.04	19	0.67	0.067	6.7	24.0	1.22	226.7	0.083	2	1.58	0.023	0.31	0.2	3.1	0.16	<0.02	12
REP 2022264	QC	0.47	0.41	0.04	18	0.65	0.069	6.4	26.7	1.19	236.8	0.080	1	1.58	0.022	0.31	0.2	3.3	0.15	<0.02	26
2022270	Drill Core	0.16	0.30	0.07	14	0.72	0.072	5.7	19.1	0.72	258.5	0.104	<1	1.16	0.027	0.35	0.1	3.3	0.17	0.04	<5
REP 2022270	QC																				
2022299	Drill Core	0.23	0.42	0.17	11	0.67	0.064	24.1	13.0	0.62	456.7	0.005	<1	1.05	0.021	0.37	0.1	3.4	0.11	<0.02	16
REP 2022299	QC	0.25	0.45	0.18	11	0.67	0.064	24.2	12.8	0.61	454.8	0.005	<1	1.07	0.021	0.37	<0.1	3.3	0.11	<0.02	11
Core Reject Duplicates																					
2022228	Drill Core	0.50	0.69	0.16	17	0.16	0.050	31.1	18.6	0.96	273.0	0.013	<1	1.34	0.047	0.39	0.2	7.1	0.18	<0.02	14
DUP 2022228	QC	0.52	0.70	0.17	16	0.17	0.052	32.2	18.9	0.95	273.9	0.014	1	1.34	0.048	0.38	0.2	6.9	0.17	<0.02	23
2022262	Drill Core	0.73	0.97	0.09	15	0.44	0.049	20.0	19.6	0.73	171.5	0.015	2	1.17	0.037	0.26	0.2	3.4	0.13	<0.02	20
DUP 2022262	QC	0.73	0.94	0.09	15	0.46	0.052	20.4	20.9	0.74	179.3	0.016	2	1.22	0.039	0.27	0.2	4.0	0.13	<0.02	12
2022296	Drill Core	0.21	1.13	<0.02	20	1.26	0.062	21.7	24.7	0.90	304.9	0.020	<1	1.25	0.018	0.43	<0.1	5.2	0.17	0.10	<5
DUP 2022296	QC	0.17	1.14	<0.02	21	1.26	0.061	20.7	24.6	0.87	291.9	0.021	<1	1.21	0.018	0.43	<0.1	4.9	0.16	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	6.23	3.50	22.02	69	1.26	0.078	23.9	163.9	1.24	268.9	0.215	4	2.21	0.181	0.86	5.2	5.7	0.55	0.66	83
STD DS11	Standard	2.16	7.54	11.32	51	1.06	0.067	20.5	63.7	0.87	370.5	0.104	8	1.25	0.077	0.41	2.8	3.8	4.74	0.26	233
STD DS11	Standard	2.26	8.77	11.32	51	1.17	0.069	20.1	62.6	0.84	364.4	0.105	6	1.26	0.077	0.42	3.0	3.3	4.53	0.26	280
STD OREAS256	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.61	5.23	0.92	21	2.82	0.035	13.7	37.6	1.13	218.7	0.003	4	1.24	0.065	0.28	0.2	3.0	0.42	0.24	148
STD OREAS262	Standard	0.64	4.31	0.99	24	3.03	0.039	17.9	46.1	1.15	247.8	0.003	3	1.47	0.068	0.35	0.2	3.3	0.45	0.26	134
STD OREAS262	Standard	0.57	5.40	0.96	24	3.03	0.037	18.3	48.4	1.17	242.5	0.003	6	1.57	0.069	0.36	0.2	3.3	0.45	0.24	166
STD OXC145	Standard																				
STD OXC145	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000135.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022231	Drill Core	<0.1	<0.02	4.9	2.26	0.1	0.23	0.11	27.9	0.4	<0.05	10.5	12.71	65.8	<0.02	<1	0.6	15.0	<10	<2
REP 2022231	QC	<0.1	<0.02	4.5	2.34	<0.1	0.25	0.09	27.7	0.5	<0.05	10.0	11.93	64.8	<0.02	<1	0.6	15.0	<10	<2
2022260	Core DUP	<0.1	<0.02	4.5	1.12	<0.1	0.04	0.13	9.8	0.6	<0.05	1.1	7.82	31.0	<0.02	1	0.9	11.0	<10	<2
REP 2022260	QC																			
2022264	Drill Core	<0.1	<0.02	4.7	1.48	<0.1	0.03	0.20	18.1	0.4	<0.05	2.0	5.49	13.1	<0.02	<1	0.5	16.0	<10	<2
REP 2022264	QC	<0.1	<0.02	4.4	1.51	<0.1	0.05	0.19	17.9	0.4	<0.05	1.2	5.27	12.9	<0.02	2	0.4	17.8	<10	<2
2022270	Drill Core	<0.1	<0.02	3.5	1.36	<0.1	0.04	0.33	17.6	0.4	<0.05	1.2	4.81	11.6	<0.02	<1	0.4	10.0	<10	<2
REP 2022270	QC																			
2022299	Drill Core	<0.1	<0.02	3.4	3.33	<0.1	0.21	<0.02	16.8	0.2	<0.05	8.8	8.40	47.9	<0.02	<1	0.4	14.1	<10	<2
REP 2022299	QC	<0.1	<0.02	3.3	3.25	<0.1	0.21	<0.02	17.2	0.2	<0.05	8.5	8.29	47.7	<0.02	<1	0.5	13.9	<10	<2
Core Reject Duplicates																				
2022228	Drill Core	<0.1	<0.02	5.2	1.45	<0.1	0.18	0.09	17.6	0.7	<0.05	6.8	9.59	57.4	0.07	<1	0.6	15.1	<10	<2
DUP 2022228	QC	<0.1	<0.02	5.5	1.47	<0.1	0.18	0.08	18.0	0.6	<0.05	7.0	9.94	60.7	0.07	<1	0.4	16.0	<10	<2
2022262	Drill Core	<0.1	<0.02	5.1	1.73	<0.1	0.04	0.10	15.3	0.5	<0.05	1.5	8.55	38.1	<0.02	<1	0.3	11.7	<10	<2
DUP 2022262	QC	<0.1	<0.02	5.0	1.69	<0.1	0.04	0.06	15.7	0.5	<0.05	1.5	8.71	37.9	<0.02	<1	0.6	12.2	<10	<2
2022296	Drill Core	<0.1	<0.02	4.7	2.16	<0.1	0.25	0.02	20.8	0.3	<0.05	10.4	9.95	40.6	<0.02	<1	0.6	14.0	<10	<2
DUP 2022296	QC	<0.1	<0.02	4.8	2.12	<0.1	0.26	0.03	21.0	0.3	<0.05	10.5	9.93	38.9	0.02	<1	0.4	13.6	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	0.99	7.0	6.83	0.2	0.29	0.32	89.5	5.2	<0.05	8.4	13.37	48.4	0.45	6	0.6	18.6	126	171
STD DS11	Standard	1.9	4.52	5.0	2.82	<0.1	0.09	1.49	32.7	1.9	<0.05	3.2	8.29	38.8	0.26	38	0.5	22.7	103	156
STD DS11	Standard	1.9	4.50	5.0	2.91	0.1	0.06	1.72	32.5	1.9	<0.05	2.8	8.50	40.6	0.23	47	0.6	21.1	74	154
STD OREAS256	Standard																			
STD OREAS253	Standard																			
STD OREAS262	Standard	0.3	0.21	3.7	2.65	<0.1	0.25	<0.02	16.4	0.4	<0.05	10.2	9.71	27.6	0.03	<1	1.4	17.0	<10	<2
STD OREAS262	Standard	0.4	0.20	4.0	2.64	<0.1	0.25	<0.02	19.2	0.5	<0.05	9.4	10.20	33.8	0.04	<1	0.8	16.9	<10	<2
STD OREAS262	Standard	0.5	0.20	4.0	2.92	<0.1	0.20	<0.02	21.3	0.7	<0.05	8.4	10.34	36.6	0.03	<1	1.0	16.0	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000135.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXH139	Standard			1.286																	
STD OXN134	Standard			7.583																	
STD OXQ90	Standard					25.35	30.06														
STD OXQ90	Standard					25.33	29.77														
STD OXQ90	Standard					25.28	29.91														
STD OXQ90	Standard					25.01	29.99														
STD OXQ90	Standard					25.28	29.83														
STD OXQ90	Standard					24.96	30.05														
STD OXQ90	Standard					25.04	29.99														
STD OXQ90	Standard					25.18	30.06														
STD OXQ90 Expected						24.88															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.010																	
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: July 27, 2019

Part: 2 of 3

WHI19000135.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval: preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000135.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000135.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Prep Wash																					
ROCK-WHI	Prep Blank		440	<0.005	<0.01	<0.17	11.97	2.75	3.25	1.73	30.4	15	1.0	3.8	527	1.99	1.1	0.5	1.0	2.6	31.1
ROCK-WHI	Prep Blank		445	0.005	<0.01	<0.17	23.29	1.10	4.75	1.57	33.3	8	1.1	4.1	544	2.11	1.2	0.5	<0.2	2.7	29.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000135.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.10	<0.02	26	0.69	0.042	7.4	3.7	0.48	70.2	0.100	3	1.02	0.129	0.12	<0.1	6.4	<0.02	<0.02	6
ROCK-WHI	Prep Blank	<0.01	0.07	<0.02	29	0.66	0.043	7.8	4.2	0.49	75.5	0.107	2	1.11	0.157	0.13	0.1	7.1	<0.02	<0.02	9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: July 27, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000135.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Prep Wash																			
ROCK-WHI	Prep Blank	0.2	<0.02	3.9	0.18	<0.1	0.17	0.26	2.8	0.6	<0.05	4.3	10.09	13.7	<0.02	<1	0.2	1.8	14
ROCK-WHI	Prep Blank	<0.1	<0.02	4.4	0.17	<0.1	0.19	0.28	2.8	0.3	<0.05	4.3	9.84	14.6	<0.02	<1	0.2	2.3	<10