



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 04, 2019
Report Date: August 01, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000157.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-24
P.O. Number
Number of Samples: 84

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	81	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	84	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	84	Analysis sample split/packet			WHI
Split -150	84	Analysis sample split/packet			WHI
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
FS631	81	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	84	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830564	Drill Core	4.91	535	0.010	<0.01	<0.17	25.71	0.67	40.52	19.30	70.5	469	11.1	6.7	486	2.03	2.4	0.7	6.0	10.1	36.1
1830565	Drill Core	4.82	414	0.008	<0.01	<0.17	26.95	0.73	18.18	7.87	53.0	288	11.0	6.3	414	2.19	3.7	0.8	3.4	11.1	36.1
1830566	Drill Core	4.66	439	0.008	<0.01	<0.17	25.58	0.73	23.12	13.20	54.7	329	11.1	6.7	461	2.32	4.9	1.0	1.6	11.5	40.5
1830567	Drill Core	4.66	480	0.006	<0.01	<0.17	30.34	0.41	21.31	15.26	54.4	271	12.7	5.4	356	1.91	6.1	0.7	0.4	12.5	35.3
1830568	Drill Core	4.75	434	<0.005	<0.01	<0.17	28.44	0.32	12.20	7.58	75.1	173	10.5	7.1	504	2.83	4.7	1.0	<0.2	9.9	67.6
1830569	Drill Core	5.13	402	0.008	<0.01	<0.17	27.16	0.65	20.11	22.51	66.4	399	12.1	6.8	609	2.48	8.9	0.9	2.5	10.0	72.7
1830570	Drill Core	4.95	429	0.010	<0.01	<0.17	28.67	0.47	14.35	16.84	37.9	412	10.5	4.3	391	1.49	7.6	0.7	3.2	14.3	71.0
1830571	Drill Core	4.81	457	0.010	<0.01	<0.17	23.30	0.90	12.82	17.73	77.5	295	16.2	8.8	429	2.59	8.0	1.0	6.0	15.7	30.4
1830572	Drill Core	4.63	427	0.009	<0.01	<0.17	25.26	0.80	14.16	12.27	50.6	291	11.2	5.9	351	1.81	7.0	1.2	2.9	11.5	53.5
1830573	Drill Core	4.51	450	0.021	0.02	<0.17	23.74	0.90	16.73	17.73	43.1	448	13.1	5.4	334	1.67	13.0	1.0	14.7	11.0	41.0
1830574	Drill Core	3.92	407	0.014	0.01	<0.17	29.84	0.65	15.23	13.60	50.2	334	9.1	6.3	358	1.82	7.6	0.8	6.3	11.8	38.7
1830575	Drill Core	3.99	414	0.027	0.03	<0.17	29.36	0.60	15.83	12.58	71.5	393	12.5	9.1	515	2.87	11.4	0.8	23.8	12.1	14.3
1830576	Drill Core	5.07	441	0.011	<0.01	<0.17	29.35	0.24	16.29	35.66	89.0	288	10.5	7.2	317	2.21	5.4	0.9	4.7	8.8	20.3
1830577	Drill Core	2.28	433	0.008	<0.01	<0.17	28.56	0.31	14.58	15.02	70.1	219	9.5	6.4	296	2.01	2.2	1.0	3.0	8.3	21.1
1830578	Drill Core	3.52	436	0.007	<0.01	<0.17	26.77	0.19	16.32	6.74	58.6	228	11.2	7.7	274	2.20	3.5	1.0	1.3	10.0	21.4
1830579	Drill Core	4.75	424	0.007	<0.01	<0.17	28.00	0.24	12.85	15.56	68.1	206	11.7	8.1	352	2.26	2.4	1.1	2.4	11.9	22.5
1830580	Rock	0.23	159	0.006	<0.01	<0.17	26.32	0.25	0.75	0.99	2.3	7	1.0	0.5	39	0.40	0.7	0.1	<0.2	0.7	0.9
1830581	Drill Core	4.40	421	0.018	0.02	<0.17	26.97	0.23	11.60	18.06	72.3	541	10.6	8.0	314	2.06	7.3	1.2	10.0	11.7	20.9
1830582	Drill Core	3.34	437	1.370	1.39	1.70	26.47	0.37	16.95	6.63	57.1	1776	11.1	7.8	319	2.13	10.9	1.0	1849.8	7.9	20.1
1830583	Drill Core	4.01	408	0.479	0.52	1.13	26.46	0.56	20.55	7.61	61.7	743	12.7	9.7	401	2.38	11.7	1.3	469.8	10.1	19.7
1830584	Drill Core	4.92	446	0.031	0.03	<0.17	29.19	0.29	17.20	12.64	60.6	351	10.5	6.8	325	2.07	3.6	1.1	21.1	9.1	16.4
1830585	Drill Core	2.73	412	0.011	0.01	<0.17	25.40	0.32	9.03	18.51	59.4	246	3.5	3.4	294	1.36	2.5	1.1	7.0	11.1	9.7
1830586	Drill Core	4.59	451	0.051	0.05	<0.17	25.58	0.33	95.44	501.31	567.1	2758	10.8	7.2	445	2.16	1.9	1.1	40.5	11.0	12.3
1830587	Drill Core	4.95	413	0.018	0.02	<0.17	28.61	0.53	154.11	957.20	1092.1	3285	12.1	10.1	652	2.69	2.1	1.4	14.4	10.1	15.9
1830588	Drill Core	4.88	456	<0.005	<0.01	<0.17	30.31	0.24	11.04	19.69	80.2	197	9.5	6.7	331	1.99	1.9	1.3	0.6	8.6	30.2
1830589	Drill Core	4.47	422	0.010	<0.01	<0.17	27.66	0.24	16.63	31.00	72.8	302	10.2	7.5	399	2.18	2.4	1.8	4.7	11.2	31.0
1830590	Drill Core	5.14	452	0.025	0.02	<0.17	28.20	0.24	8.61	16.68	61.8	190	9.4	6.6	321	1.85	1.3	1.3	18.9	9.3	36.3
1830591	Drill Core	4.74	445	0.793	0.79	0.81	28.50	0.46	12.69	45.33	93.9	848	11.6	7.8	395	2.20	8.0	1.0	789.1	8.7	35.7
1830592	Drill Core	5.12	449	0.055	0.05	<0.17	27.21	0.31	7.82	13.03	37.1	296	4.6	3.5	156	1.13	4.1	1.2	58.0	10.2	16.7
1830593	Drill Core	4.95	411	0.005	<0.01	<0.17	28.56	0.27	4.03	17.41	20.1	218	1.2	1.5	172	0.58	1.0	2.0	0.9	10.7	62.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830564	Drill Core	0.36	0.55	0.16	14	0.46	0.060	25.6	14.9	0.82	291.2	0.011	6	1.23	0.014	0.36	0.4	3.2	0.13	<0.02	<5			
1830565	Drill Core	0.26	0.34	0.04	16	0.40	0.057	25.9	16.2	0.90	322.8	0.006	2	1.27	0.019	0.35	<0.1	3.3	0.11	<0.02	<5			
1830566	Drill Core	0.16	0.67	0.06	14	0.56	0.060	30.6	14.6	0.90	264.8	0.002	7	1.32	0.012	0.30	0.1	3.1	0.09	<0.02	<5			
1830567	Drill Core	0.24	0.39	0.24	13	0.55	0.055	27.7	13.0	0.76	322.9	0.004	7	1.18	0.017	0.31	0.2	2.9	0.11	<0.02	<5			
1830568	Drill Core	0.23	0.31	0.07	27	1.05	0.065	21.8	25.4	1.39	284.6	0.014	3	1.72	0.021	0.30	0.2	4.8	0.10	0.06	<5			
1830569	Drill Core	0.25	0.42	0.31	25	1.34	0.058	30.6	27.1	1.00	242.2	0.003	5	1.42	0.021	0.28	0.1	4.1	0.12	<0.02	<5			
1830570	Drill Core	0.21	0.81	0.23	9	1.60	0.048	29.3	10.4	0.48	212.4	0.002	<1	0.83	0.014	0.27	0.1	1.9	0.08	<0.02	12			
1830571	Drill Core	0.26	0.43	0.16	20	0.76	0.066	32.6	18.2	1.06	256.6	0.002	<1	1.51	0.012	0.33	<0.1	2.9	0.09	<0.02	6			
1830572	Drill Core	0.30	0.18	0.20	14	1.01	0.046	20.0	13.4	0.65	223.6	0.003	<1	0.93	0.018	0.26	<0.1	3.3	0.07	0.07	14			
1830573	Drill Core	0.32	0.25	0.44	8	1.15	0.045	23.0	8.6	0.36	265.4	0.003	1	0.77	0.020	0.29	<0.1	2.2	0.07	0.08	8			
1830574	Drill Core	0.23	0.31	0.27	15	0.84	0.047	27.0	17.1	0.66	175.9	0.002	<1	0.93	0.020	0.24	<0.1	2.8	0.07	<0.02	14			
1830575	Drill Core	0.40	0.40	0.18	26	0.29	0.065	32.8	31.1	1.01	225.0	0.002	<1	1.50	0.018	0.31	0.3	3.9	0.10	<0.02	8			
1830576	Drill Core	0.32	0.38	0.10	19	0.31	0.060	21.6	24.5	0.86	176.5	0.034	<1	1.23	0.026	0.23	0.1	3.7	0.10	<0.02	11			
1830577	Drill Core	0.25	0.39	0.09	19	0.33	0.046	18.3	21.1	0.72	140.3	0.028	<1	1.08	0.034	0.21	0.1	4.1	0.10	<0.02	<5			
1830578	Drill Core	0.24	0.45	0.05	20	0.36	0.058	23.2	26.0	0.84	180.5	0.033	<1	1.24	0.027	0.24	<0.1	4.2	0.12	<0.02	13			
1830579	Drill Core	0.30	0.84	0.09	22	0.47	0.059	29.4	26.0	0.94	157.9	0.027	<1	1.41	0.025	0.24	0.1	4.2	0.11	<0.02	<5			
1830580	Rock	<0.01	0.03	<0.02	1	<0.01	0.002	1.3	1.8	0.01	8.5	0.001	<1	0.05	0.002	0.01	<0.1	0.2	<0.02	<0.02	<5			
1830581	Drill Core	0.43	0.81	0.17	17	0.40	0.060	28.0	22.3	0.84	182.1	0.026	<1	1.32	0.014	0.34	0.2	3.9	0.15	<0.02	16			
1830582	Drill Core	0.47	0.64	0.12	15	0.27	0.052	20.5	17.1	0.71	276.3	0.015	<1	0.98	0.011	0.34	0.3	3.5	0.13	<0.02	14			
1830583	Drill Core	0.53	1.01	0.10	17	0.30	0.064	24.2	18.5	0.70	281.3	0.031	<1	1.06	0.019	0.43	0.4	5.1	0.20	<0.02	21			
1830584	Drill Core	0.50	0.50	0.14	21	0.24	0.055	27.2	26.9	0.82	236.8	0.008	<1	1.14	0.020	0.28	0.1	4.6	0.12	<0.02	12			
1830585	Drill Core	0.74	0.41	0.13	9	0.16	0.029	35.8	10.7	0.39	297.2	0.004	<1	0.81	0.012	0.35	<0.1	2.7	0.14	<0.02	7			
1830586	Drill Core	1.91	0.54	0.28	22	0.17	0.057	29.7	23.0	0.87	243.7	0.005	<1	1.19	0.016	0.30	0.1	3.8	0.14	<0.02	14			
1830587	Drill Core	1.87	0.83	0.47	25	0.32	0.062	30.4	25.4	1.02	159.5	0.008	<1	1.50	0.018	0.30	0.2	3.9	0.15	<0.02	6			
1830588	Drill Core	1.05	0.61	0.06	17	0.52	0.054	18.4	17.6	1.02	152.1	0.057	<1	1.34	0.017	0.28	0.2	3.6	0.13	<0.02	<5			
1830589	Drill Core	0.47	0.99	0.14	20	0.57	0.051	22.8	24.1	1.03	142.9	0.099	<1	1.44	0.026	0.25	0.5	5.6	0.12	<0.02	7			
1830590	Drill Core	0.48	0.85	0.08	16	0.55	0.053	17.4	19.9	0.98	160.7	0.075	<1	1.28	0.016	0.40	0.5	3.6	0.17	<0.02	8			
1830591	Drill Core	0.98	0.88	0.08	21	0.52	0.057	14.6	25.2	1.04	174.1	0.064	<1	1.16	0.022	0.56	0.8	4.8	0.28	<0.02	7			
1830592	Drill Core	0.48	0.51	0.14	8	0.22	0.026	22.6	9.1	0.44	287.8	0.034	<1	0.69	0.021	0.40	0.3	3.3	0.15	<0.02	7			
1830593	Drill Core	0.49	0.32	0.19	3	1.25	0.012	27.2	4.0	0.13	260.4	0.014	<1	0.45	0.014	0.30	0.1	2.7	0.10	0.06	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830564	Drill Core	0.4	<0.02	4.7	1.31	<0.1	0.26	<0.02	17.9	0.3	<0.05	11.1	8.19	50.7	<0.02	<1	0.2	18.3	<10	<2
1830565	Drill Core	<0.1	<0.02	5.1	1.35	<0.1	0.25	<0.02	15.6	0.3	<0.05	10.3	7.46	50.3	<0.02	<1	0.4	20.9	<10	2
1830566	Drill Core	<0.1	<0.02	5.2	1.23	<0.1	0.21	<0.02	13.2	0.2	<0.05	9.9	7.09	60.3	0.03	<1	0.5	19.8	12	<2
1830567	Drill Core	<0.1	<0.02	4.4	1.21	<0.1	0.18	<0.02	13.5	0.2	<0.05	8.1	7.12	52.6	0.02	1	0.5	15.1	17	<2
1830568	Drill Core	<0.1	<0.02	6.3	1.37	<0.1	0.13	<0.02	13.9	0.4	<0.05	5.8	13.10	43.5	0.02	<1	0.7	18.6	<10	2
1830569	Drill Core	<0.1	<0.02	6.2	2.00	<0.1	0.05	<0.02	14.2	0.4	<0.05	3.2	13.38	55.0	0.02	<1	0.2	22.3	<10	<2
1830570	Drill Core	<0.1	<0.02	3.3	0.95	<0.1	0.04	<0.02	11.9	0.2	<0.05	1.4	8.94	54.8	<0.02	<1	0.3	9.9	<10	<2
1830571	Drill Core	<0.1	<0.02	6.6	1.14	<0.1	0.15	<0.02	13.0	0.4	<0.05	6.8	9.61	59.3	<0.02	<1	0.4	20.8	<10	<2
1830572	Drill Core	<0.1	<0.02	3.9	0.81	<0.1	0.21	<0.02	10.4	0.3	<0.05	7.5	8.73	38.4	0.03	2	0.4	16.1	<10	<2
1830573	Drill Core	<0.1	<0.02	2.4	0.69	<0.1	0.10	<0.02	10.3	0.3	<0.05	3.3	7.04	43.6	<0.02	<1	0.5	8.5	<10	<2
1830574	Drill Core	<0.1	0.02	4.1	1.12	<0.1	0.09	<0.02	10.3	0.3	<0.05	4.1	8.30	50.5	0.02	1	0.5	16.4	<10	<2
1830575	Drill Core	<0.1	0.04	8.4	1.64	<0.1	0.04	<0.02	13.8	0.3	<0.05	1.6	11.96	61.2	0.03	<1	0.6	22.3	<10	<2
1830576	Drill Core	<0.1	<0.02	5.5	2.11	<0.1	0.04	0.05	12.1	0.5	<0.05	1.2	11.86	40.0	<0.02	<1	0.7	15.7	<10	<2
1830577	Drill Core	<0.1	<0.02	5.2	2.08	<0.1	0.06	0.05	12.4	0.5	<0.05	1.7	10.37	37.1	<0.02	<1	0.5	15.2	<10	<2
1830578	Drill Core	<0.1	<0.02	5.5	2.03	0.1	0.05	0.07	14.5	0.4	<0.05	1.6	12.89	46.7	<0.02	<1	0.6	18.4	<10	<2
1830579	Drill Core	<0.1	<0.02	6.7	1.86	<0.1	0.06	0.04	14.4	0.5	<0.05	2.5	15.00	57.6	0.02	<1	0.8	21.2	<10	<2
1830580	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.05	0.09	0.7	<0.1	<0.05	1.2	0.70	2.7	<0.02	<1	<0.1	0.9	<10	<2
1830581	Drill Core	<0.1	<0.02	6.4	2.98	<0.1	0.08	0.03	19.2	0.5	<0.05	2.5	15.53	52.1	<0.02	<1	0.6	21.3	<10	<2
1830582	Drill Core	<0.1	0.04	4.3	1.98	<0.1	0.08	0.02	17.3	0.4	<0.05	3.0	11.78	37.8	<0.02	<1	0.5	17.2	<10	<2
1830583	Drill Core	<0.1	0.03	4.3	3.34	0.1	0.09	0.06	23.2	0.3	<0.05	2.8	13.42	47.3	<0.02	<1	0.6	16.1	<10	<2
1830584	Drill Core	<0.1	<0.02	5.1	2.21	<0.1	0.09	0.04	15.6	0.3	<0.05	2.8	14.50	50.7	0.02	<1	0.5	17.4	<10	<2
1830585	Drill Core	0.1	<0.02	3.4	1.99	<0.1	0.06	0.03	19.4	0.4	<0.05	1.9	21.63	68.4	<0.02	<1	0.3	10.9	10	<2
1830586	Drill Core	0.2	0.07	6.0	1.65	<0.1	0.11	<0.02	17.3	0.3	<0.05	3.7	13.34	56.6	0.04	2	0.5	22.2	<10	<2
1830587	Drill Core	0.5	0.08	6.5	2.41	0.1	0.13	<0.02	19.8	0.4	<0.05	1.7	15.33	58.3	0.02	<1	0.5	21.9	<10	<2
1830588	Drill Core	<0.1	<0.02	5.8	1.82	<0.1	0.06	0.15	18.7	0.5	<0.05	1.7	10.63	35.4	<0.02	<1	0.4	22.4	<10	<2
1830589	Drill Core	<0.1	<0.02	7.3	1.19	<0.1	0.10	0.18	15.3	0.8	<0.05	2.5	11.56	43.3	0.02	<1	0.6	22.5	<10	<2
1830590	Drill Core	<0.1	<0.02	5.7	1.99	0.1	0.06	0.16	22.5	0.7	<0.05	1.9	8.67	32.5	<0.02	<1	0.7	19.0	<10	<2
1830591	Drill Core	<0.1	<0.02	4.8	6.23	<0.1	0.18	0.12	33.7	0.4	<0.05	5.0	9.12	28.0	<0.02	<1	0.7	17.1	<10	<2
1830592	Drill Core	<0.1	<0.02	2.5	1.94	0.1	0.14	0.29	19.9	0.4	<0.05	5.0	11.78	44.8	<0.02	<1	0.3	8.2	<10	<2
1830593	Drill Core	0.1	<0.02	1.7	0.48	<0.1	0.04	0.37	13.4	0.4	<0.05	1.1	13.44	50.3	0.02	<1	0.2	3.8	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830594	Drill Core	5.04	406	0.005	<0.01	<0.17	26.85	0.73	9.77	13.29	32.9	230	4.4	3.9	148	1.02	2.6	2.6	0.6	10.0	43.9
1830595	Drill Core	4.90	459	0.005	<0.01	<0.17	27.15	0.24	6.61	18.01	32.9	222	4.6	3.7	171	0.99	2.1	1.0	<0.2	10.4	25.2
1830596	Drill Core	5.16	463	0.005	<0.01	<0.17	26.89	0.45	10.57	13.87	59.2	220	8.2	5.4	183	1.63	2.0	1.2	0.5	9.3	31.4
1830597	Drill Core	4.83	445	0.006	<0.01	<0.17	29.30	0.92	17.30	12.53	73.1	385	13.4	9.0	232	2.27	3.7	2.6	0.5	9.0	59.9
1830598	Drill Core	4.19	447	0.334	0.33	0.28	24.59	0.22	15.07	8.90	60.0	419	14.2	9.2	249	2.14	5.0	1.6	65.3	8.8	67.4
1830599	Drill Core	2.59	421	0.018	0.02	<0.17	25.49	0.26	2.38	17.26	37.2	256	1.9	1.6	111	0.72	3.2	1.2	10.4	11.2	16.9
1830600	Rock Pulp	0.12	86	7.405				9.24	187.29	18.48	74.7	811	12.8	11.1	563	4.70	13.3	0.9	7339.3	2.7	66.1
1830601	Drill Core	2.64	451	1.672	4.31	45.74	27.00	0.23	4.57	22.87	13.7	1547	0.4	0.4	38	0.43	2.1	0.8	4899.4	9.7	3.9
1830602	Drill Core	2.21	447	0.007	<0.01	<0.17	25.16	0.21	3.05	7.02	10.1	112	0.5	0.4	41	0.37	1.1	0.8	13.9	10.4	2.5
1830603	Drill Core	2.56	426	0.053	0.05	<0.17	25.58	0.20	5.63	7.36	22.1	221	0.5	0.8	48	0.47	3.0	1.6	29.4	12.8	7.0
1830604	Drill Core	2.51	437	0.098	0.09	<0.17	25.75	0.28	4.75	13.92	12.6	670	0.6	0.6	34	0.47	8.2	2.0	180.1	13.2	9.1
1830605	Drill Core	4.03	438	0.021	0.02	<0.17	26.14	0.12	3.16	9.51	8.2	212	0.4	0.3	53	0.42	2.0	1.0	4.8	12.5	5.9
1830606	Drill Core	4.32	433	0.019	0.02	<0.17	28.32	0.16	3.96	7.96	9.5	145	0.3	0.4	42	0.38	1.4	0.9	8.9	13.7	18.9
1830607	Drill Core	2.54	460	>10	9.38	11.30	27.87	0.20	1.58	9.54	8.6	1315	0.6	0.3	44	0.42	2.3	1.0	6983.5	12.1	3.0
1830608	Drill Core	4.68	437	0.075	0.07	<0.17	26.63	0.28	4.69	18.09	16.5	372	1.7	1.7	95	0.64	3.9	1.4	169.4	12.4	8.7
1830609	Drill Core	2.96	467	0.023	0.02	<0.17	27.85	0.45	8.94	20.24	46.8	378	5.3	5.2	270	1.37	3.6	1.3	12.7	12.3	21.7
1830610	Drill Core	3.52	404	0.006	<0.01	<0.17	28.30	0.21	9.39	43.17	36.2	204	1.4	1.5	157	0.69	2.0	1.3	0.8	11.3	13.2
1830611	Drill Core	2.40	441	0.007	<0.01	<0.17	28.48	0.31	3.61	27.90	18.2	166	1.1	1.3	181	0.55	1.0	0.9	2.7	11.9	10.4
1830612	Drill Core	3.35	419	0.012	0.01	<0.17	27.82	0.14	5.27	22.17	25.5	159	0.8	0.7	100	0.52	1.9	1.1	3.0	11.6	10.4
1830613	Drill Core	5.04	428	0.242	0.23	<0.17	28.91	0.65	49.05	112.91	229.7	813	16.3	10.3	612	2.84	29.8	1.5	213.7	9.3	30.3
1830614	Drill Core	4.98	440	0.039	0.04	<0.17	27.97	0.55	95.80	721.12	513.6	2347	14.5	10.8	679	2.61	2.2	1.4	53.0	11.8	88.6
1830615	Drill Core	4.76	433	0.025	0.02	<0.17	26.89	0.76	33.23	27.43	142.9	499	11.5	8.0	374	2.16	2.3	1.5	21.4	11.0	25.2
1830616	Drill Core	5.13	422	0.006	<0.01	<0.17	30.17	1.39	29.11	14.03	68.9	489	15.2	9.8	413	2.39	5.0	1.9	0.3	10.3	97.0
1830617	Drill Core	4.70	421	<0.005	<0.01	<0.17	26.49	1.70	22.29	21.14	50.8	587	16.8	6.2	315	1.88	6.3	1.8	0.6	10.2	72.3
1830618	Drill Core	4.90	412	0.006	<0.01	<0.17	28.53	0.83	24.01	9.95	57.9	345	11.8	7.4	411	2.21	5.4	1.6	0.2	9.6	155.9
1830619	Drill Core	5.33	406	0.005	<0.01	<0.17	26.15	0.43	21.71	7.92	73.8	372	13.7	8.3	390	2.52	6.0	1.9	<0.2	8.8	35.2
1830620	Rock Pulp	0.12	86	0.530				2.19	422.10	18.32	48.6	267	600.7	26.2	422	2.50	18.2	0.6	386.2	1.6	52.5
1830621	Drill Core	5.36	408	0.008	<0.01	<0.17	28.25	0.98	17.75	17.07	69.6	462	19.8	8.3	313	2.29	8.2	1.7	0.6	8.8	37.3
1830622	Drill Core	4.75	453	0.009	<0.01	<0.17	28.48	0.88	19.18	10.60	69.0	592	32.2	9.5	253	2.21	10.7	2.0	5.5	8.7	37.5
1830623	Drill Core	4.75	435	0.008	<0.01	<0.17	25.93	0.47	10.37	19.11	27.6	294	4.6	3.9	110	0.98	6.0	4.9	1.5	12.1	31.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830594	Drill Core	0.39	0.60	0.12	8	0.69	0.032	19.1	8.9	0.44	323.2	0.037	<1	0.68	0.013	0.45	0.3	2.7	0.18	<5
1830595	Drill Core	0.27	0.36	0.14	7	0.38	0.030	19.4	8.1	0.53	311.9	0.042	<1	0.67	0.012	0.45	0.4	3.0	0.17	<0.02
1830596	Drill Core	0.42	0.34	0.08	18	0.38	0.042	13.2	20.3	0.89	261.5	0.068	<1	0.94	0.023	0.47	0.3	3.9	0.19	<5
1830597	Drill Core	0.29	0.56	0.09	32	0.76	0.062	12.4	33.0	1.13	206.1	0.099	<1	1.17	0.028	0.43	0.6	5.7	0.18	14
1830598	Drill Core	0.24	0.82	0.07	24	0.93	0.057	14.4	26.4	0.92	311.7	0.070	<1	1.10	0.025	0.40	0.6	5.3	0.15	<5
1830599	Drill Core	0.23	0.25	0.29	3	0.20	0.031	31.0	3.3	0.18	424.7	0.006	<1	0.49	0.023	0.30	0.2	1.7	0.09	<0.02
1830600	Rock Pulp	0.14	5.42	0.53	114	0.90	0.058	7.7	16.8	0.86	109.6	0.125	3	1.70	0.172	0.22	4.6	4.2	0.06	215
1830601	Drill Core	0.09	0.18	1.18	<1	0.02	0.010	26.5	1.0	0.03	188.9	0.001	<1	0.26	0.030	0.23	<0.1	0.9	0.05	<0.02
1830602	Drill Core	0.10	0.11	0.08	<1	0.02	0.008	29.3	1.1	0.03	189.3	<0.001	<1	0.26	0.022	0.24	<0.1	0.7	0.06	<0.02
1830603	Drill Core	0.27	0.31	0.13	<1	0.06	0.021	35.9	1.0	0.05	236.4	0.001	1	0.38	0.027	0.28	<0.1	1.2	0.07	<0.02
1830604	Drill Core	0.26	0.60	0.20	1	0.06	0.026	40.6	1.0	0.03	261.6	<0.001	<1	0.34	0.022	0.27	0.1	1.0	0.07	<0.02
1830605	Drill Core	0.12	0.18	0.20	<1	0.04	0.016	34.0	1.0	0.05	242.7	0.001	1	0.35	0.026	0.29	<0.1	1.3	0.07	<0.02
1830606	Drill Core	0.11	0.12	0.15	<1	0.12	0.049	35.3	1.0	0.05	255.3	0.001	2	0.37	0.028	0.30	<0.1	1.6	0.07	<0.02
1830607	Drill Core	0.11	0.19	0.10	<1	0.02	0.008	33.4	1.2	0.04	230.9	0.001	1	0.34	0.034	0.28	<0.1	1.4	0.08	<0.02
1830608	Drill Core	0.27	0.31	0.20	2	0.08	0.024	32.1	2.7	0.11	274.0	0.003	<1	0.43	0.029	0.29	0.1	1.6	0.08	<0.02
1830609	Drill Core	0.79	0.54	0.16	9	0.28	0.039	29.6	9.8	0.54	326.1	0.029	1	0.90	0.012	0.47	0.3	3.9	0.20	<0.02
1830610	Drill Core	0.45	0.44	0.14	3	0.17	0.015	30.2	2.8	0.14	277.2	0.022	<1	0.47	0.028	0.28	0.2	2.6	0.11	<0.02
1830611	Drill Core	0.55	0.21	0.25	2	0.13	0.014	33.9	2.7	0.09	326.0	0.009	2	0.44	0.025	0.32	0.1	2.1	0.09	<0.02
1830612	Drill Core	0.30	0.26	0.24	1	0.10	0.009	30.9	1.5	0.10	287.1	0.006	<1	0.40	0.029	0.27	0.3	1.7	0.07	<0.02
1830613	Drill Core	2.26	1.15	0.11	25	0.42	0.070	20.0	29.4	1.06	253.0	0.093	<1	1.23	0.038	0.55	2.0	6.8	0.40	<0.02
1830614	Drill Core	1.46	0.88	0.25	33	1.06	0.142	23.7	43.9	1.48	146.0	0.095	1	1.64	0.035	0.27	1.9	7.7	0.13	<0.02
1830615	Drill Core	2.27	0.52	0.09	20	0.33	0.064	29.1	23.6	0.66	189.3	0.046	<1	1.05	0.038	0.32	0.6	4.8	0.16	<0.02
1830616	Drill Core	0.41	0.89	0.09	30	1.06	0.061	23.3	32.0	0.94	199.5	0.107	<1	1.39	0.031	0.48	0.8	7.0	0.24	<0.02
1830617	Drill Core	0.37	0.77	0.67	19	0.75	0.064	22.3	19.9	0.66	230.1	0.072	1	0.92	0.021	0.53	0.3	4.9	0.32	<0.02
1830618	Drill Core	0.35	0.78	0.12	19	1.41	0.058	17.4	21.8	0.71	513.3	0.080	1	1.00	0.031	0.59	0.3	5.9	0.33	0.04
1830619	Drill Core	0.31	1.10	0.09	25	0.41	0.064	19.1	28.7	0.87	470.5	0.116	<1	1.15	0.029	0.64	0.5	6.4	0.32	0.03
1830620	Rock Pulp	0.16	0.40	0.29	51	1.21	0.030	3.8	94.5	1.73	72.6	0.068	4	1.90	0.184	0.14	1.3	3.4	0.10	0.20
1830621	Drill Core	0.30	1.01	0.30	26	0.42	0.072	16.4	32.6	0.87	276.6	0.086	1	1.17	0.027	0.70	0.8	4.6	0.35	0.03
1830622	Drill Core	0.31	1.13	0.20	29	0.37	0.055	14.4	38.8	1.04	222.7	0.074	<1	1.27	0.020	0.74	0.5	4.0	0.33	0.05
1830623	Drill Core	0.25	0.75	0.19	6	0.36	0.032	18.9	6.3	0.35	226.1	0.042	1	0.65	0.039	0.42	0.7	2.3	0.14	0.11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830594	Drill Core	0.5	<0.02	1.9	1.27	<0.1	0.14	0.28	21.7	0.4	<0.05	4.9	11.08	35.5	<0.02	<1	0.3	8.2	<10	<2
1830595	Drill Core	<0.1	<0.02	2.3	1.82	<0.1	0.29	0.18	22.1	0.3	<0.05	9.0	9.85	35.5	<0.02	<1	0.4	9.7	<10	<2
1830596	Drill Core	0.2	<0.02	3.5	1.82	<0.1	0.31	0.13	23.7	0.4	<0.05	9.3	7.92	24.9	<0.02	<1	0.6	13.6	<10	<2
1830597	Drill Core	<0.1	<0.02	5.9	1.75	<0.1	0.27	0.11	21.8	0.7	<0.05	9.8	10.63	24.4	<0.02	2	0.5	16.9	<10	5
1830598	Drill Core	<0.1	<0.02	5.3	1.52	<0.1	0.25	0.10	20.2	0.4	<0.05	8.1	11.89	28.3	<0.02	1	0.4	16.6	<10	<2
1830599	Drill Core	<0.1	<0.02	1.8	0.75	<0.1	0.17	0.06	13.6	0.3	<0.05	7.8	7.48	57.4	<0.02	1	0.3	6.4	21	<2
1830600	Rock Pulp	<0.1	0.15	5.0	0.69	0.2	0.09	0.12	7.7	1.8	<0.05	1.8	5.15	15.4	0.04	<1	0.1	6.3	<10	3
1830601	Drill Core	<0.1	0.12	0.8	0.37	<0.1	0.12	0.03	8.9	0.2	<0.05	5.0	4.32	52.5	<0.02	<1	0.2	2.1	<10	<2
1830602	Drill Core	0.2	0.04	0.7	0.53	<0.1	0.08	0.03	9.7	0.2	<0.05	2.5	5.34	54.3	<0.02	<1	0.2	2.1	<10	<2
1830603	Drill Core	0.3	0.03	1.2	0.85	<0.1	0.02	0.03	11.8	0.2	<0.05	1.4	7.97	67.7	<0.02	<1	0.3	2.6	<10	<2
1830604	Drill Core	0.1	0.03	1.0	0.74	<0.1	0.05	<0.02	11.0	0.2	<0.05	1.6	5.66	73.4	<0.02	<1	0.2	2.3	<10	<2
1830605	Drill Core	<0.1	<0.02	1.0	0.47	<0.1	0.09	0.03	10.7	0.2	<0.05	4.4	4.94	67.9	<0.02	<1	0.2	2.7	<10	<2
1830606	Drill Core	<0.1	<0.02	1.0	0.35	<0.1	0.20	0.05	11.1	0.2	<0.05	3.9	8.00	69.7	<0.02	1	0.3	2.5	11	<2
1830607	Drill Core	<0.1	0.03	1.1	0.39	<0.1	0.10	0.03	10.6	0.2	<0.05	3.4	4.19	64.5	<0.02	<1	0.4	3.0	<10	<2 9.3
1830608	Drill Core	<0.1	0.03	1.4	0.68	<0.1	0.14	0.06	12.2	0.2	<0.05	4.3	7.05	64.1	<0.02	<1	0.3	4.8	<10	<2
1830609	Drill Core	<0.1	0.02	3.0	2.76	<0.1	0.16	0.12	24.3	0.4	<0.05	4.8	11.92	57.1	<0.02	<1	0.4	12.2	<10	2
1830610	Drill Core	<0.1	<0.02	1.6	1.24	<0.1	0.11	0.37	12.9	0.4	<0.05	3.5	16.99	58.4	<0.02	<1	0.2	4.5	<10	<2
1830611	Drill Core	<0.1	<0.02	1.4	0.44	<0.1	0.05	0.16	13.9	0.3	<0.05	2.0	11.69	62.4	<0.02	<1	0.3	4.7	<10	<2
1830612	Drill Core	<0.1	<0.02	1.3	0.58	<0.1	0.04	0.17	11.5	0.3	<0.05	2.1	10.13	56.4	<0.02	<1	0.3	3.4	<10	<2
1830613	Drill Core	0.1	0.04	5.2	8.65	<0.1	0.11	0.14	38.0	0.6	<0.05	4.7	12.90	38.2	0.02	<1	0.7	14.4	<10	<2
1830614	Drill Core	0.5	0.19	9.6	0.97	<0.1	0.11	0.17	14.9	0.7	<0.05	3.8	13.39	45.0	0.04	<1	1.0	26.4	<10	<2
1830615	Drill Core	0.2	0.04	5.0	1.73	<0.1	0.13	0.10	19.5	0.4	<0.05	4.6	13.97	54.7	<0.02	<1	0.5	16.3	<10	<2
1830616	Drill Core	<0.1	<0.02	5.8	2.59	<0.1	0.16	0.17	28.6	0.7	<0.05	5.0	15.09	43.6	0.03	<1	0.6	16.8	<10	<2
1830617	Drill Core	0.6	0.03	3.2	4.24	<0.1	0.15	0.18	30.1	0.7	<0.05	4.9	12.58	39.8	<0.02	1	0.5	9.2	<10	<2
1830618	Drill Core	0.5	<0.02	3.6	5.55	<0.1	0.11	0.16	34.4	0.5	<0.05	3.8	10.67	34.4	0.04	<1	0.4	10.0	<10	<2
1830619	Drill Core	0.1	<0.02	4.7	5.14	<0.1	0.13	0.21	35.9	0.7	<0.05	4.4	13.28	36.9	0.02	<1	0.6	13.6	<10	<2
1830620	Rock Pulp	0.7	0.19	4.0	0.64	<0.1	0.06	0.03	5.8	0.4	<0.05	1.3	3.00	8.2	<0.02	1	<0.1	7.6	244	130
1830621	Drill Core	0.2	<0.02	4.4	4.61	<0.1	0.26	0.11	39.7	0.4	<0.05	8.1	8.66	31.8	<0.02	<1	0.4	14.3	<10	<2
1830622	Drill Core	0.4	0.03	4.1	3.19	<0.1	0.28	0.08	39.0	0.4	<0.05	8.8	7.62	26.0	<0.02	3	0.3	15.5	<10	<2
1830623	Drill Core	0.4	0.03	2.5	0.85	<0.1	0.15	0.27	17.1	0.4	<0.05	5.4	7.71	35.7	<0.02	1	0.5	5.4	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830624	Drill Core	5.29	419	0.026	0.02	<0.17	27.29	1.10	14.37	16.53	73.3	466	12.6	6.8	397	2.17	14.7	1.3	25.8	85.8
1830625	Drill Core	4.82	456	0.476	0.47	0.40	27.25	1.91	15.86	11.27	26.9	1891	10.2	3.9	121	1.47	34.4	2.7	439.5	23.6
1830626	Drill Core	4.81	442	0.073	0.07	<0.17	27.47	4.46	15.26	15.67	33.8	820	11.9	5.2	188	1.48	30.5	1.7	58.7	36.9
1830627	Drill Core	4.27	439	0.010	<0.01	<0.17	25.27	1.35	24.66	13.56	25.6	762	8.8	3.7	145	1.38	9.2	1.7	4.0	35.3
1830628	Drill Core	5.56	443	0.015	0.01	<0.17	26.45	1.11	14.52	19.88	19.4	480	8.6	3.9	192	1.03	7.5	1.4	22.4	50.7
1830629	Drill Core	4.56	424	0.006	<0.01	<0.17	26.76	1.08	12.33	23.88	20.6	455	6.6	3.3	136	0.89	5.8	2.0	0.7	34.0
1830630	Drill Core	3.15	402	0.008	<0.01	<0.17	27.53	1.60	22.46	15.75	49.3	503	15.1	6.2	264	1.69	10.8	1.4	7.0	28.6
1830631	Drill Core	3.33	422	0.046	0.04	<0.17	26.91	1.30	27.38	20.17	64.2	657	22.7	7.7	194	1.64	21.5	1.3	38.5	35.7
1830632	Drill Core	2.20	452	0.046	0.04	<0.17	36.49	0.81	5.16	18.50	39.1	203	9.9	2.9	218	1.13	7.8	0.7	27.7	20.3
1830633	Drill Core	4.56	451	0.111	0.10	<0.17	25.33	1.10	7.14	5.67	44.4	418	25.9	9.8	262	2.00	26.4	1.6	73.4	39.4
1830634	Drill Core	4.87	515	0.020	0.02	<0.17	31.06	1.75	25.72	4.22	48.2	645	23.4	8.9	273	2.28	18.4	1.1	11.8	41.4
1830635	Drill Core	5.06	487	0.015	0.01	<0.17	27.95	1.18	19.59	2.53	28.9	593	21.0	7.2	209	1.80	17.5	1.0	9.5	40.9
1830636	Drill Core	4.72	466	0.021	0.02	<0.17	36.06	0.86	16.66	2.53	23.1	602	21.5	7.4	169	1.59	15.1	1.1	19.3	37.3
1830637	Drill Core	3.24	430	0.134	0.13	<0.17	30.56	1.07	33.66	6.71	41.0	1139	26.4	10.1	359	2.15	24.5	1.3	119.1	45.5
1830638	Drill Core	2.53	528	0.188	0.18	<0.17	31.47	1.17	26.24	2.95	47.3	1034	24.4	9.1	282	1.90	25.6	1.0	137.0	34.8
1830639	Drill Core	3.23	424	0.008	<0.01	<0.17	33.77	0.93	24.71	5.00	47.2	566	27.2	9.5	258	2.01	35.7	1.7	2.4	26.9
1830640	Rock Pulp	0.12	81	0.012				2.23	89.95	3.51	34.1	108	4.6	8.3	345	2.54	0.8	0.8	22.6	64.9
1830641	Drill Core	2.84	406	0.014	0.01	<0.17	30.47	1.03	29.39	12.27	75.4	893	24.6	8.1	293	2.23	18.5	1.6	11.4	39.0
1830642	Drill Core	5.22	536	0.008	<0.01	<0.17	40.08	1.26	23.86	5.28	45.0	618	20.5	7.0	221	1.75	21.0	1.2	0.6	21.5
1830643	Drill Core	4.42	418	0.006	<0.01	<0.17	25.53	1.39	27.50	6.66	63.9	477	20.1	9.4	391	2.57	19.0	1.8	0.6	32.4
1830644	Drill Core	4.82	537	0.014	0.01	<0.17	24.11	0.97	13.12	4.26	64.0	351	12.8	8.9	426	2.53	17.6	1.6	6.3	46.9
1830645	Drill Core	5.34	536	0.006	<0.01	<0.17	39.84	2.11	22.06	4.49	70.7	331	26.4	13.3	582	2.84	24.2	1.8	<0.2	117.2
1830646	Drill Core	4.03	483	0.008	<0.01	<0.17	30.30	1.48	22.95	11.42	95.8	364	23.8	12.6	527	2.87	28.4	1.2	3.9	67.3
1830647	Drill Core	4.06	491	0.006	<0.01	<0.17	27.05	1.03	22.35	11.58	86.7	442	26.9	13.7	550	3.03	54.1	4.3	2.2	67.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830624	Drill Core	0.44	1.43	0.22	25	0.92	0.090	11.0	38.0	1.38	188.3	0.112	1	1.45	0.005	0.80	1.0	6.0	0.37	0.04	<5
1830625	Drill Core	0.25	1.14	0.23	7	0.22	0.057	17.1	8.6	0.32	292.7	0.029	1	0.65	0.027	0.47	0.6	2.9	0.16	0.25	<5
1830626	Drill Core	0.26	1.83	0.40	10	0.40	0.050	13.6	10.4	0.50	226.9	0.046	2	0.75	0.019	0.54	0.4	3.0	0.22	0.21	<5
1830627	Drill Core	0.35	1.29	0.77	18	0.31	0.063	22.4	17.7	0.34	223.8	0.095	<1	0.62	0.035	0.44	0.4	3.5	0.24	0.08	<5
1830628	Drill Core	0.23	0.93	0.53	8	1.15	0.039	21.3	8.0	0.16	200.8	0.063	1	0.52	0.029	0.39	0.3	3.0	0.16	0.05	<5
1830629	Drill Core	0.22	0.93	0.52	8	0.68	0.046	27.5	7.3	0.18	209.8	0.058	<1	0.54	0.040	0.35	0.3	2.9	0.15	<0.02	<5
1830630	Drill Core	0.46	2.06	0.32	19	0.52	0.069	19.4	27.3	0.57	234.8	0.085	<1	0.95	0.025	0.45	0.7	4.2	0.20	<0.02	<5
1830631	Drill Core	0.37	2.07	0.12	18	0.51	0.060	15.2	21.7	0.72	209.7	0.092	2	1.00	0.015	0.53	1.0	4.5	0.25	<0.02	<5
1830632	Drill Core	0.21	0.73	0.08	9	0.27	0.030	8.2	13.1	0.50	127.8	0.030	<1	0.56	0.007	0.27	0.5	2.7	0.10	<0.02	6
1830633	Drill Core	0.27	1.57	0.05	19	0.51	0.061	15.3	23.4	0.86	224.9	0.081	2	1.07	0.016	0.53	1.4	4.6	0.23	<0.02	5
1830634	Drill Core	0.16	1.58	0.05	19	0.48	0.059	13.6	23.1	1.10	155.4	0.098	1	1.27	0.015	0.75	0.5	4.0	0.40	<0.02	<5
1830635	Drill Core	0.08	1.45	0.03	18	0.46	0.055	13.4	23.0	0.92	174.0	0.108	1	1.10	0.018	0.64	0.9	4.1	0.30	<0.02	<5
1830636	Drill Core	0.04	1.29	0.03	18	0.43	0.056	12.9	22.9	0.73	150.2	0.105	2	0.92	0.022	0.49	0.8	4.5	0.21	<0.02	<5
1830637	Drill Core	0.13	1.18	0.17	17	0.51	0.057	15.8	20.9	0.95	228.3	0.099	1	1.15	0.009	0.67	1.6	5.1	0.29	<0.02	<5
1830638	Drill Core	0.29	1.28	0.06	12	0.43	0.055	9.6	13.7	0.81	181.7	0.056	<1	0.90	0.008	0.66	0.8	3.6	0.28	0.10	<5
1830639	Drill Core	0.20	1.65	0.07	15	0.42	0.054	10.1	16.8	0.86	194.7	0.072	<1	1.02	0.014	0.71	0.3	3.7	0.28	0.13	<5
1830640	Rock Pulp	0.02	0.11	0.07	91	0.80	0.059	6.4	9.7	0.74	119.2	0.096	4	1.44	0.155	0.21	3.1	2.1	0.04	<0.02	<5
1830641	Drill Core	0.36	1.72	0.15	20	0.67	0.054	9.7	22.1	1.11	154.2	0.096	<1	1.21	0.018	0.58	0.6	3.9	0.25	0.10	<5
1830642	Drill Core	0.28	1.71	0.08	14	0.43	0.059	11.9	14.5	0.69	245.6	0.078	<1	0.91	0.014	0.58	0.3	4.3	0.26	0.03	<5
1830643	Drill Core	0.45	1.80	0.07	30	0.63	0.078	12.4	33.5	0.99	217.3	0.118	<1	1.32	0.021	0.70	0.8	4.6	0.38	<0.02	<5
1830644	Drill Core	0.18	0.84	0.03	29	0.95	0.077	13.3	35.1	1.01	193.1	0.102	<1	1.41	0.029	0.50	0.4	4.4	0.28	0.03	6
1830645	Drill Core	0.35	0.44	0.05	59	1.98	0.070	10.2	123.0	1.61	187.5	0.102	<1	1.57	0.024	0.37	0.1	6.9	0.22	0.10	<5
1830646	Drill Core	0.73	0.37	0.09	60	1.49	0.065	7.7	140.0	1.68	159.7	0.096	<1	1.68	0.032	0.35	0.3	7.6	0.17	0.04	<5
1830647	Drill Core	0.53	0.37	0.06	59	1.70	0.069	7.1	145.6	1.75	164.7	0.098	<1	1.74	0.025	0.40	0.2	8.1	0.19	0.12	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000157.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
1830624	Drill Core	<0.1	<0.02	4.6	3.36	<0.1	0.23	0.12	47.9	0.4	<0.05	6.7	10.64	20.7	0.02	<1	0.6	18.0	<10	<2
1830625	Drill Core	0.5	0.04	2.1	1.12	<0.1	0.18	0.15	21.4	0.3	<0.05	4.2	7.32	32.2	<0.02	1	0.3	6.2	24	<2
1830626	Drill Core	0.8	<0.02	2.5	1.33	<0.1	0.41	0.20	27.2	0.3	<0.05	13.3	7.98	26.2	<0.02	2	0.3	6.7	<10	<2
1830627	Drill Core	1.1	0.07	2.8	1.46	<0.1	0.30	0.40	24.1	0.6	<0.05	10.3	11.12	40.4	<0.02	<1	0.4	5.5	<10	3
1830628	Drill Core	0.5	0.03	1.9	0.74	<0.1	0.22	0.51	19.3	0.4	<0.05	7.1	11.48	39.5	0.03	2	0.3	3.4	<10	<2
1830629	Drill Core	0.4	<0.02	2.5	0.55	<0.1	0.16	0.52	16.3	0.7	<0.05	5.1	13.23	54.1	0.03	<1	0.3	3.1	<10	<2
1830630	Drill Core	<0.1	<0.02	3.0	1.68	<0.1	0.16	0.22	23.8	0.4	<0.05	4.6	10.85	37.0	<0.02	<1	0.7	7.7	<10	<2
1830631	Drill Core	<0.1	<0.02	3.4	1.75	<0.1	0.19	0.18	29.4	0.3	<0.05	8.0	10.22	28.4	<0.02	<1	0.4	9.9	<10	<2
1830632	Drill Core	<0.1	<0.02	2.1	1.13	<0.1	0.04	0.09	13.3	0.4	<0.05	1.9	7.94	14.9	<0.02	<1	0.5	6.6	<10	<2
1830633	Drill Core	0.2	<0.02	4.2	2.31	<0.1	0.13	0.13	32.2	0.4	<0.05	4.2	11.17	30.3	0.02	<1	0.6	10.3	<10	<2
1830634	Drill Core	0.3	<0.02	4.5	3.32	<0.1	0.23	0.11	48.8	0.4	<0.05	9.1	8.11	26.2	<0.02	<1	0.6	13.1	<10	3
1830635	Drill Core	<0.1	<0.02	3.6	2.36	<0.1	0.24	0.12	37.7	0.4	<0.05	8.2	8.23	25.9	<0.02	<1	0.6	10.6	<10	<2
1830636	Drill Core	0.1	<0.02	3.4	2.80	<0.1	0.21	0.16	29.6	0.4	<0.05	9.8	8.65	25.0	<0.02	<1	0.4	8.6	<10	2
1830637	Drill Core	0.2	0.04	3.6	4.81	0.1	0.16	0.15	44.1	0.3	<0.05	5.8	9.72	30.5	<0.02	<1	0.5	11.1	<10	<2
1830638	Drill Core	0.5	0.02	2.7	2.74	<0.1	0.13	0.10	36.4	0.2	<0.05	5.3	6.70	18.8	<0.02	2	0.4	9.1	<10	<2
1830639	Drill Core	0.8	0.03	2.8	2.07	<0.1	0.19	0.11	33.8	0.3	<0.05	5.1	7.06	20.3	<0.02	3	0.3	8.7	<10	<2
1830640	Rock Pulp	<0.1	<0.02	3.9	0.28	0.1	0.05	0.06	6.0	0.3	<0.05	0.8	3.81	13.8	<0.02	<1	<0.1	6.3	<10	<2
1830641	Drill Core	0.7	<0.02	3.7	2.22	<0.1	0.06	0.12	27.2	0.5	<0.05	1.4	9.12	19.9	<0.02	2	0.2	10.7	<10	<2
1830642	Drill Core	0.4	0.04	2.8	2.29	<0.1	0.17	0.14	27.9	0.4	<0.05	5.1	9.89	23.3	<0.02	<1	0.4	9.2	<10	<2
1830643	Drill Core	0.4	<0.02	4.8	4.39	<0.1	0.06	0.14	40.1	0.6	<0.05	2.6	9.08	24.2	<0.02	3	0.4	12.0	<10	<2
1830644	Drill Core	<0.1	<0.02	5.5	1.97	<0.1	0.05	0.11	30.2	0.5	<0.05	1.3	8.10	25.7	<0.02	<1	0.2	9.9	<10	<2
1830645	Drill Core	0.4	<0.02	5.3	1.82	<0.1	0.05	0.06	20.6	0.5	<0.05	1.7	10.51	19.9	<0.02	3	0.5	11.3	<10	<2
1830646	Drill Core	0.1	<0.02	5.5	0.96	<0.1	0.03	0.06	18.0	0.5	<0.05	1.3	7.64	15.1	0.02	<1	0.3	12.0	<10	<2
1830647	Drill Core	0.5	0.03	6.7	0.82	<0.1	0.04	0.06	19.1	0.3	<0.05	1.1	6.54	14.2	<0.02	4	0.6	14.2	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 01, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000157.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr		
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm		
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5		
Pulp Duplicates																							
1830568	Drill Core	4.75	434	<0.005	<0.01	<0.17	28.44	0.32	12.20	7.58	75.1	173	10.5	7.1	504	2.83	4.7	1.0	<0.2	9.9	67.6		
REP 1830568	QC	0.006																					
1830585	Drill Core	2.73	412	0.011	0.01	<0.17	25.40	0.32	9.03	18.51	59.4	246	3.5	3.4	294	1.36	2.5	1.1	7.0	11.1	9.7		
REP 1830585	QC							0.36	9.07	19.51	60.8	270	3.7	3.2	295	1.29	2.0	1.2	5.9	11.2	9.9		
1830620	Rock Pulp	0.12	86	0.530				2.19	422.10	18.32	48.6	267	600.7	26.2	422	2.50	18.2	0.6	386.2	1.6	52.5		
REP 1830620	QC							2.34	433.24	18.95	48.1	285	616.0	27.1	414	2.59	19.0	0.6	537.5	1.7	55.5		
1830629	Drill Core	4.56	424	0.006	<0.01	<0.17	26.76	1.08	12.33	23.88	20.6	455	6.6	3.3	136	0.89	5.8	2.0	0.7	13.7	34.0		
REP 1830629	QC	0.007																					
1830641	Drill Core	2.84	406	0.014	0.01	<0.17	30.47	1.03	29.39	12.27	75.4	893	24.6	8.1	293	2.23	18.5	1.6	11.4	6.7	39.0		
REP 1830641	QC							0.012		1.00	29.54	12.36	75.5	929	24.8	7.8	284	2.22	18.6	1.6	10.9	6.1	39.4
Core Reject Duplicates																							
1830591	Drill Core	4.74	445	0.793	0.79	0.81	28.50	0.46	12.69	45.33	93.9	848	11.6	7.8	395	2.20	8.0	1.0	789.1	8.7	35.7		
DUP 1830591	QC	450		0.872	0.82	<0.17	28.00	0.44	12.72	46.03	89.6	896	12.4	7.7	395	2.30	7.7	1.1	810.1	9.3	37.5		
1830625	Drill Core	4.82	456	0.476	0.47	0.40	27.25	1.91	15.86	11.27	26.9	1891	10.2	3.9	121	1.47	34.4	2.7	439.5	11.1	23.6		
DUP 1830625	QC	443		0.440	0.44	0.43	27.73	2.14	17.09	11.77	26.1	1857	10.1	3.9	126	1.49	35.4	2.7	432.0	11.2	24.2		
Reference Materials																							
STD AGPROOF	Standard																						
STD AGPROOF	Standard																						
STD BVGEO01	Standard							10.93	4375.82	180.31	1748.0	2490	158.4	25.2	716	3.67	112.4	3.6	221.1	13.6	54.8		
STD DS11	Standard							15.33	138.03	141.86	326.2	1707	76.3	13.7	1040	3.12	42.9	2.9	82.6	8.6	68.2		
STD DS11	Standard							14.60	158.05	138.34	340.6	1633	82.9	14.1	1021	3.18	42.7	2.6	67.7	8.4	68.3		
STD DS11	Standard							14.38	148.19	129.41	337.3	1634	78.1	14.0	1003	3.10	41.4	2.5	94.4	7.8	66.6		
STD OREAS256	Standard	7.506																					
STD OREAS253	Standard	1.198																					
STD OREAS262	Standard							0.61	116.01	54.47	146.7	456	59.7	25.8	504	3.19	35.3	1.1	64.6	9.1	34.0		
STD OREAS262	Standard							0.63	121.60	56.35	143.6	419	65.0	27.5	515	3.28	33.9	1.2	54.3	10.1	35.1		
STD OREAS262	Standard							0.60	109.79	55.05	140.9	448	63.0	27.5	512	3.18	33.6	1.2	77.4	9.0	33.3		
STD OREAS262	Standard							0.65	116.91	57.38	151.9	462	66.1	28.4	549	3.27	35.9	1.2	53.4	9.9	35.3		



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 01, 2019

Page:

1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000157.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830568	Drill Core	0.23	0.31	0.07	27	1.05	0.065	21.8	25.4	1.39	284.6	0.014	3	1.72	0.021	0.30	0.2	4.8	0.10	0.06	<5
REP 1830568	QC																				
1830585	Drill Core	0.74	0.41	0.13	9	0.16	0.029	35.8	10.7	0.39	297.2	0.004	<1	0.81	0.012	0.35	<0.1	2.7	0.14	<0.02	7
REP 1830585	QC	0.73	0.39	0.14	8	0.15	0.030	38.7	10.9	0.37	302.6	0.004	<1	0.74	0.011	0.31	0.1	2.7	0.14	<0.02	11
1830620	Rock Pulp	0.16	0.40	0.29	51	1.21	0.030	3.8	94.5	1.73	72.6	0.068	4	1.90	0.184	0.14	1.3	3.4	0.10	0.20	19
REP 1830620	QC	0.17	0.39	0.30	53	1.27	0.028	4.0	95.1	1.78	73.6	0.072	3	2.00	0.192	0.14	1.2	3.3	0.09	0.20	17
1830629	Drill Core	0.22	0.93	0.52	8	0.68	0.046	27.5	7.3	0.18	209.8	0.058	<1	0.54	0.040	0.35	0.3	2.9	0.15	<0.02	<5
REP 1830629	QC																				
1830641	Drill Core	0.36	1.72	0.15	20	0.67	0.054	9.7	22.1	1.11	154.2	0.096	<1	1.21	0.018	0.58	0.6	3.9	0.25	0.10	<5
REP 1830641	QC	0.33	1.81	0.11	20	0.66	0.057	9.7	22.1	1.13	156.1	0.094	<1	1.20	0.017	0.58	0.5	4.0	0.24	0.10	<5
Core Reject Duplicates																					
1830591	Drill Core	0.98	0.88	0.08	21	0.52	0.057	14.6	25.2	1.04	174.1	0.064	<1	1.16	0.022	0.56	0.8	4.8	0.28	<0.02	7
DUP 1830591	QC	0.97	0.89	0.08	22	0.58	0.061	15.6	27.1	1.07	187.5	0.068	<1	1.23	0.023	0.59	0.8	5.9	0.29	<0.02	14
1830625	Drill Core	0.25	1.14	0.23	7	0.22	0.057	17.1	8.6	0.32	292.7	0.029	1	0.65	0.027	0.47	0.6	2.9	0.16	0.25	<5
DUP 1830625	QC	0.20	1.11	0.27	7	0.22	0.061	17.8	9.0	0.32	317.3	0.030	1	0.63	0.027	0.46	0.6	2.8	0.16	0.25	9
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard	5.83	3.92	25.12	75	1.32	0.070	26.8	169.3	1.25	295.1	0.225	4	2.28	0.190	0.88	5.6	6.1	0.58	0.66	84
STD DS11	Standard	2.55	9.56	12.60	48	1.07	0.071	20.3	58.6	0.85	403.1	0.095	11	1.25	0.074	0.40	3.0	3.3	5.25	0.27	296
STD DS11	Standard	2.29	8.21	11.49	51	1.06	0.070	18.9	62.2	0.89	371.6	0.098	8	1.20	0.072	0.41	2.9	3.0	4.71	0.27	251
STD DS11	Standard	2.20	8.65	11.41	51	1.02	0.069	18.0	58.2	0.83	367.6	0.092	7	1.18	0.072	0.40	2.9	3.4	4.57	0.26	254
STD OREAS256	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.56	5.57	1.01	22	3.01	0.038	16.5	39.4	1.17	238.7	0.002	2	1.37	0.066	0.33	0.2	2.8	0.43	0.25	137
STD OREAS262	Standard	0.62	4.52	1.01	23	3.02	0.040	15.6	42.6	1.15	243.9	0.003	2	1.32	0.068	0.32	0.1	3.0	0.44	0.26	126
STD OREAS262	Standard	0.65	5.88	1.00	22	2.86	0.037	14.3	38.3	1.14	220.5	0.003	4	1.28	0.067	0.30	0.3	3.1	0.44	0.24	167
STD OREAS262	Standard	0.70	4.56	1.08	22	2.87	0.038	15.2	44.1	1.19	246.1	0.003	4	1.35	0.069	0.31	0.2	3.5	0.46	0.25	154



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 01, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000157.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
Pulp Duplicates																					
1830568	Drill Core	<0.1	<0.02	6.3	1.37	<0.1	0.13	<0.02	13.9	0.4	<0.05	5.8	13.10	43.5	0.02	<1	0.7	18.6	<10	2	
REP 1830568	QC																				
1830585	Drill Core	0.1	<0.02	3.4	1.99	<0.1	0.06	0.03	19.4	0.4	<0.05	1.9	21.63	68.4	<0.02	<1	0.3	10.9	10	<2	
REP 1830585	QC	<0.1	<0.02	3.1	2.00	<0.1	0.07	0.03	18.1	0.4	<0.05	1.9	22.47	66.9	<0.02	<1	0.4	11.7	<10	<2	
1830620	Rock Pulp	0.7	0.19	4.0	0.64	<0.1	0.06	0.03	5.8	0.4	<0.05	1.3	3.00	8.2	<0.02	1	<0.1	7.6	244	130	
REP 1830620	QC	0.5	0.18	4.1	0.59	<0.1	0.05	0.02	5.8	0.4	<0.05	1.5	3.09	8.3	<0.02	2	0.2	7.4	251	119	
1830629	Drill Core	0.4	<0.02	2.5	0.55	<0.1	0.16	0.52	16.3	0.7	<0.05	5.1	13.23	54.1	0.03	<1	0.3	3.1	<10	<2	
REP 1830629	QC																				
1830641	Drill Core	0.7	<0.02	3.7	2.22	<0.1	0.06	0.12	27.2	0.5	<0.05	1.4	9.12	19.9	<0.02	2	0.2	10.7	<10	<2	
REP 1830641	QC	0.3	<0.02	3.5	2.25	<0.1	0.07	0.13	28.0	0.5	<0.05	1.5	8.91	20.0	<0.02	<1	0.4	10.8	<10	<2	
Core Reject Duplicates																					
1830591	Drill Core	<0.1	<0.02	4.8	6.23	<0.1	0.18	0.12	33.7	0.4	<0.05	5.0	9.12	28.0	<0.02	<1	0.7	17.1	<10	<2	
DUP 1830591	QC	<0.1	0.04	4.9	6.62	0.1	0.14	0.08	34.2	0.4	<0.05	4.9	9.22	30.0	<0.02	<1	0.6	16.1	11	<2	
1830625	Drill Core	0.5	0.04	2.1	1.12	<0.1	0.18	0.15	21.4	0.3	<0.05	4.2	7.32	32.2	<0.02	1	0.3	6.2	24	<2	
DUP 1830625	QC	0.4	<0.02	2.0	1.11	<0.1	0.13	0.16	21.2	0.2	<0.05	4.7	6.96	32.0	0.02	<1	0.3	6.0	<10	<2	
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard	<0.9																			
STD BVGEO01	Standard	4.9	0.99	7.3	6.91	0.2	0.33	0.37	91.3	5.6	<0.05	9.3	13.63	50.8	0.40	2	0.8	19.5	136	185	
STD DS11	Standard	1.8	4.75	4.6	3.09	<0.1	0.07	1.69	34.7	2.1	<0.05	4.4	9.16	44.3	0.27	51	0.5	22.9	99	189	
STD DS11	Standard	1.8	4.34	5.1	2.72	0.1	0.08	1.60	32.2	1.9	<0.05	2.7	7.67	37.1	0.21	39	0.5	23.0	98	157	
STD DS11	Standard	2.1	4.55	4.7	2.82	<0.1	0.06	1.46	33.3	1.9	<0.05	2.9	7.87	37.0	0.24	47	0.5	21.4	108	167	
STD OREAS256	Standard																				
STD OREAS253	Standard																				
STD OREAS262	Standard	0.6	0.17	4.3	2.85	<0.1	0.24	<0.02	18.6	0.5	<0.05	10.7	10.15	34.5	0.03	2	0.9	16.2	<10	<2	
STD OREAS262	Standard	<0.1	0.18	3.5	2.50	<0.1	0.22	<0.02	16.9	0.6	<0.05	8.0	9.88	32.1	0.02	2	1.2	16.9	<10	2	
STD OREAS262	Standard	0.3	0.26	3.7	2.91	<0.1	0.24	<0.02	18.1	0.5	<0.05	9.7	9.81	28.7	0.03	<1	1.1	16.3	<10	<2	
STD OREAS262	Standard	0.2	0.27	3.7	2.59	<0.1	0.27	<0.02	18.2	0.6	<0.05	11.0	10.74	31.5	0.03	<1	1.2	17.7	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000157.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC145	Standard			0.205																	
STD OXC145	Standard			0.212																	
STD OXC145	Standard																				
STD OXH139	Standard			1.294																	
STD OXH139	Standard																				
STD OXN134	Standard			7.517																	
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard					25.28	29.83														
STD OXQ90	Standard					24.96	30.05														
STD OXQ90	Standard					25.44	29.09														
STD OXQ90	Standard					25.23	29.96														
STD OXQ90	Standard					25.12	29.90														
STD OXQ90	Standard					25.19	30.21														
STD SP49	Standard																				
STD SP49	Standard																				
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			<0.005																	
BLK	Blank			0.010																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.4	2	0.1	<0.1	1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000157.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD OXQ90 Expected																					
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000157.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 -Au ppm 0.9
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				35.2
STD OXQ114	Standard																				35.3
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				17.9
STD SP49	Standard																				18.4
STD OXQ90 Expected																					
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000157.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		461	0.007	<0.01	<0.17	28.71	0.74	3.14	1.69	27.2	10	0.7	3.4	466	1.78	0.7	0.5	1.7	2.2	21.3
ROCK-WHI	Prep Blank		415	<0.005	<0.01	<0.17	23.19	0.88	1.54	1.78	24.3	6	0.7	3.5	433	1.79	0.5	0.5	0.5	2.6	24.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000157.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.07	<0.02	22	0.68	0.044	6.4	3.0	0.42	53.7	0.070	6	0.82	0.070	0.07	<0.1	2.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.03	<0.02	23	0.64	0.039	6.5	1.9	0.42	59.5	0.079	4	0.89	0.087	0.08	<0.1	2.8	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 01, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000157.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	-Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.9
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.9																			
BLK	Blank	<0.9																			
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.2	<0.02	3.6	0.17	0.1	0.09	0.31	2.3	0.4	<0.05	2.9	8.53	12.8	<0.02	<1	0.2	1.5	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.17	<0.1	0.13	0.30	2.4	0.4	<0.05	3.4	9.15	14.0	<0.02	<1	0.2	2.2	<10	<2	