



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 04, 2019  
Report Date: July 31, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000158.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-25  
P.O. Number  
Number of Samples: 103

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	99	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	103	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	103	Analysis sample split/packet			WHI
Split -150	103	Analysis sample split/packet			WHI
EN002	103	Environmental disposal charge-Fire assay lead waste			VAN
FS631	100	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	103	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	103	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer

  
JEFFREY CANNON  
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: July 31, 2019

Page: 2 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830648	Drill Core	1.98	466	0.038	0.04	<0.17	28.81	5.13	16.41	14.94	50.4	1331	11.6	4.6	343	1.82	4.5	0.6	17.0	6.2	19.5
1830649	Drill Core	5.14	542	0.006	<0.01	<0.17	21.73	1.15	19.08	11.26	60.1	417	12.1	6.0	405	2.09	4.2	1.0	2.9	9.0	49.1
1830650	Drill Core	4.97	484	0.758	0.95	3.23	37.73	1.55	16.97	4.65	50.2	605	12.6	8.3	556	2.36	4.6	1.4	761.0	9.1	75.4
1830651	Drill Core	5.24	562	0.006	<0.01	<0.17	34.02	1.45	13.93	8.01	62.6	162	13.5	8.3	515	2.37	6.9	1.4	1.9	8.6	72.4
1830652	Drill Core	5.15	436	0.010	<0.01	<0.17	25.17	1.18	17.17	8.57	63.4	309	12.3	7.9	391	2.30	12.4	1.7	6.1	9.0	40.2
1830653	Drill Core	5.29	534	<0.005	<0.01	<0.17	37.73	1.38	10.03	17.23	79.2	223	12.8	7.3	414	2.37	2.6	1.6	0.8	7.7	83.2
1830654	Drill Core	5.08	528	<0.005	<0.01	<0.17	34.17	0.94	12.20	8.72	64.4	242	11.7	7.3	296	2.43	2.9	1.5	0.9	9.3	44.3
1830655	Drill Core	3.02	431	<0.005	<0.01	<0.17	29.66	0.70	11.79	6.56	72.0	191	11.8	7.0	251	2.35	1.5	1.6	2.0	9.1	60.2
1830656	Drill Core	2.31	536	0.017	0.02	<0.17	38.90	0.81	16.01	9.92	125.0	354	10.1	6.3	230	1.96	3.2	1.3	12.0	7.5	43.7
1830657	Drill Core	4.81	509	0.006	0.03	0.40	27.72	0.74	13.07	10.69	66.9	258	12.3	7.1	245	1.94	6.5	1.1	0.6	4.9	61.4
1830658	Drill Core	5.50	451	0.005	<0.01	<0.17	25.90	0.93	10.84	15.52	59.9	171	10.9	6.2	234	1.85	8.4	0.9	0.5	3.7	28.4
1830659	Drill Core	4.31	428	0.005	<0.01	<0.17	26.96	0.51	10.58	10.50	61.4	225	10.8	6.5	200	1.93	4.1	1.5	0.4	7.9	43.9
1830660	Core DUP		493	<0.005	<0.01	<0.17	20.41	0.49	10.62	10.63	62.0	231	10.9	6.6	199	1.95	3.9	1.5	1.1	8.0	43.3
1830661	Drill Core	1.91	483	0.011	0.01	<0.17	33.15	0.65	13.88	23.05	74.3	341	9.1	5.8	218	1.69	1.9	1.6	8.0	9.0	62.9
1830662	Drill Core	5.55	567	0.008	<0.01	<0.17	36.64	0.92	14.62	17.12	64.5	358	13.5	7.3	355	2.15	2.8	1.4	3.3	7.8	72.1
1830663	Drill Core	5.12	425	<0.005	<0.01	<0.17	30.66	0.98	15.87	10.11	64.9	410	15.1	8.1	348	2.36	3.9	1.1	1.1	6.3	66.6
1830664	Drill Core	3.94	461	0.010	<0.01	<0.17	21.44	0.65	22.31	14.19	76.6	360	15.6	8.9	285	2.81	7.9	0.7	6.9	8.8	14.0
1830665	Drill Core	4.99	424	0.010	<0.01	<0.17	33.84	0.70	18.48	7.39	73.8	483	18.4	9.5	320	2.98	8.2	1.1	7.5	9.3	16.1
1830666	Drill Core	5.15	445	0.005	<0.01	<0.17	34.53	0.53	14.79	8.77	64.4	454	12.2	6.9	333	2.37	7.0	1.4	1.0	9.5	38.6
1830667	Drill Core	4.79	433	0.006	<0.01	<0.17	31.75	0.40	7.49	13.28	48.3	257	3.4	2.6	282	1.37	4.9	1.0	1.4	10.5	20.5
1830668	Drill Core	4.07	432	0.009	<0.01	<0.17	25.56	0.36	5.24	13.48	36.9	258	3.6	2.7	186	1.28	5.7	0.8	4.1	10.9	6.5
1830669	Drill Core	4.49	437	0.036	0.03	<0.17	38.03	0.60	11.66	12.53	70.4	318	13.3	7.3	358	2.55	16.3	1.1	16.5	7.9	14.0
1830670	Drill Core	4.19	431	0.047	0.04	<0.17	27.57	0.52	21.94	40.56	102.2	417	15.6	7.8	408	2.89	16.5	1.1	51.3	8.6	14.1
1830671	Drill Core	4.65	429	0.015	0.01	<0.17	35.39	0.50	12.33	139.84	155.0	385	9.9	5.8	476	2.53	10.7	1.2	13.4	10.8	10.9
1830672	Drill Core	1.82	437	0.022	0.03	<0.17	35.35	0.73	2.71	29.20	19.6	208	2.0	1.0	194	0.85	2.4	0.2	15.4	1.4	3.9
1830673	Drill Core	3.18	425	0.155	0.14	<0.17	27.79	0.41	16.83	23.47	82.2	405	9.9	6.4	428	2.53	7.3	1.2	121.3	11.3	18.3
1830674	Drill Core	3.42	406	0.037	0.03	<0.17	28.36	0.39	9.23	10.80	60.4	314	10.7	6.3	420	2.42	2.4	1.3	35.7	9.4	32.7
1830675	Drill Core	4.66	448	0.012	0.01	<0.17	35.23	0.45	19.14	12.97	80.8	502	14.7	8.0	324	2.74	4.1	1.1	12.1	8.1	23.2
1830676	Drill Core	5.54	391	0.006	<0.01	<0.17	32.60	0.49	13.16	17.62	67.9	316	13.3	7.7	264	2.55	4.2	1.2	3.3	8.7	30.1
1830677	Drill Core	3.91	438	0.006	<0.01	<0.17	34.33	0.32	6.63	16.62	48.2	226	3.9	2.7	189	1.29	6.6	1.1	1.9	10.0	12.6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830648	Drill Core	0.20	0.31	0.31	14	0.28	0.046	15.5	16.8	0.62	216.7	0.036	<1	0.94	0.033	0.27	5.6	3.2	0.13	<0.02	<5
1830649	Drill Core	0.31	0.45	0.30	18	0.79	0.055	18.8	20.6	0.83	342.0	0.022	1	1.21	0.040	0.37	0.2	4.2	0.13	0.10	<5
1830650	Drill Core	0.40	0.61	0.10	19	1.30	0.071	20.3	23.0	0.83	333.3	0.016	1	1.25	0.042	0.40	0.5	5.0	0.15	<0.02	9
1830651	Drill Core	0.37	0.76	0.12	22	1.38	0.068	21.5	27.6	0.89	302.6	0.040	1	1.50	0.029	0.46	0.3	5.0	0.18	<0.02	5
1830652	Drill Core	0.33	0.48	0.13	16	1.10	0.060	20.5	19.5	0.73	281.1	0.010	1	1.34	0.022	0.44	0.1	4.4	0.17	<0.02	<5
1830653	Drill Core	0.32	0.58	0.22	23	1.85	0.056	19.9	29.2	1.41	250.4	0.076	1	1.81	0.032	0.40	0.3	4.9	0.16	0.03	6
1830654	Drill Core	0.21	0.35	0.08	22	0.85	0.055	23.5	27.9	1.17	273.0	0.065	<1	1.52	0.068	0.26	0.2	5.2	0.10	0.11	<5
1830655	Drill Core	0.40	0.63	0.04	24	1.16	0.055	21.7	29.2	0.99	225.7	0.075	1	1.49	0.061	0.28	0.6	5.5	0.09	0.04	<5
1830656	Drill Core	0.71	0.84	0.08	17	0.83	0.050	15.3	21.3	0.68	334.2	0.060	1	1.09	0.047	0.25	1.1	4.2	0.08	0.02	<5
1830657	Drill Core	0.31	0.63	0.10	18	1.31	0.057	12.1	22.5	0.82	439.3	0.108	1	1.27	0.057	0.32	0.4	3.8	0.11	0.18	<5
1830658	Drill Core	0.22	0.61	0.12	12	0.92	0.053	7.1	16.0	0.81	271.5	0.101	<1	1.34	0.056	0.40	0.2	2.6	0.16	0.13	<5
1830659	Drill Core	0.20	0.60	0.07	16	0.99	0.053	19.6	21.3	0.98	281.1	0.073	1	1.60	0.046	0.39	0.5	4.2	0.13	0.03	<5
1830660	Core DUP	0.19	0.61	0.08	16	0.99	0.052	19.7	21.1	1.00	255.7	0.073	1	1.51	0.040	0.36	0.6	4.1	0.13	0.03	<5
1830661	Drill Core	0.48	0.72	0.14	15	1.23	0.049	20.8	19.3	0.74	264.7	0.070	1	1.25	0.035	0.35	>100	4.1	0.12	0.04	43
1830662	Drill Core	0.29	0.76	0.10	25	1.73	0.060	20.3	29.3	0.89	236.2	0.081	1	1.52	0.036	0.32	0.9	5.2	0.11	0.04	9
1830663	Drill Core	0.24	0.46	0.09	23	1.05	0.062	17.6	27.1	0.91	480.9	0.087	1	1.44	0.031	0.39	0.3	5.2	0.17	<0.02	<5
1830664	Drill Core	0.30	0.20	0.10	26	0.29	0.069	26.1	31.1	0.93	248.9	0.004	<1	1.50	0.045	0.33	0.2	5.4	0.11	<0.02	<5
1830665	Drill Core	0.33	0.22	0.07	33	0.30	0.072	29.0	35.0	1.04	294.7	0.004	<1	1.55	0.046	0.32	<0.1	7.8	0.09	<0.02	<5
1830666	Drill Core	0.26	0.26	0.11	25	0.77	0.053	29.6	29.0	0.95	405.9	0.005	<1	1.37	0.039	0.33	<0.1	5.9	0.13	<0.02	<5
1830667	Drill Core	0.29	0.20	0.15	10	0.45	0.023	33.3	14.9	0.52	450.7	0.002	<1	1.02	0.029	0.38	<0.1	3.2	0.14	<0.02	<5
1830668	Drill Core	0.32	0.28	0.13	6	0.11	0.021	32.2	6.4	0.36	445.6	0.001	1	0.90	0.028	0.41	<0.1	2.5	0.16	<0.02	<5
1830669	Drill Core	0.67	0.46	0.14	24	0.27	0.062	26.1	29.8	0.84	306.2	0.002	<1	1.40	0.030	0.31	0.2	4.1	0.13	<0.02	7
1830670	Drill Core	0.91	0.40	0.17	28	0.29	0.066	27.0	36.1	0.96	210.1	0.003	<1	1.55	0.030	0.26	0.2	4.3	0.11	<0.02	<5
1830671	Drill Core	0.76	0.32	0.53	18	0.25	0.057	28.2	22.6	0.95	219.2	0.002	<1	1.64	0.025	0.29	0.1	3.2	0.12	<0.02	<5
1830672	Drill Core	0.29	0.14	0.14	3	0.06	0.013	4.3	5.3	0.11	45.9	0.001	<1	0.23	0.006	0.06	0.1	0.7	0.03	<0.02	6
1830673	Drill Core	1.02	0.49	0.21	20	0.35	0.057	28.3	21.7	0.96	222.4	0.013	<1	1.63	0.022	0.45	0.2	4.0	0.21	<0.02	<5
1830674	Drill Core	0.74	0.93	0.08	18	0.57	0.054	24.1	22.3	1.07	191.6	0.035	1	1.86	0.028	0.51	0.4	4.3	0.26	<0.02	9
1830675	Drill Core	0.71	0.56	0.05	25	0.39	0.062	22.5	29.9	1.08	216.5	0.018	<1	1.62	0.036	0.52	0.1	5.8	0.29	<0.02	11
1830676	Drill Core	0.29	0.58	0.05	26	0.43	0.059	21.0	29.4	1.15	241.9	0.040	<1	1.61	0.049	0.57	0.2	6.5	0.30	<0.02	<5
1830677	Drill Core	0.36	0.38	0.14	8	0.19	0.022	29.6	10.0	0.42	313.4	0.009	<1	0.96	0.040	0.43	0.1	3.2	0.19	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830648	Drill Core	0.3	0.03	4.0	1.45	<0.1	0.10	0.20	13.2	0.4	<0.05	4.4	7.61	33.8	<0.02	<1	0.4	9.7	<10	<2			
1830649	Drill Core	0.4	0.03	5.1	1.11	<0.1	0.15	0.05	16.6	0.4	<0.05	5.3	12.71	38.0	0.02	<1	0.6	16.6	<10	<2			
1830650	Drill Core	0.3	0.07	5.7	1.69	<0.1	0.10	0.03	17.3	0.4	<0.05	4.0	13.74	40.8	0.02	<1	0.7	17.6	<10	<2			
1830651	Drill Core	0.4	0.02	6.1	2.18	<0.1	0.09	0.09	20.7	0.5	<0.05	2.6	14.47	44.7	0.02	<1	0.7	21.2	<10	<2			
1830652	Drill Core	0.4	<0.02	4.9	2.65	<0.1	0.10	0.03	19.4	0.4	<0.05	4.2	12.94	41.7	0.02	<1	0.5	20.4	<10	<2			
1830653	Drill Core	0.4	0.02	7.1	2.54	<0.1	0.10	0.14	19.6	0.7	<0.05	2.9	13.10	40.9	<0.02	<1	0.8	25.3	<10	<2			
1830654	Drill Core	0.5	0.02	6.9	0.70	<0.1	0.06	0.18	11.5	0.7	<0.05	1.6	13.07	51.0	0.02	<1	0.7	15.1	<10	<2			
1830655	Drill Core	0.2	<0.02	7.4	0.64	<0.1	0.08	0.19	11.5	0.7	<0.05	2.0	12.07	47.4	0.02	<1	0.9	17.3	<10	<2			
1830656	Drill Core	<0.1	0.02	5.2	0.77	<0.1	0.06	0.13	11.1	0.5	<0.05	1.7	9.71	31.6	<0.02	<1	0.8	12.7	<10	<2			
1830657	Drill Core	0.4	0.02	5.1	0.61	<0.1	0.08	0.36	12.6	0.6	<0.05	1.8	7.34	24.6	<0.02	<1	0.8	14.1	<10	<2			
1830658	Drill Core	0.4	0.02	4.2	1.33	<0.1	0.04	0.36	17.2	0.5	<0.05	1.4	4.81	15.0	<0.02	<1	0.6	13.8	<10	<2			
1830659	Drill Core	0.3	0.02	6.4	0.76	<0.1	0.06	0.23	16.8	0.7	<0.05	2.0	10.25	40.1	<0.02	<1	0.7	17.1	<10	<2			
1830660	Core DUP	0.1	<0.02	6.4	0.76	<0.1	0.07	0.19	15.7	0.7	<0.05	1.8	10.25	40.3	<0.02	<1	0.7	17.1	<10	<2			
1830661	Drill Core	0.2	0.02	6.5	0.67	<0.1	0.11	0.23	15.2	0.7	<0.05	3.1	9.23	41.7	<0.02	1	0.8	13.7	<10	<2			
1830662	Drill Core	0.3	0.02	7.4	0.52	<0.1	0.11	0.24	13.8	0.6	<0.05	2.9	12.42	41.7	<0.02	<1	0.7	17.8	<10	<2			
1830663	Drill Core	0.2	0.02	5.6	2.75	<0.1	0.11	0.13	21.0	0.5	<0.05	3.8	11.55	36.7	<0.02	<1	0.6	16.0	<10	<2			
1830664	Drill Core	0.3	<0.02	7.2	1.81	<0.1	0.09	0.03	14.9	0.3	<0.05	3.8	12.71	60.0	0.03	<1	0.4	19.7	<10	<2			
1830665	Drill Core	0.6	0.03	8.4	1.17	<0.1	0.19	0.02	12.7	0.4	<0.05	7.9	13.16	63.8	0.03	<1	0.5	24.4	<10	<2			
1830666	Drill Core	0.2	<0.02	6.4	2.26	<0.1	0.15	0.03	16.2	0.4	<0.05	5.8	18.11	66.1	0.03	<1	0.6	22.5	<10	<2			
1830667	Drill Core	0.3	<0.02	4.7	2.08	<0.1	0.09	0.04	17.8	0.4	<0.05	2.3	18.28	74.9	0.03	<1	0.5	15.7	<10	<2			
1830668	Drill Core	0.4	<0.02	3.5	4.32	<0.1	0.04	0.03	18.7	0.3	<0.05	1.7	15.84	74.5	<0.02	<1	0.6	10.8	<10	<2			
1830669	Drill Core	0.5	0.03	7.4	3.23	<0.1	0.08	<0.02	14.8	0.4	<0.05	3.6	11.16	56.1	0.03	<1	0.5	22.6	<10	<2			
1830670	Drill Core	0.6	0.03	8.5	2.24	<0.1	0.08	<0.02	12.9	0.3	<0.05	4.0	11.67	58.9	0.03	<1	0.5	22.2	<10	<2			
1830671	Drill Core	0.4	0.03	7.4	2.36	<0.1	0.08	<0.02	16.1	0.3	<0.05	1.6	13.41	64.6	0.02	<1	0.5	16.7	<10	<2			
1830672	Drill Core	<0.1	<0.02	1.1	0.82	<0.1	<0.02	<0.02	3.1	0.1	<0.05	0.7	2.89	8.8	<0.02	<1	<0.1	3.6	<10	<2			
1830673	Drill Core	0.4	<0.02	8.6	3.63	<0.1	0.08	0.03	25.4	0.5	<0.05	3.6	16.30	64.7	0.03	<1	0.7	27.1	<10	<2			
1830674	Drill Core	<0.1	0.02	8.0	4.21	<0.1	0.09	0.06	31.3	0.6	<0.05	2.6	13.35	50.8	<0.02	<1	0.9	24.1	<10	<2			
1830675	Drill Core	0.3	<0.02	6.8	5.28	<0.1	0.17	0.03	31.6	0.4	<0.05	6.5	13.47	51.4	0.02	<1	0.8	21.4	<10	<2			
1830676	Drill Core	0.2	<0.02	6.7	6.00	<0.1	0.36	0.07	34.6	0.5	<0.05	14.0	13.16	43.4	<0.02	<1	0.7	18.7	<10	<2			
1830677	Drill Core	0.2	<0.02	4.1	2.18	<0.1	0.08	0.07	23.0	0.4	<0.05	3.2	15.96	69.1	0.02	<1	0.5	11.7	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830678	Drill Core	4.82	444	0.023	0.02	<0.17	35.61	0.32	5.32	20.82	25.8	229	2.0	1.6	133	0.83	3.8	0.7	24.2	11.0	4.5
1830679	Drill Core	5.16	436	0.013	0.01	<0.17	33.21	0.45	13.87	18.59	32.0	264	3.7	4.4	190	1.16	6.4	0.7	10.0	9.7	5.1
1830680	Rock	0.23	161	0.006	<0.01	<0.17	33.18	0.65	1.29	1.07	2.2	10	1.6	0.5	132	0.96	2.5	0.2	0.3	1.0	1.1
1830681	Drill Core	5.03	434	0.010	<0.01	<0.17	34.48	0.48	10.77	26.72	39.1	213	4.3	4.6	237	1.32	6.1	0.8	6.2	12.8	6.9
1830682	Drill Core	4.30	409	0.013	0.01	<0.17	26.68	0.71	18.56	16.26	94.2	585	12.7	10.4	241	2.62	15.0	1.9	8.5	13.1	15.5
1830683	Drill Core	4.82	452	0.012	0.01	<0.17	26.08	0.32	110.41	229.09	569.8	720	13.8	9.7	301	2.54	7.2	1.2	5.6	10.1	14.4
1830684	Drill Core	3.76	414	0.104	0.10	<0.17	34.11	1.49	555.19	3609.79	2165.2	10116	13.3	10.5	453	2.99	8.7	1.4	81.9	10.9	17.2
1830685	Drill Core	2.40	414	0.049	0.06	0.25	31.43	0.30	11.79	27.84	123.6	345	1.8	2.2	100	0.77	3.4	1.0	20.0	12.8	13.5
1830686	Drill Core	2.53	456	0.023	0.02	<0.17	36.68	0.21	10.37	55.75	83.8	192	0.7	1.2	86	0.57	4.2	1.1	10.9	12.8	8.4
1830687	Drill Core	3.31	422	0.019	0.02	<0.17	30.96	0.18	8.91	40.28	84.3	155	0.5	1.2	67	0.55	3.8	0.9	13.1	13.0	3.8
1830688	Drill Core	2.58	453	0.011	<0.01	<0.17	29.83	0.19	8.60	45.19	57.0	145	0.7	0.6	70	0.52	3.1	0.8	7.5	14.1	4.1
1830689	Drill Core	4.46	446	0.010	<0.01	<0.17	37.99	0.20	4.60	31.95	34.6	207	0.6	0.6	63	0.47	2.2	0.9	4.9	14.3	2.7
1830690	Drill Core	3.36	436	0.008	<0.01	<0.17	34.96	0.23	8.20	20.90	31.6	154	0.4	0.7	53	0.44	1.8	0.9	9.9	14.6	9.9
1830691	Drill Core	5.10	444	0.072	0.07	<0.17	39.65	0.27	6.96	25.25	32.3	198	0.5	0.8	59	0.53	2.8	1.4	28.5	14.6	5.5
1830692	Drill Core	4.64	397	0.038	0.03	<0.17	35.80	0.38	4.84	23.41	15.4	361	0.5	0.7	54	0.58	3.5	1.5	53.4	15.4	8.3
1830693	Drill Core	3.06	425	0.096	0.09	<0.17	35.59	0.22	5.21	16.60	12.5	111	0.5	0.7	69	0.51	2.8	0.8	5.2	14.4	4.6
1830694	Drill Core	2.94	423	0.023	0.02	<0.17	37.20	0.24	5.82	21.04	17.2	128	0.6	0.8	95	0.54	4.3	1.0	9.0	14.6	3.4
1830695	Drill Core	2.71	416	0.021	0.02	<0.17	29.75	0.22	2.01	8.35	9.5	73	0.4	1.0	43	0.45	3.8	1.1	4.8	14.2	2.7
1830696	Drill Core	5.29	459	0.020	0.02	<0.17	37.09	0.23	4.50	13.69	24.0	309	0.5	0.6	48	0.54	5.7	1.1	19.2	15.2	2.9
1830697	Drill Core	2.76	437	0.046	0.04	<0.17	32.69	0.25	4.01	13.87	15.0	141	0.4	0.7	53	0.50	4.0	0.9	18.6	14.0	2.5
1830698	Drill Core	2.45	421	0.135	0.19	0.79	33.12	0.78	6.61	41.63	81.1	681	3.9	4.1	168	1.53	18.1	2.3	66.3	14.0	9.2
1830699	Drill Core	5.39	393	0.030	0.03	<0.17	29.78	0.47	3.39	11.54	28.0	188	1.9	1.6	147	0.82	5.3	1.2	13.2	13.9	4.5
1830700	Rock Pulp	0.12	95	7.116				9.14	195.99	18.63	76.3	807	13.6	11.6	585	4.73	13.5	0.9	6691.4	3.6	71.3
1830701	Drill Core	2.51	383	0.188	0.18	<0.17	38.42	0.60	5.07	9.77	52.9	370	8.6	7.5	717	2.24	9.5	1.6	190.0	10.9	19.1
1830702	Drill Core	4.51	456	0.200	0.21	0.37	32.75	0.60	15.28	16.26	40.6	770	6.2	6.2	356	1.67	7.1	1.9	184.7	13.3	16.8
1830703	Drill Core	2.55	513	0.150	0.39	4.07	30.97	0.21	3.64	14.22	18.8	428	0.5	0.9	42	0.60	8.7	1.4	448.9	13.0	8.5
1830704	Drill Core	4.33	483	0.016	0.01	<0.17	35.01	0.29	5.64	17.07	21.5	257	1.1	1.1	114	0.74	2.2	1.3	13.0	13.3	6.4
1830705	Drill Core	4.01	420	0.612	0.62	0.72	24.84	0.53	28.22	16.25	103.2	878	13.9	9.2	525	2.49	12.4	1.9	766.6	10.8	27.2
1830706	Drill Core	2.66	386	0.199	0.21	0.29	34.15	0.86	6.38	2.44	38.2	567	11.3	9.4	524	2.14	13.2	1.7	348.0	5.5	17.8
1830707	Drill Core	5.50	421	0.206	0.23	0.76	21.10	0.49	18.71	13.76	81.0	546	15.7	10.9	513	2.73	5.3	1.7	208.4	11.6	67.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830678	Drill Core	0.39	0.25	0.27	3	0.06	0.018	34.6	3.4	0.17	415.0	0.002	<1	0.63	0.025	0.39	<0.1	1.4	0.12	<0.02	8
1830679	Drill Core	0.57	0.25	0.22	5	0.09	0.025	27.4	6.9	0.28	328.1	0.002	<1	0.71	0.022	0.36	<0.1	1.6	0.11	<0.02	<5
1830680	Rock	0.03	0.06	0.02	1	0.01	0.003	1.8	4.2	0.01	13.1	0.002	<1	0.07	0.006	0.02	<0.1	0.2	<0.02	<0.02	<5
1830681	Drill Core	1.31	0.27	0.29	7	0.10	0.027	32.3	7.7	0.31	379.9	0.002	5	0.70	0.021	0.34	<0.1	1.9	0.10	<0.02	6
1830682	Drill Core	4.24	0.43	0.14	27	0.24	0.062	24.0	28.0	0.88	354.9	0.006	2	1.34	0.034	0.31	<0.1	4.9	0.11	<0.02	<5
1830683	Drill Core	4.35	0.38	0.16	32	0.22	0.066	22.4	33.3	0.96	256.3	0.005	2	1.36	0.039	0.26	0.1	5.0	0.10	<0.02	8
1830684	Drill Core	3.14	1.18	1.91	28	0.20	0.069	24.4	31.1	1.22	469.6	0.004	2	1.61	0.024	0.35	0.1	4.0	0.13	<0.02	26
1830685	Drill Core	1.06	0.15	0.20	3	0.11	0.044	32.2	3.7	0.13	713.8	0.002	3	0.55	0.025	0.37	<0.1	1.3	0.10	<0.02	13
1830686	Drill Core	0.47	0.16	0.18	2	0.06	0.024	43.5	1.3	0.09	394.6	0.002	1	0.42	0.038	0.30	0.1	1.3	0.09	<0.02	19
1830687	Drill Core	0.42	0.18	0.12	1	0.02	0.007	39.3	1.2	0.07	245.3	0.001	2	0.40	0.052	0.27	<0.1	1.0	0.08	<0.02	20
1830688	Drill Core	0.35	0.16	0.10	1	0.02	0.010	42.1	1.2	0.09	215.6	0.001	3	0.40	0.027	0.33	<0.1	0.9	0.09	<0.02	18
1830689	Drill Core	0.25	0.15	0.34	<1	0.01	0.006	41.9	1.3	0.06	215.4	0.001	3	0.39	0.035	0.33	<0.1	1.0	0.10	<0.02	11
1830690	Drill Core	0.15	0.14	0.14	<1	0.06	0.029	42.4	1.3	0.05	219.9	<0.001	4	0.38	0.031	0.33	<0.1	0.9	0.09	<0.02	23
1830691	Drill Core	0.33	0.20	0.12	<1	0.04	0.017	41.2	1.2	0.06	255.7	0.001	2	0.44	0.037	0.34	<0.1	1.2	0.09	<0.02	29
1830692	Drill Core	0.33	0.31	0.21	1	0.06	0.024	41.3	1.4	0.05	295.8	0.001	2	0.46	0.038	0.36	<0.1	1.2	0.11	<0.02	22
1830693	Drill Core	0.22	0.14	0.17	1	0.03	0.014	41.7	1.4	0.05	273.9	0.001	3	0.41	0.029	0.34	0.1	1.1	0.09	<0.02	10
1830694	Drill Core	0.47	0.16	0.14	1	0.02	0.008	44.5	1.4	0.06	279.8	0.002	<1	0.41	0.043	0.33	<0.1	1.2	0.10	<0.02	16
1830695	Drill Core	0.17	0.13	0.06	<1	0.02	0.008	39.2	1.2	0.04	315.9	0.001	1	0.38	0.040	0.33	<0.1	0.9	0.08	<0.02	23
1830696	Drill Core	0.22	0.22	0.15	1	0.02	0.007	38.8	1.3	0.07	276.0	0.001	4	0.42	0.039	0.33	0.1	1.4	0.08	<0.02	19
1830697	Drill Core	0.13	0.16	0.13	<1	0.02	0.008	37.4	1.5	0.05	361.6	0.001	3	0.41	0.041	0.32	<0.1	1.0	0.08	<0.02	9
1830698	Drill Core	0.90	0.31	0.30	8	0.12	0.039	36.3	10.3	0.27	403.1	0.003	2	0.68	0.024	0.33	0.1	2.3	0.10	<0.02	12
1830699	Drill Core	0.64	0.23	0.12	3	0.06	0.018	40.6	3.7	0.16	359.3	0.002	3	0.58	0.027	0.36	0.1	1.5	0.11	<0.02	21
1830700	Rock Pulp	0.21	4.24	0.53	118	0.94	0.061	7.6	18.2	0.87	121.1	0.129	4	1.87	0.191	0.24	4.0	3.7	0.06	<0.02	204
1830701	Drill Core	1.14	0.57	0.08	14	0.26	0.065	26.1	16.7	0.94	330.7	0.008	2	1.29	0.027	0.45	0.2	5.9	0.20	<0.02	12
1830702	Drill Core	0.76	0.66	0.10	11	0.21	0.049	34.9	11.0	0.49	379.2	0.014	4	1.00	0.030	0.52	0.2	3.9	0.21	<0.02	30
1830703	Drill Core	0.31	0.26	0.13	2	0.06	0.023	38.3	1.1	0.06	549.5	0.002	2	0.46	0.041	0.32	<0.1	1.2	0.08	<0.02	47
1830704	Drill Core	0.38	0.22	0.16	2	0.06	0.017	39.0	2.4	0.17	454.3	0.003	2	0.62	0.031	0.40	<0.1	1.8	0.11	<0.02	16
1830705	Drill Core	1.46	0.81	0.07	22	0.32	0.065	26.5	23.2	0.77	355.3	0.020	2	1.25	0.035	0.38	0.2	5.3	0.13	<0.02	17
1830706	Drill Core	0.82	0.43	<0.02	11	0.18	0.031	13.1	13.9	0.56	292.7	0.006	<1	0.81	0.020	0.26	0.3	3.6	0.10	0.03	6
1830707	Drill Core	0.67	0.69	0.08	27	0.87	0.091	24.5	31.8	0.96	308.6	0.051	2	1.55	0.037	0.49	0.3	5.8	0.22	<0.02	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830678	Drill Core	0.2	<0.02	2.4	0.96	<0.1	0.08	0.06	15.2	0.3	<0.05	3.1	9.72	77.4	<0.02	<1	0.3	6.2	<10	<2			
1830679	Drill Core	<0.1	<0.02	2.7	0.55	<0.1	0.08	0.02	13.2	0.8	<0.05	4.1	7.93	61.8	<0.02	<1	0.3	9.2	<10	<2			
1830680	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.12	0.03	0.9	<0.1	<0.05	2.9	1.12	4.2	<0.02	<1	<0.1	0.9	<10	<2			
1830681	Drill Core	<0.1	0.03	2.2	0.76	<0.1	0.19	0.04	13.4	0.7	<0.05	8.7	8.30	61.8	0.02	<1	0.4	10.7	<10	<2			
1830682	Drill Core	<0.1	<0.02	5.9	1.81	<0.1	0.17	<0.02	14.3	0.5	<0.05	10.3	8.47	46.5	<0.02	<1	0.4	25.0	21	<2			
1830683	Drill Core	<0.1	<0.02	6.5	1.60	<0.1	0.10	<0.02	12.0	0.5	<0.05	6.0	10.02	43.5	<0.02	<1	0.5	24.5	<10	4			
1830684	Drill Core	1.4	0.19	7.3	1.03	<0.1	0.17	<0.02	15.8	0.4	<0.05	8.4	10.41	45.9	0.13	<1	0.5	28.8	<10	<2			
1830685	Drill Core	<0.1	<0.02	1.5	0.50	<0.1	0.08	0.03	14.3	0.3	<0.05	6.6	8.81	64.6	<0.02	<1	0.4	6.1	<10	<2			
1830686	Drill Core	<0.1	<0.02	1.4	0.38	<0.1	0.08	0.03	12.4	0.4	<0.05	4.5	10.99	72.5	<0.02	<1	0.6	3.7	<10	<2			
1830687	Drill Core	<0.1	<0.02	1.1	0.53	<0.1	0.14	0.02	11.9	0.3	<0.05	8.6	8.98	71.4	<0.02	<1	0.2	3.4	<10	<2			
1830688	Drill Core	<0.1	<0.02	1.3	0.51	<0.1	0.17	<0.02	13.5	0.3	<0.05	7.8	7.06	76.2	<0.02	<1	0.2	3.8	<10	<2			
1830689	Drill Core	<0.1	<0.02	1.2	0.33	<0.1	0.13	<0.02	13.5	0.3	<0.05	6.4	6.90	79.7	<0.02	<1	0.3	3.8	<10	<2			
1830690	Drill Core	<0.1	<0.02	1.2	0.43	<0.1	0.12	<0.02	13.0	0.4	<0.05	5.6	6.58	77.9	<0.02	<1	0.4	2.7	13	<2			
1830691	Drill Core	<0.1	<0.02	1.3	0.41	<0.1	0.06	0.14	14.1	0.3	<0.05	3.0	8.06	81.3	<0.02	<1	0.2	3.1	<10	<2			
1830692	Drill Core	<0.1	<0.02	1.4	0.47	<0.1	0.06	<0.02	14.6	0.4	<0.05	3.7	7.45	83.8	<0.02	<1	0.4	2.7	<10	<2			
1830693	Drill Core	<0.1	<0.02	1.3	0.37	<0.1	0.10	<0.02	13.2	0.5	<0.05	4.5	6.33	76.7	<0.02	<1	0.2	3.2	<10	<2			
1830694	Drill Core	<0.1	<0.02	1.3	0.38	<0.1	0.15	<0.02	14.2	0.5	<0.05	8.4	10.25	81.2	<0.02	<1	0.3	2.7	<10	<2			
1830695	Drill Core	<0.1	<0.02	1.0	0.22	<0.1	0.15	<0.02	12.4	0.4	<0.05	4.6	6.25	72.8	<0.02	<1	0.1	2.4	<10	<2			
1830696	Drill Core	<0.1	<0.02	1.2	0.42	<0.1	0.11	<0.02	13.3	0.4	<0.05	6.2	8.19	78.3	<0.02	<1	0.6	3.7	<10	<2			
1830697	Drill Core	<0.1	<0.02	1.2	0.51	<0.1	0.10	<0.02	12.8	0.4	<0.05	5.6	5.97	74.5	<0.02	<1	0.4	2.8	<10	<2			
1830698	Drill Core	<0.1	0.02	2.9	0.66	<0.1	0.07	<0.02	14.8	0.5	<0.05	3.5	9.03	71.0	<0.02	<1	0.7	11.6	<10	<2			
1830699	Drill Core	<0.1	<0.02	1.7	0.56	<0.1	0.05	<0.02	16.1	0.3	<0.05	2.5	10.28	76.3	<0.02	<1	0.4	6.9	<10	<2			
1830700	Rock Pulp	<0.1	0.16	5.3	0.65	0.1	0.09	0.10	7.9	1.7	<0.05	2.1	5.22	15.4	0.04	1	<0.1	7.0	<10	2			
1830701	Drill Core	<0.1	<0.02	4.7	1.80	<0.1	0.06	<0.02	24.7	0.4	<0.05	2.6	14.71	50.7	0.03	<1	0.4	24.5	<10	<2			
1830702	Drill Core	<0.1	0.02	3.3	1.86	<0.1	0.06	0.03	26.4	0.6	<0.05	3.4	14.63	64.9	0.02	<1	0.4	13.8	11	<2			
1830703	Drill Core	<0.1	<0.02	1.4	0.40	<0.1	0.05	0.03	13.1	0.3	<0.05	2.8	8.17	70.6	<0.02	<1	0.2	2.4	<10	<2			
1830704	Drill Core	<0.1	<0.02	1.9	0.42	<0.1	0.02	0.04	15.9	0.4	<0.05	4.0	10.78	77.3	<0.02	<1	0.4	6.2	<10	<2			
1830705	Drill Core	<0.1	<0.02	5.3	1.31	<0.1	0.07	<0.02	17.2	0.6	<0.05	3.3	18.09	50.5	0.03	<1	0.5	20.0	<10	<2			
1830706	Drill Core	0.1	<0.02	2.8	1.64	<0.1	<0.02	<0.02	11.7	0.3	<0.05	1.2	6.36	25.1	<0.02	<1	0.4	12.8	<10	<2			
1830707	Drill Core	<0.1	<0.02	6.1	2.75	<0.1	0.07	0.04	26.1	0.5	<0.05	3.1	14.76	48.4	<0.02	<1	0.8	21.0	<10	<2			





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830708	Drill Core	3.09	437	0.263	0.29	0.67	32.96	0.68	18.19	8.84	58.0	595	9.8	8.0	384	2.15	5.7	1.7	261.6	10.6	50.4
1830709	Drill Core	4.10	484	0.026	0.02	<0.17	34.68	0.46	38.35	65.93	101.8	646	12.8	8.7	371	2.17	9.1	1.0	21.9	8.3	19.3
1830710	Drill Core	1.95	457	0.264	0.26	0.27	33.68	0.64	14.69	11.30	61.7	498	17.8	11.0	561	2.54	11.9	0.9	267.1	6.7	26.6
1830711	Drill Core	5.33	525	0.008	<0.01	<0.17	32.98	0.33	24.57	12.78	82.6	434	25.2	9.4	446	2.56	3.3	1.1	3.9	8.2	47.8
1830712	Drill Core	4.93	497	0.141	0.15	0.30	29.99	0.98	25.73	21.79	62.7	863	22.2	7.6	363	2.09	5.8	1.4	113.7	12.9	72.5
1830713	Drill Core	4.68	424	0.081	0.08	<0.17	32.89	1.13	26.58	31.27	82.9	487	16.8	9.3	482	2.43	2.6	1.5	76.4	10.7	103.0
1830714	Drill Core	5.22	550	0.007	<0.01	<0.17	24.05	0.72	23.38	37.64	106.8	417	12.3	7.7	536	2.43	3.4	1.6	1.5	10.2	94.1
1830715	Drill Core	4.72	376	0.006	<0.01	<0.17	23.92	1.52	21.35	11.21	67.9	314	15.6	8.7	477	2.46	4.7	1.5	1.8	8.7	147.0
1830716	Drill Core	4.69	445	0.006	<0.01	<0.17	32.17	2.54	30.00	16.69	69.5	488	26.0	8.4	313	2.28	3.7	3.8	<0.2	9.0	77.1
1830717	Drill Core	4.24	438	0.010	<0.01	<0.17	37.72	3.24	23.69	88.87	93.2	554	18.0	6.9	426	2.19	3.7	1.2	1.9	8.8	113.2
1830718	Drill Core	2.54	449	<0.005	<0.01	<0.17	34.19	0.79	18.09	18.51	40.5	269	13.8	5.3	371	1.67	3.5	5.1	<0.2	10.2	197.7
1830719	Drill Core	5.18	436	<0.005	<0.01	<0.17	28.22	1.50	18.60	21.83	32.9	273	14.2	5.9	290	1.63	0.5	2.0	<0.2	12.4	130.3
1830720	Rock Pulp	0.13	84	0.476				2.32	416.79	18.51	47.7	268	588.2	23.6	399	2.49	17.8	0.6	437.6	1.7	55.7
1830721	Drill Core	5.26	453	0.006	<0.01	<0.17	36.50	1.67	20.89	18.71	33.2	347	15.5	6.0	243	1.50	11.2	2.1	<0.2	11.3	65.1
1830722	Drill Core	3.04	452	0.007	<0.01	<0.17	37.51	1.38	29.48	20.65	45.9	552	20.8	8.2	269	1.62	9.6	1.2	<0.2	10.1	43.0
1830723	Drill Core	5.04	439	<0.005	<0.01	<0.17	31.92	1.40	16.97	31.10	44.1	347	11.3	4.7	246	1.26	4.3	1.3	0.2	10.9	34.5
1830724	Drill Core	4.76	415	<0.005	<0.01	<0.17	32.51	1.05	17.84	94.82	47.9	443	8.9	4.1	208	1.16	5.7	1.6	0.8	12.6	35.1
1830725	Drill Core	3.73	413	0.242	0.27	0.60	26.46	1.27	16.30	18.03	26.3	510	8.8	3.3	158	1.09	6.4	1.5	265.0	12.1	22.0
1830726	Drill Core	3.83	420	0.050	0.05	<0.17	28.43	1.01	14.16	11.35	42.0	223	11.3	5.2	288	1.60	4.6	1.3	13.9	9.5	48.4
1830727	Drill Core	4.99	448	0.006	<0.01	<0.17	27.94	0.98	24.40	13.91	49.9	242	24.3	8.0	239	1.82	8.1	1.4	<0.2	7.4	36.1
1830728	Drill Core	4.74	448	0.010	0.07	1.01	26.61	1.05	28.62	9.93	57.4	174	24.6	8.0	333	1.94	3.4	2.4	1.0	5.7	103.6
1830729	Drill Core	4.67	441	0.006	<0.01	<0.17	30.45	1.90	24.79	10.75	54.3	290	22.9	7.7	231	1.93	5.3	2.7	<0.2	7.3	42.9
1830730	Drill Core	4.94	414	0.005	<0.01	<0.17	27.62	0.97	25.43	24.83	64.7	367	23.7	8.4	282	2.02	8.7	1.0	0.3	6.8	38.6
1830731	Drill Core	4.10	402	<0.005	<0.01	<0.17	27.51	1.03	26.45	7.07	59.3	210	22.8	8.5	312	2.10	10.2	1.0	1.0	7.8	30.6
1830732	Drill Core	5.13	419	0.021	0.02	<0.17	26.40	0.88	26.54	10.40	65.7	320	22.9	8.3	371	2.55	11.6	0.9	8.1	8.0	36.8
1830733	Drill Core	5.48	407	0.009	<0.01	<0.17	30.47	1.41	29.06	15.97	77.2	548	24.3	7.8	348	2.22	11.6	1.1	6.9	6.4	33.1
1830734	Drill Core	5.21	435	0.010	<0.01	<0.17	29.50	1.60	23.15	19.61	77.0	344	17.0	9.4	415	2.20	8.6	3.3	1.0	7.6	66.6
1830735	Drill Core	2.41	456	0.256	0.33	1.44	29.26	1.13	27.75	12.40	75.0	478	14.4	9.9	335	2.40	12.3	2.9	192.6	8.3	40.9
1830736	Drill Core	4.71	424	0.196	0.20	0.32	27.86	0.84	18.58	13.85	70.1	303	13.9	8.2	348	2.29	8.0	1.7	147.5	6.9	42.8
1830737	Drill Core	5.36	442	0.014	0.01	<0.17	26.09	1.06	19.08	10.47	50.9	302	13.4	8.1	367	2.27	10.2	1.6	4.9	6.9	40.1





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830708	Drill Core	0.53	0.57	0.05	18	0.68	0.055	22.6	19.9	0.75	254.9	0.030	2	1.17	0.037	0.41	0.4	4.4	0.18	<0.02	10			
1830709	Drill Core	0.92	0.45	0.26	22	0.21	0.052	20.9	26.7	0.68	199.8	0.011	1	1.13	0.029	0.37	0.2	4.1	0.20	<0.02	5			
1830710	Drill Core	1.04	0.57	0.17	21	0.30	0.053	16.0	18.1	0.89	280.3	0.036	2	1.25	0.020	0.56	0.5	5.2	0.32	<0.02	<5			
1830711	Drill Core	1.10	0.50	0.29	32	0.59	0.071	20.7	42.9	1.13	246.3	0.023	2	1.59	0.017	0.51	0.1	5.9	0.27	<0.02	<5			
1830712	Drill Core	0.63	0.53	0.68	25	0.91	0.059	27.9	31.9	0.85	259.6	0.023	<1	1.27	0.023	0.46	0.1	4.1	0.20	<0.02	<5			
1830713	Drill Core	0.52	0.71	0.10	27	1.36	0.063	22.3	29.8	0.89	241.7	0.107	3	1.42	0.040	0.38	0.8	5.9	0.18	<0.02	<5			
1830714	Drill Core	0.64	0.45	0.14	27	1.28	0.064	21.9	26.4	0.81	451.0	0.090	3	1.25	0.044	0.37	0.4	5.7	0.18	0.05	<5			
1830715	Drill Core	0.42	0.45	0.12	27	1.56	0.065	16.6	27.3	0.94	462.9	0.089	1	1.23	0.022	0.51	0.3	6.7	0.34	0.12	<5			
1830716	Drill Core	0.57	0.48	0.32	34	1.03	0.060	15.6	44.9	1.10	201.4	0.077	<1	1.22	0.014	0.38	0.3	5.5	0.25	0.11	<5			
1830717	Drill Core	0.65	0.44	0.35	28	1.30	0.063	18.4	31.2	0.95	198.9	0.079	2	1.19	0.023	0.33	0.5	6.0	0.19	0.11	6			
1830718	Drill Core	0.35	0.17	0.36	11	1.81	0.048	24.1	9.6	0.38	371.3	0.045	1	0.64	0.023	0.46	<0.1	2.7	0.26	0.37	<5			
1830719	Drill Core	0.26	0.46	0.42	8	1.24	0.057	27.3	6.8	0.48	304.7	0.063	2	0.67	0.014	0.54	0.1	2.7	0.38	0.39	<5			
1830720	Rock Pulp	0.18	0.34	0.28	50	1.20	0.030	3.8	89.4	1.74	71.6	0.063	4	1.91	0.184	0.13	1.3	3.2	0.09	0.19	23			
1830721	Drill Core	0.26	0.42	0.58	10	0.77	0.062	26.2	8.5	0.43	293.2	0.051	<1	0.67	0.016	0.48	0.1	3.0	0.33	0.19	<5			
1830722	Drill Core	0.53	0.68	0.67	23	0.61	0.067	28.2	22.6	0.45	275.6	0.079	<1	0.80	0.031	0.36	0.3	4.2	0.22	0.06	<5			
1830723	Drill Core	0.29	0.65	0.34	14	0.63	0.048	22.8	15.4	0.33	191.2	0.068	<1	0.72	0.025	0.26	0.5	2.9	0.08	<0.02	<5			
1830724	Drill Core	0.41	0.63	0.34	13	0.69	0.042	24.2	12.5	0.30	182.9	0.068	1	0.71	0.031	0.27	0.5	3.3	0.09	<0.02	<5			
1830725	Drill Core	0.18	0.65	0.45	10	0.41	0.047	22.0	10.5	0.28	206.6	0.037	<1	0.55	0.036	0.25	0.5	2.4	0.09	<0.02	<5			
1830726	Drill Core	0.18	0.84	0.20	19	0.78	0.057	18.8	21.7	0.54	219.0	0.068	2	0.88	0.024	0.40	0.7	4.0	0.18	<0.02	<5			
1830727	Drill Core	0.39	0.46	0.12	15	0.65	0.056	16.4	12.4	0.69	347.8	0.069	<1	0.87	0.015	0.62	<0.1	6.9	0.43	<0.02	<5			
1830728	Drill Core	0.60	0.49	0.07	17	1.66	0.057	13.7	15.2	0.63	294.5	0.105	<1	0.89	0.022	0.39	0.1	5.4	0.29	0.16	<5			
1830729	Drill Core	0.43	0.54	0.09	18	0.68	0.056	16.2	16.6	0.66	294.8	0.092	<1	0.90	0.025	0.35	0.2	6.5	0.21	0.06	<5			
1830730	Drill Core	0.28	1.30	0.19	23	0.63	0.056	14.5	26.9	0.82	192.5	0.094	<1	1.02	0.030	0.35	0.4	5.3	0.19	<0.02	<5			
1830731	Drill Core	0.41	0.55	0.04	15	0.60	0.058	14.7	15.0	0.76	460.1	0.059	<1	0.94	0.018	0.46	0.1	7.0	0.26	<0.02	<5			
1830732	Drill Core	0.30	0.57	0.09	21	0.75	0.057	17.1	19.7	1.14	375.6	0.050	<1	1.40	0.021	0.43	0.2	7.0	0.19	<0.02	<5			
1830733	Drill Core	0.30	0.79	0.21	34	0.61	0.069	14.6	51.5	1.14	169.0	0.090	1	1.33	0.021	0.47	0.4	5.9	0.24	0.02	<5			
1830734	Drill Core	0.61	0.81	0.09	32	1.20	0.070	17.4	43.2	0.99	142.2	0.085	1	1.26	0.025	0.26	0.8	5.2	0.14	0.17	<5			
1830735	Drill Core	0.88	1.22	0.10	26	0.73	0.063	13.6	31.2	0.99	194.4	0.077	1	1.24	0.024	0.47	1.0	4.4	0.26	0.24	<5			
1830736	Drill Core	0.76	1.19	0.07	30	0.70	0.062	14.2	34.0	0.84	145.6	0.091	1	1.13	0.026	0.42	0.9	4.8	0.24	0.03	<5			
1830737	Drill Core	0.20	1.09	0.14	33	0.77	0.064	15.9	32.6	0.88	171.3	0.109	1	1.18	0.033	0.43	0.6	5.4	0.22	0.15	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 4 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830708	Drill Core	<0.1	<0.02	5.1	1.84	<0.1	0.10	0.04	22.0	0.4	<0.05	3.0	12.38	42.8	<0.02	<1	0.5	18.5	<10	<2			
1830709	Drill Core	<0.1	0.03	4.6	2.68	<0.1	0.16	<0.02	21.6	0.4	<0.05	3.2	9.61	39.8	<0.02	<1	0.3	19.8	<10	<2			
1830710	Drill Core	<0.1	<0.02	4.0	7.38	<0.1	0.07	0.06	34.1	0.6	<0.05	3.0	8.40	31.1	<0.02	<1	0.7	14.6	<10	<2			
1830711	Drill Core	<0.1	<0.02	4.4	3.56	<0.1	0.14	<0.02	28.6	0.3	<0.05	7.9	14.11	38.9	0.02	<1	0.5	23.5	<10	<2			
1830712	Drill Core	<0.1	0.05	4.1	2.23	<0.1	0.23	0.03	24.2	0.5	<0.05	10.5	16.54	51.0	0.02	<1	0.5	18.1	<10	<2			
1830713	Drill Core	<0.1	<0.02	6.2	1.59	<0.1	0.12	0.24	20.8	0.6	<0.05	5.1	14.73	42.2	0.03	<1	1.1	20.1	<10	<2			
1830714	Drill Core	0.1	<0.02	5.7	3.28	<0.1	0.28	0.16	19.5	0.5	<0.05	5.1	14.58	42.5	0.02	<1	0.7	14.6	<10	<2			
1830715	Drill Core	0.3	<0.02	4.2	5.43	<0.1	0.12	0.13	29.7	0.5	<0.05	4.2	12.32	32.8	0.02	5	0.7	14.6	<10	<2			
1830716	Drill Core	1.0	0.06	4.4	1.85	<0.1	0.25	0.14	21.3	0.5	<0.05	7.0	10.81	30.3	0.03	1	0.4	18.3	<10	<2			
1830717	Drill Core	0.6	0.11	5.5	1.55	<0.1	0.26	0.14	17.6	0.6	<0.05	9.4	11.97	36.1	0.03	<1	0.6	17.6	<10	<2			
1830718	Drill Core	0.9	0.08	2.5	4.17	<0.1	0.14	0.21	22.6	0.3	<0.05	5.4	11.12	44.4	<0.02	4	0.2	5.9	<10	<2			
1830719	Drill Core	0.7	0.07	2.2	2.41	<0.1	0.25	0.31	32.0	0.4	<0.05	9.7	9.05	50.9	<0.02	2	0.3	7.6	<10	<2			
1830720	Rock Pulp	0.9	0.17	3.9	0.56	<0.1	0.07	0.02	5.5	0.3	<0.05	1.3	2.85	7.8	<0.02	3	<0.1	7.4	248	105			
1830721	Drill Core	0.7	0.07	2.4	1.79	<0.1	0.38	0.22	28.5	0.4	<0.05	15.6	11.83	51.0	<0.02	1	0.4	7.6	<10	<2			
1830722	Drill Core	0.7	0.05	4.0	1.35	<0.1	0.33	0.24	18.6	0.6	<0.05	14.9	12.89	51.1	0.04	2	0.4	9.4	<10	<2			
1830723	Drill Core	<0.1	0.03	3.7	0.82	<0.1	0.29	0.37	12.0	0.6	<0.05	11.9	12.39	43.3	0.03	<1	0.5	8.0	<10	<2			
1830724	Drill Core	0.7	0.08	3.6	0.48	<0.1	0.35	0.36	12.7	0.8	<0.05	11.2	12.70	45.5	0.02	<1	0.7	7.5	<10	<2			
1830725	Drill Core	<0.1	0.06	2.9	0.70	<0.1	0.40	0.23	11.6	0.6	<0.05	13.7	10.20	40.2	<0.02	<1	0.4	6.0	12	<2			
1830726	Drill Core	0.3	<0.02	3.6	2.29	<0.1	0.15	0.21	20.9	0.6	<0.05	5.8	10.27	34.6	0.02	<1	0.5	9.6	<10	2			
1830727	Drill Core	0.6	0.03	2.6	4.80	<0.1	0.16	0.15	37.9	0.4	<0.05	7.8	10.92	32.4	<0.02	3	0.2	9.1	<10	<2			
1830728	Drill Core	0.9	<0.02	3.2	2.62	<0.1	0.04	0.32	23.7	0.5	<0.05	1.9	9.89	27.7	<0.02	3	0.2	7.8	<10	2			
1830729	Drill Core	0.3	0.04	3.8	2.11	<0.1	0.15	0.26	18.8	0.4	<0.05	4.6	10.94	32.2	0.03	2	0.3	8.9	<10	<2			
1830730	Drill Core	<0.1	0.04	4.3	3.16	<0.1	0.13	0.24	18.0	0.5	<0.05	4.4	10.72	28.1	<0.02	<1	0.6	13.2	10	<2			
1830731	Drill Core	0.9	<0.02	3.3	4.95	<0.1	0.15	0.13	22.8	0.3	<0.05	5.7	8.46	29.5	0.03	1	0.3	9.2	<10	<2			
1830732	Drill Core	0.1	0.05	4.8	2.47	<0.1	0.06	0.08	19.8	0.3	<0.05	2.7	8.64	34.0	0.04	2	0.3	13.6	<10	<2			
1830733	Drill Core	0.3	0.02	4.9	2.90	<0.1	0.08	0.10	27.7	0.4	<0.05	3.0	9.61	27.2	<0.02	<1	0.6	14.3	<10	<2			
1830734	Drill Core	0.8	0.05	5.9	1.19	0.1	0.09	0.18	13.5	0.7	<0.05	2.4	8.81	34.0	<0.02	3	0.8	13.8	<10	<2			
1830735	Drill Core	1.1	0.02	5.1	1.53	<0.1	0.10	0.10	22.2	0.7	<0.05	3.3	9.12	28.0	<0.02	4	0.6	13.7	<10	<2			
1830736	Drill Core	0.6	0.04	5.5	2.82	<0.1	0.09	0.15	25.0	0.7	<0.05	2.5	8.63	27.9	<0.02	<1	0.4	14.7	<10	<2			
1830737	Drill Core	0.5	<0.02	5.8	2.86	<0.1	0.09	0.20	24.7	0.8	<0.05	2.2	9.58	30.8	0.03	3	0.5	11.6	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830738	Drill Core	4.76	441	0.011	0.01	<0.17	28.30	0.65	14.34	10.55	107.2	196	7.8	9.7	513	2.62	8.2	1.6	4.8	3.7	50.7
1830739	Drill Core	4.33	437	<0.005	<0.01	<0.17	27.09	1.04	18.72	7.73	44.1	284	12.9	7.9	270	1.57	15.1	0.7	<0.2	3.4	23.3
1830740	Rock Pulp	0.13	88	0.006				2.22	93.49	3.55	35.1	119	4.6	7.8	349	2.39	0.7	0.8	2.6	2.5	63.3
1830741	Drill Core	5.18	405	0.005	<0.01	<0.17	24.35	2.10	26.87	7.00	44.2	279	26.9	12.3	281	1.72	19.1	1.4	<0.2	4.6	18.8
1830742	Drill Core	4.58	429	0.009	<0.01	<0.17	28.48	1.33	23.60	8.75	44.7	242	16.1	9.6	277	1.59	16.7	1.1	0.2	4.6	20.2
1830743	Drill Core	4.81	439	0.010	<0.01	<0.17	27.85	0.92	22.57	15.15	48.7	230	17.0	9.3	341	1.75	15.5	1.1	1.3	4.5	32.0
1830744	Drill Core	4.27	409	0.006	<0.01	<0.17	28.95	1.23	22.71	8.99	72.3	177	24.3	11.9	514	2.55	18.1	2.3	0.7	5.6	109.8
1830745	Drill Core	4.20	391	0.007	<0.01	<0.17	27.71	1.20	22.49	11.58	84.2	188	27.7	12.0	542	3.07	19.4	3.2	<0.2	6.6	76.1
1830746	Drill Core	4.15	428	0.007	<0.01	<0.17	26.74	1.21	21.26	9.85	83.2	184	26.9	12.9	574	3.04	27.5	2.0	0.7	6.6	83.4
1830747	Drill Core	5.17	417	0.008	<0.01	<0.17	28.23	0.92	20.98	12.04	73.4	211	23.6	11.1	627	2.75	27.8	2.0	<0.2	6.8	99.8
1830748	Drill Core	4.91	428	0.020	0.02	<0.17	28.14	1.29	21.34	5.96	64.6	181	20.3	9.6	417	2.40	44.2	2.3	1.2	8.9	28.5
1830749	Drill Core	3.63	439	0.006	<0.01	<0.17	28.27	1.25	16.40	10.61	69.6	142	30.0	14.2	581	2.50	121.3	0.6	<0.2	8.2	26.1
1830750	Drill Core	3.40	445	0.008	<0.01	<0.17	26.74	1.25	27.29	10.69	72.9	218	16.6	7.2	552	2.56	98.2	0.6	0.3	7.8	27.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1830738	Drill Core	0.36	0.46	0.07	25	1.14	0.077	10.0	27.0	1.15	134.5	0.099	1	1.57	0.021	0.36	0.4	4.9	0.18	0.12
1830739	Drill Core	0.14	0.39	0.11	23	0.56	0.065	7.3	50.6	0.63	208.9	0.095	<1	0.87	0.029	0.24	0.1	2.1	0.11	<0.02
1830740	Rock Pulp	0.05	0.13	0.04	83	0.77	0.057	5.9	9.5	0.67	118.2	0.095	<1	1.36	0.152	0.20	3.3	2.5	0.04	<0.02
1830741	Drill Core	0.16	0.35	0.06	29	0.53	0.069	7.1	77.7	0.78	203.5	0.087	<1	0.92	0.024	0.24	<0.1	2.2	0.11	0.11
1830742	Drill Core	0.19	0.28	0.05	29	0.57	0.067	7.6	76.8	0.72	207.6	0.085	<1	0.88	0.030	0.19	<0.1	2.5	0.08	0.05
1830743	Drill Core	0.27	0.19	0.11	31	1.03	0.069	8.7	77.6	0.75	179.6	0.091	<1	0.94	0.035	0.18	<0.1	3.3	0.05	0.04
1830744	Drill Core	0.39	0.30	0.07	50	2.02	0.066	12.6	102.6	1.23	261.2	0.085	<1	1.44	0.027	0.27	0.1	7.9	0.11	0.05
1830745	Drill Core	0.38	0.79	0.08	60	1.72	0.067	17.0	125.7	1.55	244.4	0.023	<1	1.78	0.024	0.23	<0.1	8.6	0.07	0.05
1830746	Drill Core	0.36	0.29	0.06	59	2.25	0.065	18.0	122.7	1.71	190.8	0.020	<1	1.88	0.026	0.19	<0.1	9.5	0.06	0.04
1830747	Drill Core	0.36	0.19	0.07	46	2.40	0.059	15.1	110.7	1.75	190.6	0.012	<1	1.85	0.024	0.17	<0.1	8.6	0.05	0.02
1830748	Drill Core	0.32	0.58	0.04	19	0.71	0.060	12.9	34.6	1.34	206.5	0.004	<1	1.49	0.010	0.24	<0.1	3.8	0.06	0.04
1830749	Drill Core	0.34	1.52	0.03	22	0.87	0.058	15.2	26.5	1.51	166.6	0.003	<1	1.61	0.009	0.22	<0.1	3.4	0.06	<0.02
1830750	Drill Core	0.27	0.99	<0.02	23	0.87	0.056	14.6	22.2	1.59	157.1	0.003	<1	1.71	0.014	0.22	<0.1	3.0	0.05	<0.02



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 5 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000158.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1830738	Drill Core	0.2	<0.02	5.6	2.28	0.1	0.05	0.14	21.0	0.4	<0.05	1.9	7.09	19.1	<0.02	3	0.5	13.5	<10
1830739	Drill Core	<0.1	0.03	3.2	0.84	<0.1	0.08	0.25	11.3	0.4	<0.05	1.1	5.63	14.5	<0.02	<1	0.3	6.9	<10
1830740	Rock Pulp	<0.1	0.02	4.4	0.30	<0.1	0.06	0.10	6.3	0.2	<0.05	1.1	4.01	12.7	<0.02	2	0.1	6.1	<10
1830741	Drill Core	0.6	<0.02	3.5	0.58	<0.1	0.03	0.19	10.5	0.4	<0.05	1.1	6.52	13.9	<0.02	4	0.2	8.5	<10
1830742	Drill Core	0.3	0.03	3.5	0.35	<0.1	0.02	0.23	7.5	0.3	<0.05	0.9	6.13	15.0	<0.02	3	0.4	7.6	11
1830743	Drill Core	0.6	0.06	3.8	0.32	<0.1	0.04	0.21	6.6	0.4	<0.05	0.9	6.82	17.8	0.03	3	0.3	8.5	14
1830744	Drill Core	0.5	0.04	6.0	1.89	<0.1	0.05	0.12	11.0	0.5	<0.05	1.4	11.70	25.0	0.03	2	0.3	20.2	13
1830745	Drill Core	0.6	0.03	7.4	1.16	<0.1	0.06	0.04	9.0	0.4	<0.05	0.9	14.31	33.7	0.03	4	0.5	23.8	19
1830746	Drill Core	0.3	0.03	7.6	0.53	<0.1	0.05	0.05	7.4	0.4	<0.05	2.4	11.43	35.5	0.03	3	0.3	17.1	17
1830747	Drill Core	0.3	<0.02	6.5	0.51	<0.1	0.15	0.11	6.3	0.3	<0.05	7.9	7.80	29.8	0.02	3	0.5	14.8	<10
1830748	Drill Core	0.3	0.02	5.1	0.65	<0.1	0.21	<0.02	8.5	0.3	<0.05	8.7	5.01	25.8	<0.02	3	0.2	12.9	<10
1830749	Drill Core	<0.1	0.02	5.0	0.40	<0.1	0.25	<0.02	7.1	0.1	<0.05	9.7	5.48	29.6	<0.02	<1	0.4	13.2	<10
1830750	Drill Core	0.2	0.04	5.2	0.29	<0.1	0.26	<0.02	7.1	0.2	<0.05	11.1	4.33	28.9	<0.02	<1	0.3	13.6	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1830678	Drill Core	4.82	444	0.023	0.02	<0.17	35.61	0.32	5.32	20.82	25.8	229	2.0	1.6	133	0.83	3.8	0.7	24.2	11.0	4.5
REP 1830678	QC							0.31	5.28	20.64	25.3	229	1.9	1.6	132	0.82	3.6	0.7	24.5	10.9	4.4
1830713	Drill Core	4.68	424	0.081	0.08	<0.17	32.89	1.13	26.58	31.27	82.9	487	16.8	9.3	482	2.43	2.6	1.5	76.4	10.7	103.0
REP 1830713	QC							1.18	27.07	31.44	84.2	503	17.6	9.3	475	2.40	2.5	1.6	66.1	10.6	104.3
1830715	Drill Core	4.72	376	0.006	<0.01	<0.17	23.92	1.52	21.35	11.21	67.9	314	15.6	8.7	477	2.46	4.7	1.5	1.8	8.7	147.0
REP 1830715	QC			0.006																	
1830748	Drill Core	4.91	428	0.020	0.02	<0.17	28.14	1.29	21.34	5.96	64.6	181	20.3	9.6	417	2.40	44.2	2.3	1.2	8.9	28.5
REP 1830748	QC			0.009				1.26	21.80	6.03	68.7	179	21.3	9.8	421	2.53	44.1	2.3	<0.2	8.8	29.8
Core Reject Duplicates																					
1830652	Drill Core	5.15	436	0.010	<0.01	<0.17	25.17	1.18	17.17	8.57	63.4	309	12.3	7.9	391	2.30	12.4	1.7	6.1	9.0	40.2
DUP 1830652	QC		468	0.009	<0.01	<0.17	30.57	1.10	16.69	8.33	63.1	301	12.2	7.8	382	2.28	11.4	1.7	4.2	8.9	42.2
1830686	Drill Core	2.53	456	0.023	0.02	<0.17	36.68	0.21	10.37	55.75	83.8	192	0.7	1.2	86	0.57	4.2	1.1	10.9	12.8	8.4
DUP 1830686	QC		439	0.053	0.05	<0.17	36.82	0.23	9.59	52.93	83.9	182	0.8	1.4	89	0.60	4.2	1.1	15.7	13.1	8.9
Reference Materials																					
STD BVGEO01	Standard							10.60	4444.22	182.00	1703.7	2414	162.6	25.3	709	3.69	115.6	3.7	209.1	15.8	56.1
STD DS11	Standard							15.81	139.31	141.14	352.5	1890	86.4	12.9	1063	3.18	45.1	2.4	68.5	7.2	68.6
STD DS11	Standard							14.41	152.85	137.46	352.1	1774	77.8	12.7	1002	3.14	41.4	2.7	74.3	7.9	68.0
STD OREAS262	Standard							0.71	104.61	53.20	146.7	468	66.9	24.7	543	3.23	35.8	1.1	62.3	8.4	33.1
STD OREAS262	Standard							0.59	118.10	54.75	145.9	430	64.6	27.2	521	3.32	34.2	1.1	58.4	10.4	34.1
STD OREAS262	Standard							0.67	116.09	58.22	148.7	451	63.7	26.6	518	3.28	34.9	1.2	66.6	9.6	35.1
STD OXC145	Standard			0.212																	
STD OXC145	Standard			0.206																	
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.208																	
STD OXH139	Standard			1.294																	
STD OXH139	Standard			1.321																	
STD OXH139	Standard			1.363																	
STD OXH139	Standard			1.289																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

July 31, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830678	Drill Core	0.39	0.25	0.27	3	0.06	0.018	34.6	3.4	0.17	415.0	0.002	<1	0.63	0.025	0.39	<0.1	1.4	0.12	<0.02	8
REP 1830678	QC	0.38	0.24	0.27	3	0.06	0.018	34.4	3.4	0.16	411.2	0.002	<1	0.64	0.026	0.39	<0.1	1.4	0.12	<0.02	16
1830713	Drill Core	0.52	0.71	0.10	27	1.36	0.063	22.3	29.8	0.89	241.7	0.107	3	1.42	0.040	0.38	0.8	5.9	0.18	<0.02	<5
REP 1830713	QC	0.52	0.71	0.09	27	1.35	0.064	22.4	29.6	0.87	238.8	0.101	2	1.41	0.040	0.38	0.7	5.7	0.18	<0.02	<5
1830715	Drill Core	0.42	0.45	0.12	27	1.56	0.065	16.6	27.3	0.94	462.9	0.089	1	1.23	0.022	0.51	0.3	6.7	0.34	0.12	<5
REP 1830715	QC																				
1830748	Drill Core	0.32	0.58	0.04	19	0.71	0.060	12.9	34.6	1.34	206.5	0.004	<1	1.49	0.010	0.24	<0.1	3.8	0.06	0.04	<5
REP 1830748	QC	0.29	0.55	0.04	21	0.73	0.064	13.1	36.3	1.45	206.1	0.004	<1	1.59	0.013	0.25	<0.1	3.7	0.06	0.04	<5
Core Reject Duplicates																					
1830652	Drill Core	0.33	0.48	0.13	16	1.10	0.060	20.5	19.5	0.73	281.1	0.010	1	1.34	0.022	0.44	0.1	4.4	0.17	<0.02	<5
DUP 1830652	QC	0.32	0.47	0.13	16	1.10	0.059	20.6	20.0	0.75	284.4	0.011	1	1.37	0.022	0.44	<0.1	4.5	0.17	<0.02	<5
1830686	Drill Core	0.47	0.16	0.18	2	0.06	0.024	43.5	1.3	0.09	394.6	0.002	1	0.42	0.038	0.30	0.1	1.3	0.09	<0.02	19
DUP 1830686	QC	0.49	0.15	0.18	2	0.06	0.023	44.3	1.6	0.09	422.7	0.002	2	0.47	0.041	0.31	0.1	1.3	0.08	<0.02	23
Reference Materials																					
STD BVGEO01	Standard	6.37	3.15	24.69	78	1.31	0.071	25.2	191.2	1.32	246.8	0.232	7	2.39	0.197	0.89	4.6	5.9	0.60	0.67	109
STD DS11	Standard	2.50	7.68	11.67	47	1.07	0.067	17.9	59.1	0.87	355.5	0.097	7	1.23	0.077	0.41	3.0	3.5	5.23	0.27	269
STD DS11	Standard	2.27	8.62	11.88	51	1.06	0.066	18.2	58.4	0.84	373.8	0.094	7	1.18	0.074	0.40	3.0	3.3	4.94	0.27	286
STD OREAS262	Standard	0.64	4.43	1.00	21	3.08	0.036	14.8	41.3	1.18	228.6	0.002	4	1.32	0.069	0.31	0.2	3.3	0.49	0.25	174
STD OREAS262	Standard	0.59	4.35	0.93	25	2.98	0.038	15.4	43.0	1.19	241.8	0.003	4	1.34	0.069	0.31	0.2	2.8	0.44	0.26	158
STD OREAS262	Standard	0.62	5.86	1.05	22	2.94	0.037	15.2	41.3	1.17	245.4	0.003	3	1.32	0.070	0.31	0.3	3.2	0.45	0.26	180
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1830678	Drill Core	0.2	<0.02	2.4	0.96	<0.1	0.08	0.06	15.2	0.3	<0.05	3.1	9.72	77.4	<0.02	<1	0.3	6.2	<10	<2
REP 1830678	QC	<0.1	<0.02	2.2	0.95	<0.1	0.10	0.04	15.0	0.3	<0.05	3.2	9.70	77.1	<0.02	<1	0.3	6.1	<10	<2
1830713	Drill Core	<0.1	<0.02	6.2	1.59	<0.1	0.12	0.24	20.8	0.6	<0.05	5.1	14.73	42.2	0.03	<1	1.1	20.1	<10	<2
REP 1830713	QC	<0.1	<0.02	6.4	1.60	<0.1	0.14	0.22	20.4	0.6	<0.05	4.8	14.34	43.2	<0.02	<1	0.9	20.0	<10	<2
1830715	Drill Core	0.3	<0.02	4.2	5.43	<0.1	0.12	0.13	29.7	0.5	<0.05	4.2	12.32	32.8	0.02	5	0.7	14.6	<10	<2
REP 1830715	QC																			
1830748	Drill Core	0.3	0.02	5.1	0.65	<0.1	0.21	<0.02	8.5	0.3	<0.05	8.7	5.01	25.8	<0.02	3	0.2	12.9	<10	<2
REP 1830748	QC	<0.1	0.04	4.8	0.61	<0.1	0.23	<0.02	8.3	0.3	<0.05	8.3	5.17	25.8	<0.02	3	0.3	14.1	<10	<2
Core Reject Duplicates																				
1830652	Drill Core	0.4	<0.02	4.9	2.65	<0.1	0.10	0.03	19.4	0.4	<0.05	4.2	12.94	41.7	0.02	<1	0.5	20.4	<10	<2
DUP 1830652	QC	0.3	0.03	5.1	2.67	<0.1	0.10	0.04	19.9	0.4	<0.05	4.2	13.05	41.7	0.02	<1	0.5	20.5	<10	<2
1830686	Drill Core	<0.1	<0.02	1.4	0.38	<0.1	0.08	0.03	12.4	0.4	<0.05	4.5	10.99	72.5	<0.02	<1	0.6	3.7	<10	<2
DUP 1830686	QC	<0.1	<0.02	1.5	0.40	<0.1	0.09	0.02	12.7	0.4	<0.05	4.3	10.93	74.7	<0.02	<1	0.4	4.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.2	0.91	7.0	6.93	0.2	0.30	0.24	91.3	5.4	<0.05	9.4	14.69	51.3	0.39	3	1.0	19.0	116	177
STD DS11	Standard	2.4	5.17	5.7	3.13	<0.1	0.07	1.63	34.2	1.6	<0.05	3.3	8.37	38.8	0.24	48	0.7	22.3	114	189
STD DS11	Standard	2.1	4.62	5.0	2.87	0.1	0.06	1.50	32.5	1.9	<0.05	2.9	8.07	37.6	0.25	46	0.7	22.9	98	189
STD OREAS262	Standard	0.6	0.21	4.2	2.71	<0.1	0.29	<0.02	18.2	0.5	<0.05	12.7	10.91	31.6	0.03	<1	1.2	16.4	<10	<2
STD OREAS262	Standard	0.1	0.23	4.0	2.48	<0.1	0.19	<0.02	17.4	0.5	<0.05	11.9	10.33	31.1	0.03	2	1.1	16.7	<10	<2
STD OREAS262	Standard	0.1	0.32	4.1	2.78	<0.1	0.31	<0.02	18.3	0.6	<0.05	11.8	10.46	31.0	0.02	1	1.1	17.5	13	3
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.517																	
STD OXN134	Standard			7.560																	
STD OXN134	Standard			7.760																	
STD OXN134	Standard			7.785																	
STD OXQ90	Standard					24.93	28.84														
STD OXQ90	Standard					25.64	29.99														
STD OXQ90	Standard					25.09	30.45														
STD OXQ90	Standard					25.12	29.90														
STD OXQ90	Standard					25.19	30.21														
STD OXQ90	Standard					25.22	29.98														
STD OXQ90	Standard					25.21	29.47														
STD OXQ90	Standard					25.05	29.54														
STD OXQ90	Standard					25.14	29.79														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: July 31, 2019

Part: 2 of 3

## WHI19000158.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: July 31, 2019

Part: 3 of 3

## WHI19000158.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	5	<0.1	<0.1	1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		481	<0.005	0.01	<0.17	29.44	1.03	4.33	1.17	30.4	8	1.2	3.6	521	2.00	1.1	0.4	0.8	2.1	22.8
ROCK-WHI	Prep Blank		468	<0.005	<0.01	<0.17	29.18	0.86	5.21	1.23	29.9	9	0.9	3.3	495	1.99	1.1	0.4	0.8	2.0	21.0



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.04	0.02	24	0.66	0.039	5.8	2.6	0.48	57.0	0.077	2	1.05	0.126	0.10	<0.1	2.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	23	0.64	0.039	5.7	2.3	0.45	52.3	0.071	2	0.98	0.112	0.09	<0.1	2.7	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** July 31, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000158.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	4.1	0.15	0.1	0.17	0.20	2.3	0.3	<0.05	4.4	8.53	12.2	<0.02	<1	0.2	1.9	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.16	<0.1	0.15	0.20	2.2	0.3	<0.05	3.9	8.39	12.1	<0.02	<1	0.2	2.0	<10	<2