



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 05, 2019
Report Date: August 09, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000166.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-26
P.O. Number
Number of Samples: 72

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	70	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	72	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	72	Analysis sample split/packet			WHI
Split -150	72	Analysis sample split/packet			WHI
EN002	72	Environmental disposal charge-Fire assay lead waste			VAN
FS631	71	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	72	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	72	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 09, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828646	Drill Core	1.86	445	0.012	0.01	<0.17	36.78	0.34	16.28	17.80	63.4	313	10.5	7.0	349	1.94	2.1	0.9	7.4	20.7
1828647	Drill Core	2.85	408	0.016	0.01	<0.17	31.49	0.37	13.37	16.64	68.6	298	11.1	8.2	463	2.40	4.9	1.3	11.3	25.1
1828648	Drill Core	3.07	412	0.130	0.13	<0.17	27.53	0.46	17.61	19.25	51.8	749	7.9	7.5	482	2.10	9.2	1.2	161.5	22.7
1828649	Drill Core	2.40	426	0.188	0.21	0.56	26.74	0.68	6.05	13.68	30.5	407	6.6	6.2	263	1.67	8.9	1.2	116.1	23.1
1828650	Drill Core	2.10	436	0.018	0.02	<0.17	48.86	0.23	16.35	7.53	71.3	278	11.0	7.7	256	2.20	2.2	1.0	13.2	16.9
1828651	Drill Core	5.09	413	0.015	0.01	<0.17	37.21	0.26	15.37	14.55	66.3	305	11.3	7.4	305	2.08	3.6	1.2	9.7	20.9
1828652	Drill Core	4.92	422	0.025	0.02	<0.17	26.13	0.23	15.03	13.99	55.6	373	9.8	7.0	283	1.92	2.3	1.2	8.9	19.4
1828653	Drill Core	4.88	437	0.322	0.32	0.32	28.48	0.44	18.11	8.59	47.1	1909	8.8	7.3	280	1.89	7.1	1.0	288.6	14.6
1828654	Drill Core	5.11	419	0.089	0.08	<0.17	41.19	0.33	65.78	121.32	160.2	990	11.5	7.9	477	2.71	8.8	1.6	69.6	22.7
1828655	Drill Core	4.67	425	0.035	0.03	<0.17	32.61	0.19	26.88	10.87	68.1	481	10.8	8.2	352	2.32	1.6	1.4	24.4	24.5
1828656	Drill Core	2.28	439	0.026	0.02	<0.17	34.61	0.20	16.85	38.84	91.1	447	10.3	7.9	382	1.97	3.1	1.3	19.9	32.1
1828657	Drill Core	2.54	423	0.108	0.11	0.17	34.94	0.20	17.40	27.01	69.4	542	10.0	7.4	393	2.07	3.7	1.2	113.8	28.6
1828658	Drill Core	4.69	427	0.062	0.06	<0.17	33.82	0.27	12.44	12.93	65.0	294	10.0	7.1	285	1.91	2.4	1.3	44.4	42.6
1828659	Drill Core	3.78	436	0.008	<0.01	<0.17	33.50	0.78	25.46	11.91	75.4	396	14.4	8.8	290	2.26	3.2	1.5	2.4	41.7
1828660	Core DUP		427	0.006	<0.01	<0.17	36.90	0.68	25.44	11.20	73.6	401	14.0	8.6	270	2.17	2.9	1.5	1.1	38.8
1828661	Drill Core	3.74	432	0.007	<0.01	<0.17	33.11	0.73	22.74	13.24	77.8	368	13.9	9.8	301	2.32	3.6	1.6	0.8	53.5
1828662	Drill Core	2.68	422	0.007	<0.01	<0.17	31.66	0.26	7.42	20.67	45.7	223	4.3	2.7	213	1.15	1.6	1.4	1.2	50.2
1828663	Drill Core	4.40	447	0.006	<0.01	<0.17	36.10	0.19	4.95	13.09	27.7	165	1.3	1.2	127	0.70	1.3	1.3	0.3	29.2
1828664	Drill Core	3.86	418	0.007	<0.01	<0.17	29.24	0.32	3.84	11.84	37.5	136	2.2	1.9	152	0.79	1.0	2.6	<0.2	37.7
1828665	Drill Core	4.42	425	0.007	<0.01	<0.17	27.62	0.40	13.11	14.89	49.4	227	10.3	7.6	238	1.87	4.4	1.8	1.0	58.7
1828666	Drill Core	2.56	423	0.006	<0.01	<0.17	40.55	1.06	21.19	20.74	102.7	356	15.6	8.9	361	2.22	2.6	1.5	<0.2	45.1
1828667	Drill Core	5.94	427	0.006	<0.01	<0.17	27.89	0.85	16.05	14.76	65.3	263	12.0	7.8	288	1.85	8.8	0.7	0.9	32.4
1828668	Drill Core	5.09	402	0.010	<0.01	<0.17	43.64	0.24	8.04	11.04	67.5	148	9.8	7.3	294	1.93	3.2	1.2	2.4	48.9
1828669	Drill Core	2.62	455	0.500	0.58	1.79	28.99	0.53	14.39	17.04	59.8	599	8.8	6.5	304	1.67	2.8	1.3	432.8	38.1
1828670	Drill Core	2.57	401	0.590	0.60	0.68	32.59	0.68	21.65	24.36	58.5	808	9.4	6.6	298	1.90	6.5	1.3	480.1	33.0
1828671	Drill Core	5.02	441	0.008	<0.01	<0.17	35.06	0.31	14.94	17.92	62.3	250	11.3	7.5	277	1.87	2.0	1.5	1.7	50.4
1828672	Drill Core	3.17	419	0.006	<0.01	<0.17	46.41	0.91	20.35	7.18	71.6	255	16.1	8.9	216	2.50	5.1	1.8	<0.2	30.2
1828673	Drill Core	3.07	458	0.007	<0.01	<0.17	41.72	0.24	14.65	16.45	65.1	159	12.1	7.4	210	2.05	4.4	1.1	2.3	27.9
1828674	Drill Core	2.20	420	0.010	<0.01	<0.17	37.47	0.35	4.63	19.26	36.8	128	2.1	2.1	190	0.87	2.7	1.6	2.2	18.0
1828675	Drill Core	2.90	430	0.008	<0.01	<0.17	34.27	0.22	6.43	18.89	25.9	176	1.5	1.7	209	0.77	2.2	1.6	1.3	17.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828646	Drill Core	0.47	0.51	0.27	19	0.36	0.058	17.9	24.6	0.73	139.2	0.031	1	1.08	0.025	0.25	0.3	3.9	0.13	<0.02	<5
1828647	Drill Core	0.56	0.80	0.15	20	0.42	0.067	24.1	26.7	0.89	236.7	0.027	<1	1.42	0.018	0.39	0.2	4.0	0.17	<0.02	8
1828648	Drill Core	0.46	1.05	0.15	11	0.39	0.064	22.1	11.8	0.62	328.7	0.024	<1	1.11	0.011	0.51	0.3	3.2	0.23	0.03	15
1828649	Drill Core	0.27	0.60	0.13	8	0.24	0.082	16.2	8.3	0.35	322.0	0.010	1	0.73	0.015	0.40	0.2	2.4	0.16	0.11	19
1828650	Drill Core	0.41	0.65	0.06	17	0.29	0.062	27.4	22.2	0.79	175.2	0.014	1	1.19	0.024	0.27	0.1	3.4	0.11	<0.02	7
1828651	Drill Core	0.67	0.77	0.11	15	0.37	0.065	28.1	19.7	0.65	224.5	0.012	<1	1.26	0.016	0.40	0.2	3.6	0.19	<0.02	13
1828652	Drill Core	0.46	0.83	0.11	13	0.35	0.063	27.3	18.9	0.66	165.8	0.017	<1	1.09	0.017	0.29	0.2	3.3	0.14	<0.02	<5
1828653	Drill Core	0.67	0.53	0.07	10	0.23	0.063	22.4	13.4	0.51	253.4	0.005	<1	0.93	0.015	0.38	0.1	2.9	0.16	<0.02	13
1828654	Drill Core	1.32	0.79	0.28	22	0.32	0.069	29.2	27.5	0.90	195.5	0.012	<1	1.39	0.023	0.32	0.2	4.6	0.16	<0.02	15
1828655	Drill Core	0.64	0.86	0.06	24	0.38	0.061	25.5	28.7	0.86	199.2	0.065	<1	1.27	0.035	0.41	0.5	5.2	0.27	<0.02	<5
1828656	Drill Core	0.63	0.76	0.06	22	0.48	0.058	22.8	26.9	0.84	190.6	0.074	<1	1.22	0.036	0.29	0.8	4.6	0.15	<0.02	<5
1828657	Drill Core	0.47	0.81	0.11	16	0.44	0.059	18.5	20.7	0.85	276.7	0.064	<1	1.18	0.026	0.38	0.8	3.7	0.20	<0.02	16
1828658	Drill Core	0.31	0.81	0.07	17	0.60	0.060	21.2	23.1	0.97	354.5	0.069	1	1.31	0.025	0.39	0.8	3.9	0.19	<0.02	6
1828659	Drill Core	0.33	0.94	0.06	25	0.82	0.068	14.1	29.9	0.94	258.8	0.097	<1	1.22	0.022	0.44	1.2	5.1	0.30	0.10	<5
1828660	Core DUP	0.33	0.88	0.05	25	0.78	0.067	13.2	28.8	0.92	268.2	0.094	<1	1.19	0.022	0.45	1.2	5.3	0.30	0.10	5
1828661	Drill Core	0.44	1.11	0.11	25	1.05	0.065	14.9	30.8	1.02	451.4	0.112	<1	1.24	0.025	0.50	0.9	5.2	0.35	0.25	5
1828662	Drill Core	0.32	0.96	0.17	7	0.83	0.027	26.8	8.4	0.48	859.0	0.049	1	0.83	0.020	0.31	0.6	3.3	0.16	<0.02	8
1828663	Drill Core	0.30	0.66	0.09	3	0.45	0.015	20.3	3.0	0.18	469.7	0.029	<1	0.54	0.032	0.23	0.3	2.3	0.09	<0.02	<5
1828664	Drill Core	0.46	0.51	0.08	6	0.59	0.020	19.4	9.3	0.33	594.5	0.033	<1	0.74	0.023	0.37	0.2	2.7	0.16	0.04	<5
1828665	Drill Core	0.24	0.52	0.12	14	1.05	0.055	21.6	15.7	0.85	483.5	0.049	<1	0.96	0.022	0.51	0.2	3.8	0.31	0.41	<5
1828666	Drill Core	0.48	0.63	0.10	24	0.68	0.070	21.3	33.7	1.07	665.7	0.081	<1	1.29	0.035	0.51	0.4	4.6	0.35	0.11	<5
1828667	Drill Core	0.49	0.56	0.04	15	0.60	0.062	7.1	21.1	0.74	248.8	0.098	<1	1.16	0.043	0.26	0.2	2.3	0.18	0.10	<5
1828668	Drill Core	0.34	1.08	0.05	15	0.83	0.056	18.4	21.3	1.06	214.0	0.087	<1	1.45	0.024	0.52	0.7	3.2	0.29	<0.02	<5
1828669	Drill Core	0.41	0.86	0.09	12	0.54	0.055	20.6	16.6	0.79	191.5	0.076	<1	1.13	0.023	0.43	0.9	2.8	0.20	<0.02	5
1828670	Drill Core	0.44	0.86	0.11	13	0.43	0.064	17.7	16.6	0.65	245.3	0.062	<1	0.95	0.025	0.38	0.9	2.8	0.19	<0.02	7
1828671	Drill Core	0.24	0.74	0.07	18	0.79	0.056	19.0	24.0	1.04	194.5	0.076	<1	1.33	0.025	0.51	0.8	3.7	0.24	<0.02	7
1828672	Drill Core	0.47	0.67	<0.02	32	0.49	0.068	15.5	37.2	1.07	240.0	0.098	<1	1.28	0.043	0.60	0.4	5.6	0.38	0.04	<5
1828673	Drill Core	0.23	0.64	0.05	24	0.39	0.057	18.7	28.6	1.08	233.3	0.076	<1	1.24	0.033	0.60	0.5	4.6	0.35	<0.02	<5
1828674	Drill Core	0.33	0.38	0.14	5	0.22	0.018	30.4	8.3	0.29	375.9	0.018	<1	0.65	0.018	0.38	0.4	2.7	0.16	<0.02	16
1828675	Drill Core	0.46	0.35	0.21	3	0.24	0.016	31.0	4.1	0.19	387.9	0.014	<1	0.54	0.015	0.35	0.3	2.7	0.13	<0.02	19



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method	Analyte	Method																		AQ251	
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd		Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb		ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2			
1828646	Drill Core	<0.1	<0.02	5.2	2.90	<0.1	0.06	0.06	16.2	0.5	<0.05	2.4	11.52	32.2	<0.02	<1	0.5	18.7	<10	<2		
1828647	Drill Core	<0.1	<0.02	6.2	3.32	<0.1	0.06	0.03	23.6	0.5	<0.05	2.1	14.61	48.8	<0.02	<1	0.4	24.2	<10	<2		
1828648	Drill Core	<0.1	0.03	4.0	4.43	<0.1	0.05	0.05	28.0	0.4	<0.05	1.7	12.19	41.9	0.02	<1	0.2	15.4	<10	<2		
1828649	Drill Core	0.2	0.02	3.0	2.53	<0.1	0.04	<0.02	20.0	0.3	<0.05	1.0	8.57	32.3	<0.02	<1	0.3	10.3	<10	<2		
1828650	Drill Core	<0.1	<0.02	6.0	1.79	<0.1	0.04	<0.02	14.7	0.3	<0.05	1.4	13.92	53.1	0.02	<1	0.3	19.5	<10	<2		
1828651	Drill Core	<0.1	<0.02	5.3	3.90	<0.1	0.04	<0.02	24.0	0.4	<0.05	1.5	16.54	53.9	<0.02	<1	0.7	17.4	<10	<2		
1828652	Drill Core	<0.1	<0.02	5.1	2.58	<0.1	0.04	<0.02	17.4	0.4	<0.05	1.4	14.98	50.9	<0.02	<1	0.3	15.6	<10	<2		
1828653	Drill Core	<0.1	<0.02	4.1	2.65	<0.1	0.04	<0.02	20.5	0.3	<0.05	1.1	10.59	44.5	<0.02	<1	0.4	15.6	<10	<2		
1828654	Drill Core	<0.1	0.02	7.6	3.54	<0.1	0.07	<0.02	18.7	0.4	<0.05	2.0	16.29	58.4	0.03	<1	0.6	30.0	<10	<2		
1828655	Drill Core	<0.1	<0.02	6.2	3.28	<0.1	0.08	0.07	27.1	0.5	<0.05	2.3	13.73	48.9	0.02	<1	0.5	22.9	<10	<2		
1828656	Drill Core	<0.1	0.02	6.5	2.02	<0.1	0.07	0.12	17.5	0.6	<0.05	2.4	12.66	44.5	0.02	<1	0.8	20.6	<10	<2		
1828657	Drill Core	<0.1	<0.02	5.6	2.80	<0.1	0.06	0.09	23.7	0.4	<0.05	2.0	10.69	35.4	<0.02	<1	0.6	19.4	<10	<2		
1828658	Drill Core	<0.1	<0.02	5.8	1.81	<0.1	0.07	0.10	22.0	0.6	<0.05	2.2	10.58	39.7	<0.02	<1	0.6	21.7	<10	<2		
1828659	Drill Core	0.1	<0.02	5.0	3.94	<0.1	0.12	0.14	32.6	0.6	<0.05	3.1	11.47	27.6	<0.02	<1	0.5	18.6	<10	<2		
1828660	Core DUP	0.2	<0.02	4.9	3.90	<0.1	0.08	0.12	32.4	0.6	<0.05	3.1	10.94	25.7	<0.02	<1	0.6	16.4	<10	<2		
1828661	Drill Core	0.1	0.02	4.7	4.27	<0.1	0.07	0.17	37.0	0.7	<0.05	2.6	11.18	28.3	0.03	<1	0.2	18.4	<10	<2		
1828662	Drill Core	<0.1	<0.02	3.6	1.43	<0.1	0.07	0.26	18.8	0.6	<0.05	2.1	18.04	50.7	0.02	<1	0.3	11.0	<10	<2		
1828663	Drill Core	<0.1	<0.02	2.3	0.43	<0.1	0.04	0.39	12.0	0.5	<0.05	1.1	12.64	39.1	0.02	<1	0.1	5.1	<10	<2		
1828664	Drill Core	<0.1	<0.02	2.7	0.82	<0.1	0.09	0.29	18.3	0.5	<0.05	1.5	11.28	37.0	<0.02	<1	0.3	6.8	<10	<2		
1828665	Drill Core	0.2	<0.02	2.9	4.86	<0.1	0.17	0.09	32.4	0.4	<0.05	6.1	13.30	41.5	<0.02	<1	0.3	9.2	<10	<2		
1828666	Drill Core	<0.1	<0.02	4.6	8.85	<0.1	0.10	0.08	37.0	0.5	<0.05	2.8	11.15	40.2	<0.02	<1	0.4	14.4	<10	<2		
1828667	Drill Core	0.3	<0.02	4.1	1.26	<0.1	0.04	0.24	15.0	0.4	<0.05	1.3	4.91	13.5	<0.02	1	0.2	11.1	<10	<2		
1828668	Drill Core	<0.1	<0.02	5.3	2.43	<0.1	0.05	0.14	32.7	0.6	<0.05	1.7	8.47	34.2	<0.02	<1	0.6	19.2	<10	<2		
1828669	Drill Core	<0.1	<0.02	4.7	1.86	<0.1	0.06	0.14	25.2	0.6	<0.05	1.8	8.82	38.5	<0.02	<1	0.7	15.4	<10	<2		
1828670	Drill Core	<0.1	<0.02	4.6	1.92	<0.1	0.05	0.11	22.1	0.5	<0.05	1.5	8.58	33.2	<0.02	<1	0.5	13.7	<10	<2		
1828671	Drill Core	<0.1	<0.02	5.1	3.33	<0.1	0.07	0.11	30.7	0.6	<0.05	2.0	8.87	35.5	<0.02	<1	0.5	16.5	<10	<2		
1828672	Drill Core	<0.1	<0.02	5.0	5.84	<0.1	0.19	0.06	41.4	0.6	<0.05	6.4	10.11	28.6	<0.02	<1	0.3	19.9	<10	<2		
1828673	Drill Core	<0.1	<0.02	4.5	5.73	<0.1	0.21	0.06	39.7	0.6	<0.05	7.2	12.01	34.1	<0.02	<1	0.5	18.7	<10	<2		
1828674	Drill Core	<0.1	<0.02	2.6	1.45	<0.1	0.05	0.18	19.6	0.6	<0.05	2.1	17.19	54.5	0.03	<1	0.4	6.7	<10	<2		
1828675	Drill Core	<0.1	<0.02	2.4	0.75	<0.1	0.03	0.17	16.7	0.4	<0.05	1.3	18.47	57.3	0.03	<1	0.3	5.5	<10	<2		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828676	Drill Core	3.08	418	0.008	<0.01	<0.17	46.62	0.29	7.54	15.88	29.7	170	4.6	4.0	188	1.09	2.7	1.0	1.1	12.1	20.8
1828677	Drill Core	5.27	436	0.007	<0.01	<0.17	32.31	0.45	12.73	13.50	29.9	201	5.3	3.7	168	1.25	2.2	1.1	1.1	10.3	55.0
1828678	Drill Core	4.91	440	0.021	0.02	<0.17	42.20	0.62	15.00	17.31	59.0	295	11.2	7.8	242	2.13	3.6	1.4	16.4	8.6	52.9
1828679	Drill Core	5.01	397	0.008	<0.01	<0.17	13.73	1.11	19.85	13.89	74.8	352	13.1	9.3	315	2.09	2.9	1.7	1.4	11.7	84.0
1828680	Rock	0.23	167	0.007	<0.01	<0.17	17.81	0.68	1.29	1.01	2.9	8	1.4	0.5	100	0.89	0.8	0.2	0.9	1.2	1.5
1828681	Drill Core	4.25	551	0.008	<0.01	<0.17	14.12	0.46	15.69	14.32	76.3	321	12.4	8.5	312	2.00	3.1	1.9	1.3	10.4	63.9
1828682	Drill Core	2.33	431	0.507	0.48	<0.17	25.89	0.15	3.97	22.14	16.3	201	0.8	0.6	59	0.51	2.0	0.8	15.3	13.4	4.3
1828683	Drill Core	2.61	511	0.019	0.02	<0.17	34.35	0.27	2.40	7.16	5.3	98	0.3	0.4	30	0.38	3.3	1.2	5.9	10.7	4.3
1828684	Drill Core	2.29	534	0.056	0.05	<0.17	73.81	1.15	4.00	14.33	8.6	279	0.2	0.3	20	0.48	7.6	2.4	42.5	16.4	3.9
1828685	Drill Core	2.39	446	0.008	<0.01	<0.17	23.42	0.14	3.31	3.76	11.0	105	0.5	0.4	43	0.37	1.2	0.8	3.4	13.5	2.7
1828686	Drill Core	2.21	483	0.025	0.03	<0.17	21.45	0.17	4.14	3.42	16.5	165	0.6	0.3	45	0.42	1.1	0.6	103.2	10.0	2.5
1828687	Drill Core	2.07	418	0.023	0.02	<0.17	29.78	0.16	5.62	3.22	12.2	124	0.7	0.5	40	0.42	2.0	1.0	17.3	14.5	3.1
1828688	Drill Core	2.76	480	0.030	0.03	<0.17	31.23	0.26	4.03	4.90	12.1	101	0.8	0.4	66	0.50	1.3	0.6	15.1	10.6	3.2
1828689	Drill Core	2.55	380	0.010	<0.01	<0.17	18.50	0.32	6.10	4.92	31.2	97	0.6	0.4	50	0.49	1.6	0.7	6.1	12.0	4.4
1828690	Drill Core	2.43	445	0.011	<0.01	<0.17	39.88	0.19	4.89	5.51	18.7	106	0.6	0.5	44	0.41	1.5	0.8	8.6	13.7	2.7
1828691	Drill Core	3.04	423	0.011	0.01	<0.17	28.23	0.20	2.14	8.20	9.3	100	0.5	0.4	52	0.40	2.0	0.8	22.4	14.0	2.5
1828692	Drill Core	2.54	428	0.007	<0.01	<0.17	24.70	0.19	1.92	17.29	13.4	127	0.5	0.4	64	0.42	2.1	0.8	2.9	14.0	2.4
1828693	Drill Core	3.97	444	0.008	<0.01	<0.17	33.91	0.13	2.11	24.66	13.0	213	0.3	0.3	81	0.36	1.1	1.3	1.8	15.0	3.8
1828694	Drill Core	3.04	466	0.008	<0.01	<0.17	56.70	0.11	2.22	34.12	12.1	217	0.2	0.3	69	0.26	0.8	1.1	2.8	14.5	5.1
1828695	Drill Core	2.39	514	1.217	3.38	31.31	37.02	0.15	1.46	23.87	8.7	491	0.4	0.3	44	0.35	1.9	0.6	1078.0	12.9	1.8
1828696	Drill Core	2.76	426	0.035	0.03	<0.17	21.78	0.15	2.09	18.71	10.3	210	0.3	0.4	60	0.39	1.4	0.9	10.7	12.1	2.7
1828697	Drill Core	4.97	458	0.037	0.04	<0.17	14.38	0.16	2.80	15.80	13.5	214	0.5	0.5	72	0.45	2.1	1.3	57.8	14.5	5.8
1828698	Drill Core	2.65	428	0.051	0.05	<0.17	11.95	0.25	11.83	24.20	21.8	370	0.8	0.8	104	0.61	1.7	0.7	41.1	12.8	3.0
1828699	Drill Core	2.40	435	0.127	0.12	<0.17	28.32	0.25	1.54	9.87	9.4	159	1.2	0.9	78	0.56	2.0	0.8	87.5	11.6	8.5
1828700	Rock Pulp	0.12	98	7.191				9.34	194.73	20.08	75.2	913	13.5	11.2	556	4.59	13.5	0.9	7595.5	3.2	63.6
1828701	Drill Core	2.24	410	0.015	0.01	<0.17	22.44	0.73	9.10	7.65	58.0	366	10.2	6.8	382	2.06	0.7	1.5	7.4	9.7	120.1
1828702	Drill Core	2.70	421	0.113	0.11	<0.17	18.20	0.54	8.34	7.55	21.0	457	6.0	5.1	203	1.43	3.1	1.4	200.4	11.3	23.5
1828703	Drill Core	4.97	415	0.125	0.15	0.57	19.30	0.28	17.63	14.61	62.1	447	11.6	6.3	249	1.98	5.6	1.3	194.9	11.8	19.6
1828704	Drill Core	2.11	401	0.555	0.60	1.22	25.42	0.45	26.18	27.22	71.7	1258	20.0	10.3	495	2.75	10.9	1.9	459.4	8.4	75.6
1828705	Drill Core	2.66	428	0.105	0.12	0.33	21.40	0.68	13.73	23.82	76.1	358	13.3	8.5	458	2.55	7.7	3.3	331.5	8.8	125.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828676	Drill Core	0.29	0.47	0.12	7	0.31	0.033	25.3	8.9	0.37	493.6	0.024	<1	0.69	0.016	0.46	0.2	3.3	0.19	<0.02	<5			
1828677	Drill Core	0.22	0.48	0.08	8	0.58	0.040	16.9	9.1	0.48	393.2	0.030	<1	0.67	0.024	0.45	0.1	3.7	0.21	0.07	<5			
1828678	Drill Core	0.39	0.57	0.07	23	0.56	0.061	13.8	25.7	0.97	269.5	0.077	<1	1.08	0.037	0.47	0.4	5.1	0.27	<0.02	<5			
1828679	Drill Core	0.51	0.65	0.08	23	1.12	0.068	13.6	30.4	0.83	330.8	0.103	<1	1.05	0.038	0.50	0.4	5.3	0.38	0.10	<5			
1828680	Rock	0.01	0.07	<0.02	1	0.01	0.002	1.8	4.5	0.02	13.1	0.002	1	0.06	0.007	0.02	<0.1	0.2	<0.02	<0.02	<5			
1828681	Drill Core	0.66	0.67	0.07	22	0.90	0.066	16.0	27.2	0.84	330.3	0.089	1	1.17	0.025	0.61	0.3	5.1	0.46	0.08	7			
1828682	Drill Core	0.15	0.14	0.28	2	0.04	0.011	39.3	2.0	0.11	283.6	0.001	<1	0.38	0.033	0.29	<0.1	0.9	0.11	<0.02	<5			
1828683	Drill Core	0.15	0.22	0.13	<1	0.03	0.015	32.2	1.0	0.03	229.9	<0.001	<1	0.29	0.025	0.25	<0.1	0.7	0.07	<0.02	13			
1828684	Drill Core	0.31	0.52	0.17	2	0.04	0.011	45.4	0.7	0.05	211.5	<0.001	<1	0.41	0.031	0.29	0.1	0.8	0.10	<0.02	22			
1828685	Drill Core	0.11	0.08	0.03	1	0.02	0.007	38.8	1.2	0.08	238.9	<0.001	<1	0.34	0.026	0.27	<0.1	0.8	0.08	<0.02	7			
1828686	Drill Core	0.06	0.09	0.03	<1	0.02	0.007	29.9	1.3	0.07	160.8	<0.001	<1	0.29	0.023	0.23	<0.1	0.7	0.06	<0.02	12			
1828687	Drill Core	0.12	0.10	0.02	1	0.03	0.011	45.8	1.3	0.06	282.3	<0.001	<1	0.38	0.023	0.30	<0.1	0.8	0.09	<0.02	23			
1828688	Drill Core	0.10	0.09	<0.02	<1	0.03	0.010	29.6	2.0	0.05	188.2	<0.001	<1	0.28	0.020	0.22	0.1	0.7	0.07	<0.02	26			
1828689	Drill Core	0.10	0.13	0.06	<1	0.02	0.010	32.7	1.6	0.04	203.1	<0.001	<1	0.31	0.024	0.26	0.1	0.6	0.07	<0.02	9			
1828690	Drill Core	0.13	0.10	0.08	<1	0.02	0.008	41.4	1.3	0.05	211.6	<0.001	<1	0.31	0.028	0.26	<0.1	0.7	0.07	<0.02	10			
1828691	Drill Core	0.13	0.08	0.07	<1	0.02	0.007	40.2	1.2	0.06	213.6	0.001	<1	0.33	0.022	0.31	<0.1	0.8	0.08	<0.02	<5			
1828692	Drill Core	0.18	0.10	0.18	<1	0.02	0.007	38.7	1.2	0.05	201.8	<0.001	<1	0.31	0.024	0.30	<0.1	0.8	0.08	<0.02	<5			
1828693	Drill Core	0.22	0.08	0.27	<1	0.04	0.005	44.1	0.9	0.07	224.3	0.001	<1	0.36	0.026	0.33	<0.1	1.0	0.09	<0.02	<5			
1828694	Drill Core	0.12	0.08	0.31	<1	0.04	0.006	43.3	0.8	0.06	289.4	0.001	<1	0.37	0.034	0.34	<0.1	1.0	0.09	<0.02	9			
1828695	Drill Core	0.09	0.14	0.33	<1	0.01	0.005	31.1	0.9	0.05	182.9	<0.001	<1	0.29	0.031	0.26	<0.1	0.6	0.07	<0.02	9			
1828696	Drill Core	0.14	0.16	0.21	<1	0.02	0.006	37.5	1.1	0.05	226.6	0.002	<1	0.30	0.037	0.28	<0.1	0.8	0.07	<0.02	6			
1828697	Drill Core	0.18	0.17	0.13	<1	0.05	0.010	41.9	1.4	0.09	337.2	0.002	<1	0.40	0.036	0.32	<0.1	1.2	0.10	<0.02	<5			
1828698	Drill Core	0.13	0.40	0.16	1	0.02	0.007	34.2	1.5	0.17	311.5	0.001	<1	0.41	0.030	0.25	<0.1	1.3	0.08	<0.02	12			
1828699	Drill Core	0.11	0.31	0.03	2	0.08	0.012	31.1	3.5	0.13	269.4	0.002	<1	0.38	0.032	0.26	<0.1	1.0	0.08	<0.02	32			
1828700	Rock Pulp	0.18	4.76	0.55	109	0.80	0.060	7.8	18.1	0.83	120.5	0.120	1	1.64	0.162	0.23	3.9	3.1	0.07	<0.02	219			
1828701	Drill Core	0.41	0.82	0.09	17	1.57	0.055	23.7	23.4	1.06	162.3	0.011	<1	1.31	0.019	0.32	0.1	3.6	0.14	<0.02	<5			
1828702	Drill Core	0.23	0.48	0.11	7	0.27	0.047	28.7	13.5	0.39	237.3	0.004	<1	0.67	0.040	0.25	0.2	2.1	0.09	<0.02	8			
1828703	Drill Core	0.46	0.60	0.13	19	0.24	0.045	31.3	24.8	0.80	226.3	0.007	<1	1.16	0.029	0.31	0.1	3.3	0.13	<0.02	19			
1828704	Drill Core	0.39	0.93	0.22	27	0.99	0.067	14.8	33.6	1.18	243.6	0.093	<1	1.52	0.030	0.61	0.8	5.3	0.30	0.15	15			
1828705	Drill Core	0.50	0.90	0.10	29	1.96	0.064	18.1	30.2	1.12	206.9	0.091	<1	1.37	0.025	0.40	0.5	5.3	0.17	0.35	9			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
1828676	Drill Core	<0.1	<0.02	2.0	2.19	<0.1	0.19	0.04	22.6	0.3	<0.05	7.4	9.12	46.5	0.02	<1	0.5	7.6	<10	<2	
1828677	Drill Core	<0.1	<0.02	2.0	2.82	<0.1	0.18	0.06	24.0	0.3	<0.05	7.7	8.00	31.4	<0.02	<1	0.3	8.1	<10	<2	
1828678	Drill Core	<0.1	<0.02	4.3	4.68	<0.1	0.27	0.03	30.0	0.5	<0.05	9.5	9.91	25.7	<0.02	<1	0.4	15.6	<10	<2	
1828679	Drill Core	<0.1	<0.02	4.6	4.48	<0.1	0.09	0.16	37.4	0.6	<0.05	2.3	9.63	25.4	<0.02	1	0.3	13.9	<10	<2	
1828680	Rock	<0.1	<0.02	0.3	0.13	<0.1	0.11	0.05	0.9	<0.1	<0.05	2.1	0.91	3.6	<0.02	<1	<0.1	1.0	<10	<2	
1828681	Drill Core	<0.1	<0.02	4.6	5.57	<0.1	0.11	0.09	44.7	0.6	<0.05	4.0	11.10	30.5	0.03	<1	0.4	16.0	<10	<2	
1828682	Drill Core	<0.1	<0.02	1.4	0.71	<0.1	0.23	<0.02	12.6	0.2	<0.05	5.8	7.87	71.9	<0.02	<1	0.2	4.8	<10	<2	
1828683	Drill Core	<0.1	<0.02	0.9	0.48	<0.1	0.04	<0.02	9.5	0.1	<0.05	1.7	4.45	58.4	<0.02	<1	0.2	2.4	<10	<2	
1828684	Drill Core	<0.1	<0.02	1.2	1.17	<0.1	0.05	<0.02	13.2	0.3	<0.05	2.1	10.62	84.1	<0.02	<1	0.1	3.0	<10	<2	
1828685	Drill Core	<0.1	<0.02	1.2	0.60	<0.1	0.09	<0.02	11.8	0.3	<0.05	3.0	8.19	73.7	<0.02	<1	0.3	3.0	<10	<2	
1828686	Drill Core	<0.1	<0.02	1.1	0.50	<0.1	0.07	<0.02	9.7	0.1	<0.05	2.1	6.30	54.1	<0.02	<1	0.3	2.4	<10	<2	
1828687	Drill Core	<0.1	<0.02	1.3	0.59	<0.1	0.02	<0.02	12.7	0.2	<0.05	1.2	9.91	83.7	<0.02	<1	0.2	3.0	<10	<2	
1828688	Drill Core	<0.1	<0.02	0.9	0.57	<0.1	0.02	<0.02	9.2	0.1	<0.05	1.0	6.65	54.9	<0.02	<1	0.3	2.1	<10	<2	
1828689	Drill Core	<0.1	<0.02	0.9	0.59	<0.1	0.07	<0.02	10.3	0.5	<0.05	2.3	6.66	60.6	<0.02	<1	0.2	1.9	<10	<2	
1828690	Drill Core	<0.1	<0.02	0.9	0.65	<0.1	0.07	<0.02	11.0	0.1	<0.05	2.4	7.92	76.4	<0.02	<1	0.2	2.0	<10	<2	
1828691	Drill Core	<0.1	<0.02	1.1	0.55	<0.1	0.09	<0.02	11.8	0.2	<0.05	3.0	9.47	74.8	<0.02	<1	0.2	2.4	<10	<2	
1828692	Drill Core	<0.1	<0.02	1.2	0.54	<0.1	0.11	<0.02	12.1	0.1	<0.05	3.8	8.05	71.4	<0.02	<1	0.3	2.7	<10	<2	
1828693	Drill Core	<0.1	<0.02	1.1	0.47	<0.1	0.15	<0.02	13.3	0.2	<0.05	5.7	12.07	79.1	<0.02	<1	0.3	3.2	<10	<2	
1828694	Drill Core	<0.1	<0.02	1.1	0.35	<0.1	0.13	<0.02	13.6	0.2	<0.05	4.6	8.57	80.3	<0.02	<1	0.3	3.0	<10	<2	
1828695	Drill Core	<0.1	<0.02	1.0	0.56	<0.1	0.14	<0.02	9.9	0.1	<0.05	5.8	4.37	57.2	<0.02	<1	0.2	1.8	<10	<2	
1828696	Drill Core	<0.1	<0.02	1.0	0.53	<0.1	0.16	<0.02	11.6	0.1	<0.05	5.4	7.45	69.4	<0.02	<1	0.3	2.1	<10	<2	
1828697	Drill Core	<0.1	<0.02	1.2	1.10	<0.1	0.11	<0.02	13.3	0.2	<0.05	4.4	9.07	77.1	<0.02	<1	0.6	3.6	<10	<2	
1828698	Drill Core	<0.1	<0.02	1.6	0.48	<0.1	0.07	<0.02	11.0	0.2	<0.05	3.3	6.90	63.6	<0.02	<1	0.5	5.6	<10	<2	
1828699	Drill Core	<0.1	<0.02	1.3	0.58	<0.1	0.09	<0.02	11.2	0.1	<0.05	2.9	5.99	55.9	<0.02	<1	0.2	4.1	<10	<2	
1828700	Rock Pulp	<0.1	0.18	4.7	0.64	0.1	0.10	0.03	7.7	1.7	<0.05	2.0	4.99	15.6	0.05	2	0.2	7.1	<10	<2	
1828701	Drill Core	<0.1	<0.02	4.7	2.26	<0.1	0.05	<0.02	18.9	0.2	<0.05	2.2	16.02	44.4	0.02	<1	0.8	25.2	<10	<2	
1828702	Drill Core	<0.1	0.03	3.1	1.21	<0.1	0.11	<0.02	12.5	0.2	<0.05	4.4	11.26	54.8	<0.02	<1	0.4	11.0	<10	<2	
1828703	Drill Core	<0.1	<0.02	4.5	2.65	<0.1	0.05	<0.02	16.8	0.2	<0.05	1.9	12.84	59.9	0.03	<1	0.7	24.1	<10	<2	
1828704	Drill Core	<0.1	0.04	5.0	5.55	<0.1	0.08	0.05	35.8	0.4	<0.05	3.0	13.36	28.6	<0.02	<1	1.0	22.9	<10	<2	
1828705	Drill Core	0.2	0.03	6.3	2.05	<0.1	0.09	0.08	20.7	0.5	<0.05	2.8	13.90	33.7	<0.02	3	1.0	25.9	<10	<2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828706	Drill Core	4.83	439	0.008	<0.01	<0.17	12.59	0.89	21.12	7.48	71.8	284	17.1	10.5	380	2.86	9.4	3.4	3.3	9.7	61.5
1828707	Drill Core	5.14	424	0.007	<0.01	<0.17	24.42	0.89	17.98	10.30	82.5	265	16.3	9.9	462	2.78	8.2	1.9	1.3	9.5	60.0
1828708	Drill Core	2.94	443	0.006	<0.01	<0.17	18.90	0.93	14.52	17.30	70.0	226	14.9	8.8	337	2.34	9.5	2.0	2.8	8.1	44.0
1828709	Drill Core	4.39	407	0.052	0.05	<0.17	18.52	1.35	11.97	18.00	55.2	409	9.7	6.4	331	1.86	12.7	1.9	36.0	8.2	71.0
1828710	Drill Core	2.52	434	0.763	0.77	0.94	17.04	0.76	6.39	19.43	62.5	1285	10.3	8.5	338	2.29	25.2	2.2	807.2	15.1	26.6
1828711	Drill Core	2.79	450	0.862	0.90	2.15	14.90	0.66	9.32	18.92	43.6	964	7.6	5.2	233	1.70	18.1	1.1	777.5	8.8	23.5
1828712	Drill Core	2.97	425	0.037	0.03	<0.17	25.83	0.93	14.44	6.34	36.5	405	7.6	6.2	367	1.79	8.3	1.6	26.4	9.4	46.9
1828713	Drill Core	3.12	424	0.219	0.21	<0.17	17.35	1.14	15.30	18.66	46.7	621	10.3	6.5	237	1.68	14.0	1.4	259.9	8.8	27.8
1828714	Drill Core	5.12	407	0.009	<0.01	<0.17	28.48	2.20	24.51	15.53	72.9	616	29.6	9.7	432	2.71	32.7	1.6	5.1	7.9	82.0
1828715	Drill Core	5.29	449	0.005	<0.01	<0.17	39.70	1.79	26.92	17.88	71.9	470	23.0	9.4	428	2.77	30.6	1.9	<0.2	7.8	119.2
1828716	Drill Core	4.60	404	0.006	0.01	<0.17	35.83	1.95	23.48	11.91	84.5	329	15.5	9.7	493	2.90	32.1	3.1	1.0	7.5	130.9
1828717	Drill Core	1.61	441	0.005	<0.01	<0.17	41.37	0.71	11.18	6.53	66.6	185	8.5	5.6	501	2.49	8.8	1.8	1.5	5.6	234.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1828706	Drill Core	0.25	0.88	0.05	37	1.06	0.077	15.0	43.1	1.29	183.0	0.097	<1	1.59	0.055	0.29	0.4	6.9	0.14	0.18
1828707	Drill Core	0.33	0.85	0.05	32	1.10	0.069	17.6	39.3	1.14	172.6	0.078	<1	1.53	0.045	0.29	0.2	6.1	0.17	0.04
1828708	Drill Core	0.23	2.04	0.11	27	0.77	0.062	15.9	33.2	0.93	144.2	0.060	<1	1.20	0.045	0.33	0.2	5.0	0.18	<0.02
1828709	Drill Core	0.45	1.25	0.13	19	1.09	0.055	18.0	21.9	0.62	207.9	0.071	<1	1.02	0.025	0.33	0.5	3.6	0.15	<0.02
1828710	Drill Core	0.84	0.77	0.16	13	0.34	0.071	29.6	15.0	0.64	368.0	0.029	<1	1.07	0.016	0.47	0.6	2.9	0.16	<0.02
1828711	Drill Core	0.50	0.47	0.33	9	0.23	0.071	20.2	11.2	0.37	251.3	0.008	<1	0.67	0.025	0.29	0.3	2.1	0.09	<0.02
1828712	Drill Core	0.27	0.67	0.08	13	0.77	0.057	24.4	14.3	0.48	236.0	0.012	<1	0.90	0.025	0.37	0.2	2.6	0.12	<0.02
1828713	Drill Core	0.26	0.97	0.31	9	0.30	0.067	17.8	10.8	0.37	262.8	0.010	<1	0.66	0.016	0.36	0.2	2.0	0.12	<0.02
1828714	Drill Core	0.41	1.85	0.37	31	1.05	0.073	15.8	37.0	1.16	274.9	0.060	3	1.55	0.012	0.68	0.3	6.4	0.24	0.06
1828715	Drill Core	0.37	1.51	0.27	31	1.48	0.072	13.2	33.8	1.18	238.6	0.055	1	1.39	0.020	0.56	0.2	8.0	0.22	0.12
1828716	Drill Core	0.48	1.30	0.17	28	1.72	0.083	11.8	26.0	1.17	281.7	0.021	1	1.53	0.013	0.49	0.1	7.5	0.22	0.19
1828717	Drill Core	0.37	0.60	0.11	22	2.27	0.075	11.0	20.7	1.04	288.4	0.025	2	1.34	0.008	0.54	<0.1	7.3	0.23	0.10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000166.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828706	Drill Core	0.2	<0.02	7.1	1.02	<0.1	0.08	0.07	13.3	0.6	<0.05	2.4	14.53	28.7	0.03	6	0.5	25.7	<10
1828707	Drill Core	0.1	<0.02	6.3	1.13	<0.1	0.05	0.05	14.2	0.5	<0.05	2.4	12.14	32.6	0.03	1	0.6	17.4	<10
1828708	Drill Core	0.2	0.02	4.7	1.57	<0.1	0.10	0.06	17.3	0.4	<0.05	3.0	8.93	29.0	0.02	<1	0.5	14.9	<10
1828709	Drill Core	0.2	<0.02	4.3	1.34	<0.1	0.07	0.10	16.1	0.5	<0.05	1.8	10.20	34.3	0.02	<1	0.5	14.5	<10
1828710	Drill Core	0.4	<0.02	4.6	2.02	<0.1	0.04	0.03	22.6	0.4	<0.05	1.6	14.28	59.4	<0.02	<1	0.6	17.7	<10
1828711	Drill Core	<0.1	0.04	2.8	1.17	<0.1	0.03	<0.02	12.5	0.2	<0.05	1.3	8.20	37.8	0.02	<1	0.3	10.8	<10
1828712	Drill Core	<0.1	<0.02	3.4	1.26	<0.1	0.06	<0.02	16.7	0.2	<0.05	2.4	11.80	45.4	0.02	<1	0.6	15.4	<10
1828713	Drill Core	0.2	0.05	2.5	1.22	<0.1	0.13	<0.02	15.4	0.2	<0.05	4.7	7.39	34.3	<0.02	<1	0.4	10.5	<10
1828714	Drill Core	0.6	0.05	4.5	2.89	<0.1	0.18	0.05	32.0	0.5	<0.05	6.3	12.51	30.5	0.03	1	0.7	20.5	<10
1828715	Drill Core	1.0	0.03	4.7	2.52	<0.1	0.12	0.03	27.5	0.5	<0.05	6.0	11.58	25.5	<0.02	2	0.5	16.0	14
1828716	Drill Core	0.7	<0.02	5.3	1.92	<0.1	0.05	<0.02	23.2	0.4	<0.05	2.5	11.41	23.6	0.02	4	0.5	21.9	<10
1828717	Drill Core	<0.1	<0.02	4.3	2.06	<0.1	0.04	0.02	26.5	0.3	<0.05	1.8	9.98	21.9	0.03	<1	0.7	17.2	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000166.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1828673	Drill Core	3.07	458	0.007	<0.01	<0.17	41.72	0.24	14.65	16.45	65.1	159	12.1	7.4	210	2.05	4.4	1.1	2.3	10.7	27.9	
REP 1828673	QC							0.22	14.09	15.95	63.4	147	11.7	7.2	201	2.00	4.5	1.0	1.1	10.7	26.4	
1828697	Drill Core	4.97	458	0.037	0.04	<0.17	14.38	0.16	2.80	15.80	13.5	214	0.5	0.5	72	0.45	2.1	1.3	57.8	14.5	5.8	
REP 1828697	QC							0.037														
1828707	Drill Core	5.14	424	0.007	<0.01	<0.17	24.42	0.89	17.98	10.30	82.5	265	16.3	9.9	462	2.78	8.2	1.9	1.3	9.5	60.0	
REP 1828707	QC							0.006														
1828708	Drill Core	2.94	443	0.006	<0.01	<0.17	18.90	0.93	14.52	17.30	70.0	226	14.9	8.8	337	2.34	9.5	2.0	2.8	8.1	44.0	
REP 1828708	QC							1.00	15.76	18.69	72.6	236	15.8	9.4	357	2.49	10.1	2.2	1.2	8.8	49.1	
Core Reject Duplicates																						
1828653	Drill Core	4.88	437	0.322	0.32	0.32	28.48	0.44	18.11	8.59	47.1	1909	8.8	7.3	280	1.89	7.1	1.0	288.6	10.6	14.6	
DUP 1828653	QC			428	0.358	0.33	<0.17	36.89	0.40	17.93	8.39	48.0	1842	9.2	7.2	280	1.91	7.3	1.0	280.1	11.0	14.2
1828687	Drill Core	2.07	418	0.023	0.02	<0.17	29.78	0.16	5.62	3.22	12.2	124	0.7	0.5	40	0.42	2.0	1.0	17.3	14.5	3.1	
DUP 1828687	QC			488	0.020	0.02	<0.17	33.58	0.11	4.86	2.79	11.6	118	0.6	0.5	33	0.34	1.6	0.9	13.4	13.1	2.9
Reference Materials																						
STD BVGEO01	Standard							11.72	4544.07	199.68	1782.3	2633	158.1	26.1	743	3.77	123.2	4.1	228.4	17.2	58.9	
STD DS11	Standard							14.05	154.03	137.04	334.7	1724	81.9	13.8	1013	3.13	43.0	2.6	81.5	8.2	66.1	
STD DS11	Standard							15.22	151.63	147.68	365.9	1805	79.7	12.5	1053	3.22	45.9	2.9	93.5	8.8	73.3	
STD OREAS262	Standard							0.73	123.28	57.14	151.8	474	66.9	28.3	545	3.38	36.7	1.2	70.0	10.4	37.2	
STD OREAS262	Standard							0.66	125.84	61.06	156.5	492	68.0	29.2	559	3.41	37.7	1.3	74.1	10.9	37.2	
STD OREAS256	Standard							7.893														
STD OREAS262	Standard							0.57	113.66	59.04	154.4	468	63.6	25.3	550	3.27	36.4	1.3	57.1	10.1	36.7	
STD OXC145	Standard							0.207														
STD OXC145	Standard							0.221														
STD OXC145	Standard							0.208														
STD OXH139	Standard							1.299														
STD OXH139	Standard							1.333														
STD OXH139	Standard							1.325														
STD OXN134	Standard							7.456														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000166.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828673	Drill Core	0.23	0.64	0.05	24	0.39	0.057	18.7	28.6	1.08	233.3	0.076	<1	1.24	0.033	0.60	0.5	4.6	0.35	<0.02	<5
REP 1828673	QC	0.25	0.65	0.05	23	0.37	0.056	17.4	27.5	1.04	224.4	0.073	<1	1.19	0.031	0.58	0.5	4.5	0.34	<0.02	<5
1828697	Drill Core	0.18	0.17	0.13	<1	0.05	0.010	41.9	1.4	0.09	337.2	0.002	<1	0.40	0.036	0.32	<0.1	1.2	0.10	<0.02	<5
REP 1828697	QC																				
1828707	Drill Core	0.33	0.85	0.05	32	1.10	0.069	17.6	39.3	1.14	172.6	0.078	<1	1.53	0.045	0.29	0.2	6.1	0.17	0.04	<5
REP 1828707	QC																				
1828708	Drill Core	0.23	2.04	0.11	27	0.77	0.062	15.9	33.2	0.93	144.2	0.060	<1	1.20	0.045	0.33	0.2	5.0	0.18	<0.02	<5
REP 1828708	QC	0.24	2.09	0.11	29	0.84	0.065	17.0	36.0	0.98	157.6	0.069	<1	1.30	0.050	0.34	0.3	5.5	0.19	<0.02	<5
Core Reject Duplicates																					
1828653	Drill Core	0.67	0.53	0.07	10	0.23	0.063	22.4	13.4	0.51	253.4	0.005	<1	0.93	0.015	0.38	0.1	2.9	0.16	<0.02	13
DUP 1828653	QC	0.67	0.58	0.07	11	0.24	0.061	22.0	13.1	0.51	257.6	0.005	1	0.94	0.016	0.39	0.2	2.9	0.15	<0.02	15
1828687	Drill Core	0.12	0.10	0.02	1	0.03	0.011	45.8	1.3	0.06	282.3	<0.001	<1	0.38	0.023	0.30	<0.1	0.8	0.09	<0.02	23
DUP 1828687	QC	0.12	0.10	<0.02	1	0.03	0.010	40.2	1.0	0.06	244.6	<0.001	<1	0.36	0.023	0.29	<0.1	0.8	0.08	<0.02	19
Reference Materials																					
STD BVGEO01	Standard	6.59	3.57	27.03	75	1.27	0.077	28.2	182.5	1.31	307.0	0.256	2	2.32	0.194	0.90	5.5	6.0	0.68	0.66	97
STD DS11	Standard	2.44	9.26	11.69	49	1.02	0.067	18.2	59.9	0.83	350.4	0.092	6	1.13	0.069	0.39	3.2	3.0	4.73	0.28	265
STD DS11	Standard	2.39	9.34	12.90	49	1.07	0.069	20.2	60.9	0.85	404.5	0.093	7	1.21	0.074	0.41	3.4	3.6	5.09	0.27	302
STD OREAS262	Standard	0.70	5.73	1.02	21	3.03	0.040	15.2	43.5	1.19	255.0	0.003	4	1.24	0.069	0.29	0.2	3.2	0.47	0.25	157
STD OREAS262	Standard	0.68	5.64	1.09	22	3.14	0.041	17.4	44.7	1.20	252.7	0.003	3	1.32	0.070	0.31	0.2	3.3	0.51	0.26	169
STD OREAS256	Standard																				
STD OREAS262	Standard	0.69	4.06	1.07	22	3.04	0.039	16.6	41.4	1.17	252.7	0.003	3	1.34	0.068	0.31	0.2	3.2	0.45	0.25	179
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000166.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828673	Drill Core	<0.1	<0.02	4.5	5.73	<0.1	0.21	0.06	39.7	0.6	<0.05	7.2	12.01	34.1	<0.02	<1	0.5	18.7	<10	<2
REP 1828673	QC	<0.1	<0.02	4.6	5.68	<0.1	0.24	0.07	39.1	0.5	<0.05	7.1	11.30	33.7	<0.02	<1	0.6	17.2	<10	<2
1828697	Drill Core	<0.1	<0.02	1.2	1.10	<0.1	0.11	<0.02	13.3	0.2	<0.05	4.4	9.07	77.1	<0.02	<1	0.6	3.6	<10	<2
REP 1828697	QC																			
1828707	Drill Core	0.1	<0.02	6.3	1.13	<0.1	0.05	0.05	14.2	0.5	<0.05	2.4	12.14	32.6	0.03	1	0.6	17.4	<10	<2
REP 1828707	QC																			
1828708	Drill Core	0.2	0.02	4.7	1.57	<0.1	0.10	0.06	17.3	0.4	<0.05	3.0	8.93	29.0	0.02	<1	0.5	14.9	<10	<2
REP 1828708	QC	0.2	0.02	5.2	1.62	<0.1	0.09	0.03	18.5	0.5	<0.05	2.6	9.76	32.2	0.03	<1	0.7	14.9	<10	<2
Core Reject Duplicates																				
1828653	Drill Core	<0.1	<0.02	4.1	2.65	<0.1	0.04	<0.02	20.5	0.3	<0.05	1.1	10.59	44.5	<0.02	<1	0.4	15.6	<10	<2
DUP 1828653	QC	<0.1	<0.02	3.9	2.70	<0.1	0.03	<0.02	20.3	0.3	<0.05	1.0	10.47	43.5	<0.02	<1	0.6	15.4	<10	<2
1828687	Drill Core	<0.1	<0.02	1.3	0.59	<0.1	0.02	<0.02	12.7	0.2	<0.05	1.2	9.91	83.7	<0.02	<1	0.2	3.0	<10	<2
DUP 1828687	QC	<0.1	<0.02	1.2	0.60	<0.1	0.04	<0.02	11.8	0.1	<0.05	1.0	8.96	74.4	<0.02	<1	0.3	2.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.6	1.08	7.3	7.36	0.3	0.28	0.22	95.6	5.9	<0.05	8.0	15.21	56.0	0.51	4	0.9	22.5	137	197
STD DS11	Standard	2.0	4.71	4.9	2.92	<0.1	0.06	1.43	34.1	1.9	<0.05	3.0	7.86	36.5	0.27	51	0.7	22.5	91	179
STD DS11	Standard	2.0	4.95	5.0	3.19	0.1	0.08	1.53	35.1	2.2	<0.05	3.2	8.45	41.5	0.23	57	1.0	24.8	99	188
STD OREAS262	Standard	0.2	0.29	3.8	2.91	<0.1	0.22	<0.02	18.2	0.6	<0.05	9.2	10.65	29.5	0.03	<1	1.2	17.1	<10	<2
STD OREAS262	Standard	0.1	0.23	3.8	3.07	<0.1	0.20	<0.02	19.1	0.5	<0.05	9.2	11.30	33.2	0.03	<1	1.2	19.9	<10	<2
STD OREAS256	Standard																			
STD OREAS262	Standard	0.6	0.27	4.1	2.63	<0.1	0.23	<0.02	19.0	0.6	<0.05	9.9	10.85	34.1	0.03	2	0.9	16.2	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000166.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.656																	
STD OXQ90	Standard					25.64	29.99														
STD OXQ90	Standard					25.09	30.45														
STD OXQ90	Standard					25.13	30.40														
STD OXQ90	Standard					25.17	29.80														
STD OXQ90	Standard					25.53	29.97														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.014																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		434	0.005	<0.01	<0.17	31.45	0.69	12.02	17.21	27.5	20	8.8	3.3	415	1.73	0.9	0.4	3.0	4.4	19.1
ROCK-WHI	Prep Blank		415	<0.005	<0.01	<0.17	42.30	0.89	3.30	1.22	29.2	12	0.8	3.6	477	1.93	1.2	0.4	1.3	3.0	20.7



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000166.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.08	0.06	0.04	22	0.58	0.040	5.0	1.8	0.40	50.5	0.062	2	0.78	0.082	0.08	<0.1	2.2	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.04	0.04	0.02	24	0.53	0.043	5.8	2.2	0.43	60.4	0.075	4	0.83	0.089	0.08	0.1	2.7	<0.02	0.02	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000166.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXN134	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.14	<0.1	0.07	0.20	1.9	0.4	<0.05	2.0	7.66	10.5	0.02	1	0.1	2.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.20	<0.1	0.10	0.19	2.2	0.4	<0.05	2.4	8.22	12.0	<0.02	<1	0.2	2.1	<10