



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 10, 2019
Report Date: August 15, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000188.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-27
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	125	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	130	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	130	Analysis sample split/packet			WHI
Split -150	130	Analysis sample split/packet			WHI
EN002	130	Environmental disposal charge-Fire assay lead waste			VAN
FS631	126	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	130	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	130	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828718	Drill Core	5.05	447	1.733	2.14	6.80	35.87	0.78	11.92	17.49	45.7	1107	8.8	6.1	446	2.02	10.2	1.0	1783.1	8.4	39.3
1828719	Drill Core	4.58	398	0.018	0.02	<0.17	51.62	1.00	14.05	21.57	63.0	267	10.8	7.9	424	2.31	7.3	1.1	8.6	11.0	47.1
1828720	Rock Pulp	0.12	90	0.493				2.27	412.28	20.00	48.6	279	593.2	24.8	438	2.56	19.6	0.6	485.7	1.9	56.4
1828721	Drill Core	5.15	453	0.006	<0.01	<0.17	33.76	0.88	16.40	19.12	53.4	195	7.7	5.3	462	1.99	9.1	2.4	<0.2	11.0	56.2
1828722	Drill Core	5.27	364	<0.005	<0.01	<0.17	49.25	0.92	16.31	18.51	52.9	181	7.6	5.4	423	2.01	9.7	2.5	<0.2	10.8	56.6
1828723	Drill Core	5.48	491	<0.005	<0.01	<0.17	33.28	1.11	12.26	37.23	55.4	256	7.6	5.1	484	2.07	10.2	1.3	<0.2	10.3	105.2
1828724	Drill Core	5.24	497	<0.005	<0.01	<0.17	33.63	0.91	7.77	24.89	57.9	154	8.5	5.6	469	2.05	11.0	1.0	<0.2	10.3	80.5
1828725	Drill Core	5.16	425	<0.005	<0.01	<0.17	11.74	1.11	14.32	22.79	71.9	183	11.9	7.1	589	2.64	16.1	2.0	<0.2	9.9	76.8
1828726	Drill Core	5.30	475	<0.005	<0.01	<0.17	22.82	1.23	15.09	13.91	67.7	150	11.2	8.0	486	2.61	14.8	2.6	3.2	10.1	62.6
1828727	Drill Core	4.89	419	<0.005	<0.01	<0.17	25.39	1.01	15.47	17.78	73.1	226	13.0	7.6	512	2.83	18.1	1.1	4.1	9.5	43.6
1828728	Drill Core	5.86	468	0.007	<0.01	<0.17	16.79	1.16	16.88	12.03	69.5	218	13.3	7.9	510	2.78	15.0	1.5	4.7	8.7	62.9
1828729	Drill Core	3.89	382	0.010	<0.01	<0.17	22.63	0.97	14.22	8.45	59.7	188	13.8	7.6	393	2.54	20.0	1.2	9.1	9.3	51.7
1828730	Drill Core	2.50	458	0.013	0.01	<0.17	22.73	0.85	17.07	9.68	67.5	174	12.7	7.0	524	2.62	24.1	1.1	8.4	9.5	120.8
1828731	Drill Core	4.09	459	0.014	0.01	<0.17	25.15	0.71	13.38	15.96	65.0	170	11.7	7.7	448	2.43	16.6	2.1	11.6	9.0	85.8
1828732	Drill Core	4.93	446	<0.005	<0.01	<0.17	27.22	1.38	16.22	16.90	70.8	134	12.8	7.8	551	2.76	14.6	1.6	1.3	9.9	67.9
1828733	Drill Core	4.82	437	0.005	<0.01	<0.17	30.99	0.65	13.94	24.12	68.9	202	12.8	7.3	603	2.78	12.7	1.4	3.5	9.2	85.0
1828734	Drill Core	5.82	421	0.037	0.04	<0.17	35.14	1.67	14.16	19.19	48.0	261	10.1	6.2	598	2.29	16.3	1.4	21.8	8.3	131.8
1828735	Drill Core	3.28	507	0.104	0.12	0.32	47.52	1.02	17.74	22.19	39.6	316	8.3	5.6	547	2.06	11.7	1.6	91.7	7.4	86.4
1828736	Drill Core	2.92	439	0.006	<0.01	<0.17	37.95	1.02	13.73	18.68	47.1	213	8.2	5.2	441	1.96	12.1	1.5	<0.2	8.3	78.5
1828737	Drill Core	3.45	404	0.011	<0.01	<0.17	47.61	1.05	14.33	8.63	44.9	195	9.7	6.1	461	2.00	29.8	1.9	10.5	11.1	120.0
1828738	Drill Core	4.47	392	<0.005	<0.01	<0.17	23.87	0.66	19.29	15.18	75.6	260	12.8	7.1	561	2.67	14.3	1.0	2.1	10.0	50.8
1828739	Drill Core	4.95	438	0.005	<0.01	<0.17	42.33	1.34	23.57	39.25	49.4	441	11.1	7.2	475	2.40	40.4	1.3	3.8	12.0	67.2
1828740	Rock	0.22	163	<0.005	<0.01	<0.17	27.81	0.59	1.30	1.37	2.9	9	1.8	0.5	99	0.90	0.8	0.2	0.3	1.2	1.5
1828741	Drill Core	2.30	423	<0.005	<0.01	<0.17	42.38	0.98	5.68	37.25	54.7	237	9.7	5.3	531	2.28	18.0	0.9	1.3	7.9	45.9
1828742	Drill Core	3.21	433	<0.005	<0.01	<0.17	35.43	0.80	10.13	11.71	70.4	118	11.9	6.7	550	2.49	16.6	0.8	0.6	10.4	59.8
1828743	Drill Core	4.86	437	<0.005	<0.01	<0.17	49.28	0.92	19.94	25.51	61.9	218	12.0	7.5	511	2.56	21.2	0.8	1.5	9.3	50.4
1828744	Drill Core	4.89	473	0.005	<0.01	<0.17	20.63	0.77	17.46	18.44	75.1	166	12.8	8.4	530	2.74	17.1	2.2	1.6	10.0	47.0
1828745	Drill Core	5.19	443	<0.005	<0.01	<0.17	26.26	0.90	9.53	18.94	73.5	166	12.0	7.1	522	2.66	13.8	2.7	0.5	9.4	57.5
1828746	Drill Core	4.79	453	<0.005	<0.01	<0.17	32.03	0.77	6.57	5.40	85.6	78	13.5	8.1	543	2.78	14.5	1.3	0.5	11.3	60.6
1828747	Drill Core	5.13	438	<0.005	<0.01	<0.17	24.83	1.05	13.40	15.53	77.1	167	15.4	8.4	516	2.69	18.3	1.1	1.7	13.4	75.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828718	Drill Core	0.42	0.64	0.16	11	0.42	0.048	16.5	11.1	0.81	252.6	0.040	1	0.91	0.027	0.50	1.2	3.0	0.23	0.31	6			
1828719	Drill Core	0.37	0.56	0.23	15	0.50	0.059	19.7	16.3	1.12	302.7	0.069	<1	1.33	0.049	0.74	0.1	3.2	0.34	0.07	<5			
1828720	Rock Pulp	0.20	0.35	0.32	49	1.32	0.030	4.3	92.1	1.76	75.7	0.065	5	1.96	0.187	0.13	1.4	3.0	0.10	0.19	23			
1828721	Drill Core	0.35	0.30	0.11	11	0.66	0.046	15.9	10.7	0.93	364.3	0.047	1	1.15	0.027	0.66	<0.1	3.7	0.25	0.05	8			
1828722	Drill Core	0.37	0.30	0.11	11	0.66	0.047	16.5	10.2	0.94	364.3	0.048	<1	1.17	0.026	0.66	<0.1	3.6	0.26	0.05	<5			
1828723	Drill Core	0.45	0.23	0.25	12	0.98	0.050	12.6	11.9	0.95	336.6	0.042	<1	1.21	0.032	0.61	<0.1	3.8	0.24	0.09	<5			
1828724	Drill Core	0.45	0.24	0.16	13	0.89	0.049	15.8	13.1	0.92	322.2	0.017	2	1.26	0.034	0.45	<0.1	3.7	0.17	0.04	<5			
1828725	Drill Core	0.42	0.24	0.20	20	1.01	0.059	11.3	20.0	1.29	281.3	0.027	2	1.47	0.031	0.46	<0.1	5.6	0.19	0.10	<5			
1828726	Drill Core	0.40	0.32	0.10	19	0.70	0.061	10.3	18.5	1.34	369.2	0.041	2	1.51	0.027	0.57	<0.1	6.6	0.25	0.22	<5			
1828727	Drill Core	0.33	0.27	0.21	26	0.56	0.064	11.1	25.2	1.29	374.1	0.052	2	1.50	0.040	0.59	<0.1	7.3	0.25	0.17	<5			
1828728	Drill Core	0.38	0.38	0.18	25	0.78	0.060	9.6	21.7	1.35	355.5	0.066	<1	1.52	0.030	0.73	0.1	7.5	0.31	0.25	<5			
1828729	Drill Core	0.23	0.48	0.16	21	0.71	0.059	9.8	18.6	1.09	374.0	0.065	2	1.26	0.021	0.74	0.1	6.9	0.35	0.25	<5			
1828730	Drill Core	0.29	0.29	0.10	24	1.36	0.067	12.9	24.3	1.12	297.6	0.032	2	1.32	0.028	0.52	0.2	6.4	0.20	0.17	<5			
1828731	Drill Core	0.29	0.28	0.12	19	0.84	0.059	13.4	19.1	1.12	336.4	0.039	2	1.24	0.033	0.53	0.1	6.8	0.21	0.11	<5			
1828732	Drill Core	0.28	0.23	0.10	20	0.81	0.061	13.4	19.9	1.17	477.2	0.050	1	1.30	0.037	0.62	0.2	6.9	0.25	0.20	<5			
1828733	Drill Core	0.30	0.18	0.15	21	1.11	0.063	11.0	21.1	1.22	406.8	0.027	2	1.32	0.033	0.51	0.1	7.5	0.19	0.13	<5			
1828734	Drill Core	0.40	0.35	0.19	11	2.07	0.055	11.9	11.5	0.64	309.8	0.022	2	0.94	0.023	0.49	0.2	4.0	0.17	0.20	<5			
1828735	Drill Core	0.23	0.44	0.21	10	1.72	0.051	14.2	9.6	0.55	325.4	0.021	1	0.84	0.018	0.44	0.2	3.6	0.14	0.23	<5			
1828736	Drill Core	0.21	0.43	0.16	9	1.53	0.049	17.5	10.0	0.59	272.2	0.015	2	0.89	0.018	0.41	0.1	3.9	0.13	0.05	<5			
1828737	Drill Core	0.35	0.63	0.06	7	1.91	0.056	25.0	7.8	0.41	321.1	0.006	2	0.89	0.018	0.38	0.2	3.0	0.11	0.06	<5			
1828738	Drill Core	0.17	0.40	0.16	20	1.04	0.060	17.5	21.1	1.26	247.1	0.012	<1	1.56	0.030	0.34	<0.1	6.3	0.10	0.13	<5			
1828739	Drill Core	0.25	0.93	0.49	16	1.13	0.059	19.9	16.9	0.80	315.8	0.016	2	1.22	0.036	0.41	0.2	5.7	0.15	0.18	<5			
1828740	Rock	0.01	0.05	0.03	2	0.01	0.002	2.0	4.2	0.02	11.6	0.002	2	0.08	0.003	0.02	<0.1	0.3	<0.02	<0.02	7			
1828741	Drill Core	0.15	0.35	0.37	16	1.04	0.067	12.1	15.0	0.86	281.6	0.015	2	1.12	0.028	0.36	0.3	5.0	0.17	0.12	<5			
1828742	Drill Core	0.26	0.48	0.09	17	0.80	0.059	16.4	16.1	1.00	486.7	0.061	3	1.20	0.025	0.71	<0.1	6.5	0.38	0.04	<5			
1828743	Drill Core	0.30	0.70	0.18	17	0.74	0.061	13.0	16.5	0.96	428.7	0.024	1	1.23	0.027	0.49	<0.1	5.6	0.22	0.18	<5			
1828744	Drill Core	0.36	0.46	0.13	21	0.62	0.065	12.9	21.0	1.27	398.0	0.045	2	1.49	0.030	0.57	<0.1	6.3	0.26	0.18	<5			
1828745	Drill Core	0.36	0.22	0.16	24	0.82	0.060	11.7	23.0	1.40	353.0	0.057	2	1.51	0.035	0.62	<0.1	6.6	0.28	0.11	<5			
1828746	Drill Core	0.33	0.25	0.04	25	0.84	0.064	11.5	23.3	1.40	398.1	0.062	2	1.55	0.035	0.65	<0.1	8.4	0.32	0.08	<5			
1828747	Drill Core	0.34	0.21	0.09	23	0.99	0.067	11.6	23.7	1.37	384.8	0.044	<1	1.54	0.021	0.50	<0.1	6.5	0.23	0.09	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828718	Drill Core		0.2	0.05	3.5	1.09	<0.1	0.33	0.05	25.9	0.3	<0.05	10.9	5.34	32.6	0.03	<1	0.5	6.4	<10	<2		
1828719	Drill Core		0.2	<0.02	4.8	2.47	<0.1	0.53	0.02	40.4	0.4	<0.05	17.9	4.39	37.2	<0.02	<1	<0.1	10.2	<10	<2		
1828720	Rock Pulp		0.4	0.13	4.4	0.62	<0.1	0.04	<0.02	5.9	0.4	<0.05	1.5	3.19	8.8	<0.02	4	0.1	7.7	253	113		
1828721	Drill Core		0.1	<0.02	4.1	1.42	<0.1	0.14	<0.02	31.4	0.4	<0.05	5.8	3.04	31.0	<0.02	3	0.5	7.5	<10	<2		
1828722	Drill Core		0.1	<0.02	4.2	1.34	<0.1	0.18	<0.02	30.6	0.4	<0.05	5.9	3.11	31.1	<0.02	2	0.4	6.9	<10	<2		
1828723	Drill Core		<0.1	<0.02	4.3	1.10	<0.1	0.24	<0.02	27.9	0.4	<0.05	7.2	3.02	24.0	0.02	1	0.2	8.3	<10	<2		
1828724	Drill Core		0.3	<0.02	4.3	0.80	<0.1	0.31	<0.02	19.5	0.4	<0.05	9.4	3.70	29.7	0.02	2	0.4	9.4	<10	<2		
1828725	Drill Core		0.2	<0.02	5.4	1.32	<0.1	0.19	<0.02	21.7	0.4	<0.05	9.1	4.05	22.3	0.03	2	0.3	9.7	<10	<2		
1828726	Drill Core		0.3	<0.02	5.2	1.35	<0.1	0.29	<0.02	27.4	0.4	<0.05	8.1	3.66	20.1	0.02	<1	0.2	11.1	<10	<2		
1828727	Drill Core		0.5	0.03	5.8	1.80	<0.1	0.35	<0.02	29.4	0.4	<0.05	11.2	4.17	21.6	0.05	1	0.6	10.6	<10	<2		
1828728	Drill Core		0.6	0.03	5.3	2.18	<0.1	0.34	<0.02	38.4	0.5	<0.05	13.4	3.63	18.6	0.03	<1	0.4	9.7	<10	<2		
1828729	Drill Core		0.7	<0.02	4.7	3.06	<0.1	0.42	<0.02	40.5	0.5	<0.05	15.5	4.00	19.5	0.02	1	0.4	11.1	<10	<2		
1828730	Drill Core		0.4	<0.02	5.5	2.62	<0.1	0.26	<0.02	25.4	0.4	<0.05	9.8	4.71	25.4	0.03	2	0.3	10.0	<10	<2		
1828731	Drill Core		<0.1	<0.02	4.7	2.88	<0.1	0.16	<0.02	25.6	0.4	<0.05	5.2	4.11	26.5	<0.02	2	0.2	11.1	<10	<2		
1828732	Drill Core		0.4	<0.02	4.5	3.50	<0.1	0.17	<0.02	33.1	0.4	<0.05	5.7	4.13	26.5	0.03	2	0.3	9.2	<10	<2		
1828733	Drill Core		0.3	<0.02	5.0	3.51	<0.1	0.22	<0.02	26.1	0.4	<0.05	6.7	3.96	22.1	0.03	4	0.2	10.5	<10	<2		
1828734	Drill Core		0.5	0.04	2.8	1.53	<0.1	0.07	<0.02	21.1	0.3	<0.05	3.5	4.09	23.5	0.02	<1	0.1	5.7	<10	<2		
1828735	Drill Core		0.5	0.03	2.3	1.00	<0.1	0.08	<0.02	17.3	0.4	<0.05	2.9	4.72	27.4	<0.02	1	0.3	4.1	<10	<2		
1828736	Drill Core		0.4	0.03	2.6	1.29	<0.1	0.10	<0.02	17.2	0.4	<0.05	4.0	4.53	33.6	<0.02	1	0.2	6.1	<10	<2		
1828737	Drill Core		<0.1	<0.02	2.6	0.68	<0.1	0.07	<0.02	14.1	0.3	<0.05	2.8	6.28	48.6	0.04	<1	0.5	7.3	<10	<2		
1828738	Drill Core		0.2	<0.02	6.0	0.54	<0.1	0.23	<0.02	13.4	0.4	<0.05	8.3	5.48	34.5	0.02	1	0.3	14.2	<10	<2		
1828739	Drill Core		0.8	0.05	4.3	1.23	<0.1	0.15	<0.02	18.1	0.5	<0.05	4.1	5.58	38.9	<0.02	2	0.3	10.4	<10	<2		
1828740	Rock		0.1	<0.02	0.3	0.10	<0.1	0.10	0.04	1.1	0.1	<0.05	2.8	0.90	3.9	<0.02	1	<0.1	1.2	<10	<2		
1828741	Drill Core		0.5	<0.02	4.1	2.35	<0.1	0.23	<0.02	20.3	0.4	<0.05	6.6	3.67	23.5	0.03	1	0.3	10.6	<10	<2		
1828742	Drill Core		<0.1	<0.02	3.8	4.43	<0.1	0.30	0.02	41.4	0.7	<0.05	10.6	4.63	32.5	0.03	<1	<0.1	9.9	<10	<2		
1828743	Drill Core		0.9	0.02	4.5	2.38	<0.1	0.26	<0.02	23.1	0.3	<0.05	10.2	4.41	25.0	0.03	<1	0.3	9.9	<10	<2		
1828744	Drill Core		0.4	0.03	5.5	1.66	<0.1	0.26	<0.02	28.4	0.5	<0.05	7.9	4.46	25.3	0.03	<1	0.3	9.7	<10	<2		
1828745	Drill Core		0.2	<0.02	5.8	1.79	<0.1	0.16	<0.02	32.7	0.5	<0.05	5.7	4.45	23.1	<0.02	1	0.2	10.6	<10	<2		
1828746	Drill Core		0.2	<0.02	6.3	2.43	<0.1	0.22	0.03	36.3	0.5	<0.05	8.3	4.26	22.6	0.04	1	0.6	12.5	<10	<2		
1828747	Drill Core		<0.1	0.03	5.9	1.50	<0.1	0.19	0.04	25.1	0.5	<0.05	7.6	4.56	21.9	0.03	<1	0.3	12.0	<10	2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828748	Drill Core	4.97	470	<0.005	<0.01	<0.17	22.32	0.74	14.82	17.67	68.4	205	13.7	8.5	475	2.69	30.5	2.9	2.2	11.2	66.6
1828749	Drill Core	5.58	462	0.013	0.01	<0.17	29.42	0.98	19.51	18.69	77.7	218	16.1	9.0	594	2.78	19.7	2.1	7.7	10.6	68.3
1828750	Drill Core	5.27	514	0.005	<0.01	<0.17	16.61	1.10	18.99	12.52	76.9	181	15.4	9.0	515	2.80	11.8	1.9	1.4	10.9	62.1
1828751	Drill Core	5.10	467	<0.005	<0.01	<0.17	40.06	0.88	22.77	17.56	77.2	212	16.2	8.7	549	2.89	5.3	1.6	0.9	11.0	64.1
1828752	Drill Core	5.35	536	<0.005	<0.01	<0.17	50.62	0.83	20.50	20.83	77.3	222	16.4	9.0	546	2.88	6.7	1.6	1.8	10.7	62.0
1828753	Drill Core	5.69	454	0.036	0.03	<0.17	39.61	1.14	19.14	17.56	68.2	237	15.0	8.2	458	2.51	28.3	2.2	31.9	10.6	75.8
1828754	Drill Core	2.49	492	0.016	0.02	<0.17	36.47	1.43	17.55	10.57	59.1	151	12.6	8.2	553	2.42	62.1	3.4	11.8	10.9	112.7
1828755	Drill Core	2.40	445	<0.005	<0.01	<0.17	38.08	0.88	13.15	16.15	56.5	148	10.2	6.2	476	2.41	13.7	1.4	1.5	11.4	164.0
1828756	Drill Core	4.28	370	<0.005	<0.01	<0.17	51.79	0.76	17.07	13.24	61.9	136	12.4	7.5	388	2.64	24.8	2.0	2.1	12.2	71.3
1828757	Drill Core	4.99	419	<0.005	<0.01	<0.17	34.29	0.66	18.16	14.16	69.9	136	13.6	8.3	534	2.71	13.9	1.7	0.5	11.6	90.9
1828758	Drill Core	3.30	472	<0.005	<0.01	<0.17	46.42	1.18	12.63	3.99	67.2	52	12.2	6.9	551	2.52	20.0	1.1	0.6	10.0	73.1
1828759	Drill Core	3.99	465	<0.005	<0.01	<0.17	35.74	1.29	19.58	9.60	53.3	99	13.1	7.8	458	2.35	3.5	5.0	<0.2	10.7	114.6
1828760	Core DUP		446	<0.005	<0.01	<0.17	44.20	1.27	19.39	13.61	54.9	117	12.8	7.8	452	2.34	3.8	4.9	<0.2	11.8	111.6
1828761	Drill Core	2.72	416	<0.005	<0.01	<0.17	27.84	0.71	5.50	17.12	55.7	105	8.9	6.4	517	2.14	8.8	2.1	<0.2	11.7	122.4
1828762	Drill Core	4.16	427	<0.005	<0.01	<0.17	19.52	1.12	22.79	25.61	52.8	251	10.2	6.9	540	2.14	7.1	4.1	<0.2	11.9	100.3
1828763	Drill Core	4.73	451	<0.005	<0.01	<0.17	32.87	0.62	18.21	15.85	64.2	161	12.0	7.9	552	2.48	6.6	2.4	1.5	11.9	114.1
1828764	Drill Core	4.61	380	<0.005	<0.01	<0.17	26.83	0.65	16.90	13.55	49.6	138	10.9	6.8	395	2.02	4.5	2.9	1.1	11.3	47.2
1828765	Drill Core	4.67	417	<0.005	<0.01	<0.17	26.89	0.53	20.18	15.76	50.4	150	11.7	7.2	430	2.11	5.0	2.8	0.4	11.3	50.0
1828766	Drill Core	5.05	469	<0.005	<0.01	<0.17	21.97	1.65	18.68	10.36	35.1	165	10.9	6.7	276	1.61	1.8	2.1	0.6	8.3	40.4
1828767	Drill Core	4.90	483	<0.005	<0.01	<0.17	20.79	2.90	17.09	10.19	41.8	192	12.8	7.8	282	1.56	19.3	0.9	0.7	4.5	65.1
1828768	Drill Core	3.38	446	<0.005	<0.01	<0.17	23.89	4.38	20.40	13.29	47.3	215	14.2	9.1	318	1.84	29.4	1.1	0.3	4.3	67.0
1828769	Drill Core	4.85	424	<0.005	<0.01	<0.17	27.57	3.77	17.63	12.00	51.0	143	13.3	8.0	374	2.12	43.2	1.8	2.1	7.9	96.0
1828770	Drill Core	2.60	483	0.029	0.03	<0.17	46.47	1.21	20.02	11.58	69.8	189	14.0	7.7	490	2.77	19.5	1.4	21.6	9.8	134.9
1828771	Drill Core	5.17	461	<0.005	<0.01	<0.17	37.23	1.04	20.15	18.21	68.1	178	14.5	9.1	512	2.55	10.5	2.8	0.5	12.0	88.2
1828772	Drill Core	4.99	506	<0.005	<0.01	<0.17	45.23	1.41	16.82	12.60	63.2	136	11.8	8.0	471	2.40	12.5	2.8	0.7	11.9	95.4
1828773	Drill Core	4.60	469	<0.005	<0.01	<0.17	36.11	3.28	19.33	10.43	61.0	159	14.3	8.7	533	2.54	47.9	2.4	0.7	8.3	191.1
1828774	Drill Core	5.15	416	<0.005	<0.01	<0.17	43.04	1.92	17.91	12.64	53.8	117	14.1	8.7	340	2.18	61.4	1.9	0.8	6.5	114.7
1828775	Drill Core	2.48	394	0.212	0.22	0.27	51.74	2.65	18.66	27.85	75.4	627	13.7	9.2	495	2.74	58.1	1.9	183.2	10.7	152.2
1828776	Drill Core	4.56	380	0.075	0.07	<0.17	46.51	2.80	20.81	12.20	69.1	221	14.9	9.0	453	2.63	29.7	2.5	74.6	9.0	101.2
1828777	Drill Core	2.98	406	<0.005	<0.01	<0.17	24.65	1.58	18.30	14.37	56.9	155	14.5	9.0	350	2.11	15.5	1.8	1.0	5.3	105.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828748	Drill Core	0.30	0.24	0.13	23	0.62	0.062	11.0	22.1	1.15	467.1	0.068	<1	1.24	0.029	0.67	<0.1	6.4	0.35	0.36	<5			
1828749	Drill Core	0.37	0.30	0.17	27	0.77	0.063	12.9	27.3	1.31	486.6	0.043	<1	1.31	0.029	0.58	<0.1	6.9	0.32	0.22	7			
1828750	Drill Core	0.35	0.86	0.11	28	0.63	0.064	13.3	26.9	1.36	498.1	0.082	<1	1.46	0.030	0.76	<0.1	7.5	0.44	0.29	<5			
1828751	Drill Core	0.29	0.29	0.24	32	0.64	0.065	15.1	30.1	1.38	491.2	0.048	<1	1.49	0.029	0.63	<0.1	6.9	0.35	0.16	<5			
1828752	Drill Core	0.29	0.44	0.24	32	0.67	0.065	18.6	29.9	1.37	524.2	0.039	<1	1.47	0.032	0.60	<0.1	7.0	0.36	0.21	<5			
1828753	Drill Core	0.29	0.68	0.15	22	0.86	0.062	17.4	22.5	1.20	323.4	0.024	<1	1.31	0.027	0.42	<0.1	5.9	0.27	0.19	<5			
1828754	Drill Core	0.30	0.95	0.09	11	1.16	0.063	21.5	13.1	0.69	728.7	0.016	1	0.73	0.030	0.55	<0.1	5.0	0.21	0.20	<5			
1828755	Drill Core	0.33	0.77	0.13	12	1.90	0.059	26.7	13.9	0.62	728.2	0.021	2	0.70	0.032	0.39	<0.1	5.9	0.18	0.06	<5			
1828756	Drill Core	0.23	1.07	0.07	19	0.76	0.061	28.1	19.8	0.74	529.5	0.018	2	0.87	0.045	0.38	<0.1	7.6	0.25	0.05	<5			
1828757	Drill Core	0.33	0.78	0.07	21	1.35	0.065	24.9	20.7	1.17	425.0	0.008	1	1.24	0.026	0.38	<0.1	7.5	0.18	0.07	<5			
1828758	Drill Core	0.25	0.62	0.03	17	1.26	0.057	27.2	18.5	0.80	399.6	0.004	3	1.13	0.073	0.35	<0.1	5.7	0.09	<0.02	<5			
1828759	Drill Core	0.33	0.72	0.07	14	1.78	0.068	28.1	13.7	0.61	556.7	0.014	<1	0.94	0.060	0.51	<0.1	5.7	0.18	0.18	<5			
1828760	Core DUP	0.30	0.70	0.10	14	1.76	0.067	27.5	14.2	0.61	499.8	0.014	<1	0.96	0.063	0.53	<0.1	5.4	0.19	0.17	<5			
1828761	Drill Core	0.20	0.29	0.16	13	1.58	0.054	28.0	14.7	0.73	489.6	0.008	2	0.83	0.074	0.46	<0.1	5.4	0.13	0.04	<5			
1828762	Drill Core	0.27	0.37	0.23	13	1.43	0.056	26.0	13.2	0.74	474.0	0.050	2	0.85	0.074	0.49	<0.1	5.3	0.19	0.11	<5			
1828763	Drill Core	0.23	0.36	0.07	17	1.29	0.063	28.2	18.4	0.97	442.6	0.037	1	1.01	0.034	0.38	<0.1	6.1	0.13	0.06	<5			
1828764	Drill Core	0.17	0.25	0.05	12	0.53	0.062	26.6	13.9	0.71	438.1	0.084	<1	0.78	0.033	0.38	<0.1	3.8	0.15	0.08	<5			
1828765	Drill Core	0.18	0.29	0.06	13	0.50	0.067	28.8	14.6	0.75	481.1	0.090	<1	0.84	0.034	0.39	0.1	3.8	0.12	0.10	<5			
1828766	Drill Core	0.14	0.23	0.10	8	0.52	0.060	16.9	10.1	0.38	352.0	0.085	<1	0.61	0.027	0.36	0.1	2.9	0.12	0.17	<5			
1828767	Drill Core	0.17	0.40	0.25	12	0.97	0.070	9.0	14.4	0.44	281.8	0.103	<1	0.91	0.024	0.35	0.1	3.0	0.11	0.13	<5			
1828768	Drill Core	0.15	0.53	0.24	12	1.20	0.073	9.5	13.8	0.51	291.1	0.103	<1	0.98	0.020	0.34	0.1	3.5	0.12	0.19	<5			
1828769	Drill Core	0.24	0.57	0.11	17	1.63	0.069	19.5	16.2	0.64	237.0	0.045	<1	1.01	0.013	0.32	<0.1	5.4	0.15	0.14	7			
1828770	Drill Core	0.27	0.33	0.05	24	1.77	0.071	23.8	23.7	0.85	266.7	0.012	<1	1.30	0.023	0.33	<0.1	7.5	0.13	0.08	<5			
1828771	Drill Core	0.32	0.55	0.05	19	1.17	0.065	24.9	19.4	0.90	464.6	0.021	<1	1.07	0.029	0.45	<0.1	6.9	0.26	0.12	<5			
1828772	Drill Core	0.33	0.62	0.06	17	1.45	0.062	27.2	16.9	0.82	417.5	0.020	2	1.02	0.026	0.40	<0.1	6.1	0.17	0.11	<5			
1828773	Drill Core	0.23	0.67	0.08	20	2.62	0.069	20.3	18.8	0.90	263.0	0.062	2	1.19	0.018	0.33	0.1	6.6	0.10	0.19	<5			
1828774	Drill Core	0.24	0.53	0.08	17	1.66	0.071	15.1	17.9	0.73	291.6	0.087	2	1.13	0.014	0.33	0.1	5.5	0.11	0.13	<5			
1828775	Drill Core	0.35	0.74	0.14	19	2.40	0.071	28.8	20.7	0.90	268.0	0.017	<1	1.35	0.013	0.37	<0.1	6.0	0.13	0.05	<5			
1828776	Drill Core	0.27	0.62	0.07	19	1.82	0.073	22.8	21.2	0.85	251.4	0.054	1	1.25	0.021	0.32	0.1	7.0	0.13	0.15	5			
1828777	Drill Core	0.20	0.69	0.07	15	1.34	0.069	12.7	15.7	0.67	277.3	0.085	2	1.05	0.017	0.33	0.1	5.2	0.12	0.20	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828748	Drill Core	0.5	<0.02	4.7	4.49	<0.1	0.15	0.06	41.7	0.6	<0.05	4.9	4.35	20.5	0.04	1	0.3	10.3	<10
1828749	Drill Core	0.2	<0.02	5.8	4.18	<0.1	0.13	0.02	35.0	0.4	<0.05	4.8	4.96	24.0	0.03	1	0.4	11.6	<10
1828750	Drill Core	0.3	<0.02	6.0	3.92	<0.1	0.19	0.04	44.3	0.7	<0.05	5.6	5.95	24.4	<0.02	1	0.6	10.8	<10
1828751	Drill Core	0.4	0.03	6.3	3.43	<0.1	0.12	<0.02	36.9	0.6	<0.05	4.5	5.35	28.7	0.04	<1	0.5	12.5	<10
1828752	Drill Core	0.4	<0.02	6.5	3.35	<0.1	0.12	<0.02	35.4	0.4	<0.05	5.0	4.87	34.4	0.04	<1	0.6	12.0	<10
1828753	Drill Core	0.2	<0.02	5.2	2.52	<0.1	0.22	<0.02	22.4	0.4	<0.05	8.1	5.57	32.1	0.03	<1	0.4	11.7	<10
1828754	Drill Core	0.3	<0.02	2.6	10.92	<0.1	0.08	<0.02	34.9	0.3	<0.05	3.3	6.37	41.1	0.03	<1	0.2	4.4	<10
1828755	Drill Core	0.2	<0.02	2.6	6.14	<0.1	0.05	<0.02	18.6	0.4	<0.05	2.6	8.28	48.9	0.03	<1	0.4	4.5	<10
1828756	Drill Core	<0.1	<0.02	3.5	6.73	<0.1	0.08	<0.02	20.3	0.4	<0.05	3.4	7.66	50.5	0.03	<1	0.5	7.8	<10
1828757	Drill Core	<0.1	<0.02	4.5	4.59	<0.1	0.19	<0.02	19.0	0.4	<0.05	7.3	9.30	45.8	0.04	<1	0.6	9.9	<10
1828758	Drill Core	0.1	<0.02	3.9	2.81	<0.1	0.10	<0.02	12.6	0.4	<0.05	4.6	8.83	52.3	0.03	<1	0.1	8.2	<10
1828759	Drill Core	0.6	<0.02	3.4	6.81	<0.1	0.05	0.04	25.4	0.4	<0.05	1.2	11.63	53.4	0.04	1	0.2	6.0	<10
1828760	Core DUP	0.7	<0.02	3.4	6.55	<0.1	0.03	0.04	25.8	0.4	<0.05	1.1	11.10	51.9	0.04	2	0.2	5.6	<10
1828761	Drill Core	0.3	<0.02	2.8	8.27	<0.1	0.07	<0.02	24.8	0.4	<0.05	2.6	9.20	52.5	0.03	1	0.3	5.4	<10
1828762	Drill Core	0.5	<0.02	2.7	8.07	<0.1	0.15	0.15	26.2	0.5	<0.05	2.4	11.27	49.3	0.02	2	0.4	5.9	<10
1828763	Drill Core	<0.1	<0.02	3.6	7.56	<0.1	0.11	0.04	21.5	0.4	<0.05	4.3	9.98	51.3	0.03	2	0.3	8.6	<10
1828764	Drill Core	<0.1	<0.02	2.7	6.41	<0.1	0.08	0.22	21.3	0.4	<0.05	3.1	9.34	48.2	0.03	<1	0.4	6.3	<10
1828765	Drill Core	<0.1	<0.02	3.0	5.89	<0.1	0.10	0.24	21.4	0.4	<0.05	3.4	9.66	51.3	<0.02	<1	0.4	7.3	<10
1828766	Drill Core	0.5	<0.02	2.0	3.03	<0.1	0.06	0.34	15.5	0.4	<0.05	1.9	8.46	31.3	<0.02	1	0.3	5.3	<10
1828767	Drill Core	0.1	<0.02	3.0	0.45	<0.1	0.03	0.32	10.5	0.4	<0.05	1.4	5.88	17.2	<0.02	<1	0.2	7.1	<10
1828768	Drill Core	0.5	<0.02	3.0	0.51	<0.1	0.02	0.26	11.2	0.5	<0.05	0.8	6.47	17.8	<0.02	<1	0.3	7.7	<10
1828769	Drill Core	<0.1	<0.02	4.0	1.24	<0.1	0.03	0.04	13.1	0.6	<0.05	0.9	9.87	35.2	0.03	<1	0.4	11.5	<10
1828770	Drill Core	<0.1	<0.02	5.6	1.12	<0.1	<0.02	<0.02	13.6	0.4	<0.05	1.1	11.44	44.4	0.04	<1	0.3	12.9	<10
1828771	Drill Core	<0.1	<0.02	3.6	7.38	<0.1	0.10	<0.02	29.1	0.4	<0.05	3.7	10.09	46.4	0.03	<1	0.5	7.5	<10
1828772	Drill Core	<0.1	<0.02	3.7	5.12	<0.1	0.07	0.02	23.7	0.4	<0.05	2.4	10.37	50.5	0.03	<1	0.3	9.0	<10
1828773	Drill Core	0.2	<0.02	4.3	0.77	<0.1	0.03	0.06	10.0	0.6	<0.05	1.1	13.43	38.2	0.02	<1	0.5	13.4	<10
1828774	Drill Core	<0.1	<0.02	3.9	0.84	<0.1	0.04	0.15	11.2	0.6	<0.05	0.9	9.77	29.1	0.03	1	0.3	11.3	<10
1828775	Drill Core	<0.1	0.02	5.1	1.06	<0.1	<0.02	<0.02	14.7	0.4	<0.05	0.7	13.54	54.2	0.03	<1	0.4	14.1	<10
1828776	Drill Core	0.1	<0.02	4.6	1.25	<0.1	0.03	0.05	14.0	0.5	<0.05	0.9	12.09	42.3	0.04	2	0.3	11.7	<10
1828777	Drill Core	0.2	<0.02	3.4	0.47	<0.1	0.03	0.22	11.0	0.5	<0.05	1.5	8.23	23.4	<0.02	<1	0.3	10.3	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828778	Drill Core	4.33	371	0.005	<0.01	<0.17	27.00	1.70	20.63	12.86	68.2	140	15.4	9.1	426	2.63	34.7	3.1	1.5	8.3	69.5
1828779	Drill Core	2.93	484	<0.005	<0.01	<0.17	30.93	2.35	18.49	12.49	66.8	142	14.7	9.3	547	2.62	7.2	4.2	1.1	10.9	109.8
1828780	Rock	0.23	164	<0.005	<0.01	<0.17	19.73	0.64	1.61	1.36	2.1	7	1.7	0.6	105	0.87	0.8	0.2	<0.2	1.1	3.5
1828781	Drill Core	5.48	477	0.237	0.25	0.53	24.52	1.64	18.71	15.99	66.0	279	14.3	9.4	572	2.85	30.8	1.5	221.6	10.7	108.2
1828782	Drill Core	5.14	523	0.005	<0.01	<0.17	21.74	0.54	13.03	12.87	57.1	130	11.6	6.8	465	2.28	13.3	1.2	2.9	13.5	90.1
1828783	Drill Core	3.96	446	0.048	0.05	<0.17	24.89	0.69	18.27	16.90	55.9	218	13.1	7.6	467	2.31	83.1	1.4	45.1	11.0	122.3
1828784	Drill Core	2.98	416	0.005	<0.01	<0.17	32.34	0.63	17.64	8.40	61.7	117	14.8	9.3	470	2.42	11.3	3.3	0.8	12.1	89.2
1828785	Drill Core	3.53	539	<0.005	<0.01	<0.17	25.57	2.10	21.33	4.71	49.1	97	13.7	8.8	375	2.21	5.9	2.9	1.4	11.0	65.1
1828786	Drill Core	4.38	511	<0.005	<0.01	<0.17	37.21	0.39	11.44	11.88	64.0	112	12.8	8.4	618	2.37	12.1	2.9	1.2	10.7	108.0
1828787	Drill Core	4.58	480	<0.005	<0.01	<0.17	38.38	1.24	16.80	17.73	51.6	165	11.9	7.4	446	2.23	8.9	3.4	1.9	11.1	117.2
1828788	Drill Core	4.68	505	0.007	<0.01	<0.17	31.84	1.07	20.28	9.59	64.6	172	12.9	8.8	469	2.58	18.6	2.6	2.4	13.0	128.8
1828789	Drill Core	4.50	497	<0.005	<0.01	<0.17	33.15	0.39	16.95	16.79	57.4	145	12.4	7.4	521	2.54	22.6	1.2	1.9	10.7	131.6
1828790	Drill Core	4.41	487	<0.005	<0.01	<0.17	47.42	0.89	14.24	16.08	56.4	166	13.3	8.0	746	2.34	162.0	1.5	1.0	8.2	133.6
1828791	Drill Core	2.14	436	0.007	<0.01	<0.17	33.81	1.61	28.93	10.53	67.6	309	22.4	9.9	447	2.63	144.1	2.3	4.4	9.5	62.5
1828792	Drill Core	2.21	518	0.009	<0.01	<0.17	33.34	1.16	33.12	15.30	53.1	343	16.7	7.5	344	1.96	156.3	1.5	4.2	7.6	106.9
1828793	Drill Core	4.96	550	0.006	<0.01	<0.17	33.58	2.20	29.53	9.48	60.8	284	18.8	9.0	379	2.23	179.2	2.1	3.3	11.1	59.8
1828794	Drill Core	2.57	490	0.005	<0.01	<0.17	39.65	1.41	33.43	6.14	76.2	166	27.1	11.3	529	2.77	104.7	2.1	1.1	10.2	80.7
1828795	Drill Core	3.82	403	<0.005	<0.01	<0.17	31.89	1.27	33.39	4.89	70.2	215	26.0	11.5	420	2.70	103.8	2.0	1.1	9.6	63.9
1828796	Drill Core	2.90	527	<0.005	<0.01	<0.17	38.35	0.83	21.29	13.97	61.0	267	15.4	7.8	344	2.28	21.8	1.3	0.8	8.9	51.9
1828797	Drill Core	2.90	505	0.144	0.14	<0.17	32.80	1.42	27.93	13.93	69.8	356	20.4	9.6	425	2.65	13.9	1.9	64.6	8.5	55.2
1828798	Drill Core	3.84	408	<0.005	<0.01	<0.17	34.10	0.82	19.43	17.66	68.1	290	16.0	9.1	379	2.55	13.8	1.5	1.4	10.4	50.5
1828799	Drill Core	4.96	478	<0.005	<0.01	<0.17	32.53	0.73	13.50	23.38	57.5	261	10.8	7.0	362	2.19	16.4	1.4	1.3	11.4	63.4
1828800	Rock Pulp	0.12	88	7.343				9.52	200.25	19.95	81.1	906	13.8	11.8	570	4.72	15.0	1.0	7327.5	3.0	76.6
1828801	Drill Core	4.47	485	<0.005	<0.01	<0.17	37.31	0.55	15.43	15.58	63.6	246	12.1	7.9	418	2.38	27.3	3.0	3.0	10.8	75.1
1828802	Drill Core	5.38	548	0.005	<0.01	<0.17	38.61	0.86	14.51	13.85	57.0	230	12.3	7.5	374	2.26	28.7	2.1	1.5	12.6	83.3
1828803	Drill Core	2.01	445	0.005	<0.01	<0.17	35.02	1.39	9.63	17.92	38.1	191	8.0	5.3	343	1.64	14.7	1.6	1.6	11.3	106.9
1828804	Drill Core	4.85	485	0.007	<0.01	<0.17	34.46	1.35	15.06	14.50	53.3	242	12.4	8.0	265	2.02	248.4	3.6	3.5	11.7	54.7
1828805	Drill Core	4.81	514	0.007	<0.01	<0.17	35.51	1.39	18.16	16.02	64.1	309	13.2	8.4	403	2.49	19.7	2.5	4.9	10.8	99.6
1828806	Drill Core	5.21	560	0.007	<0.01	<0.17	41.84	1.59	13.57	18.99	41.6	256	7.9	5.4	286	1.57	5.5	1.5	5.5	10.5	84.0
1828807	Drill Core	4.72	522	0.006	<0.01	<0.17	37.92	1.02	11.91	16.13	42.2	180	8.2	6.3	359	1.85	6.6	1.9	2.5	11.6	76.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828778	Drill Core	0.23	0.78	0.08	23	1.08	0.069	21.4	24.8	0.85	253.4	0.108	<1	1.23	0.025	0.29	0.1	7.9	0.13	<5
1828779	Drill Core	0.26	1.01	0.07	20	1.85	0.072	24.1	20.4	0.78	316.9	0.062	<1	1.02	0.023	0.33	<0.1	8.0	0.16	<5
1828780	Rock	<0.01	0.04	<0.02	2	0.05	0.002	2.4	4.8	0.02	13.0	0.003	1	0.08	0.006	0.02	<0.1	0.3	<0.02	<5
1828781	Drill Core	0.25	0.74	0.12	25	1.96	0.072	30.6	24.9	1.01	277.6	0.005	1	1.33	0.023	0.31	<0.1	6.4	0.10	<5
1828782	Drill Core	0.22	1.27	0.07	15	1.02	0.065	18.7	15.7	0.80	526.1	0.007	<1	0.90	0.034	0.38	<0.1	6.6	0.12	<5
1828783	Drill Core	0.34	1.52	0.09	16	1.43	0.068	17.2	15.8	0.84	449.7	0.014	2	0.94	0.025	0.45	<0.1	6.9	0.23	<5
1828784	Drill Core	0.27	1.85	0.05	17	1.06	0.076	27.7	16.8	1.07	432.5	0.039	3	1.06	0.020	0.52	<0.1	6.7	0.32	<5
1828785	Drill Core	0.23	0.53	0.06	14	0.71	0.071	22.6	13.2	0.78	408.3	0.099	2	0.87	0.020	0.61	0.2	5.6	0.41	<5
1828786	Drill Core	0.19	0.57	0.07	18	1.23	0.070	26.2	18.8	1.03	475.5	0.030	<1	1.01	0.021	0.42	<0.1	6.4	0.25	7
1828787	Drill Core	0.30	0.55	0.19	14	1.17	0.076	26.2	15.0	0.75	594.2	0.071	<1	0.76	0.027	0.43	<0.1	5.8	0.26	<5
1828788	Drill Core	0.32	0.87	0.06	18	1.17	0.073	24.5	19.9	0.81	674.9	0.015	<1	0.88	0.028	0.35	<0.1	5.7	0.16	<5
1828789	Drill Core	0.28	0.40	0.05	23	1.79	0.060	20.6	23.8	1.04	536.0	0.005	<1	1.20	0.032	0.30	<0.1	5.2	0.12	<5
1828790	Drill Core	0.21	2.55	0.13	18	2.79	0.063	21.2	20.1	0.96	983.1	0.004	<1	1.16	0.016	0.25	0.1	4.2	0.10	<5
1828791	Drill Core	0.29	2.09	0.09	25	1.20	0.083	27.6	25.1	0.77	264.1	0.003	1	1.32	0.017	0.33	<0.1	5.9	0.10	<5
1828792	Drill Core	0.53	1.74	0.11	23	2.01	0.058	22.6	23.9	0.54	168.0	0.002	<1	0.87	0.017	0.22	<0.1	4.1	0.06	<5
1828793	Drill Core	0.33	2.72	0.09	22	1.33	0.078	30.4	21.4	0.71	290.7	0.003	<1	1.18	0.014	0.34	<0.1	5.8	0.10	<5
1828794	Drill Core	0.37	2.09	0.04	30	1.90	0.091	29.3	30.2	0.97	249.7	0.005	<1	1.42	0.016	0.31	<0.1	6.5	0.08	<5
1828795	Drill Core	0.32	1.53	0.02	31	1.34	0.087	25.2	30.1	0.91	257.3	0.005	1	1.36	0.021	0.33	<0.1	6.3	0.09	<5
1828796	Drill Core	0.25	0.37	0.12	20	0.98	0.070	24.3	21.2	0.89	213.1	0.003	<1	1.24	0.015	0.30	<0.1	4.1	0.09	6
1828797	Drill Core	0.35	0.43	0.09	26	1.07	0.079	24.9	29.5	1.03	214.8	0.004	<1	1.37	0.015	0.31	0.1	5.0	0.12	7
1828798	Drill Core	0.24	0.44	0.14	26	0.81	0.071	30.3	30.8	1.02	195.1	0.004	1	1.38	0.017	0.29	<0.1	4.6	0.10	11
1828799	Drill Core	0.18	0.31	0.20	17	1.33	0.060	29.7	18.3	0.89	243.5	0.004	<1	1.24	0.018	0.32	<0.1	4.7	0.10	<5
1828800	Rock Pulp	0.20	5.20	0.56	114	0.94	0.063	8.3	18.7	0.85	129.0	0.136	2	1.80	0.188	0.23	4.3	3.7	0.06	231
1828801	Drill Core	0.30	0.57	0.09	21	1.48	0.066	27.4	20.9	1.00	223.5	0.019	<1	1.27	0.025	0.34	<0.1	6.7	0.14	<5
1828802	Drill Core	0.28	0.61	0.06	19	1.52	0.070	30.8	19.5	0.76	377.6	0.007	<1	1.22	0.020	0.38	<0.1	5.6	0.12	<5
1828803	Drill Core	0.19	0.41	0.12	11	1.89	0.054	31.8	11.2	0.50	310.0	0.002	1	0.90	0.010	0.32	<0.1	3.5	0.11	6
1828804	Drill Core	0.29	6.16	0.18	17	1.29	0.064	25.7	15.3	0.68	250.9	0.041	<1	0.97	0.022	0.48	0.3	6.6	0.33	<5
1828805	Drill Core	0.32	0.84	0.28	19	2.10	0.069	28.0	19.8	0.98	275.2	0.029	<1	1.32	0.019	0.44	0.2	6.5	0.19	5
1828806	Drill Core	0.19	0.25	0.22	10	1.67	0.054	28.5	11.8	0.55	226.8	0.003	<1	0.85	0.014	0.28	<0.1	2.8	0.10	<5
1828807	Drill Core	0.16	0.37	0.10	12	1.78	0.052	33.0	11.7	0.58	254.4	0.005	2	1.06	0.016	0.39	0.1	4.1	0.15	10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828778	Drill Core	0.2	<0.02	4.7	0.94	<0.1	0.03	0.15	11.4	0.8	<0.05	0.9	11.53	39.9	0.04	1	0.3	16.3	<10	<2			
1828779	Drill Core	0.4	<0.02	3.6	2.17	<0.1	0.04	0.06	12.5	0.6	<0.05	1.1	14.14	43.0	0.05	2	0.5	14.3	<10	<2			
1828780	Rock	<0.1	<0.02	0.4	0.11	<0.1	0.12	0.03	1.2	<0.1	<0.05	2.3	1.03	4.6	<0.02	<1	<0.1	1.5	<10	<2			
1828781	Drill Core	<0.1	0.02	5.1	0.99	<0.1	0.02	<0.02	10.6	0.3	<0.05	1.0	10.90	56.5	0.04	<1	0.3	15.6	<10	<2			
1828782	Drill Core	<0.1	<0.02	3.2	5.93	<0.1	0.14	<0.02	21.6	0.4	<0.05	4.9	7.03	35.8	0.05	<1	0.4	6.7	<10	<2			
1828783	Drill Core	0.1	<0.02	2.9	5.97	<0.1	0.07	<0.02	25.7	0.4	<0.05	3.1	6.53	32.8	0.03	1	0.4	7.8	<10	<2			
1828784	Drill Core	0.1	<0.02	3.5	6.33	<0.1	0.13	0.02	34.6	0.5	<0.05	4.2	11.83	52.9	0.02	2	0.4	7.1	<10	<2			
1828785	Drill Core	0.4	<0.02	2.8	5.97	<0.1	0.08	0.16	38.2	0.5	<0.05	2.8	10.31	44.1	0.02	3	0.3	5.3	<10	<2			
1828786	Drill Core	<0.1	<0.02	3.5	7.07	<0.1	0.11	0.02	26.5	0.4	<0.05	3.7	10.68	51.2	0.03	3	0.4	6.4	<10	<2			
1828787	Drill Core	0.5	<0.02	2.7	8.28	<0.1	0.07	0.15	27.3	0.4	<0.05	2.7	10.58	49.7	0.03	4	0.4	5.9	<10	<2			
1828788	Drill Core	0.1	<0.02	3.5	7.36	<0.1	0.08	<0.02	21.0	0.3	<0.05	2.6	10.50	46.6	0.03	3	0.3	7.5	<10	<2			
1828789	Drill Core	0.2	<0.02	4.7	3.41	<0.1	0.15	<0.02	14.0	0.2	<0.05	6.2	9.41	40.2	0.03	<1	0.3	13.3	<10	<2			
1828790	Drill Core	<0.1	<0.02	3.5	1.07	<0.1	0.04	<0.02	10.0	0.4	<0.05	3.4	9.27	40.7	0.03	<1	0.2	13.2	<10	<2			
1828791	Drill Core	<0.1	0.02	4.0	0.71	<0.1	0.03	<0.02	11.5	0.7	<0.05	1.0	10.74	52.8	0.03	<1	0.3	12.7	<10	<2			
1828792	Drill Core	0.2	<0.02	2.9	0.54	<0.1	0.03	<0.02	7.7	0.3	<0.05	1.0	7.75	43.8	0.02	<1	0.3	9.3	<10	<2			
1828793	Drill Core	0.1	<0.02	3.9	0.47	<0.1	0.03	<0.02	11.5	0.7	<0.05	1.7	9.87	58.1	0.04	<1	0.2	11.4	<10	<2			
1828794	Drill Core	0.5	<0.02	5.0	0.42	<0.1	0.03	<0.02	10.5	0.5	<0.05	1.3	11.22	56.5	0.04	3	0.4	12.1	<10	<2			
1828795	Drill Core	0.6	0.02	4.7	0.33	<0.1	<0.02	<0.02	10.9	0.5	<0.05	1.2	10.88	48.4	0.02	5	0.2	11.6	<10	<2			
1828796	Drill Core	<0.1	0.02	3.9	0.42	<0.1	0.05	<0.02	11.6	0.3	<0.05	1.9	9.46	48.0	0.02	<1	0.3	12.5	<10	<2			
1828797	Drill Core	<0.1	<0.02	4.8	0.86	<0.1	0.04	<0.02	13.9	0.3	<0.05	1.6	9.83	48.1	0.03	<1	0.4	16.1	<10	<2			
1828798	Drill Core	<0.1	<0.02	5.7	0.66	<0.1	0.06	<0.02	13.3	0.3	<0.05	2.1	12.18	56.2	0.02	<1	0.3	15.4	<10	<2			
1828799	Drill Core	<0.1	<0.02	4.4	0.52	<0.1	0.04	<0.02	13.1	0.3	<0.05	1.8	10.68	56.3	<0.02	<1	0.3	9.3	<10	<2			
1828800	Rock Pulp	<0.1	0.17	5.1	0.74	0.1	0.08	0.03	8.3	1.7	<0.05	1.7	5.59	17.0	0.04	<1	0.2	6.3	<10	<2			
1828801	Drill Core	<0.1	<0.02	4.2	1.11	<0.1	0.05	<0.02	14.8	0.4	<0.05	1.8	10.80	51.8	0.03	<1	0.3	10.8	<10	<2			
1828802	Drill Core	<0.1	<0.02	5.0	0.63	<0.1	0.03	<0.02	15.0	0.4	<0.05	1.1	12.80	59.0	0.04	<1	0.8	10.4	<10	<2			
1828803	Drill Core	<0.1	<0.02	3.7	0.62	<0.1	0.03	<0.02	12.9	0.3	<0.05	0.9	12.06	60.9	0.02	<1	0.3	8.2	<10	<2			
1828804	Drill Core	0.2	<0.02	3.6	2.61	<0.1	0.06	<0.02	23.8	0.7	<0.05	1.5	14.20	49.8	0.03	3	0.2	6.8	<10	<2			
1828805	Drill Core	<0.1	<0.02	3.9	1.89	<0.1	0.05	<0.02	20.5	0.6	<0.05	1.7	14.47	55.4	0.03	<1	0.6	11.5	<10	2			
1828806	Drill Core	<0.1	<0.02	3.8	0.77	<0.1	0.02	<0.02	13.4	0.3	<0.05	1.1	11.43	53.9	<0.02	<1	0.4	9.0	<10	<2			
1828807	Drill Core	<0.1	<0.02	4.7	1.35	<0.1	0.02	<0.02	18.3	0.4	<0.05	1.1	16.84	63.8	0.02	<1	0.6	10.6	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828808	Drill Core	5.20	537	0.006	<0.01	<0.17	34.74	1.13	17.39	27.14	51.0	222	10.5	7.5	427	2.08	20.7	3.5	3.6	11.6	98.6
1828809	Drill Core	5.34	484	0.007	<0.01	<0.17	35.31	2.79	12.43	18.21	49.2	160	10.4	6.9	344	1.99	68.7	3.7	4.1	11.4	72.8
1828810	Drill Core	4.68	461	0.176	0.17	<0.17	38.46	1.86	16.36	13.28	46.5	408	11.7	7.8	404	2.04	162.3	3.3	179.9	10.6	83.1
1828811	Drill Core	5.08	506	0.072	0.07	<0.17	43.87	0.90	27.91	7.50	42.1	465	11.9	8.5	416	2.14	119.0	2.5	68.0	10.8	88.5
1828812	Drill Core	4.39	428	<0.005	<0.01	<0.17	36.94	1.32	25.04	12.79	43.7	291	11.3	7.3	441	1.95	20.0	1.9	2.6	9.4	75.2
1828813	Drill Core	2.23	506	0.660	0.69	1.09	37.47	0.73	17.53	6.42	39.5	750	9.0	6.8	318	1.68	9.4	1.7	1071.8	8.7	60.4
1828814	Drill Core	2.44	472	0.092	0.10	0.20	48.89	0.86	11.90	2.88	23.3	319	5.5	4.2	123	0.96	7.7	0.8	76.8	3.4	14.1
1828815	Drill Core	5.35	433	0.039	0.04	<0.17	38.35	3.14	30.33	7.81	51.8	406	12.6	9.0	433	2.26	27.4	2.0	30.7	11.3	100.3
1828816	Drill Core	3.84	531	0.098	0.16	0.92	40.08	0.80	18.20	21.43	49.9	249	10.0	6.7	418	2.08	26.9	2.2	96.0	9.4	94.5
1828817	Drill Core	2.69	460	0.006	<0.01	<0.17	33.79	1.52	29.34	22.97	71.0	302	17.5	9.4	472	2.50	68.3	2.0	2.7	12.1	88.9
1828818	Drill Core	3.26	538	<0.005	<0.01	<0.17	50.72	1.14	15.68	31.35	50.7	210	11.9	6.7	438	1.96	45.2	1.2	1.8	9.0	75.6
1828819	Drill Core	5.47	514	0.005	<0.01	<0.17	40.59	0.84	22.04	13.24	61.1	209	14.5	8.0	428	2.40	78.7	1.5	2.3	10.1	65.2
1828820	Rock Pulp	0.13	86	0.431				2.16	412.62	17.84	45.6	268	583.2	25.0	380	2.37	18.0	0.6	442.5	1.9	49.7
1828821	Drill Core	4.63	419	0.005	<0.01	<0.17	33.67	0.64	16.51	23.95	70.6	140	11.5	7.4	497	2.52	15.3	1.5	1.9	9.6	56.5
1828822	Drill Core	1.99	424	<0.005	<0.01	<0.17	32.40	0.80	16.98	24.68	72.3	161	11.8	7.7	448	2.51	20.8	2.4	1.5	10.8	52.6
1828823	Drill Core	2.45	467	<0.005	<0.01	<0.17	37.68	0.35	10.24	19.31	56.6	90	8.0	5.6	483	2.08	9.0	1.7	1.4	10.5	89.1
1828824	Drill Core	5.07	445	<0.005	<0.01	<0.17	37.47	0.47	19.87	21.46	64.2	167	12.9	8.7	616	2.45	19.2	1.7	1.4	9.9	103.4
1828825	Drill Core	5.26	477	<0.005	<0.01	<0.17	42.44	0.38	17.68	12.62	69.4	201	14.7	8.8	582	2.54	13.4	1.5	1.9	9.7	108.3
1828826	Drill Core	5.97	459	0.453	0.47	0.66	36.50	0.33	13.61	20.32	58.8	399	11.2	8.0	499	2.43	8.5	1.3	459.3	10.7	99.8
1828827	Drill Core	2.68	543	0.202	0.21	0.29	40.80	0.47	18.80	8.55	48.8	347	10.4	8.4	462	2.00	12.0	2.1	256.7	10.9	129.1
1828828	Drill Core	4.85	451	0.079	0.08	<0.17	33.53	0.91	22.03	22.27	51.9	437	9.1	7.5	474	2.07	12.9	2.4	77.7	8.7	120.9
1828829	Drill Core	5.54	421	0.005	<0.01	<0.17	39.75	0.50	10.70	14.47	55.7	152	9.8	7.1	395	2.28	10.1	3.8	1.2	11.5	95.9
1828830	Drill Core	5.25	450	<0.005	<0.01	<0.17	34.84	0.44	11.54	12.26	59.6	115	8.1	6.1	336	2.13	12.7	3.7	1.2	11.7	48.8
1828831	Drill Core	5.36	505	<0.005	<0.01	<0.17	43.45	0.31	13.84	19.62	59.4	171	9.0	6.6	352	2.04	5.8	2.0	0.8	11.9	95.6
1828832	Drill Core	4.42	482	<0.005	<0.01	<0.17	35.10	0.36	14.96	20.56	60.7	231	11.4	7.5	429	2.51	8.3	1.7	1.5	9.7	121.1
1828833	Drill Core	3.99	488	<0.005	<0.01	<0.17	34.16	0.43	21.90	7.55	66.5	201	13.7	8.5	415	2.70	4.3	1.6	0.9	10.9	72.6
1828834	Drill Core	2.77	483	<0.005	<0.01	<0.17	38.84	0.45	19.62	10.40	58.9	234	12.3	8.1	384	2.36	2.6	2.0	0.7	11.7	70.9
1828835	Drill Core	4.22	476	0.602	1.13	7.50	36.65	0.98	14.47	11.93	46.1	584	9.3	7.1	375	1.86	3.5	1.3	977.7	9.8	101.8
1828836	Drill Core	2.55	437	0.045	0.04	<0.17	33.13	0.39	15.38	10.19	73.9	255	11.9	8.7	477	2.39	4.1	1.9	30.6	11.8	120.1
1828837	Drill Core	5.24	463	<0.005	<0.01	<0.17	40.24	0.53	19.97	18.50	66.2	311	13.9	9.1	415	2.42	2.5	3.3	2.3	9.9	79.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828808	Drill Core	0.20	0.93	0.18	15	2.38	0.059	33.8	12.6	0.64	235.4	0.030	<1	1.10	0.010	0.49	0.3	6.6	0.23	0.09	17			
1828809	Drill Core	0.26	1.09	0.10	16	1.85	0.056	30.2	13.7	0.65	257.0	0.023	1	1.05	0.019	0.48	0.3	6.7	0.21	0.14	10			
1828810	Drill Core	0.26	1.10	0.07	13	1.98	0.065	27.8	11.2	0.62	224.0	0.013	1	1.02	0.008	0.42	0.4	5.8	0.13	0.23	13			
1828811	Drill Core	0.26	0.90	0.02	10	1.97	0.061	19.2	9.8	0.60	257.5	0.014	<1	1.01	0.008	0.44	0.2	4.0	0.13	0.43	<5			
1828812	Drill Core	0.33	0.56	0.05	8	1.70	0.058	18.0	12.1	0.55	231.0	0.016	<1	0.91	0.006	0.38	0.2	3.3	0.11	0.13	<5			
1828813	Drill Core	0.24	0.35	0.04	5	0.97	0.058	15.5	7.6	0.44	258.6	0.005	<1	0.79	0.013	0.38	0.1	2.4	0.10	0.11	<5			
1828814	Drill Core	0.23	0.34	<0.02	3	0.18	0.020	8.7	6.4	0.15	133.4	0.005	1	0.30	0.002	0.20	0.1	1.2	0.05	0.07	<5			
1828815	Drill Core	0.32	0.63	<0.02	11	1.76	0.064	16.4	12.1	0.71	297.6	0.022	2	1.09	0.014	0.53	0.3	4.0	0.15	0.33	<5			
1828816	Drill Core	0.29	0.50	0.10	12	1.70	0.059	14.8	12.8	0.76	204.7	0.028	<1	0.96	0.018	0.42	0.1	3.9	0.15	0.21	<5			
1828817	Drill Core	0.44	0.68	0.12	22	1.54	0.071	23.1	20.8	1.00	256.7	0.019	4	1.35	0.015	0.47	0.2	5.4	0.16	0.14	<5			
1828818	Drill Core	0.27	0.47	0.11	15	1.31	0.057	15.5	15.4	0.75	178.6	0.011	2	1.02	0.013	0.33	0.1	3.8	0.12	0.06	<5			
1828819	Drill Core	0.33	0.68	0.07	20	1.13	0.066	18.6	18.2	0.85	195.7	0.015	3	1.27	0.018	0.42	0.1	5.4	0.16	0.07	<5			
1828820	Rock Pulp	0.19	0.38	0.28	47	1.13	0.028	3.7	86.0	1.64	66.6	0.062	4	1.75	0.178	0.13	1.3	2.2	0.09	0.19	25			
1828821	Drill Core	0.22	0.58	0.09	23	0.92	0.059	20.9	19.7	0.95	132.6	0.025	<1	1.27	0.023	0.34	0.2	5.6	0.15	<0.02	6			
1828822	Drill Core	0.28	0.70	0.04	21	0.77	0.063	26.6	17.7	0.87	190.0	0.036	1	1.29	0.028	0.45	0.2	6.0	0.20	<0.02	<5			
1828823	Drill Core	0.19	0.32	0.03	17	1.15	0.046	27.5	15.5	0.73	138.8	0.011	1	1.07	0.027	0.24	<0.1	3.7	0.09	<0.02	<5			
1828824	Drill Core	0.28	0.61	0.03	19	1.42	0.066	19.1	18.1	0.97	190.5	0.037	2	1.24	0.021	0.48	0.2	5.1	0.20	0.12	8			
1828825	Drill Core	0.23	0.62	0.03	23	1.43	0.060	21.2	22.1	1.08	172.4	0.038	1	1.35	0.015	0.41	0.2	5.3	0.17	0.08	11			
1828826	Drill Core	0.27	0.77	0.02	15	1.45	0.052	20.0	14.7	0.98	171.5	0.026	2	1.22	0.016	0.41	0.3	3.9	0.16	0.38	<5			
1828827	Drill Core	0.31	0.64	0.03	10	1.57	0.062	21.5	8.9	0.84	216.4	0.025	<1	1.02	0.007	0.58	0.3	3.2	0.20	0.55	<5			
1828828	Drill Core	0.35	0.62	0.11	12	1.45	0.059	17.7	12.1	0.86	181.2	0.024	1	1.06	0.015	0.51	0.3	3.5	0.18	0.24	<5			
1828829	Drill Core	0.21	0.33	0.05	16	1.05	0.057	21.8	14.7	0.98	178.0	0.019	2	1.22	0.019	0.43	<0.1	4.1	0.16	0.10	5			
1828830	Drill Core	0.24	0.52	0.02	14	0.72	0.053	24.3	13.4	0.78	186.4	0.037	<1	1.02	0.024	0.55	0.2	4.8	0.24	0.13	<5			
1828831	Drill Core	0.28	0.25	0.07	16	0.92	0.054	26.4	15.2	0.81	208.5	0.032	1	1.01	0.025	0.42	<0.1	4.0	0.17	0.08	<5			
1828832	Drill Core	0.24	0.21	0.13	26	1.72	0.064	18.1	25.5	1.07	146.8	0.025	<1	1.20	0.032	0.33	0.1	4.9	0.13	0.16	<5			
1828833	Drill Core	0.12	0.21	0.08	27	1.18	0.068	24.0	24.9	1.16	203.6	0.044	1	1.42	0.023	0.49	0.1	5.5	0.20	0.08	<5			
1828834	Drill Core	0.14	0.23	0.20	21	1.07	0.065	26.5	19.7	0.98	217.8	0.049	<1	1.23	0.024	0.55	<0.1	5.5	0.25	0.03	<5			
1828835	Drill Core	0.37	0.23	0.33	12	1.46	0.058	17.6	12.4	0.69	266.4	0.024	1	0.91	0.013	0.49	0.2	3.5	0.17	0.37	9			
1828836	Drill Core	0.57	0.40	0.14	19	1.42	0.066	15.0	17.0	1.02	272.1	0.073	1	1.10	0.015	0.83	0.3	5.3	0.33	0.31	<5			
1828837	Drill Core	0.31	0.31	0.28	25	0.99	0.063	16.5	23.2	1.06	233.1	0.076	<1	1.17	0.020	0.66	0.1	5.5	0.31	0.35	7			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828808	Drill Core	0.1	<0.02	4.6	3.42	<0.1	0.05	<0.02	25.9	0.6	<0.05	1.4	15.08	64.3	0.04	<1	0.6	9.1	<10	<2			
1828809	Drill Core	0.2	<0.02	4.2	2.74	<0.1	0.05	<0.02	22.6	0.5	<0.05	2.0	12.81	57.9	0.04	3	0.6	8.1	<10	<2			
1828810	Drill Core	0.1	0.03	3.0	1.65	<0.1	0.03	<0.02	16.6	0.5	<0.05	1.3	10.00	54.4	0.04	3	0.6	9.1	<10	<2			
1828811	Drill Core	0.4	<0.02	2.5	1.02	<0.1	0.03	<0.02	16.0	0.3	<0.05	1.6	7.80	37.1	0.03	<1	0.2	7.8	<10	<2			
1828812	Drill Core	<0.1	<0.02	2.2	1.04	<0.1	0.03	<0.02	15.6	0.4	<0.05	1.3	5.79	34.1	0.02	<1	0.3	7.6	<10	<2			
1828813	Drill Core	<0.1	<0.02	1.9	0.59	<0.1	0.07	<0.02	13.5	0.3	<0.05	3.2	4.63	29.5	<0.02	<1	0.4	7.0	<10	<2			
1828814	Drill Core	<0.1	<0.02	0.8	0.35	<0.1	<0.02	<0.02	7.3	0.1	<0.05	0.9	1.93	16.7	<0.02	<1	0.1	2.2	<10	<2			
1828815	Drill Core	0.4	<0.02	2.7	1.09	<0.1	0.04	<0.02	20.4	0.3	<0.05	1.7	6.01	31.8	<0.02	<1	0.4	6.9	<10	<2			
1828816	Drill Core	0.2	<0.02	2.8	1.14	<0.1	0.02	<0.02	17.9	0.2	<0.05	1.3	5.58	29.9	<0.02	1	0.4	7.1	<10	<2			
1828817	Drill Core	0.3	0.05	4.4	1.51	<0.1	0.11	0.07	21.9	0.9	<0.05	1.7	9.08	43.1	0.06	1	0.3	12.1	<10	<2			
1828818	Drill Core	<0.1	0.02	3.1	1.03	<0.1	0.06	<0.02	14.6	0.3	<0.05	2.3	6.46	31.4	0.03	<1	0.5	10.1	<10	<2			
1828819	Drill Core	<0.1	0.03	3.8	1.60	<0.1	0.12	<0.02	18.9	0.5	<0.05	4.0	6.95	36.8	0.03	2	0.3	12.6	<10	<2			
1828820	Rock Pulp	0.3	0.14	3.6	0.58	<0.1	0.03	<0.02	5.5	0.5	<0.05	1.0	2.83	7.7	<0.02	2	<0.1	7.0	240	114			
1828821	Drill Core	<0.1	<0.02	4.5	2.60	<0.1	0.21	<0.02	19.3	0.7	<0.05	7.1	7.19	40.4	0.02	<1	0.4	11.3	<10	3			
1828822	Drill Core	<0.1	<0.02	4.4	2.43	<0.1	0.20	<0.02	26.0	0.6	<0.05	8.7	8.30	51.9	0.03	<1	0.3	9.9	<10	<2			
1828823	Drill Core	<0.1	<0.02	4.2	1.21	<0.1	0.20	<0.02	10.7	0.5	<0.05	6.5	8.62	53.0	0.03	<1	0.1	8.2	<10	<2			
1828824	Drill Core	0.2	<0.02	4.2	2.34	<0.1	0.22	<0.02	23.5	0.6	<0.05	8.1	9.18	37.0	0.03	2	0.4	9.7	<10	<2			
1828825	Drill Core	<0.1	0.03	4.8	2.04	<0.1	0.18	<0.02	21.3	0.4	<0.05	7.9	10.46	40.1	0.03	<1	0.5	11.1	<10	<2			
1828826	Drill Core	<0.1	0.06	4.2	2.09	<0.1	0.27	0.04	19.9	0.4	<0.05	9.5	10.17	37.5	0.02	<1	0.2	12.1	<10	<2			
1828827	Drill Core	0.1	<0.02	2.5	2.11	<0.1	0.23	<0.02	26.9	0.2	<0.05	8.6	9.56	42.5	<0.02	<1	0.3	10.3	<10	<2			
1828828	Drill Core	<0.1	<0.02	3.1	2.26	<0.1	0.20	<0.02	24.7	0.3	<0.05	6.6	7.59	33.9	<0.02	2	0.3	10.7	<10	<2			
1828829	Drill Core	<0.1	<0.02	4.4	1.99	<0.1	0.23	<0.02	20.4	0.3	<0.05	7.9	7.25	41.2	0.02	3	0.4	11.0	<10	<2			
1828830	Drill Core	<0.1	<0.02	3.3	3.30	<0.1	0.18	<0.02	29.4	0.3	<0.05	5.9	7.52	45.9	0.03	<1	0.4	9.3	<10	<2			
1828831	Drill Core	<0.1	<0.02	4.0	1.57	<0.1	0.13	<0.02	21.0	0.3	<0.05	5.6	8.48	49.0	<0.02	<1	0.3	8.6	<10	<2			
1828832	Drill Core	<0.1	<0.02	5.4	1.28	<0.1	0.06	<0.02	15.3	0.3	<0.05	2.9	8.99	35.8	0.04	<1	0.3	9.1	<10	<2			
1828833	Drill Core	<0.1	<0.02	5.5	1.59	<0.1	0.14	<0.02	22.8	0.4	<0.05	4.2	8.09	45.0	0.02	<1	0.5	11.4	<10	<2			
1828834	Drill Core	<0.1	<0.02	4.4	1.79	<0.1	0.13	<0.02	27.5	0.6	<0.05	5.0	7.68	51.5	0.03	<1	0.3	10.9	<10	<2			
1828835	Drill Core	0.2	0.05	2.8	1.33	<0.1	0.12	<0.02	21.2	0.3	<0.05	4.2	6.16	33.9	0.02	<1	0.2	6.7	<10	<2			
1828836	Drill Core	0.3	<0.02	4.2	4.09	<0.1	0.18	<0.02	43.0	0.4	<0.05	6.0	6.71	29.5	0.03	<1	0.3	10.4	<10	<2			
1828837	Drill Core	0.3	0.03	4.8	3.28	<0.1	0.19	<0.02	35.7	0.4	<0.05	5.5	6.97	31.1	0.02	2	0.4	10.6	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828838	Drill Core	5.13	471	<0.005	<0.01	<0.17	34.28	0.41	15.45	16.75	65.5	222	12.5	8.8	524	2.33	1.1	2.1	0.4	9.3	108.5
1828839	Drill Core	4.84	459	0.011	<0.01	<0.17	43.23	0.50	4.83	12.91	51.1	98	9.4	6.2	418	1.93	0.9	2.0	6.4	10.5	126.4
1828840	Rock Pulp	0.12	85	<0.005				2.18	96.49	3.51	33.5	107	4.8	8.2	334	2.31	0.8	0.8	1.4	2.6	63.4
1828841	Drill Core	5.80	455	<0.005	<0.01	<0.17	37.08	0.65	19.15	14.35	44.5	200	9.7	5.6	381	1.78	1.7	0.8	0.6	8.3	61.0
1828842	Drill Core	2.69	468	<0.005	<0.01	<0.17	37.50	0.49	16.58	4.71	63.6	123	13.9	7.5	537	2.19	1.5	0.7	0.4	9.0	116.3
1828843	Drill Core	5.00	438	0.005	<0.01	<0.17	35.10	0.82	16.26	10.09	70.5	182	13.6	9.1	491	2.40	11.4	1.1	2.0	11.1	77.9
1828844	Drill Core	5.79	451	0.695	0.70	0.78	36.07	0.47	15.62	17.63	67.9	408	14.1	9.3	561	2.47	5.9	1.7	717.7	10.1	121.4
1828845	Drill Core	5.25	453	0.006	<0.01	<0.17	34.65	0.62	15.42	12.02	56.5	145	10.1	7.3	432	2.20	3.0	1.0	0.4	10.3	94.0
1828846	Drill Core	5.27	498	<0.005	<0.01	<0.17	40.05	0.53	14.69	10.29	62.0	114	12.8	7.3	507	2.20	1.2	1.1	<0.2	9.2	88.9
1828847	Drill Core	5.08	461	<0.005	<0.01	<0.17	37.70	0.74	18.49	15.11	64.0	166	12.3	8.4	435	2.51	2.0	0.9	<0.2	10.6	123.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828838	Drill Core	0.22	0.22	0.21	20	1.19	0.062	15.1	19.2	0.96	368.5	0.057	1	1.03	0.029	0.54	<0.1	5.9	0.23	0.19	<5
1828839	Drill Core	0.21	0.31	0.09	13	1.08	0.057	20.5	11.3	0.86	388.1	0.066	<1	0.93	0.015	0.64	0.1	4.5	0.29	0.06	<5
1828840	Rock Pulp	0.05	0.12	0.03	79	0.77	0.057	6.4	9.7	0.65	112.1	0.099	<1	1.33	0.153	0.20	3.0	2.1	0.04	<0.02	<5
1828841	Drill Core	0.19	0.19	0.15	12	0.76	0.052	15.0	12.0	0.65	394.9	0.035	<1	0.73	0.018	0.52	<0.1	4.1	0.20	0.07	<5
1828842	Drill Core	0.13	0.13	0.02	19	0.98	0.063	17.4	20.0	0.88	464.2	0.030	<1	0.89	0.023	0.47	<0.1	5.9	0.19	0.04	<5
1828843	Drill Core	0.18	0.29	0.06	21	0.79	0.065	19.4	22.3	0.93	325.5	0.016	<1	1.06	0.027	0.37	<0.1	5.7	0.15	0.12	<5
1828844	Drill Core	0.39	0.27	0.13	24	1.47	0.065	13.8	24.0	1.04	273.9	0.029	<1	1.08	0.027	0.42	<0.1	7.0	0.19	0.38	<5
1828845	Drill Core	0.30	0.22	0.08	16	1.11	0.060	21.1	13.8	0.86	414.3	0.030	<1	0.96	0.020	0.54	<0.1	5.3	0.22	0.13	<5
1828846	Drill Core	0.16	0.22	0.04	18	1.22	0.062	21.4	18.1	1.09	293.8	0.012	2	1.10	0.014	0.37	<0.1	4.5	0.16	0.06	<5
1828847	Drill Core	0.23	0.20	0.06	18	1.18	0.062	26.4	16.6	0.95	586.6	0.039	1	1.03	0.027	0.62	<0.1	6.1	0.25	0.12	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000188.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828838	Drill Core	<0.1	0.03	4.0	5.02	<0.1	0.21	<0.02	31.5	0.3	<0.05	6.9	6.45	29.1	0.03	<1	0.3	8.1	<10
1828839	Drill Core	<0.1	0.03	2.9	6.28	<0.1	0.11	0.08	38.1	0.9	<0.05	4.3	7.93	39.2	<0.02	1	0.2	6.3	<10
1828840	Rock Pulp	<0.1	<0.02	4.2	0.30	<0.1	0.07	0.07	6.6	0.2	<0.05	1.2	4.25	13.4	<0.02	<1	<0.1	5.8	<10
1828841	Drill Core	<0.1	<0.02	2.5	5.46	<0.1	0.13	0.05	29.9	0.2	<0.05	4.8	5.25	28.5	0.02	<1	0.3	5.0	<10
1828842	Drill Core	<0.1	0.02	3.6	6.25	<0.1	0.19	<0.02	28.0	0.2	<0.05	7.3	6.88	33.4	0.02	<1	0.3	5.8	<10
1828843	Drill Core	0.1	<0.02	4.9	3.39	<0.1	0.27	<0.02	20.8	0.3	<0.05	9.1	6.17	36.4	0.04	<1	0.3	7.9	<10
1828844	Drill Core	0.6	0.06	4.6	4.80	<0.1	0.24	<0.02	24.9	0.4	<0.05	7.9	5.54	26.0	0.04	<1	0.4	8.3	<10
1828845	Drill Core	0.1	<0.02	3.6	5.13	<0.1	0.18	<0.02	29.1	0.3	<0.05	5.3	5.87	40.3	0.04	<1	0.3	6.7	<10
1828846	Drill Core	<0.1	<0.02	4.1	3.39	<0.1	0.13	<0.02	19.9	0.3	<0.05	4.7	7.17	40.2	0.03	<1	0.3	9.3	<10
1828847	Drill Core	<0.1	<0.02	3.6	7.90	<0.1	0.10	0.07	36.3	0.3	<0.05	3.8	7.36	50.0	0.02	1	0.2	5.9	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 4

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1828718	Drill Core	5.05	447	1.733	2.14	6.80	35.87	0.78	11.92	17.49	45.7	1107	8.8	6.1	446	2.02	10.2	1.0	1783.1	8.4	39.3	
REP 1828718	QC	1.975																				
1828726	Drill Core	5.30	475	<0.005	<0.01	<0.17	22.82	1.23	15.09	13.91	67.7	150	11.2	8.0	486	2.61	14.8	2.6	3.2	10.1	62.6	
REP 1828726	QC	<0.005																				
1828742	Drill Core	3.21	433	<0.005	<0.01	<0.17	35.43	0.80	10.13	11.71	70.4	118	11.9	6.7	550	2.49	16.6	0.8	0.6	10.4	59.8	
REP 1828742	QC								0.76	10.54	11.94	67.8	126	12.8	7.3	555	2.56	17.7	0.9	0.5	11.0	59.5
1828777	Drill Core	2.98	406	<0.005	<0.01	<0.17	24.65	1.58	18.30	14.37	56.9	155	14.5	9.0	350	2.11	15.5	1.8	1.0	5.3	105.3	
REP 1828777	QC								1.49	17.57	13.72	52.9	138	13.7	8.6	336	2.06	15.0	1.7	1.0	5.1	99.0
1828791	Drill Core	2.14	436	0.007	<0.01	<0.17	33.81	1.61	28.93	10.53	67.6	309	22.4	9.9	447	2.63	144.1	2.3	4.4	9.5	62.5	
REP 1828791	QC	0.008																				
1828799	Drill Core	4.96	478	<0.005	<0.01	<0.17	32.53	0.73	13.50	23.38	57.5	261	10.8	7.0	362	2.19	16.4	1.4	1.3	11.4	63.4	
REP 1828799	QC	<0.005																				
1828812	Drill Core	4.39	428	<0.005	<0.01	<0.17	36.94	1.32	25.04	12.79	43.7	291	11.3	7.3	441	1.95	20.0	1.9	2.6	9.4	75.2	
REP 1828812	QC								1.35	25.36	12.92	44.8	272	11.6	7.3	435	1.94	20.1	2.0	2.7	9.2	74.4
1828844	Drill Core	5.79	451	0.695	0.70	0.78	36.07	0.47	15.62	17.63	67.9	408	14.1	9.3	561	2.47	5.9	1.7	717.7	10.1	121.4	
REP 1828844	QC								0.46	15.36	17.02	64.7	368	12.9	9.0	513	2.33	5.9	1.6	568.2	9.5	121.5
Core Reject Duplicates																						
1828745	Drill Core	5.19	443	<0.005	<0.01	<0.17	26.26	0.90	9.53	18.94	73.5	166	12.0	7.1	522	2.66	13.8	2.7	0.5	9.4	57.5	
DUP 1828745	QC	407			<0.005	<0.01	<0.17	26.69	0.83	10.05	17.82	79.9	167	13.6	8.0	547	2.75	14.4	2.7	1.3	10.0	61.3
1828779	Drill Core	2.93	484	<0.005	<0.01	<0.17	30.93	2.35	18.49	12.49	66.8	142	14.7	9.3	547	2.62	7.2	4.2	1.1	10.9	109.8	
DUP 1828779	QC	499			<0.005	<0.01	<0.17	26.94	2.33	17.75	11.84	66.2	138	14.5	8.7	557	2.60	7.3	4.2	0.5	10.6	111.3
1828813	Drill Core	2.23	506	0.660	0.69	1.09	37.47	0.73	17.53	6.42	39.5	750	9.0	6.8	318	1.68	9.4	1.7	1071.8	8.7	60.4	
DUP 1828813	QC	455			0.474	0.54	1.18	42.25	0.73	17.12	6.15	37.8	642	8.8	6.7	317	1.71	8.8	1.6	597.3	8.5	59.3
1828847	Drill Core	5.08	461	<0.005	<0.01	<0.17	37.70	0.74	18.49	15.11	64.0	166	12.3	8.4	435	2.51	2.0	0.9	<0.2	10.6	123.2	
DUP 1828847	QC	493			<0.005	<0.01	<0.17	32.84	0.64	17.19	14.01	56.7	151	11.2	7.4	399	2.25	1.7	0.9	<0.2	9.8	115.4
Reference Materials																						
STD BVGEO01	Standard								11.35	4609.13	201.38	1828.9	2721	163.3	26.2	749	3.83	122.7	4.1	234.5	17.3	58.4
STD BVGEO01	Standard								10.91	4397.77	190.32	1712.7	2647	158.5	25.0	722	3.63	119.6	4.0	225.7	16.5	58.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 4

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000188.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828718	Drill Core	0.42	0.64	0.16	11	0.42	0.048	16.5	11.1	0.81	252.6	0.040	1	0.91	0.027	0.50	1.2	3.0	0.23	0.31	6
REP 1828718	QC																				
1828726	Drill Core	0.40	0.32	0.10	19	0.70	0.061	10.3	18.5	1.34	369.2	0.041	2	1.51	0.027	0.57	<0.1	6.6	0.25	0.22	<5
REP 1828726	QC																				
1828742	Drill Core	0.26	0.48	0.09	17	0.80	0.059	16.4	16.1	1.00	486.7	0.061	3	1.20	0.025	0.71	<0.1	6.5	0.38	0.04	<5
REP 1828742	QC	0.23	0.49	0.10	18	0.80	0.062	18.5	17.9	1.03	520.9	0.065	3	1.26	0.027	0.72	<0.1	7.0	0.39	0.04	<5
1828777	Drill Core	0.20	0.69	0.07	15	1.34	0.069	12.7	15.7	0.67	277.3	0.085	2	1.05	0.017	0.33	0.1	5.2	0.12	0.20	<5
REP 1828777	QC	0.17	0.68	0.07	14	1.29	0.065	11.9	14.6	0.65	265.2	0.075	1	0.99	0.014	0.31	0.1	4.6	0.12	0.20	<5
1828791	Drill Core	0.29	2.09	0.09	25	1.20	0.083	27.6	25.1	0.77	264.1	0.003	1	1.32	0.017	0.33	<0.1	5.9	0.10	<0.02	<5
REP 1828791	QC																				
1828799	Drill Core	0.18	0.31	0.20	17	1.33	0.060	29.7	18.3	0.89	243.5	0.004	<1	1.24	0.018	0.32	<0.1	4.7	0.10	<0.02	<5
REP 1828799	QC																				
1828812	Drill Core	0.33	0.56	0.05	8	1.70	0.058	18.0	12.1	0.55	231.0	0.016	<1	0.91	0.006	0.38	0.2	3.3	0.11	0.13	<5
REP 1828812	QC	0.33	0.55	0.05	8	1.67	0.060	17.0	11.7	0.55	226.8	0.014	2	0.90	0.006	0.37	0.2	3.4	0.12	0.13	6
1828844	Drill Core	0.39	0.27	0.13	24	1.47	0.065	13.8	24.0	1.04	273.9	0.029	<1	1.08	0.027	0.42	<0.1	7.0	0.19	0.38	<5
REP 1828844	QC	0.42	0.26	0.13	22	1.46	0.060	12.3	21.9	0.95	256.6	0.027	<1	0.98	0.026	0.40	<0.1	6.2	0.18	0.37	<5
Core Reject Duplicates																					
1828745	Drill Core	0.36	0.22	0.16	24	0.82	0.060	11.7	23.0	1.40	353.0	0.057	2	1.51	0.035	0.62	<0.1	6.6	0.28	0.11	<5
DUP 1828745	QC	0.32	0.23	0.16	25	0.85	0.057	12.3	23.5	1.45	368.6	0.058	1	1.57	0.033	0.62	<0.1	7.1	0.28	0.12	<5
1828779	Drill Core	0.26	1.01	0.07	20	1.85	0.072	24.1	20.4	0.78	316.9	0.062	<1	1.02	0.023	0.33	<0.1	8.0	0.16	0.11	<5
DUP 1828779	QC	0.27	1.04	0.06	21	1.82	0.071	24.8	20.2	0.77	324.7	0.069	<1	1.03	0.025	0.34	<0.1	8.0	0.15	0.11	<5
1828813	Drill Core	0.24	0.35	0.04	5	0.97	0.058	15.5	7.6	0.44	258.6	0.005	<1	0.79	0.013	0.38	0.1	2.4	0.10	0.11	<5
DUP 1828813	QC	0.23	0.34	0.04	5	0.96	0.054	14.5	7.7	0.44	247.6	0.005	2	0.78	0.013	0.36	0.1	2.4	0.09	0.10	<5
1828847	Drill Core	0.23	0.20	0.06	18	1.18	0.062	26.4	16.6	0.95	586.6	0.039	1	1.03	0.027	0.62	<0.1	6.1	0.25	0.12	<5
DUP 1828847	QC	0.22	0.19	0.06	16	1.15	0.065	21.1	14.9	0.86	526.4	0.035	1	0.92	0.024	0.58	<0.1	5.3	0.23	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	6.79	4.00	26.89	76	1.36	0.076	29.5	191.8	1.31	313.8	0.255	3	2.30	0.191	0.91	5.8	5.9	0.69	0.70	93
STD BVGEO01	Standard	6.61	4.20	25.85	75	1.29	0.073	27.7	195.7	1.29	298.5	0.247	4	2.37	0.201	0.91	5.7	5.8	0.64	0.66	112



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 4

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000188.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828718	Drill Core	0.2	0.05	3.5	1.09	<0.1	0.33	0.05	25.9	0.3	<0.05	10.9	5.34	32.6	0.03	<1	0.5	6.4	<10	<2
REP 1828718	QC																			
1828726	Drill Core	0.3	<0.02	5.2	1.35	<0.1	0.29	<0.02	27.4	0.4	<0.05	8.1	3.66	20.1	0.02	<1	0.2	11.1	<10	<2
REP 1828726	QC																			
1828742	Drill Core	<0.1	<0.02	3.8	4.43	<0.1	0.30	0.02	41.4	0.7	<0.05	10.6	4.63	32.5	0.03	<1	<0.1	9.9	<10	<2
REP 1828742	QC	0.1	0.03	4.3	4.53	<0.1	0.33	<0.02	42.1	0.6	<0.05	11.5	4.96	33.6	0.03	<1	0.2	9.8	<10	4
1828777	Drill Core	0.2	<0.02	3.4	0.47	<0.1	0.03	0.22	11.0	0.5	<0.05	1.5	8.23	23.4	<0.02	<1	0.3	10.3	<10	<2
REP 1828777	QC	0.2	<0.02	3.5	0.45	<0.1	0.03	0.18	10.4	0.4	<0.05	1.2	7.56	22.3	<0.02	<1	0.3	9.0	<10	<2
1828791	Drill Core	<0.1	0.02	4.0	0.71	<0.1	0.03	<0.02	11.5	0.7	<0.05	1.0	10.74	52.8	0.03	<1	0.3	12.7	<10	<2
REP 1828791	QC																			
1828799	Drill Core	<0.1	<0.02	4.4	0.52	<0.1	0.04	<0.02	13.1	0.3	<0.05	1.8	10.68	56.3	<0.02	<1	0.3	9.3	<10	<2
REP 1828799	QC																			
1828812	Drill Core	<0.1	<0.02	2.2	1.04	<0.1	0.03	<0.02	15.6	0.4	<0.05	1.3	5.79	34.1	0.02	<1	0.3	7.6	<10	<2
REP 1828812	QC	<0.1	0.02	2.3	1.02	<0.1	<0.02	<0.02	15.4	0.4	<0.05	1.2	5.87	32.4	<0.02	<1	0.2	7.7	<10	<2
1828844	Drill Core	0.6	0.06	4.6	4.80	<0.1	0.24	<0.02	24.9	0.4	<0.05	7.9	5.54	26.0	0.04	<1	0.4	8.3	<10	<2
REP 1828844	QC	0.2	0.03	4.4	4.88	<0.1	0.19	<0.02	24.3	0.3	<0.05	7.0	5.21	23.0	0.03	<1	0.3	7.1	<10	<2
Core Reject Duplicates																				
1828745	Drill Core	0.2	<0.02	5.8	1.79	<0.1	0.16	<0.02	32.7	0.5	<0.05	5.7	4.45	23.1	<0.02	1	0.2	10.6	<10	<2
DUP 1828745	QC	0.2	<0.02	6.3	1.79	<0.1	0.17	0.02	33.9	0.3	<0.05	5.8	4.54	24.6	0.04	2	0.3	10.8	<10	<2
1828779	Drill Core	0.4	<0.02	3.6	2.17	<0.1	0.04	0.06	12.5	0.6	<0.05	1.1	14.14	43.0	0.05	2	0.5	14.3	<10	<2
DUP 1828779	QC	0.3	<0.02	3.7	2.18	<0.1	0.06	0.10	12.8	0.6	<0.05	1.1	14.23	47.5	0.04	<1	0.4	14.3	<10	<2
1828813	Drill Core	<0.1	<0.02	1.9	0.59	<0.1	0.07	<0.02	13.5	0.3	<0.05	3.2	4.63	29.5	<0.02	<1	0.4	7.0	<10	<2
DUP 1828813	QC	<0.1	<0.02	1.9	0.54	<0.1	0.09	<0.02	13.0	0.2	<0.05	3.3	4.58	26.3	<0.02	<1	0.3	7.1	<10	<2
1828847	Drill Core	<0.1	<0.02	3.6	7.90	<0.1	0.10	0.07	36.3	0.3	<0.05	3.8	7.36	50.0	0.02	1	0.2	5.9	<10	<2
DUP 1828847	QC	<0.1	<0.02	3.3	7.51	<0.1	0.09	0.03	34.2	0.3	<0.05	3.3	6.46	39.6	0.02	<1	0.2	4.8	<10	<2
Reference Materials																				
STD BVGE001	Standard	5.0	1.16	7.4	7.74	0.2	0.32	0.28	99.9	6.0	<0.05	8.0	15.36	56.6	0.53	3	0.5	24.4	134	199
STD BVGE001	Standard	5.0	1.09	7.3	7.41	0.2	0.35	0.27	95.6	5.9	<0.05	7.8	15.18	56.4	0.50	4	0.7	21.6	136	205



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.23	148.73	137.68	340.8	1743	78.0	13.7	995	3.14	42.4	2.8	70.2	9.0	69.8
STD DS11	Standard							15.22	151.63	147.68	365.9	1805	79.7	12.5	1053	3.22	45.9	2.9	93.5	8.8	73.3
STD DS11	Standard							15.04	149.08	137.59	350.6	1639	82.3	14.4	1027	3.09	43.7	2.6	87.6	7.9	67.7
STD DS11	Standard							15.91	152.93	138.59	337.9	1757	80.1	13.6	1062	3.11	43.1	2.8	64.2	8.8	72.6
STD DS11	Standard							14.36	151.19	136.90	349.7	1768	80.9	13.9	1029	3.21	44.0	2.7	121.4	7.9	73.1
STD OREAS256	Standard			7.595																	
STD OREAS262	Standard							0.73	124.38	58.19	153.3	462	67.5	28.8	554	3.42	36.8	1.3	72.4	10.2	36.9
STD OREAS262	Standard							0.62	118.19	57.05	151.1	475	63.7	27.4	540	3.26	36.3	1.3	58.9	10.2	36.5
STD OREAS262	Standard							0.61	118.40	55.34	149.3	447	66.6	27.5	533	3.23	35.0	1.2	56.8	9.7	35.3
STD OREAS262	Standard							0.57	113.66	59.04	154.4	468	63.6	25.3	550	3.27	36.4	1.3	57.1	10.1	36.7
STD OREAS262	Standard							0.70	119.37	58.28	152.0	478	67.4	27.1	545	3.34	36.1	1.2	74.4	9.4	36.3
STD OREAS262	Standard							0.61	114.89	55.88	147.0	451	64.1	26.3	511	3.13	35.2	1.2	63.0	9.2	34.6
STD OREAS262	Standard							0.68	115.82	56.65	154.0	462	65.9	27.9	547	3.35	35.9	1.2	63.0	9.6	37.7
STD OXC145	Standard			0.205																	
STD OXC145	Standard			0.206																	
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.211																	
STD OXH139	Standard			1.295																	
STD OXH139	Standard			1.289																	
STD OXH139	Standard			1.322																	
STD OXH139	Standard			1.343																	
STD OXN134	Standard			7.691																	
STD OXN134	Standard			7.522																	
STD OXN134	Standard			8.066																	
STD OXQ90	Standard					25.21	30.39														
STD OXQ90	Standard					25.13	30.32														
STD OXQ90	Standard					25.34	30.11														
STD OXQ90	Standard					25.21	29.71														
STD OXQ90	Standard					25.14	30.83														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 4

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.37	7.87	11.83	50	1.07	0.073	19.0	60.7	0.84	398.2	0.097	8	1.18	0.075	0.40	2.7	3.2	4.77	0.28	266
STD DS11	Standard	2.39	9.34	12.90	49	1.07	0.069	20.2	60.9	0.85	404.5	0.093	7	1.21	0.074	0.41	3.4	3.6	5.09	0.27	302
STD DS11	Standard	2.39	9.14	11.65	48	1.05	0.066	18.5	62.1	0.84	366.7	0.094	6	1.23	0.073	0.40	3.4	3.5	5.00	0.26	250
STD DS11	Standard	2.38	8.45	12.26	49	1.09	0.067	19.9	60.4	0.87	389.9	0.105	8	1.27	0.082	0.43	2.9	3.3	4.77	0.27	269
STD DS11	Standard	2.44	8.59	12.01	51	1.07	0.071	18.5	57.7	0.85	386.7	0.094	8	1.22	0.076	0.42	3.1	3.6	5.10	0.28	283
STD OREAS256	Standard																				
STD OREAS262	Standard	0.62	6.01	1.05	23	3.14	0.039	17.1	44.8	1.20	252.2	0.003	4	1.34	0.070	0.31	0.2	3.3	0.48	0.27	171
STD OREAS262	Standard	0.66	4.20	1.05	22	2.92	0.040	17.2	42.9	1.17	250.8	0.003	5	1.33	0.071	0.31	0.2	3.4	0.47	0.26	167
STD OREAS262	Standard	0.55	4.09	0.99	24	2.85	0.038	17.6	45.2	1.19	240.7	0.003	5	1.47	0.071	0.33	0.2	3.2	0.46	0.25	175
STD OREAS262	Standard	0.69	4.06	1.07	22	3.04	0.039	16.6	41.4	1.17	252.7	0.003	3	1.34	0.068	0.31	0.2	3.2	0.45	0.25	179
STD OREAS262	Standard	0.62	6.20	1.07	22	3.09	0.039	16.7	42.6	1.15	256.5	0.003	3	1.41	0.067	0.33	0.2	3.2	0.46	0.24	179
STD OREAS262	Standard	0.63	4.52	1.05	22	3.05	0.038	16.7	43.7	1.17	244.5	0.003	6	1.35	0.067	0.32	0.2	3.2	0.44	0.25	153
STD OREAS262	Standard	0.65	4.85	1.04	23	2.96	0.042	16.8	43.8	1.19	259.9	0.003	5	1.42	0.069	0.33	0.2	3.5	0.48	0.26	178
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

2 of 4

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	1.9	4.53	4.7	2.89	<0.1	0.06	1.54	32.8	1.8	<0.05	3.3	7.99	37.8	0.25	42	0.4	22.9	88	178
STD DS11	Standard	2.0	4.95	5.0	3.19	0.1	0.08	1.53	35.1	2.2	<0.05	3.2	8.45	41.5	0.23	57	1.0	24.8	99	188
STD DS11	Standard	2.4	4.73	5.0	3.05	<0.1	0.07	1.65	33.3	1.8	<0.05	3.8	7.98	38.1	0.24	45	0.7	24.1	91	188
STD DS11	Standard	2.4	4.67	5.5	2.94	<0.1	0.07	1.85	33.8	1.9	<0.05	3.6	9.12	40.5	0.25	48	0.7	23.4	88	173
STD DS11	Standard	2.3	4.70	5.3	2.94	0.1	0.07	1.57	36.1	1.9	<0.05	3.1	8.43	38.4	0.23	51	0.7	22.8	100	175
STD OREAS256	Standard																			
STD OREAS262	Standard	0.2	0.24	4.1	3.06	<0.1	0.23	<0.02	19.0	0.6	<0.05	9.1	11.25	32.8	0.04	<1	1.1	17.7	<10	<2
STD OREAS262	Standard	0.3	0.21	3.9	2.60	<0.1	0.23	<0.02	18.1	0.5	<0.05	8.8	10.71	34.0	0.03	1	1.4	16.6	<10	<2
STD OREAS262	Standard	<0.1	0.21	3.8	2.69	<0.1	0.21	<0.02	19.3	0.5	<0.05	8.5	10.81	36.5	0.03	<1	1.3	16.6	<10	<2
STD OREAS262	Standard	0.6	0.27	4.1	2.63	<0.1	0.23	<0.02	19.0	0.6	<0.05	9.9	10.85	34.1	0.03	2	0.9	16.2	<10	<2
STD OREAS262	Standard	0.4	0.25	4.2	3.28	<0.1	0.25	<0.02	19.8	0.6	<0.05	10.2	10.38	35.6	0.03	<1	1.4	17.6	<10	<2
STD OREAS262	Standard	0.2	0.23	4.2	2.56	<0.1	0.28	<0.02	18.3	0.6	<0.05	10.9	10.75	31.8	0.02	<1	1.4	17.1	<10	<2
STD OREAS262	Standard	0.3	0.29	4.3	2.83	<0.1	0.22	<0.02	20.1	0.5	<0.05	9.6	11.16	35.1	<0.02	1	0.9	17.1	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					24.99	29.21														
STD OXQ90	Standard					25.06	29.93														
STD OXQ90	Standard					24.98	30.74														
STD OXQ90	Standard					25.03	30.00														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.008																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.4	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.005																	
BLK	Blank					<0.17	30.00														



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: August 15, 2019

Part: 2 of 3

WHI19000188.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		370	<0.005	<0.01	<0.17	43.35	1.23	3.40	1.42	32.7	7	1.3	3.8	573	1.86	1.1	0.5	1.1	2.6	26.9
ROCK-WHI	Prep Blank		329	0.006	<0.01	<0.17	45.75	1.51	3.20	2.00	32.5	13	1.2	4.1	588	1.91	1.7	0.6	0.3	3.0	31.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 4

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.08	<0.02	21	0.65	0.043	7.6	3.7	0.44	59.4	0.097	2	1.14	0.224	0.17	<0.1	3.1	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.07	<0.02	24	0.71	0.044	8.5	3.5	0.43	67.2	0.113	2	1.26	0.253	0.19	0.1	3.5	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000188.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	0.1	<0.02	4.3	0.18	<0.1	0.14	0.24	2.4	0.4	<0.05	3.7	10.33	15.1	<0.02	<1	0.1	2.7	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.2	0.20	0.1	0.16	0.23	2.7	0.4	<0.05	4.6	11.08	17.0	<0.02	<1	0.3	3.2	<10	<2