



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 10, 2019
Report Date: August 09, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000189.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-27
P.O. Number
Number of Samples: 117

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	112	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	117	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	117	Analysis sample split/packet			WHI
Split -150	117	Analysis sample split/packet			WHI
EN002	117	Environmental disposal charge-Fire assay lead waste			VAN
FS631	114	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	117	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	117	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 09, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832653	Drill Core	4.79	471	0.008	<0.01	<0.17	25.07	0.78	16.09	20.01	68.8	525	12.2	8.2	438	2.56	8.8	0.9	3.4	10.1	31.7
1832654	Drill Core	5.91	514	0.005	<0.01	<0.17	51.88	0.85	12.45	20.56	79.2	238	13.6	8.3	561	2.80	7.3	0.9	1.5	9.5	64.1
1832655	Drill Core	4.38	542	<0.005	<0.01	<0.17	42.07	0.96	17.18	11.85	62.3	192	12.7	8.3	537	2.47	13.2	1.2	<0.2	10.5	67.5
1832656	Drill Core	4.30	509	<0.005	<0.01	<0.17	44.78	0.72	19.94	26.29	70.0	230	11.9	7.4	551	2.60	14.3	1.1	0.6	10.3	67.0
1832657	Drill Core	4.89	409	0.007	<0.01	<0.17	31.64	1.07	12.17	16.72	69.9	210	13.1	8.3	580	2.81	18.3	1.8	2.6	10.6	61.8
1832658	Drill Core	4.89	407	0.007	<0.01	<0.17	26.51	1.11	15.00	14.65	51.6	223	11.0	7.3	435	2.26	15.7	1.6	0.6	9.9	57.1
1832659	Drill Core	5.02	434	0.005	<0.01	<0.17	51.27	0.93	10.20	13.76	58.2	250	11.3	6.8	555	2.41	15.0	1.6	1.3	10.3	84.0
1832660	Core DUP		447	0.007	<0.01	<0.17	45.11	1.02	10.48	14.80	60.6	258	11.3	7.2	564	2.37	15.4	1.6	1.5	10.6	88.4
1832661	Drill Core	2.42	469	0.792	0.79	0.81	52.05	2.42	15.38	22.68	59.8	866	11.3	8.5	540	2.28	195.6	2.7	769.9	10.7	30.0
1832662	Drill Core	2.82	490	0.076	0.08	<0.17	34.78	1.04	12.51	20.78	60.0	418	11.9	6.8	420	2.24	52.2	2.5	81.9	10.1	67.2
1832663	Drill Core	5.02	439	0.006	<0.01	<0.17	39.29	1.10	16.18	13.64	57.8	184	12.7	7.5	467	2.41	27.2	2.5	2.4	11.5	67.8
1832664	Drill Core	4.08	376	0.006	<0.01	<0.17	37.83	1.33	16.24	12.48	44.1	230	11.9	6.6	422	2.19	59.2	1.8	2.2	10.9	70.0
1832665	Drill Core	5.09	474	0.007	<0.01	<0.17	45.60	1.22	17.11	12.04	42.6	175	11.5	6.5	459	2.11	78.7	1.6	3.1	10.6	78.9
1832666	Drill Core	4.99	488	<0.005	<0.01	<0.17	37.92	1.20	14.35	14.83	45.0	149	11.2	7.2	482	2.01	63.1	3.0	1.7	10.5	97.5
1832667	Drill Core	2.63	552	0.007	<0.01	<0.17	40.47	1.62	13.16	9.70	44.0	148	11.4	7.3	497	1.92	326.8	4.5	2.1	10.8	117.2
1832668	Drill Core	2.62	488	0.057	0.05	<0.17	21.75	1.09	14.42	8.81	42.3	196	11.0	6.7	497	2.10	182.0	2.5	55.4	10.5	127.0
1832669	Drill Core	4.76	449	0.015	0.01	<0.17	26.60	0.91	14.08	19.87	41.6	216	9.3	6.1	475	1.91	131.2	1.2	15.0	9.6	129.8
1832670	Drill Core	4.73	462	0.007	<0.01	<0.17	22.84	0.64	14.31	4.00	43.9	83	9.5	6.2	488	1.89	50.2	2.8	1.2	11.6	136.1
1832671	Drill Core	5.08	491	0.044	0.04	<0.17	18.93	1.04	17.08	10.78	49.2	145	10.0	6.8	539	2.07	27.3	2.0	31.1	12.1	152.4
1832672	Drill Core	5.24	457	<0.005	<0.01	<0.17	25.95	1.60	16.23	5.90	55.6	123	12.9	7.7	493	2.19	16.6	2.5	0.7	12.1	129.7
1832673	Drill Core	4.72	430	<0.005	<0.01	<0.17	21.44	0.86	14.74	11.30	69.9	160	12.3	8.2	527	2.52	7.3	1.3	<0.2	11.6	113.0
1832674	Drill Core	4.51	421	0.006	<0.01	<0.17	35.32	0.78	12.27	19.45	84.2	204	15.4	8.5	466	2.70	7.1	1.0	<0.2	9.2	83.6
1832675	Drill Core	3.03	508	0.011	0.01	<0.17	28.25	0.54	14.03	10.19	74.1	267	12.0	8.4	557	2.56	9.6	2.8	10.1	10.0	93.7
1832676	Drill Core	2.11	404	0.252	0.29	0.69	39.24	0.83	4.21	6.61	55.1	296	8.0	5.6	273	1.86	3.1	0.9	290.8	6.1	42.2
1832677	Drill Core	4.99	492	0.454	0.42	<0.17	32.72	0.69	16.93	8.95	62.9	404	11.6	8.7	531	2.45	8.6	3.0	401.0	10.3	104.4
1832678	Drill Core	5.22	486	0.006	<0.01	<0.17	28.43	1.04	16.88	18.41	69.1	231	13.4	8.9	553	2.56	6.0	2.4	0.7	9.7	89.8
1832679	Drill Core	4.89	447	0.006	<0.01	<0.17	25.58	1.48	17.44	3.68	64.0	179	12.0	7.9	578	2.61	5.1	1.3	3.1	9.0	109.3
1832680	Rock	0.23	157	<0.005	<0.01	<0.17	31.37	0.66	2.08	1.35	2.9	11	1.8	0.6	103	0.85	0.7	0.2	<0.2	0.9	2.0
1832681	Drill Core	5.16	461	<0.005	<0.01	<0.17	21.83	1.01	30.15	8.12	59.3	291	12.2	8.0	573	2.49	5.0	1.0	<0.2	10.8	112.8
1832682	Drill Core	4.81	425	<0.005	<0.01	<0.17	37.17	1.26	25.40	22.23	65.5	319	13.7	8.9	493	2.62	6.0	1.1	<0.2	10.0	76.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832653	Drill Core	0.35	0.87	0.17	20	0.33	0.066	20.1	20.4	1.24	246.0	0.062	2	1.36	0.026	0.64	0.9	4.3	0.28	0.09	5
1832654	Drill Core	0.35	0.53	0.15	30	0.72	0.067	18.9	29.3	1.41	214.9	0.055	2	1.51	0.037	0.41	<0.1	5.8	0.18	0.11	<5
1832655	Drill Core	0.27	0.68	0.07	24	0.87	0.069	20.4	22.1	1.10	309.5	0.091	3	1.29	0.029	0.75	0.1	6.3	0.34	0.20	5
1832656	Drill Core	0.33	0.72	0.13	25	1.02	0.064	19.8	24.7	1.13	228.7	0.069	2	1.26	0.037	0.59	<0.1	6.6	0.28	0.12	<5
1832657	Drill Core	0.35	0.74	0.09	27	0.84	0.065	21.3	27.4	1.08	217.3	0.031	3	1.38	0.035	0.43	0.2	6.3	0.21	0.15	9
1832658	Drill Core	0.27	0.73	0.10	13	1.00	0.065	23.7	12.9	0.71	257.9	0.019	4	1.05	0.015	0.43	0.2	3.8	0.18	0.15	9
1832659	Drill Core	0.25	0.67	0.11	18	1.47	0.067	26.4	16.7	0.85	229.9	0.014	3	1.27	0.021	0.40	0.2	4.4	0.15	0.07	5
1832660	Core DUP	0.28	0.73	0.12	18	1.51	0.068	26.0	16.9	0.85	228.8	0.014	4	1.24	0.021	0.39	0.2	4.4	0.16	0.07	<5
1832661	Drill Core	0.29	1.98	0.20	16	0.40	0.070	32.7	14.5	0.62	209.4	0.003	6	1.18	0.011	0.47	0.2	4.3	0.22	<0.02	8
1832662	Drill Core	0.28	1.25	0.15	15	1.32	0.064	23.5	14.4	0.90	222.1	0.029	4	1.21	0.013	0.51	0.5	4.9	0.21	0.22	6
1832663	Drill Core	0.29	1.13	0.09	17	1.74	0.072	26.9	16.5	0.90	227.7	0.058	3	1.27	0.017	0.63	0.7	5.6	0.26	0.20	6
1832664	Drill Core	0.28	2.26	0.07	16	1.79	0.068	31.1	14.4	0.67	251.4	0.049	3	1.15	0.017	0.64	0.4	5.7	0.26	0.05	6
1832665	Drill Core	0.32	2.27	0.06	15	1.88	0.065	25.0	14.0	0.55	276.5	0.044	4	1.02	0.019	0.55	0.4	5.2	0.23	0.14	<5
1832666	Drill Core	0.30	2.78	0.13	12	2.13	0.057	21.0	12.7	0.58	290.2	0.043	4	0.94	0.021	0.53	0.2	4.7	0.25	0.23	6
1832667	Drill Core	0.32	2.18	0.09	11	2.05	0.061	19.8	11.9	0.55	324.4	0.035	3	0.91	0.018	0.64	0.2	4.6	0.25	0.27	<5
1832668	Drill Core	0.19	1.48	0.08	13	2.19	0.065	23.1	13.0	0.69	330.6	0.049	3	1.03	0.022	0.66	0.3	5.5	0.23	0.30	<5
1832669	Drill Core	0.38	1.75	0.14	11	2.29	0.057	22.1	12.4	0.54	285.3	0.043	3	0.90	0.024	0.46	0.2	3.5	0.17	0.16	<5
1832670	Drill Core	0.31	1.32	<0.02	11	2.21	0.056	21.7	12.2	0.58	354.3	0.023	2	1.04	0.026	0.44	0.3	3.9	0.13	0.23	11
1832671	Drill Core	0.30	0.83	0.09	11	2.21	0.065	21.5	13.5	0.62	414.3	0.025	3	1.05	0.034	0.45	0.1	4.5	0.14	0.24	<5
1832672	Drill Core	0.30	0.48	0.02	14	1.78	0.064	16.3	14.1	0.79	479.8	0.047	2	1.09	0.021	0.62	0.1	5.0	0.26	0.33	<5
1832673	Drill Core	0.31	0.39	0.07	21	1.06	0.061	15.6	19.6	1.19	416.3	0.068	1	1.42	0.030	0.72	<0.1	6.6	0.32	0.18	<5
1832674	Drill Core	0.27	0.42	0.11	29	0.96	0.070	13.4	31.1	1.35	294.5	0.057	3	1.45	0.039	0.57	<0.1	6.8	0.26	0.11	<5
1832675	Drill Core	0.51	1.00	0.11	23	1.18	0.065	12.9	21.5	1.11	335.8	0.078	4	1.25	0.037	0.77	0.2	6.1	0.31	0.24	<5
1832676	Drill Core	0.43	0.64	0.05	6	0.48	0.034	8.2	8.7	0.42	222.9	0.014	2	0.56	0.015	0.35	0.3	2.2	0.11	0.64	12
1832677	Drill Core	0.45	1.12	0.03	17	1.32	0.063	10.6	17.8	1.14	315.4	0.084	4	1.30	0.022	0.75	0.4	4.3	0.24	0.51	<5
1832678	Drill Core	0.43	0.51	0.07	23	1.18	0.066	11.2	23.6	1.19	329.3	0.086	2	1.35	0.026	0.64	0.3	5.2	0.28	0.19	<5
1832679	Drill Core	0.28	0.52	0.05	24	1.38	0.063	14.4	25.6	0.88	389.8	0.083	2	1.16	0.028	0.53	0.6	5.0	0.24	0.08	<5
1832680	Rock	<0.01	0.11	<0.02	1	0.03	0.003	1.7	6.0	0.02	10.5	0.003	2	0.05	0.004	0.02	<0.1	0.2	<0.02	<0.02	<5
1832681	Drill Core	0.31	0.36	0.03	20	1.37	0.065	16.2	20.4	0.85	353.8	0.071	3	1.12	0.035	0.64	0.2	4.8	0.31	0.16	<5
1832682	Drill Core	0.20	0.45	0.13	24	0.95	0.066	13.6	23.9	1.03	304.0	0.071	3	1.25	0.026	0.57	0.3	5.3	0.30	0.12	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832653	Drill Core	0.1	0.03	4.4	3.00	<0.1	0.30	0.04	32.3	0.6	<0.05	9.1	7.34	37.3	<0.02	<1	0.2	11.5	<10	<2			
1832654	Drill Core	<0.1	<0.02	6.5	1.35	<0.1	0.23	<0.02	19.6	0.4	<0.05	8.0	7.52	36.0	<0.02	<1	0.4	11.8	<10	<2			
1832655	Drill Core	0.2	0.04	4.9	2.61	<0.1	0.21	0.03	39.0	0.5	<0.05	6.9	7.30	37.8	0.03	2	0.5	9.5	<10	2			
1832656	Drill Core	<0.1	0.03	4.7	2.79	<0.1	0.20	<0.02	30.5	0.4	<0.05	7.0	6.25	37.2	0.03	2	0.3	11.1	<10	<2			
1832657	Drill Core	<0.1	0.03	5.6	2.08	<0.1	0.24	<0.02	21.3	0.3	<0.05	8.2	8.32	39.4	0.03	<1	0.6	12.8	<10	<2			
1832658	Drill Core	<0.1	<0.02	3.1	1.67	<0.1	0.13	<0.02	20.1	0.3	<0.05	4.8	8.11	42.9	<0.02	1	0.3	9.0	<10	<2			
1832659	Drill Core	<0.1	0.03	3.9	1.77	<0.1	0.14	<0.02	17.0	0.2	<0.05	4.5	11.85	49.8	0.03	<1	0.3	11.7	<10	<2			
1832660	Core DUP	<0.1	0.02	3.9	1.91	<0.1	0.13	<0.02	17.3	0.2	<0.05	4.7	12.44	48.8	0.02	<1	0.3	12.3	<10	<2			
1832661	Drill Core	<0.1	0.07	3.9	5.39	<0.1	0.09	<0.02	22.6	0.4	<0.05	3.3	15.86	61.6	0.03	1	0.9	12.6	<10	<2			
1832662	Drill Core	0.2	0.04	3.3	2.09	<0.1	0.05	<0.02	22.7	0.3	<0.05	2.1	12.60	43.6	0.03	<1	0.7	12.8	<10	<2			
1832663	Drill Core	0.1	0.02	4.1	2.76	<0.1	0.11	<0.02	28.6	0.4	<0.05	1.7	12.50	50.6	0.04	3	0.4	11.9	<10	<2			
1832664	Drill Core	<0.1	0.02	3.6	3.19	<0.1	0.04	0.02	28.1	0.4	<0.05	1.4	12.11	57.8	0.03	<1	0.3	10.0	<10	<2			
1832665	Drill Core	0.1	0.03	3.3	2.75	<0.1	0.06	0.03	23.8	0.4	<0.05	1.8	10.96	47.7	0.04	<1	0.3	9.5	<10	<2			
1832666	Drill Core	0.2	0.03	3.1	1.55	<0.1	0.06	0.04	21.1	0.3	<0.05	1.6	9.00	41.2	0.03	<1	0.3	6.9	<10	2			
1832667	Drill Core	0.2	<0.02	2.8	1.25	<0.1	0.04	<0.02	24.5	0.3	<0.05	1.6	7.73	38.3	<0.02	2	0.4	6.4	<10	<2			
1832668	Drill Core	0.2	0.03	3.1	1.70	<0.1	0.05	<0.02	27.7	0.4	<0.05	1.3	9.55	44.3	0.03	<1	0.2	7.7	<10	<2			
1832669	Drill Core	<0.1	0.02	3.3	1.04	<0.1	0.05	0.04	18.7	0.3	<0.05	1.2	8.67	42.7	<0.02	<1	0.2	7.7	<10	<2			
1832670	Drill Core	0.2	<0.02	3.7	0.56	<0.1	0.03	0.03	14.7	0.3	<0.05	1.2	7.91	39.7	0.03	<1	0.3	8.8	<10	<2			
1832671	Drill Core	0.2	<0.02	3.6	1.45	<0.1	0.10	0.03	16.3	0.2	<0.05	1.7	8.12	39.9	0.03	2	0.3	7.2	<10	<2			
1832672	Drill Core	0.3	0.03	3.6	2.64	<0.1	0.05	0.03	28.7	0.3	<0.05	2.2	6.32	31.3	0.03	1	0.2	8.0	<10	<2			
1832673	Drill Core	<0.1	0.03	5.3	3.00	<0.1	0.21	<0.02	35.5	0.4	<0.05	6.3	5.13	28.2	0.02	1	0.3	11.5	<10	<2			
1832674	Drill Core	<0.1	<0.02	5.7	2.47	<0.1	0.19	<0.02	28.4	0.4	<0.05	6.4	4.38	26.0	0.02	<1	0.5	12.4	<10	<2			
1832675	Drill Core	0.1	0.03	4.3	3.16	<0.1	0.19	<0.02	34.8	0.5	<0.05	6.1	5.90	25.1	<0.02	2	0.5	9.3	<10	<2			
1832676	Drill Core	0.2	0.04	1.7	0.99	<0.1	0.24	<0.02	15.5	0.1	<0.05	8.2	4.47	15.5	<0.02	<1	0.2	4.8	12	<2			
1832677	Drill Core	0.2	0.02	4.0	1.77	<0.1	0.31	0.03	33.0	0.3	<0.05	10.1	8.49	20.5	<0.02	<1	0.5	12.6	<10	<2			
1832678	Drill Core	0.4	0.02	5.3	2.19	<0.1	0.28	<0.02	31.7	0.4	<0.05	9.0	8.47	21.3	<0.02	2	0.3	11.5	<10	2			
1832679	Drill Core	0.1	0.04	5.1	2.15	<0.1	0.21	0.04	26.7	0.5	<0.05	6.4	9.97	27.8	0.03	1	0.3	8.7	11	<2			
1832680	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.08	<0.02	0.9	<0.1	<0.05	2.0	0.84	3.4	<0.02	<1	<0.1	0.8	<10	<2			
1832681	Drill Core	0.3	<0.02	4.6	4.45	<0.1	0.22	0.02	37.0	0.4	<0.05	7.2	7.97	30.8	0.03	<1	0.4	8.0	<10	<2			
1832682	Drill Core	0.1	0.03	5.0	3.50	<0.1	0.26	<0.02	35.0	0.4	<0.05	9.2	8.67	26.3	0.02	<1	0.4	9.5	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832683	Drill Core	5.06	477	<0.005	<0.01	<0.17	22.17	1.17	25.72	17.09	59.9	314	12.4	8.5	569	2.52	6.6	1.0	<0.2	10.1	72.0
1832684	Drill Core	2.98	492	<0.005	<0.01	<0.17	38.37	0.81	15.75	25.51	58.6	209	10.7	6.9	556	2.30	2.6	0.8	<0.2	7.8	94.2
1832685	Drill Core	4.37	483	<0.005	<0.01	<0.17	22.21	1.02	15.41	25.60	65.0	245	12.5	8.1	569	2.51	3.5	1.2	<0.2	9.4	128.2
1832686	Drill Core	5.11	456	<0.005	<0.01	<0.17	29.60	0.74	13.64	20.29	77.0	176	12.7	8.4	571	2.58	3.2	0.9	<0.2	12.3	132.7
1832687	Drill Core	5.34	413	<0.005	<0.01	<0.17	42.25	1.01	24.08	10.81	66.6	209	12.1	9.2	509	2.56	3.8	1.3	1.3	11.7	93.9
1832688	Drill Core	4.58	414	<0.005	<0.01	<0.17	50.66	0.76	23.35	16.27	65.3	282	12.5	8.8	509	2.46	3.4	1.1	<0.2	10.7	97.7
1832689	Drill Core	2.89	443	0.012	0.01	<0.17	44.68	0.55	19.23	7.13	64.3	290	12.3	9.8	441	2.70	5.9	1.2	2.1	11.1	73.7
1832690	Drill Core	2.82	426	0.510	0.87	3.63	49.54	0.61	13.72	9.86	77.5	503	13.0	9.0	488	2.73	4.3	2.1	1105.3	10.9	114.5
1832691	Drill Core	4.95	445	<0.005	<0.01	<0.17	25.36	0.63	15.76	10.72	65.6	181	12.1	8.4	536	2.62	4.1	1.0	0.3	10.2	82.4
1832692	Drill Core	4.58	355	0.008	<0.01	<0.17	25.10	0.99	22.71	9.06	70.8	215	13.7	10.2	517	2.80	3.6	1.3	5.1	11.5	64.9
1832693	Drill Core	5.46	438	<0.005	<0.01	<0.17	26.76	0.72	30.45	8.29	77.7	242	14.6	10.8	584	2.85	3.6	1.1	<0.2	10.4	72.3
1832694	Drill Core	4.80	405	<0.005	<0.01	<0.17	34.48	1.00	19.28	12.97	74.2	190	13.2	9.7	526	2.64	3.4	2.2	<0.2	11.2	91.0
1832695	Drill Core	5.46	506	<0.005	<0.01	<0.17	44.71	0.68	15.11	16.32	73.1	186	14.3	9.0	523	2.65	3.1	1.1	<0.2	9.8	112.8
1832696	Drill Core	5.07	447	<0.005	<0.01	<0.17	41.07	0.58	12.44	12.71	70.8	197	12.4	8.6	482	2.61	2.7	1.3	<0.2	10.9	71.0
1832697	Drill Core	5.30	498	0.008	<0.01	<0.17	24.04	1.16	18.09	13.30	54.2	283	10.9	7.5	482	2.25	6.2	1.6	0.6	10.9	69.8
1832698	Drill Core	3.95	407	0.010	<0.01	<0.17	26.59	1.43	19.47	18.83	63.2	354	12.1	7.5	602	2.23	3.8	1.2	4.1	9.7	112.6
1832699	Drill Core	2.62	479	0.310	0.32	0.45	49.01	0.67	5.87	20.63	73.9	323	14.0	10.6	886	2.93	8.0	2.3	284.3	10.4	276.0
1832700	Rock Pulp	0.12	94	7.315				9.60	198.20	19.72	73.0	849	13.7	11.3	582	4.64	13.5	0.9	7894.1	2.9	64.2
1832701	Drill Core	4.55	455	0.021	0.02	<0.17	29.63	1.73	13.90	16.14	77.1	252	13.1	9.8	641	2.74	12.0	2.3	13.6	10.9	64.9
1832702	Drill Core	5.10	470	0.008	<0.01	<0.17	32.22	1.69	18.02	10.05	59.2	224	12.6	8.5	525	2.60	12.3	2.0	3.2	11.2	46.9
1832703	Drill Core	5.21	444	0.005	<0.01	<0.17	33.32	1.61	13.21	13.04	53.9	158	10.1	6.8	604	2.12	6.8	1.5	1.2	12.0	74.3
1832704	Drill Core	5.02	453	<0.005	<0.01	<0.17	39.55	1.05	22.70	11.68	75.5	186	15.6	10.2	483	2.84	8.4	2.3	<0.2	12.1	78.8
1832705	Drill Core	4.55	445	0.008	<0.01	<0.17	41.57	1.06	18.50	13.12	78.0	202	14.6	9.6	701	2.76	7.8	1.8	3.5	10.7	84.0
1832706	Drill Core	5.33	449	0.006	<0.01	<0.17	59.86	2.18	17.27	16.43	62.5	259	12.5	8.3	454	2.48	9.3	2.2	0.9	11.9	84.9
1832707	Drill Core	4.62	418	0.006	<0.01	<0.17	31.28	2.08	22.72	9.91	60.3	181	14.4	8.3	485	2.52	11.9	2.9	0.4	10.4	75.6
1832708	Drill Core	5.04	482	0.009	<0.01	<0.17	41.26	1.72	17.43	14.42	65.0	256	11.0	8.2	390	2.49	12.5	2.4	5.4	11.0	50.7
1832709	Drill Core	4.46	444	0.011	0.01	<0.17	42.51	1.39	18.58	11.96	76.4	277	13.8	9.4	474	2.77	10.1	2.2	6.0	10.4	46.6
1832710	Drill Core	4.84	423	0.006	<0.01	<0.17	34.24	1.94	16.84	8.98	57.6	250	12.3	7.9	479	2.30	6.8	2.1	14.5	10.4	83.7
1832711	Drill Core	5.46	447	0.019	0.02	<0.17	37.31	1.84	22.05	10.27	67.1	272	12.9	8.9	452	2.49	6.2	1.5	1.9	10.1	67.0
1832712	Drill Core	3.44	393	0.064	0.06	<0.17	48.61	1.16	10.73	6.45	79.6	182	12.1	9.0	619	2.77	5.1	2.2	54.4	13.8	120.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832683	Drill Core	0.31	0.42	0.08	20	0.96	0.067	17.2	21.6	0.91	417.5	0.050	3	1.11	0.033	0.51	0.2	4.9	0.24	0.12	<5			
1832684	Drill Core	0.35	0.40	0.12	21	1.30	0.055	12.5	20.4	0.98	392.1	0.053	2	1.08	0.032	0.53	<0.1	6.0	0.25	0.08	<5			
1832685	Drill Core	0.34	0.46	0.14	20	1.19	0.063	11.8	19.8	0.99	576.6	0.056	3	1.15	0.032	0.63	<0.1	5.6	0.32	0.12	<5			
1832686	Drill Core	0.28	0.48	0.11	21	0.93	0.066	10.8	22.4	1.06	602.7	0.057	<1	1.12	0.028	0.59	<0.1	6.4	0.33	0.07	<5			
1832687	Drill Core	0.31	0.46	0.07	19	0.87	0.068	11.6	19.4	0.98	598.1	0.061	<1	1.11	0.028	0.68	0.1	5.9	0.36	0.20	<5			
1832688	Drill Core	0.31	0.41	0.07	20	1.04	0.066	12.0	22.2	1.01	452.8	0.070	<1	1.11	0.031	0.61	0.2	5.9	0.31	0.10	<5			
1832689	Drill Core	0.48	0.69	0.06	24	0.91	0.069	12.0	23.5	1.14	338.1	0.102	<1	1.23	0.027	0.86	0.5	5.9	0.46	0.21	<5			
1832690	Drill Core	0.46	0.70	0.07	23	1.35	0.061	12.3	25.7	1.18	356.6	0.111	<1	1.21	0.029	0.77	0.6	6.7	0.44	0.37	<5			
1832691	Drill Core	0.30	0.47	0.05	21	0.93	0.064	11.2	21.6	1.13	443.3	0.083	<1	1.22	0.023	0.77	0.1	6.1	0.40	0.10	<5			
1832692	Drill Core	0.33	0.51	0.04	24	0.68	0.069	12.6	24.3	1.12	525.0	0.083	<1	1.25	0.026	0.79	<0.1	6.9	0.42	0.17	<5			
1832693	Drill Core	0.34	0.35	0.03	30	0.77	0.076	12.2	31.4	1.35	383.0	0.084	<1	1.43	0.031	0.73	<0.1	7.8	0.39	0.13	<5			
1832694	Drill Core	0.32	0.40	0.05	25	0.85	0.066	14.7	26.2	1.25	421.6	0.078	<1	1.33	0.026	0.72	0.1	7.1	0.38	0.13	<5			
1832695	Drill Core	0.25	0.32	0.04	29	1.10	0.069	13.4	30.8	1.29	286.4	0.045	<1	1.34	0.028	0.54	<0.1	6.9	0.25	0.18	<5			
1832696	Drill Core	0.40	0.39	0.06	24	0.87	0.064	17.0	23.7	1.12	309.0	0.080	<1	1.29	0.033	0.79	<0.1	6.3	0.42	0.11	<5			
1832697	Drill Core	0.33	0.72	0.06	14	0.84	0.063	18.0	16.6	0.83	255.9	0.022	<1	1.10	0.020	0.43	0.2	3.8	0.16	0.14	<5			
1832698	Drill Core	0.31	0.67	0.14	14	1.48	0.059	18.6	15.9	1.03	275.0	0.016	1	1.21	0.013	0.48	<0.1	3.6	0.16	0.15	<5			
1832699	Drill Core	0.67	0.68	0.05	9	3.10	0.119	10.3	10.6	0.92	283.6	0.009	<1	1.07	0.011	0.55	0.3	5.2	0.18	0.97	6			
1832700	Rock Pulp	0.20	4.69	0.53	110	0.92	0.064	7.2	18.6	0.84	121.9	0.124	2	1.73	0.180	0.23	4.0	3.6	0.07	<0.02	203			
1832701	Drill Core	0.57	0.52	0.14	16	1.28	0.067	18.1	18.9	1.01	259.1	0.005	<1	1.37	0.019	0.38	0.1	5.2	0.11	0.14	9			
1832702	Drill Core	0.21	0.43	0.08	18	0.93	0.067	24.6	18.9	0.84	254.8	0.004	<1	1.30	0.019	0.36	0.1	5.0	0.11	0.08	<5			
1832703	Drill Core	0.27	0.28	0.11	11	1.59	0.061	24.1	14.3	0.71	265.6	0.003	<1	1.08	0.018	0.33	<0.1	4.6	0.10	0.05	6			
1832704	Drill Core	0.44	0.39	0.09	23	1.35	0.069	17.6	25.1	0.99	276.1	0.040	<1	1.40	0.022	0.55	<0.1	8.2	0.25	0.20	8			
1832705	Drill Core	0.26	0.34	0.10	18	1.22	0.070	22.9	23.4	1.12	221.3	0.004	<1	1.52	0.018	0.32	0.1	6.4	0.09	<0.02	<5			
1832706	Drill Core	0.35	0.37	0.22	15	1.92	0.065	22.2	16.2	0.74	234.6	0.004	<1	1.27	0.015	0.41	<0.1	4.6	0.11	0.11	8			
1832707	Drill Core	0.42	0.54	0.12	18	1.85	0.075	20.1	17.9	0.71	222.2	0.004	2	1.22	0.011	0.39	<0.1	5.5	0.14	0.14	5			
1832708	Drill Core	0.27	0.44	0.08	15	0.88	0.067	25.8	16.9	0.68	242.6	0.004	<1	1.18	0.021	0.34	<0.1	4.8	0.11	<0.02	<5			
1832709	Drill Core	0.29	0.40	0.06	26	0.85	0.061	28.7	31.4	0.85	188.3	0.005	<1	1.32	0.024	0.28	<0.1	4.2	0.10	<0.02	<5			
1832710	Drill Core	0.22	0.46	0.12	16	1.68	0.064	25.4	18.7	0.85	267.4	0.034	<1	1.20	0.012	0.50	0.3	4.6	0.16	0.04	9			
1832711	Drill Core	0.21	0.30	0.16	20	1.45	0.062	25.1	24.1	0.86	198.7	0.021	<1	1.23	0.030	0.33	0.1	5.2	0.11	0.03	<5			
1832712	Drill Core	0.47	0.52	0.05	18	1.68	0.074	29.6	20.3	1.12	316.6	0.046	<1	1.50	0.023	0.58	0.2	5.3	0.21	0.09	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832683	Drill Core	0.2	0.03	4.6	2.89	<0.1	0.22	<0.02	24.6	0.4	<0.05	7.1	7.23	33.0	0.02	<1	0.5	7.7	<10	<2			
1832684	Drill Core	0.1	<0.02	4.3	2.92	<0.1	0.25	<0.02	25.4	0.3	<0.05	8.5	5.27	23.8	0.02	<1	0.2	7.7	<10	<2			
1832685	Drill Core	0.4	<0.02	4.0	4.49	<0.1	0.25	<0.02	31.8	0.3	<0.05	8.8	4.52	22.4	0.03	<1	0.2	8.2	20	<2			
1832686	Drill Core	<0.1	0.02	4.0	5.42	0.1	0.22	0.03	33.5	0.6	<0.05	8.5	4.85	22.7	0.03	<1	0.3	8.1	<10	<2			
1832687	Drill Core	0.4	0.02	3.8	5.48	0.1	0.17	0.04	40.3	0.4	<0.05	5.3	4.37	23.2	<0.02	1	0.4	8.9	<10	<2			
1832688	Drill Core	<0.1	<0.02	4.2	4.13	0.1	0.20	0.04	33.5	0.4	<0.05	6.9	5.76	23.8	0.02	<1	0.3	8.2	<10	<2			
1832689	Drill Core	0.2	0.03	4.8	4.59	0.2	0.28	0.05	45.9	0.5	<0.05	8.5	7.46	24.3	0.02	<1	0.4	11.6	<10	<2			
1832690	Drill Core	0.3	0.03	4.8	3.59	0.1	0.33	0.05	42.8	0.4	<0.05	11.9	8.19	24.9	0.02	<1	0.5	11.0	<10	<2			
1832691	Drill Core	0.1	<0.02	4.2	3.91	0.1	0.27	0.03	39.7	0.5	<0.05	9.7	5.28	22.2	0.02	1	0.4	10.4	<10	<2			
1832692	Drill Core	0.2	<0.02	4.6	4.72	0.1	0.25	0.02	42.2	0.5	<0.05	9.3	4.85	25.2	0.03	<1	0.4	10.4	<10	<2			
1832693	Drill Core	0.1	0.02	6.0	3.75	0.2	0.29	0.02	40.7	0.5	<0.05	8.5	5.30	25.2	0.04	2	0.5	12.8	<10	<2			
1832694	Drill Core	0.2	<0.02	4.9	4.06	0.1	0.24	0.03	39.9	0.5	<0.05	8.9	6.43	29.6	0.03	1	0.5	12.2	<10	<2			
1832695	Drill Core	0.2	<0.02	6.1	2.34	0.1	0.31	<0.02	26.5	0.4	<0.05	8.0	5.58	26.0	0.03	<1	0.5	11.3	<10	<2			
1832696	Drill Core	0.2	<0.02	4.4	3.69	0.2	0.19	0.02	43.4	0.4	<0.05	7.4	5.57	34.4	0.02	<1	0.4	9.5	<10	<2			
1832697	Drill Core	0.2	<0.02	3.9	1.29	0.2	0.26	<0.02	19.3	0.3	<0.05	9.3	6.10	36.3	0.02	<1	0.4	9.2	<10	<2			
1832698	Drill Core	0.2	<0.02	3.7	1.06	0.1	0.34	<0.02	20.4	0.2	<0.05	13.0	5.83	36.7	<0.02	<1	0.4	10.1	<10	<2			
1832699	Drill Core	0.8	0.06	3.0	1.36	0.1	0.27	<0.02	23.9	0.2	<0.05	11.7	8.66	20.9	0.02	<1	0.6	8.7	<10	<2			
1832700	Rock Pulp	0.1	0.13	5.0	0.68	0.2	0.07	0.11	7.9	1.7	<0.05	1.7	5.07	15.3	0.04	1	0.1	7.2	<10	<2			
1832701	Drill Core	0.4	<0.02	4.1	0.70	0.1	0.10	<0.02	14.6	0.3	<0.05	4.9	8.43	36.4	<0.02	3	0.5	16.4	<10	<2			
1832702	Drill Core	0.2	<0.02	4.0	0.81	<0.1	0.04	<0.02	14.6	0.3	<0.05	1.6	8.91	48.8	0.03	<1	0.4	15.0	<10	<2			
1832703	Drill Core	0.2	<0.02	3.8	0.78	0.2	0.02	<0.02	12.9	0.3	<0.05	1.4	8.07	45.4	<0.02	<1	0.3	9.4	<10	<2			
1832704	Drill Core	0.5	0.02	4.6	2.21	0.2	0.13	<0.02	29.2	0.4	<0.05	4.4	6.13	35.0	0.03	1	0.6	14.7	<10	<2			
1832705	Drill Core	0.3	<0.02	4.9	0.71	0.1	0.10	<0.02	12.6	0.3	<0.05	3.1	7.42	46.0	0.03	<1	0.4	12.9	<10	<2			
1832706	Drill Core	0.4	0.02	4.0	0.64	0.1	0.03	<0.02	14.2	0.3	<0.05	1.3	7.52	43.1	0.03	<1	0.4	11.8	<10	<2			
1832707	Drill Core	0.6	<0.02	3.6	2.82	0.1	0.03	<0.02	16.0	0.5	<0.05	1.1	7.73	40.2	0.04	<1	0.4	13.3	<10	<2			
1832708	Drill Core	0.2	<0.02	3.4	1.08	0.1	0.08	<0.02	13.9	0.4	<0.05	2.8	8.07	50.6	0.02	<1	0.4	14.8	<10	<2			
1832709	Drill Core	0.3	<0.02	5.7	1.66	<0.1	0.07	<0.02	13.5	0.3	<0.05	3.0	10.29	56.6	0.04	<1	0.4	16.0	<10	2			
1832710	Drill Core	0.2	<0.02	3.7	1.31	0.1	0.05	<0.02	20.9	0.3	<0.05	1.3	9.77	49.9	<0.02	<1	0.3	10.1	<10	<2			
1832711	Drill Core	0.2	<0.02	4.5	0.79	<0.1	0.04	0.03	14.4	0.3	<0.05	1.1	10.85	48.6	0.04	<1	0.2	9.8	<10	<2			
1832712	Drill Core	<0.1	<0.02	4.5	1.49	0.1	0.13	0.03	26.8	0.4	<0.05	5.1	11.16	57.2	0.02	<1	0.4	13.4	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832713	Drill Core	2.42	440	0.646	0.77	1.88	45.81	1.86	11.78	7.49	48.0	508	11.3	8.1	571	2.37	7.1	2.4	529.2	11.3	70.6
1832714	Drill Core	1.94	407	0.326	0.31	0.20	45.86	1.52	21.68	8.87	53.3	597	12.6	11.3	549	2.81	10.0	2.9	244.6	12.4	72.3
1832715	Drill Core	3.01	470	0.441	0.64	3.34	32.04	0.95	9.06	22.29	23.3	583	8.1	5.2	364	1.58	5.9	1.3	406.3	7.9	55.1
1832716	Drill Core	2.18	440	0.063	0.06	<0.17	36.81	1.79	20.17	7.42	40.0	352	8.7	7.3	430	1.98	5.5	1.8	28.0	8.8	93.1
1832717	Drill Core	2.35	470	0.103	0.21	1.28	44.64	2.47	21.16	6.32	48.4	356	11.7	10.3	505	2.44	8.4	2.8	102.3	12.1	70.8
1832718	Drill Core	5.10	406	0.321	0.43	1.43	39.06	1.62	20.04	15.88	59.9	422	13.9	10.5	446	2.63	8.0	3.7	182.0	12.9	82.9
1832719	Drill Core	4.67	445	0.176	0.18	<0.17	24.71	1.05	26.15	10.05	46.1	305	10.7	8.8	431	2.34	4.5	2.2	101.7	10.6	61.0
1832720	Rock Pulp	0.12	95	0.465				2.37	439.35	18.48	47.4	263	597.9	26.8	429	2.59	18.3	0.6	379.2	2.0	50.5
1832721	Drill Core	2.64	442	0.316	0.48	3.84	20.33	1.03	16.84	7.68	34.9	303	10.9	9.4	413	2.05	7.9	1.9	227.7	13.0	77.2
1832722	Drill Core	2.52	457	0.474	0.58	2.13	28.70	0.76	15.12	63.84	46.3	681	12.0	10.1	429	2.49	9.0	2.5	491.0	11.1	57.1
1832723	Drill Core	2.95	447	0.893	1.02	3.47	22.47	0.45	19.35	10.75	45.4	491	9.2	7.1	435	2.07	5.0	2.4	567.9	8.6	100.9
1832724	Drill Core	3.67	420	0.251	0.25	0.23	26.50	0.40	14.49	13.58	51.7	279	10.0	7.5	431	2.06	6.1	4.7	272.0	9.2	120.1
1832725	Drill Core	5.24	468	0.006	<0.01	<0.17	23.05	1.45	15.76	12.54	54.4	152	11.7	8.0	396	2.16	7.3	1.6	<0.2	11.0	90.7
1832726	Drill Core	4.74	462	0.005	<0.01	<0.17	32.37	1.65	15.57	12.12	55.0	199	11.6	8.3	444	2.01	6.4	1.0	0.7	10.5	130.1
1832727	Drill Core	5.38	430	0.006	<0.01	<0.17	29.47	1.64	14.88	12.54	53.2	192	12.1	8.2	425	2.11	5.4	1.1	0.4	9.4	112.2
1832728	Drill Core	4.82	410	0.011	0.01	<0.17	26.04	1.21	14.08	16.63	62.2	179	12.1	8.5	495	2.30	4.5	0.7	2.4	9.3	96.6
1832729	Drill Core	4.87	438	0.022	0.02	<0.17	21.78	2.60	16.73	20.14	58.9	207	12.4	8.2	461	2.25	7.4	1.6	11.7	9.1	102.9
1832730	Drill Core	5.01	504	1.003	2.55	29.31	27.60	0.88	17.73	30.15	56.2	593	12.1	8.5	450	2.19	8.3	1.9	770.6	10.5	122.5
1832731	Drill Core	5.00	497	0.012	0.01	<0.17	23.47	1.63	14.23	21.90	55.4	278	10.4	7.2	402	2.11	8.6	2.3	4.1	11.6	69.1
1832732	Drill Core	5.69	465	0.007	<0.01	<0.17	24.78	1.06	16.50	12.36	65.8	153	12.9	8.2	435	2.58	7.2	1.5	2.1	9.3	81.7
1832733	Drill Core	4.29	424	0.007	<0.01	<0.17	26.81	0.77	17.67	12.54	62.1	143	13.1	8.1	439	2.44	7.3	1.0	1.1	9.7	90.8
1832734	Drill Core	6.20	432	0.007	<0.01	<0.17	29.36	0.63	15.56	15.65	58.3	133	13.1	8.1	502	2.18	7.1	1.3	0.7	9.7	116.0
1832735	Drill Core	5.07	458	0.007	<0.01	<0.17	27.41	0.69	17.20	17.56	60.5	159	13.2	8.0	541	2.30	7.5	1.2	0.8	10.0	60.8
1832736	Drill Core	4.75	486	0.006	<0.01	<0.17	23.15	0.83	15.08	20.04	54.7	241	12.6	7.3	468	2.13	9.5	1.7	2.3	10.1	65.6
1832737	Drill Core	4.29	420	0.015	0.01	<0.17	25.60	0.96	20.22	19.71	60.5	334	12.6	8.7	720	2.31	10.0	2.4	14.2	10.5	125.5
1832738	Drill Core	4.75	432	0.165	0.17	0.17	35.29	0.96	19.83	45.05	61.9	678	12.4	8.0	632	2.15	12.8	2.0	140.8	9.7	108.7
1832739	Drill Core	4.71	443	0.009	<0.01	<0.17	49.29	0.72	14.53	11.67	61.0	210	13.6	8.4	537	2.53	15.1	4.3	17.2	10.0	85.5
1832740	Rock Pulp	0.12	88	0.006				2.22	89.53	3.71	34.7	106	4.6	8.2	343	2.46	0.7	0.9	0.9	2.7	62.4
1832741	Drill Core	2.73	397	0.006	<0.01	<0.17	46.56	0.90	17.64	9.62	54.7	143	12.6	8.2	458	2.28	17.2	2.8	0.7	9.8	74.2
1832742	Drill Core	3.48	477	0.005	<0.01	<0.17	51.18	0.79	12.20	15.12	51.2	141	11.8	6.8	494	2.21	12.5	0.7	0.5	8.6	66.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832713	Drill Core	0.21	0.56	0.09	10	1.20	0.082	26.7	13.4	0.79	232.6	0.024	<1	1.05	0.032	0.45	0.3	4.0	0.15	0.02	11
1832714	Drill Core	0.26	0.72	0.06	12	1.26	0.063	28.7	14.6	0.97	297.2	0.037	<1	1.25	0.011	0.57	0.6	4.5	0.17	0.03	8
1832715	Drill Core	0.11	0.44	0.41	6	1.04	0.064	18.7	7.4	0.45	225.3	0.010	<1	0.66	0.010	0.36	0.2	2.3	0.10	0.05	<5
1832716	Drill Core	0.18	0.48	0.11	11	1.55	0.048	20.3	13.5	0.64	236.2	0.027	<1	0.89	0.012	0.40	0.2	3.1	0.12	0.07	<5
1832717	Drill Core	0.30	0.56	0.04	13	1.30	0.066	28.8	16.6	0.76	321.3	0.043	<1	1.10	0.012	0.56	0.4	4.2	0.17	<0.02	7
1832718	Drill Core	0.31	0.61	0.11	16	1.18	0.062	24.4	19.7	0.87	264.8	0.056	<1	1.14	0.020	0.54	0.2	4.4	0.21	0.09	6
1832719	Drill Core	0.33	0.35	0.06	13	0.94	0.061	24.4	17.1	0.67	265.3	0.014	<1	0.97	0.016	0.39	0.2	3.0	0.12	0.02	11
1832720	Rock Pulp	0.21	0.38	0.30	51	1.30	0.028	3.8	98.5	1.68	69.6	0.071	3	1.95	0.194	0.14	1.3	2.7	0.09	0.20	15
1832721	Drill Core	0.18	0.45	0.06	10	1.07	0.098	24.7	11.1	0.56	269.5	0.018	1	0.83	0.015	0.45	0.3	2.7	0.15	0.18	21
1832722	Drill Core	0.33	0.57	0.29	14	0.88	0.076	28.5	13.6	0.63	301.8	0.039	2	0.97	0.017	0.54	0.5	3.4	0.18	0.07	6
1832723	Drill Core	0.35	0.39	0.13	14	1.62	0.048	16.3	14.9	0.69	207.4	0.038	2	0.91	0.032	0.40	0.5	3.7	0.15	0.24	6
1832724	Drill Core	0.31	0.44	0.11	16	2.22	0.061	17.3	15.6	0.84	228.1	0.046	2	1.02	0.018	0.50	0.4	4.0	0.18	0.28	14
1832725	Drill Core	0.26	0.41	0.10	15	1.93	0.070	25.7	15.0	0.74	256.3	0.025	1	1.21	0.019	0.44	0.2	4.2	0.15	0.04	12
1832726	Drill Core	0.28	0.31	0.26	12	2.61	0.071	24.5	14.0	0.72	232.2	0.014	1	1.16	0.005	0.38	<0.1	3.4	0.12	0.03	<5
1832727	Drill Core	0.21	0.35	0.26	14	2.36	0.071	23.1	16.5	0.77	244.2	0.020	1	1.29	0.009	0.42	0.1	3.9	0.11	0.11	25
1832728	Drill Core	0.25	0.19	0.13	16	1.81	0.063	18.5	19.2	0.87	188.9	0.010	1	1.27	0.020	0.29	<0.1	4.0	0.07	0.04	<5
1832729	Drill Core	0.30	0.40	0.14	16	2.05	0.064	16.9	18.3	0.76	231.8	0.028	1	1.19	0.021	0.38	0.2	4.5	0.13	0.13	<5
1832730	Drill Core	0.35	0.40	0.22	14	2.16	0.070	16.1	15.7	0.67	217.3	0.043	<1	1.02	0.017	0.41	0.4	3.9	0.14	0.27	<5
1832731	Drill Core	0.31	0.51	0.20	14	1.56	0.062	24.9	13.5	0.62	246.9	0.056	<1	1.07	0.021	0.44	0.5	4.7	0.17	0.02	10
1832732	Drill Core	0.25	0.40	0.09	22	1.61	0.068	22.6	24.2	0.82	180.3	0.053	<1	1.31	0.023	0.31	0.2	4.8	0.11	<0.02	<5
1832733	Drill Core	0.26	0.38	0.08	20	1.76	0.072	24.9	21.7	0.78	219.5	0.039	1	1.31	0.022	0.35	0.2	4.7	0.11	<0.02	12
1832734	Drill Core	0.32	0.32	0.11	16	2.08	0.069	19.4	16.2	0.70	295.8	0.051	<1	1.10	0.014	0.49	<0.1	4.9	0.20	0.06	<5
1832735	Drill Core	0.27	0.35	0.12	18	1.33	0.068	21.9	15.9	0.83	369.5	0.088	<1	1.12	0.018	0.66	<0.1	6.4	0.33	<0.02	<5
1832736	Drill Core	0.27	0.54	0.19	17	1.32	0.065	25.0	15.9	0.75	214.8	0.057	<1	1.09	0.018	0.50	0.1	5.4	0.23	<0.02	<5
1832737	Drill Core	0.26	0.59	0.11	18	2.18	0.072	29.7	16.6	0.82	283.4	0.060	<1	1.28	0.015	0.58	0.2	4.8	0.19	<0.02	<5
1832738	Drill Core	0.41	0.76	0.22	15	1.89	0.064	19.4	13.5	0.82	210.9	0.040	<1	1.08	0.011	0.49	0.3	4.2	0.18	<0.02	5
1832739	Drill Core	0.28	0.78	0.07	22	1.37	0.063	18.3	20.2	0.98	215.1	0.082	1	1.26	0.021	0.61	0.2	6.6	0.25	0.10	7
1832740	Rock Pulp	0.05	0.10	0.03	87	0.80	0.062	6.4	9.9	0.70	114.0	0.100	<1	1.45	0.163	0.20	3.0	2.2	0.04	<0.02	<5
1832741	Drill Core	0.26	0.57	0.05	18	1.58	0.069	13.5	17.2	1.10	222.1	0.053	<1	1.27	0.013	0.52	<0.1	6.2	0.20	0.23	<5
1832742	Drill Core	0.28	0.37	0.09	17	1.27	0.065	13.6	16.4	0.91	358.0	0.070	<1	1.06	0.019	0.65	<0.1	6.5	0.30	0.09	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832713	Drill Core	0.3	0.04	3.0	1.49	0.1	0.07	<0.02	19.1	0.3	<0.05	3.0	9.16	52.5	<0.02	<1	0.3	9.9	<10
1832714	Drill Core	0.3	0.03	3.5	1.52	0.2	0.12	0.07	24.1	0.4	<0.05	3.6	11.25	57.4	<0.02	<1	0.4	10.3	<10
1832715	Drill Core	0.2	0.07	2.0	0.62	0.1	0.04	0.03	12.5	0.2	<0.05	1.4	6.77	36.9	<0.02	<1	0.3	6.0	<10
1832716	Drill Core	0.2	<0.02	2.6	0.78	0.1	0.06	0.03	15.6	0.3	<0.05	1.3	8.79	40.0	0.03	<1	0.3	7.5	<10
1832717	Drill Core	0.4	<0.02	3.6	1.44	0.1	0.03	0.05	22.9	0.5	<0.05	1.3	10.22	55.7	0.02	<1	0.4	8.9	<10
1832718	Drill Core	0.2	0.03	3.6	1.62	<0.1	0.07	0.05	25.2	0.4	<0.05	2.4	10.02	46.8	0.03	<1	0.4	11.1	<10
1832719	Drill Core	0.3	<0.02	3.5	0.70	<0.1	0.02	<0.02	15.6	0.3	<0.05	1.3	8.47	47.7	0.03	<1	0.3	9.5	<10
1832720	Rock Pulp	0.6	0.16	4.0	0.57	0.1	0.05	<0.02	5.5	0.4	<0.05	1.1	2.72	8.1	<0.02	1	<0.1	7.9	258
1832721	Drill Core	0.3	0.02	2.6	1.03	<0.1	0.02	0.03	18.4	0.3	<0.05	1.0	9.67	47.0	<0.02	<1	0.3	7.8	<10
1832722	Drill Core	0.3	0.09	3.0	1.38	<0.1	0.03	0.05	22.0	0.4	<0.05	0.9	10.42	54.0	0.02	<1	0.5	8.8	<10
1832723	Drill Core	0.1	0.04	3.0	1.27	<0.1	0.06	0.03	16.9	0.5	<0.05	1.7	7.34	31.6	0.03	<1	0.4	6.9	<10
1832724	Drill Core	0.1	0.02	3.4	1.65	<0.1	0.03	0.02	21.5	0.4	<0.05	1.0	8.62	32.8	<0.02	4	0.3	8.6	<10
1832725	Drill Core	0.1	0.03	3.9	0.97	<0.1	0.03	<0.02	16.8	0.3	<0.05	1.0	10.62	48.9	0.03	<1	0.1	9.4	<10
1832726	Drill Core	<0.1	<0.02	3.7	0.57	<0.1	0.03	<0.02	14.2	0.2	<0.05	0.6	9.99	46.8	<0.02	<1	0.4	7.5	<10
1832727	Drill Core	<0.1	<0.02	3.8	0.46	<0.1	0.03	0.02	14.0	0.3	<0.05	0.6	10.21	42.9	0.02	<1	0.3	7.7	<10
1832728	Drill Core	<0.1	0.04	4.2	0.33	<0.1	0.03	<0.02	9.4	0.3	<0.05	1.2	8.08	34.7	<0.02	<1	0.2	7.7	<10
1832729	Drill Core	0.3	0.03	3.7	0.95	<0.1	0.03	<0.02	14.2	0.3	<0.05	0.7	7.65	32.9	0.03	1	0.4	7.7	<10
1832730	Drill Core	0.1	0.11	3.4	1.06	<0.1	0.02	0.03	16.8	0.3	<0.05	0.7	9.02	31.2	0.02	<1	0.4	7.3	<10
1832731	Drill Core	<0.1	0.03	3.5	1.19	<0.1	0.04	0.04	19.4	0.5	<0.05	1.0	11.69	47.2	0.03	<1	0.5	9.8	<10
1832732	Drill Core	<0.1	<0.02	5.1	0.74	<0.1	0.05	0.03	13.0	0.5	<0.05	0.8	10.76	43.8	0.03	<1	0.1	9.2	<10
1832733	Drill Core	<0.1	0.03	5.0	0.67	<0.1	<0.02	0.04	15.0	0.5	<0.05	0.9	11.82	46.9	0.02	<1	0.2	8.4	<10
1832734	Drill Core	0.1	0.03	3.7	2.35	<0.1	0.05	0.05	23.7	0.3	<0.05	1.1	8.06	36.7	0.02	2	0.4	6.4	<10
1832735	Drill Core	<0.1	0.03	3.1	3.94	<0.1	0.05	0.04	36.7	0.5	<0.05	1.3	8.71	40.6	<0.02	<1	0.3	6.2	<10
1832736	Drill Core	<0.1	0.02	3.4	2.66	<0.1	0.04	<0.02	26.8	0.3	<0.05	1.3	10.31	44.8	<0.02	<1	0.3	7.2	<10
1832737	Drill Core	<0.1	0.03	3.7	1.35	<0.1	0.05	0.02	23.9	0.4	<0.05	1.8	13.33	51.8	<0.02	<1	0.5	9.5	<10
1832738	Drill Core	<0.1	0.05	3.0	1.49	<0.1	0.15	<0.02	21.3	0.3	<0.05	5.3	10.24	35.9	<0.02	<1	0.4	8.3	<10
1832739	Drill Core	<0.1	0.03	3.6	2.53	<0.1	0.11	<0.02	29.4	0.5	<0.05	4.1	9.57	34.6	0.03	2	0.4	9.5	<10
1832740	Rock Pulp	<0.1	<0.02	4.0	0.30	<0.1	0.06	0.05	6.2	0.2	<0.05	1.1	4.07	14.0	<0.02	<1	0.1	6.2	<10
1832741	Drill Core	0.4	<0.02	3.5	1.66	<0.1	0.07	<0.02	23.5	0.3	<0.05	2.3	7.91	25.9	<0.02	3	0.3	9.4	<10
1832742	Drill Core	<0.1	0.03	2.8	3.29	<0.1	0.08	0.04	33.0	0.4	<0.05	2.6	5.87	26.0	<0.02	<1	0.1	5.7	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832743	Drill Core	4.99	509	0.007	<0.01	<0.17	41.57	0.87	11.95	19.17	48.7	157	10.5	6.2	476	2.12	11.1	1.2	<0.2	10.0	82.2
1832744	Drill Core	4.93	413	0.005	<0.01	<0.17	41.75	0.84	17.37	8.06	53.0	115	11.9	7.4	436	2.46	25.5	1.5	0.3	10.3	58.6
1832745	Drill Core	4.70	439	0.007	<0.01	<0.17	37.17	0.44	13.47	14.54	59.4	93	12.4	7.7	422	2.26	16.4	3.3	<0.2	10.2	50.2
1832746	Drill Core	5.24	407	0.006	<0.01	<0.17	36.10	1.31	20.25	12.84	64.9	111	15.9	9.0	546	2.36	16.0	2.6	<0.2	10.1	63.8
1832747	Drill Core	4.87	482	0.006	<0.01	<0.17	38.91	0.95	15.56	17.82	62.4	131	12.9	8.2	435	2.26	36.2	3.5	<0.2	10.6	55.0
1832748	Drill Core	5.33	496	0.005	<0.01	<0.17	43.54	0.96	16.65	18.98	53.3	137	12.7	7.6	581	2.29	19.9	2.9	<0.2	9.2	180.5
1832749	Drill Core	5.02	442	0.006	<0.01	<0.17	30.36	0.64	12.61	31.36	54.3	188	11.5	6.8	400	2.23	16.1	1.8	0.3	9.5	88.0
1832750	Drill Core	4.90	456	0.007	<0.01	<0.17	51.23	0.47	16.42	12.03	63.6	146	14.2	8.3	357	2.41	16.5	3.2	<0.2	9.6	57.2
1832751	Drill Core	4.79	461	<0.005	<0.01	<0.17	40.39	0.65	13.63	17.31	70.9	148	13.6	8.3	347	2.49	14.2	1.8	<0.2	9.9	49.0
1832752	Drill Core	4.76	438	0.006	<0.01	<0.17	44.23	0.69	22.10	21.62	64.9	189	13.7	8.4	369	2.60	20.4	1.9	1.0	10.6	76.8
1832753	Drill Core	4.71	468	0.008	<0.01	<0.17	34.83	0.59	20.33	8.98	62.3	163	15.8	9.1	419	2.55	46.3	1.9	2.0	10.7	97.1
1832754	Drill Core	5.28	477	0.006	<0.01	<0.17	37.34	0.67	14.40	20.23	63.2	137	14.0	7.7	383	2.33	24.2	1.6	0.4	9.8	84.2
1832755	Drill Core	4.78	461	0.007	<0.01	<0.17	37.18	0.68	15.41	17.43	57.8	138	12.9	7.6	391	2.27	18.0	2.2	0.5	9.6	74.0
1832756	Drill Core	5.30	494	0.006	<0.01	<0.17	36.85	1.05	14.24	21.16	56.1	207	13.0	7.8	439	2.22	18.3	1.4	2.4	8.2	106.6
1832757	Drill Core	4.32	436	0.007	<0.01	<0.17	18.04	0.93	17.92	12.46	56.8	236	14.0	7.9	493	2.23	18.7	1.5	3.1	7.6	120.3
1832758	Drill Core	5.11	529	0.099	0.12	0.45	26.52	0.70	18.67	17.72	62.6	429	12.3	7.9	649	2.32	10.6	1.1	358.0	7.0	196.1
1832759	Drill Core	5.38	462	0.381	0.40	0.61	29.52	0.74	22.14	15.62	55.6	515	12.7	8.4	465	2.27	12.3	2.3	339.1	6.7	146.9
1832760	Core DUP		537	0.569	1.32	12.82	32.91	0.77	23.57	14.47	57.4	691	12.4	8.8	446	2.27	12.4	2.3	862.3	6.9	147.8
1832761	Drill Core	3.99	545	0.039	0.04	<0.17	29.99	0.74	15.91	15.05	55.8	351	11.2	7.9	402	2.08	9.7	2.8	41.2	7.2	118.6
1832762	Drill Core	2.05	507	0.656	0.66	0.71	30.79	1.45	17.77	5.40	61.3	416	11.0	7.2	232	2.20	10.3	3.1	459.5	7.9	59.4
1832763	Drill Core	4.03	536	0.019	0.02	<0.17	37.58	1.41	14.76	16.34	46.4	231	10.3	7.7	344	1.87	11.4	6.8	3.2	9.3	86.1
1832764	Drill Core	3.84	493	0.356	0.45	2.26	22.96	1.14	13.94	15.51	43.0	443	10.2	7.7	426	1.93	11.7	3.4	337.3	8.9	132.8
1832765	Drill Core	3.53	523	0.107	0.11	0.20	40.59	0.65	17.01	12.17	39.5	360	10.0	7.9	393	1.92	11.5	4.7	74.5	7.9	134.2
1832766	Drill Core	2.49	551	0.233	0.27	0.81	33.39	0.69	12.13	97.68	71.7	651	7.6	5.8	305	1.65	8.0	1.4	230.6	5.9	101.0
1832767	Drill Core	3.37	567	0.042	0.04	<0.17	44.81	0.35	10.76	16.92	49.5	172	7.3	5.5	320	1.61	9.5	1.4	38.2	9.0	59.1
1832768	Drill Core	2.23	440	0.045	0.04	<0.17	20.50	0.41	11.61	17.64	46.4	191	7.8	6.4	328	1.84	10.9	1.7	27.7	10.2	53.5
1832769	Drill Core	3.96	437	0.151	0.39	4.23	25.79	0.63	4.43	10.47	34.2	199	7.4	5.8	396	1.86	6.4	1.4	96.0	6.4	126.0



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832743	Drill Core	0.22	0.46	0.13	17	1.34	0.059	15.9	15.7	0.83	301.0	0.047	<1	0.94	0.022	0.44	0.1	6.1	0.19	0.10	5
1832744	Drill Core	0.24	0.87	0.06	21	1.05	0.068	18.8	17.9	0.83	336.1	0.054	<1	1.03	0.029	0.56	0.1	7.6	0.27	0.11	6
1832745	Drill Core	0.27	0.92	0.03	19	0.98	0.060	18.6	16.4	0.91	255.3	0.043	<1	0.96	0.027	0.47	<0.1	6.6	0.26	0.07	<5
1832746	Drill Core	0.24	1.26	<0.02	20	0.90	0.071	20.2	18.2	0.95	495.6	0.050	<1	0.93	0.028	0.57	<0.1	7.7	0.33	0.09	<5
1832747	Drill Core	0.25	2.56	0.11	19	1.16	0.067	17.9	18.1	0.92	253.1	0.054	<1	0.95	0.026	0.57	0.2	7.3	0.42	0.12	<5
1832748	Drill Core	0.28	2.15	0.13	16	2.63	0.068	18.0	15.9	0.75	310.7	0.047	<1	0.92	0.022	0.52	0.2	5.9	0.46	0.16	<5
1832749	Drill Core	0.28	1.23	0.13	20	1.55	0.067	16.8	17.5	1.00	198.9	0.043	<1	1.12	0.015	0.47	0.1	6.4	0.24	0.14	<5
1832750	Drill Core	0.30	1.00	0.06	24	1.12	0.068	13.7	21.3	1.19	190.0	0.070	<1	1.24	0.022	0.62	0.3	7.4	0.28	0.14	<5
1832751	Drill Core	0.26	1.34	0.09	25	0.99	0.069	11.8	20.9	1.32	170.3	0.073	<1	1.34	0.018	0.57	0.1	7.0	0.30	0.11	<5
1832752	Drill Core	0.27	1.00	0.08	26	1.09	0.066	16.5	22.8	1.19	216.4	0.065	<1	1.27	0.025	0.57	0.2	7.6	0.32	0.18	<5
1832753	Drill Core	0.23	1.78	<0.02	24	1.58	0.070	16.4	22.3	1.07	236.0	0.068	<1	1.13	0.020	0.61	0.3	7.8	0.37	0.29	<5
1832754	Drill Core	0.24	1.99	0.05	26	1.20	0.063	17.0	24.1	0.99	193.2	0.070	<1	1.10	0.030	0.52	0.2	8.1	0.31	0.14	<5
1832755	Drill Core	0.24	1.97	0.07	21	1.33	0.067	14.9	19.4	0.93	171.2	0.070	<1	1.01	0.027	0.59	0.2	7.3	0.32	0.15	9
1832756	Drill Core	0.19	1.08	0.20	16	1.58	0.072	16.2	17.6	0.81	220.1	0.060	2	1.04	0.021	0.52	0.3	6.4	0.26	0.10	5
1832757	Drill Core	0.29	0.68	0.08	13	1.45	0.071	13.3	14.4	0.87	191.2	0.050	2	1.04	0.012	0.56	0.3	5.5	0.26	0.21	<5
1832758	Drill Core	0.34	0.37	0.09	19	2.12	0.067	13.7	20.9	1.00	193.7	0.058	2	1.16	0.018	0.33	0.7	5.3	0.11	0.27	<5
1832759	Drill Core	0.40	0.54	0.08	12	1.68	0.071	11.0	13.7	1.01	184.7	0.032	2	1.03	0.011	0.52	0.3	4.1	0.20	0.38	<5
1832760	Core DUP	0.38	0.54	0.08	12	1.66	0.073	11.5	14.5	1.00	200.3	0.033	3	1.05	0.013	0.54	0.3	4.1	0.20	0.39	5
1832761	Drill Core	0.27	0.38	0.15	11	1.44	0.067	12.5	12.5	1.02	180.3	0.032	2	1.09	0.009	0.49	0.2	3.6	0.17	0.14	<5
1832762	Drill Core	0.37	0.50	<0.02	9	0.63	0.064	15.8	11.7	0.63	262.5	0.039	2	1.00	0.009	0.53	0.5	3.5	0.20	0.23	<5
1832763	Drill Core	0.22	0.46	0.08	9	1.32	0.071	15.5	10.6	0.60	222.4	0.032	2	0.88	0.012	0.45	0.4	3.2	0.18	0.18	<5
1832764	Drill Core	0.28	0.42	0.08	9	1.89	0.059	15.5	10.5	0.60	284.6	0.033	1	0.86	0.019	0.49	0.6	3.4	0.14	0.57	7
1832765	Drill Core	0.24	0.48	0.02	8	1.82	0.060	13.8	9.3	0.59	217.4	0.027	<1	0.81	0.014	0.53	0.3	2.8	0.17	0.68	10
1832766	Drill Core	1.15	0.47	0.65	5	1.26	0.044	9.9	7.4	0.43	204.7	0.014	1	0.62	0.014	0.39	0.3	2.1	0.11	0.71	30
1832767	Drill Core	0.29	0.42	<0.02	6	0.78	0.049	18.2	6.7	0.58	170.1	0.013	1	0.85	0.016	0.37	0.2	2.9	0.15	0.08	6
1832768	Drill Core	0.25	0.54	0.07	11	0.65	0.052	20.8	11.2	0.71	177.5	0.016	1	0.99	0.016	0.37	0.2	3.1	0.16	0.12	9
1832769	Drill Core	0.12	0.49	0.05	10	1.59	0.039	12.1	10.7	0.67	153.8	0.004	<1	0.81	0.006	0.26	0.1	2.4	0.08	0.64	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000189.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832743	Drill Core	0.2	0.03	3.0	4.11	<0.1	0.10	0.03	22.0	0.4	<0.05	3.6	9.43	30.4	<0.02	<1	0.1	6.9	<10	<2
1832744	Drill Core	0.1	<0.02	3.4	5.44	<0.1	0.11	<0.02	29.8	0.4	<0.05	4.0	9.08	34.3	0.03	<1	0.4	6.2	<10	<2
1832745	Drill Core	<0.1	<0.02	3.3	6.18	<0.1	0.17	0.03	25.7	0.4	<0.05	5.1	8.38	34.8	0.03	3	0.2	5.9	<10	<2
1832746	Drill Core	<0.1	0.04	2.9	7.82	<0.1	0.14	0.04	35.1	0.4	<0.05	4.1	9.40	38.0	0.03	2	0.3	5.5	<10	<2
1832747	Drill Core	0.1	0.02	3.0	6.16	<0.1	0.08	<0.02	30.9	0.5	<0.05	3.2	9.50	34.4	0.04	<1	0.4	6.3	<10	<2
1832748	Drill Core	0.3	0.02	2.9	4.82	<0.1	0.05	<0.02	26.3	0.4	<0.05	1.6	9.40	33.7	0.02	1	0.6	5.8	<10	<2
1832749	Drill Core	0.3	0.03	3.5	2.38	<0.1	0.10	<0.02	22.6	0.3	<0.05	3.1	7.96	31.1	0.03	2	0.4	9.3	<10	<2
1832750	Drill Core	<0.1	<0.02	4.4	3.13	<0.1	0.14	0.02	30.9	0.5	<0.05	5.6	8.63	25.5	0.03	3	0.6	10.4	<10	<2
1832751	Drill Core	<0.1	0.03	4.8	3.24	<0.1	0.15	<0.02	31.5	0.4	<0.05	4.5	9.05	22.1	0.03	3	0.4	10.2	<10	<2
1832752	Drill Core	0.1	0.02	4.5	4.12	<0.1	0.18	<0.02	31.3	0.5	<0.05	6.3	10.08	32.0	<0.02	1	0.4	10.0	<10	<2
1832753	Drill Core	0.5	0.02	4.1	3.87	<0.1	0.19	<0.02	32.0	0.4	<0.05	6.9	11.11	31.9	<0.02	<1	0.3	8.9	<10	<2
1832754	Drill Core	<0.1	0.03	4.1	3.98	<0.1	0.18	0.03	30.1	0.4	<0.05	5.7	9.52	32.6	0.03	2	0.3	8.3	<10	<2
1832755	Drill Core	0.1	0.02	3.4	3.80	<0.1	0.13	0.03	32.3	0.4	<0.05	4.5	9.82	27.8	0.03	2	0.2	7.7	<10	<2
1832756	Drill Core	0.1	0.02	3.1	3.33	<0.1	0.08	0.05	27.6	0.6	<0.05	3.4	10.01	31.5	0.03	<1	0.3	8.4	<10	<2
1832757	Drill Core	0.3	<0.02	2.7	3.14	<0.1	0.08	<0.02	28.4	0.4	<0.05	4.0	8.35	25.9	0.03	<1	0.3	9.1	<10	<2
1832758	Drill Core	0.3	0.03	3.7	0.75	<0.1	0.06	0.03	13.0	0.4	<0.05	4.1	9.17	25.6	0.03	2	0.4	8.6	<10	<2
1832759	Drill Core	0.3	0.03	2.6	2.09	<0.1	0.13	<0.02	23.8	0.3	<0.05	4.8	6.27	19.6	<0.02	<1	0.3	8.3	<10	<2
1832760	Core DUP	0.3	0.03	2.8	1.89	<0.1	0.12	<0.02	24.9	0.3	<0.05	5.1	6.26	21.5	<0.02	<1	0.3	8.0	<10	<2
1832761	Drill Core	0.2	0.02	2.7	1.59	<0.1	0.13	<0.02	21.9	0.3	<0.05	5.5	6.12	23.8	<0.02	2	0.3	8.1	<10	<2
1832762	Drill Core	0.4	0.03	2.5	2.12	<0.1	0.08	<0.02	33.2	0.3	<0.05	3.3	8.05	31.6	<0.02	<1	0.4	8.5	<10	<2
1832763	Drill Core	0.3	<0.02	2.6	1.62	<0.1	0.04	<0.02	24.9	0.2	<0.05	1.4	8.96	30.6	<0.02	2	0.3	5.7	<10	<2
1832764	Drill Core	0.3	0.03	2.3	0.96	<0.1	0.04	0.02	19.4	0.3	<0.05	1.9	8.30	29.2	<0.02	2	0.3	5.4	<10	<2
1832765	Drill Core	0.3	0.03	2.1	1.24	<0.1	0.04	<0.02	22.9	0.2	<0.05	1.1	7.23	26.2	<0.02	<1	0.2	4.7	<10	<2
1832766	Drill Core	0.7	0.03	1.6	0.68	<0.1	0.11	<0.02	15.2	0.2	<0.05	4.2	5.19	19.7	<0.02	<1	0.2	3.7	<10	<2
1832767	Drill Core	0.1	<0.02	2.4	1.43	<0.1	0.27	<0.02	18.7	0.4	<0.05	11.9	6.04	33.5	<0.02	<1	0.3	6.8	<10	<2
1832768	Drill Core	0.1	<0.02	3.5	1.96	<0.1	0.28	<0.02	18.6	0.7	<0.05	11.3	9.03	39.6	<0.02	2	0.5	7.0	<10	<2
1832769	Drill Core	0.4	<0.02	2.8	1.77	<0.1	0.08	<0.02	11.2	0.2	<0.05	3.8	8.44	22.4	<0.02	<1	0.4	5.7	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 09, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000189.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1832683	Drill Core	5.06	477	<0.005	<0.01	<0.17	22.17	1.17	25.72	17.09	59.9	314	12.4	8.5	569	2.52	6.6	1.0	<0.2	10.1	72.0	
REP 1832683	QC							1.22	24.84	16.85	60.1	285	12.5	8.7	569	2.51	6.7	1.0	<0.2	9.9	71.2	
REP 1832687	QC	<0.005																				
1832691	Drill Core	4.95	445	<0.005	<0.01	<0.17	25.36	0.63	15.76	10.72	65.6	181	12.1	8.4	536	2.62	4.1	1.0	0.3	10.2	82.4	
REP 1832691	QC	<0.005																				
1832718	Drill Core	5.10	406	0.321	0.43	1.43	39.06	1.62	20.04	15.88	59.9	422	13.9	10.5	446	2.63	8.0	3.7	182.0	12.9	82.9	
REP 1832718	QC							1.63	20.21	16.37	66.2	414	14.0	10.9	470	2.65	8.4	3.7	155.7	13.2	87.6	
1832753	Drill Core	4.71	468	0.008	<0.01	<0.17	34.83	0.59	20.33	8.98	62.3	163	15.8	9.1	419	2.55	46.3	1.9	2.0	10.7	97.1	
REP 1832753	QC							0.60	20.06	8.80	61.8	147	15.9	8.8	412	2.56	46.1	1.9	1.6	10.6	96.5	
1832759	Drill Core	5.38	462	0.381	0.40	0.61	29.52	0.74	22.14	15.62	55.6	515	12.7	8.4	465	2.27	12.3	2.3	339.1	6.7	146.9	
REP 1832759	QC	0.335																				
1832764	Drill Core	3.84	493	0.356	0.45	2.26	22.96	1.14	13.94	15.51	43.0	443	10.2	7.7	426	1.93	11.7	3.4	337.3	8.9	132.8	
REP 1832764	QC	0.378																				
Core Reject Duplicates																						
1832653	Drill Core	4.79	471	0.008	<0.01	<0.17	25.07	0.78	16.09	20.01	68.8	525	12.2	8.2	438	2.56	8.8	0.9	3.4	10.1	31.7	
DUP 1832653	QC			478	0.008	<0.01	<0.17	45.01	0.84	18.96	21.38	75.2	647	13.1	8.9	479	2.62	9.3	1.1	4.3	10.5	32.6
1832687	Drill Core	5.34	413	<0.005	<0.01	<0.17	42.25	1.01	24.08	10.81	66.6	209	12.1	9.2	509	2.56	3.8	1.3	1.3	11.7	93.9	
DUP 1832687	QC			420	<0.005	<0.01	<0.17	31.68	0.94	23.55	11.14	66.3	214	12.8	9.2	567	2.48	3.4	1.2	1.1	11.2	95.6
1832721	Drill Core	2.64	442	0.316	0.48	3.84	20.33	1.03	16.84	7.68	34.9	303	10.9	9.4	413	2.05	7.9	1.9	227.7	13.0	77.2	
DUP 1832721	QC			471	0.266	0.27	0.31	26.10	0.96	16.32	6.95	33.2	325	10.8	8.9	410	2.02	7.5	1.9	308.4	10.6	73.3
1832755	Drill Core	4.78	461	0.007	<0.01	<0.17	37.18	0.68	15.41	17.43	57.8	138	12.9	7.6	391	2.27	18.0	2.2	0.5	9.6	74.0	
DUP 1832755	QC			469	0.007	<0.01	<0.17	35.92	0.71	15.56	17.87	58.4	132	12.7	7.3	388	2.23	17.1	2.2	2.9	8.2	70.0
Reference Materials																						
STD BVGEO01	Standard							11.49	4448.65	196.51	1815.9	2475	159.2	25.8	752	3.76	119.4	3.9	229.3	15.9	53.1	
STD BVGEO01	Standard							11.54	4356.33	194.43	1742.8	2455	156.1	24.8	727	3.55	112.6	3.9	206.4	12.6	54.0	
STD DS11	Standard							13.67	144.87	135.18	322.1	1640	76.9	13.2	977	3.05	40.3	2.5	54.6	8.1	63.2	
STD DS11	Standard							14.51	148.94	138.04	329.3	1682	78.6	13.8	1017	3.06	41.0	2.6	102.8	8.9	67.0	
STD OREAS262	Standard							0.69	124.71	59.94	154.6	468	69.4	30.1	541	3.37	36.4	1.3	75.2	10.2	35.0	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000189.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832683	Drill Core	0.31	0.42	0.08	20	0.96	0.067	17.2	21.6	0.91	417.5	0.050	3	1.11	0.033	0.51	0.2	4.9	0.24	0.12	<5
REP 1832683	QC	0.29	0.41	0.08	20	0.96	0.063	16.4	21.0	0.90	408.4	0.046	2	1.09	0.034	0.51	0.1	4.8	0.24	0.12	<5
REP 1832687	QC																				
1832691	Drill Core	0.30	0.47	0.05	21	0.93	0.064	11.2	21.6	1.13	443.3	0.083	<1	1.22	0.023	0.77	0.1	6.1	0.40	0.10	<5
REP 1832691	QC																				
1832718	Drill Core	0.31	0.61	0.11	16	1.18	0.062	24.4	19.7	0.87	264.8	0.056	<1	1.14	0.020	0.54	0.2	4.4	0.21	0.09	6
REP 1832718	QC	0.30	0.60	0.12	16	1.17	0.064	25.6	20.2	0.87	274.8	0.061	<1	1.17	0.021	0.55	0.3	4.2	0.20	0.09	13
1832753	Drill Core	0.23	1.78	<0.02	24	1.58	0.070	16.4	22.3	1.07	236.0	0.068	<1	1.13	0.020	0.61	0.3	7.8	0.37	0.29	<5
REP 1832753	QC	0.24	1.78	<0.02	24	1.58	0.072	16.8	21.9	1.07	245.7	0.068	<1	1.14	0.020	0.62	0.3	7.6	0.36	0.29	<5
1832759	Drill Core	0.40	0.54	0.08	12	1.68	0.071	11.0	13.7	1.01	184.7	0.032	2	1.03	0.011	0.52	0.3	4.1	0.20	0.38	<5
REP 1832759	QC																				
1832764	Drill Core	0.28	0.42	0.08	9	1.89	0.059	15.5	10.5	0.60	284.6	0.033	1	0.86	0.019	0.49	0.6	3.4	0.14	0.57	7
REP 1832764	QC																				
Core Reject Duplicates																					
1832653	Drill Core	0.35	0.87	0.17	20	0.33	0.066	20.1	20.4	1.24	246.0	0.062	2	1.36	0.026	0.64	0.9	4.3	0.28	0.09	5
DUP 1832653	QC	0.47	0.98	0.18	20	0.33	0.069	21.1	22.2	1.26	269.3	0.065	2	1.38	0.025	0.65	1.1	4.4	0.31	0.08	<5
1832687	Drill Core	0.31	0.46	0.07	19	0.87	0.068	11.6	19.4	0.98	598.1	0.061	<1	1.11	0.028	0.68	0.1	5.9	0.36	0.20	<5
DUP 1832687	QC	0.28	0.45	0.07	19	0.83	0.066	11.4	19.7	0.95	582.0	0.061	<1	1.06	0.027	0.69	0.1	6.1	0.36	0.19	<5
1832721	Drill Core	0.18	0.45	0.06	10	1.07	0.098	24.7	11.1	0.56	269.5	0.018	1	0.83	0.015	0.45	0.3	2.7	0.15	0.18	21
DUP 1832721	QC	0.17	0.44	0.05	10	1.06	0.093	24.2	11.1	0.56	268.2	0.018	2	0.84	0.015	0.45	0.4	2.8	0.14	0.19	18
1832755	Drill Core	0.24	1.97	0.07	21	1.33	0.067	14.9	19.4	0.93	171.2	0.070	<1	1.01	0.027	0.59	0.2	7.3	0.32	0.15	9
DUP 1832755	QC	0.27	1.81	0.10	19	1.35	0.066	14.4	19.3	0.92	176.3	0.066	2	0.99	0.024	0.57	0.2	6.9	0.32	0.15	<5
Reference Materials																					
STD BVGEO01	Standard	6.27	3.48	25.06	74	1.34	0.069	25.6	195.4	1.31	301.7	0.247	2	2.33	0.197	0.92	5.3	6.1	0.62	0.69	91
STD BVGEO01	Standard	6.22	3.12	24.17	70	1.32	0.073	26.7	184.6	1.25	241.9	0.234	4	2.30	0.186	0.83	4.9	5.6	0.58	0.63	83
STD DS11	Standard	2.33	8.08	11.15	50	1.02	0.067	18.0	58.2	0.84	353.5	0.094	6	1.17	0.074	0.39	2.9	3.0	4.67	0.27	248
STD DS11	Standard	2.26	8.07	11.61	52	1.10	0.070	20.0	62.1	0.86	360.1	0.105	9	1.24	0.076	0.41	2.8	3.3	4.71	0.29	261
STD OREAS262	Standard	0.67	5.76	1.04	23	3.13	0.041	17.3	48.4	1.19	248.6	0.003	3	1.38	0.068	0.33	0.2	3.4	0.47	0.26	156



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 09, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000189.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832683	Drill Core	0.2	0.03	4.6	2.89	<0.1	0.22	<0.02	24.6	0.4	<0.05	7.1	7.23	33.0	0.02	<1	0.5	7.7	<10	<2
REP 1832683	QC	0.3	<0.02	4.4	2.94	<0.1	0.19	<0.02	24.8	0.3	<0.05	6.9	7.06	31.9	0.02	1	0.2	8.2	<10	<2
REP 1832687	QC																			
1832691	Drill Core	0.1	<0.02	4.2	3.91	0.1	0.27	0.03	39.7	0.5	<0.05	9.7	5.28	22.2	0.02	1	0.4	10.4	<10	<2
REP 1832691	QC																			
1832718	Drill Core	0.2	0.03	3.6	1.62	<0.1	0.07	0.05	25.2	0.4	<0.05	2.4	10.02	46.8	0.03	<1	0.4	11.1	<10	<2
REP 1832718	QC	0.4	0.02	3.8	1.66	0.1	0.08	0.06	25.9	0.4	<0.05	2.6	10.72	51.0	<0.02	<1	0.3	10.9	<10	<2
1832753	Drill Core	0.5	0.02	4.1	3.87	<0.1	0.19	<0.02	32.0	0.4	<0.05	6.9	11.11	31.9	<0.02	<1	0.3	8.9	<10	<2
REP 1832753	QC	0.2	0.03	3.9	3.87	<0.1	0.20	<0.02	31.8	0.4	<0.05	7.0	11.05	31.1	0.02	2	0.3	8.4	<10	<2
1832759	Drill Core	0.3	0.03	2.6	2.09	<0.1	0.13	<0.02	23.8	0.3	<0.05	4.8	6.27	19.6	<0.02	<1	0.3	8.3	<10	<2
REP 1832759	QC																			
1832764	Drill Core	0.3	0.03	2.3	0.96	<0.1	0.04	0.02	19.4	0.3	<0.05	1.9	8.30	29.2	<0.02	2	0.3	5.4	<10	<2
REP 1832764	QC																			
Core Reject Duplicates																				
1832653	Drill Core	0.1	0.03	4.4	3.00	<0.1	0.30	0.04	32.3	0.6	<0.05	9.1	7.34	37.3	<0.02	<1	0.2	11.5	<10	<2
DUP 1832653	QC	<0.1	0.04	4.9	3.27	<0.1	0.28	0.03	34.9	0.6	<0.05	10.4	8.02	38.8	0.02	1	0.7	13.3	<10	<2
1832687	Drill Core	0.4	0.02	3.8	5.48	0.1	0.17	0.04	40.3	0.4	<0.05	5.3	4.37	23.2	<0.02	1	0.4	8.9	<10	<2
DUP 1832687	QC	0.2	0.03	3.7	5.44	0.1	0.15	0.02	40.1	0.4	<0.05	5.0	4.39	22.6	<0.02	1	0.3	8.6	<10	<2
1832721	Drill Core	0.3	0.02	2.6	1.03	<0.1	0.02	0.03	18.4	0.3	<0.05	1.0	9.67	47.0	<0.02	<1	0.3	7.8	<10	<2
DUP 1832721	QC	0.2	0.03	2.6	1.00	<0.1	0.03	<0.02	18.0	0.4	<0.05	1.0	9.03	46.8	<0.02	<1	0.3	7.7	<10	<2
1832755	Drill Core	0.1	0.02	3.4	3.80	<0.1	0.13	0.03	32.3	0.4	<0.05	4.5	9.82	27.8	0.03	2	0.2	7.7	<10	<2
DUP 1832755	QC	0.2	<0.02	3.2	3.76	<0.1	0.12	0.07	30.2	0.7	<0.05	4.8	9.90	27.1	0.02	1	0.3	7.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	1.06	7.2	7.29	0.3	0.27	0.26	93.3	5.6	<0.05	8.0	13.96	52.6	0.45	5	0.7	20.9	136	189
STD BVGEO01	Standard	4.6	1.00	7.0	7.01	0.2	0.30	0.17	90.8	5.6	<0.05	9.0	14.82	53.3	0.43	4	0.8	21.1	126	174
STD DS11	Standard	2.0	4.43	4.8	2.77	<0.1	0.07	1.48	31.2	1.6	<0.05	2.9	7.59	35.7	0.23	47	0.8	20.4	84	164
STD DS11	Standard	1.9	4.46	4.8	2.89	<0.1	0.06	1.47	32.5	1.8	<0.05	2.7	8.24	39.2	0.22	42	0.7	22.1	97	168
STD OREAS262	Standard	0.4	0.26	4.0	3.19	0.2	0.24	<0.02	19.5	0.6	<0.05	9.6	10.51	35.7	0.05	2	1.0	18.4	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000189.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.63	113.72	56.01	141.1	447	63.3	26.6	509	3.14	33.9	1.2	60.8	9.7	32.8
STD OREAS262	Standard							0.61	117.54	58.10	144.9	458	64.6	27.7	520	3.23	33.9	1.3	54.8	9.8	33.9
STD OREAS256	Standard			7.849																	
STD OREAS262	Standard							0.62	122.43	57.39	145.0	441	65.1	28.2	532	3.16	34.0	1.2	53.2	8.1	34.9
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.216																	
STD OXH139	Standard			1.343																	
STD OXH139	Standard			1.374																	
STD OXN134	Standard			7.702																	
STD OXQ90	Standard					25.35	30.37														
STD OXQ90	Standard					25.29	29.46														
STD OXQ90	Standard					25.26	29.65														
STD OXQ90	Standard					25.08	29.71														
STD OXQ90	Standard					25.15	29.98														
STD OXQ90	Standard					25.19	30.65														
STD OXQ90	Standard					25.39	30.33														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank			0.007																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000189.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.65	4.68	0.98	23	2.79	0.040	15.0	41.7	1.17	228.7	0.003	3	1.29	0.070	0.29	0.2	3.0	0.45	0.25	164
STD OREAS262	Standard	0.59	4.00	1.02	24	3.00	0.041	18.1	45.4	1.19	248.2	0.003	7	1.46	0.072	0.33	0.1	3.4	0.45	0.27	167
STD OREAS256	Standard																				
STD OREAS262	Standard	0.62	2.84	0.97	21	3.01	0.040	16.3	44.1	1.14	238.3	0.003	4	1.34	0.065	0.29	0.1	3.2	0.43	0.25	148
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000189.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.2	0.23	3.5	2.61	<0.1	0.22	<0.02	17.1	0.5	<0.05	7.6	9.79	29.9	0.04	<1	1.3	17.1	<10	<2
STD OREAS262	Standard	0.2	0.18	4.0	2.66	<0.1	0.20	<0.02	18.9	0.6	<0.05	7.2	11.04	35.1	0.04	2	1.1	17.5	<10	<2
STD OREAS256	Standard																			
STD OREAS262	Standard	0.4	0.19	4.0	2.45	<0.1	0.19	<0.02	17.8	0.5	<0.05	10.7	10.70	32.1	0.02	<1	1.2	17.8	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	0.2	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000189.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		479	<0.005	<0.01	<0.17	43.26	1.02	2.38	1.28	27.5	7	0.9	3.9	481	1.97	1.0	0.5	<0.2	4.9	23.9
ROCK-WHI	Prep Blank		481	<0.005	<0.01	<0.17	37.04	0.84	4.57	1.17	27.8	12	0.9	3.6	484	1.93	1.2	0.5	<0.2	2.9	25.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000189.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.04	0.02	25	0.62	0.044	6.7	3.6	0.42	58.6	0.088	4	0.85	0.086	0.09	0.1	3.0	<0.02	0.04	8
ROCK-WHI	Prep Blank	0.01	0.04	0.03	24	0.70	0.043	6.5	3.3	0.44	50.8	0.083	3	0.97	0.094	0.10	<0.1	3.0	<0.02	<0.02	8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 09, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000189.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	0.02	3.8	0.16	<0.1	0.10	0.23	2.3	0.4	<0.05	2.4	9.03	13.3	<0.02	<1	0.2	1.7	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.15	<0.1	0.12	0.25	2.2	0.5	<0.05	2.5	8.45	12.8	0.02	<1	0.3	2.0	<10