



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 11, 2019  
Report Date: August 09, 2019  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI19000190.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-27  
P.O. Number  
Number of Samples: 57

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	55	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	57	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	57	Analysis sample split/packet			WHI
Split -150	57	Analysis sample split/packet			WHI
EN002	57	Environmental disposal charge-Fire assay lead waste			VAN
FS631	56	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	57	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	57	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 2 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000190.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828848	Drill Core	5.13	468	0.006	<0.01	<0.17	47.15	0.86	26.52	21.81	60.5	152	10.4	6.7	414	2.26	1.6	1.1	0.8	95.8
1828849	Drill Core	5.38	479	0.006	<0.01	<0.17	44.14	0.85	16.42	13.17	70.1	160	13.7	8.6	476	2.58	2.5	1.4	1.8	76.6
1828850	Drill Core	2.54	493	0.006	<0.01	<0.17	31.62	1.54	22.63	32.16	70.2	300	11.8	6.6	763	2.30	3.4	2.1	3.9	133.8
1828851	Drill Core	2.42	457	0.007	<0.01	<0.17	38.80	1.74	28.97	7.19	62.7	232	14.5	8.9	539	2.58	7.6	1.6	2.9	126.3
1828852	Drill Core	2.76	453	0.133	0.21	1.09	34.79	1.88	23.69	17.10	61.7	410	14.6	9.0	467	2.42	2.9	2.8	151.0	87.9
1828853	Drill Core	2.49	483	0.249	0.30	0.72	49.87	1.39	21.61	13.44	52.3	364	10.6	8.2	507	2.16	5.6	1.8	296.9	196.7
1828854	Drill Core	5.04	457	0.005	<0.01	<0.17	37.83	0.65	18.83	9.90	62.0	158	12.2	8.5	357	2.42	3.3	0.9	1.2	72.1
1828855	Drill Core	2.64	453	<0.005	<0.01	<0.17	39.57	1.18	11.37	38.01	53.6	174	10.5	7.1	440	2.20	4.4	0.5	1.6	243.5
1828856	Drill Core	2.59	497	<0.005	<0.01	<0.17	49.20	1.70	29.76	17.56	69.3	209	14.7	11.1	417	2.88	9.9	0.7	1.3	103.5
1828857	Drill Core	4.27	445	<0.005	<0.01	<0.17	49.01	0.71	17.88	12.84	54.1	140	11.1	7.5	382	2.40	6.3	0.7	2.3	111.7
1828858	Drill Core	5.05	447	<0.005	<0.01	<0.17	24.22	0.55	14.72	15.13	60.7	107	12.5	7.5	440	2.41	10.7	0.8	1.4	67.7
1828859	Drill Core	6.10	556	<0.005	<0.01	<0.17	38.95	0.46	14.16	18.08	10.8	275	7.4	2.9	186	0.66	25.5	1.3	1.5	116.0
1828860	Core DUP		449	<0.005	<0.01	<0.17	38.47	0.55	15.23	18.80	10.2	271	7.7	3.1	200	0.70	26.0	1.3	0.7	117.5
1828861	Drill Core	5.48	505	0.015	0.01	<0.17	41.79	1.17	18.21	14.93	31.4	237	12.9	4.9	320	1.35	94.4	1.5	6.0	110.5
1828862	Drill Core	3.98	405	0.057	0.08	0.28	45.66	2.55	42.67	10.38	83.3	322	30.2	8.1	404	2.57	270.8	3.4	18.0	65.4
1828863	Drill Core	4.88	477	0.039	0.04	<0.17	42.20	1.93	26.04	21.80	50.3	436	21.0	5.9	362	1.77	138.0	2.9	5.3	89.8
1828864	Drill Core	3.23	450	<0.005	<0.01	<0.17	22.79	1.38	13.64	14.48	34.7	228	10.6	5.6	279	1.59	10.7	3.5	0.6	69.0
1828865	Drill Core	3.01	446	0.347	0.60	5.15	23.67	1.06	11.60	27.78	48.0	444	8.5	6.1	388	1.91	6.2	2.6	359.7	116.4
1828866	Drill Core	4.85	491	0.006	<0.01	<0.17	33.81	1.30	13.25	24.38	59.3	221	13.1	8.2	466	2.27	9.6	4.4	1.1	106.3
1828867	Drill Core	3.86	450	<0.005	<0.01	<0.17	33.40	1.91	19.08	11.73	59.5	143	13.7	8.4	379	2.09	10.1	2.6	3.9	65.6
1828868	Drill Core	4.56	434	<0.005	<0.01	<0.17	28.85	1.53	18.86	14.92	50.9	163	13.9	8.3	313	1.96	7.2	1.4	3.4	48.4
1828869	Drill Core	4.82	491	<0.005	<0.01	<0.17	34.22	1.49	17.90	9.26	43.9	132	12.5	7.7	242	1.73	1.5	0.9	1.7	40.7
1828870	Drill Core	3.03	424	<0.005	<0.01	<0.17	28.68	1.53	16.31	8.25	51.3	113	11.8	7.7	248	1.85	1.5	1.9	2.1	47.5
1828871	Drill Core	3.16	455	<0.005	<0.01	<0.17	23.01	1.92	16.66	12.87	51.8	170	11.6	7.8	297	1.87	5.7	1.5	1.5	68.6
1828872	Drill Core	5.40	433	<0.005	<0.01	<0.17	38.97	1.96	15.63	9.84	56.5	149	13.2	7.9	319	2.09	2.4	1.4	1.2	48.8
1828873	Drill Core	4.82	443	<0.005	<0.01	<0.17	24.34	1.41	16.40	11.16	56.7	162	12.7	7.5	350	2.02	4.1	1.0	1.6	49.4
1828874	Drill Core	5.59	515	<0.005	<0.01	<0.17	25.85	1.16	17.44	11.14	56.6	157	13.8	8.3	299	1.90	4.1	1.1	0.6	43.6
1828875	Drill Core	5.17	469	<0.005	<0.01	<0.17	30.80	1.44	16.53	10.30	56.9	134	13.4	8.3	299	1.81	6.7	0.9	0.6	53.6
1828876	Drill Core	4.82	409	<0.005	<0.01	<0.17	22.93	1.21	13.64	13.81	65.2	144	12.3	7.8	455	2.33	5.4	1.0	0.4	128.0
1828877	Drill Core	5.94	438	0.005	<0.01	<0.17	23.15	1.02	18.04	13.51	50.4	163	10.6	7.6	549	2.14	7.8	1.8	1.2	113.5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 2 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000190.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828848	Drill Core	0.24	0.13	0.17	16	1.10	0.056	21.1	16.9	0.93	410.2	0.068	1	1.06	0.028	0.65	<0.1	6.1	0.27	0.08	<5
1828849	Drill Core	0.33	0.17	0.09	20	1.24	0.068	20.1	19.9	1.16	279.5	0.074	<1	1.31	0.020	0.74	<0.1	6.7	0.33	0.17	<5
1828850	Drill Core	0.44	0.20	0.31	19	1.92	0.060	17.9	19.8	0.98	210.3	0.027	1	1.24	0.021	0.44	0.2	5.5	0.20	0.05	<5
1828851	Drill Core	0.33	0.15	0.04	20	1.49	0.067	18.8	22.8	0.85	258.4	0.015	<1	1.31	0.026	0.39	<0.1	5.5	0.13	0.23	<5
1828852	Drill Core	0.26	0.21	0.19	16	1.37	0.068	18.3	16.4	0.92	316.3	0.062	<1	1.19	0.016	0.72	<0.1	4.9	0.32	0.28	<5
1828853	Drill Core	0.39	0.20	0.09	14	2.45	0.060	18.4	16.6	0.61	246.3	0.034	<1	0.84	0.033	0.44	0.1	4.3	0.20	0.09	<5
1828854	Drill Core	0.23	0.10	0.04	19	1.08	0.065	28.5	20.3	0.82	436.8	0.077	<1	1.05	0.029	0.65	<0.1	6.8	0.28	<0.02	<5
1828855	Drill Core	0.36	0.10	0.08	14	2.36	0.049	18.1	15.5	0.69	458.5	0.053	<1	0.82	0.024	0.52	<0.1	5.2	0.23	0.03	<5
1828856	Drill Core	0.22	0.13	0.04	19	1.05	0.070	24.0	20.9	0.99	616.7	0.077	<1	1.15	0.022	0.71	<0.1	8.1	0.32	0.07	<5
1828857	Drill Core	0.23	0.11	0.02	16	1.43	0.062	24.2	17.4	0.80	455.0	0.040	<1	0.94	0.029	0.51	<0.1	6.2	0.20	<0.02	<5
1828858	Drill Core	0.17	0.15	0.03	18	1.01	0.060	23.9	16.9	0.97	428.6	0.107	<1	1.15	0.027	0.55	<0.1	7.0	0.22	0.04	<5
1828859	Drill Core	0.15	0.23	0.35	5	2.04	0.050	22.4	4.5	0.12	280.1	0.027	1	0.57	0.008	0.42	0.1	1.5	0.09	<0.02	<5
1828860	Core DUP	0.15	0.27	0.36	5	2.09	0.052	21.2	4.8	0.12	288.0	0.030	<1	0.59	0.009	0.44	0.1	1.7	0.09	<0.02	<5
1828861	Drill Core	0.13	0.45	0.24	13	2.00	0.054	26.2	11.7	0.46	301.2	0.054	<1	0.84	0.019	0.46	0.1	4.0	0.13	0.04	<5
1828862	Drill Core	0.37	0.73	0.18	30	1.30	0.072	13.4	23.8	1.11	271.2	0.078	<1	1.32	0.008	0.77	<0.1	7.4	0.38	0.35	<5
1828863	Drill Core	0.32	0.92	0.43	16	1.40	0.058	19.0	13.6	0.58	303.1	0.024	<1	0.87	0.018	0.49	<0.1	3.4	0.18	0.26	<5
1828864	Drill Core	0.17	0.24	0.25	10	0.89	0.048	24.5	9.7	0.54	343.7	0.038	<1	0.79	0.027	0.52	<0.1	3.6	0.20	0.15	<5
1828865	Drill Core	0.22	0.20	0.27	11	1.49	0.040	18.8	12.6	0.67	289.0	0.041	<1	0.86	0.036	0.48	0.1	5.0	0.25	0.24	<5
1828866	Drill Core	0.24	0.22	0.16	18	1.82	0.063	22.5	19.6	0.77	332.6	0.037	<1	1.16	0.040	0.43	<0.1	6.0	0.15	0.15	18
1828867	Drill Core	0.17	0.32	0.09	19	1.27	0.064	12.7	22.3	0.67	251.8	0.090	2	1.05	0.041	0.25	<0.1	4.9	0.10	0.23	<5
1828868	Drill Core	0.19	0.55	0.14	16	0.92	0.062	8.1	19.4	0.55	250.7	0.097	1	0.97	0.040	0.25	0.1	4.0	0.12	0.15	<5
1828869	Drill Core	0.18	0.46	0.08	13	0.77	0.062	6.9	16.5	0.44	217.6	0.095	1	0.81	0.043	0.23	<0.1	3.1	0.13	0.17	6
1828870	Drill Core	0.13	0.62	0.07	14	0.77	0.060	8.4	16.6	0.47	236.2	0.102	1	0.91	0.046	0.26	0.1	3.9	0.22	0.10	<5
1828871	Drill Core	0.12	0.98	0.11	15	1.07	0.062	9.3	18.4	0.49	209.5	0.103	1	0.82	0.050	0.21	0.1	4.2	0.14	0.16	<5
1828872	Drill Core	0.15	0.33	0.09	18	0.90	0.067	10.3	22.6	0.62	212.1	0.103	1	0.95	0.048	0.21	<0.1	4.3	0.12	0.19	<5
1828873	Drill Core	0.14	0.42	0.09	15	0.94	0.062	7.7	19.1	0.62	238.8	0.095	<1	0.97	0.039	0.23	0.1	3.6	0.10	0.18	<5
1828874	Drill Core	0.15	0.48	0.09	12	0.80	0.066	6.5	17.9	0.64	286.7	0.101	<1	1.05	0.034	0.26	<0.1	3.4	0.12	0.20	<5
1828875	Drill Core	0.20	0.20	0.08	12	1.13	0.064	8.6	15.6	0.61	272.6	0.080	1	1.07	0.026	0.29	0.1	3.2	0.10	0.22	<5
1828876	Drill Core	0.21	0.20	0.11	18	2.06	0.061	22.4	22.6	0.77	241.5	0.032	1	1.26	0.037	0.30	<0.1	5.1	0.10	0.17	<5
1828877	Drill Core	0.24	0.23	0.10	13	1.81	0.057	17.0	14.1	0.73	271.2	0.029	<1	1.02	0.021	0.43	<0.1	5.2	0.15	0.18	6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 2 of 3 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000190.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828848	Drill Core	0.2	<0.02	3.3	6.16	<0.1	0.11	<0.02	36.6	0.5	<0.05	4.3	6.27	38.5	0.03	<1	0.3	6.4	<10	<2			
1828849	Drill Core	0.4	<0.02	4.0	2.69	<0.1	0.22	<0.02	38.0	0.5	<0.05	8.7	6.16	37.4	0.03	<1	0.3	8.9	<10	<2			
1828850	Drill Core	0.3	<0.02	4.6	2.28	<0.1	0.09	<0.02	21.3	0.6	<0.05	4.3	7.32	33.2	0.03	<1	0.4	12.4	<10	<2			
1828851	Drill Core	0.5	<0.02	4.5	0.97	<0.1	0.04	<0.02	15.2	0.5	<0.05	2.0	7.60	36.8	0.03	<1	0.4	11.6	<10	<2			
1828852	Drill Core	0.6	0.03	3.8	2.73	<0.1	0.16	<0.02	37.2	0.4	<0.05	5.9	5.92	34.0	0.02	1	0.4	9.1	<10	<2			
1828853	Drill Core	0.3	0.03	3.1	2.12	<0.1	0.08	<0.02	21.2	0.6	<0.05	3.5	8.28	34.8	<0.02	<1	0.3	6.0	<10	<2			
1828854	Drill Core	<0.1	<0.02	3.4	5.49	<0.1	0.09	<0.02	37.6	0.5	<0.05	3.5	6.72	52.8	0.02	<1	0.3	5.9	<10	<2			
1828855	Drill Core	0.2	<0.02	2.6	7.20	<0.1	0.06	<0.02	31.6	0.4	<0.05	3.1	6.44	34.1	0.03	<1	0.2	3.8	<10	<2			
1828856	Drill Core	0.2	<0.02	3.6	9.25	<0.1	0.10	<0.02	43.4	0.6	<0.05	4.7	7.98	43.7	0.04	<1	0.3	4.8	<10	<2			
1828857	Drill Core	<0.1	<0.02	3.3	5.82	<0.1	0.12	<0.02	27.6	0.3	<0.05	4.9	8.93	46.6	0.02	<1	0.3	5.1	<10	<2			
1828858	Drill Core	0.1	<0.02	4.0	3.97	<0.1	0.19	0.09	28.8	0.4	<0.05	6.8	9.18	44.1	0.02	<1	0.4	6.0	<10	<2			
1828859	Drill Core	0.2	0.02	1.6	0.32	<0.1	0.03	0.06	12.5	0.3	<0.05	1.4	8.58	40.6	<0.02	<1	0.2	2.7	<10	<2			
1828860	Core DUP	0.1	0.03	1.6	0.33	<0.1	0.03	0.10	13.3	0.3	<0.05	1.3	8.53	43.8	<0.02	<1	0.3	2.9	<10	<2			
1828861	Drill Core	0.3	0.03	2.7	0.93	<0.1	0.05	0.07	17.7	0.4	<0.05	2.6	10.47	47.5	<0.02	<1	0.3	5.9	<10	<2			
1828862	Drill Core	1.7	0.03	3.8	2.51	<0.1	0.16	<0.02	42.1	0.5	<0.05	7.0	10.26	24.2	<0.02	7	0.3	10.7	<10	<2			
1828863	Drill Core	1.1	0.03	2.6	1.24	<0.1	0.13	<0.02	20.2	0.4	<0.05	5.1	8.59	34.6	0.02	2	0.3	6.9	<10	<2			
1828864	Drill Core	0.4	<0.02	2.3	2.62	<0.1	0.10	<0.02	24.9	0.4	<0.05	3.5	9.48	46.8	<0.02	2	0.2	5.0	<10	<2			
1828865	Drill Core	0.4	0.06	2.9	3.37	<0.1	0.10	<0.02	27.1	0.3	<0.05	3.4	6.64	36.0	0.03	<1	0.3	6.0	<10	<2			
1828866	Drill Core	0.4	0.04	4.4	2.31	<0.1	0.04	<0.02	18.8	0.3	<0.05	2.2	9.84	43.1	0.03	<1	0.4	6.4	<10	<2			
1828867	Drill Core	0.5	<0.02	4.5	0.38	<0.1	0.03	0.27	8.8	0.6	<0.05	0.3	7.49	25.3	0.02	<1	0.3	7.3	<10	<2			
1828868	Drill Core	0.5	0.03	3.7	0.41	<0.1	0.02	0.28	8.1	0.5	<0.05	0.4	5.78	16.3	<0.02	1	0.4	6.4	<10	<2			
1828869	Drill Core	0.5	<0.02	3.1	0.67	<0.1	0.03	0.35	7.7	0.4	<0.05	0.4	5.10	14.4	<0.02	2	0.3	5.2	<10	<2			
1828870	Drill Core	0.5	<0.02	3.0	1.00	<0.1	0.07	0.31	8.9	0.4	<0.05	1.1	5.52	16.2	<0.02	<1	0.3	5.4	<10	<2			
1828871	Drill Core	0.3	<0.02	3.2	0.83	<0.1	0.03	0.33	7.7	0.5	<0.05	0.7	6.70	18.5	<0.02	2	0.3	6.1	<10	<2			
1828872	Drill Core	0.4	<0.02	4.0	0.79	<0.1	0.03	0.28	7.7	0.6	<0.05	0.8	6.84	20.9	0.03	2	0.3	5.8	<10	<2			
1828873	Drill Core	0.3	<0.02	3.2	0.51	<0.1	0.03	0.25	7.6	0.5	<0.05	0.4	5.19	15.1	0.02	<1	0.3	6.1	<10	<2			
1828874	Drill Core	0.3	<0.02	3.3	0.37	<0.1	0.03	0.29	8.4	0.5	<0.05	0.4	4.63	13.6	<0.02	<1	0.3	7.7	<10	<2			
1828875	Drill Core	0.4	<0.02	3.3	0.37	0.1	<0.02	0.28	10.2	0.4	<0.05	0.6	6.05	17.3	<0.02	<1	0.3	6.6	<10	<2			
1828876	Drill Core	0.2	<0.02	4.8	0.71	<0.1	0.03	0.11	12.2	0.4	<0.05	0.7	11.01	42.3	<0.02	<1	0.3	7.3	<10	<2			
1828877	Drill Core	0.3	<0.02	3.1	2.06	<0.1	0.07	0.03	19.3	0.4	<0.05	1.8	6.17	32.7	<0.02	<1	0.3	6.5	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 3 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000190.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828878	Drill Core	2.49	446	0.511	0.52	0.74	23.06	0.54	18.24	10.21	61.7	304	9.4	7.0	767	2.17	9.1	1.7	272.7	10.6	126.5
1828879	Drill Core	2.59	450	0.307	0.30	0.27	26.39	0.97	7.19	230.24	86.1	1301	5.7	4.7	390	1.55	7.3	0.7	368.5	5.1	106.3
1828880	Rock	0.23	162	0.011	<0.01	<0.17	22.96	0.62	1.44	1.48	2.1	14	1.4	0.5	88	0.78	0.9	0.2	6.3	1.3	2.3
1828881	Drill Core	5.30	449	0.009	<0.01	<0.17	35.70	0.61	11.86	19.20	54.6	153	10.3	6.8	474	2.30	6.8	1.2	11.7	9.4	87.6
1828882	Drill Core	4.11	347	0.006	<0.01	<0.17	46.66	0.71	13.82	15.39	57.5	139	11.2	7.5	463	2.51	6.6	1.1	0.7	10.7	75.0
1828883	Drill Core	4.62	415	<0.005	<0.01	<0.17	32.93	1.14	10.97	7.24	65.0	88	12.4	8.1	509	2.58	3.6	0.9	0.8	10.8	60.6
1828884	Drill Core	5.00	425	0.005	<0.01	<0.17	41.57	0.68	14.42	15.23	53.7	191	12.0	7.6	372	2.30	6.7	0.8	1.1	11.1	56.6
1828885	Drill Core	5.08	440	0.006	<0.01	<0.17	31.14	0.88	14.09	20.57	63.0	219	15.4	8.2	433	2.52	8.9	0.7	<0.2	9.7	57.2
1828886	Drill Core	4.60	390	0.006	<0.01	<0.17	46.97	1.23	26.47	15.62	71.7	202	15.5	10.2	489	2.70	9.3	1.2	0.2	9.8	79.2
1828887	Drill Core	4.86	393	0.005	<0.01	<0.17	36.87	0.74	19.90	10.89	70.7	152	13.4	10.4	414	2.67	10.2	5.5	<0.2	10.8	79.6
1828888	Drill Core	4.76	439	<0.005	<0.01	<0.17	42.74	1.65	18.75	8.68	65.8	231	13.9	9.0	410	2.65	9.4	3.1	<0.2	10.5	83.7
1828889	Drill Core	4.33	408	<0.005	<0.01	<0.17	34.48	1.47	14.71	11.87	58.0	175	12.8	8.5	331	2.18	7.2	2.8	<0.2	11.8	55.7
1828890	Drill Core	2.52	418	0.006	<0.01	<0.17	43.30	4.09	13.02	23.41	68.8	219	15.3	9.1	392	2.46	9.3	1.2	<0.2	12.0	68.0
1828891	Drill Core	4.84	427	0.009	<0.01	<0.17	33.20	1.75	17.11	10.55	57.6	121	14.6	8.6	645	2.32	3.3	2.2	0.3	9.5	188.7
1828892	Drill Core	5.03	476	<0.005	<0.01	<0.17	51.13	1.81	23.26	14.40	65.0	183	18.8	10.4	387	2.29	4.4	4.8	<0.2	10.4	109.3
1828893	Drill Core	5.05	446	0.006	<0.01	<0.17	24.97	1.40	20.27	13.07	61.0	193	16.9	9.9	384	2.34	7.0	2.5	<0.2	9.9	103.6
1828894	Drill Core	5.04	465	0.005	<0.01	<0.17	45.41	0.97	22.81	10.02	63.6	135	14.5	9.8	291	2.34	4.4	3.2	<0.2	9.6	94.2
1828895	Drill Core	2.50	470	0.006	<0.01	<0.17	49.99	0.85	16.00	12.09	57.1	168	12.4	8.8	212	2.09	8.0	2.7	0.4	8.7	74.4
1828896	Drill Core	4.40	383	0.006	<0.01	<0.17	46.39	0.81	13.68	13.12	60.9	191	13.2	8.8	451	2.69	9.1	1.2	0.7	9.9	99.5
1828897	Drill Core	5.11	503	0.007	<0.01	<0.17	32.37	0.84	20.63	13.24	62.4	207	12.4	8.6	403	2.62	12.3	1.3	1.8	9.1	124.8
1828898	Drill Core	4.52	406	0.008	<0.01	<0.17	37.13	1.17	19.03	10.39	71.1	185	15.1	9.6	410	2.70	12.0	1.3	1.0	8.6	81.9
1828899	Drill Core	4.33	390	0.006	<0.01	<0.17	25.05	0.72	15.00	11.97	67.2	195	13.4	8.3	327	2.36	9.9	1.1	0.6	6.2	49.6
1828900	Rock Pulp	0.12	94	7.240				9.36	200.25	18.65	72.7	798	13.4	11.3	543	4.49	13.4	0.9	7383.2	2.9	68.9
1828901	Drill Core	2.21	417	0.006	<0.01	<0.17	38.20	0.76	16.23	11.85	69.4	180	13.5	9.2	271	2.44	10.6	1.8	15.1	9.0	41.2
1828902	Drill Core	5.33	432	0.005	<0.01	<0.17	42.14	0.73	14.51	11.90	85.8	146	14.8	10.5	394	2.83	9.4	1.5	3.0	12.0	73.3
1828903	Drill Core	4.28	398	0.005	<0.01	<0.17	41.24	0.57	18.75	10.23	73.3	186	13.2	8.5	357	2.83	7.7	1.5	3.8	11.1	98.8
1828904	Drill Core	3.10	477	0.007	<0.01	<0.17	32.18	0.70	18.18	17.42	94.8	187	17.0	11.4	272	3.21	6.8	2.0	2.5	13.2	52.9



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 3 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000190.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828878	Drill Core	0.38	0.36	0.03	12	1.71	0.056	16.5	12.8	0.80	299.8	0.020	1	1.05	0.019	0.41	0.2	4.5	0.14	0.17	<5
1828879	Drill Core	0.96	0.48	1.92	4	1.22	0.035	7.8	6.0	0.34	190.6	0.004	1	0.48	0.010	0.27	0.1	2.2	0.08	0.70	26
1828880	Rock	0.02	0.05	<0.02	1	0.02	0.002	2.0	4.4	0.01	11.4	0.002	1	0.06	0.004	0.02	<0.1	0.2	<0.02	<0.02	<5
1828881	Drill Core	0.24	0.31	0.04	17	1.24	0.048	17.6	17.4	1.05	197.2	0.027	<1	1.17	0.023	0.40	<0.1	4.9	0.17	0.12	6
1828882	Drill Core	0.24	0.37	0.04	21	0.91	0.053	20.8	23.9	1.02	277.7	0.044	<1	1.22	0.025	0.51	<0.1	6.4	0.27	0.07	10
1828883	Drill Core	0.25	0.20	0.04	19	0.79	0.061	28.3	18.8	1.08	533.5	0.084	<1	1.21	0.023	0.86	<0.1	6.8	0.45	0.04	<5
1828884	Drill Core	0.19	0.23	0.15	21	0.76	0.065	25.2	21.4	0.94	373.3	0.051	<1	1.16	0.025	0.66	<0.1	6.7	0.30	0.13	<5
1828885	Drill Core	0.26	0.25	0.23	27	0.91	0.059	20.4	26.3	1.10	302.7	0.028	<1	1.26	0.030	0.57	<0.1	6.9	0.27	0.16	<5
1828886	Drill Core	0.31	0.25	0.06	28	1.08	0.058	20.5	26.0	1.21	293.5	0.038	<1	1.35	0.025	0.68	<0.1	6.8	0.35	0.19	<5
1828887	Drill Core	0.26	0.30	0.05	25	1.01	0.066	20.9	23.9	1.12	331.3	0.044	<1	1.24	0.026	0.72	<0.1	7.8	0.37	0.30	<5
1828888	Drill Core	0.24	0.53	0.04	31	0.88	0.064	23.4	33.8	1.22	334.9	0.055	<1	1.29	0.031	0.57	<0.1	7.5	0.27	0.19	<5
1828889	Drill Core	0.20	0.35	0.07	18	0.60	0.065	28.1	19.7	0.80	507.6	0.089	<1	0.88	0.030	0.52	<0.1	6.3	0.20	0.15	<5
1828890	Drill Core	0.24	0.40	0.17	18	0.97	0.072	26.2	21.1	0.87	472.8	0.085	<1	1.01	0.025	0.56	0.1	7.6	0.22	0.27	<5
1828891	Drill Core	0.28	0.68	0.07	16	3.06	0.061	21.7	16.2	0.79	380.9	0.084	<1	0.89	0.017	0.43	0.1	8.2	0.28	0.22	<5
1828892	Drill Core	0.38	0.86	0.09	18	1.91	0.068	24.9	17.7	0.74	364.1	0.057	<1	0.92	0.013	0.44	<0.1	7.7	0.34	0.30	<5
1828893	Drill Core	0.45	1.03	0.08	20	1.90	0.064	22.4	18.0	0.83	364.2	0.043	<1	0.98	0.020	0.37	<0.1	7.4	0.25	0.21	<5
1828894	Drill Core	0.27	1.19	0.06	21	1.70	0.071	23.1	20.6	0.83	421.6	0.086	<1	0.96	0.026	0.37	<0.1	8.7	0.25	0.18	<5
1828895	Drill Core	0.24	1.20	0.11	19	1.46	0.063	22.1	18.9	0.68	321.1	0.061	<1	0.94	0.022	0.36	0.2	7.0	0.22	0.20	9
1828896	Drill Core	0.17	0.40	0.07	24	2.06	0.059	26.0	25.9	1.14	252.5	0.004	<1	1.55	0.019	0.32	<0.1	5.6	0.10	0.11	8
1828897	Drill Core	0.29	0.52	0.06	24	2.33	0.061	24.4	27.2	0.99	155.1	0.003	<1	1.35	0.019	0.24	<0.1	4.2	0.09	0.18	<5
1828898	Drill Core	0.21	0.66	0.06	23	1.51	0.060	22.1	26.9	1.07	211.5	0.027	<1	1.42	0.021	0.24	0.1	5.4	0.09	0.15	6
1828899	Drill Core	0.20	0.38	0.08	20	0.92	0.059	14.3	23.7	0.89	202.9	0.066	<1	1.28	0.020	0.22	<0.1	4.9	0.06	0.06	9
1828900	Rock Pulp	0.16	4.33	0.51	102	0.87	0.058	7.1	18.7	0.81	118.9	0.117	1	1.64	0.169	0.21	3.7	3.6	0.06	<0.02	220
1828901	Drill Core	0.17	0.53	0.06	27	0.93	0.062	24.3	29.0	0.89	192.0	0.063	<1	1.26	0.017	0.23	0.1	6.2	0.07	0.06	<5
1828902	Drill Core	0.29	0.51	0.06	29	1.35	0.069	24.9	30.5	1.09	246.2	0.068	2	1.50	0.038	0.30	0.1	7.2	0.09	0.15	<5
1828903	Drill Core	0.39	0.31	0.04	32	1.42	0.063	29.4	29.0	1.13	269.4	0.084	2	1.38	0.041	0.31	0.3	7.4	0.11	0.25	9
1828904	Drill Core	0.27	0.51	0.14	40	0.99	0.072	32.3	39.5	1.08	295.9	0.128	2	1.31	0.044	0.47	0.2	11.1	0.33	0.33	6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 3 of 3

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000190.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828878	Drill Core	0.1	<0.02	3.2	1.73	<0.1	0.09	<0.02	16.8	0.3	<0.05	3.6	5.41	32.4	0.02	<1	0.3	7.4	<10	<2
1828879	Drill Core	0.9	0.05	1.6	0.59	<0.1	0.09	<0.02	10.1	0.2	<0.05	3.2	3.69	14.8	0.02	<1	0.3	3.7	<10	<2
1828880	Rock	<0.1	<0.02	0.4	0.10	0.1	0.09	0.05	1.0	<0.1	<0.05	2.1	0.87	4.1	<0.02	<1	<0.1	1.0	<10	<2
1828881	Drill Core	<0.1	<0.02	4.2	2.18	<0.1	0.22	<0.02	18.6	0.6	<0.05	7.3	5.02	34.5	0.03	<1	0.4	10.7	<10	<2
1828882	Drill Core	0.2	<0.02	4.7	4.20	0.1	0.37	<0.02	29.8	0.5	<0.05	12.4	7.18	40.4	0.03	<1	0.5	11.3	<10	<2
1828883	Drill Core	0.2	<0.02	3.9	7.88	0.1	0.35	0.08	50.8	0.5	<0.05	11.9	8.60	55.4	<0.02	<1	0.4	7.5	<10	<2
1828884	Drill Core	0.1	<0.02	4.4	3.36	0.2	0.35	0.07	35.4	0.6	<0.05	12.1	8.26	49.2	0.03	<1	0.4	7.7	<10	<2
1828885	Drill Core	0.3	0.02	4.8	3.24	0.1	0.32	<0.02	30.2	0.5	<0.05	10.6	6.68	38.6	0.02	1	0.4	8.6	<10	<2
1828886	Drill Core	0.4	<0.02	5.5	4.05	0.1	0.31	<0.02	39.5	0.6	<0.05	11.4	8.44	40.6	0.03	<1	0.5	11.3	<10	<2
1828887	Drill Core	0.6	<0.02	4.8	5.31	0.2	0.25	0.02	43.0	0.7	<0.05	9.1	10.18	41.9	<0.02	<1	0.5	9.6	<10	<2
1828888	Drill Core	0.6	<0.02	5.6	4.07	0.1	0.21	0.06	31.7	0.5	<0.05	6.5	10.49	47.1	0.02	1	0.6	12.5	<10	<2
1828889	Drill Core	0.3	0.03	3.7	6.34	<0.1	0.17	0.22	29.8	0.5	<0.05	5.9	9.74	53.4	<0.02	3	0.4	7.5	<10	<2
1828890	Drill Core	0.6	0.04	3.7	4.18	0.2	0.30	0.18	28.4	0.5	<0.05	7.7	9.90	51.1	0.02	<1	0.4	8.6	<10	<2
1828891	Drill Core	0.3	<0.02	2.9	3.13	0.1	0.12	0.13	19.6	0.6	<0.05	4.9	11.36	42.3	0.03	4	0.3	8.2	<10	<2
1828892	Drill Core	0.6	0.03	3.1	2.15	<0.1	0.10	0.08	18.2	0.5	<0.05	3.3	11.34	47.8	<0.02	2	0.5	7.7	<10	<2
1828893	Drill Core	0.5	<0.02	3.0	2.53	0.1	0.09	0.07	14.9	0.6	<0.05	2.5	11.49	45.0	0.03	2	0.4	10.7	10	<2
1828894	Drill Core	0.6	<0.02	4.1	4.68	<0.1	0.09	0.16	17.4	0.7	<0.05	1.6	12.13	44.6	0.04	2	0.4	11.1	<10	<2
1828895	Drill Core	0.4	<0.02	4.2	2.73	<0.1	0.04	0.11	15.1	0.5	<0.05	1.5	12.88	43.3	0.04	<1	0.4	8.8	<10	<2
1828896	Drill Core	0.5	<0.02	5.7	1.13	<0.1	0.04	<0.02	13.3	0.3	<0.05	1.2	12.98	52.5	0.03	<1	0.4	16.4	<10	<2
1828897	Drill Core	0.4	0.03	5.7	2.57	0.2	0.03	<0.02	13.1	0.4	<0.05	0.8	14.63	48.6	<0.02	<1	0.5	20.5	<10	<2
1828898	Drill Core	0.6	<0.02	5.7	1.53	0.1	0.04	0.05	11.0	0.5	<0.05	1.2	13.49	43.7	0.03	<1	0.5	20.5	<10	<2
1828899	Drill Core	0.2	<0.02	4.3	0.64	<0.1	0.04	0.13	8.8	0.5	<0.05	0.8	8.97	29.2	<0.02	<1	0.3	15.5	<10	<2
1828900	Rock Pulp	0.2	0.14	4.8	0.67	0.2	0.08	0.09	7.9	1.6	<0.05	1.1	5.04	14.8	0.04	<1	0.2	7.1	<10	<2
1828901	Drill Core	0.3	0.03	4.9	1.32	0.1	0.02	0.09	10.2	0.5	<0.05	0.8	13.96	47.4	0.03	<1	0.5	12.8	<10	<2
1828902	Drill Core	0.5	0.02	6.2	0.78	<0.1	0.04	0.10	11.1	0.7	<0.05	0.6	14.21	49.8	0.04	<1	0.4	14.8	<10	<2
1828903	Drill Core	0.6	0.02	6.8	1.31	<0.1	0.03	0.11	12.1	0.7	<0.05	0.8	16.81	57.0	0.03	<1	0.4	12.2	<10	<2
1828904	Drill Core	0.8	0.04	6.5	4.20	<0.1	0.07	0.17	28.2	0.9	<0.05	1.6	17.58	65.0	0.04	<1	0.5	11.7	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 09, 2019

Page:

1 of 2

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000190.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1828849	Drill Core	5.38	479	0.006	<0.01	<0.17	44.14	0.85	16.42	13.17	70.1	160	13.7	8.6	476	2.58	2.5	1.4	1.8	8.5	76.6
REP 1828849	QC	0.006																			
1828864	Drill Core	3.23	450	<0.005	<0.01	<0.17	22.79	1.38	13.64	14.48	34.7	228	10.6	5.6	279	1.59	10.7	3.5	0.6	10.2	69.0
REP 1828864	QC	1.33 13.91 14.18 35.7 214 10.6 6.2 263 1.57 10.7 3.5 0.3 10.1 68.5																			
1828873	Drill Core	4.82	443	<0.005	<0.01	<0.17	24.34	1.41	16.40	11.16	56.7	162	12.7	7.5	350	2.02	4.1	1.0	1.6	3.8	49.4
REP 1828873	QC	<0.005																			
1828899	Drill Core	4.33	390	0.006	<0.01	<0.17	25.05	0.72	15.00	11.97	67.2	195	13.4	8.3	327	2.36	9.9	1.1	0.6	6.2	49.6
REP 1828899	QC	0.71 15.39 12.16 67.1 188 13.5 8.6 318 2.38 9.7 1.2 0.5 6.6 50.9																			
Core Reject Duplicates																					
1828872	Drill Core	5.40	433	<0.005	<0.01	<0.17	38.97	1.96	15.63	9.84	56.5	149	13.2	7.9	319	2.09	2.4	1.4	1.2	5.1	48.8
DUP 1828872	QC	539 <0.005 <0.01 <0.17 29.94 1.99 15.27 11.37 55.8 156 12.8 8.0 298 2.07 2.6 1.4 0.3 5.2 50.4																			
Reference Materials																					
STD BVGEO01	Standard	10.75 4509.60 191.14 1743.0 2543 163.6 24.6 743 3.78 115.4 3.9 215.6 15.4 57.3																			
STD BVGEO01	Standard	11.54 4356.33 194.43 1742.8 2455 156.1 24.8 727 3.55 112.6 3.9 206.4 12.6 54.0																			
STD DS11	Standard	14.44 154.21 138.03 320.5 1648 78.7 14.5 980 3.05 41.6 2.6 77.3 8.1 61.9																			
STD OREAS262	Standard	0.74 119.95 57.18 142.6 432 62.1 27.4 529 3.22 35.1 1.2 65.1 9.7 33.4																			
STD OREAS262	Standard	0.68 120.05 60.41 160.7 487 61.5 28.1 589 3.46 38.2 1.3 52.8 10.6 37.5																			
STD OREAS262	Standard	0.62 122.43 57.39 145.0 441 65.1 28.2 532 3.16 34.0 1.2 53.2 8.1 34.9																			
STD OXC145	Standard	0.210																			
STD OXC145	Standard	0.213																			
STD OXH139	Standard	1.307																			
STD OXH139	Standard	1.225																			
STD OXN134	Standard	7.308																			
STD OXN134	Standard	7.418																			
STD OXQ90	Standard	25.20 29.37																			
STD OXQ90	Standard	25.16 30.21																			
STD OXQ90	Standard	25.44 29.99																			
STD OXQ90	Standard	25.32 30.05																			





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

**Project:**

LS

**Report Date:**

August 09, 2019

**Page:**

1 of 2

**Part:**

2 of 3

## QUALITY CONTROL REPORT

WHI19000190.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828849	Drill Core	0.33	0.17	0.09	20	1.24	0.068	20.1	19.9	1.16	279.5	0.074	<1	1.31	0.020	0.74	<0.1	6.7	0.33	0.17	<5
REP 1828849	QC																				
1828864	Drill Core	0.17	0.24	0.25	10	0.89	0.048	24.5	9.7	0.54	343.7	0.038	<1	0.79	0.027	0.52	<0.1	3.6	0.20	0.15	<5
REP 1828864	QC	0.16	0.23	0.23	10	0.89	0.047	23.8	10.0	0.53	352.3	0.038	<1	0.79	0.026	0.52	<0.1	3.8	0.19	0.15	<5
1828873	Drill Core	0.14	0.42	0.09	15	0.94	0.062	7.7	19.1	0.62	238.8	0.095	<1	0.97	0.039	0.23	0.1	3.6	0.10	0.18	<5
REP 1828873	QC																				
1828899	Drill Core	0.20	0.38	0.08	20	0.92	0.059	14.3	23.7	0.89	202.9	0.066	<1	1.28	0.020	0.22	<0.1	4.9	0.06	0.06	9
REP 1828899	QC	0.21	0.40	0.09	20	0.93	0.059	14.7	24.6	0.89	211.3	0.070	<1	1.29	0.020	0.23	<0.1	5.2	0.07	0.06	<5
Core Reject Duplicates																					
1828872	Drill Core	0.15	0.33	0.09	18	0.90	0.067	10.3	22.6	0.62	212.1	0.103	1	0.95	0.048	0.21	<0.1	4.3	0.12	0.19	<5
DUP 1828872	QC	0.19	0.34	0.11	18	0.93	0.061	10.4	22.2	0.63	237.2	0.115	1	0.98	0.054	0.23	<0.1	4.3	0.12	0.19	<5
Reference Materials																					
STD BVGE001	Standard	6.55	2.90	24.21	78	1.37	0.074	25.8	203.5	1.30	252.7	0.249	4	2.35	0.200	0.93	4.8	6.5	0.62	0.67	99
STD BVGE001	Standard	6.22	3.12	24.17	70	1.32	0.073	26.7	184.6	1.25	241.9	0.234	4	2.30	0.186	0.83	4.9	5.6	0.58	0.63	83
STD DS11	Standard	2.21	8.41	11.25	46	1.02	0.068	17.4	60.0	0.82	355.6	0.093	6	1.16	0.071	0.39	2.9	3.1	4.81	0.26	238
STD OREAS262	Standard	0.61	5.47	0.99	22	3.00	0.037	15.6	44.4	1.16	236.4	0.003	4	1.30	0.067	0.31	0.2	3.2	0.45	0.25	155
STD OREAS262	Standard	0.63	3.74	1.07	24	3.24	0.041	17.9	44.5	1.22	278.2	0.003	5	1.44	0.070	0.33	0.2	3.7	0.49	0.26	196
STD OREAS262	Standard	0.62	2.84	0.97	21	3.01	0.040	16.3	44.1	1.14	238.3	0.003	4	1.34	0.065	0.29	0.1	3.2	0.43	0.25	148
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 09, 2019

Page:

1 of 2

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000190.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828849	Drill Core	0.4	<0.02	4.0	2.69	<0.1	0.22	<0.02	38.0	0.5	<0.05	8.7	6.16	37.4	0.03	<1	0.3	8.9	<10	<2
REP 1828849	QC																			
1828864	Drill Core	0.4	<0.02	2.3	2.62	<0.1	0.10	<0.02	24.9	0.4	<0.05	3.5	9.48	46.8	<0.02	2	0.2	5.0	<10	<2
REP 1828864	QC	0.4	<0.02	2.4	2.58	<0.1	0.11	<0.02	25.3	0.4	<0.05	3.5	9.09	45.3	<0.02	2	0.2	4.7	<10	<2
1828873	Drill Core	0.3	<0.02	3.2	0.51	<0.1	0.03	0.25	7.6	0.5	<0.05	0.4	5.19	15.1	0.02	<1	0.3	6.1	<10	<2
REP 1828873	QC																			
1828899	Drill Core	0.2	<0.02	4.3	0.64	<0.1	0.04	0.13	8.8	0.5	<0.05	0.8	8.97	29.2	<0.02	<1	0.3	15.5	<10	<2
REP 1828899	QC	0.3	<0.02	4.3	0.68	<0.1	0.04	0.15	9.0	0.6	<0.05	1.0	9.75	29.4	0.02	<1	0.3	14.8	<10	<2
Core Reject Duplicates																				
1828872	Drill Core	0.4	<0.02	4.0	0.79	<0.1	0.03	0.28	7.7	0.6	<0.05	0.8	6.84	20.9	0.03	2	0.3	5.8	<10	<2
DUP 1828872	QC	0.3	0.03	4.2	0.88	<0.1	0.03	0.31	8.3	0.6	<0.05	0.6	7.13	21.1	<0.02	<1	0.3	6.1	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.8	0.97	7.4	7.31	0.3	0.35	0.26	94.4	5.4	<0.05	7.9	14.19	54.1	0.44	5	0.7	24.7	129	179
STD BVGE001	Standard	4.6	1.00	7.0	7.01	0.2	0.30	0.17	90.8	5.6	<0.05	9.0	14.82	53.3	0.43	4	0.8	21.1	126	174
STD DS11	Standard	2.3	4.52	4.5	2.86	<0.1	0.06	1.31	32.1	1.7	<0.05	2.4	7.54	36.2	0.23	39	0.7	22.3	112	177
STD OREAS262	Standard	0.5	0.23	3.7	2.93	<0.1	0.23	<0.02	18.2	0.5	<0.05	8.4	9.84	32.0	0.03	<1	1.2	16.6	<10	<2
STD OREAS262	Standard	0.5	0.23	4.6	2.63	<0.1	0.28	<0.02	20.0	0.6	<0.05	8.6	11.40	36.6	0.04	2	1.1	15.6	<10	<2
STD OREAS262	Standard	0.4	0.19	4.0	2.45	<0.1	0.19	<0.02	17.8	0.5	<0.05	10.7	10.70	32.1	0.02	<1	1.2	17.8	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000190.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.33	29.57														
STD OXQ90	Standard					25.60	30.12														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		443	<0.005	<0.01	<0.17	37.12	1.11	2.68	1.05	27.3	7	0.9	3.8	466	1.88	0.8	0.4	<0.2	1.9	24.0
ROCK-WHI	Prep Blank		457	<0.005	<0.01	<0.17	52.02	1.01	2.17	1.09	29.4	7	0.8	3.6	508	1.88	0.8	0.4	0.6	1.9	21.1



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000190.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	<0.02	<0.02	24	0.60	0.038	6.2	2.5	0.43	53.4	0.081	1	0.89	0.089	0.08	<0.1	2.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	<0.02	<0.02	21	0.66	0.039	6.2	2.8	0.43	51.2	0.080	2	0.87	0.097	0.08	<0.1	2.5	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 09, 2019

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000190.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.12	<0.1	0.10	0.10	2.0	0.4	<0.05	3.7	8.53	12.3	<0.02	<1	0.2	1.7	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.12	<0.1	0.14	0.12	2.0	0.3	<0.05	3.7	8.39	12.3	<0.02	<1	0.2	2.0	<10	<2