



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 11, 2019
Report Date: August 15, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000191.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-28
P.O. Number
Number of Samples: 133

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	128	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	133	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	133	Analysis sample split/packet			WHI
Split -150	133	Analysis sample split/packet			WHI
EN002	133	Environmental disposal charge-Fire assay lead waste			VAN
FS631	129	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	133	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	133	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022325	Drill Core	2.16	564	0.006	<0.01	<0.17	20.54	0.97	17.08	10.35	58.5	3057	11.7	6.9	422	2.36	5.4	0.8	1.9	52.3
2022326	Drill Core	4.18	395	<0.005	<0.01	<0.17	18.14	0.53	10.15	26.84	61.6	316	8.9	7.0	536	2.50	1.9	0.8	1.6	81.1
2022327	Drill Core	2.75	396	0.005	<0.01	<0.17	27.78	0.71	14.91	25.45	65.1	307	11.8	7.9	550	2.59	3.8	1.1	2.4	78.4
2022328	Drill Core	3.29	452	0.005	<0.01	<0.17	26.86	0.76	19.38	13.82	67.6	199	12.6	7.8	521	2.70	3.1	1.1	2.6	75.1
2022329	Drill Core	5.46	473	0.007	<0.01	<0.17	25.12	0.69	19.00	12.42	66.4	176	11.7	7.9	546	2.64	7.0	1.1	1.8	69.6
2022330	Drill Core	3.16	497	0.010	<0.01	<0.17	33.90	0.91	28.29	13.52	68.8	337	12.4	9.3	543	2.69	10.7	1.5	4.1	52.4
2022331	Drill Core	4.79	443	0.078	0.08	<0.17	34.71	1.31	21.64	14.27	78.3	551	13.9	9.6	503	3.06	27.1	2.1	66.7	54.8
2022332	Drill Core	2.65	432	0.032	0.03	<0.17	35.40	0.58	18.61	9.59	65.8	263	11.7	6.8	495	2.60	15.6	1.1	46.6	45.3
2022333	Drill Core	4.91	417	0.006	<0.01	<0.17	48.64	1.03	25.81	2.75	81.2	68	54.3	32.4	900	5.07	11.7	1.0	4.1	159.6
2022334	Drill Core	5.57	523	<0.005	<0.01	<0.17	45.03	1.04	25.38	1.77	75.3	27	54.1	29.8	933	4.71	2.3	0.7	0.4	143.2
2022335	Drill Core	5.29	485	0.006	<0.01	<0.17	51.39	1.11	23.15	2.07	73.6	57	56.4	29.9	958	4.86	4.2	0.5	1.0	129.7
2022336	Drill Core	5.31	477	0.005	<0.01	<0.17	41.08	1.17	24.56	1.81	76.0	34	56.8	30.5	937	4.77	3.1	0.7	2.0	142.7
2022337	Drill Core	5.29	512	0.006	<0.01	<0.17	49.94	1.06	23.30	1.99	75.1	48	55.5	29.6	924	4.72	4.2	0.4	0.7	133.3
2022338	Drill Core	4.72	393	0.006	<0.01	<0.17	49.93	1.06	24.21	1.91	80.6	27	55.6	30.7	906	4.89	2.8	0.5	0.9	158.9
2022339	Drill Core	5.16	472	0.006	<0.01	<0.17	55.47	1.02	23.67	2.14	77.6	46	54.4	32.2	1256	5.43	6.6	0.4	1.4	179.3
2022340	Rock Pulp	0.12	95	0.013				2.34	91.78	3.35	34.7	107	4.8	8.9	350	2.63	0.8	0.8	1.6	67.1
2022341	Drill Core	4.83	433	0.005	<0.01	<0.17	33.95	1.00	23.34	1.53	79.0	30	53.5	30.6	1168	5.22	2.9	0.3	<0.2	131.5
2022342	Drill Core	4.69	414	0.005	<0.01	<0.17	47.30	0.92	25.41	1.90	84.7	81	59.4	35.5	873	5.85	21.9	1.2	<0.2	192.2
2022343	Drill Core	6.00	511	<0.005	<0.01	<0.17	47.13	1.03	24.17	1.72	79.1	37	54.3	31.3	1086	5.08	4.2	1.3	0.5	163.0
2022344	Drill Core	4.99	419	0.006	<0.01	<0.17	35.65	1.09	25.28	1.69	74.0	42	63.4	31.3	853	4.69	1.7	0.7	<0.2	144.2
2022345	Drill Core	4.99	467	<0.005	<0.01	<0.17	40.27	1.11	23.31	1.65	74.4	35	54.5	29.8	884	4.87	3.5	0.7	<0.2	143.7
2022346	Drill Core	4.65	412	0.007	<0.01	<0.17	50.14	0.99	26.62	1.52	82.7	50	58.2	32.6	999	5.15	5.2	0.6	0.5	166.4
2022347	Drill Core	4.70	457	0.008	<0.01	<0.17	43.29	0.96	24.90	1.95	84.0	64	55.4	33.2	1111	5.56	22.9	0.4	1.7	191.1
2022348	Drill Core	5.33	424	0.005	<0.01	<0.17	28.31	0.93	24.30	2.05	82.7	37	53.9	32.6	1180	5.90	12.4	0.5	1.0	216.0
2022349	Drill Core	4.55	437	<0.005	<0.01	<0.17	42.20	0.98	24.30	1.57	76.5	33	54.0	29.4	930	4.80	3.6	0.3	<0.2	130.8
2022350	Drill Core	5.10	427	0.006	<0.01	<0.17	34.51	1.03	23.41	1.84	77.7	39	54.3	30.1	954	4.99	8.4	0.2	1.2	135.4
2022351	Drill Core	3.60	497	0.006	<0.01	<0.17	29.86	0.96	25.00	1.76	85.2	35	52.4	34.6	1218	5.94	11.5	0.3	0.4	197.5
2022352	Drill Core	3.40	366	0.017	0.01	<0.17	42.89	0.99	22.95	3.25	88.5	95	56.8	33.1	1137	5.75	53.5	0.9	13.1	206.9
2022353	Drill Core	3.70	516	0.027	0.03	<0.17	34.91	1.10	30.34	9.84	79.2	399	13.9	8.0	531	2.99	27.0	0.9	17.1	32.0
2022354	Drill Core	5.33	424	0.011	<0.01	<0.17	38.86	0.68	17.53	24.52	77.3	364	13.4	8.1	543	2.98	17.5	0.8	6.5	41.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022325	Drill Core				0.22	0.38	0.06	15	0.60	0.053	13.8	15.2	1.03	290.8	0.013	<1	1.25	0.013	0.39	8.1	4.1	0.13	0.08	<5
2022326	Drill Core				0.30	0.27	0.21	19	1.10	0.056	15.0	19.6	1.29	226.8	0.008	3	1.46	0.014	0.28	0.3	3.5	0.09	0.06	<5
2022327	Drill Core				0.36	0.42	0.19	20	1.03	0.061	14.3	21.4	1.26	219.1	0.012	2	1.41	0.022	0.32	0.3	5.2	0.11	0.04	6
2022328	Drill Core				0.26	0.39	0.08	24	0.97	0.057	16.4	22.9	1.31	203.9	0.011	<1	1.46	0.024	0.30	<0.1	5.4	0.10	0.02	<5
2022329	Drill Core				0.34	0.53	0.05	22	0.94	0.059	18.7	20.7	1.13	202.2	0.013	<1	1.42	0.018	0.33	<0.1	5.8	0.11	0.05	<5
2022330	Drill Core				0.36	1.26	0.08	23	0.63	0.067	24.5	20.8	1.06	222.3	0.010	3	1.58	0.018	0.47	<0.1	6.2	0.20	0.03	8
2022331	Drill Core				0.34	1.98	0.09	26	0.45	0.062	30.0	22.2	1.14	188.1	0.009	3	1.92	0.014	0.58	0.2	6.8	0.24	0.04	10
2022332	Drill Core				0.16	0.84	0.11	27	0.67	0.054	25.8	25.3	1.29	280.4	0.004	2	1.82	0.006	0.44	0.1	5.1	0.12	0.04	<5
2022333	Drill Core				0.15	1.31	0.02	96	2.66	0.177	22.0	107.9	2.63	137.1	0.156	<1	2.53	0.316	0.22	<0.1	12.8	0.25	0.17	<5
2022334	Drill Core				0.10	0.96	0.04	63	2.46	0.174	20.7	80.6	2.49	64.6	0.153	2	2.14	0.312	0.17	<0.1	6.1	0.28	0.12	12
2022335	Drill Core				0.10	1.84	0.03	65	2.38	0.166	21.8	62.0	2.53	65.4	0.152	<1	2.15	0.334	0.20	<0.1	6.7	0.48	0.21	<5
2022336	Drill Core				0.12	1.34	0.03	68	2.46	0.159	23.0	62.5	2.48	77.5	0.163	2	2.40	0.347	0.21	<0.1	7.4	0.44	0.16	10
2022337	Drill Core				0.12	1.42	<0.02	64	2.24	0.165	23.1	63.9	2.55	65.7	0.150	<1	2.22	0.337	0.21	<0.1	7.1	0.48	0.19	<5
2022338	Drill Core				0.12	1.90	<0.02	80	2.58	0.171	22.9	84.6	2.67	75.2	0.140	<1	2.47	0.340	0.19	<0.1	10.3	0.56	0.14	7
2022339	Drill Core				0.10	2.15	<0.02	94	3.21	0.164	20.8	92.8	3.02	80.2	0.109	1	2.34	0.308	0.16	<0.1	12.2	0.62	0.18	8
2022340	Rock Pulp				0.07	0.11	0.04	92	0.88	0.056	6.5	10.2	0.74	114.7	0.112	2	1.61	0.174	0.21	3.0	2.2	0.04	<0.02	<5
2022341	Drill Core				0.11	1.45	<0.02	81	2.27	0.173	20.9	91.5	2.90	59.8	0.121	<1	2.02	0.298	0.16	<0.1	9.2	0.37	0.12	8
2022342	Drill Core				0.14	2.41	<0.02	113	3.11	0.194	22.2	118.2	3.16	114.1	0.112	<1	2.91	0.302	0.17	<0.1	15.1	0.61	0.20	21
2022343	Drill Core				0.15	1.53	<0.02	77	2.63	0.174	21.8	86.2	2.86	72.8	0.121	2	2.35	0.320	0.16	<0.1	9.4	0.50	0.16	11
2022344	Drill Core				0.11	1.29	0.02	59	2.31	0.156	20.6	69.8	2.78	71.9	0.120	<1	2.44	0.355	0.18	<0.1	6.4	0.52	0.11	<5
2022345	Drill Core				0.08	1.64	<0.02	65	2.41	0.164	19.9	76.8	2.69	66.3	0.112	1	2.24	0.331	0.16	<0.1	7.2	0.49	0.14	<5
2022346	Drill Core				0.14	1.42	<0.02	83	2.78	0.191	20.8	114.5	2.76	74.2	0.137	<1	2.46	0.357	0.15	<0.1	9.6	0.29	0.19	<5
2022347	Drill Core				0.12	2.24	<0.02	97	3.25	0.187	20.6	111.7	3.03	94.5	0.111	2	2.56	0.331	0.15	<0.1	13.2	0.35	0.27	6
2022348	Drill Core				0.12	2.36	<0.02	113	3.40	0.179	20.4	110.3	3.21	107.4	0.099	1	2.54	0.322	0.16	<0.1	16.1	0.51	0.20	11
2022349	Drill Core				0.11	1.68	<0.02	70	2.15	0.167	21.9	70.1	2.70	65.0	0.128	<1	2.21	0.330	0.20	<0.1	7.8	0.44	0.13	<5
2022350	Drill Core				0.08	2.34	<0.02	71	2.21	0.169	21.9	78.9	2.78	62.6	0.122	<1	2.28	0.354	0.20	<0.1	7.5	0.48	0.21	9
2022351	Drill Core				0.15	3.43	<0.02	110	2.94	0.191	21.9	108.2	3.20	90.5	0.099	<1	2.64	0.369	0.17	<0.1	15.8	0.77	0.23	17
2022352	Drill Core				0.15	2.96	0.02	121	3.63	0.171	21.1	107.6	2.83	403.4	0.088	<1	2.69	0.192	0.29	<0.1	17.8	0.47	0.21	24
2022353	Drill Core				0.28	1.06	0.10	34	0.70	0.063	21.8	37.8	1.53	209.9	0.004	<1	1.84	0.013	0.30	0.1	4.6	0.10	0.05	<5
2022354	Drill Core				0.33	0.65	0.19	30	0.62	0.063	18.5	33.0	1.61	175.7	0.005	1	1.79	0.023	0.25	<0.1	4.5	0.07	0.08	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 15, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022325	Drill Core	0.3	0.02	3.7	1.64	0.1	0.28	<0.02	15.9	0.4	<0.05	8.9	4.17	26.6	<0.02	<1	0.3	9.8	<10	<2			
2022326	Drill Core	<0.1	0.03	5.0	1.02	<0.1	0.24	<0.02	10.6	0.2	<0.05	8.9	6.04	28.2	<0.02	<1	0.7	12.3	<10	<2			
2022327	Drill Core	<0.1	0.02	4.6	1.73	<0.1	0.29	0.02	12.3	0.3	<0.05	9.7	4.24	27.3	0.02	<1	0.3	11.8	<10	<2			
2022328	Drill Core	<0.1	0.02	5.2	1.74	<0.1	0.23	<0.02	12.0	0.3	<0.05	8.9	4.25	31.5	<0.02	<1	0.5	12.3	<10	<2			
2022329	Drill Core	<0.1	0.03	4.9	2.36	<0.1	0.21	<0.02	13.7	0.3	<0.05	8.7	5.49	35.2	0.02	<1	0.4	12.1	<10	<2			
2022330	Drill Core	<0.1	0.03	5.3	4.99	<0.1	0.26	<0.02	22.7	0.6	<0.05	8.8	6.52	46.3	0.03	<1	0.5	14.8	<10	<2			
2022331	Drill Core	0.5	0.03	5.8	6.08	<0.1	0.12	<0.02	30.3	0.7	<0.05	5.6	10.72	56.4	0.02	<1	1.1	18.8	<10	4			
2022332	Drill Core	<0.1	<0.02	6.5	2.45	<0.1	0.16	<0.02	15.6	0.6	<0.05	4.7	7.94	48.2	0.03	<1	0.7	21.6	<10	<2			
2022333	Drill Core	0.1	<0.02	6.5	3.81	<0.1	0.03	0.06	12.5	1.0	<0.05	3.4	25.25	48.5	0.04	<1	0.6	16.9	11	<2			
2022334	Drill Core	<0.1	0.05	5.3	3.90	0.1	0.07	0.12	14.7	0.9	<0.05	4.5	21.83	45.5	0.03	<1	0.5	11.7	<10	2			
2022335	Drill Core	0.2	0.02	5.0	3.74	<0.1	0.04	0.06	18.2	0.9	<0.05	4.7	22.34	47.9	0.03	<1	0.9	12.4	<10	<2			
2022336	Drill Core	<0.1	<0.02	5.3	4.33	0.1	0.05	0.06	20.1	1.0	<0.05	4.8	22.19	50.2	0.03	<1	0.5	11.4	<10	<2			
2022337	Drill Core	<0.1	0.02	5.2	3.75	0.2	0.07	0.12	19.5	1.0	<0.05	3.9	22.79	50.6	<0.02	<1	0.6	11.8	<10	<2			
2022338	Drill Core	<0.1	<0.02	5.9	2.90	0.2	0.03	0.06	17.7	1.1	<0.05	3.4	23.95	51.2	0.04	1	0.6	12.5	<10	<2			
2022339	Drill Core	<0.1	<0.02	5.9	2.27	0.2	0.06	0.07	14.8	0.8	<0.05	4.6	24.70	47.8	0.03	<1	0.6	11.8	<10	<2			
2022340	Rock Pulp	<0.1	<0.02	4.2	0.29	<0.1	0.04	0.11	6.2	0.2	<0.05	1.2	4.34	13.6	<0.02	<1	<0.1	6.3	<10	<2			
2022341	Drill Core	<0.1	<0.02	5.4	2.47	0.1	0.05	0.07	13.9	0.8	<0.05	3.9	23.59	47.1	0.02	<1	0.7	11.4	<10	<2			
2022342	Drill Core	<0.1	0.04	7.1	2.70	0.1	0.08	0.05	10.7	0.9	<0.05	4.7	27.38	49.0	0.04	1	0.7	26.3	<10	<2			
2022343	Drill Core	<0.1	<0.02	5.5	2.80	0.2	0.06	0.11	14.9	1.0	<0.05	3.4	24.05	49.0	0.04	<1	0.5	11.5	<10	<2			
2022344	Drill Core	<0.1	0.02	5.3	3.65	0.1	0.04	0.07	17.2	1.0	<0.05	3.2	20.88	46.6	<0.02	<1	0.5	11.9	<10	<2			
2022345	Drill Core	0.2	<0.02	5.1	2.94	0.1	0.03	0.05	14.8	0.7	<0.05	3.2	21.71	46.1	0.02	2	0.8	10.9	<10	<2			
2022346	Drill Core	0.4	<0.02	5.6	3.78	<0.1	0.06	0.04	10.8	0.8	<0.05	2.9	24.46	45.8	0.02	<1	0.7	11.8	<10	<2			
2022347	Drill Core	<0.1	<0.02	6.6	3.10	0.2	0.08	0.06	9.9	0.7	<0.05	4.9	25.48	46.9	0.02	<1	0.8	17.2	<10	<2			
2022348	Drill Core	<0.1	<0.02	7.0	2.63	0.2	0.09	0.07	11.4	0.8	<0.05	4.6	26.51	46.6	0.04	<1	0.7	14.9	<10	<2			
2022349	Drill Core	<0.1	0.02	5.6	3.49	0.2	0.04	0.08	18.4	1.0	<0.05	4.1	22.33	49.1	<0.02	<1	0.5	11.1	<10	<2			
2022350	Drill Core	<0.1	<0.02	5.4	3.50	0.1	0.05	0.09	17.1	0.9	<0.05	4.1	22.71	49.3	0.03	<1	0.6	12.2	<10	<2			
2022351	Drill Core	<0.1	0.04	6.4	2.96	<0.1	0.11	0.11	11.5	0.7	<0.05	4.6	27.84	49.4	0.03	<1	0.5	15.7	<10	<2			
2022352	Drill Core	<0.1	<0.02	8.5	3.33	<0.1	0.17	0.02	13.2	0.8	<0.05	6.3	25.83	46.7	0.05	<1	1.2	39.2	<10	<2			
2022353	Drill Core	<0.1	<0.02	7.5	1.53	<0.1	0.13	<0.02	10.7	0.5	<0.05	6.4	7.37	41.2	0.02	<1	0.8	34.7	<10	<2			
2022354	Drill Core	0.1	0.02	6.9	0.96	<0.1	0.20	<0.02	9.3	0.3	<0.05	7.0	6.52	34.8	0.03	<1	0.5	20.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022355	Drill Core	4.87	432	0.007	<0.01	<0.17	38.33	0.66	12.57	25.98	60.4	299	10.9	7.4	497	2.56	18.7	0.9	1.6	8.6	49.3
2022356	Drill Core	2.72	517	0.011	<0.01	<0.17	37.64	0.68	19.54	14.44	55.9	368	10.5	7.3	370	2.40	14.8	0.9	5.4	8.1	27.1
2022357	Drill Core	3.54	408	0.008	<0.01	<0.17	36.82	0.76	11.52	17.82	67.6	257	11.2	8.5	521	2.66	13.6	1.0	4.1	8.6	53.0
2022358	Drill Core	4.54	443	0.007	<0.01	<0.17	20.06	0.66	12.20	19.79	71.1	280	12.1	7.2	430	2.65	7.6	0.7	4.1	7.5	40.3
2022359	Drill Core	5.17	388	0.015	0.01	<0.17	18.62	0.76	9.24	17.86	71.3	231	12.1	7.4	545	2.69	8.0	0.7	2.6	8.3	54.0
2022360	Core DUP		402	0.007	<0.01	<0.17	26.96	0.77	8.90	17.79	70.1	239	11.9	7.3	548	2.63	7.7	0.7	3.4	8.2	53.9
2022361	Drill Core	5.01	445	0.010	<0.01	<0.17	28.94	0.72	12.73	20.98	76.0	318	12.1	7.1	481	2.69	9.1	0.7	5.3	8.3	29.4
2022362	Drill Core	4.96	417	0.023	0.02	<0.17	23.26	0.76	10.42	13.56	60.1	244	8.8	6.0	417	2.27	12.8	1.1	10.7	10.1	38.2
2022363	Drill Core	4.10	387	0.013	0.02	0.17	17.17	0.46	17.67	5.09	75.6	268	13.9	8.5	594	2.92	9.5	1.8	7.3	8.3	56.3
2022364	Drill Core	5.16	458	0.014	0.01	<0.17	19.80	0.97	15.07	10.61	62.8	243	15.1	9.0	512	2.67	21.7	2.1	9.0	8.5	57.9
2022365	Drill Core	5.31	439	0.044	0.04	<0.17	22.24	0.98	9.12	15.76	55.8	239	8.5	5.2	438	2.19	8.3	1.7	47.2	9.4	47.2
2022366	Drill Core	4.40	380	0.258	0.34	2.22	15.34	0.72	16.68	14.21	61.2	463	11.1	6.9	476	2.47	11.4	1.2	287.0	8.2	57.9
2022367	Drill Core	2.45	434	0.165	0.17	0.26	27.45	0.56	17.16	7.95	60.8	378	12.7	8.1	446	2.52	7.9	1.4	162.0	8.2	52.1
2022368	Drill Core	2.92	473	0.482	0.66	9.29	9.47	0.60	16.51	11.41	41.5	867	7.2	4.5	638	1.84	5.4	0.9	718.3	4.3	80.2
2022369	Drill Core	5.00	451	0.034	0.05	0.35	22.89	0.63	13.67	16.28	68.5	334	12.6	7.4	549	2.67	8.2	1.4	33.6	7.9	54.2
2022370	Drill Core	4.43	379	0.012	0.01	<0.17	21.74	0.77	17.14	13.10	64.2	229	12.6	7.4	569	2.69	10.6	1.7	6.5	7.6	68.4
2022371	Drill Core	5.03	454	0.007	<0.01	<0.17	31.39	0.99	12.54	16.33	67.7	179	12.5	7.4	645	2.80	9.3	1.2	2.9	7.6	82.4
2022372	Drill Core	5.08	442	0.005	<0.01	<0.17	30.74	0.61	11.31	14.95	61.1	101	10.6	6.0	514	2.35	10.8	1.1	1.4	7.3	84.1
2022373	Drill Core	5.05	470	<0.005	<0.01	<0.17	20.86	0.84	18.55	14.75	64.6	134	12.8	7.3	505	2.56	17.6	2.0	2.2	8.9	83.1
2022374	Drill Core	4.79	423	<0.005	<0.01	<0.17	17.55	0.68	17.46	13.19	71.1	156	13.4	8.0	474	2.75	17.7	1.8	1.5	8.4	73.0
2022375	Drill Core	5.11	469	<0.005	<0.01	<0.17	16.02	1.04	14.40	12.52	67.8	126	12.5	7.2	544	2.66	12.5	1.3	1.3	7.8	103.8
2022376	Drill Core	5.85	501	<0.005	<0.01	<0.17	38.55	0.89	15.41	19.19	75.0	213	13.5	8.3	470	2.75	6.9	2.1	2.1	7.5	56.3
2022377	Drill Core	4.01	382	<0.005	<0.01	<0.17	48.87	0.79	15.26	17.52	75.8	251	12.8	7.1	558	2.69	8.2	1.7	1.4	7.5	69.6
2022378	Drill Core	3.96	366	0.013	0.01	<0.17	49.83	1.44	14.31	8.78	68.1	463	11.8	7.8	523	2.38	7.9	2.2	10.9	6.4	130.1
2022379	Drill Core	3.21	476	1.912	2.78	11.35	43.80	0.57	4.00	14.87	46.8	1713	9.4	5.9	861	2.37	5.2	0.9	2393.4	4.0	270.6
2022380	Rock	0.23	215	<0.005	<0.01	<0.17	27.30	0.80	12.67	7.80	53.2	876	11.3	8.1	523	2.33	9.2	1.8	802.1	7.0	139.1
2022381	Drill Core	5.05	418	0.929	1.13	3.29	35.28	0.87	13.28	8.03	52.9	889	11.9	7.8	546	2.33	9.1	1.9	847.5	7.3	143.3
2022382	Drill Core	5.30	464	0.127	0.14	0.27	40.95	1.04	9.65	8.72	49.5	366	10.5	6.8	569	2.23	13.7	2.2	100.7	6.8	125.1
2022383	Drill Core	3.08	502	1.973	2.83	17.92	26.89	0.77	19.43	43.63	117.1	1776	9.0	5.7	469	1.88	15.1	1.1	2067.2	5.7	85.4
2022384	Drill Core	5.42	437	0.017	0.02	<0.17	37.69	1.19	19.62	12.14	75.4	367	13.4	8.1	555	2.59	9.4	1.5	16.1	6.8	72.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022355	Drill Core	0.34	0.65	0.20	19	0.79	0.061	17.2	17.8	1.25	205.0	0.005	<1	1.51	0.017	0.31	<0.1	3.6	0.09	0.10	8			
2022356	Drill Core	0.33	0.64	0.16	14	0.47	0.052	16.4	13.2	1.02	215.8	0.005	1	1.32	0.014	0.31	<0.1	3.4	0.09	0.16	<5			
2022357	Drill Core	0.36	0.75	0.20	16	0.90	0.058	15.8	15.8	1.16	215.7	0.005	1	1.49	0.018	0.34	<0.1	4.4	0.11	0.13	<5			
2022358	Drill Core	0.20	0.46	0.13	16	0.58	0.058	14.0	16.4	1.30	153.7	0.004	2	1.45	0.024	0.27	<0.1	3.5	0.10	0.07	7			
2022359	Drill Core	0.29	0.36	0.14	20	0.64	0.055	16.2	20.9	1.34	171.6	0.003	1	1.47	0.025	0.25	<0.1	3.4	0.08	0.16	12			
2022360	Core DUP	0.29	0.33	0.14	19	0.66	0.054	14.6	19.9	1.30	144.1	0.003	1	1.43	0.023	0.22	<0.1	3.2	0.07	0.16	6			
2022361	Drill Core	0.27	0.38	0.15	21	0.41	0.057	16.8	20.8	1.41	147.0	0.003	1	1.54	0.022	0.25	<0.1	2.9	0.08	0.12	8			
2022362	Drill Core	0.34	0.47	0.11	13	0.53	0.048	16.0	12.2	1.04	247.4	0.003	2	1.26	0.016	0.33	<0.1	3.1	0.11	0.27	9			
2022363	Drill Core	0.36	0.49	0.04	23	0.86	0.062	13.6	20.9	1.32	239.7	0.005	2	1.53	0.023	0.32	<0.1	5.2	0.12	0.39	14			
2022364	Drill Core	0.26	0.63	0.09	24	0.80	0.061	13.6	21.6	1.25	183.7	0.004	1	1.39	0.013	0.30	<0.1	4.2	0.11	0.29	7			
2022365	Drill Core	0.28	0.49	0.15	12	0.65	0.046	16.5	11.6	1.03	160.5	0.002	1	1.22	0.014	0.29	<0.1	2.6	0.10	0.14	12			
2022366	Drill Core	0.32	0.85	0.11	14	0.78	0.052	16.6	12.9	1.01	143.9	0.002	2	1.36	0.010	0.34	<0.1	3.7	0.12	0.29	25			
2022367	Drill Core	0.25	0.66	0.08	11	0.77	0.057	15.2	9.3	0.80	187.1	0.002	3	1.16	0.013	0.38	<0.1	3.8	0.12	0.57	20			
2022368	Drill Core	0.38	0.36	0.09	6	1.45	0.042	6.8	6.7	0.67	155.0	0.002	2	0.70	0.008	0.27	<0.1	2.7	0.07	0.46	12			
2022369	Drill Core	0.26	0.43	0.11	15	0.92	0.061	14.8	13.4	1.06	201.1	0.004	2	1.35	0.025	0.36	<0.1	5.2	0.12	0.21	9			
2022370	Drill Core	0.31	0.49	0.09	17	1.03	0.059	14.1	13.4	1.19	138.6	0.002	2	1.35	0.012	0.32	<0.1	4.9	0.11	0.28	6			
2022371	Drill Core	0.36	0.57	0.12	23	1.21	0.057	14.4	18.1	1.40	137.4	0.002	2	1.40	0.022	0.29	<0.1	6.0	0.10	0.21	7			
2022372	Drill Core	0.29	0.36	0.06	15	1.16	0.068	12.3	13.9	1.11	160.2	0.002	2	1.07	0.022	0.28	<0.1	5.2	0.09	0.18	10			
2022373	Drill Core	0.35	0.27	0.07	15	1.13	0.060	10.8	14.3	1.16	194.2	0.002	2	1.15	0.018	0.34	<0.1	5.5	0.10	0.32	9			
2022374	Drill Core	0.26	0.36	0.06	17	1.04	0.062	12.2	15.8	1.18	212.4	0.003	2	1.24	0.021	0.35	<0.1	5.4	0.11	0.26	13			
2022375	Drill Core	0.28	0.37	0.06	16	1.29	0.062	11.2	13.3	1.27	175.8	0.002	2	1.21	0.014	0.30	<0.1	4.7	0.10	0.14	6			
2022376	Drill Core	0.34	0.42	0.12	20	0.67	0.059	12.1	19.0	1.43	166.0	0.004	2	1.43	0.026	0.28	<0.1	4.5	0.10	0.19	10			
2022377	Drill Core	0.38	0.43	0.13	20	0.76	0.064	14.1	19.7	1.38	149.1	0.004	2	1.49	0.025	0.30	<0.1	4.9	0.11	0.11	14			
2022378	Drill Core	0.36	0.43	0.09	10	1.06	0.096	9.2	10.1	1.15	189.1	0.003	2	1.16	0.011	0.34	<0.1	2.7	0.11	0.35	10			
2022379	Drill Core	0.67	0.40	0.08	5	2.81	0.052	4.4	4.8	1.37	168.9	0.002	2	0.67	0.006	0.31	0.1	3.2	0.08	1.04	9			
2022380	Rock	0.38	0.51	0.06	9	1.52	0.058	7.7	10.1	1.06	186.5	0.004	<1	0.99	0.008	0.39	<0.1	3.3	0.11	0.76	8			
2022381	Drill Core	0.38	0.52	0.07	9	1.52	0.060	8.1	10.3	1.06	191.3	0.004	<1	0.99	0.008	0.39	<0.1	3.5	0.11	0.76	6			
2022382	Drill Core	0.31	0.53	0.08	9	1.31	0.054	8.5	9.1	1.08	247.9	0.006	2	1.08	0.010	0.46	0.1	3.3	0.14	0.34	7			
2022383	Drill Core	1.98	0.39	0.27	6	1.08	0.041	6.8	6.5	0.73	229.7	0.002	1	0.72	0.008	0.35	<0.1	2.2	0.09	0.67	12			
2022384	Drill Core	0.75	0.45	0.13	13	0.82	0.061	8.9	13.0	1.23	258.7	0.004	2	1.22	0.012	0.37	<0.1	3.3	0.11	0.40	8			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022355	Drill Core	0.3	<0.02	4.7	1.32	<0.1	0.17	<0.02	12.4	0.3	<0.05	6.3	6.23	33.0	<0.02	<1	0.4	15.4	<10	<2			
2022356	Drill Core	0.4	0.03	3.5	1.75	<0.1	0.18	<0.02	12.6	0.2	<0.05	6.5	4.82	31.0	<0.02	<1	0.5	13.6	<10	<2			
2022357	Drill Core	0.2	0.03	4.0	1.70	<0.1	0.21	<0.02	14.2	0.4	<0.05	7.0	6.06	30.1	0.03	<1	0.4	14.5	<10	<2			
2022358	Drill Core	0.3	0.02	5.1	1.48	<0.1	0.31	<0.02	11.7	0.2	<0.05	12.8	5.18	29.0	<0.02	<1	0.4	16.5	<10	<2			
2022359	Drill Core	0.4	<0.02	6.2	0.85	<0.1	0.31	<0.02	9.5	0.2	<0.05	12.4	6.62	33.5	<0.02	<1	0.4	15.0	<10	<2			
2022360	Core DUP	0.5	0.02	6.0	0.89	<0.1	0.29	<0.02	8.6	0.2	<0.05	11.6	6.43	29.9	<0.02	<1	0.3	14.8	<10	<2			
2022361	Drill Core	0.3	0.03	6.7	1.18	<0.1	0.28	<0.02	10.1	0.4	<0.05	11.9	6.20	34.9	<0.02	<1	0.4	17.4	<10	<2			
2022362	Drill Core	0.5	<0.02	5.2	1.84	<0.1	0.30	<0.02	14.0	0.3	<0.05	12.3	5.39	33.4	0.02	1	0.5	13.9	<10	<2			
2022363	Drill Core	0.6	<0.02	5.8	2.04	<0.1	0.22	<0.02	14.4	0.3	<0.05	8.7	5.93	28.5	0.03	<1	0.5	16.8	<10	<2			
2022364	Drill Core	0.6	0.02	5.6	2.15	<0.1	0.23	<0.02	13.0	0.3	<0.05	8.7	7.50	28.8	0.02	<1	0.5	18.1	<10	<2			
2022365	Drill Core	0.5	<0.02	5.1	2.88	<0.1	0.24	<0.02	14.3	0.3	<0.05	10.2	5.69	33.7	<0.02	1	0.5	13.7	<10	<2			
2022366	Drill Core	0.7	0.03	4.8	6.36	<0.1	0.15	<0.02	19.9	0.4	<0.05	7.1	6.30	35.0	<0.02	2	0.7	15.2	<10	<2			
2022367	Drill Core	0.8	0.02	3.3	3.91	<0.1	0.12	<0.02	16.5	0.3	<0.05	5.7	5.50	31.8	<0.02	<1	0.5	11.3	<10	<2			
2022368	Drill Core	0.4	0.05	2.0	1.20	<0.1	0.09	<0.02	9.8	0.2	<0.05	4.1	3.79	13.7	<0.02	<1	0.3	5.4	<10	<2			
2022369	Drill Core	0.5	<0.02	4.0	2.02	<0.1	0.09	<0.02	14.4	0.3	<0.05	4.0	5.75	32.7	0.02	1	0.5	11.9	<10	<2			
2022370	Drill Core	0.9	0.02	4.6	3.67	<0.1	0.13	<0.02	14.9	0.5	<0.05	6.4	6.59	31.2	<0.02	2	0.6	12.8	<10	<2			
2022371	Drill Core	0.6	0.02	5.3	2.03	<0.1	0.20	<0.02	12.1	0.3	<0.05	9.3	6.20	32.9	0.02	<1	0.5	13.5	<10	<2			
2022372	Drill Core	0.6	0.03	3.8	1.39	<0.1	0.14	<0.02	11.3	0.2	<0.05	6.0	5.77	25.6	<0.02	<1	0.4	9.8	<10	<2			
2022373	Drill Core	1.0	<0.02	4.0	1.31	<0.1	0.09	<0.02	13.1	0.3	<0.05	3.7	5.93	21.6	0.02	<1	0.4	9.8	<10	<2			
2022374	Drill Core	0.7	0.02	4.4	1.83	<0.1	0.14	<0.02	13.8	0.3	<0.05	6.5	5.08	25.6	<0.02	<1	0.4	11.2	<10	<2			
2022375	Drill Core	0.4	0.02	4.1	2.22	<0.1	0.18	<0.02	12.3	0.3	<0.05	8.8	4.81	23.4	<0.02	<1	0.4	11.0	<10	<2			
2022376	Drill Core	0.4	0.02	5.5	1.73	<0.1	0.22	<0.02	11.6	0.3	<0.05	9.7	3.95	23.9	<0.02	1	0.4	13.2	<10	<2			
2022377	Drill Core	0.4	0.03	5.4	2.53	<0.1	0.25	<0.02	13.1	0.3	<0.05	11.0	4.74	29.6	<0.02	<1	0.4	12.7	<10	<2			
2022378	Drill Core	0.5	0.04	3.4	1.30	<0.1	0.21	<0.02	12.9	0.2	<0.05	9.2	4.90	18.5	<0.02	2	0.4	11.7	<10	<2			
2022379	Drill Core	0.8	0.32	1.6	0.85	<0.1	0.17	<0.02	10.5	0.1	<0.05	8.1	7.25	9.0	<0.02	<1	0.4	5.2	<10	<2			
2022380	Rock	<0.1	0.13	2.8	1.12	<0.1	0.17	<0.02	13.4	0.2	<0.05	7.3	5.00	15.1	<0.02	<1	0.5	9.8	<10	<2			
2022381	Drill Core	0.4	0.15	2.6	1.14	<0.1	0.22	<0.02	13.9	0.2	<0.05	7.7	5.05	15.3	<0.02	1	0.6	9.6	<10	<2			
2022382	Drill Core	0.5	0.04	2.9	1.43	<0.1	0.18	<0.02	16.6	0.2	<0.05	8.0	4.57	17.2	<0.02	1	0.4	9.8	<10	<2			
2022383	Drill Core	1.0	0.11	2.2	0.68	<0.1	0.12	<0.02	11.8	0.2	<0.05	5.6	3.69	14.0	0.02	<1	0.3	5.5	<10	<2			
2022384	Drill Core	0.8	0.03	3.9	1.03	<0.1	0.18	<0.02	13.1	0.2	<0.05	8.1	4.27	18.0	<0.02	1	0.4	11.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022385	Drill Core	5.22	506	<0.005	<0.01	<0.17	42.59	1.17	17.47	9.61	72.2	262	13.2	7.9	500	2.62	4.9	1.7	2.5	6.8	57.9
2022386	Drill Core	4.82	445	<0.005	<0.01	<0.17	41.91	1.11	9.19	4.24	103.0	108	16.0	8.0	486	3.15	3.6	2.4	2.5	7.8	72.8
2022387	Drill Core	5.21	473	<0.005	<0.01	<0.17	36.34	0.84	14.22	15.53	65.0	244	12.9	7.1	690	2.61	6.6	1.5	0.7	6.8	110.5
2022388	Drill Core	4.85	370	<0.005	<0.01	<0.17	49.11	1.09	8.59	23.58	73.7	267	13.5	7.2	564	2.71	7.4	1.5	1.0	6.6	89.8
2022389	Drill Core	5.06	437	<0.005	<0.01	<0.17	47.17	1.12	17.38	15.19	72.5	212	14.2	7.6	613	2.73	13.9	1.4	2.7	7.5	82.1
2022390	Drill Core	5.43	486	<0.005	<0.01	<0.17	45.39	1.02	16.50	13.63	68.1	159	14.2	7.7	544	2.67	17.7	1.5	0.9	7.5	66.7
2022391	Drill Core	4.57	405	<0.005	<0.01	<0.17	39.50	1.13	16.70	7.07	78.3	138	15.5	8.3	569	2.89	15.4	1.8	1.6	8.6	62.5
2022392	Drill Core	5.12	396	<0.005	<0.01	<0.17	44.25	1.15	15.25	16.28	75.9	211	14.3	7.2	583	2.84	10.2	1.1	2.0	8.5	44.6
2022393	Drill Core	5.11	493	<0.005	<0.01	<0.17	29.97	1.21	12.64	17.20	67.5	177	13.1	6.8	516	2.51	12.1	2.3	2.3	7.9	72.8
2022394	Drill Core	4.99	469	<0.005	<0.01	<0.17	33.17	1.43	13.35	3.08	84.3	86	15.8	8.1	675	3.10	11.8	1.9	1.2	9.6	109.5
2022395	Drill Core	2.85	485	<0.005	<0.01	<0.17	34.42	0.28	10.93	1.81	80.4	135	13.5	6.9	603	2.98	9.3	1.6	0.6	9.8	94.3
2022396	Drill Core	5.23	462	<0.005	<0.01	<0.17	18.75	0.32	11.42	2.38	79.3	77	13.8	7.0	726	3.00	10.7	1.8	1.1	9.3	104.6
2022397	Drill Core	5.16	536	<0.005	<0.01	<0.17	24.56	0.62	10.86	18.06	66.9	152	12.7	7.1	577	2.50	11.4	2.1	0.8	8.2	63.7
2022398	Drill Core	4.54	426	<0.005	<0.01	<0.17	24.22	1.15	25.18	9.46	51.2	153	12.6	7.4	590	2.20	15.5	2.3	0.5	8.1	120.5
2022399	Drill Core	5.14	386	<0.005	<0.01	<0.17	28.48	1.05	14.06	10.86	62.8	144	14.3	8.0	550	2.40	19.5	2.5	1.6	7.9	84.4
2022400	Rock Pulp	0.12	87	7.504				9.49	187.71	16.63	73.0	895	14.1	10.2	571	4.64	14.1	0.8	6867.9	2.3	75.0
2022401	Drill Core	5.14	476	0.007	<0.01	<0.17	25.22	0.58	11.41	11.52	63.9	156	13.6	6.9	631	2.69	13.4	1.0	6.6	7.4	87.3
2022402	Drill Core	3.61	403	0.233	0.24	0.35	28.44	3.25	28.90	10.72	46.7	428	11.0	7.2	409	2.03	16.1	3.1	157.2	9.2	101.1
2022403	Drill Core	2.37	450	<0.005	<0.01	<0.17	31.25	0.87	4.87	14.69	20.8	123	3.9	2.1	354	1.19	6.3	0.5	1.8	2.8	62.5
2022404	Drill Core	2.92	399	<0.005	<0.01	<0.17	27.44	0.60	13.67	8.90	59.6	168	12.5	7.5	446	2.39	14.7	2.0	1.8	8.5	102.7
2022405	Drill Core	3.68	469	<0.005	<0.01	<0.17	37.88	0.57	10.14	7.70	62.7	126	13.3	7.4	488	2.41	12.3	2.7	1.4	8.4	95.7
2022406	Drill Core	5.66	513	<0.005	<0.01	<0.17	36.85	0.62	13.33	10.21	63.4	142	13.8	7.4	595	2.35	12.4	2.1	0.9	7.6	99.3
2022407	Drill Core	5.06	465	0.006	<0.01	<0.17	34.38	0.97	15.47	10.96	54.3	174	11.1	6.4	564	2.16	13.0	2.1	3.3	6.9	111.0
2022408	Drill Core	5.27	492	0.358	0.47	2.91	21.66	1.17	14.61	8.74	56.6	306	12.9	7.1	583	2.33	14.3	1.9	247.0	7.7	133.5
2022409	Drill Core	4.71	439	0.273	0.31	0.82	26.69	0.66	15.52	11.61	59.6	343	12.0	7.0	380	2.29	15.3	1.7	210.6	8.0	78.8
2022410	Drill Core	4.83	452	<0.005	<0.01	<0.17	54.19	1.07	17.07	15.84	61.4	212	14.8	7.3	371	2.20	19.6	3.0	1.9	8.6	101.8
2022411	Drill Core	5.33	461	<0.005	<0.01	<0.17	41.33	0.46	15.15	11.32	59.0	168	13.3	7.0	396	2.18	14.9	2.4	2.8	8.3	113.6
2022412	Drill Core	5.00	436	<0.005	<0.01	<0.17	42.95	1.97	12.66	26.77	58.4	276	13.5	7.0	400	2.18	19.3	2.4	3.6	8.6	111.2
2022413	Drill Core	5.54	506	0.010	<0.01	<0.17	42.34	0.90	13.99	14.36	51.8	200	12.3	6.6	455	2.09	22.4	2.4	8.8	8.7	79.0
2022414	Drill Core	3.07	492	0.012	0.01	<0.17	35.04	1.30	13.76	12.35	56.1	175	13.1	6.8	425	2.09	28.6	2.6	6.7	8.7	84.7



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022385	Drill Core	0.32	0.35	0.09	18	0.76	0.059	9.9	17.3	1.32	223.5	0.007	1	1.33	0.023	0.35	<0.1	4.1	0.13	<5
2022386	Drill Core	0.26	0.57	0.03	24	0.85	0.081	10.1	21.9	1.69	218.8	0.026	2	1.67	0.034	0.56	<0.1	5.4	0.23	9
2022387	Drill Core	0.41	0.50	0.18	19	1.14	0.058	9.9	17.3	1.28	241.8	0.030	1	1.28	0.027	0.50	<0.1	5.4	0.21	8
2022388	Drill Core	0.34	0.33	0.28	22	1.03	0.058	10.0	20.7	1.33	179.4	0.015	1	1.35	0.041	0.36	<0.1	5.3	0.14	7
2022389	Drill Core	0.34	0.26	0.17	24	0.97	0.060	12.2	22.2	1.37	193.3	0.015	1	1.42	0.030	0.37	<0.1	5.2	0.14	6
2022390	Drill Core	0.32	0.20	0.13	24	0.86	0.058	10.4	19.8	1.30	231.7	0.026	<1	1.41	0.039	0.46	<0.1	5.8	0.18	9
2022391	Drill Core	0.33	0.23	0.05	30	0.86	0.064	12.2	25.3	1.50	200.4	0.014	<1	1.53	0.034	0.34	<0.1	6.9	0.13	7
2022392	Drill Core	0.33	0.21	0.18	26	0.72	0.060	12.8	23.4	1.49	223.3	0.006	<1	1.52	0.029	0.30	<0.1	5.6	0.09	<5
2022393	Drill Core	0.33	0.24	0.16	20	0.90	0.055	9.8	17.9	1.28	195.8	0.013	<1	1.28	0.020	0.32	<0.1	5.5	0.14	10
2022394	Drill Core	0.30	0.21	<0.02	33	1.40	0.079	10.9	26.0	1.60	286.1	0.036	<1	1.63	0.035	0.49	<0.1	9.7	0.23	<5
2022395	Drill Core	0.25	0.21	<0.02	28	1.09	0.071	10.6	23.5	1.39	459.3	0.055	<1	1.37	0.034	0.66	0.4	8.8	0.32	7
2022396	Drill Core	0.32	0.24	<0.02	29	1.40	0.061	12.8	26.7	1.36	411.6	0.030	<1	1.33	0.045	0.48	<0.1	9.3	0.21	5
2022397	Drill Core	0.29	0.41	0.13	22	1.11	0.058	11.4	19.5	1.03	324.7	0.045	<1	1.12	0.035	0.52	<0.1	7.7	0.28	8
2022398	Drill Core	0.41	0.49	0.04	13	2.14	0.060	10.9	11.7	0.72	366.5	0.025	1	0.94	0.017	0.51	<0.1	4.6	0.20	<5
2022399	Drill Core	0.35	0.76	0.07	15	1.57	0.062	9.2	13.9	0.83	291.6	0.019	1	1.01	0.018	0.45	<0.1	5.8	0.20	<5
2022400	Rock Pulp	0.16	4.19	0.49	110	0.97	0.056	7.0	16.1	0.85	107.7	0.125	3	1.81	0.191	0.23	4.1	3.5	0.07	212
2022401	Drill Core	0.23	0.26	0.05	22	1.39	0.062	13.8	21.1	1.29	244.0	0.004	<1	1.34	0.024	0.30	<0.1	5.8	0.08	<5
2022402	Drill Core	0.24	0.44	0.08	11	1.68	0.063	12.5	10.0	0.77	311.1	0.016	2	0.98	0.017	0.49	0.2	3.6	0.17	7
2022403	Drill Core	0.19	0.22	0.09	4	1.23	0.022	6.5	7.2	0.44	114.0	0.002	<1	0.41	0.008	0.15	<0.1	1.3	0.04	9
2022404	Drill Core	0.25	0.47	0.07	14	1.53	0.057	11.6	14.6	1.02	198.0	0.025	1	1.16	0.018	0.46	0.1	5.7	0.17	<5
2022405	Drill Core	0.24	0.57	0.05	15	1.36	0.056	11.6	14.2	1.05	232.0	0.029	2	1.25	0.017	0.59	0.1	5.6	0.23	<5
2022406	Drill Core	0.24	0.89	0.05	14	1.50	0.060	11.0	13.7	0.92	268.7	0.026	1	0.98	0.021	0.49	0.2	6.0	0.21	<5
2022407	Drill Core	0.27	1.09	0.07	11	1.82	0.055	11.9	10.8	0.70	313.9	0.023	1	0.93	0.021	0.49	0.3	4.4	0.20	<5
2022408	Drill Core	0.26	0.50	0.04	13	1.95	0.063	12.2	13.3	0.90	326.2	0.013	1	1.13	0.018	0.42	0.1	4.4	0.13	9
2022409	Drill Core	0.26	0.39	0.05	15	1.32	0.055	15.9	14.7	0.93	237.4	0.005	1	1.17	0.018	0.34	<0.1	5.3	0.11	9
2022410	Drill Core	0.33	1.31	0.07	22	1.92	0.071	23.0	19.4	0.93	184.5	0.026	1	1.02	0.040	0.48	0.2	8.3	0.20	<5
2022411	Drill Core	0.30	1.25	0.06	17	2.03	0.059	24.6	15.2	0.86	181.2	0.028	2	0.95	0.022	0.52	0.1	7.6	0.24	<5
2022412	Drill Core	0.31	1.22	0.17	19	2.19	0.062	24.8	16.3	0.87	223.1	0.024	2	0.99	0.024	0.54	<0.1	8.8	0.22	<5
2022413	Drill Core	0.24	0.87	0.09	15	1.51	0.062	26.7	13.5	0.68	252.6	0.005	1	1.00	0.019	0.45	<0.1	7.0	0.15	7
2022414	Drill Core	0.28	1.45	0.09	16	1.79	0.063	27.8	13.1	0.63	253.8	0.006	2	0.98	0.015	0.48	<0.1	8.2	0.19	20



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022385	Drill Core	0.4	<0.02	5.1	1.26	<0.1	0.19	<0.02	14.1	0.2	<0.05	8.0	3.76	19.8	<0.02	1	0.4	11.1	<10	<2
2022386	Drill Core	0.2	0.03	6.2	3.29	<0.1	0.23	<0.02	25.8	0.4	<0.05	9.4	3.68	20.2	0.02	1	0.5	11.9	<10	<2
2022387	Drill Core	0.5	0.02	4.5	3.10	<0.1	0.21	<0.02	22.6	0.3	<0.05	8.1	3.40	20.1	0.02	1	0.4	7.9	<10	<2
2022388	Drill Core	0.4	0.04	5.3	1.72	<0.1	0.19	<0.02	14.5	0.3	<0.05	7.5	3.25	20.0	0.02	1	0.4	9.3	<10	<2
2022389	Drill Core	0.5	0.02	5.8	1.56	<0.1	0.19	<0.02	15.5	0.3	<0.05	7.9	4.26	24.4	0.02	1	0.4	9.8	<10	<2
2022390	Drill Core	0.5	0.03	5.6	1.45	<0.1	0.19	<0.02	19.0	0.3	<0.05	7.3	3.49	20.9	0.02	<1	0.4	8.4	<10	<2
2022391	Drill Core	0.4	<0.02	6.8	0.98	<0.1	0.20	<0.02	14.0	0.3	<0.05	8.1	5.01	26.3	0.03	1	0.4	11.7	<10	<2
2022392	Drill Core	0.5	0.02	6.9	0.62	<0.1	0.21	<0.02	10.6	0.3	<0.05	9.2	5.35	27.7	0.03	<1	0.4	12.0	<10	<2
2022393	Drill Core	0.4	0.03	5.2	0.99	<0.1	0.18	0.03	14.1	0.5	<0.05	6.8	4.45	19.8	0.03	<1	0.4	10.6	<10	<2
2022394	Drill Core	0.4	0.02	7.6	1.49	<0.1	0.21	<0.02	22.9	0.5	<0.05	7.5	5.03	22.0	0.04	2	0.6	10.9	<10	<2
2022395	Drill Core	0.3	<0.02	6.0	4.00	<0.1	0.22	<0.02	36.8	0.5	<0.05	8.2	4.53	21.2	0.04	<1	0.5	8.5	<10	<2
2022396	Drill Core	0.4	0.03	5.8	3.06	<0.1	0.22	<0.02	23.4	0.4	<0.05	7.7	5.47	27.8	0.04	<1	0.4	8.9	<10	<2
2022397	Drill Core	0.5	0.03	4.3	3.97	<0.1	0.17	<0.02	25.4	0.4	<0.05	6.8	4.58	23.9	0.03	1	0.4	5.5	<10	<2
2022398	Drill Core	0.7	0.03	3.2	2.08	<0.1	0.07	0.03	20.2	0.3	<0.05	3.0	5.39	22.3	0.02	<1	0.4	4.9	<10	<2
2022399	Drill Core	0.7	0.02	3.4	2.63	<0.1	0.09	<0.02	18.9	0.3	<0.05	3.5	4.75	18.6	0.03	2	0.4	6.1	<10	<2
2022400	Rock Pulp	0.3	0.18	5.5	0.63	0.1	0.10	0.07	7.5	1.5	<0.05	2.0	5.13	14.6	0.05	1	0.2	6.4	<10	<2
2022401	Drill Core	0.4	0.02	5.4	0.82	<0.1	0.14	<0.02	10.8	0.3	<0.05	5.8	7.71	30.9	0.02	1	0.4	11.2	<10	<2
2022402	Drill Core	0.6	0.03	3.4	2.35	<0.1	0.07	<0.02	19.4	0.3	<0.05	2.7	5.57	27.1	<0.02	1	0.4	6.4	<10	<2
2022403	Drill Core	0.2	0.02	1.3	0.43	<0.1	<0.02	<0.02	5.4	0.1	<0.05	0.6	2.54	13.1	<0.02	<1	0.2	2.9	<10	<2
2022404	Drill Core	0.3	0.03	3.7	2.11	<0.1	0.12	<0.02	19.0	0.3	<0.05	5.2	4.44	23.3	<0.02	1	0.4	7.9	<10	<2
2022405	Drill Core	0.3	<0.02	3.8	3.07	<0.1	0.16	<0.02	25.6	0.4	<0.05	6.0	4.09	25.8	<0.02	<1	0.4	7.1	<10	<2
2022406	Drill Core	0.4	0.02	3.0	3.26	<0.1	0.07	<0.02	21.4	0.3	<0.05	3.2	4.67	24.0	0.02	<1	0.3	5.4	<10	<2
2022407	Drill Core	0.5	0.03	2.7	2.38	<0.1	0.05	<0.02	20.1	0.3	<0.05	2.0	5.10	26.3	0.02	<1	0.3	4.7	<10	<2
2022408	Drill Core	0.6	0.03	3.5	0.93	<0.1	0.04	<0.02	15.3	0.2	<0.05	1.9	6.56	27.5	0.02	<1	0.4	7.8	<10	<2
2022409	Drill Core	0.4	0.03	4.3	1.25	<0.1	0.10	<0.02	13.3	0.2	<0.05	4.2	6.15	35.5	0.02	<1	0.4	9.6	<10	<2
2022410	Drill Core	0.7	0.03	4.1	2.86	<0.1	0.04	<0.02	21.7	0.4	<0.05	1.5	8.56	49.5	0.03	1	0.4	4.8	<10	<2
2022411	Drill Core	0.6	0.03	3.5	3.56	<0.1	0.06	<0.02	24.1	0.4	<0.05	2.1	9.47	50.1	0.03	<1	0.4	5.1	<10	<2
2022412	Drill Core	0.6	0.03	4.1	3.28	<0.1	0.04	<0.02	22.8	0.5	<0.05	1.1	10.47	51.0	0.04	<1	0.5	4.9	<10	<2
2022413	Drill Core	0.5	0.02	3.7	1.50	<0.1	0.03	<0.02	16.1	0.4	<0.05	1.1	11.39	54.2	0.03	<1	0.5	6.3	<10	<2
2022414	Drill Core	0.7	0.03	4.0	2.16	<0.1	0.03	<0.02	18.4	0.5	<0.05	1.0	13.48	57.0	0.04	1	0.5	7.3	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022415	Drill Core	4.05	449	0.005	<0.01	<0.17	49.81	1.25	12.67	11.71	55.5	184	12.6	6.8	438	2.15	11.1	2.4	3.7	109.7
2022416	Drill Core	5.31	499	<0.005	<0.01	<0.17	39.76	0.43	6.19	11.88	55.4	93	11.6	5.6	434	2.13	7.4	1.7	1.3	83.0
2022417	Drill Core	5.05	523	<0.005	<0.01	<0.17	49.65	0.35	12.13	12.75	56.4	142	12.6	6.3	465	2.19	10.1	2.5	2.2	86.5
2022418	Drill Core	5.13	468	<0.005	<0.01	<0.17	42.89	0.60	8.95	19.36	58.9	173	13.4	6.0	382	2.10	13.9	3.0	1.7	69.1
2022419	Drill Core	2.43	464	<0.005	<0.01	<0.17	39.76	0.72	9.76	13.77	62.5	154	14.1	6.3	376	2.32	9.9	2.4	1.5	77.5
2022420	Rock Pulp	0.12	91	0.476				2.46	422.01	15.08	45.8	276	584.2	22.5	421	2.55	18.5	0.5	411.2	1.3
2022421	Drill Core	2.88	480	0.006	<0.01	<0.17	35.88	0.63	6.01	9.64	42.1	108	9.9	4.7	635	1.75	9.1	1.1	1.6	203.7
2022422	Drill Core	4.88	483	<0.005	<0.01	<0.17	33.26	0.49	8.45	13.54	54.4	102	11.9	5.0	550	2.22	6.6	1.2	1.0	37.1
2022423	Drill Core	4.97	442	<0.005	<0.01	<0.17	30.76	0.53	10.60	17.71	62.5	161	12.7	6.0	448	2.31	8.2	2.6	2.3	78.1
2022424	Drill Core	5.34	497	0.006	<0.01	<0.17	33.42	1.18	15.58	13.36	56.1	211	12.7	6.7	381	2.24	10.9	3.2	3.0	98.0
2022425	Drill Core	5.35	519	<0.005	<0.01	<0.17	34.39	2.36	12.04	11.43	57.6	172	13.0	6.7	453	2.23	10.6	1.5	1.8	115.1
2022426	Drill Core	4.95	474	<0.005	<0.01	<0.17	42.69	0.51	9.37	16.85	48.6	154	9.8	4.7	428	1.87	6.5	1.0	1.4	88.5
2022427	Drill Core	2.75	546	0.073	0.07	<0.17	41.28	0.34	10.78	8.61	35.2	191	7.5	4.8	369	1.52	5.9	1.2	29.9	92.0
2022428	Drill Core	2.61	521	0.114	0.16	0.80	32.39	0.65	12.21	10.84	34.6	330	8.3	5.5	384	1.67	12.6	1.1	58.0	71.7
2022429	Drill Core	2.25	504	<0.005	<0.01	<0.17	24.83	0.62	9.99	18.18	48.9	138	8.0	5.2	536	1.92	9.1	1.1	5.9	62.7
2022430	Drill Core	4.56	499	<0.005	<0.01	<0.17	36.39	0.47	11.31	20.23	53.8	169	8.2	5.1	417	2.00	6.3	3.5	4.9	98.3
2022431	Drill Core	4.88	451	<0.005	<0.01	<0.17	39.09	0.41	12.11	16.51	55.9	131	8.6	5.7	437	2.17	2.7	0.9	2.9	95.9
2022432	Drill Core	4.99	529	0.009	<0.01	<0.17	42.29	0.71	13.28	15.15	44.8	156	7.8	4.8	275	1.66	5.8	1.0	5.5	116.6
2022433	Drill Core	4.95	550	0.006	<0.01	<0.17	39.90	0.57	15.48	10.27	42.2	234	10.2	6.8	333	1.92	10.5	1.3	4.7	132.2
2022434	Drill Core	4.99	499	<0.005	<0.01	<0.17	38.25	0.39	9.45	13.85	50.1	169	8.4	5.3	264	1.74	5.8	0.9	3.9	69.4
2022435	Drill Core	5.14	563	<0.005	<0.01	<0.17	51.81	0.63	10.78	16.52	47.9	145	10.0	6.2	370	1.92	8.5	4.3	6.2	101.5
2022436	Drill Core	4.95	550	0.005	<0.01	<0.17	35.93	0.77	13.42	18.33	54.3	192	12.2	6.2	263	2.31	5.8	4.2	4.3	103.8
2022437	Drill Core	5.27	537	<0.005	<0.01	<0.17	29.84	0.50	7.87	15.34	53.8	115	9.3	5.4	486	2.07	5.7	3.3	4.9	72.7
2022438	Drill Core	4.97	533	<0.005	<0.01	<0.17	42.05	0.45	9.27	18.15	55.9	106	8.8	5.3	379	1.91	4.3	2.4	2.2	84.7
2022439	Drill Core	4.80	540	<0.005	<0.01	<0.17	50.39	0.38	11.04	18.68	48.3	112	8.5	6.0	228	1.76	1.8	2.3	1.8	71.5
2022440	Rock Pulp	0.13	87	0.012				2.42	92.70	3.95	38.0	107	4.8	8.7	401	2.71	0.9	0.9	0.6	93.9
2022441	Drill Core	5.11	526	<0.005	<0.01	<0.17	37.52	0.41	13.60	18.94	56.6	157	10.0	6.5	275	2.02	2.3	2.4	3.4	102.1
2022442	Drill Core	5.15	563	<0.005	<0.01	<0.17	49.33	0.42	13.59	21.83	53.0	172	9.3	5.8	252	1.99	2.4	1.9	0.7	99.5
2022443	Drill Core	4.98	527	0.006	<0.01	<0.17	39.73	0.33	7.41	17.04	43.9	117	6.3	4.6	254	1.74	3.1	1.1	1.7	79.8
2022444	Drill Core	4.33	477	0.015	0.01	<0.17	38.34	0.49	12.19	18.60	44.6	134	8.6	5.1	296	1.78	1.0	1.3	0.8	80.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022415	Drill Core	0.27	1.13	0.09	17	2.22	0.062	26.6	13.9	0.76	250.7	0.022	2	1.00	0.017	0.62	0.1	8.0	0.27	0.24	6	
2022416	Drill Core	0.19	0.41	0.03	16	1.05	0.053	28.5	14.9	0.88	248.9	0.006	<1	1.10	0.023	0.34	<0.1	6.4	0.11	0.07	7	
2022417	Drill Core	0.22	0.29	<0.02	17	1.13	0.051	28.4	15.6	0.90	245.4	0.004	<1	1.10	0.030	0.34	<0.1	5.8	0.10	0.14	14	
2022418	Drill Core	0.23	0.56	0.11	15	1.02	0.049	28.6	13.5	0.85	182.8	0.010	1	1.03	0.026	0.38	<0.1	6.3	0.15	0.10	12	
2022419	Drill Core	0.23	0.70	0.07	17	0.95	0.050	30.0	15.5	0.92	188.1	0.022	1	1.09	0.047	0.48	<0.1	7.6	0.22	0.13	8	
2022420	Rock Pulp	0.17	0.30	0.25	50	1.40	0.026	3.5	98.7	1.78	62.9	0.070	3	2.02	0.193	0.13	1.2	2.6	0.09	0.19	13	
2022421	Drill Core	0.29	0.35	0.02	12	4.61	0.048	20.3	11.9	0.65	170.7	0.005	<1	0.87	0.019	0.32	<0.1	6.2	0.11	0.09	<5	
2022422	Drill Core	0.16	0.17	<0.02	16	0.74	0.045	30.0	15.8	0.97	169.7	0.003	<1	1.14	0.034	0.28	<0.1	5.2	0.09	0.03	7	
2022423	Drill Core	0.26	0.37	0.02	19	0.93	0.052	28.1	17.2	0.98	153.6	0.005	<1	1.17	0.027	0.30	<0.1	6.3	0.10	0.08	15	
2022424	Drill Core	0.28	0.55	0.07	18	1.45	0.058	23.5	17.2	0.82	237.7	0.007	<1	1.11	0.024	0.41	<0.1	6.9	0.14	0.22	10	
2022425	Drill Core	0.27	0.55	0.07	17	1.79	0.057	14.5	15.6	0.91	184.1	0.009	<1	1.10	0.020	0.40	0.1	6.5	0.15	0.20	7	
2022426	Drill Core	0.18	0.21	0.07	12	1.08	0.047	17.6	11.4	0.74	231.9	0.005	<1	1.02	0.023	0.34	<0.1	3.6	0.09	0.06	<5	
2022427	Drill Core	0.19	0.22	<0.02	6	1.04	0.045	12.7	6.3	0.53	253.6	0.003	<1	0.81	0.018	0.38	<0.1	2.8	0.09	0.31	<5	
2022428	Drill Core	0.24	0.33	0.04	6	0.98	0.042	15.2	7.0	0.48	203.8	0.003	1	0.79	0.024	0.30	<0.1	2.8	0.07	0.17	<5	
2022429	Drill Core	0.24	0.25	0.03	14	1.00	0.048	23.6	15.1	0.68	228.2	0.004	<1	1.04	0.027	0.31	<0.1	4.2	0.08	0.03	<5	
2022430	Drill Core	0.19	0.50	<0.02	12	0.95	0.053	17.0	9.9	0.76	215.9	0.017	<1	1.02	0.025	0.39	<0.1	4.5	0.12	0.09	6	
2022431	Drill Core	0.24	0.30	<0.02	17	0.95	0.053	22.3	15.4	0.78	213.4	0.009	<1	1.16	0.044	0.33	<0.1	5.3	0.10	0.07	<5	
2022432	Drill Core	0.17	0.26	0.02	12	0.78	0.050	24.2	11.2	0.57	224.5	0.006	<1	0.95	0.032	0.33	<0.1	4.2	0.09	0.05	<5	
2022433	Drill Core	0.26	0.28	0.02	13	1.27	0.054	21.9	12.7	0.72	267.5	0.008	<1	1.07	0.037	0.38	0.1	5.0	0.10	0.12	<5	
2022434	Drill Core	0.22	0.20	0.04	17	0.89	0.055	25.7	17.9	0.65	188.0	0.003	2	1.02	0.033	0.27	<0.1	4.6	0.06	0.05	6	
2022435	Drill Core	0.26	0.30	0.06	12	1.19	0.052	23.6	11.8	0.73	287.6	0.008	<1	1.10	0.035	0.43	0.1	6.5	0.11	0.07	<5	
2022436	Drill Core	0.29	0.40	0.14	15	1.20	0.051	30.9	13.8	0.89	205.8	0.006	2	1.17	0.027	0.35	<0.1	6.6	0.12	0.14	12	
2022437	Drill Core	0.26	0.34	0.04	15	0.99	0.057	37.5	15.1	0.76	271.9	0.004	<1	1.12	0.034	0.39	<0.1	6.2	0.10	0.06	16	
2022438	Drill Core	0.24	0.65	<0.02	14	0.96	0.054	33.5	12.3	0.75	207.5	0.011	3	1.01	0.028	0.50	<0.1	5.9	0.18	0.06	12	
2022439	Drill Core	0.28	0.37	<0.02	15	0.79	0.055	34.2	12.7	0.65	293.7	0.029	1	0.97	0.045	0.60	<0.1	6.9	0.21	0.07	<5	
2022440	Rock Pulp	0.07	0.12	0.05	100	1.05	0.058	7.3	9.9	0.75	131.2	0.112	2	1.79	0.210	0.22	2.9	3.0	0.04	<0.02	<5	
2022441	Drill Core	0.30	0.36	0.03	19	1.14	0.060	34.2	18.1	0.75	223.8	0.013	<1	0.98	0.038	0.34	<0.1	7.5	0.11	0.11	<5	
2022442	Drill Core	0.29	0.36	0.05	16	1.09	0.060	34.6	15.6	0.70	297.0	0.015	<1	1.02	0.048	0.48	<0.1	8.6	0.14	0.10	<5	
2022443	Drill Core	0.19	0.29	0.04	14	1.12	0.050	31.0	13.1	0.65	254.3	0.008	<1	0.92	0.035	0.40	<0.1	5.9	0.11	0.08	<5	
2022444	Drill Core	0.24	0.21	0.02	15	1.06	0.056	32.2	13.3	0.59	281.6	0.025	<1	0.89	0.048	0.52	<0.1	6.5	0.15	0.06	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022415	Drill Core	0.6	0.03	3.9	3.49	<0.1	0.04	<0.02	26.3	0.4	<0.05	1.5	13.00	54.7	0.03	1	0.4	5.2	<10
2022416	Drill Core	0.4	<0.02	4.6	1.49	<0.1	0.16	<0.02	13.3	0.3	<0.05	6.6	8.95	58.2	0.02	<1	0.5	7.6	<10
2022417	Drill Core	0.5	0.02	4.9	1.32	<0.1	0.21	<0.02	13.4	0.3	<0.05	8.6	9.06	57.5	<0.02	<1	0.5	8.1	<10
2022418	Drill Core	0.5	<0.02	4.5	2.25	<0.1	0.23	<0.02	16.7	0.4	<0.05	9.1	9.37	58.3	0.02	2	0.6	7.9	<10
2022419	Drill Core	0.5	<0.02	4.6	4.06	<0.1	0.20	<0.02	23.4	0.5	<0.05	7.2	8.96	60.4	0.03	2	0.5	5.4	<10
2022420	Rock Pulp	0.8	0.19	4.4	0.53	<0.1	0.06	<0.02	5.3	0.4	<0.05	1.7	3.06	7.7	<0.02	1	0.1	7.1	255
2022421	Drill Core	0.4	0.04	3.5	1.43	<0.1	0.25	<0.02	13.7	0.3	<0.05	10.4	7.45	45.1	<0.02	<1	0.4	5.3	<10
2022422	Drill Core	0.3	<0.02	5.9	0.81	<0.1	0.24	<0.02	11.0	0.2	<0.05	9.4	8.36	61.0	<0.02	<1	0.4	8.6	<10
2022423	Drill Core	0.4	<0.02	5.7	1.46	<0.1	0.18	<0.02	12.8	0.3	<0.05	7.2	7.09	57.4	0.02	1	0.5	8.8	<10
2022424	Drill Core	0.6	0.03	4.8	1.52	<0.1	0.05	<0.02	16.1	0.3	<0.05	1.9	7.71	49.6	0.02	<1	0.5	6.3	<10
2022425	Drill Core	0.6	0.03	4.3	1.66	<0.1	0.08	<0.02	16.6	0.3	<0.05	3.4	6.71	32.7	0.02	<1	0.4	6.5	<10
2022426	Drill Core	0.2	<0.02	4.5	0.64	<0.1	0.30	<0.02	12.7	0.2	<0.05	12.0	4.65	39.8	<0.02	<1	0.4	7.2	<10
2022427	Drill Core	0.4	0.02	2.8	0.71	<0.1	0.30	<0.02	14.0	0.2	<0.05	13.2	4.96	28.6	<0.02	<1	0.5	5.9	<10
2022428	Drill Core	0.4	0.05	2.3	0.67	<0.1	0.28	<0.02	11.7	0.2	<0.05	10.4	4.84	29.6	<0.02	1	0.3	6.3	<10
2022429	Drill Core	0.2	<0.02	4.7	0.63	<0.1	0.24	<0.02	12.5	0.3	<0.05	10.2	5.73	46.6	<0.02	<1	0.3	8.5	<10
2022430	Drill Core	0.2	<0.02	4.0	1.65	<0.1	0.40	<0.02	18.2	0.3	<0.05	10.8	4.34	33.0	<0.02	<1	0.6	7.7	<10
2022431	Drill Core	<0.1	<0.02	5.4	1.14	<0.1	0.34	0.04	14.9	0.3	<0.05	12.9	6.00	45.0	0.03	2	0.6	7.8	<10
2022432	Drill Core	<0.1	<0.02	3.9	0.77	<0.1	0.28	<0.02	13.4	0.3	<0.05	10.9	6.59	49.2	<0.02	<1	0.5	6.8	<10
2022433	Drill Core	<0.1	<0.02	4.1	0.78	<0.1	0.23	<0.02	16.0	0.3	<0.05	10.7	6.36	44.9	0.03	<1	0.5	8.2	<10
2022434	Drill Core	<0.1	<0.02	4.6	0.73	<0.1	0.23	<0.02	11.4	0.3	<0.05	8.8	7.27	50.9	0.03	1	0.5	8.0	<10
2022435	Drill Core	0.2	<0.02	4.0	1.34	<0.1	0.22	<0.02	17.7	0.3	<0.05	8.9	6.35	46.5	0.02	3	0.6	8.7	<10
2022436	Drill Core	0.3	<0.02	3.8	1.97	<0.1	0.23	<0.02	15.6	0.4	<0.05	7.9	9.15	58.6	0.03	4	0.4	7.9	11
2022437	Drill Core	<0.1	<0.02	4.1	1.06	<0.1	0.25	<0.02	15.3	0.4	<0.05	9.4	11.21	69.9	0.03	2	0.6	8.7	<10
2022438	Drill Core	<0.1	<0.02	4.0	4.67	<0.1	0.31	<0.02	25.6	0.5	<0.05	12.1	11.16	67.6	0.03	3	0.3	5.6	<10
2022439	Drill Core	0.3	<0.02	3.7	1.86	<0.1	0.31	0.03	27.2	0.4	<0.05	11.1	9.22	66.4	<0.02	2	0.5	4.0	<10
2022440	Rock Pulp	0.3	<0.02	5.1	0.34	<0.1	0.09	0.06	7.2	0.3	<0.05	1.9	5.09	16.0	<0.02	2	0.2	6.4	<10
2022441	Drill Core	0.2	0.03	4.6	1.22	<0.1	0.31	<0.02	15.0	0.5	<0.05	11.8	9.75	65.0	0.02	<1	0.5	7.6	<10
2022442	Drill Core	0.2	<0.02	3.8	1.52	<0.1	0.33	<0.02	20.6	0.7	<0.05	12.9	10.07	67.1	0.05	<1	0.4	7.4	<10
2022443	Drill Core	0.2	<0.02	3.6	1.20	<0.1	0.32	<0.02	17.8	0.4	<0.05	11.9	8.97	61.4	0.03	<1	0.3	5.7	<10
2022444	Drill Core	0.3	<0.02	3.2	1.26	<0.1	0.33	<0.02	26.3	0.5	<0.05	12.5	10.28	63.3	<0.02	<1	0.3	4.9	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022445	Drill Core	5.62	533	<0.005	<0.01	<0.17	40.40	0.52	7.33	13.80	58.4	91	9.3	5.8	408	1.95	4.5	1.4	4.3	12.9	76.7
2022446	Drill Core	4.44	461	0.012	0.01	<0.17	24.52	0.55	14.39	15.70	54.9	234	10.5	7.4	334	2.06	13.1	1.5	8.8	13.1	55.9
2022447	Drill Core	5.29	541	0.008	<0.01	<0.17	40.94	0.49	11.69	17.45	59.9	206	9.8	6.0	324	2.14	12.9	1.5	4.0	12.5	73.2
2022448	Drill Core	5.02	512	0.009	<0.01	<0.17	23.35	0.52	12.79	15.35	61.6	170	9.5	6.2	332	2.21	7.6	1.3	4.6	11.2	83.1
2022449	Drill Core	4.89	553	0.007	<0.01	<0.17	27.65	0.29	9.87	18.36	47.9	151	7.5	5.0	345	1.74	4.4	1.3	2.1	10.4	56.3
2022450	Drill Core	5.03	533	0.007	<0.01	<0.17	25.54	0.53	15.66	16.12	57.0	238	11.6	6.5	339	1.98	6.8	2.0	1.0	11.4	80.8
2022451	Drill Core	5.36	434	0.009	<0.01	<0.17	16.42	0.60	19.52	16.30	47.1	296	8.6	5.5	345	1.88	7.2	1.3	6.0	11.2	72.4
2022452	Drill Core	3.47	546	1.142	1.98	17.94	27.14	0.55	20.64	9.10	43.2	843	5.8	3.9	379	1.61	5.1	1.0	1342.6	8.1	53.2
2022453	Drill Core	2.94	500	0.099	0.12	0.49	20.39	0.41	10.48	9.47	34.2	254	7.5	5.8	388	1.72	5.6	1.7	124.6	10.5	84.1
2022454	Drill Core	4.97	501	0.008	<0.01	<0.17	32.36	0.48	8.69	14.92	50.5	151	8.4	5.8	391	1.93	5.8	1.3	1.5	11.9	93.9
2022455	Drill Core	4.79	506	0.006	<0.01	<0.17	28.68	0.49	12.81	20.59	55.0	223	11.4	6.1	428	2.14	1.6	1.0	0.7	12.3	89.9
2022456	Drill Core	4.47	486	0.006	<0.01	<0.17	28.88	0.46	12.05	17.52	48.6	182	8.6	5.6	358	1.97	1.8	2.3	<0.2	11.9	65.0
2022457	Drill Core	3.51	431	0.005	<0.01	<0.17	30.18	0.66	6.51	19.56	56.9	112	9.1	6.0	458	2.01	1.1	0.9	<0.2	11.9	81.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2022445	Drill Core	0.21	0.31	<0.02	15	1.14	0.056	34.7	13.7	0.76	236.0	0.007	<1	1.09	0.032	0.38	<0.1	6.5	0.11	<0.02
2022446	Drill Core	0.25	0.57	0.15	15	1.00	0.059	33.1	13.0	0.69	255.9	0.003	2	1.08	0.036	0.39	<0.1	7.1	0.10	0.12
2022447	Drill Core	0.32	0.51	0.07	16	1.12	0.060	35.2	14.3	0.71	211.7	0.004	<1	1.10	0.037	0.32	<0.1	7.0	0.09	0.05
2022448	Drill Core	0.30	0.41	0.03	18	1.23	0.053	31.3	16.5	0.79	208.0	0.004	<1	1.18	0.035	0.31	<0.1	5.3	0.08	0.06
2022449	Drill Core	0.24	0.28	<0.02	13	0.90	0.053	28.6	13.1	0.65	196.2	0.004	1	0.99	0.026	0.31	<0.1	3.8	0.07	0.08
2022450	Drill Core	0.27	0.33	0.02	19	1.12	0.065	28.9	18.2	0.71	274.9	0.020	<1	1.05	0.039	0.40	<0.1	6.1	0.11	0.14
2022451	Drill Core	0.27	0.36	<0.02	13	0.84	0.057	21.4	14.4	0.65	233.1	0.006	<1	0.99	0.028	0.33	<0.1	3.9	0.08	0.13
2022452	Drill Core	0.36	0.27	0.03	8	0.95	0.037	16.1	8.7	0.46	249.2	0.003	2	0.80	0.029	0.34	<0.1	2.7	0.07	0.21
2022453	Drill Core	0.31	0.26	0.05	8	1.32	0.050	14.9	8.9	0.56	241.4	0.003	<1	0.82	0.022	0.33	0.1	3.0	0.07	0.55
2022454	Drill Core	0.32	0.30	0.04	12	1.08	0.052	21.5	11.6	0.72	251.5	0.005	<1	1.08	0.030	0.36	<0.1	4.4	0.09	0.06
2022455	Drill Core	0.21	0.24	0.15	15	1.04	0.054	22.5	15.4	0.86	208.3	0.006	<1	1.14	0.023	0.32	<0.1	4.3	0.09	0.08
2022456	Drill Core	0.33	0.31	0.08	13	0.78	0.051	20.1	11.9	0.77	258.9	0.031	<1	1.10	0.034	0.53	<0.1	6.1	0.19	0.08
2022457	Drill Core	0.21	0.22	0.06	16	1.10	0.054	21.5	14.5	0.79	214.7	0.023	<1	1.07	0.029	0.41	<0.1	5.9	0.14	0.03



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000191.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022445	Drill Core	<0.1	<0.02	4.2	1.03	<0.1	0.28	<0.02	17.6	0.4	<0.05	13.7	9.81	68.4	0.03	<1	0.5	8.8	<10
2022446	Drill Core	0.4	<0.02	4.0	1.01	<0.1	0.33	<0.02	15.8	0.6	<0.05	14.4	10.62	66.1	0.03	<1	0.4	9.3	<10
2022447	Drill Core	0.3	<0.02	4.1	1.27	<0.1	0.36	<0.02	14.1	0.4	<0.05	12.2	9.79	66.1	0.03	<1	0.7	11.6	<10
2022448	Drill Core	<0.1	<0.02	4.6	1.51	<0.1	0.24	<0.02	13.7	0.3	<0.05	7.6	10.02	61.7	<0.02	<1	0.5	10.2	<10
2022449	Drill Core	0.4	<0.02	3.4	0.75	<0.1	0.22	<0.02	11.9	0.2	<0.05	8.1	8.24	57.2	<0.02	1	0.4	7.4	<10
2022450	Drill Core	0.1	<0.02	4.2	0.88	<0.1	0.20	<0.02	18.0	0.3	<0.05	6.9	8.59	57.1	0.03	3	0.4	7.9	<10
2022451	Drill Core	0.2	<0.02	3.7	0.73	<0.1	0.27	<0.02	13.8	0.3	<0.05	10.0	6.49	42.6	<0.02	1	0.4	8.2	<10
2022452	Drill Core	0.3	0.05	2.6	0.58	<0.1	0.26	<0.02	12.3	0.2	<0.05	10.0	5.81	31.5	<0.02	1	0.5	6.8	<10
2022453	Drill Core	0.2	<0.02	2.7	0.72	<0.1	0.25	<0.02	12.5	0.2	<0.05	9.2	6.66	30.1	<0.02	2	0.2	8.1	<10
2022454	Drill Core	0.1	<0.02	4.3	0.97	<0.1	0.34	<0.02	15.2	0.3	<0.05	9.9	6.06	42.8	<0.02	2	0.5	9.5	<10
2022455	Drill Core	<0.1	<0.02	5.0	1.14	<0.1	0.33	<0.02	14.6	0.4	<0.05	11.1	8.14	44.0	<0.02	<1	0.3	8.5	<10
2022456	Drill Core	<0.1	<0.02	3.9	1.67	<0.1	0.32	<0.02	27.1	0.5	<0.05	9.8	5.39	40.5	0.03	3	0.4	6.5	<10
2022457	Drill Core	<0.1	<0.02	4.6	1.50	<0.1	0.34	<0.02	21.5	0.4	<0.05	11.1	5.92	42.8	0.03	2	0.7	6.8	12



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000191.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
REP 2022343	QC	<0.005																			
2022349	Drill Core	4.55	437	<0.005	<0.01	<0.17	42.20	0.98	24.30	1.57	76.5	33	54.0	29.4	930	4.80	3.6	0.3	<0.2	2.7	130.8
REP 2022349	QC	1.11 24.53 1.59 77.8 34 53.1 29.7 930 4.80 3.5 0.3 <0.2 2.8 130.7																			
2022367	Drill Core	2.45	434	0.165	0.17	0.26	27.45	0.56	17.16	7.95	60.8	378	12.7	8.1	446	2.52	7.9	1.4	162.0	8.2	52.1
REP 2022367	QC	0.175																			
2022384	Drill Core	5.42	437	0.017	0.02	<0.17	37.69	1.19	19.62	12.14	75.4	367	13.4	8.1	555	2.59	9.4	1.5	16.1	6.8	72.6
REP 2022384	QC	1.18 19.34 12.10 74.6 371 13.3 8.0 543 2.54 9.0 1.5 17.8 6.7 72.8																			
2022416	Drill Core	5.31	499	<0.005	<0.01	<0.17	39.76	0.43	6.19	11.88	55.4	93	11.6	5.6	434	2.13	7.4	1.7	1.3	9.6	83.0
REP 2022416	QC	0.005																			
2022419	Drill Core	2.43	464	<0.005	<0.01	<0.17	39.76	0.72	9.76	13.77	62.5	154	14.1	6.3	376	2.32	9.9	2.4	1.5	10.5	77.5
REP 2022419	QC	0.71 9.50 13.65 60.7 157 13.7 5.9 363 2.28 9.2 2.4 1.5 10.2 75.2																			
2022442	Drill Core	5.15	563	<0.005	<0.01	<0.17	49.33	0.42	13.59	21.83	53.0	172	9.3	5.8	252	1.99	2.4	1.9	0.7	13.1	99.5
REP 2022442	QC	<0.005																			
2022450	Drill Core	5.03	533	0.007	<0.01	<0.17	25.54	0.53	15.66	16.12	57.0	238	11.6	6.5	339	1.98	6.8	2.0	1.0	11.4	80.8
REP 2022450	QC	0.54 15.43 15.72 55.6 232 11.2 6.3 341 1.98 6.5 1.9 1.7 10.9 79.4																			
Core Reject Duplicates																					
2022343	Drill Core	6.00	511	<0.005	<0.01	<0.17	47.13	1.03	24.17	1.72	79.1	37	54.3	31.3	1086	5.08	4.2	1.3	0.5	2.3	163.0
DUP 2022343	QC	456 0.006 <0.01 <0.17 43.55 0.98 23.50 1.76 77.3 43 55.0 31.8 998 5.11 4.1 1.3 0.4 2.2 164.6																			
2022377	Drill Core	4.01	382	<0.005	<0.01	<0.17	48.87	0.79	15.26	17.52	75.8	251	12.8	7.1	558	2.69	8.2	1.7	1.4	7.5	69.6
DUP 2022377	QC	358 <0.005 <0.01 <0.17 36.93 0.80 15.64 17.39 75.9 257 12.9 7.1 555 2.70 8.2 1.8 1.4 7.6 69.0																			
2022411	Drill Core	5.33	461	<0.005	<0.01	<0.17	41.33	0.46	15.15	11.32	59.0	168	13.3	7.0	396	2.18	14.9	2.4	2.8	8.3	113.6
DUP 2022411	QC	438 0.008 <0.01 <0.17 41.80 0.51 14.92 10.27 60.8 163 13.4 7.1 403 2.26 15.4 2.4 2.3 8.6 111.4																			
2022445	Drill Core	5.62	533	<0.005	<0.01	<0.17	40.40	0.52	7.33	13.80	58.4	91	9.3	5.8	408	1.95	4.5	1.4	4.3	12.9	76.7
DUP 2022445	QC	541 0.005 <0.01 <0.17 37.35 0.48 7.05 13.48 55.0 100 9.3 5.5 400 1.95 4.7 1.4 3.0 12.9 74.8																			
Reference Materials																					
STD BVGEO01	Standard	11.22 4376.40 173.28 1718.7 2707 168.7 23.2 719 3.65 116.8 3.3 211.5 12.7 55.5																			
STD BVGEO01	Standard	11.11 4371.64 193.98 1763.5 2706 172.6 25.1 767 3.77 125.7 4.2 229.4 16.3 64.2																			
STD DS11	Standard	15.34 148.55 123.80 351.1 1818 84.6 12.4 1016 3.14 43.1 2.2 63.0 6.6 67.0																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000191.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 2022343	QC																				
2022349	Drill Core	0.11	1.68	<0.02	70	2.15	0.167	21.9	70.1	2.70	65.0	0.128	<1	2.21	0.330	0.20	<0.1	7.8	0.44	0.13	<5
REP 2022349	QC	0.14	1.74	<0.02	69	2.14	0.167	22.1	70.1	2.67	67.0	0.127	1	2.25	0.329	0.20	<0.1	7.9	0.47	0.13	<5
2022367	Drill Core	0.25	0.66	0.08	11	0.77	0.057	15.2	9.3	0.80	187.1	0.002	3	1.16	0.013	0.38	<0.1	3.8	0.12	0.57	20
REP 2022367	QC																				
2022384	Drill Core	0.75	0.45	0.13	13	0.82	0.061	8.9	13.0	1.23	258.7	0.004	2	1.22	0.012	0.37	<0.1	3.3	0.11	0.40	8
REP 2022384	QC	0.74	0.45	0.13	12	0.82	0.060	8.6	12.7	1.24	249.2	0.004	1	1.18	0.012	0.36	<0.1	3.2	0.11	0.40	8
2022416	Drill Core	0.19	0.41	0.03	16	1.05	0.053	28.5	14.9	0.88	248.9	0.006	<1	1.10	0.023	0.34	<0.1	6.4	0.11	0.07	7
REP 2022416	QC																				
2022419	Drill Core	0.23	0.70	0.07	17	0.95	0.050	30.0	15.5	0.92	188.1	0.022	1	1.09	0.047	0.48	<0.1	7.6	0.22	0.13	8
REP 2022419	QC	0.25	0.71	0.07	17	0.95	0.049	29.0	15.0	0.90	184.3	0.021	1	1.06	0.044	0.47	<0.1	7.4	0.22	0.13	8
2022442	Drill Core	0.29	0.36	0.05	16	1.09	0.060	34.6	15.6	0.70	297.0	0.015	<1	1.02	0.048	0.48	<0.1	8.6	0.14	0.10	<5
REP 2022442	QC																				
2022450	Drill Core	0.27	0.33	0.02	19	1.12	0.065	28.9	18.2	0.71	274.9	0.020	<1	1.05	0.039	0.40	<0.1	6.1	0.11	0.14	<5
REP 2022450	QC	0.28	0.34	<0.02	19	1.13	0.060	28.5	18.2	0.71	267.2	0.020	<1	1.04	0.038	0.40	<0.1	6.0	0.10	0.14	<5
Core Reject Duplicates																					
2022343	Drill Core	0.15	1.53	<0.02	77	2.63	0.174	21.8	86.2	2.86	72.8	0.121	2	2.35	0.320	0.16	<0.1	9.4	0.50	0.16	11
DUP 2022343	QC	0.09	1.64	<0.02	78	2.65	0.174	21.9	87.5	2.87	74.0	0.130	<1	2.44	0.340	0.17	<0.1	9.4	0.49	0.15	13
2022377	Drill Core	0.38	0.43	0.13	20	0.76	0.064	14.1	19.7	1.38	149.1	0.004	2	1.49	0.025	0.30	<0.1	4.9	0.11	0.11	14
DUP 2022377	QC	0.40	0.47	0.13	21	0.77	0.063	14.9	20.0	1.39	158.9	0.005	3	1.50	0.026	0.31	<0.1	5.0	0.11	0.12	7
2022411	Drill Core	0.30	1.25	0.06	17	2.03	0.059	24.6	15.2	0.86	181.2	0.028	2	0.95	0.022	0.52	0.1	7.6	0.24	0.27	<5
DUP 2022411	QC	0.29	1.34	0.05	17	2.00	0.061	24.9	15.7	0.89	175.1	0.029	2	0.94	0.024	0.52	0.1	7.8	0.24	0.28	<5
2022445	Drill Core	0.21	0.31	<0.02	15	1.14	0.056	34.7	13.7	0.76	236.0	0.007	<1	1.09	0.032	0.38	<0.1	6.5	0.11	<0.02	9
DUP 2022445	QC	0.21	0.32	<0.02	15	1.15	0.055	34.0	13.3	0.75	226.8	0.006	<1	1.09	0.029	0.37	<0.1	7.0	0.11	<0.02	12
Reference Materials																					
STD BVGEO01	Standard	5.83	3.02	21.33	77	1.33	0.071	24.1	185.9	1.32	282.5	0.232	4	2.41	0.204	0.89	5.2	6.0	0.61	0.66	98
STD BVGEO01	Standard	6.74	3.49	27.83	79	1.40	0.070	27.6	198.8	1.34	282.5	0.232	4	2.52	0.215	0.91	4.9	6.8	0.65	0.67	99
STD DS11	Standard	2.09	6.78	9.62	48	1.08	0.064	16.2	59.4	0.85	345.4	0.095	7	1.21	0.073	0.40	2.9	3.3	4.83	0.27	267



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000191.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 2022343	QC																			
2022349	Drill Core	<0.1	0.02	5.6	3.49	0.2	0.04	0.08	18.4	1.0	<0.05	4.1	22.33	49.1	<0.02	<1	0.5	11.1	<10	<2
REP 2022349	QC	<0.1	<0.02	5.3	3.61	0.2	<0.02	0.11	18.4	0.9	<0.05	3.8	23.01	49.1	0.02	<1	0.8	10.2	<10	<2
2022367	Drill Core	0.8	0.02	3.3	3.91	<0.1	0.12	<0.02	16.5	0.3	<0.05	5.7	5.50	31.8	<0.02	<1	0.5	11.3	<10	<2
REP 2022367	QC																			
2022384	Drill Core	0.8	0.03	3.9	1.03	<0.1	0.18	<0.02	13.1	0.2	<0.05	8.1	4.27	18.0	<0.02	1	0.4	11.0	<10	<2
REP 2022384	QC	0.7	0.03	3.9	1.04	<0.1	0.18	<0.02	12.8	0.2	<0.05	7.7	4.25	17.5	<0.02	1	0.4	11.2	<10	<2
2022416	Drill Core	0.4	<0.02	4.6	1.49	<0.1	0.16	<0.02	13.3	0.3	<0.05	6.6	8.95	58.2	0.02	<1	0.5	7.6	<10	<2
REP 2022416	QC																			
2022419	Drill Core	0.5	<0.02	4.6	4.06	<0.1	0.20	<0.02	23.4	0.5	<0.05	7.2	8.96	60.4	0.03	2	0.5	5.4	<10	<2
REP 2022419	QC	0.5	<0.02	4.4	4.14	<0.1	0.18	<0.02	22.8	0.4	<0.05	6.9	8.68	58.4	0.03	2	0.5	5.4	<10	<2
2022442	Drill Core	0.2	<0.02	3.8	1.52	<0.1	0.33	<0.02	20.6	0.7	<0.05	12.9	10.07	67.1	0.05	<1	0.4	7.4	<10	<2
REP 2022442	QC																			
2022450	Drill Core	0.1	<0.02	4.2	0.88	<0.1	0.20	<0.02	18.0	0.3	<0.05	6.9	8.59	57.1	0.03	3	0.4	7.9	<10	<2
REP 2022450	QC	<0.1	<0.02	4.3	0.83	<0.1	0.15	<0.02	17.6	0.4	<0.05	6.6	8.36	53.9	0.03	<1	0.7	8.6	<10	<2
Core Reject Duplicates																				
2022343	Drill Core	<0.1	<0.02	5.5	2.80	0.2	0.06	0.11	14.9	1.0	<0.05	3.4	24.05	49.0	0.04	<1	0.5	11.5	<10	<2
DUP 2022343	QC	<0.1	<0.02	5.9	2.86	0.2	0.07	0.09	14.8	0.9	<0.05	3.5	23.77	49.6	0.02	<1	0.3	10.9	<10	<2
2022377	Drill Core	0.4	0.03	5.4	2.53	<0.1	0.25	<0.02	13.1	0.3	<0.05	11.0	4.74	29.6	<0.02	<1	0.4	12.7	<10	<2
DUP 2022377	QC	0.4	0.02	5.4	2.54	<0.1	0.26	<0.02	13.5	0.3	<0.05	11.5	4.74	31.1	<0.02	<1	0.5	12.9	<10	<2
2022411	Drill Core	0.6	0.03	3.5	3.56	<0.1	0.06	<0.02	24.1	0.4	<0.05	2.1	9.47	50.1	0.03	<1	0.4	5.1	<10	<2
DUP 2022411	QC	0.7	0.03	3.5	3.80	<0.1	0.06	<0.02	24.4	0.4	<0.05	2.4	9.65	50.5	0.03	<1	0.4	5.1	<10	<2
2022445	Drill Core	<0.1	<0.02	4.2	1.03	<0.1	0.28	<0.02	17.6	0.4	<0.05	13.7	9.81	68.4	0.03	<1	0.5	8.8	<10	<2
DUP 2022445	QC	0.2	<0.02	4.3	0.96	<0.1	0.35	<0.02	17.0	0.4	<0.05	12.7	10.02	66.5	<0.02	<1	0.5	9.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.0	1.01	7.7	6.68	0.2	0.33	0.26	93.9	5.1	<0.05	10.3	13.75	51.0	0.43	5	0.7	19.6	157	179
STD BVGEO01	Standard	4.7	1.05	7.9	7.57	0.2	0.38	0.27	99.7	6.1	<0.05	11.0	15.23	58.4	0.40	5	0.8	21.9	127	191
STD DS11	Standard	2.6	4.75	5.5	2.62	<0.1	0.08	1.57	31.1	1.6	<0.05	3.5	7.72	37.8	0.22	43	0.7	21.2	110	173



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000191.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.54	153.07	131.58	328.7	1616	82.1	14.4	995	3.09	41.6	2.4	79.6	8.0	62.4
STD DS11	Standard							13.86	139.46	121.99	313.6	1558	72.3	12.1	920	3.00	38.7	2.5	54.8	7.6	65.0
STD OREAS262	Standard							0.69	113.38	47.73	143.7	470	66.7	24.6	528	3.20	35.4	1.1	52.2	8.1	34.2
STD OREAS262	Standard							0.72	114.25	48.42	142.8	479	67.2	24.8	530	3.21	35.6	1.1	60.1	8.0	34.3
STD OREAS262	Standard							0.67	113.98	57.19	155.4	497	60.2	25.7	573	3.31	36.2	1.3	52.7	9.7	37.5
STD OREAS262	Standard							0.69	120.26	55.86	147.0	416	65.0	28.2	528	3.25	34.4	1.2	66.4	9.6	33.5
STD OREAS262	Standard							0.63	111.57	53.78	149.6	433	59.9	26.7	513	3.15	34.1	1.1	66.7	9.7	35.2
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.210																	
STD OXC145	Standard			0.210																	
STD OXH139	Standard			1.303																	
STD OXH139	Standard			1.307																	
STD OXH139	Standard			1.322																	
STD OXN134	Standard			7.620																	
STD OXN134	Standard			7.308																	
STD OXN134	Standard			7.864																	
STD OXQ90	Standard					25.05	30.06														
STD OXQ90	Standard					25.31	30.11														
STD OXQ90	Standard					25.24	30.03														
STD OXQ90	Standard					24.81	30.07														
STD OXQ90	Standard					25.33	29.57														
STD OXQ90	Standard					25.60	30.12														
STD OXQ90	Standard					24.97	29.92														
STD OXQ90	Standard					24.97	30.00														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000191.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.20	8.24	10.94	48	1.05	0.068	18.2	61.5	0.84	351.2	0.097	7	1.17	0.070	0.40	3.0	3.1	4.48	0.27	235
STD DS11	Standard	2.24	8.41	10.47	46	1.06	0.061	17.0	56.1	0.81	330.4	0.082	6	1.14	0.070	0.39	2.5	3.1	4.44	0.26	244
STD OREAS262	Standard	0.58	3.31	0.87	22	3.05	0.036	14.7	44.1	1.17	232.3	0.003	4	1.42	0.067	0.32	0.2	3.3	0.46	0.25	159
STD OREAS262	Standard	0.60	4.49	0.90	22	2.94	0.037	13.9	43.0	1.17	230.6	0.003	4	1.34	0.071	0.32	0.2	3.2	0.46	0.25	162
STD OREAS262	Standard	0.62	4.14	1.09	24	3.03	0.040	18.9	44.5	1.20	254.6	0.003	3	1.50	0.071	0.35	0.1	3.4	0.45	0.26	166
STD OREAS262	Standard	0.62	5.38	0.98	23	3.02	0.037	15.6	44.0	1.17	243.7	0.003	4	1.41	0.065	0.31	0.2	3.1	0.44	0.26	163
STD OREAS262	Standard	0.63	5.87	0.98	21	2.90	0.035	15.7	42.0	1.11	235.4	0.002	3	1.27	0.065	0.30	0.2	3.1	0.42	0.24	148
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000191.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.1	4.31	4.6	2.68	0.1	0.06	1.45	30.9	1.7	<0.05	4.9	7.51	36.0	0.18	51	0.5	22.3	74	159
STD DS11	Standard	1.6	4.30	4.5	2.65	<0.1	0.07	1.43	29.9	1.5	<0.05	2.8	6.92	34.0	0.20	39	0.6	19.3	92	155
STD OREAS262	Standard	0.7	0.22	4.5	2.41	<0.1	0.26	<0.02	18.6	0.5	<0.05	11.7	10.23	33.3	0.03	<1	1.1	16.2	<10	<2
STD OREAS262	Standard	0.6	0.24	4.2	2.68	<0.1	0.26	<0.02	18.1	0.5	<0.05	11.8	10.17	30.9	0.03	<1	1.1	15.8	<10	<2
STD OREAS262	Standard	0.2	0.27	4.3	2.74	<0.1	0.25	<0.02	21.4	0.6	<0.05	10.3	10.97	38.7	0.03	<1	1.1	18.2	<10	<2
STD OREAS262	Standard	0.4	0.21	3.6	2.77	<0.1	0.20	<0.02	17.4	0.6	<0.05	9.0	10.40	30.6	<0.02	<1	0.8	16.9	<10	4
STD OREAS262	Standard	0.4	0.22	3.7	2.89	<0.1	0.19	<0.02	18.2	0.5	<0.05	9.2	9.89	31.2	0.03	<1	1.2	15.9	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000191.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.05	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		434	0.005	<0.01	<0.17	30.12	1.03	2.99	1.06	26.3	10	0.9	4.0	496	1.96	1.0	0.5	1.5	4.0	23.9
ROCK-WHI	Prep Blank		457	<0.005	<0.01	<0.17	19.08	0.84	1.78	1.09	28.4	8	1.0	3.4	483	1.96	0.5	0.5	1.3	3.4	21.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000191.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.03	0.04	25	0.65	0.040	7.3	2.3	0.46	59.7	0.088	4	0.96	0.095	0.09	<0.1	2.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.03	0.04	24	0.59	0.038	6.8	2.6	0.46	61.3	0.089	2	0.87	0.088	0.08	0.1	2.8	<0.02	<0.02	7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000191.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.15	0.1	0.12	0.17	2.1	0.5	<0.05	3.0	8.81	13.9	<0.02	<1	0.1	1.4	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.16	<0.1	0.15	0.22	2.1	0.4	<0.05	3.2	8.92	13.6	<0.02	<1	<0.1	1.7	<10	<2