



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 11, 2019  
Report Date: August 10, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000192.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-28  
P.O. Number  
Number of Samples: 134

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	129	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	134	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	134	Analysis sample split/packet			WHI
Split -150	134	Analysis sample split/packet			WHI
EN002	134	Environmental disposal charge-Fire assay lead waste			VAN
FS631	131	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	134	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	134	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 2 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830751	Drill Core	4.44	527	0.262	0.33	1.91	20.47	0.78	7.90	11.23	36.0	611	5.1	3.5	457	1.59	4.0	0.7	86.8	4.2	47.3
1830752	Drill Core	5.88	454	0.149	0.13	<0.17	44.16	0.58	24.72	14.62	71.1	390	13.4	9.9	582	2.76	14.1	1.1	41.2	9.8	94.4
1830753	Drill Core	1.45	437	0.007	<0.01	<0.17	42.17	0.70	22.75	19.68	72.6	297	13.3	8.8	536	2.64	10.4	1.3	1.7	10.5	79.2
1830754	Drill Core	2.23	452	0.008	<0.01	<0.17	36.36	0.56	19.89	9.70	72.9	254	11.2	7.9	560	2.54	7.7	1.0	8.5	7.9	90.7
1830755	Drill Core	5.09	422	0.122	0.11	<0.17	36.10	0.43	19.13	10.92	68.2	394	14.8	10.6	734	2.96	9.6	1.2	155.7	8.4	206.0
1830756	Drill Core	3.25	483	0.186	0.18	<0.17	39.94	0.38	13.38	7.37	50.0	388	13.0	9.9	646	2.45	14.3	1.1	131.3	8.8	168.1
1830757	Drill Core	2.20	438	0.071	0.06	<0.17	39.56	0.79	10.89	11.22	27.8	451	9.0	9.4	606	2.04	27.1	1.1	75.7	8.7	174.6
1830758	Drill Core	5.72	545	0.012	0.01	<0.17	36.35	0.62	20.79	13.86	65.1	295	11.8	7.9	577	2.38	20.6	1.6	5.5	9.3	118.4
1830759	Drill Core	4.14	475	0.007	<0.01	<0.17	51.54	0.58	10.42	17.25	82.3	167	13.5	8.7	538	2.70	8.8	2.0	3.7	9.5	66.3
1830760	Core DUP		553	0.007	<0.01	<0.17	36.44	0.65	11.10	17.09	80.0	169	13.2	8.9	517	2.71	9.0	2.0	2.1	9.8	62.4
1830761	Drill Core	4.34	418	0.006	<0.01	<0.17	39.83	0.66	16.43	10.54	74.9	164	12.5	8.4	454	2.73	8.5	2.4	2.4	9.9	60.1
1830762	Drill Core	3.70	504	0.007	<0.01	<0.17	29.37	0.95	22.39	17.26	71.3	233	13.7	8.5	500	2.64	10.6	2.4	3.0	9.2	84.2
1830763	Drill Core	4.34	431	0.006	<0.01	<0.17	45.63	1.37	16.93	10.33	77.9	159	16.4	10.6	598	3.06	7.4	1.9	1.9	12.8	68.3
1830764	Drill Core	4.73	406	0.009	<0.01	<0.17	44.26	0.90	14.08	24.86	67.6	198	13.4	9.3	608	2.86	9.2	1.9	3.1	11.7	61.8
1830765	Drill Core	5.18	498	0.007	<0.01	<0.17	39.37	1.03	17.56	11.63	63.4	171	12.3	8.0	456	2.54	17.6	1.4	1.7	10.3	62.2
1830766	Drill Core	5.07	481	0.006	<0.01	<0.17	33.84	1.83	18.37	9.67	59.0	179	13.3	8.6	506	2.43	16.3	1.6	1.4	9.5	84.9
1830767	Drill Core	5.30	500	0.290	0.29	0.26	46.73	2.30	19.89	11.71	52.4	343	13.3	8.9	479	2.22	15.3	2.0	333.9	9.8	96.2
1830768	Drill Core	1.79	471	0.176	0.17	<0.17	27.67	2.31	24.51	6.47	54.1	303	14.2	9.7	521	2.29	11.2	2.6	231.4	8.9	85.3
1830769	Drill Core	4.33	422	0.007	<0.01	<0.17	25.63	1.51	15.78	19.31	65.0	208	13.2	8.5	495	2.43	8.7	2.8	0.8	9.9	82.8
1830770	Drill Core	3.65	456	0.052	0.05	<0.17	30.46	1.68	16.77	8.31	54.8	192	11.1	7.1	479	2.42	10.6	1.6	106.8	9.7	89.2
1830771	Drill Core	3.74	460	0.008	<0.01	<0.17	30.57	1.71	17.24	12.51	55.9	168	12.8	8.3	377	2.09	13.2	2.0	2.6	11.9	94.9
1830772	Drill Core	4.51	517	0.008	<0.01	<0.17	44.59	1.64	13.97	32.14	63.5	265	13.3	8.4	363	2.44	12.5	1.8	4.0	10.5	73.4
1830773	Drill Core	4.68	451	0.013	0.01	<0.17	54.51	1.73	8.65	19.96	45.1	188	8.8	6.1	443	1.99	9.0	2.3	3.8	10.8	146.9
1830774	Drill Core	3.03	453	0.604	1.04	4.81	47.24	2.08	16.03	14.81	37.6	630	11.4	8.0	449	2.05	6.8	3.2	844.4	9.5	126.6
1830775	Drill Core	4.74	394	0.009	<0.01	<0.17	34.53	1.67	14.45	18.96	55.5	218	12.0	7.5	481	2.22	12.2	2.6	1.8	11.0	115.9
1830776	Drill Core	3.98	458	0.008	<0.01	<0.17	41.30	1.63	13.58	14.19	62.5	181	13.4	8.0	505	2.44	12.6	3.2	2.6	9.3	96.6
1830777	Drill Core	4.98	449	0.019	0.02	<0.17	36.56	1.88	18.81	20.52	63.8	290	13.2	8.0	473	2.43	11.8	3.0	13.8	10.5	88.1
1830778	Drill Core	5.24	464	0.007	<0.01	<0.17	36.89	1.26	18.25	19.19	59.5	228	12.6	7.8	512	2.33	13.3	2.3	2.8	10.7	89.0
1830779	Drill Core	5.26	508	0.006	<0.01	<0.17	33.05	1.57	18.66	9.55	66.3	207	12.7	8.5	475	2.56	9.4	1.6	3.9	11.6	100.2
1830780	Rock	0.23	162	0.005	<0.01	<0.17	39.02	0.58	1.25	1.26	2.4	8	1.7	0.6	90	0.84	0.5	0.2	0.3	1.9	3.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 2 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830751	Drill Core	0.25	0.38	0.06	8	0.44	0.030	8.4	9.4	0.56	122.4	0.013	<1	0.67	0.016	0.20	1.0	2.2	0.06	0.12	<5			
1830752	Drill Core	0.28	1.47	0.06	16	1.05	0.063	15.1	17.9	1.07	240.4	0.035	<1	1.31	0.019	0.57	0.3	4.4	0.17	0.41	9			
1830753	Drill Core	0.25	1.05	0.06	22	0.83	0.065	22.6	23.0	1.23	306.6	0.028	1	1.56	0.033	0.53	0.2	4.9	0.16	0.10	<5			
1830754	Drill Core	0.18	0.81	<0.02	18	0.92	0.050	19.5	17.8	1.10	230.0	0.020	<1	1.40	0.039	0.47	0.2	4.4	0.13	0.07	<5			
1830755	Drill Core	0.40	1.37	0.03	17	1.66	0.060	12.8	18.5	1.29	325.4	0.040	1	1.55	0.043	0.72	0.2	5.6	0.21	0.72	7			
1830756	Drill Core	0.41	0.99	0.04	12	1.74	0.056	12.3	11.8	0.93	171.3	0.016	1	1.27	0.029	0.65	0.3	3.6	0.16	0.91	7			
1830757	Drill Core	0.36	1.05	0.05	9	1.58	0.044	14.0	10.2	0.66	315.7	0.009	1	1.07	0.017	0.62	0.2	3.4	0.17	0.76	17			
1830758	Drill Core	0.28	0.96	0.04	16	1.10	0.061	17.8	16.6	0.96	290.6	0.023	1	1.31	0.038	0.53	0.1	4.5	0.17	0.15	10			
1830759	Drill Core	0.28	0.74	0.03	27	0.76	0.064	24.4	26.8	1.09	195.2	0.038	<1	1.40	0.043	0.39	0.1	6.2	0.15	<0.02	9			
1830760	Core DUP	0.30	0.73	0.03	27	0.77	0.062	22.2	25.4	1.06	185.9	0.035	<1	1.37	0.041	0.38	0.1	6.2	0.14	<0.02	13			
1830761	Drill Core	0.28	0.61	<0.02	24	0.67	0.063	22.4	23.2	0.98	192.5	0.029	<1	1.33	0.041	0.40	<0.1	6.1	0.14	<0.02	12			
1830762	Drill Core	0.25	0.48	0.06	25	0.91	0.066	23.4	25.3	1.04	241.3	0.018	<1	1.37	0.033	0.36	<0.1	6.0	0.13	<0.02	17			
1830763	Drill Core	0.20	0.29	0.06	36	0.90	0.070	30.1	35.8	1.25	240.6	0.015	<1	1.57	0.032	0.30	<0.1	7.0	0.10	<0.02	11			
1830764	Drill Core	0.27	0.41	0.13	32	1.03	0.060	23.9	30.8	1.12	214.5	0.019	<1	1.44	0.043	0.35	<0.1	7.7	0.13	<0.02	8			
1830765	Drill Core	0.21	0.55	0.07	22	1.02	0.058	18.2	20.8	0.98	235.2	0.038	<1	1.28	0.032	0.51	<0.1	7.1	0.20	0.11	5			
1830766	Drill Core	0.30	0.52	0.09	19	1.58	0.062	16.1	18.7	0.91	263.7	0.026	<1	1.18	0.028	0.49	0.1	6.6	0.16	0.20	5			
1830767	Drill Core	0.29	0.68	0.10	15	1.74	0.065	15.9	14.5	0.72	283.8	0.032	<1	1.00	0.023	0.58	0.1	5.7	0.22	0.28	<5			
1830768	Drill Core	0.28	0.52	0.09	14	1.31	0.066	18.5	15.5	0.68	320.0	0.020	<1	1.05	0.024	0.48	0.2	5.2	0.15	0.14	<5			
1830769	Drill Core	0.29	0.61	0.14	18	1.21	0.060	22.2	19.2	0.88	252.9	0.018	<1	1.25	0.032	0.42	<0.1	6.0	0.14	0.03	14			
1830770	Drill Core	0.22	0.37	0.03	18	1.74	0.055	24.9	19.2	0.78	227.6	0.012	<1	1.17	0.034	0.34	<0.1	5.4	0.11	<0.02	8			
1830771	Drill Core	0.23	0.65	0.06	15	1.62	0.059	19.7	16.4	0.70	259.7	0.041	<1	1.10	0.025	0.48	0.2	5.7	0.16	0.11	9			
1830772	Drill Core	0.26	0.35	0.18	17	1.25	0.060	22.7	17.1	0.87	263.6	0.004	<1	1.34	0.021	0.40	<0.1	4.9	0.11	0.05	5			
1830773	Drill Core	0.24	0.46	0.14	10	2.81	0.046	19.2	11.6	0.62	243.8	0.019	<1	0.97	0.025	0.43	0.1	3.5	0.14	0.14	6			
1830774	Drill Core	0.34	0.74	0.11	9	1.86	0.059	15.6	10.8	0.64	296.4	0.018	<1	0.87	0.024	0.53	0.3	3.9	0.16	0.58	12			
1830775	Drill Core	0.22	1.05	0.10	13	2.01	0.055	19.8	15.2	0.75	234.9	0.035	<1	1.02	0.027	0.48	0.3	4.6	0.18	0.15	21			
1830776	Drill Core	0.32	1.20	0.07	19	1.72	0.059	22.4	19.8	0.84	260.3	0.051	1	1.16	0.029	0.54	0.4	6.5	0.20	0.11	13			
1830777	Drill Core	0.28	1.23	0.19	17	1.48	0.060	29.9	17.6	0.73	281.0	0.024	2	1.16	0.027	0.51	0.2	6.8	0.19	<0.02	13			
1830778	Drill Core	0.26	1.08	0.12	17	1.44	0.060	27.2	16.9	0.78	235.4	0.032	2	1.16	0.029	0.56	0.3	6.6	0.23	0.07	7			
1830779	Drill Core	0.27	0.41	0.06	21	1.59	0.061	30.6	23.0	0.87	225.8	0.009	<1	1.25	0.027	0.35	<0.1	5.7	0.15	0.13	12			
1830780	Rock	<0.01	0.03	<0.02	2	0.02	0.002	2.3	4.5	0.03	104.0	0.003	<1	0.09	0.005	0.02	<0.1	0.2	<0.02	<0.02	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 2 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830751	Drill Core	0.1	<0.02	2.0	0.56	<0.1	0.11	<0.02	8.2	0.4	<0.05	6.3	2.69	17.0	<0.02	<1	0.1	5.1	<10	<2			
1830752	Drill Core	0.4	<0.02	3.9	1.32	<0.1	0.31	<0.02	23.5	0.5	<0.05	17.3	4.46	30.4	<0.02	<1	0.3	10.9	<10	<2			
1830753	Drill Core	0.2	<0.02	4.9	1.29	<0.1	0.30	<0.02	21.8	0.5	<0.05	16.4	5.58	43.1	<0.02	<1	0.3	12.3	<10	<2			
1830754	Drill Core	0.1	<0.02	3.9	0.99	<0.1	0.27	<0.02	18.2	0.6	<0.05	15.7	4.39	37.0	<0.02	<1	0.2	10.7	<10	<2			
1830755	Drill Core	0.5	0.05	4.4	1.45	<0.1	0.39	<0.02	30.4	0.5	<0.05	17.5	5.40	25.8	<0.02	<1	0.4	13.6	<10	<2			
1830756	Drill Core	0.6	0.07	3.5	0.89	<0.1	0.35	<0.02	25.4	0.4	<0.05	17.5	5.31	23.9	<0.02	<1	0.5	8.8	<10	<2			
1830757	Drill Core	0.7	0.02	2.9	0.97	<0.1	0.35	<0.02	24.7	0.4	<0.05	18.5	4.46	28.1	<0.02	<1	0.4	6.7	<10	<2			
1830758	Drill Core	0.3	<0.02	4.0	1.72	<0.1	0.29	<0.02	24.3	0.3	<0.05	16.1	4.53	35.4	<0.02	<1	0.3	9.6	<10	<2			
1830759	Drill Core	<0.1	<0.02	5.7	1.73	<0.1	0.29	<0.02	18.3	0.3	<0.05	15.3	5.13	46.6	0.03	<1	0.5	11.9	<10	<2			
1830760	Core DUP	<0.1	<0.02	5.4	1.64	<0.1	0.25	<0.02	18.0	0.4	<0.05	14.4	4.96	43.6	0.03	<1	0.4	11.5	<10	<2			
1830761	Drill Core	<0.1	<0.02	5.0	1.60	<0.1	0.19	<0.02	18.6	0.4	<0.05	12.9	4.91	44.5	0.03	<1	0.4	9.4	<10	<2			
1830762	Drill Core	0.1	<0.02	5.5	1.33	<0.1	0.21	<0.02	16.7	0.4	<0.05	11.5	6.50	47.1	0.02	<1	0.7	10.5	<10	<2			
1830763	Drill Core	0.2	<0.02	7.6	0.69	<0.1	0.18	<0.02	12.4	0.2	<0.05	10.1	8.70	56.8	0.04	<1	0.4	12.4	<10	<2			
1830764	Drill Core	0.2	<0.02	6.2	1.83	<0.1	0.17	<0.02	14.8	0.3	<0.05	9.0	6.76	46.1	0.03	<1	0.4	9.8	<10	<2			
1830765	Drill Core	0.3	<0.02	4.6	2.35	<0.1	0.21	<0.02	24.3	0.3	<0.05	9.6	5.70	37.8	0.02	<1	0.4	9.3	<10	<2			
1830766	Drill Core	0.4	<0.02	3.9	1.62	<0.1	0.10	<0.02	19.9	0.3	<0.05	5.4	5.82	32.3	0.03	<1	0.4	7.8	<10	<2			
1830767	Drill Core	0.6	<0.02	3.3	2.74	<0.1	0.07	<0.02	26.0	0.3	<0.05	2.6	5.98	30.6	0.02	2	0.4	5.9	<10	<2			
1830768	Drill Core	0.4	0.03	3.2	1.55	<0.1	0.06	<0.02	19.8	0.5	<0.05	3.4	5.49	36.5	0.02	<1	0.4	6.0	<10	<2			
1830769	Drill Core	0.2	0.02	4.0	2.42	<0.1	0.14	<0.02	18.8	0.3	<0.05	7.2	4.90	41.6	0.03	<1	0.5	7.5	<10	<2			
1830770	Drill Core	0.1	<0.02	4.1	1.19	<0.1	0.04	<0.02	13.7	0.2	<0.05	1.4	7.41	47.6	0.02	<1	0.2	8.4	<10	<2			
1830771	Drill Core	0.2	<0.02	3.8	1.33	<0.1	0.04	<0.02	19.9	0.2	<0.05	1.9	6.81	40.0	0.03	<1	0.3	6.7	<10	<2			
1830772	Drill Core	0.3	<0.02	4.4	0.79	<0.1	0.03	<0.02	14.4	0.2	<0.05	1.2	7.62	44.1	0.03	<1	0.4	11.8	<10	<2			
1830773	Drill Core	0.3	<0.02	2.8	1.00	<0.1	0.03	<0.02	16.5	0.2	<0.05	1.1	6.27	37.1	<0.02	<1	0.3	6.4	<10	<2			
1830774	Drill Core	0.7	0.07	2.5	1.32	<0.1	0.03	<0.02	19.7	0.2	<0.05	1.4	6.87	30.4	0.02	<1	0.3	4.6	<10	<2			
1830775	Drill Core	0.4	0.02	3.5	2.40	<0.1	0.03	<0.02	21.1	0.2	<0.05	1.2	6.99	40.2	0.03	<1	0.4	6.4	<10	<2			
1830776	Drill Core	0.3	<0.02	3.7	2.13	<0.1	0.04	<0.02	22.7	0.4	<0.05	1.7	7.19	43.3	0.03	2	0.3	8.4	<10	<2			
1830777	Drill Core	0.3	<0.02	3.5	2.68	<0.1	0.07	<0.02	22.9	0.3	<0.05	2.6	7.65	54.8	0.03	<1	0.4	8.2	<10	<2			
1830778	Drill Core	0.3	0.03	3.3	2.98	<0.1	0.11	<0.02	26.8	0.3	<0.05	5.2	9.17	52.5	<0.02	<1	0.5	7.2	<10	<2			
1830779	Drill Core	0.5	<0.02	5.1	0.92	<0.1	0.03	<0.02	13.8	0.2	<0.05	1.4	11.92	56.5	0.03	1	0.3	9.1	<10	<2			
1830780	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.10	<0.02	1.1	<0.1	<0.05	3.4	0.87	4.6	<0.02	<1	<0.1	1.4	<10	<2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 3 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830781	Drill Core	4.33	401	0.006	<0.01	<0.17	43.88	3.89	20.32	15.26	52.1	228	13.3	8.5	442	2.47	8.5	2.1	1.7	10.7	105.1
1830782	Drill Core	5.43	493	0.007	<0.01	<0.17	35.80	2.54	17.02	17.60	74.0	196	14.4	8.8	455	2.70	9.9	1.9	1.0	11.4	84.6
1830783	Drill Core	4.45	446	0.008	<0.01	<0.17	36.11	2.87	19.08	18.15	64.5	203	14.3	8.8	420	2.45	16.3	3.4	3.5	10.5	81.3
1830784	Drill Core	4.61	451	0.012	0.01	<0.17	32.52	2.01	17.62	6.49	48.1	183	13.7	7.4	372	2.26	14.3	6.9	5.9	8.8	77.5
1830785	Drill Core	5.37	488	0.006	<0.01	<0.17	47.26	1.41	16.12	17.63	59.9	223	13.6	7.5	535	2.56	17.0	2.2	2.2	8.4	87.2
1830786	Drill Core	4.42	429	0.006	<0.01	<0.17	31.89	1.02	11.71	11.51	61.1	141	12.5	6.9	540	2.53	17.1	3.4	1.0	7.5	93.7
1830787	Drill Core	5.31	490	0.006	<0.01	<0.17	49.79	1.15	14.03	17.05	60.8	316	12.3	6.9	497	2.45	12.6	1.7	2.2	8.9	92.4
1830788	Drill Core	5.05	466	0.112	0.16	0.60	41.84	1.20	12.45	7.59	35.0	461	13.6	9.2	644	2.60	13.0	1.9	105.1	9.3	159.5
1830789	Drill Core	4.09	355	0.006	<0.01	<0.17	51.71	1.79	12.32	14.35	55.7	330	13.3	6.9	411	2.48	13.5	1.4	0.9	8.7	92.9
1830790	Drill Core	2.36	440	0.007	<0.01	<0.17	49.53	2.26	11.21	13.50	60.6	212	12.2	6.4	372	2.33	17.0	2.4	1.2	7.6	61.0
1830791	Drill Core	4.75	439	0.006	<0.01	<0.17	42.07	3.05	16.43	11.32	63.0	138	13.5	7.8	423	2.47	27.8	2.3	1.4	9.0	82.9
1830792	Drill Core	5.71	395	0.006	<0.01	<0.17	35.85	1.69	16.20	10.59	68.9	129	14.6	8.2	542	2.67	13.9	2.0	<0.2	8.4	106.7
1830793	Drill Core	5.52	429	0.005	<0.01	<0.17	37.23	1.13	17.09	10.53	66.0	143	14.4	8.1	465	2.54	21.9	1.6	0.5	7.4	84.6
1830794	Drill Core	2.43	493	0.006	<0.01	<0.17	38.67	1.03	18.90	7.86	75.3	155	16.3	8.9	458	2.73	19.2	1.5	1.0	7.5	87.4
1830795	Drill Core	5.11	446	0.006	<0.01	<0.17	38.59	2.41	14.99	9.79	61.3	169	14.0	7.7	524	2.44	17.1	1.6	0.6	8.1	158.5
1830796	Drill Core	4.87	414	0.006	<0.01	<0.17	48.81	1.65	15.87	8.99	55.3	187	13.7	7.5	513	2.39	23.1	1.5	1.3	8.9	139.1
1830797	Drill Core	4.78	462	<0.005	<0.01	<0.17	43.57	0.82	10.39	11.79	54.4	199	10.7	5.7	429	2.20	7.4	1.2	0.7	9.3	64.6
1830798	Drill Core	2.99	549	0.006	<0.01	<0.17	47.53	0.98	11.82	10.10	55.4	172	10.9	5.5	504	2.23	7.9	1.1	1.5	6.9	85.2
1830799	Drill Core	2.43	426	0.008	<0.01	<0.17	47.43	1.13	10.52	16.06	39.7	228	8.2	4.0	476	1.76	7.1	1.2	3.0	4.8	75.5
1830800	Rock Pulp	0.12	94	7.314				9.63	189.05	17.62	74.4	917	14.2	10.7	582	4.72	13.8	0.8	6810.3	2.5	74.6
1830801	Drill Core	3.41	420	0.007	<0.01	<0.17	35.41	1.07	19.19	10.64	51.1	200	13.4	6.8	435	2.29	10.7	2.0	2.3	8.1	89.1
1830802	Drill Core	3.89	464	0.009	<0.01	<0.17	33.63	3.36	15.32	11.74	49.0	225	12.9	7.2	410	2.19	17.4	2.2	3.5	8.5	83.9
1830803	Drill Core	3.54	409	0.360	0.37	0.47	23.43	3.58	17.14	10.38	34.6	637	11.0	7.5	332	1.88	20.9	1.6	320.9	9.1	81.4
1830804	Drill Core	3.02	537	0.270	0.37	2.05	29.28	2.93	12.62	8.95	72.9	360	9.5	6.8	510	1.97	12.2	1.5	260.9	8.4	58.4
1830805	Drill Core	5.41	513	0.136	0.13	<0.17	34.43	1.58	11.81	15.26	61.7	364	9.1	6.1	500	1.85	11.7	1.6	140.1	9.7	62.6
1830806	Drill Core	2.73	498	0.427	0.67	4.16	32.21	1.22	10.52	6.78	54.7	347	13.2	7.6	603	2.37	11.1	1.5	444.8	7.9	106.6
1830807	Drill Core	4.50	426	0.008	<0.01	<0.17	43.77	1.01	16.18	10.98	63.1	226	14.4	9.1	1329	2.41	13.6	2.0	3.2	8.1	143.0
1830808	Drill Core	2.80	429	0.031	0.03	<0.17	40.39	1.05	18.03	12.46	59.6	258	16.1	7.2	724	2.49	21.3	2.1	23.6	8.7	97.0
1830809	Drill Core	2.14	406	0.082	0.08	<0.17	29.42	1.04	9.03	11.31	50.3	251	11.5	6.4	768	2.13	10.0	1.5	77.1	6.3	108.8
1830810	Drill Core	5.64	539	0.014	0.01	<0.17	37.79	0.69	24.72	12.76	60.3	409	15.4	8.3	619	2.42	26.2	2.0	6.0	8.1	114.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 3 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830781	Drill Core	0.23	0.52	0.10	21	2.12	0.062	28.8	22.0	0.82	243.0	0.020	<1	1.20	0.023	0.41	0.2	5.5	0.12	0.23	11			
1830782	Drill Core	0.31	0.54	0.10	24	1.74	0.065	32.4	24.9	0.95	253.4	0.015	<1	1.43	0.020	0.42	0.2	5.6	0.14	0.06	12			
1830783	Drill Core	0.35	0.97	0.08	18	1.71	0.063	27.0	18.7	0.76	235.7	0.025	2	1.22	0.015	0.51	0.4	5.5	0.18	0.08	30			
1830784	Drill Core	0.31	1.23	0.06	17	1.88	0.073	24.8	15.7	0.72	263.6	0.033	3	1.19	0.011	0.58	0.6	5.7	0.21	0.08	54			
1830785	Drill Core	0.29	1.29	0.09	17	1.72	0.066	19.4	16.3	0.82	252.6	0.045	3	1.23	0.019	0.59	0.6	6.6	0.23	0.04	13			
1830786	Drill Core	0.24	1.33	<0.02	17	1.41	0.058	13.6	16.2	0.83	175.9	0.042	3	1.04	0.028	0.50	0.2	6.1	0.22	0.16	7			
1830787	Drill Core	0.26	0.55	0.09	16	1.48	0.061	20.7	16.1	0.86	240.3	0.024	2	1.23	0.028	0.48	0.1	4.9	0.15	0.04	8			
1830788	Drill Core	0.33	0.57	0.10	9	1.95	0.062	12.5	9.2	0.83	302.1	0.014	2	1.12	0.014	0.63	0.3	4.0	0.20	0.54	11			
1830789	Drill Core	0.16	0.25	0.20	19	1.26	0.061	23.9	21.6	0.89	230.7	0.008	1	1.32	0.013	0.33	<0.1	3.7	0.10	<0.02	<5			
1830790	Drill Core	0.42	0.35	0.13	12	1.84	0.059	19.3	13.1	0.62	224.1	0.004	2	1.16	0.011	0.38	<0.1	3.6	0.12	<0.02	12			
1830791	Drill Core	0.58	0.83	0.06	20	2.04	0.067	27.1	18.6	0.66	229.0	0.036	3	1.28	0.014	0.56	0.2	6.4	0.27	0.09	16			
1830792	Drill Core	0.36	0.43	0.07	22	2.41	0.065	25.9	21.8	0.74	211.0	0.020	2	1.38	0.024	0.33	<0.1	5.9	0.12	0.02	12			
1830793	Drill Core	0.24	0.40	0.08	20	1.57	0.064	19.7	19.9	0.75	260.7	0.062	1	1.40	0.034	0.35	<0.1	4.8	0.12	0.10	17			
1830794	Drill Core	0.20	0.42	0.05	21	1.33	0.076	18.0	22.8	0.86	219.4	0.089	<1	1.45	0.023	0.29	0.1	4.6	0.10	0.14	6			
1830795	Drill Core	0.35	0.30	0.07	20	2.46	0.062	22.5	20.6	0.75	236.1	0.033	<1	1.34	0.025	0.34	<0.1	4.5	0.11	0.08	<5			
1830796	Drill Core	0.32	0.27	0.10	18	2.73	0.061	26.1	17.7	0.80	225.7	0.004	<1	1.33	0.014	0.37	<0.1	4.9	0.11	0.12	<5			
1830797	Drill Core	0.22	0.15	0.13	14	1.17	0.052	26.2	14.6	0.75	221.5	0.003	<1	1.20	0.028	0.34	<0.1	4.7	0.09	0.07	<5			
1830798	Drill Core	0.22	0.16	0.11	16	1.74	0.055	21.6	15.9	0.69	171.3	0.003	<1	1.17	0.027	0.28	<0.1	4.1	0.09	<0.02	<5			
1830799	Drill Core	0.23	0.14	0.21	10	1.66	0.042	14.8	10.3	0.49	129.3	0.002	<1	0.83	0.026	0.22	0.1	2.8	0.07	<0.02	<5			
1830800	Rock Pulp	0.18	4.13	0.51	110	0.98	0.057	7.3	17.0	0.86	114.6	0.121	3	1.88	0.190	0.23	3.8	3.5	0.06	<0.02	227			
1830801	Drill Core	0.30	0.24	0.11	14	1.92	0.064	24.2	12.8	0.61	208.5	0.005	1	1.19	0.010	0.39	<0.1	4.7	0.13	0.02	<5			
1830802	Drill Core	0.32	0.33	0.09	13	1.94	0.067	27.0	11.9	0.56	255.1	0.004	2	1.20	0.006	0.44	<0.1	4.5	0.14	0.02	<5			
1830803	Drill Core	0.33	0.32	0.09	8	1.25	0.106	17.8	7.6	0.36	370.1	0.004	1	0.95	0.006	0.53	0.1	2.9	0.13	0.24	21			
1830804	Drill Core	0.38	0.27	0.06	6	1.16	0.055	17.1	6.4	0.34	317.8	0.003	1	0.76	0.008	0.42	0.1	3.2	0.10	0.10	<5			
1830805	Drill Core	0.37	0.24	0.11	8	1.44	0.054	26.1	7.8	0.42	345.4	0.003	1	0.92	0.009	0.45	<0.1	2.7	0.10	<0.02	12			
1830806	Drill Core	0.31	0.32	0.04	12	1.38	0.071	16.5	11.5	0.72	283.9	0.010	1	1.18	0.014	0.45	0.1	4.1	0.12	0.12	<5			
1830807	Drill Core	0.39	0.27	0.06	13	2.61	0.063	16.2	13.1	0.76	258.5	0.004	1	1.30	0.015	0.41	<0.1	4.6	0.12	0.04	<5			
1830808	Drill Core	0.30	0.18	0.07	16	1.54	0.071	20.0	15.7	0.79	251.5	0.004	<1	1.35	0.011	0.41	<0.1	4.7	0.12	0.05	6			
1830809	Drill Core	0.25	0.25	0.09	14	1.52	0.048	17.7	16.0	0.73	241.9	0.007	<1	1.08	0.016	0.32	0.1	4.0	0.09	<0.02	<5			
1830810	Drill Core	0.31	0.96	0.07	13	1.48	0.067	15.6	14.1	0.75	260.5	0.025	1	1.09	0.023	0.46	0.2	4.7	0.16	0.17	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 3 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830781	Drill Core	0.8	<0.02	5.0	0.95	<0.1	0.05	<0.02	15.5	0.2	<0.05	1.2	12.33	55.4	0.03	3	0.3	9.0	<10	<2			
1830782	Drill Core	0.3	<0.02	5.8	1.11	<0.1	0.04	<0.02	16.4	0.2	<0.05	1.5	12.83	60.9	0.04	<1	0.4	11.4	<10	<2			
1830783	Drill Core	0.5	<0.02	3.9	2.32	<0.1	0.04	<0.02	21.8	0.2	<0.05	1.5	8.69	51.2	0.03	<1	0.3	8.5	<10	<2			
1830784	Drill Core	0.6	<0.02	4.2	2.23	<0.1	0.04	0.05	23.0	0.4	<0.05	1.2	7.97	49.6	0.05	3	0.4	7.1	<10	<2			
1830785	Drill Core	0.5	0.02	3.8	3.02	<0.1	0.11	0.04	25.7	0.4	<0.05	4.1	6.20	39.5	0.03	<1	0.4	6.6	<10	<2			
1830786	Drill Core	0.5	0.03	3.4	4.21	<0.1	0.17	0.03	22.9	0.4	<0.05	6.3	4.47	27.6	0.03	2	0.3	5.2	<10	<2			
1830787	Drill Core	0.5	0.02	4.0	1.53	<0.1	0.12	<0.02	19.3	0.3	<0.05	5.0	5.68	42.5	0.02	<1	0.4	7.6	<10	<2			
1830788	Drill Core	1.0	0.06	3.1	2.19	<0.1	0.13	<0.02	26.0	0.3	<0.05	5.3	6.47	26.0	<0.02	<1	0.5	7.4	<10	<2			
1830789	Drill Core	0.6	0.03	5.4	0.59	<0.1	0.03	<0.02	12.0	0.3	<0.05	1.2	9.95	47.9	0.02	<1	0.3	10.1	<10	<2			
1830790	Drill Core	0.3	0.02	4.0	1.25	<0.1	0.02	<0.02	14.7	0.3	<0.05	0.9	8.19	39.5	<0.02	<1	0.4	9.3	<10	<2			
1830791	Drill Core	0.8	0.03	5.2	2.53	<0.1	0.05	0.03	26.3	0.5	<0.05	1.2	11.40	54.9	0.03	1	0.4	7.2	<10	<2			
1830792	Drill Core	0.5	<0.02	6.3	1.47	<0.1	0.04	0.02	14.0	0.5	<0.05	1.1	13.74	52.1	0.03	<1	0.3	10.6	<10	<2			
1830793	Drill Core	0.7	0.03	6.1	0.90	<0.1	0.05	0.12	14.0	0.5	<0.05	1.5	13.10	41.1	0.03	<1	0.3	11.8	<10	<2			
1830794	Drill Core	0.7	0.02	6.1	0.68	<0.1	0.06	0.16	12.1	0.5	<0.05	1.6	12.90	38.1	0.02	1	0.4	11.6	<10	<2			
1830795	Drill Core	0.6	0.04	5.9	0.55	<0.1	0.04	0.05	14.3	0.4	<0.05	1.2	14.39	46.0	0.02	<1	0.3	10.6	<10	<2			
1830796	Drill Core	0.8	0.03	5.5	0.76	<0.1	0.03	<0.02	14.7	0.3	<0.05	1.0	11.50	52.2	0.03	<1	0.4	10.7	<10	<2			
1830797	Drill Core	0.4	0.02	4.3	0.57	<0.1	0.05	<0.02	12.7	0.3	<0.05	2.3	8.55	52.1	0.02	<1	0.3	9.1	<10	<2			
1830798	Drill Core	0.2	<0.02	4.7	0.64	<0.1	0.02	<0.02	12.1	0.3	<0.05	0.7	7.59	44.4	0.02	<1	0.3	7.1	<10	<2			
1830799	Drill Core	0.2	0.03	2.9	0.82	<0.1	<0.02	<0.02	9.8	0.2	<0.05	0.7	5.87	30.1	<0.02	<1	0.2	6.1	<10	<2			
1830800	Rock Pulp	0.2	0.17	5.6	0.67	<0.1	0.10	0.07	8.0	1.6	<0.05	1.9	5.27	15.2	0.05	<1	0.2	6.6	<10	<2			
1830801	Drill Core	0.4	<0.02	4.3	0.93	<0.1	0.04	<0.02	16.0	0.3	<0.05	1.3	8.63	50.1	0.03	<1	0.3	9.1	<10	<2			
1830802	Drill Core	0.4	0.03	4.4	0.92	<0.1	0.02	<0.02	17.1	0.3	<0.05	1.0	8.32	54.1	0.03	<1	0.3	9.4	<10	<2			
1830803	Drill Core	0.7	0.04	2.9	0.36	<0.1	0.03	<0.02	17.8	0.3	<0.05	1.4	8.47	37.6	<0.02	<1	0.4	6.2	<10	<2			
1830804	Drill Core	0.7	0.03	2.4	0.55	<0.1	0.03	<0.02	14.3	0.2	<0.05	1.5	7.48	35.1	<0.02	<1	0.4	5.5	<10	<2			
1830805	Drill Core	0.4	0.02	3.0	0.60	<0.1	0.03	<0.02	15.1	0.2	<0.05	1.0	8.44	51.8	<0.02	<1	0.4	6.1	<10	<2			
1830806	Drill Core	0.5	0.04	3.4	0.52	<0.1	0.12	<0.02	16.4	0.3	<0.05	5.4	6.91	35.1	<0.02	<1	0.4	8.6	<10	<2			
1830807	Drill Core	0.4	0.04	3.6	0.79	<0.1	0.08	<0.02	16.0	0.3	<0.05	4.2	10.59	34.0	<0.02	<1	0.4	11.6	<10	<2			
1830808	Drill Core	0.6	0.03	4.2	0.64	<0.1	0.05	<0.02	16.3	0.3	<0.05	2.2	9.61	41.4	0.02	<1	0.4	10.2	<10	<2			
1830809	Drill Core	0.3	0.03	3.6	0.52	<0.1	0.12	<0.02	12.0	0.3	<0.05	5.3	6.95	36.9	<0.02	<1	0.3	8.4	<10	<2			
1830810	Drill Core	0.7	0.03	3.0	1.34	<0.1	0.08	<0.02	18.0	0.3	<0.05	3.4	5.13	32.4	0.02	1	0.3	5.5	<10	<2			





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830811	Drill Core	4.99	493	0.149	0.20	0.77	37.67	0.66	6.84	2.45	40.6	182	10.3	6.2	422	2.12	11.3	1.4	139.4	6.4	77.6
1830812	Drill Core	5.56	540	<0.005	<0.01	<0.17	34.96	0.74	20.05	14.85	57.2	411	13.9	8.0	637	2.48	23.0	1.6	1.9	8.1	127.8
1830813	Drill Core	4.75	465	0.006	<0.01	<0.17	33.30	0.85	17.85	10.05	56.2	306	14.3	8.4	581	2.35	24.0	4.4	4.9	8.2	152.0
1830814	Drill Core	2.00	464	0.457	0.86	8.53	22.85	0.81	12.12	5.78	43.1	392	14.1	8.1	603	2.22	11.7	4.0	400.2	6.5	145.3
1830815	Drill Core	5.59	531	<0.005	<0.01	<0.17	39.72	3.33	15.83	8.78	67.9	291	15.1	8.2	687	2.70	18.8	2.0	0.9	8.4	135.8
1830816	Drill Core	2.86	537	0.197	0.21	0.34	32.61	0.60	17.21	14.87	47.2	459	12.1	7.4	540	2.15	15.8	3.5	185.8	6.6	135.4
1830817	Drill Core	4.35	384	0.125	0.12	<0.17	23.77	1.06	17.45	15.80	57.5	451	13.7	7.5	582	2.51	14.0	1.4	117.0	7.8	123.5
1830818	Drill Core	5.04	483	<0.005	<0.01	<0.17	38.80	0.80	14.53	14.89	60.4	252	13.1	7.4	633	2.37	18.3	1.6	3.0	7.7	116.5
1830819	Drill Core	3.96	521	0.218	0.22	0.27	32.76	0.70	17.91	15.17	53.7	428	12.5	8.9	659	2.26	16.7	3.7	211.2	9.0	178.6
1830820	Rock Pulp	0.12	87	0.470				2.39	440.11	18.33	46.2	254	610.3	24.9	436	2.62	18.6	0.6	433.1	2.2	61.2
1830821	Drill Core	2.83	534	0.654	0.91	4.22	38.18	0.84	23.36	9.97	36.9	893	9.2	7.1	473	1.78	12.9	1.7	607.9	8.4	67.3
1830822	Drill Core	4.71	449	0.029	0.03	<0.17	37.14	0.58	12.30	8.67	63.8	198	11.2	7.0	530	2.35	17.4	1.8	27.0	11.8	77.6
1830823	Drill Core	4.76	399	<0.005	<0.01	<0.17	37.16	0.77	20.75	15.49	63.0	258	14.3	8.4	559	2.55	24.2	1.9	2.4	9.5	102.2
1830824	Drill Core	5.33	512	<0.005	<0.01	<0.17	40.26	0.89	13.81	8.84	59.9	135	12.3	8.1	444	2.29	16.4	2.8	0.8	11.2	67.4
1830825	Drill Core	5.10	454	0.031	0.09	0.64	40.57	0.63	15.02	43.54	67.6	379	14.6	8.4	554	2.45	15.4	1.7	19.7	8.4	81.6
1830826	Drill Core	4.68	382	0.007	<0.01	<0.17	41.85	0.88	18.74	12.23	53.5	219	11.9	7.3	487	2.20	43.7	2.1	5.0	7.4	185.6
1830827	Drill Core	5.74	474	<0.005	<0.01	<0.17	39.46	1.41	18.55	11.53	56.1	257	12.8	7.9	520	2.35	85.9	2.2	2.6	8.0	194.6
1830828	Drill Core	5.12	442	<0.005	<0.01	<0.17	31.22	4.43	17.49	20.10	58.5	384	13.9	7.9	458	2.21	23.7	1.4	0.5	8.9	90.6
1830829	Drill Core	5.11	463	<0.005	<0.01	<0.17	42.73	0.73	15.39	19.29	59.3	261	14.1	7.6	511	2.33	18.3	1.2	0.4	8.5	96.9
1830830	Drill Core	5.59	447	<0.005	<0.01	<0.17	49.69	0.63	17.76	15.17	64.6	170	15.8	8.5	639	2.63	21.1	2.4	0.8	9.1	120.8
1830831	Drill Core	5.41	478	0.044	0.04	<0.17	37.52	0.61	11.66	27.16	62.4	233	13.8	8.6	625	2.40	15.3	2.7	20.4	8.2	106.2
1830832	Drill Core	4.91	453	0.065	0.13	1.19	26.15	0.47	9.86	9.53	68.3	135	14.0	8.7	656	2.56	14.9	1.4	85.7	9.3	89.4
1830833	Drill Core	6.47	491	<0.005	<0.01	<0.17	48.50	0.50	8.75	15.65	67.3	127	14.0	7.5	732	2.72	16.8	2.2	1.4	9.1	87.8
1830834	Drill Core	4.73	391	1.323	1.46	2.97	31.95	0.49	22.49	10.92	66.3	338	15.0	9.1	621	2.59	17.9	2.6	473.4	10.2	115.3
1830835	Drill Core	5.34	496	<0.005	<0.01	<0.17	40.71	0.57	19.79	11.33	65.9	202	14.4	9.2	515	2.43	26.6	2.3	1.6	9.3	95.9
1830836	Drill Core	6.02	413	<0.005	<0.01	<0.17	37.20	0.64	18.62	16.39	64.4	236	14.2	8.8	515	2.35	27.6	3.2	2.6	8.8	94.3
1830837	Drill Core	2.44	445	2.575	6.74	86.30	22.11	0.39	32.07	37.59	30.4	2133	7.6	4.5	322	1.41	14.1	1.6	3183.5	4.4	90.2
1830838	Drill Core	6.71	491	0.015	0.01	<0.17	41.21	0.80	19.47	10.19	56.4	210	13.1	8.5	503	2.30	22.1	4.0	8.4	8.6	122.7
1830839	Drill Core	6.17	480	0.010	<0.01	<0.17	22.56	0.63	16.59	13.67	57.2	185	12.9	7.7	541	2.32	17.5	1.3	11.6	9.4	127.2
1830840	Rock Pulp	0.12	86	<0.005				2.36	92.91	3.69	34.8	111	4.8	8.5	381	2.60	0.6	0.8	17.7	2.8	73.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830811	Drill Core	0.22	0.60	<0.02	9	0.94	0.041	13.4	9.6	0.57	244.8	0.014	1	0.86	0.016	0.44	0.2	3.1	0.13	0.16	<5
1830812	Drill Core	0.32	0.89	0.09	15	1.76	0.070	16.2	15.6	0.86	253.4	0.032	<1	1.15	0.020	0.51	0.2	5.0	0.16	0.25	<5
1830813	Drill Core	0.39	0.85	0.07	13	1.91	0.065	12.2	13.9	0.88	308.5	0.034	1	1.14	0.016	0.63	0.1	4.4	0.18	0.43	6
1830814	Drill Core	0.40	0.79	0.07	9	1.62	0.054	8.3	9.6	0.73	275.9	0.014	1	0.89	0.011	0.46	0.2	3.4	0.13	0.58	10
1830815	Drill Core	0.28	0.91	0.05	20	1.56	0.070	17.4	20.6	1.09	262.2	0.039	<1	1.37	0.023	0.54	0.2	5.8	0.18	0.20	<5
1830816	Drill Core	0.38	0.86	0.12	11	1.57	0.059	8.9	11.1	0.71	266.8	0.017	1	0.89	0.015	0.47	0.2	3.9	0.14	0.50	<5
1830817	Drill Core	0.33	0.62	0.12	14	1.53	0.061	13.2	13.9	0.86	301.7	0.023	1	1.19	0.020	0.50	0.2	4.8	0.16	0.24	<5
1830818	Drill Core	0.32	1.17	0.09	13	1.61	0.063	13.5	13.2	0.85	288.4	0.031	2	1.10	0.017	0.53	0.2	4.8	0.22	0.15	<5
1830819	Drill Core	0.44	0.86	0.12	10	1.88	0.077	11.7	11.6	0.91	283.8	0.025	3	1.07	0.012	0.53	0.2	4.9	0.16	0.49	<5
1830820	Rock Pulp	0.19	0.32	0.28	53	1.35	0.031	4.2	99.5	1.78	72.0	0.077	4	2.06	0.192	0.14	1.3	3.1	0.09	0.20	24
1830821	Drill Core	0.53	0.44	0.04	5	0.85	0.041	14.6	6.6	0.42	270.1	0.007	4	0.72	0.019	0.38	0.3	3.5	0.10	0.19	6
1830822	Drill Core	0.31	0.42	0.03	16	1.21	0.065	23.8	17.3	0.84	231.4	0.028	2	1.19	0.033	0.36	0.2	6.7	0.14	0.05	<5
1830823	Drill Core	0.26	1.15	0.10	18	1.43	0.068	17.0	18.6	0.90	297.3	0.041	3	1.20	0.026	0.54	0.3	7.2	0.20	0.20	5
1830824	Drill Core	0.26	1.59	0.05	15	1.04	0.064	16.9	15.0	0.89	234.6	0.052	3	1.06	0.027	0.62	0.2	6.6	0.26	0.16	<5
1830825	Drill Core	0.23	1.08	0.37	22	1.25	0.068	15.4	23.3	0.95	240.9	0.054	2	1.12	0.029	0.56	0.2	7.8	0.24	0.08	<5
1830826	Drill Core	0.39	1.60	0.19	13	2.19	0.067	9.8	13.8	0.72	241.0	0.039	2	0.90	0.020	0.55	0.2	5.5	0.23	0.22	<5
1830827	Drill Core	0.39	2.94	0.40	14	2.54	0.066	11.8	14.8	0.67	300.0	0.041	2	0.97	0.021	0.57	<0.1	5.8	0.29	0.27	<5
1830828	Drill Core	0.35	2.22	0.62	17	1.58	0.072	14.9	16.6	0.80	329.1	0.044	1	1.07	0.019	0.52	0.2	6.2	0.24	0.14	<5
1830829	Drill Core	0.31	3.08	0.42	18	1.53	0.066	14.1	18.2	0.83	466.2	0.036	2	1.00	0.026	0.50	0.2	7.6	0.19	0.13	<5
1830830	Drill Core	0.27	2.27	0.14	19	1.64	0.076	12.7	19.6	0.86	590.1	0.031	<1	0.99	0.022	0.46	0.2	7.6	0.16	0.21	<5
1830831	Drill Core	0.32	2.48	0.21	18	1.66	0.059	14.1	19.6	0.82	639.6	0.037	2	0.91	0.027	0.49	0.1	7.2	0.20	0.17	<5
1830832	Drill Core	0.24	2.23	0.08	17	1.20	0.072	16.6	19.1	0.89	449.8	0.042	1	0.96	0.028	0.53	<0.1	7.7	0.23	0.11	<5
1830833	Drill Core	0.27	1.40	0.13	30	1.37	0.072	20.8	31.6	1.07	338.8	0.062	<1	1.28	0.038	0.46	0.1	9.2	0.19	0.06	<5
1830834	Drill Core	0.32	1.30	0.08	16	1.61	0.076	13.5	17.8	0.84	385.3	0.063	2	1.05	0.022	0.69	0.3	7.1	0.32	0.32	<5
1830835	Drill Core	0.28	1.26	0.06	13	1.39	0.075	14.8	14.9	0.80	295.4	0.044	2	0.99	0.019	0.64	<0.1	6.1	0.30	0.19	<5
1830836	Drill Core	0.27	1.06	0.09	13	1.33	0.071	16.2	15.6	0.78	280.6	0.041	2	0.97	0.021	0.54	0.2	5.7	0.23	0.21	<5
1830837	Drill Core	0.31	2.51	0.27	5	1.17	0.042	7.8	6.6	0.30	204.3	0.011	1	0.42	0.013	0.28	0.4	2.5	0.07	0.58	<5
1830838	Drill Core	0.30	0.89	0.05	14	1.76	0.076	15.2	14.8	0.77	323.6	0.045	2	1.00	0.023	0.60	0.2	5.5	0.27	0.22	<5
1830839	Drill Core	0.34	0.57	0.12	17	2.00	0.071	18.0	18.2	0.76	463.3	0.039	2	1.03	0.020	0.47	0.1	6.1	0.21	0.12	<5
1830840	Rock Pulp	0.05	0.09	0.04	88	0.90	0.063	6.4	10.2	0.73	115.6	0.108	<1	1.58	0.169	0.20	2.8	2.6	0.04	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 4 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830811	Drill Core	0.5	0.03	2.6	0.87	<0.1	0.15	<0.02	16.6	0.3	<0.05	6.5	3.87	28.2	<0.02	<1	0.3	4.6	<10	<2			
1830812	Drill Core	0.8	0.04	3.6	1.39	<0.1	0.10	<0.02	20.8	0.3	<0.05	3.9	5.06	33.0	0.02	1	0.3	5.3	<10	<2			
1830813	Drill Core	1.0	0.04	3.5	1.24	<0.1	0.07	0.02	23.8	0.3	<0.05	2.8	4.56	27.2	<0.02	3	0.3	5.0	<10	<2			
1830814	Drill Core	1.0	0.05	2.4	0.89	<0.1	0.14	<0.02	17.0	0.3	<0.05	4.7	3.71	17.3	<0.02	2	0.4	4.3	<10	<2			
1830815	Drill Core	0.6	0.03	4.6	1.38	<0.1	0.08	<0.02	22.7	0.4	<0.05	3.2	5.31	35.7	0.02	2	0.3	7.8	<10	<2			
1830816	Drill Core	0.8	0.05	2.7	1.23	<0.1	0.07	<0.02	17.9	0.3	<0.05	2.8	3.79	18.8	<0.02	1	0.4	4.5	<10	<2			
1830817	Drill Core	0.6	0.06	3.4	1.36	<0.1	0.09	<0.02	19.4	0.3	<0.05	3.8	4.46	28.6	<0.02	1	0.4	6.6	<10	<2			
1830818	Drill Core	0.5	0.03	3.1	2.27	<0.1	0.09	<0.02	22.0	0.3	<0.05	4.0	4.18	28.6	<0.02	2	0.4	6.0	<10	<2			
1830819	Drill Core	0.7	0.02	2.5	1.55	<0.1	0.07	0.04	21.0	0.7	<0.05	3.1	5.25	23.3	0.04	2	0.4	6.3	<10	<2			
1830820	Rock Pulp	0.6	0.13	4.1	0.58	<0.1	0.05	<0.02	5.7	0.7	<0.05	0.7	3.28	8.8	<0.02	2	<0.1	7.6	264	119			
1830821	Drill Core	0.2	0.04	1.7	0.63	<0.1	0.07	<0.02	13.9	0.3	<0.05	4.0	3.91	29.5	<0.02	<1	0.4	5.9	<10	<2			
1830822	Drill Core	<0.1	<0.02	4.2	1.77	<0.1	0.14	<0.02	17.4	0.4	<0.05	7.1	5.65	46.2	0.02	<1	0.3	9.8	<10	<2			
1830823	Drill Core	0.4	<0.02	3.6	2.18	<0.1	0.10	<0.02	23.9	0.5	<0.05	4.8	5.54	31.9	0.03	2	0.5	7.4	<10	<2			
1830824	Drill Core	0.2	<0.02	3.0	2.92	<0.1	0.11	<0.02	27.9	0.5	<0.05	5.0	4.56	32.5	0.02	2	0.3	6.3	<10	<2			
1830825	Drill Core	0.2	0.03	4.4	3.44	<0.1	0.19	<0.02	28.2	0.5	<0.05	6.7	4.59	28.0	0.02	1	0.4	8.3	<10	<2			
1830826	Drill Core	0.3	<0.02	2.5	3.05	<0.1	0.09	<0.02	25.5	0.4	<0.05	3.5	4.67	19.4	0.02	1	0.3	5.2	<10	<2			
1830827	Drill Core	0.6	0.04	2.8	2.36	<0.1	0.06	<0.02	24.7	0.4	<0.05	2.4	5.01	23.5	0.03	<1	0.3	4.6	<10	<2			
1830828	Drill Core	0.4	0.03	3.7	2.15	<0.1	0.06	<0.02	26.0	0.5	<0.05	3.7	5.22	29.8	0.03	3	0.3	6.7	<10	<2			
1830829	Drill Core	0.2	0.03	3.3	4.32	<0.1	0.10	<0.02	28.8	0.4	<0.05	4.7	5.48	27.4	0.03	<1	0.3	6.3	<10	<2			
1830830	Drill Core	0.3	<0.02	3.4	3.70	<0.1	0.09	<0.02	21.0	0.3	<0.05	4.8	5.47	24.7	0.03	2	0.3	6.5	<10	<2			
1830831	Drill Core	0.3	<0.02	3.2	3.84	<0.1	0.11	<0.02	22.9	0.3	<0.05	4.5	5.80	27.4	0.02	1	0.4	5.3	<10	<2			
1830832	Drill Core	0.1	<0.02	3.0	4.57	<0.1	0.11	<0.02	25.1	0.3	<0.05	5.1	5.68	30.7	0.03	1	0.3	4.9	<10	<2			
1830833	Drill Core	<0.1	<0.02	4.7	2.99	<0.1	0.12	<0.02	26.2	0.5	<0.05	5.4	6.19	41.8	0.03	1	0.3	8.5	<10	<2			
1830834	Drill Core	0.4	<0.02	3.2	3.68	<0.1	0.08	<0.02	32.3	0.3	<0.05	2.4	5.49	25.9	0.02	<1	0.4	5.4	<10	<2			
1830835	Drill Core	0.3	<0.02	2.7	4.13	<0.1	0.06	<0.02	29.3	0.3	<0.05	2.7	5.10	28.0	0.03	2	0.3	4.9	<10	<2			
1830836	Drill Core	0.3	<0.02	2.8	2.69	<0.1	0.11	<0.02	23.1	0.3	<0.05	3.1	4.71	31.0	0.02	2	0.4	5.9	<10	<2			
1830837	Drill Core	0.4	0.04	1.3	0.82	<0.1	0.04	<0.02	10.4	0.3	<0.05	1.5	2.76	14.9	<0.02	<1	0.3	2.5	<10	<2			
1830838	Drill Core	0.3	<0.02	2.7	3.10	<0.1	0.04	<0.02	24.3	0.4	<0.05	2.2	5.17	29.8	0.02	3	0.3	4.7	<10	<2			
1830839	Drill Core	0.1	<0.02	3.6	3.16	<0.1	0.04	<0.02	24.6	0.5	<0.05	2.4	6.20	34.6	0.03	<1	0.3	5.9	<10	<2			
1830840	Rock Pulp	<0.1	<0.02	4.5	0.29	<0.1	0.04	0.03	6.3	0.2	<0.05	0.5	4.62	14.3	<0.02	<1	<0.1	6.4	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830841	Drill Core	5.43	472	<0.005	<0.01	<0.17	39.21	0.57	20.82	10.26	62.1	144	14.0	8.0	630	2.66	16.8	5.5	1.8	10.4	84.2
1830842	Drill Core	4.54	490	0.005	<0.01	<0.17	38.59	0.77	19.55	10.44	62.0	160	14.3	8.2	551	2.55	13.3	1.4	5.7	9.6	67.4
1830843	Drill Core	6.94	435	<0.005	<0.01	<0.17	23.43	0.79	21.23	9.68	67.1	200	15.1	8.2	492	2.76	14.1	1.3	1.9	10.2	61.3
1830844	Drill Core	5.26	469	<0.005	<0.01	<0.17	29.52	0.79	21.61	16.07	59.5	222	14.0	7.5	399	2.35	16.4	1.0	1.3	9.1	56.3
1830845	Drill Core	5.29	488	<0.005	<0.01	<0.17	34.17	0.64	17.28	8.77	61.6	114	14.5	7.8	504	2.39	13.3	2.7	1.0	7.9	62.9
1830846	Drill Core	5.52	457	<0.005	<0.01	<0.17	23.66	0.55	13.92	15.57	71.0	119	13.1	8.1	458	2.44	15.1	2.2	0.7	9.6	56.3
1830847	Drill Core	5.25	485	<0.005	<0.01	<0.17	35.88	0.60	9.82	8.28	59.0	88	10.8	7.4	458	2.36	15.6	2.3	0.3	10.7	52.3
1830848	Drill Core	5.89	417	<0.005	<0.01	<0.17	26.35	0.72	22.25	14.43	62.6	242	13.1	8.3	455	2.30	26.4	2.0	1.3	9.3	71.6
1830849	Drill Core	2.56	461	0.008	<0.01	<0.17	37.60	0.65	14.52	15.10	66.6	225	13.7	9.8	518	2.61	21.3	1.6	6.2	11.0	107.9
1830850	Drill Core	2.57	470	0.129	0.28	2.32	33.21	0.63	20.29	10.95	56.0	294	11.3	7.0	550	2.33	10.4	1.1	71.3	7.6	122.2
1830851	Drill Core	5.71	425	<0.005	<0.01	<0.17	29.42	0.54	8.91	19.34	65.8	185	13.0	7.9	552	2.59	12.5	1.3	1.4	10.6	99.8
1830852	Drill Core	4.52	443	<0.005	<0.01	<0.17	23.23	0.56	8.14	12.59	68.4	153	12.9	8.5	547	2.64	14.3	1.5	0.7	11.2	84.8
1830853	Drill Core	4.07	398	<0.005	<0.01	<0.17	25.35	1.12	17.39	27.81	61.4	346	13.0	7.7	535	2.40	14.4	1.9	1.6	10.4	83.5
1830854	Drill Core	6.65	467	<0.005	<0.01	<0.17	43.56	1.85	23.54	26.60	59.3	361	47.4	10.3	579	2.39	38.6	2.7	1.4	9.4	112.2
1830855	Drill Core	5.47	507	<0.005	<0.01	<0.17	43.11	2.41	21.09	10.79	54.5	195	18.4	8.6	450	2.15	17.5	3.1	0.7	9.5	107.6
1830856	Drill Core	5.75	486	<0.005	<0.01	<0.17	39.51	1.52	25.96	14.92	70.1	332	17.0	10.4	421	2.49	31.8	4.3	1.4	10.6	107.8
1830857	Drill Core	4.58	472	<0.005	<0.01	<0.17	34.93	1.51	24.04	15.01	57.0	218	16.3	9.8	389	2.29	32.9	3.1	0.3	10.2	112.7
1830858	Drill Core	6.34	465	<0.005	<0.01	<0.17	43.05	0.55	16.51	11.52	65.5	122	14.4	9.2	574	2.46	13.8	2.8	1.6	9.7	124.4
1830859	Drill Core	5.37	393	<0.005	<0.01	<0.17	34.23	0.65	16.99	13.99	63.9	130	14.6	8.6	545	2.46	13.9	2.2	<0.2	9.9	120.5
1830860	Core DUP		357	<0.005	<0.01	<0.17	27.72	0.60	16.87	13.96	62.8	130	14.4	9.0	527	2.37	15.5	2.2	<0.2	10.4	119.7
1830861	Drill Core	4.26	396	<0.005	<0.01	<0.17	45.31	0.74	18.00	14.30	63.5	151	15.8	8.8	577	2.63	11.2	1.5	<0.2	9.7	82.9
1830862	Drill Core	4.97	461	<0.005	<0.01	<0.17	27.13	0.89	22.18	16.21	62.2	154	15.2	9.8	593	2.46	10.1	6.0	<0.2	10.4	95.1
1830863	Drill Core	5.64	459	<0.005	<0.01	<0.17	46.76	0.70	20.40	18.25	78.2	156	15.6	9.8	615	2.90	15.7	4.7	0.9	10.8	69.7
1830864	Drill Core	5.22	457	<0.005	<0.01	<0.17	55.75	0.75	18.47	19.67	65.0	161	14.4	9.2	502	2.35	32.5	2.6	0.8	9.6	59.2
1830865	Drill Core	4.98	419	<0.005	<0.01	<0.17	32.45	0.73	21.58	11.10	65.0	144	16.5	9.2	737	2.77	21.5	2.3	<0.2	9.7	82.2
1830866	Drill Core	5.01	435	0.020	0.02	<0.17	24.50	0.76	16.73	11.96	59.3	129	13.2	8.1	554	2.44	28.1	1.8	16.2	10.7	70.3
1830867	Drill Core	5.24	476	<0.005	<0.01	<0.17	38.34	2.86	24.15	4.54	59.2	121	15.4	9.4	524	2.53	34.9	2.7	2.6	10.5	49.7
1830868	Drill Core	5.48	449	<0.005	<0.01	<0.17	35.50	1.09	27.05	11.97	60.5	161	18.7	9.2	676	2.49	53.5	1.9	1.4	8.9	98.0
1830869	Drill Core	4.83	462	<0.005	<0.01	<0.17	35.14	0.61	20.90	19.34	72.6	149	15.2	9.2	544	2.56	62.0	1.6	0.5	10.0	79.7
1830870	Drill Core	5.87	516	<0.005	<0.01	<0.17	30.30	0.72	14.92	24.97	56.5	164	14.2	7.8	651	2.21	40.0	1.3	0.6	8.5	105.4



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830841	Drill Core	0.29	0.56	0.06	23	1.42	0.071	20.3	23.0	0.96	399.5	0.053	<1	1.11	0.039	0.57	<0.1	8.0	0.24	0.20	<5			
1830842	Drill Core	0.25	0.90	0.07	22	1.24	0.074	17.8	20.6	1.03	293.9	0.058	1	1.22	0.024	0.61	0.1	8.0	0.34	0.11	<5			
1830843	Drill Core	0.25	0.54	0.05	27	1.15	0.077	22.6	27.1	1.10	327.3	0.064	2	1.34	0.033	0.61	0.2	9.3	0.37	0.07	<5			
1830844	Drill Core	0.25	1.10	0.09	20	1.00	0.071	13.3	19.8	0.95	230.4	0.050	2	1.14	0.022	0.55	0.1	7.3	0.27	0.17	<5			
1830845	Drill Core	0.32	1.41	0.03	21	1.11	0.062	14.5	20.3	1.01	256.2	0.058	1	1.13	0.022	0.59	<0.1	7.4	0.27	0.06	<5			
1830846	Drill Core	0.27	1.90	0.08	21	0.97	0.066	15.3	20.6	0.97	218.5	0.055	1	1.07	0.038	0.54	<0.1	8.4	0.28	0.15	<5			
1830847	Drill Core	0.22	1.15	0.05	15	0.78	0.062	21.9	15.6	0.80	298.8	0.047	<1	0.94	0.043	0.55	0.1	6.9	0.25	0.07	<5			
1830848	Drill Core	0.29	1.06	0.10	15	1.09	0.067	15.6	15.3	0.81	244.5	0.044	2	1.02	0.030	0.51	0.2	6.4	0.20	0.17	<5			
1830849	Drill Core	0.31	0.54	0.12	20	1.40	0.069	20.6	20.1	0.92	183.7	0.027	1	1.21	0.033	0.40	0.3	7.4	0.16	0.06	<5			
1830850	Drill Core	0.22	0.26	0.08	20	1.71	0.054	16.6	20.6	0.88	207.2	0.013	1	1.09	0.023	0.31	0.1	5.9	0.11	0.20	<5			
1830851	Drill Core	0.21	0.33	0.16	29	1.55	0.069	26.3	28.9	1.09	166.7	0.023	1	1.32	0.035	0.32	<0.1	7.4	0.13	<0.02	<5			
1830852	Drill Core	0.25	0.33	0.14	23	1.37	0.070	25.8	22.9	1.09	332.2	0.028	1	1.31	0.040	0.45	<0.1	8.4	0.17	0.04	<5			
1830853	Drill Core	0.31	0.78	0.43	17	1.25	0.067	23.8	18.3	0.89	461.6	0.014	<1	1.00	0.025	0.39	<0.1	6.6	0.15	0.10	<5			
1830854	Drill Core	0.37	22.88	0.39	16	2.08	0.061	23.3	32.8	0.85	253.0	0.032	2	0.97	0.014	0.52	0.1	6.7	0.24	0.19	<5			
1830855	Drill Core	0.30	4.27	0.20	15	1.98	0.066	25.0	16.7	0.70	291.8	0.027	2	0.93	0.014	0.53	<0.1	5.9	0.22	0.20	<5			
1830856	Drill Core	0.36	1.78	0.37	20	1.81	0.068	26.0	18.9	0.91	333.2	0.035	2	1.06	0.017	0.55	<0.1	8.7	0.30	0.34	<5			
1830857	Drill Core	0.29	1.40	0.19	17	1.80	0.067	28.7	16.6	0.68	482.2	0.029	2	0.89	0.020	0.47	<0.1	6.8	0.19	0.23	<5			
1830858	Drill Core	0.27	1.02	0.06	17	1.64	0.064	21.3	17.0	0.80	765.2	0.011	1	0.79	0.024	0.48	<0.1	6.0	0.10	0.15	<5			
1830859	Drill Core	0.21	0.94	0.09	17	1.56	0.063	28.4	18.4	0.73	984.6	0.044	1	0.82	0.031	0.45	<0.1	6.9	0.14	0.08	<5			
1830860	Core DUP	0.24	1.02	0.09	16	1.55	0.067	27.0	16.5	0.71	907.4	0.039	<1	0.79	0.027	0.42	<0.1	6.4	0.14	0.08	<5			
1830861	Drill Core	0.20	4.54	0.08	18	1.07	0.063	28.1	19.3	0.79	997.3	0.013	1	0.95	0.027	0.39	<0.1	6.8	0.15	<0.02	<5			
1830862	Drill Core	0.30	1.60	0.07	17	1.53	0.068	25.2	17.2	0.89	645.6	0.004	<1	0.97	0.015	0.41	<0.1	7.4	0.36	0.10	<5			
1830863	Drill Core	0.33	1.66	0.09	31	1.29	0.069	23.5	30.1	1.19	278.2	0.034	<1	1.31	0.028	0.44	<0.1	8.6	0.28	0.14	<5			
1830864	Drill Core	0.28	2.36	0.13	21	1.25	0.063	22.3	22.1	1.00	210.5	0.016	1	1.12	0.018	0.36	<0.1	6.8	0.17	0.10	<5			
1830865	Drill Core	0.26	2.63	0.07	21	1.99	0.060	21.1	21.9	1.18	243.3	0.012	<1	1.25	0.013	0.34	<0.1	6.7	0.14	0.14	<5			
1830866	Drill Core	0.25	1.56	0.08	18	1.45	0.062	26.4	18.6	0.87	260.3	0.020	<1	1.08	0.017	0.40	<0.1	6.9	0.15	0.11	<5			
1830867	Drill Core	0.34	2.05	0.04	20	1.06	0.066	27.6	20.5	0.82	216.1	0.024	<1	1.06	0.021	0.37	0.1	7.4	0.18	0.19	<5			
1830868	Drill Core	0.25	1.20	0.06	25	1.73	0.061	25.5	25.2	1.02	230.3	0.007	<1	1.26	0.017	0.33	0.2	6.7	0.10	0.03	<5			
1830869	Drill Core	0.36	0.91	0.10	24	1.43	0.061	25.3	22.4	1.07	210.5	0.010	<1	1.26	0.013	0.33	0.2	6.8	0.10	0.03	<5			
1830870	Drill Core	0.29	0.92	0.19	20	2.04	0.058	22.2	19.3	0.87	200.4	0.006	1	1.11	0.015	0.32	<0.1	5.8	0.10	0.05	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 5 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830841	Drill Core	0.3	<0.02	3.8	3.86	<0.1	0.07	<0.02	24.9	0.5	<0.05	3.4	6.21	37.9	0.03	<1	0.3	7.0	<10	<2			
1830842	Drill Core	0.2	<0.02	4.0	5.32	<0.1	0.20	<0.02	41.2	0.6	<0.05	9.4	5.38	32.0	0.03	<1	0.4	9.1	<10	<2			
1830843	Drill Core	0.1	<0.02	5.1	4.87	<0.1	0.20	<0.02	44.0	0.7	<0.05	10.1	6.24	42.5	0.03	<1	0.4	10.9	<10	<2			
1830844	Drill Core	0.2	<0.02	3.8	2.53	<0.1	0.20	<0.02	29.8	0.4	<0.05	9.2	4.52	24.9	0.02	<1	0.4	8.7	<10	<2			
1830845	Drill Core	<0.1	<0.02	4.0	2.61	<0.1	0.19	<0.02	28.0	0.5	<0.05	8.3	4.17	25.9	0.02	<1	0.5	8.8	<10	<2			
1830846	Drill Core	0.2	<0.02	4.2	3.83	<0.1	0.22	<0.02	27.6	0.6	<0.05	8.6	4.57	29.0	0.03	2	0.4	7.2	<10	<2			
1830847	Drill Core	<0.1	<0.02	3.0	4.32	<0.1	0.22	<0.02	26.3	0.5	<0.05	9.7	5.40	41.2	0.03	<1	0.4	5.3	<10	<2			
1830848	Drill Core	0.2	<0.02	3.2	2.28	<0.1	0.21	<0.02	22.9	0.4	<0.05	9.3	4.97	29.9	<0.02	3	0.4	6.7	<10	<2			
1830849	Drill Core	<0.1	<0.02	4.3	1.84	<0.1	0.25	<0.02	17.9	0.4	<0.05	11.3	5.93	39.3	0.03	<1	0.5	10.2	<10	<2			
1830850	Drill Core	<0.1	<0.02	4.9	1.24	<0.1	0.17	<0.02	13.3	0.3	<0.05	8.1	6.14	30.4	<0.02	<1	0.5	10.7	<10	<2			
1830851	Drill Core	<0.1	<0.02	5.7	1.61	<0.1	0.22	<0.02	14.3	0.3	<0.05	9.2	7.33	49.4	0.03	<1	0.4	11.8	<10	<2			
1830852	Drill Core	0.1	<0.02	4.2	2.36	<0.1	0.19	<0.02	19.8	0.5	<0.05	8.8	7.18	48.4	0.02	<1	0.4	9.6	<10	<2			
1830853	Drill Core	0.2	0.04	3.1	4.23	<0.1	0.13	<0.02	17.8	0.4	<0.05	5.3	6.53	46.2	0.03	1	0.5	7.3	<10	<2			
1830854	Drill Core	0.5	0.04	2.8	3.63	<0.1	0.06	0.04	23.6	0.7	<0.05	4.0	6.56	45.2	0.03	3	0.3	6.4	<10	<2			
1830855	Drill Core	0.5	<0.02	2.7	2.43	<0.1	0.04	<0.02	23.2	0.4	<0.05	2.2	7.49	47.3	0.03	2	0.3	6.6	<10	<2			
1830856	Drill Core	0.7	0.03	3.0	3.87	<0.1	0.08	<0.02	31.4	0.5	<0.05	3.5	10.03	51.5	0.02	2	0.5	8.7	<10	<2			
1830857	Drill Core	0.6	<0.02	2.7	2.96	<0.1	0.05	<0.02	21.3	0.6	<0.05	3.0	11.23	52.5	0.03	1	0.5	6.6	<10	<2			
1830858	Drill Core	0.3	0.02	2.4	8.11	<0.1	0.04	<0.02	26.3	0.4	<0.05	1.8	9.37	41.7	0.03	2	0.3	6.0	<10	<2			
1830859	Drill Core	0.2	<0.02	2.4	5.67	<0.1	0.05	0.08	19.6	0.5	<0.05	2.2	11.24	54.2	0.03	<1	0.2	6.0	<10	<2			
1830860	Core DUP	0.1	<0.02	2.3	5.68	<0.1	0.04	0.04	19.2	0.5	<0.05	2.2	10.61	52.2	0.03	<1	0.3	5.8	<10	<2			
1830861	Drill Core	<0.1	<0.02	2.7	3.02	<0.1	0.05	0.06	13.8	0.5	<0.05	3.5	8.64	54.0	0.04	<1	0.3	6.9	<10	<2			
1830862	Drill Core	0.4	<0.02	2.7	4.66	<0.1	0.11	0.03	15.2	0.4	<0.05	7.5	7.42	49.0	0.03	2	0.4	6.7	<10	<2			
1830863	Drill Core	0.4	<0.02	4.6	4.51	<0.1	0.13	0.05	20.1	0.7	<0.05	7.9	7.68	46.8	0.04	3	0.5	10.1	<10	<2			
1830864	Drill Core	0.4	0.02	3.7	2.44	<0.1	0.14	0.04	15.2	0.5	<0.05	7.9	7.38	44.5	0.02	4	0.4	7.9	<10	<2			
1830865	Drill Core	0.4	<0.02	3.6	2.20	<0.1	0.14	0.03	14.0	0.6	<0.05	8.6	8.44	41.9	0.03	<1	0.5	7.8	<10	<2			
1830866	Drill Core	0.4	<0.02	3.3	2.06	<0.1	0.11	0.05	15.4	0.5	<0.05	5.4	8.61	50.8	0.02	1	0.4	7.6	<10	<2			
1830867	Drill Core	1.0	<0.02	3.4	2.73	<0.1	0.06	0.05	15.9	0.5	<0.05	3.5	9.02	52.9	0.03	5	0.4	7.3	<10	<2			
1830868	Drill Core	0.2	0.02	3.9	1.47	<0.1	0.07	0.02	12.6	0.7	<0.05	5.5	8.07	49.6	<0.02	<1	0.4	9.4	<10	<2			
1830869	Drill Core	0.3	<0.02	4.0	1.70	<0.1	0.11	0.03	12.4	0.5	<0.05	7.5	7.38	50.4	0.03	<1	0.4	9.3	<10	<2			
1830870	Drill Core	0.4	0.03	3.2	1.31	<0.1	0.10	<0.02	12.2	0.4	<0.05	6.7	7.30	44.2	<0.02	<1	0.3	7.1	<10	<2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 6 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830871	Drill Core	4.88	442	0.005	<0.01	<0.17	43.28	0.71	20.14	13.98	69.7	141	18.7	9.4	470	2.43	53.1	1.5	2.9	9.9	70.1
1830872	Drill Core	5.53	453	<0.005	<0.01	<0.17	24.48	0.96	22.50	13.15	64.9	103	15.5	9.3	450	2.42	32.2	2.0	0.7	10.1	74.7
1830873	Drill Core	4.62	380	<0.005	<0.01	<0.17	32.45	0.93	19.01	14.07	62.8	119	14.7	8.9	482	2.50	35.7	1.7	0.5	11.3	72.1
1830874	Drill Core	4.07	362	<0.005	<0.01	<0.17	24.59	0.97	24.42	9.81	67.3	144	16.9	9.9	483	2.54	73.9	2.1	1.7	10.7	60.7
1830875	Drill Core	4.88	451	0.006	<0.01	<0.17	35.64	2.36	28.36	19.79	55.8	309	16.6	9.6	482	2.30	27.4	2.4	2.9	10.2	71.0
1830876	Drill Core	6.31	435	<0.005	<0.01	<0.17	33.47	1.02	16.89	19.79	58.9	226	12.3	7.1	510	2.30	18.7	1.8	1.2	9.6	78.8
1830877	Drill Core	5.75	445	<0.005	<0.01	<0.17	32.69	0.72	14.84	16.04	64.9	152	12.0	8.4	546	2.61	14.4	1.9	0.3	10.3	63.3
1830878	Drill Core	3.39	508	<0.005	<0.01	<0.17	31.15	0.90	24.94	15.90	68.9	199	14.5	9.2	433	2.54	20.3	1.6	1.0	10.0	48.5
1830879	Drill Core	4.05	389	<0.005	<0.01	<0.17	24.15	0.73	18.20	31.35	75.3	227	19.4	9.7	525	2.81	23.7	1.1	1.0	8.2	54.2
1830880	Rock	0.23	174	<0.005	<0.01	<0.17	29.15	0.48	1.51	1.26	4.1	9	1.6	0.6	73	0.67	1.5	0.2	<0.2	1.6	1.8
1830881	Drill Core	5.26	394	<0.005	<0.01	<0.17	21.01	1.17	25.74	15.70	67.8	188	15.9	9.1	475	2.68	29.2	1.4	1.3	10.0	60.9
1830882	Drill Core	5.35	448	<0.005	<0.01	<0.17	31.44	0.62	14.69	10.79	77.6	109	13.6	9.0	478	2.69	21.9	1.5	0.8	9.7	71.1
1830883	Drill Core	4.30	408	<0.005	<0.01	<0.17	29.94	0.53	17.70	11.55	58.3	138	11.9	8.1	460	2.27	17.4	0.9	1.2	9.5	106.5
1830884	Drill Core	3.81	390	<0.005	<0.01	<0.17	37.80	0.64	23.07	10.37	59.2	175	13.9	8.6	373	2.29	19.4	1.2	<0.2	10.7	74.4



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830871	Drill Core	0.30	1.53	0.07	25	1.35	0.071	26.8	23.6	0.86	232.3	0.009	<1	1.14	0.015	0.35	<0.1	7.8	0.12	0.06	<5
1830872	Drill Core	0.30	1.14	0.07	19	1.42	0.066	26.1	17.7	0.89	207.7	0.006	2	1.19	0.012	0.34	0.1	7.1	0.11	0.06	<5
1830873	Drill Core	0.30	1.30	0.09	19	1.56	0.065	25.8	17.6	0.82	280.6	0.006	1	1.25	0.017	0.44	<0.1	6.8	0.14	0.04	<5
1830874	Drill Core	0.36	1.12	0.04	22	1.32	0.074	25.7	21.0	0.85	359.5	0.012	1	1.23	0.017	0.36	0.1	6.9	0.12	0.05	<5
1830875	Drill Core	0.49	0.66	0.08	17	1.60	0.066	18.6	16.3	0.85	289.2	0.016	1	1.18	0.008	0.42	0.3	4.4	0.13	0.25	<5
1830876	Drill Core	0.26	0.61	0.11	16	1.50	0.063	21.3	16.3	0.92	201.1	0.013	1	1.18	0.013	0.34	0.2	5.3	0.12	0.03	<5
1830877	Drill Core	0.22	0.54	0.08	19	1.20	0.060	19.7	17.9	1.06	190.7	0.008	2	1.37	0.016	0.31	<0.1	5.7	0.10	<0.02	<5
1830878	Drill Core	0.26	0.53	0.07	20	0.84	0.063	19.1	19.3	1.03	178.5	0.010	1	1.31	0.012	0.28	<0.1	5.4	0.09	0.03	<5
1830879	Drill Core	0.24	0.48	0.17	27	1.13	0.062	13.1	28.2	1.23	185.6	0.017	<1	1.43	0.016	0.31	<0.1	6.7	0.09	0.16	<5
1830880	Rock	<0.01	0.04	<0.02	2	0.02	0.004	2.3	4.0	0.03	14.3	0.004	2	0.09	0.006	0.02	<0.1	0.3	<0.02	<0.02	<5
1830881	Drill Core	0.28	1.00	0.06	22	1.15	0.069	16.3	21.5	1.13	212.2	0.015	1	1.41	0.017	0.33	<0.1	6.5	0.10	0.10	<5
1830882	Drill Core	0.25	0.76	0.03	20	1.24	0.069	13.2	21.6	1.12	175.5	0.012	1	1.29	0.015	0.30	<0.1	6.2	0.10	0.13	<5
1830883	Drill Core	0.26	0.38	0.03	22	1.73	0.062	12.9	21.8	1.04	164.7	0.009	<1	1.13	0.024	0.24	<0.1	6.1	0.07	0.16	<5
1830884	Drill Core	0.27	0.52	0.03	21	1.08	0.061	15.5	21.8	0.98	213.6	0.022	<1	1.10	0.027	0.31	<0.1	5.9	0.11	0.30	<5





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 6 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000192.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830871	Drill Core	0.7	<0.02	3.8	1.84	<0.1	0.09	<0.02	14.0	0.5	<0.05	6.5	7.96	52.4	0.03	<1	0.4	8.6	<10	<2
1830872	Drill Core	0.7	<0.02	3.2	1.42	<0.1	0.06	0.02	12.9	0.5	<0.05	4.5	8.87	52.8	0.02	<1	0.4	8.6	<10	<2
1830873	Drill Core	0.6	<0.02	3.6	1.55	<0.1	0.05	0.03	15.6	0.4	<0.05	3.0	8.58	50.6	0.03	<1	0.5	7.6	<10	<2
1830874	Drill Core	0.7	<0.02	3.4	1.89	<0.1	0.05	0.03	14.2	0.5	<0.05	2.7	7.89	49.6	0.03	<1	0.6	8.3	<10	<2
1830875	Drill Core	1.1	0.02	3.5	1.62	<0.1	0.07	0.03	16.2	0.3	<0.05	4.1	7.46	34.6	0.02	6	0.4	8.4	<10	<2
1830876	Drill Core	0.2	<0.02	3.8	2.18	<0.1	0.13	0.02	14.4	0.3	<0.05	7.5	5.84	40.7	<0.02	<1	0.4	9.3	<10	<2
1830877	Drill Core	0.1	<0.02	4.4	1.93	<0.1	0.15	0.02	12.9	0.4	<0.05	9.4	5.25	38.6	<0.02	<1	0.6	12.2	<10	<2
1830878	Drill Core	0.4	<0.02	4.1	1.68	<0.1	0.20	0.02	12.1	0.3	<0.05	11.4	5.45	37.1	0.02	<1	0.5	10.5	<10	<2
1830879	Drill Core	0.5	0.02	4.6	1.34	<0.1	0.19	0.03	12.5	0.3	<0.05	12.4	5.76	25.8	<0.02	<1	0.3	12.3	<10	<2
1830880	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.10	0.07	1.0	<0.1	<0.05	3.2	1.11	4.5	<0.02	<1	<0.1	1.5	<10	<2
1830881	Drill Core	1.0	<0.02	4.6	1.45	<0.1	0.22	0.02	13.5	0.4	<0.05	12.4	6.74	31.4	0.02	<1	0.5	11.0	<10	<2
1830882	Drill Core	0.4	<0.02	5.1	2.40	<0.1	0.21	0.02	14.4	0.4	<0.05	12.4	6.01	26.7	0.03	1	0.5	11.5	<10	<2
1830883	Drill Core	0.3	<0.02	4.2	1.21	<0.1	0.21	<0.02	10.3	0.2	<0.05	11.1	6.11	25.3	0.03	<1	0.4	9.1	<10	<2
1830884	Drill Core	0.4	<0.02	3.9	1.37	<0.1	0.20	0.03	14.1	0.3	<0.05	10.0	5.86	30.2	<0.02	3	0.4	8.3	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 10, 2019

Page:

1 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1830757	Drill Core		2.20	438	0.071	0.06	<0.17	39.56	0.79	10.89	11.22	27.8	451	9.0	9.4	606	2.04	27.1	1.1	75.7	8.7	174.6
REP 1830757	QC								0.74	10.89	10.61	28.6	434	8.8	9.4	615	2.01	26.0	1.1	93.8	8.5	164.7
1830783	Drill Core		4.45	446	0.008	<0.01	<0.17	36.11	2.87	19.08	18.15	64.5	203	14.3	8.8	420	2.45	16.3	3.4	3.5	10.5	81.3
REP 1830783	QC				0.008																	
1830791	Drill Core		4.75	439	0.006	<0.01	<0.17	42.07	3.05	16.43	11.32	63.0	138	13.5	7.8	423	2.47	27.8	2.3	1.4	9.0	82.9
REP 1830791	QC								2.99	16.14	11.30	62.4	137	13.3	7.7	417	2.43	26.9	2.3	1.1	9.0	82.0
1830808	Drill Core		2.80	429	0.031	0.03	<0.17	40.39	1.05	18.03	12.46	59.6	258	16.1	7.2	724	2.49	21.3	2.1	23.6	8.7	97.0
REP 1830808	QC				0.033																	
1830826	Drill Core		4.68	382	0.007	<0.01	<0.17	41.85	0.88	18.74	12.23	53.5	219	11.9	7.3	487	2.20	43.7	2.1	5.0	7.4	185.6
REP 1830826	QC								0.84	17.79	11.69	53.0	219	11.2	6.8	484	2.18	44.1	2.0	4.7	7.3	175.8
1830857	Drill Core		4.58	472	<0.005	<0.01	<0.17	34.93	1.51	24.04	15.01	57.0	218	16.3	9.8	389	2.29	32.9	3.1	0.3	10.2	112.7
REP 1830857	QC				<0.005																	
1830860	Core DUP			357	<0.005	<0.01	<0.17	27.72	0.60	16.87	13.96	62.8	130	14.4	9.0	527	2.37	15.5	2.2	<0.2	10.4	119.7
REP 1830860	QC								0.64	17.45	14.40	63.8	135	14.1	8.9	532	2.39	14.8	2.2	<0.2	10.6	119.6
REP 1830881	QC				<0.005																	
Core Reject Duplicates																						
1830779	Drill Core		5.26	508	0.006	<0.01	<0.17	33.05	1.57	18.66	9.55	66.3	207	12.7	8.5	475	2.56	9.4	1.6	3.9	11.6	100.2
DUP 1830779	QC			446	0.010	<0.01	<0.17	33.70	1.42	18.20	8.71	64.6	188	12.5	8.0	465	2.51	8.8	1.5	3.3	12.7	93.1
1830813	Drill Core		4.75	465	0.006	<0.01	<0.17	33.30	0.85	17.85	10.05	56.2	306	14.3	8.4	581	2.35	24.0	4.4	4.9	8.2	152.0
DUP 1830813	QC			435	0.007	<0.01	<0.17	41.69	0.83	17.61	9.94	55.5	294	14.3	8.2	581	2.35	23.0	4.4	3.2	8.3	153.9
1830847	Drill Core		5.25	485	<0.005	<0.01	<0.17	35.88	0.60	9.82	8.28	59.0	88	10.8	7.4	458	2.36	15.6	2.3	0.3	10.7	52.3
DUP 1830847	QC			463	<0.005	<0.01	<0.17	38.08	0.50	9.97	8.10	60.7	92	10.9	7.4	446	2.39	15.3	2.3	0.5	11.3	52.3
1830881	Drill Core		5.26	394	<0.005	<0.01	<0.17	21.01	1.17	25.74	15.70	67.8	188	15.9	9.1	475	2.68	29.2	1.4	1.3	10.0	60.9
DUP 1830881	QC			386	<0.005	<0.01	<0.17	34.04	1.18	26.64	13.31	68.8	203	15.7	9.6	496	2.73	30.4	1.5	2.0	9.8	63.2
Reference Materials																						
STD BVGEO01	Standard								11.26	4452.18	174.42	1747.3	2632	161.8	23.7	735	3.72	117.9	3.4	209.1	12.9	56.8
STD BVGEO01	Standard								11.90	4304.58	198.26	1707.4	2462	161.6	26.0	713	3.70	115.7	4.0	212.9	14.8	55.1
STD DS11	Standard								15.67	158.79	138.87	346.7	1566	80.6	14.6	1034	3.13	41.3	2.7	84.0	7.9	65.4



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 1 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830757	Drill Core	0.36	1.05	0.05	9	1.58	0.044	14.0	10.2	0.66	315.7	0.009	1	1.07	0.017	0.62	0.2	3.4	0.17	0.76	17
REP 1830757	QC	0.36	0.98	0.05	9	1.55	0.045	13.9	9.4	0.66	308.4	0.009	1	1.08	0.017	0.62	0.2	3.5	0.15	0.75	7
1830783	Drill Core	0.35	0.97	0.08	18	1.71	0.063	27.0	18.7	0.76	235.7	0.025	2	1.22	0.015	0.51	0.4	5.5	0.18	0.08	30
REP 1830783	QC																				
1830791	Drill Core	0.58	0.83	0.06	20	2.04	0.067	27.1	18.6	0.66	229.0	0.036	3	1.28	0.014	0.56	0.2	6.4	0.27	0.09	16
REP 1830791	QC	0.55	0.80	0.06	20	2.00	0.068	26.8	18.2	0.65	225.8	0.034	3	1.27	0.014	0.55	0.2	6.4	0.26	0.08	18
1830808	Drill Core	0.30	0.18	0.07	16	1.54	0.071	20.0	15.7	0.79	251.5	0.004	<1	1.35	0.011	0.41	<0.1	4.7	0.12	0.05	6
REP 1830808	QC																				
1830826	Drill Core	0.39	1.60	0.19	13	2.19	0.067	9.8	13.8	0.72	241.0	0.039	2	0.90	0.020	0.55	0.2	5.5	0.23	0.22	<5
REP 1830826	QC	0.38	1.60	0.19	13	2.17	0.061	9.9	12.9	0.71	251.3	0.037	2	0.89	0.020	0.54	0.2	5.4	0.22	0.22	<5
1830857	Drill Core	0.29	1.40	0.19	17	1.80	0.067	28.7	16.6	0.68	482.2	0.029	2	0.89	0.020	0.47	<0.1	6.8	0.19	0.23	<5
REP 1830857	QC																				
1830860	Core DUP	0.24	1.02	0.09	16	1.55	0.067	27.0	16.5	0.71	907.4	0.039	<1	0.79	0.027	0.42	<0.1	6.4	0.14	0.08	<5
REP 1830860	QC	0.20	0.99	0.08	16	1.56	0.068	28.1	17.3	0.71	940.5	0.042	1	0.80	0.028	0.43	<0.1	6.8	0.14	0.08	<5
REP 1830881	QC																				
Core Reject Duplicates																					
1830779	Drill Core	0.27	0.41	0.06	21	1.59	0.061	30.6	23.0	0.87	225.8	0.009	<1	1.25	0.027	0.35	<0.1	5.7	0.15	0.13	12
DUP 1830779	QC	0.22	0.41	0.05	21	1.55	0.058	30.0	22.1	0.86	223.4	0.008	<1	1.26	0.027	0.36	<0.1	5.5	0.14	0.12	15
1830813	Drill Core	0.39	0.85	0.07	13	1.91	0.065	12.2	13.9	0.88	308.5	0.034	1	1.14	0.016	0.63	0.1	4.4	0.18	0.43	6
DUP 1830813	QC	0.39	0.79	0.07	14	1.92	0.065	12.9	14.2	0.88	321.0	0.036	1	1.16	0.017	0.63	0.1	4.5	0.19	0.41	<5
1830847	Drill Core	0.22	1.15	0.05	15	0.78	0.062	21.9	15.6	0.80	298.8	0.047	<1	0.94	0.043	0.55	0.1	6.9	0.25	0.07	<5
DUP 1830847	QC	0.19	1.19	0.05	15	0.80	0.064	20.9	16.1	0.80	299.0	0.048	1	0.94	0.044	0.55	0.1	7.2	0.25	0.07	<5
1830881	Drill Core	0.28	1.00	0.06	22	1.15	0.069	16.3	21.5	1.13	212.2	0.015	1	1.41	0.017	0.33	<0.1	6.5	0.10	0.10	<5
DUP 1830881	QC	0.27	1.03	0.08	23	1.14	0.070	16.0	22.0	1.15	212.1	0.016	<1	1.43	0.017	0.33	<0.1	6.3	0.12	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	5.88	3.05	21.66	73	1.34	0.070	24.7	196.0	1.33	264.7	0.236	3	2.47	0.200	0.92	4.8	6.2	0.62	0.66	95
STD BVGEO01	Standard	6.37	3.38	24.66	75	1.30	0.069	27.8	197.0	1.27	272.3	0.236	5	2.34	0.194	0.86	5.2	6.1	0.61	0.66	85
STD DS11	Standard	2.24	8.18	11.06	50	1.06	0.064	19.3	64.3	0.83	355.3	0.095	6	1.18	0.074	0.41	2.8	3.3	4.66	0.27	241



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 10, 2019

Page:

1 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1830757	Drill Core	0.7	0.02	2.9	0.97	<0.1	0.35	<0.02	24.7	0.4	<0.05	18.5	4.46	28.1	<0.02	<1	0.4	6.7	<10	<2
REP 1830757	QC	0.7	<0.02	2.7	0.92	<0.1	0.37	<0.02	23.5	0.4	<0.05	18.1	4.40	27.6	<0.02	<1	0.3	7.6	<10	<2
1830783	Drill Core	0.5	<0.02	3.9	2.32	<0.1	0.04	<0.02	21.8	0.2	<0.05	1.5	8.69	51.2	0.03	<1	0.3	8.5	<10	<2
REP 1830783	QC																			
1830791	Drill Core	0.8	0.03	5.2	2.53	<0.1	0.05	0.03	26.3	0.5	<0.05	1.2	11.40	54.9	0.03	1	0.4	7.2	<10	<2
REP 1830791	QC	0.9	0.03	5.1	2.50	<0.1	0.04	0.03	25.7	0.5	<0.05	1.2	11.16	54.3	0.03	1	0.4	7.1	<10	<2
1830808	Drill Core	0.6	0.03	4.2	0.64	<0.1	0.05	<0.02	16.3	0.3	<0.05	2.2	9.61	41.4	0.02	<1	0.4	10.2	<10	<2
REP 1830808	QC																			
1830826	Drill Core	0.3	<0.02	2.5	3.05	<0.1	0.09	<0.02	25.5	0.4	<0.05	3.5	4.67	19.4	0.02	1	0.3	5.2	<10	<2
REP 1830826	QC	0.4	<0.02	2.5	3.04	<0.1	0.10	<0.02	25.0	0.3	<0.05	3.5	4.42	19.4	<0.02	2	0.3	4.6	<10	<2
1830857	Drill Core	0.6	<0.02	2.7	2.96	<0.1	0.05	<0.02	21.3	0.6	<0.05	3.0	11.23	52.5	0.03	1	0.5	6.6	<10	<2
REP 1830857	QC																			
1830860	Core DUP	0.1	<0.02	2.3	5.68	<0.1	0.04	0.04	19.2	0.5	<0.05	2.2	10.61	52.2	0.03	<1	0.3	5.8	<10	<2
REP 1830860	QC	0.2	<0.02	2.4	5.74	<0.1	0.05	0.06	19.1	0.5	<0.05	2.2	10.94	53.1	0.02	1	0.3	5.9	<10	<2
REP 1830881	QC																			
Core Reject Duplicates																				
1830779	Drill Core	0.5	<0.02	5.1	0.92	<0.1	0.03	<0.02	13.8	0.2	<0.05	1.4	11.92	56.5	0.03	1	0.3	9.1	<10	<2
DUP 1830779	QC	0.4	<0.02	4.8	0.88	<0.1	0.04	<0.02	13.7	0.2	<0.05	1.4	12.11	55.4	0.03	<1	0.3	9.0	<10	<2
1830813	Drill Core	1.0	0.04	3.5	1.24	<0.1	0.07	0.02	23.8	0.3	<0.05	2.8	4.56	27.2	<0.02	3	0.3	5.0	<10	<2
DUP 1830813	QC	0.9	0.03	3.5	1.16	<0.1	0.07	<0.02	24.0	0.3	<0.05	2.9	4.64	28.7	<0.02	2	0.4	5.0	<10	<2
1830847	Drill Core	<0.1	<0.02	3.0	4.32	<0.1	0.22	<0.02	26.3	0.5	<0.05	9.7	5.40	41.2	0.03	<1	0.4	5.3	<10	<2
DUP 1830847	QC	<0.1	<0.02	3.2	4.28	<0.1	0.26	<0.02	26.1	0.4	<0.05	9.6	5.58	40.6	0.04	<1	0.3	5.3	<10	<2
1830881	Drill Core	1.0	<0.02	4.6	1.45	<0.1	0.22	0.02	13.5	0.4	<0.05	12.4	6.74	31.4	0.02	<1	0.5	11.0	<10	<2
DUP 1830881	QC	1.0	<0.02	4.9	1.41	<0.1	0.20	0.02	13.9	0.5	<0.05	11.9	6.69	31.4	0.03	<1	0.5	11.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	1.01	7.9	6.92	0.2	0.37	0.21	94.0	5.1	<0.05	11.1	13.91	51.7	0.44	4	0.7	19.6	156	178
STD BVGEO01	Standard	4.6	1.03	7.2	7.18	0.2	0.27	0.31	93.7	5.5	<0.05	10.7	14.70	55.2	0.48	5	0.8	20.4	121	183
STD DS11	Standard	2.0	4.36	4.7	2.83	<0.1	0.06	1.34	33.6	1.7	<0.05	3.4	7.35	38.7	0.22	43	0.7	22.2	100	158



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							16.10	153.03	140.17	337.8	1660	79.9	13.6	1018	3.16	41.6	2.7	69.6	8.7	68.3
STD OREAS262	Standard							0.70	115.25	51.94	146.6	470	68.5	25.7	537	3.22	35.8	1.1	51.3	8.5	34.4
STD OREAS262	Standard							0.70	120.52	58.52	149.3	444	65.5	28.9	531	3.27	34.9	1.3	65.7	9.5	34.6
STD OREAS262	Standard							0.65	119.80	59.77	155.6	456	67.0	28.1	545	3.33	35.6	1.3	68.4	9.3	35.6
STD OREAS262	Standard							0.66	121.71	58.36	148.0	437	64.7	27.7	512	3.30	35.5	1.3	51.6	9.9	36.3
STD OREAS256	Standard			7.639																	
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.218																	
STD OXH139	Standard			1.303																	
STD OXH139	Standard			1.314																	
STD OXN134	Standard			7.620																	
STD OXQ90	Standard					25.42	30.01														
STD OXQ90	Standard					24.96	30.01														
STD OXQ90	Standard					25.70	30.04														
STD OXQ90	Standard					25.44	30.07														
STD OXQ90	Standard					25.18	30.06														
STD OXQ90	Standard					25.22	30.02														
STD OXQ90	Standard					25.24	30.03														
STD OXQ90	Standard					24.81	30.07														
STD OXQ90	Standard					25.09	30.01														
STD OXQ90	Standard					25.02	30.09														
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.7	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.31	7.12	11.64	49	1.08	0.072	20.4	61.8	0.85	382.7	0.101	6	1.24	0.074	0.40	2.8	3.5	4.80	0.28	227
STD OREAS262	Standard	0.61	3.60	0.91	22	2.92	0.036	15.8	45.2	1.17	238.0	0.003	4	1.47	0.070	0.33	0.2	3.4	0.47	0.25	159
STD OREAS262	Standard	0.63	5.46	0.98	22	2.91	0.038	16.9	46.3	1.16	248.9	0.002	3	1.35	0.068	0.32	0.2	3.2	0.45	0.25	170
STD OREAS262	Standard	0.63	5.04	1.02	23	2.95	0.038	17.7	45.9	1.17	265.3	0.002	3	1.36	0.069	0.32	0.2	3.2	0.45	0.26	169
STD OREAS262	Standard	0.65	2.87	1.05	22	2.99	0.042	18.2	46.9	1.18	254.0	0.003	5	1.45	0.069	0.32	0.1	3.0	0.45	0.25	164
STD OREAS256	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.1	4.38	5.0	2.81	<0.1	0.06	1.52	33.3	1.8	<0.05	2.4	8.46	39.8	0.26	47	0.6	23.2	107	156
STD OREAS262	Standard	0.7	0.22	4.6	2.60	<0.1	0.27	<0.02	19.7	0.5	<0.05	12.1	10.61	33.9	0.03	<1	1.1	16.2	<10	<2
STD OREAS262	Standard	0.4	0.25	3.7	2.93	<0.1	0.21	0.02	18.9	0.5	<0.05	13.4	11.01	33.8	0.02	2	0.9	17.2	<10	<2
STD OREAS262	Standard	0.3	0.21	4.1	2.90	<0.1	0.23	<0.02	19.8	0.6	<0.05	14.0	10.61	35.2	0.04	1	1.0	17.2	<10	<2
STD OREAS262	Standard	0.4	0.21	4.2	2.62	<0.1	0.19	<0.02	19.8	0.5	<0.05	10.8	10.82	36.4	0.03	<1	0.9	18.0	<10	<2
STD OREAS256	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2





**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: August 10, 2019

Part: 1 of 3

## WHI19000192.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.02	<0.02	26	0.69	0.043	7.5	2.4	0.45	65.3	0.087	3	0.91	0.091	0.08	<0.1	3.2	<0.02	<0.02	7
ROCK-WHI	Prep Blank	<0.01	<0.02	0.03	24	0.66	0.042	6.6	2.7	0.45	54.3	0.079	2	0.92	0.095	0.09	<0.1	2.9	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 10, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000192.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.15	<0.1	0.10	0.17	2.0	0.5	<0.05	5.0	9.41	14.7	<0.02	<1	0.2	1.9	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.15	<0.1	0.11	0.17	2.1	0.4	<0.05	4.9	8.50	13.2	<0.02	<1	0.2	1.7	<10